

EUROPEAN PATENT OFFICE
U.S. PATENT AND TRADEMARK OFFICE

CPC NOTICE OF CHANGES 168

DATE: FEBRUARY 1, 2016

PROJECT RP0302

The following classification changes will be effected by this Notice of Changes:

<u>Action</u>	<u>Subclass</u>	<u>Group(s)</u>
Symbols deleted:	B60J	10/0002
	B60J	10/0005
	B60J	10/0008
	B60J	10/0011
	B60J	10/0014
	B60J	10/0017
	B60J	10/002
	B60J	10/0022
	B60J	10/0025
	B60J	10/0028
	B60J	10/0031
	B60J	10/0034
	B60J	10/0037
	B60J	10/004
	B60J	10/0042
	B60J	10/0045
	B60J	10/0048
	B60J	10/0051
	B60J	10/0054
	B60J	10/0057
	B60J	10/006
	B60J	10/0062
	B60J	10/0065
	B60J	10/0068
	B60J	10/0071
	B60J	10/0074
	B60J	10/0077
	B60J	10/008
	B60J	10/0082
	B60J	10/0085
	B60J	10/0088
	B60J	10/0091
	B60J	10/0094
	B60J	10/0097
	B60J	10/02
	B60J	10/025
	B60J	10/04
	B60J	10/041
	B60J	10/042
	B60J	10/043
	B60J	10/044
	B60J	10/045
	B60J	10/046
	B60J	10/047
	B60J	10/048
	B60J	10/049

CPC NOTICE OF CHANGES 168

DATE: FEBRUARY 1, 2016

PROJECT RP0302

<u>Action</u>	<u>Subclass</u>	<u>Group(s)</u>
	B60J	10/06
	B60J	10/08
	B60J	10/081
	B60J	10/083
	B60J	10/085
	B60J	10/086
	B60J	10/088
	B60J	10/10
	B60J	10/12
<u>Symbols newly created:</u>	B60J	10/15
	B60J	10/16
	B60J	10/17
	B60J	10/18
	B60J	10/20
	B60J	10/21
	B60J	10/22
	B60J	10/23
	B60J	10/233
	B60J	10/2335
	B60J	10/235
	B60J	10/24
	B60J	10/242
	B60J	10/244
	B60J	10/246
	B60J	10/248
	B60J	10/25
	B60J	10/26
	B60J	10/265
	B60J	10/27
	B60J	10/273
	B60J	10/277
	B60J	10/30
	B60J	10/32
	B60J	10/33
	B60J	10/34
	B60J	10/345
	B60J	10/35
	B60J	10/36
	B60J	10/365
	B60J	10/38
	B60J	10/40
	B60J	10/45
	B60J	10/50
	B60J	10/60
	B60J	10/70
	B60J	10/72
	B60J	10/74
	B60J	10/75
	B60J	10/76

CPC NOTICE OF CHANGES 168

DATE: FEBRUARY 1, 2016

PROJECT RP0302

<u>Action</u>	<u>Subclass</u>	<u>Group(s)</u>
	B60J	10/763
	B60J	10/767
	B60J	10/77
	B60J	10/773
	B60J	10/777
	B60J	10/7775
	B60J	10/78
	B60J	10/79
	B60J	10/80
	B60J	10/82
	B60J	10/84
	B60J	10/85
	B60J	10/86
	B60J	10/87
	B60J	10/88
	B60J	10/90
Title wording change:	B60J	10/00
New/Modified Definitions:	B60J	10/00 (modified)
	B60J	10/45 (new)
Scheme Warning Notice to be modified:	B62D	subclass

The following subclasses/groups are also impacted by this Notice of Changes (indicate subclasses/groups outside of the project scope, such as those listed in the CRL): B23P, B25B, B60R, B62D, B65H, E06B, and F16J

This Notice of Changes includes the following [Check the ones included]:

1. CLASSIFICATION SCHEME CHANGES
 - A. New, Modified or Deleted Group(s)
 - B. New, Modified or Deleted Warning Notice(s)
 - C. New, Modified or Deleted Note(s)
 - D. New, Modified or Deleted Guidance Heading(s)
2. DEFINITIONS (New or Modified)
 - A. DEFINITIONS (Full definition template)
 - B. DEFINITIONS (Definitions Quick Fix)
3. REVISION CONCORDANCE LIST (RCL)
4. CHANGES TO THE CPC-TO-IPC CONCORDANCE LIST (CICL)
5. CROSS-REFERENCE LIST (CRL)

EUROPEAN PATENT OFFICE
U.S. PATENT AND TRADEMARK OFFICE

CPC NOTICE OF CHANGES 168

DATE: FEBRUARY 1, 2016

PROJECT RP0302

1. CLASSIFICATION SCHEME CHANGES

A. New, Modified or Deleted Group(s)

SUBCLASS B60J - WINDOWS, WINDSCREENS, NON-FIXED ROOFS, DOORS, OR SIMILAR DEVICES FOR VEHICLES; REMOVABLE EXTERNAL PROTECTIVE COVERINGS SPECIALLY ADAPTED FOR VEHICLES (fastening, suspending, closing, or opening of such devices E05)

<u>Type*</u>	<u>Symbol</u>	<u>Indent Level Number of dots (e.g. 0, 1, 2)</u>	<u>Title (new or modified)</u> <u>“CPC only” text should normally be enclosed in {curly brackets}**</u>	<u>Transferred to[#]</u>
M	B60J10/00	0	Sealing arrangements	
D	B60J10/0002	1	{characterised by the material}	<administrative transfer to B60J10/15>
D	B60J10/0005	2	{consisting of a plurality of plastic materials having different physical or chemical properties (B60J10/0008 takes precedence)}	<administrative transfer to B60J10/16>
D	B60J10/0008	2	{provided with a low-friction material on the surface}	<administrative transfer to B60J10/17>
D	B60J10/0011	2	{provided with reinforcements or inserts}	<administrative transfer to B60J10/18>
D	B60J10/0014	1	{characterised by the shape}	<administrative transfer to B60J10/20> B60J10/23
D	B60J10/0017	2	{having corner parts or bends}	<administrative transfer to B60J10/21>
D	B60J10/002	2	{having variable cross-sections in the longitudinal direction}	<administrative transfer to B60J10/22>
D	B60J10/0022	2	{consisting of two or more parts assembled along their longitudinal direction (B60J10/0017 takes precedence)}	<administrative transfer to B60J10/235>
D	B60J10/0025	3	{Modular sealing arrangements, i.e. arrangements built up from a large number of joined modules}	<administrative transfer to B60J10/233>
D	B60J10/0028	4	{with joined end members, e.g. abutting ends}	<administrative transfer to B60J10/2335>
D	B60J10/0031	2	{having tubular parts}	<administrative transfer to B60J10/24>
D	B60J10/0034	3	{with vent holes}	<administrative transfer to B60J10/242>
D	B60J10/0037	3	{being inflatable or deflatable}	<administrative transfer to B60J10/244>
D	B60J10/004	3	{having projections within tubular parts, e.g. ribs}	<administrative transfer to B60J10/246>

CPC NOTICE OF CHANGES 168

DATE: FEBRUARY 1, 2016

PROJECT RP0302

<u>Type*</u>	<u>Symbol</u>	<u>Indent Level Number of dots (e.g. 0, 1, 2)</u>	<u>Title (new or modified)</u> <u>“CPC only” text should normally be enclosed in {curly brackets}**</u>	<u>Transferred to[#]</u>
D	B60J10/0042	3	{having more than one tubular sealing cavity, e.g. separate tubular sealing parts or partitioning walls within tubular sealing part}	<administrative transfer to B60J10/248>
D	B60J10/0045	2	{having water drainage means}	<administrative transfer to B60J10/25>
D	B60J10/0048	2	{characterised by the surface shape}	<administrative transfer to B60J10/26>
D	B60J10/0051	3	{provided with decorations}	<administrative transfer to B60J10/265>
D	B60J10/0054	2	{having projections, grooves or channels in the longitudinal direction}	<administrative transfer to B60J10/27>
D	B60J10/0057	3	{for enclosing or housing cables or other functional devices}	<administrative transfer to B60J10/273>
D	B60J10/006	3	{for facilitating pre-defined deformation of sealing parts, e.g. to enhance proper folding}	<administrative transfer to B60J10/277>
D	B60J10/0062	1	{characterised by the fastening means (arrangements of fasteners and clips for inner vehicle liners B60R13/0206); Assembling sealing arrangements with vehicle parts}	<administrative transfer to B60J10/30>
D	B60J10/0065	2	{with integral "U"-shaped retainers}	<administrative transfer to B60J10/32>
D	B60J10/0068	3	{characterised by the configuration of the retaining lips}	<administrative transfer to B60J10/33>
D	B60J10/0071	2	{with adhesives}	<administrative transfer to B60J10/34>
D	B60J10/0074	3	{with premoulded adhesive tapes, e.g. double-sided tapes}	<administrative transfer to B60J10/35>
D	B60J10/0077	3	{with formless adhesives, e.g. hot melt}	<administrative transfer to B60J10/345>
D	B60J10/008	2	{with separately inserted fastening means (B60J10/0085 takes precedence)}	<administrative transfer to B60J10/36>
D	B60J10/0082	3	{comprising beads}	<administrative transfer to B60J10/365>
D	B60J10/0085	2	{with magnets}	<administrative transfer to B60J10/38>
D	B60J10/0088	2	{Assembling sealing arrangements with vehicle parts}	<administrative transfer to B60J10/45>
D	B60J10/0091	1	{characterised by the way of contact between two or more cooperating sealing arrangements}	<administrative transfer to B60J10/40>
D	B60J10/0094	1	{characterised by means for prevention of noise, e.g. window rattling or vibration}	<administrative transfer to B60J10/50>
D	B60J10/0097	1	{characterised by defrosting arrangements, e.g. the heating of sealing}	<administrative transfer to B60J10/60>

CPC NOTICE OF CHANGES 168

DATE: FEBRUARY 1, 2016

PROJECT RP0302

<u>Type*</u>	<u>Symbol</u>	<u>Indent Level Number of dots (e.g. 0, 1, 2)</u>	<u>Title (new or modified)</u> <u>“CPC only” text should normally be enclosed in {curly brackets}**</u>	<u>Transferred to[#]</u>
D	B60J10/02	1	for windows or windscreens {(B60J10/0002 to B60J10/0091 take precedence)}	<administrative transfer to B60J10/70>
D	B60J10/025	2	{with integral wind deflecting means for preventing soiling}	<administrative transfer to B60J10/72>
D	B60J10/04	2	for sliding window panes, e.g. sash guides	<administrative transfer to B60J10/74>
D	B60J10/041	3	{for sealing the lower part of the panes provided at the waist of the vehicle door}	<administrative transfer to B60J10/75>
D	B60J10/042	3	{for the window sash, e.g. glass run channels}	<administrative transfer to B60J10/76>
D	B60J10/043	4	{preventing outward displacement of window at high speed}	<administrative transfer to B60J10/763>
D	B60J10/044	4	{on corner pieces, e.g. on mirror supports or quarter windows}	<administrative transfer to B60J10/78>
D	B60J10/045	4	{with arrangements to reduce air resistance due to glazing not being flush with sash guide}	<administrative transfer to B60J10/767>
D	B60J10/046	3	{for sashless windows}	<administrative transfer to B60J10/77>
D	B60J10/047	4	{preventing outward displacement of window at high speed}	<administrative transfer to B60J10/773>
D	B60J10/048	4	{the sealing arrangement being between the edges of adjacent glazings}	<administrative transfer to B60J10/777>
D	B60J10/049	5	{mounted on the pillar}	<administrative transfer to B60J10/7775>
D	B60J10/06	3	for flush-glass windows {i.e. flush with body or window frame (B60J10/041 takes precedence)}	<administrative transfer to B60J10/79>
D	B60J10/08	1	for doors, {lids or bonnets (B60J10/0002 to B60J10/0091 take precedence)}	<administrative transfer to B60J10/80>
D	B60J10/081	2	{arranged on body side}	<administrative transfer to B60J10/84>
D	B60J10/083	3	{with additional seals on body side}	<administrative transfer to B60J10/85>
D	B60J10/085	2	{arranged on door side}	<administrative transfer to B60J10/86>
D	B60J10/086	3	{with additional seals on door side}	<administrative transfer to B60J10/87>
D	B60J10/088	3	{mounted on, or integral with, the glass-run sealing}	<administrative transfer to B60J10/88>
D	B60J10/10	1	for non-fixed roofs, {e.g. foldable roofs, removable hard-tops and tarpaulins (B60J10/0002 to B60J10/0091 take precedence)}	<administrative transfer to B60J10/90>
D	B60J10/12	1	for movable panels in roofs {(B60J10/0002 to B60J10/0091 take precedence)}	<administrative transfer to B60J10/82>

CPC NOTICE OF CHANGES 168

DATE: FEBRUARY 1, 2016

PROJECT RP0302

<u>Type*</u>	<u>Symbol</u>	<u>Indent Level Number of dots (e.g. 0, 1, 2)</u>	<u>Title (new or modified)</u> <u>“CPC only” text should normally be enclosed in {curly brackets}**</u>	<u>Transferred to#</u>
N	B60J10/15	1	characterised by the material	
N	B60J10/16	2	consisting of two or more plastic materials having different physical or chemical properties (B60J10/17 takes precedence)	
N	B60J10/17	2	provided with a low-friction material on the surface	
N	B60J10/18	2	provided with reinforcements or inserts	
N	B60J10/20	1	characterised by the shape	
N	B60J10/21	2	having corner parts or bends	
N	B60J10/22	2	having varying cross-section in the longitudinal direction	
N	B60J10/23	2	assembled from two or more parts (B60J10/21 takes precedence)	
N	B60J10/233	3	{ Modular sealing arrangements, i.e. arrangements built up from a large number of joined modules }	
N	B60J10/2335	4	{ with joint end members, e.g. abutting ends }	
N	B60J10/235	3	the parts being joined along their longitudinal direction	
N	B60J10/24	2	having tubular parts	
N	B60J10/242	3	with vent holes	
N	B60J10/244	3	inflatable or deflatable	
N	B60J10/246	3	having projections, e.g. ribs, within the tubular parts	
N	B60J10/248	3	having two or more tubular cavities, e.g. formed by partition walls	
N	B60J10/25	2	characterised by water drainage means	
N	B60J10/26	2	characterised by the surface shape	
N	B60J10/265	3	the surface being primarily decorative	
N	B60J10/27	2	having projections, grooves or channels in the longitudinal direction (for separately inserted fastening means, e.g. beads or strips, B60J10/36)	
N	B60J10/273	3	for enclosing or housing devices for purposes other than sealing, e.g. cables	
N	B60J10/277	3	for facilitating specific deformation of sealing parts, e.g. for ensuring proper folding	
N	B60J10/30	1	characterised by the fastening means	
N	B60J10/32	2	using integral U-shaped retainers	
N	B60J10/33	3	characterised by the configuration of the retaining lips	
N	B60J10/34	2	using adhesives	
N	B60J10/345	3	{ with formless adhesives, e.g. hot melt }	
N	B60J10/35	3	using adhesive tapes, e.g. double-sided tapes	

CPC NOTICE OF CHANGES 168

DATE: FEBRUARY 1, 2016

PROJECT RP0302

<u>Type*</u>	<u>Symbol</u>	<u>Indent Level Number of dots (e.g. 0, 1, 2)</u>	<u>Title (new or modified)</u> <u>“CPC only” text should normally be enclosed in {curly brackets}**</u>	<u>Transferred to[#]</u>
N	B60J10/36	2	using separately inserted fastening means, e.g. using clips, beads or strips	
N	B60J10/365	3	{comprising beads}	
N	B60J10/38	2	using magnetic means	
N	B60J10/40	1	characterised by contact between two or more cooperating sealing arrangements	
N	B60J10/45	1	{Assembling sealing arrangements with vehicle parts}	
N	B60J10/50	1	characterised by means for prevention or reduction of noise, e.g. of rattling or vibration of windows	
N	B60J10/60	1	characterised by defrosting arrangements	
N	B60J10/70	1	specially adapted for windows or windscreens	
N	B60J10/72	2	with integral wind-deflecting means, e.g. for preventing soiling	
N	B60J10/74	2	for sliding window panes, e.g. sash guides	
N	B60J10/75	3	for sealing the lower part of the panes	
N	B60J10/76	3	for window sashes; for glass run channels	
N	B60J10/763	4	for preventing outward displacement of windows when at high speed	
N	B60J10/767	4	for reducing air resistance due to the panes not being flush with the sash guide or glass run channel	
N	B60J10/77	3	for sashless windows, i.e. for frameless windows forming a seal directly with the vehicle body	
N	B60J10/773	4	for preventing outward displacement of windows when at high speed	
N	B60J10/777	4	the sealing arrangement being between the edges of adjacent panes	
N	B60J10/7775	5	{mounted on the pillar}	
N	B60J10/78	3	adjacent to corner pieces, mirror supports or quarter windows	
N	B60J10/79	3	for flush-glass windows, i.e. for windows flush with the vehicle body or the window frame	
N	B60J10/80	1	specially adapted for opening panels, e.g. doors (for non-fixed roofs B60J10/90)	
N	B60J10/82	2	for movable panels in roofs	
N	B60J10/84	2	arranged on the vehicle body	
N	B60J10/85	3	{with additional seals on the body side}	
N	B60J10/86	2	arranged on the opening panel	
N	B60J10/87	3	{with additional seals on the panel side}	
N	B60J10/88	3	mounted on, or integral with, the glass-run seals	

CPC NOTICE OF CHANGES 168

DATE: FEBRUARY 1, 2016

PROJECT RP0302

<u>Type*</u>	<u>Symbol</u>	<u>Indent Level Number of dots (e.g. 0, 1, 2)</u>	<u>Title (new or modified)</u> <u>“CPC only” text should normally be enclosed in {curly brackets}**</u>	<u>Transferred to#</u>
N	B60J10/90	1	specially adapted for non-fixed roofs, e.g. foldable roofs or removable hard-tops	

*N = new entries where reclassification into entries is involved; C = entries with modified file scope where reclassification of documents from the entries is involved; Q = new entries which are firstly populated with documents via administrative transfers from deleted (D) entries. Afterwards, the transferred documents into the Q entry will either stay or be moved to more appropriate entries, as determined by intellectual reclassification; E= existing entries with enlarged file scope, which receive documents from C or D entries, e.g. when a limiting reference is removed from the entry title; M = entries with no change to the file scope (no reclassification); D = deleted entries; F = frozen entries will be deleted once reclassification of documents from the entries is completed; U = entries that are unchanged.

NOTES:

- **No {curly brackets} are used for titles in CPC only subclasses, e.g. C12Y, A23Y; 2000 series symbol titles of groups found at the end of schemes (orthogonal codes); or the Y section titles. The {curly brackets} are used for 2000 series symbol titles found interspersed throughout the main trunk schemes (breakdown codes).
- For U groups, the minimum requirement is to include the U group located immediately prior to the N group or N group array, in order to show the N group hierarchy and improve the readability and understanding of the scheme. Always include the symbol, indent level and title of the U group in the table above.
- All entry types should be included in the scheme changes table above for better understanding of the overall scheme change picture. Symbol, indent level, and title are required for all types except “D” which requires only a symbol.
- #“Transferred to” column must be completed for all C, D, F, and Q type entries. F groups will be deleted once reclassification is completed.
- When multiple symbols are included in the “Transferred to” column, avoid using ranges of symbols in order to be as precise as possible.
- For administrative transfer of documents, the following text should be used: “<administrative transfer to XX>” or “<administrative transfer to XX and YY simultaneously>” when administrative transfer of the same documents is to more than one place.
- Administrative transfer to main trunk groups is assumed to be “invention information”, unless otherwise indicated, and to 2000 series groups is assumed to be “additional information”.

CPC NOTICE OF CHANGES 168

DATE: FEBRUARY 1, 2016

PROJECT RP0302

B. New, Modified or Deleted Warning notice(s)

SUBCLASS B62D - MOTOR VEHICLES; TRAILERS (steering, or guiding on a desired track, of agricultural machines or implements A01B 69/00; wheels, castors, axles, increasing wheel adhesion B60B; vehicle tyres, tyre inflation or tyre changing B60C; connections between vehicles of a train or the like B60D; vehicles for use on rail and road, amphibious or convertible vehicles B60F; suspension arrangements B60G; heating, cooling, ventilating or other air treating devices B60H; windows, windscreens, non-fixed roofs, doors or similar devices, protective coverings for vehicles not in use B60J; propulsion plant arrangements, auxiliary drives, transmissions, controls, instrumentation or dashboards B60K; electric equipment or propulsion of electrically-propelled vehicles B60L; power supply for electrically-propelled vehicles B60M; passenger accommodation not otherwise provided for B60N; adaptations for load transportation or to carry special loads or objects B60P; arrangement of signalling or lighting devices, the mounting or supporting thereof or circuits therefor, for vehicles in general B60Q; vehicles, vehicle fittings or vehicle parts not otherwise provided for B60R; servicing, cleaning, repairing, supporting, lifting, or manoeuvring, not otherwise provided for, B60S; brake arrangements, brake control systems or parts thereof B60T; air-cushion vehicles B60V; motorcycles, accessories therefor B62J, B62K; testing of vehicles G01M)

<u>Type*</u>	<u>Location</u>	<u>Old Warning notice</u>	<u>New/Modified Warning notice</u>
M	B62D	B62D65/08 covered by B60J10/0088	B62D65/08 covered by B60J10/45

*N = new warning, M = modified warning, D = deleted warning

NOTE: The "Location" column only requires the symbol PRIOR to the location of the warning. No further directions such as "before" or "after" are required.

2. A. DEFINITIONS (i.e. new)

Insert the following NEW definition.

B60J10/45

{Assembling sealing arrangements with vehicle parts}

Relationship between large subject matter areas

For search attention should be drawn to the existing IPC group B62D65/08 which has a similar scope but is not used in CPC.

Special rules of classification within this group

The assembly of weather strips or seals with vehicle parts are classified in group B60J10/45. Details about the machines used for fitting together a vehicle part and the seal are classified in B23P19/00.

CPC NOTICE OF CHANGES 168

DATE: FEBRUARY 1, 2016

PROJECT RP0302

2. B. DEFINITIONS QUICK FIX

<u>Symbol</u>	<u>Location of change</u> (e.g., section title)	<u>Existing reference symbol or text</u>	<u>Action; New symbol; New text</u>
B60J10/00	Informative references	-	Sealing arrangements for other vehicle parts B60R13/06
B60J10/00	Informative references	-	Sealings in general F16J15/00
B60J10/00	Special rules of classification	The assembly of weather strips or seals with vehicle parts are classified in group B60J10/0088 rather than in IPC group B62D65/08. This IPC group is not used in ECLA. Details about the machines used for fitting together a vehicle part and the seal are classified in B23P19/00.	Delete the entire Special rules section – the heading and all of the text.

NOTES:

- The table above is used for corrections or modifications to existing definitions, e.g. delete an entire definition or part thereof; propose new wording or modify wording of a section, change the symbol the definition is associated with, change or delete a reference symbol, etc.
- Do not delete (F) symbol definitions.

CPC NOTICE OF CHANGES 168

DATE: FEBRUARY 1, 2016

PROJECT RP0302

3. REVISION CONCORDANCE LIST (RCL)

<u>Type*</u>	<u>From CPC Symbol (existing)</u>	<u>To CPC Symbol(s)</u>
D	B60J10/0002	<administrative transfer to B60J10/15>
D	B60J10/0005	<administrative transfer to B60J10/16>
D	B60J10/0008	<administrative transfer to B60J10/17>
D	B60J10/0011	<administrative transfer to B60J10/18>
D	B60J10/0014	<administrative transfer to B60J10/20> B60J10/23
D	B60J10/0017	<administrative transfer to B60J10/21>
D	B60J10/002	<administrative transfer to B60J10/22>
D	B60J10/0022	<administrative transfer to B60J10/235>
D	B60J10/0025	<administrative transfer to B60J10/233>
D	B60J10/0028	<administrative transfer to B60J10/2335>
D	B60J10/0031	<administrative transfer to B60J10/24>
D	B60J10/0034	<administrative transfer to B60J10/242>
D	B60J10/0037	<administrative transfer to B60J10/244>
D	B60J10/004	<administrative transfer to B60J10/246>
D	B60J10/0042	<administrative transfer to B60J10/248>
D	B60J10/0045	<administrative transfer to B60J10/25>
D	B60J10/0048	<administrative transfer to B60J10/26>
D	B60J10/0051	<administrative transfer to B60J10/265>
D	B60J10/0054	<administrative transfer to B60J10/27>
D	B60J10/0057	<administrative transfer to B60J10/273>
D	B60J10/006	<administrative transfer to B60J10/277>
D	B60J10/0062	<administrative transfer to B60J10/30>
D	B60J10/0065	<administrative transfer to B60J10/32>
D	B60J10/0068	<administrative transfer to B60J10/33>
D	B60J10/0071	<administrative transfer to B60J10/34>
D	B60J10/0074	<administrative transfer to B60J10/35>
D	B60J10/0077	<administrative transfer to B60J10/345>
D	B60J10/008	<administrative transfer to B60J10/36>
D	B60J10/0082	<administrative transfer to B60J10/365>
D	B60J10/0085	<administrative transfer to B60J10/38>
D	B60J10/0088	<administrative transfer to B60J10/45>
D	B60J10/0091	<administrative transfer to B60J10/40>
D	B60J10/0094	<administrative transfer to B60J10/50>
D	B60J10/0097	<administrative transfer to B60J10/60>
D	B60J10/02	<administrative transfer to B60J10/70>
D	B60J10/025	<administrative transfer to B60J10/72>
D	B60J10/04	<administrative transfer to B60J10/74>
D	B60J10/041	<administrative transfer to B60J10/75>
D	B60J10/042	<administrative transfer to B60J10/76>
D	B60J10/043	<administrative transfer to B60J10/763>
D	B60J10/044	<administrative transfer to B60J10/78>
D	B60J10/045	<administrative transfer to B60J10/767>
D	B60J10/046	<administrative transfer to B60J10/77>
D	B60J10/047	<administrative transfer to B60J10/773>
D	B60J10/048	<administrative transfer to B60J10/777>
D	B60J10/049	<administrative transfer to B60J10/7775>

CPC NOTICE OF CHANGES 168

DATE: FEBRUARY 1, 2016

PROJECT RP0302

<u>Type*</u>	<u>From CPC Symbol (existing)</u>	<u>To CPC Symbol(s)</u>
D	B60J10/06	<administrative transfer to B60J10/79>
D	B60J10/08	<administrative transfer to B60J10/80>
D	B60J10/081	<administrative transfer to B60J10/84>
D	B60J10/083	<administrative transfer to B60J10/85>
D	B60J10/085	<administrative transfer to B60J10/86>
D	B60J10/086	<administrative transfer to B60J10/87>
D	B60J10/088	<administrative transfer to B60J10/88>
D	B60J10/10	<administrative transfer to B60J10/90>
D	B60J10/12	<administrative transfer to B60J10/82>

* C = entries with modified file scope where reclassification of documents from the entries is involved; Q = new entries which are firstly populated with documents via administrative transfers from deleted (D) entries. Afterwards, the transferred documents into the Q entry will either stay or be moved to more appropriate entries, as determined by intellectual reclassification; D = deleted entries.

NOTES:

- Only C, D, and Q type entries are included in the table above.
- When multiple symbols are included in the “To” column, avoid using ranges of symbols in order to be as precise as possible.
- For administrative transfer of documents, the following text should be used: “<administrative transfer to XX>” or “<administrative transfer to XX and YY simultaneously>” when administrative transfer of the same documents is to more than one place.
- Administrative transfer to main trunk groups is assumed to be “invention information”, unless otherwise indicated, and to 2000 series groups is assumed to be “additional information”.

CPC NOTICE OF CHANGES 168

DATE: FEBRUARY 1, 2016

PROJECT RP0302

4. CHANGES TO THE CPC-TO-IPC CONCORDANCE LIST (CICL)

<u>CPC</u>	<u>IPC</u>	<u>Action*</u>
B60J10/0002		DELETE
B60J10/0005		DELETE
B60J10/0008		DELETE
B60J10/0011		DELETE
B60J10/0014		DELETE
B60J10/0017		DELETE
B60J10/002		DELETE
B60J10/0022		DELETE
B60J10/0025		DELETE
B60J10/0028		DELETE
B60J10/0031		DELETE
B60J10/0034		DELETE
B60J10/0037		DELETE
B60J10/004		DELETE
B60J10/0042		DELETE
B60J10/0045		DELETE
B60J10/0048		DELETE
B60J10/0051		DELETE
B60J10/0054		DELETE
B60J10/0057		DELETE
B60J10/006		DELETE
B60J10/0062		DELETE
B60J10/0065		DELETE
B60J10/0068		DELETE
B60J10/0071		DELETE
B60J10/0074		DELETE
B60J10/0077		DELETE
B60J10/008		DELETE
B60J10/0082		DELETE
B60J10/0085		DELETE
B60J10/0088		DELETE
B60J10/0091		DELETE
B60J10/0094		DELETE
B60J10/0097		DELETE
B60J10/02		DELETE
B60J10/025		DELETE
B60J10/04		DELETE
B60J10/041		DELETE
B60J10/042		DELETE
B60J10/043		DELETE
B60J10/044		DELETE
B60J10/045		DELETE

CPC NOTICE OF CHANGES 168

DATE: FEBRUARY 1, 2016

PROJECT RP0302

<u>CPC</u>	<u>IPC</u>	<u>Action*</u>
B60J10/046		DELETE
B60J10/047		DELETE
B60J10/048		DELETE
B60J10/049		DELETE
B60J10/06		DELETE
B60J10/08		DELETE
B60J10/081		DELETE
B60J10/083		DELETE
B60J10/085		DELETE
B60J10/086		DELETE
B60J10/088		DELETE
B60J10/10		DELETE
B60J10/12		DELETE
B60J10/15	B60J10/15	NEW
B60J10/16	B60J10/16	NEW
B60J10/17	B60J10/17	NEW
B60J10/18	B60J10/18	NEW
B60J10/20	B60J10/20	NEW
B60J10/21	B60J10/21	NEW
B60J10/22	B60J10/22	NEW
B60J10/23	B60J10/23	NEW
B60J10/233	B60J10/23	NEW
B60J10/2335	B60J10/23	NEW
B60J10/235	B60J10/235	NEW
B60J10/24	B60J10/24	NEW
B60J10/242	B60J10/242	NEW
B60J10/244	B60J10/244	NEW
B60J10/246	B60J10/246	NEW
B60J10/248	B60J10/248	NEW
B60J10/25	B60J10/25	NEW
B60J10/26	B60J10/26	NEW
B60J10/265	B60J10/265	NEW
B60J10/27	B60J10/27	NEW
B60J10/273	B60J10/273	NEW
B60J10/277	B60J10/277	NEW
B60J10/30	B60J10/30	NEW
B60J10/32	B60J10/32	NEW
B60J10/33	B60J10/33	NEW
B60J10/34	B60J10/34	NEW
B60J10/345	B60J10/34	NEW
B60J10/35	B60J10/35	NEW
B60J10/36	B60J10/36	NEW
B60J10/365	B60J10/36	NEW
B60J10/38	B60J10/38	NEW
B60J10/40	B60J10/40	NEW

CPC NOTICE OF CHANGES 168

DATE: FEBRUARY 1, 2016

PROJECT RP0302

<u>CPC</u>	<u>IPC</u>	<u>Action*</u>
B60J10/45	B60J10/00	NEW
B60J10/50	B60J10/50	NEW
B60J10/60	B60J10/60	NEW
B60J10/70	B60J10/70	NEW
B60J10/72	B60J10/72	NEW
B60J10/74	B60J10/74	NEW
B60J10/75	B60J10/75	NEW
B60J10/76	B60J10/76	NEW
B60J10/763	B60J10/763	NEW
B60J10/767	B60J10/767	NEW
B60J10/77	B60J10/77	NEW
B60J10/773	B60J10/773	NEW
B60J10/777	B60J10/777	NEW
B60J10/7775	B60J10/777	NEW
B60J10/78	B60J10/78	NEW
B60J10/79	B60J10/79	NEW
B60J10/80	B60J10/80	NEW
B60J10/82	B60J10/82	NEW
B60J10/84	B60J10/84	NEW
B60J10/85	B60J10/84	NEW
B60J10/86	B60J10/86	NEW
B60J10/87	B60J10/86	NEW
B60J10/88	B60J10/88	NEW
B60J10/90	B60J10/90	NEW

*Action column:

- For an (N) or (Q) entry, provide an IPC symbol and complete the Action column with "NEW."
- For an existing CPC main trunk entry or indexing entry where the existing IPC symbol needs to be changed, provide an updated IPC symbol and complete the Action column with "UPDATED."
- For a (D) CPC entry or indexing entry complete the Action column with "DELETE." IPC symbol does not need to be included in the IPC column.
- For an (N) 2000 series CPC entry which is positioned within the main trunk scheme (breakdown code) provide an IPC symbol and complete the action column with "NEW".
- For an (N) 2000 series CPC entry positioned at the end of the CPC scheme (orthogonal code), with no IPC equivalent, complete the IPC column with "CPCONLY" and complete the action column with "NEW".

NOTES:

- F symbols are not included in the CICL table above.
- E and M symbols are not included in the CICL table above unless a change to the existing IPC is desired.

CPC NOTICE OF CHANGES 168

DATE: FEBRUARY 1, 2016

PROJECT RP0302

5. CROSS-REFERENCE LIST (CRL)

Scheme references impacted by this revision project

<u>Location of reference to be changed</u>	<u>Referenced subclass or group to be changed</u>	<u>Action; New reference symbol; New text</u>
B60J1/00	B60J10/02	B60J10/70
B60J1/00	B60J10/04	B60J10/74
B60J1/006	B60J10/02	B60J10/70
B60J1/2002	B60J10/025	B60J10/72
B60R13/07	B60J10/0045	B60J10/25
B62D65/06	B60J10/0088	B60J10/45
E06B7/2318	B60J10/0037	B60J10/244
F16J15/46	B60J10/0037	B60J10/244

Definitions references impacted by this revision project

<u>Location of reference to be changed</u>	<u>Referenced subclass or group to be changed</u>	<u>Section of definition</u>	<u>Action; New reference symbol; New text</u>
B23P19/047	B60J10/0088	Informative references	B60J10/45
B25B27/00	B60J10/0088	Informative references	B60J10/45
B62D65/00	B60J10/0088	Special rules of classification	B60J10/45
B65H37/005	B60J10/0062	Informative references	B60J10/30
F16J15/46	B60J10/0037	Informative references	B60J10/244

NOTES:

- The CRL tables above are used for changes to locations **outside** of the project scope. Changes to references in scheme titles or definitions **inside** the project scope will be reflected in the “scheme change” template or one of the “definition” templates.
- In addition to other changes proposed in the tables above, in the column titled “Referenced subclass or group to be changed,” **referenced D** symbols should indicate an action of “delete” or should indicate a replacement symbol and **referenced F** symbols should indicate a replacement symbol.
- When a reference is deleted, text related to that reference will also be deleted unless other references or a range of references associated with the same text remain.