

CPC COOPERATIVE PATENT CLASSIFICATION

A HUMAN NECESSITIES

HEALTH; AMUSEMENT

A61 MEDICAL OR VETERINARY SCIENCE; HYGIENE

A61F FILTERS IMPLANTABLE INTO BLOOD VESSELS; PROSTHESES; DEVICES PROVIDING PATENCY TO, OR PREVENTING COLLAPSING OF, TUBULAR STRUCTURES OF THE BODY, e.g. STENTS; ORTHOPAEDIC, NURSING OR CONTRACEPTIVE DEVICES; FOMENTATION; TREATMENT OR PROTECTION OF EYES OR EARS; BANDAGES, DRESSINGS OR ABSORBENT PADS; FIRST-AID KITS (dental prosthetics A61C)

WARNINGS

1. The following IPC groups are not in the CPC scheme. The subject matter for these IPC groups is classified in the following CPC groups:

| | | |
|------------|------------|-----------------------------|
| A61F 2/56 | covered by | A61F 2/54 |
| A61F 2/62 | covered by | A61F 2/60 |
| A61F 5/045 | covered by | A61G 13/12 |
| A61F 5/052 | covered by | A61F 5/05 |
| A61F 5/447 | covered by | A61F 5/445 |
| A61F 5/452 | covered by | A61F 5/451 |
| A61F 5/457 | covered by | A61F 5/451 |
| A61F 5/458 | covered by | A61F 5/451 |
| A61F 6/10 | covered by | A61F 6/08 |
| A61F 9/01 | covered by | A61F 9/00802 - A61F 9/00825 |
| A61F 9/011 | covered by | A61F 9/00802 - A61F 9/00825 |
| A61F 13/22 | covered by | A61F 13/206 |
| A61F 13/24 | covered by | A61F 13/2045 |
| A61F 13/30 | covered by | A61F 13/26 |
| A61F 13/32 | covered by | A61F 13/26 |
| A61F 13/40 | covered by | A61M 35/006 |

2. {In this subclass non-limiting references (in the sense of paragraph 39 of the Guide to the IPC) may still be displayed in the scheme.}

| | | |
|-----------|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|----------------------------------------------------------------------------------------------------------------------|
| 2/00 | Filters implantable into blood vessels; Prostheses, i.e. artificial substitutes or replacements for parts of the body; Appliances for connecting them with the body; Devices providing patency to, or preventing collapsing of, tubular structures of the body, e.g. stents (dental prostheses A61C 13/00; artificial kidneys A61M 1/14; artificial hearts A61M 60/00) | 2/0036 . . . {implantable (A61F 2/0018 takes precedence)} |
| 2/004 | | 2/004 {inflatable} |
| 2/0045 | | 2/0045 {Support slings} |
| 2/005 | | 2/005 {with pressure applied to urethra by an element placed in the vagina} |
| 2/0054 | | 2/0054 {with pressure applied to urethra by an element placed around the penis, e.g. penis clamp} |
| 2/0059 | | 2/0059 . . {Cosmetic or alloplastic implants (A61F 2/10 - A61F 2/16, A61F 2/28 take precedence)} |
| 2/0063 | | 2/0063 . . {Implantable repair or support meshes, e.g. hernia meshes} |
| 2002/0068 | | 2002/0068 . . . {having a special mesh pattern} |
| 2002/0072 | | 2002/0072 . . . {Delivery tools therefor} |
| 2/0077 | | 2/0077 . . {Special surfaces of prostheses, e.g. for improving ingrowth (A61F 2/30767 takes precedence)} |
| 2002/0081 | | 2002/0081 {directly machined on the prosthetic surface, e.g. holes, grooves (A61F 2/30771 takes precedence)} |
| 2002/0086 | | 2002/0086 {for preferentially controlling or promoting the growth of specific types of cells or tissues} |
| 2002/009 | | 2002/009 {for hindering or preventing attachment of biological tissue} |
| 2002/0091 | | 2002/0091 {Having cellular growth inhibitors} |

| | | |
|-----------|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|----------------------------------------------------------------------------------------------------------------------------------------------------------------|
| 2/0095 | . {Packages or dispensers for prostheses or other implants (for intraocular lenses A61F 2/1691 ; for dental surgery A61C 19/02)} | 2002/0823 {Modular anchors comprising a plurality of separate parts} |
| 2/01 | . Filters implantable into blood vessels | 2002/0829 {without deformation of anchor parts, e.g. fixation screws on bone surface, extending barbs, cams, butterflies, spring-loaded pins} |
| 2/0103 | . . {With centering means} | 2002/0835 {with deformation of anchor parts, e.g. expansion of dowel by set screw} |
| 2/0105 | . . {Open ended, i.e. legs gathered only at one side} | 2002/0841 {Longitudinal channel for insertion tool running through the whole tendon anchor, e.g. for accommodating bone drill, guidewire} |
| 2/0108 | . . {Both ends closed, i.e. legs gathered at both ends} | 2002/0847 {Mode of fixation of anchor to tendon or ligament} |
| 2/011 | . . {Instruments for their placement or removal} | 2002/0852 {Fixation of a loop or U-turn, e.g. eyelets, anchor having multiple holes} |
| 2/012 | . . {Multiple filtering units} | 2002/0858 {Fixation of tendon or ligament between anchor and bone, e.g. interference screws, wedges} |
| 2/013 | . . {Distal protection devices, i.e. devices placed distally in combination with another endovascular procedure, e.g. angioplasty or stenting} | 2002/0864 {Fixation of tendon or ligament between anchor elements, e.g. by additional screws in the anchor, anchor crimped around tendon} |
| 2/014 | . . . {Retrograde blood flow filters, i.e. device inserted against the blood flow direction} | 2002/087 {Anchor integrated into tendons, e.g. bone blocks, integrated rings} |
| 2002/015 | . . . {Stop means therefor} | 2002/0876 {Position of anchor in respect to the bone} |
| 2002/016 | . . . {made from wire-like elements} | 2002/0882 {Anchor in or on top of a bone tunnel, i.e. a hole running through the entire bone} |
| 2002/018 | . . . {made from tubes or sheets of material, e.g. by etching or laser-cutting} | 2002/0888 {Anchor in or on a blind hole or on the bone surface without formation of a tunnel} |
| 2/02 | . Prostheses implantable into the body | 2002/0894 {Muscles} |
| 2/022 | . . {Artificial gland structures using bioreactors (hemodialysis A61M 1/16 ; hemofiltration A61M 1/34 ; other extracorporeal blood treatment A61M 1/36)} | 2/10 . . Hair or skin implants |
| 2/04 | . . Hollow or tubular parts of organs, e.g. bladders, tracheae, bronchi or bile ducts (A61F 2/18 , A61F 2/20 take precedence; instruments specially adapted for placement or removal of stents or stent-grafts A61F 2/95) | 2/105 {Skin implants, e.g. artificial skin} |
| 2002/041 | . . . {Bile ducts} | 2/12 . . Mammary prostheses |
| 2/042 | . . . {Urinary bladders} | 2/14 Eye parts, e.g. lenses or corneal implants; Artificial eyes |
| 2002/043 | . . . {Bronchi} | 2/141 {Artificial eyes} |
| 2002/044 | . . . {Oesophagi or esophagi or gullets} | 2/142 {Cornea, e.g. artificial cornea, keratoprostheses or corneal implants for repair of defective corneal tissue} |
| 2002/045 | . . . {Stomach, intestines} | 2/145 {Corneal inlays, onlays, or lenses for refractive correction} |
| 2002/046 | . . . {Tracheae} | 2/1451 {Inlays or onlays} |
| 2002/047 | . . . {Urethrae} | 2/1453 {Corneal lenses connected to distinct attachment means} |
| 2002/048 | . . . {Ureters} | 2/147 {Implants to be inserted in the stroma for refractive correction, e.g. ring-like implants} |
| 2/06 | . . . Blood vessels | 2/148 {Implantation instruments specially adapted therefor} |
| 2002/061 | {provided with means for allowing access to secondary lumens} | 2/15 {Implant having one or more holes, e.g. for nutrient transport, for facilitating handling} |
| 2/062 | {Apparatus for the production of blood vessels made from natural tissue or with layers of living cells} | 2/16 Intraocular lenses |
| 2/064 | {with special features to facilitate anastomotic coupling (anastomosis of natural blood vessels A61B 17/11)} | 2/1601 {Lens body having features to facilitate aqueous fluid flow across the intraocular lens, e.g. for pressure equalization or nutrient delivery} |
| 2002/065 | {Y-shaped blood vessels} | 2/16015 {Lens having spacers for providing a gap between the posterior capsule and a posterior surface of the intraocular lens} |
| 2002/067 | {modular} | 2/1602 {Corrective lenses for use in addition to the natural lenses of the eyes or for pseudophakic eyes} |
| 2002/068 | {Modifying the blood flow model, e.g. by diffuser or deflector} | |
| 2/07 | . . . Stent-grafts | |
| 2002/072 | {Encapsulated stents, e.g. wire or whole stent embedded in lining} | |
| 2002/075 | {the stent being loosely attached to the graft material, e.g. by stitching} | |
| 2002/077 | {having means to fill the space between stent-graft and aneurysm wall, e.g. a sleeve} | |
| 2/08 | . . Muscles; Tendons; Ligaments | |
| 2/0805 | . . . {Implements for inserting tendons or ligaments} | |
| 2/0811 | . . . {Fixation devices for tendons or ligaments} | |
| 2002/0817 | {Structure of the anchor} | |

| | | | | | |
|-----------|-----------|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-------------|-----------|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| 2/1605 | | {Anterior chamber lenses for use in addition to the natural lenses of the eyes, e.g. iris fixated, iris floating} | 2002/1682 | | {having mechanical force transfer mechanism to the lens, e.g. for accommodating lenses} |
| 2/1608 | | {Iris fixated, e.g. by clamping iris tissue, by suturing to the iris} | 2002/1683 | | {having filiform haptics} |
| 2/161 | | {Posterior chamber lenses for use in addition to the natural lenses of the eyes} | 2002/1686 | | {Securing a filiform haptic to a lens body} |
| 2/1613 | | {having special lens configurations, e.g. multipart lenses; having particular optical properties, e.g. pseudo-accommodative lenses, lenses having aberration corrections, diffractive lenses, lenses for variably absorbing electromagnetic radiation, lenses having variable focus} | 2002/1689 | | {having plate-haptics} |
| 2/1616 | | {Pseudo-accommodative, e.g. multifocal or enabling monovision} | 2002/16901 | | {Supporting structure conforms to shape of capsular bag} |
| 2/1618 | | {Multifocal lenses} | 2002/16902 | | {Separable from intraocular lens} |
| 2/1621 | | {enabling correction for monovision} | 2002/16903 | | {Having means to temporarily stabilize haptic} |
| 2/1624 | | {having adjustable focus; power activated variable focus means, e.g. mechanically or electrically by the ciliary muscle or from the outside} | 2002/16905 | | {Having means on lens to reduce overall dimension of lens for insertion into small incision} |
| 2/1627 | | {for changing index of refraction, e.g. by external means or by tilting} | 2002/169051 | | {Segmented zones} |
| 2/1629 | | {for changing longitudinal position, i.e. along the visual axis when implanted} | 2002/169052 | | {Segments slide} |
| 2/1632 | | {for changing radial position, i.e. perpendicularly to the visual axis when implanted} | 2002/169053 | | {Segments fold} |
| 2/1635 | | {for changing shape} | 2/1691 | | {Packages or dispensers for intraocular lenses (for contact lenses A45C 11/005)} |
| 2/1637 | | {Correcting aberrations caused by inhomogeneities; correcting intrinsic aberrations, e.g. of the cornea, of the surface of the natural lens, aspheric, cylindrical, toric lenses} | 2/1694 | | {Capsular bag spreaders therefor} |
| 2/164 | | {Aspheric lenses} | 2002/1696 | | {Having structure for blocking or reducing amount of light transmitted, e.g. glare reduction} |
| 2/1643 | | {Cylindrical lenses} | 2002/16965 | | {Lens includes ultraviolet absorber} |
| 2/1645 | | {Toric lenses} | 2002/1699 | | {Additional features not otherwise provided for} |
| 2/1648 | | {Multipart lenses} | 2/18 | . . . | Internal ear or nose parts, e.g. ear-drums { (implants for middle ear ventilation or drainage A61F 11/202) } |
| 2/1651 | | {Multipart lenses comprising a telescope} | 2002/183 | | {Ear parts} |
| 2/1654 | | {Diffractive lenses} | 2/186 | | {Nose parts} |
| 2/1656 | | {Fresnel lenses, prisms or plates} | 2/20 | . . . | Larynxes; Tracheae combined with larynxes or for use therewith |
| 2/1659 | | {having variable absorption coefficient for electromagnetic radiation, e.g. photochromic lenses} | 2/203 | | {comprising an air passage from trachea to oesophagus or to pharynx; Artificial epiglottis} |
| 2/1662 | | {Instruments for inserting intraocular lenses into the eye} | 2002/206 | | {Speech aids with external actuators, e.g. electrical larynxes} |
| 2/1664 | | {for manual insertion during surgery, e.g. forceps-like instruments} | 2/24 | . . . | Heart valves {; Vascular valves, e.g. venous valves; Heart implants, e.g. passive devices for improving the function of the native valve or the heart muscle; Transmyocardial revascularisation [TMR] devices; Valves implantable in the body} |
| 2/1667 | | {with rotatable plungers} | 2/2403 | | {with pivoting rigid closure members (check valves with hinged closure members in general F16K 15/03)} |
| 2/167 | | {with pushable plungers} | 2/2406 | | {without fixed axis} |
| 2/1672 | | {with a two-stage plunger, e.g. rotatable and pushable or rotatable at different speeds} | 2/2409 | | {Support rings therefor, e.g. for connecting valves to tissue (annuloplasty rings A61F 2/2442)} |
| 2/1675 | | {with a lubricated inner surface, e.g. the lubricant being coated on the inner surface or being injected through a port} | 2/2412 | | {with soft flexible valve members, e.g. tissue valves shaped like natural valves} |
| 2/1678 | | {with a separate cartridge or other lens setting part for storage of a lens, e.g. preloader for shipping} | 2/2415 | | {Manufacturing methods} |
| 2002/1681 | | {having supporting structure for lens, e.g. haptics} | 2/2418 | | {Scaffolds therefor, e.g. support stents} |
| | | | 2/2421 | | {with non-pivoting rigid closure members} |
| | | | 2/2424 | | {Ball valves} |
| | | | 2/2427 | | {Devices for manipulating or deploying heart valves during implantation} |
| | | | 2/243 | | {Deployment by mechanical expansion} |
| | | | 2/2433 | | {using balloon catheter} |
| | | | 2/2436 | | {Deployment by retracting a sheath} |
| | | | 2/2439 | | {Expansion controlled by filaments} |

| | | | |
|-----------|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|------------|------------------------------------------------------------------------------------------------------------------------------------------------|
| 2/2442 | {Annuloplasty rings or inserts for correcting the valve shape; Implants for improving the function of a native heart valve} | 2002/285 | {Fixation appliances for attaching bone substitute support means to underlying bone} |
| 2/2445 | {Annuloplasty rings in direct contact with the valve annulus} | 2002/2853 | {Humerus} |
| 2/2448 | {D-shaped rings} | 2/2857 | {for cadavers (devices for autopsy A61B 16/00)} |
| 2/2451 | {Inserts in the coronary sinus for correcting the valve shape} | 2002/286 | {Bone stimulation by mechanical vibrations for enhancing ossification} |
| 2/2454 | {Means for preventing inversion of the valve leaflets, e.g. chordae tendineae prostheses} | 2002/2864 | {by ultrasonic or acoustic vibrations} |
| 2/2457 | {Chordae tendineae prostheses} | 2002/2871 | {Radius} |
| 2/246 | {Devices for obstructing a leak through a native valve in a closed condition} | 2/2875 | {Skull or cranium (A61F 2/2803 takes precedence; joints for temporo-mandibular [TM] joints [TMJ] A61F 2/3099)} |
| 2/2463 | {Implants forming part of the valve leaflets} | 2002/2878 | {for orbital repair} |
| 2/2466 | {Delivery devices therefor} | 2002/2882 | {Malar or zygomatic implants} |
| 2/2469 | {with resilient valve members, e.g. conical spiral} | 2002/2885 | {Paranasal implants} |
| 2/2472 | {Devices for testing} | 2002/2889 | {Maxillary, premaxillary or molar implants} |
| 2/2475 | {Venous valves} | 2002/2892 | {Tibia} |
| 2/2476 | {Valves implantable in the body not otherwise provided for} | 2002/2896 | {Ulna} |
| 2/2478 | {Passive devices for improving the function of the heart muscle, i.e. devices for reshaping the external surface of the heart, e.g. bags, strips or bands} | 2/30 | Joints |
| 2/2481 | {Devices outside the heart wall, e.g. bags, strips or bands} | 2002/30001 | {Additional features of subject-matter classified in A61F 2/28, A61F 2/30 and subgroups thereof} |
| 2002/2484 | {Delivery devices therefor} | 2002/30003 | {Material related properties of the prosthesis or of a coating on the prosthesis} |
| 2/2487 | {Devices within the heart chamber, e.g. splints} | 2002/30004 | {the prosthesis being made from materials having different values of a given property at different locations within the same prosthesis} |
| 2002/249 | {Device completely embedded in the heart wall} | 2002/30006 | {differing in density or specific weight} |
| 2/2493 | {Transmyocardial revascularisation [TMR] devices} | 2002/30009 | {differing in fibre orientations} |
| 2/2496 | {Devices for determining the dimensions of the prosthetic valve to be implanted, e.g. templates, sizers} | 2002/30011 | {differing in porosity} |
| 2/26 | . . Penis implants | 2002/30014 | {differing in elasticity, stiffness or compressibility} |
| 2/28 | . . Bones | 2002/30016 | {differing in hardness, e.g. Vickers, Shore, Brinell} |
| 2/2803 | . . {for mandibular reconstruction (temporo-mandibular joints A61F 2/3099; bone plates for the jaw A61B 17/8071)} | 2002/30019 | {differing in mechanical expandability, e.g. in mechanical, self- or balloon expandability} |
| 2002/2807 | {Chin implants} | 2002/30021 | {differing in brittleness} |
| 2/2814 | {Bone stump caps} | 2002/30023 | {differing in viscosity} |
| 2002/2817 | {Bone stimulation by chemical reactions or by osteogenic or biological products for enhancing ossification, e.g. by bone morphogenetic or morphogenic proteins [BMP] or by transforming growth factors [TGF]} | 2002/30024 | {differing in coefficient of friction} |
| 2002/2821 | {Bone stimulation by electromagnetic fields or electric current for enhancing ossification} | 2002/30026 | {differing in wear resistance} |
| 2002/2825 | {Femur} | 2002/30028 | {differing in tissue ingrowth capacity, e.g. made from both ingrowth-promoting and ingrowth-preventing parts} |
| 2002/2828 | {Femoral head} | 2002/30031 | {differing in wettability, e.g. in hydrophilic or hydrophobic behaviours} |
| 2002/2832 | {Femoral neck} | 2002/30032 | {differing in absorbability or resorbability, i.e. in absorption or resorption time} |
| 2002/2835 | {Bone graft implants for filling a bony defect or an endoprosthesis cavity, e.g. by synthetic material or biological material} | 2002/30036 | {differing in release or diffusion time} |
| 2002/2839 | {Bone plugs or bone graft dowels} | 2002/30037 | {differing in coefficient of thermal expansion or dilation} |
| 2/2846 | {Support means for bone substitute or for bone graft implants, e.g. membranes or plates for covering bone defects (nets or sleeves applied to surface of endoprostheses A61F 2/30907; bone plates A61B 17/80; bone regeneration in dental surgery A61C 8/0006)} | 2002/30039 | {differing in shape-memory transition temperatures, e.g. in martensitic transition temperature or in austenitic transition temperature} |
| | | 2002/30041 | {differing in hardening time} |
| | | 2002/30042 | {made from both cured and uncured parts} |
| | | 2002/30044 | {differing in melting temperature} |
| | | 2002/30046 | {differing in thermal conductivity} |

| | |
|----------------------|-----------------------------------------------------------------------------------------------------------|
| 2002/30051 | {differing in corrosion resistance} |
| 2002/30052 | {differing in electric or magnetic properties} |
| 2002/30056 | {differing in radiographic density} |
| 2002/30057 | {made from both cortical and cancellous adjacent parts} |
| 2002/30059 | {differing in bone mineralization, e.g. made from both mineralized and demineralized adjacent parts} |
| 2002/30060 | {Properties of materials and coating materials} |
| 2002/30062 | {(bio)absorbable, biodegradable, bioerodable, (bio)resorbable, resorptive} |
| 2002/30064 | {Coating or prosthesis-covering structure made of biodegradable material} |
| 2002/30065 | {thermoplastic, i.e. softening or fusing when heated, and hardening and becoming rigid again when cooled} |
| 2002/30067 | {Coating or prosthesis-covering structure made of thermoplastic material} |
| 2002/30069 | {elastomeric} |
| 2002/3007 | {Coating or prosthesis-covering structure made of elastic material, e.g. of elastomer} |
| 2002/30072 | {Coating made of plastically deformable or self-moulding material} |
| 2002/30074 | {stretchable} |
| 2002/30075 | {swellable, e.g. when wetted} |
| 2002/30077 | {shrinkable} |
| 2002/30079 | {magnetic} |
| 2002/3008 | {radio-opaque, e.g. radio-opaque markers} |
| 2002/30082 | {radioactive} |
| 2002/30084 | {Materials having a crystalline structure} |
| 2002/30087 | {piezoelectric} |
| 2002/30088 | {Phase change materials [PCM], e.g. for storing latent heat} |
| 2002/3009 | {Transparent or translucent} |
| 2002/30092 | {using shape memory or superelastic materials, e.g. nitinol} |
| 2002/30107 | {using materials or accessories for preventing galvanic or electrolytic corrosion} |
| 2002/30108 | {Shapes} |
| 2002/3011 | {Cross-sections or two-dimensional shapes} |
| 2002/30112 | {Rounded shapes, e.g. with rounded corners} |
| 2002/30113 | {circular} |
| 2002/30115 | {circular-O-shaped} |
| 2002/30116 | {partial circles, i.e. circular segments} |
| 2002/30118 | {concentric circles} |
| 2002/3012 | {intersecting circles} |
| 2002/30121 | {with lobes} |
| 2002/30123 | {with two diametrically opposed lobes} |
| 2002/30125 | {elliptical or oval} |
| 2002/30126 | {oval-O-shaped} |
| 2002/30128 | {concentric ellipses} |
| 2002/3013 | {figure- "8"- or hourglass-shaped} |
| 2002/30131 | {horseshoe- or crescent- or C-shaped or U-shaped} |
| 2002/30133 | {kidney-shaped or bean-shaped} |
| 2002/30136 | {undulated or wavy, e.g. serpentine-shaped or zigzag-shaped} |
| 2002/30138 | {Convex polygonal shapes} |
| 2002/3014 | {decagonal} |
| 2002/30141 | {dodecagonal} |
| 2002/30143 | {hexagonal} |
| 2002/30146 | {octagonal} |
| 2002/30148 | {lozenge- or diamond-shaped} |
| 2002/30149 | {pentagonal} |
| 2002/30151 | {rhomboidal or parallelogram-shaped} |
| 2002/30153 | {rectangular} |
| 2002/30154 | {square} |
| 2002/30156 | {triangular} |
| 2002/30158 | {trapezoidal} |
| 2002/30159 | {Concave polygonal shapes} |
| 2002/30161 | {arrow-shaped} |
| 2002/30164 | {dovetail-shaped} |
| 2002/30166 | {H-shaped or I-shaped} |
| 2002/30168 | {L-shaped} |
| 2002/30169 | {Pi-shaped} |
| 2002/30171 | {rosette- or star-shaped} |
| 2002/30172 | {T-shaped} |
| 2002/30176 | {V-shaped} |
| 2002/30177 | {W-shaped, M-shaped or sigma shaped} |
| 2002/30179 | {X-shaped} |
| 2002/30181 | {Y-shaped} |
| 2002/30182 | {Other shapes} |
| 2002/30187 | {D-shaped or half-disc-shaped} |
| 2002/30189 | {E-shaped or epsilon-shaped} |
| 2002/30191 | {heart-shaped} |
| 2002/30192 | {J-shaped} |
| 2002/30196 | {Psi-shaped or fork-shaped} |
| 2002/30197 | {Omega-shaped} |
| 2002/30199 | {Three-dimensional shapes} |
| 2002/302 | {toroidal, e.g. rings} |
| 2002/30202 | {half-toroides} |
| 2002/30205 | {conical} |
| 2002/30207 | {Double convex cones, i.e. element having two convex cones, one at each of its opposite ends} |
| 2002/30209 | {Cones of elliptical or oval basis} |
| 2002/3021 | {frustoconical} |
| 2002/30212 | {Half-cones} |
| 2002/30214 | {having tapered sections of different conicities} |
| 2002/30215 | {Stepped cones, i.e. having discrete diameter changes} |
| 2002/30217 | {hollow cones, e.g. tubular-like cones} |
| 2002/30224 | {cylindrical} |
| 2002/30225 | {Flat cylinders, i.e. discs} |
| 2002/30227 | {arched, domed or vaulted} |
| 2002/30228 | {Cylinders of elliptical or oval basis} |
| 2002/3023 | {wedge-shaped cylinders} |
| 2002/30232 | {Half-cylinders} |

| | | | |
|----------------------|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|----------------------|-------------------------------------------------------------------------------------------------------------------------------------|
| 2002/30233 | {Stepped cylinders, i.e. having discrete diameter changes} | 2002/30327 | {differing in diameter} |
| 2002/30235 | {tubular, e.g. sleeves} | 2002/30329 | {Connections or couplings between prosthetic parts, e.g. between modular parts; Connecting elements} |
| 2002/30237 | {partial tubes} | 2002/30331 | {made by longitudinally pushing a protrusion into a complementarily-shaped recess, e.g. held by friction fit} |
| 2002/30242 | {spherical} | 2002/30332 | {Conically- or frustoconically-shaped protrusion and recess} |
| 2002/30243 | {the overall spherical surface being composed of a plurality of adjacent circular or polygonal segments, e.g. football-like shaped} | 2002/30334 | {Cone of elliptical or oval basis} |
| 2002/30245 | {Partial spheres} | 2002/30336 | {Stepped cones, i.e. having discrete diameter changes} |
| 2002/30252 | {quadric-shaped} | 2002/30337 | {Inverted concave conical connections, e.g. for opposing disconnection} |
| 2002/30253 | {ellipsoidal or ovoid} | 2002/30339 | {Double cones, i.e. connecting element having two conical connections, one at each of its opposite ends} |
| 2002/30255 | {hyperboloidal} | 2002/30345 | {Multiple conical connection, i.e. the protrusion and recess having several tapered sections of different complementary conicities} |
| 2002/30257 | {paraboloidal} | 2002/30349 | {the male and female complementary cones being of different conicities, i.e. for reducing the contact area} |
| 2002/30258 | {elliptic paraboloid} | 2002/3035 | {the male convex cone having an inner female concave taper} |
| 2002/30261 | {parallelepipedal} | 2002/30352 | {Protrusion and recess of D-shaped cross-section} |
| 2002/30263 | {cubical} | 2002/30354 | {Cylindrically-shaped protrusion and recess, e.g. cylinder of circular basis} |
| 2002/30265 | {Flat parallelepipeds} | 2002/30355 | {Cylinder of elliptical or oval basis} |
| 2002/30266 | {wedge-shaped parallelepipeds} | 2002/30357 | {Stepped cylinders, i.e. having discrete diameter changes} |
| 2002/30273 | {pyramidal} | 2002/30359 | {Pyramidally- or frustopyramidally-shaped protrusion and recess} |
| 2002/30275 | {tetrahedral, i.e. having a triangular basis} | 2002/3036 | {Protrusion and recess of kidney-shaped cross-section} |
| 2002/30276 | {frustopyramidal} | 2002/30362 | {with possibility of relative movement between the protrusion and the recess} |
| 2002/3028 | {polyhedral different from parallelepipedal and pyramidal} | 2002/30364 | {Rotation about the common longitudinal axis} |
| 2002/30281 | {wedge-shaped} | 2002/30365 | {with additional means for limiting said rotation} |
| 2002/30285 | {rugby-ball-shaped} | 2002/30367 | {with additional means for preventing said rotation} |
| 2002/30286 | {barrel-shaped} | 2002/30369 | {Limited lateral translation of the protrusion within a larger recess} |
| 2002/30288 | {bottle-shaped} | 2002/3037 | {Translation along the common longitudinal axis, e.g. piston} |
| 2002/30289 | {helically-coiled} | 2002/30372 | {with additional means for limiting said translation} |
| 2002/30291 | {spirally-coiled, i.e. having a 2D spiral cross-section} | 2002/30373 | {with additional means for preventing said translation} |
| 2002/30293 | {Cylindrical body made by spirally rolling up a sheet or a strip around itself} | 2002/30375 | {with an intermediate bushing or sleeve between the moving parts} |
| 2002/30294 | {Conical or frustoconical body made by spirally rolling up a sheet or a strip around itself} | 2002/30378 | {Spherically-shaped protrusion and recess} |
| 2002/30298 | {Parallelepipedal body made by spirally rolling up a sheet or a strip around itself} | | |
| 2002/30299 | {umbrella-shaped or mushroom-shaped} | | |
| 2002/30301 | {saddle-shaped} | | |
| 2002/30303 | {polypod-shaped} | | |
| 2002/30304 | {nose-shaped} | | |
| 2002/30306 | {harpoon-shaped} | | |
| 2002/30308 | {banana-shaped} | | |
| 2002/30309 | {hat-shaped or bell-shaped} | | |
| 2002/30313 | {pear-shaped} | | |
| 2002/30316 | {The prosthesis having different structural features at different locations within the same prosthesis; Connections between prosthetic parts; Special structural features of bone or joint prostheses not otherwise provided for} | | |
| 2002/30317 | {The prosthesis having different structural features at different locations within the same prosthesis} | | |
| 2002/30319 | {differing in moment of inertia} | | |
| 2002/30321 | {differing in roughness} | | |
| 2002/30322 | {differing in surface structures} | | |
| 2002/30324 | {differing in thickness} | | |
| 2002/30326 | {differing in height or in length} | | |

| | | | |
|----------------------|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|----------------------|-------------------------------------------------------------------------------------------------------------------------------|
| 2002/30383 | {made by laterally inserting a protrusion, e.g. a rib into a complementarily-shaped groove} | 2002/30461 | {sutured, ligatured or stitched} |
| 2002/30385 | {the rib and groove having non-parallel, e.g. conically-tapered, cooperating sides, e.g. having a trapezoidal front cross-section} | 2002/30462 | {retained or tied with a rope, string, thread, wire or cable} |
| 2002/30387 | {Dovetail connection} | 2002/30467 | {using hook and loop-type fasteners} |
| 2002/3039 | {with possibility of relative movement of the rib within the groove} | 2002/30469 | {using band clamps} |
| 2002/30392 | {Rotation} | 2002/30471 | {connected by a hinged linkage mechanism, e.g. of the single-bar or multi-bar linkage type} |
| 2002/30393 | {with additional means for limiting said rotation} | 2002/30474 | {using an intermediate sleeve interposed between both prosthetic parts to be coupled} |
| 2002/30395 | {with additional means for preventing or locking said rotation} | 2002/30476 | {locked by an additional locking mechanism} |
| 2002/30397 | {Limited lateral translation of the rib within a larger groove} | 2002/30477 | {using sharp protrusions, e.g. spikes, for anchoring into connecting prosthetic part} |
| 2002/30398 | {Sliding} | 2002/30479 | {using a locking ball} |
| 2002/304 | {with additional means for limiting said sliding} | 2002/30481 | {using a locking clip} |
| 2002/30401 | {with additional means for preventing or locking said sliding} | 2002/30482 | {using a locking cam} |
| 2002/30403 | {Longitudinally-oriented cooperating ribs and grooves on mating lateral surfaces of a mainly longitudinal connection} | 2002/30484 | {Mechanically expandable devices located on the first prosthetic part for locking into or onto the second prosthetic part} |
| 2002/30405 | {made by screwing complementary threads machined on the parts themselves} | 2002/30485 | {plastically deformable} |
| 2002/30406 | {Threads machined on spherical, e.g. hemispherical, surfaces} | 2002/30487 | {Circumferential cooperating grooves and beads on cooperating lateral surfaces of a mainly longitudinal connection} |
| 2002/30408 | {Conical threadings} | 2002/3049 | {using a slideable sleeve covering the connection} |
| 2002/3041 | {having threaded portions of different pitches} | 2002/30492 | {using a locking pin} |
| 2002/30411 | {having two threaded end parts connected by a threaded central part with opposite threads at its opposite ends, i.e. for adjusting the distance between both end parts by rotating the central part} | 2002/30494 | {Cooperating protrusions and recesses, e.g. radial serrations, located on abutting end surfaces of a longitudinal connection} |
| 2002/30413 | {having threads of increasing height or depth} | 2002/30495 | {using a locking ring} |
| 2002/3042 | {with a pin cooperating with a helical groove} | 2002/305 | {Snap connection} |
| 2002/30421 | {Rounded threads} | 2002/30505 | {spring biased} |
| 2002/30425 | {Square threads} | 2002/30507 | {using a threaded locking member, e.g. a locking screw or a set screw} |
| 2002/30426 | {Bayonet coupling} | 2002/30514 | {using a locking washer} |
| 2002/30428 | {made by inserting a protrusion into a slot} | 2002/30515 | {using a locking wedge or block} |
| 2002/30429 | {made by inserting a hook into a cooperating slot} | 2002/30517 | {using a locking plate} |
| 2002/30431 | {made by first pushing a necked button longitudinally and then sliding it laterally within a keyhole slot} | 2002/30518 | {with possibility of relative movement between the prosthetic parts} |
| 2002/30433 | {using additional screws, bolts, dowels, rivets or washers e.g. connecting screws} | 2002/3052 | {unrestrained in only one direction, e.g. moving unidirectionally} |
| 2002/30448 | {using adhesives} | 2002/30522 | {releasable, e.g. using a releasable ratchet} |
| 2002/30449 | {the adhesive being cement} | 2002/30523 | {by means of meshing gear teeth} |
| 2002/30451 | {soldered or brazed or welded} | 2002/30525 | {Worm gears} |
| 2002/30459 | {stapled} | 2002/30528 | {Means for limiting said movement} |
| | | 2002/3053 | {having additional means for preventing unwanted connections} |
| | | 2002/30535 | {Special structural features of bone or joint prostheses not otherwise provided for} |
| | | 2002/30537 | {adjustable} |
| | | 2002/30538 | {for adjusting angular orientation} |

| | | | |
|------------|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|------------|-----------------------------------------------------------------------------------------------------------------------------------|
| 2002/3054 | about a connection axis or implantation axis for selecting any one of a plurality of radial orientations between two modular parts, e.g. Morse taper connections, at discrete positions, angular positions or continuous positions | 2002/30616 | {Sets comprising a plurality of prosthetic parts of different sizes or orientations} |
| 2002/30545 | {for adjusting a diameter} | 2002/30617 | {Visible markings for adjusting, locating or measuring} |
| 2002/30546 | {for adjusting elasticity, flexibility, spring rate or mechanical tension} | 2002/30621 | {Features concerning the anatomical functioning or articulation of the prosthetic joint} |
| 2002/30548 | {for adjusting fluid pressure} | 2002/30622 | {Implant for fusing a joint or bone material} |
| 2002/3055 | {for adjusting length} | 2002/30624 | {Hinged joint, e.g. with transverse axle restricting the movement} |
| 2002/30553 | {for adjusting a position by translation along an axis} | 2002/30632 | {with rotation-limiting stops, e.g. projections or recesses} |
| 2002/30555 | {along two perpendicular axes} | 2002/30634 | {biaxial} |
| 2002/30556 | {for adjusting thickness} | 2002/30635 | {Cardan or gimbal joints} |
| 2002/30558 | {Force-limiting means} | 2002/30639 | {having rolling elements between both articulating surfaces} |
| 2002/30561 | {breakable or frangible} | 2002/30642 | {having a single rolling (or sliding) ball articulating between two cups} |
| 2002/30563 | {having elastic means or damping means, different from springs, e.g. including an elastomeric core or shock absorbers} | 2002/30647 | {Joints made of two toroidal rings engaged together} |
| 2002/30565 | {having spring elements} | 2002/30649 | {Ball-and-socket joints} |
| 2002/30566 | {Helical springs} | 2002/3065 | {Details of the ball-shaped head} |
| 2002/30568 | {Multiple spring systems including two or more helical springs} | 2002/30652 | {Special cut-outs, e.g. flat or grooved cut-outs} |
| 2002/30571 | {Leaf springs} | 2002/30654 | {Details of the concave socket} |
| 2002/30573 | {2-D spiral springs} | 2002/30655 | {Non-spherical concave inner surface} |
| 2002/30574 | {with an integral complete or partial collar or flange} | 2002/30657 | {made of different partially-spherical concave portions} |
| 2002/30576 | {with extending fixation tabs} | 2002/30658 | {having a central conforming area surrounded by a peripheral annular non-conforming area} |
| 2002/30578 | {having apertures, e.g. for receiving fixation screws} | 2002/3066 | {having a central non-conforming area surrounded by a peripheral annular conforming area} |
| 2002/30579 | {with mechanically expandable devices, e.g. fixation devices} | 2002/30662 | {with rotation-limiting means} |
| 2002/30581 | {having a pocket filled with fluid, e.g. liquid} | 2002/30663 | {multiaxial, e.g. biaxial; multipolar, e.g. bipolar or having an intermediate shell articulating between the ball and the socket} |
| 2002/30583 | {filled with hardenable fluid, e.g. curable in-situ} | 2002/30665 | {Dual arrangement of two adjacent ball-and-socket joints} |
| 2002/30584 | {filled with gas} | 2002/30667 | {Features concerning an interaction with the environment or a particular use of the prosthesis} |
| 2002/30586 | {having two or more inflatable pockets or chambers} | 2002/30668 | {Means for transferring electromagnetic energy to implants} |
| 2002/30588 | {filled with solid particles} | 2002/3067 | {for data transfer} |
| 2002/30589 | {Sealing means} | 2002/30672 | {temporary} |
| 2002/30593 | {hollow} | 2002/30673 | {Lubricating means, e.g. synovial pocket} |
| 2002/30594 | {slotted, e.g. radial or meridian slot ending in a polar aperture, non-polar slots, horizontal or arcuate slots} | 2002/30675 | {Means for regulating synovial fluid pressure} |
| 2002/30599 | {stackable} | 2002/30677 | {Means for introducing or releasing pharmaceutical products, e.g. antibiotics, into the body} |
| 2002/30601 | {telescopic} | 2002/3068 | {the pharmaceutical product being in a reservoir} |
| 2002/30602 | {Shaft made of a bundle of anchoring rods or bristles, e.g. fasciculate shaft} | 2002/30682 | {Means for preventing migration of particles released by the joint, e.g. wear debris or cement particles} |
| 2002/30604 | {modular} | | |
| 2002/30606 | {Sets comprising both cemented and non-cemented endoprostheses} | | |
| 2002/30607 | {Kits of prosthetic parts to be assembled in various combinations for forming different prostheses} | | |
| 2002/30609 | {Sets comprising both coated and non-coated endoprostheses} | | |
| 2002/30614 | {Sets comprising both primary and revision endoprostheses} | | |

| | | | |
|----------------------|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------|----------------------|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| 2002/30683 | {Means for collecting wear particles in a hollow cavity inside the prosthesis} | 2/30739 | {Devices connected to the proximal part of an endoprosthetic femoral shaft for reinforcing or replacing the trochanters, e.g. the greater trochanter (<u>proximal parts of endoprosthetic femoral shafts A61F 2/367</u> ; non-prosthetic trochanteric devices <u>A61B 17/74</u>)} |
| 2002/30685 | {Means for reducing or preventing the generation of wear particulates} | 2002/30741 | {for the lesser trochanter} |
| 2002/30686 | {Devices for removing particulate debris from prosthetic joints} | 2/30742 | {Bellows or hose-like seals; Sealing membranes (<u>A61B 17/8808</u> takes precedence; sealing membranes for retaining bone substitute <u>A61F 2/2846</u>)} |
| 2002/30688 | {Means for allowing passage or sliding of tendons or ligaments} | 2/30744 | {End caps, e.g. for closing an endoprosthetic cavity} |
| 2002/3069 | {Revision endoprostheses} | 2/30749 | {Fixation appliances for connecting prostheses to the body} |
| 2002/30691 | {Drainage means, e.g. for evacuating blood or other fluids} | 2002/30751 | {for attaching cartilage scaffolds to underlying bone} |
| 2002/30693 | {Air venting means} | 2002/30752 | {by means of a bed of granular material} |
| 2002/30695 | {Sound-damping or noise-reducing means} | 2002/30754 | {Implants for interposition between two natural articular surfaces} |
| 2002/30696 | {Means for preventing the accidental forgetting of prosthetic parts inside the body during operation} | 2/30756 | {Cartilage endoprostheses (<u>A61F 2/3603</u> takes precedence)} |
| 2002/30698 | {Alarm means} | 2002/30757 | {made of a sheet covering the natural articular surface, e.g. cap} |
| 2002/307 | {Prostheses for animals} | 2002/30759 | {Mosaicplasty, i.e. using a plurality of individual cartilage plugs for filling a substantial cartilage defect} |
| 2002/30706 | {specially designed for children, e.g. having means for adjusting to their growth} | 2002/30761 | {Support means for artificial cartilage, e.g. cartilage defect covering membranes} |
| 2002/30708 | {Means for distinguishing between left-sided and right-sided devices, Sets comprising both left-sided and right-sided prosthetic parts} | 2002/30762 | {Means for culturing cartilage} |
| 2002/3071 | {Identification means; Administration of patients} | 2002/30764 | {Cartilage harvest sites} |
| 2002/30716 | {for single use, e.g. having means for preventing re-use} | 2002/30766 | {Scaffolds for cartilage ingrowth and regeneration} |
| 2002/30718 | {Means for protecting prosthetic parts, e.g. during operation} | 2/30767 | {Special external or bone-contacting surface, e.g. coating for improving bone ingrowth} |
| 2002/30719 | {Means for cleaning prostheses} | 2002/30769 | {madreporic} |
| 2/30721 | {Accessories} | 2/30771 | {applied in original prostheses, e.g. holes or grooves} |
| 2/30723 | {Plugs or restrictors for sealing a cement-receiving space (<u>tools for inserting plugs A61F 2/4614</u> ; sealing collars for use during cementing <u>A61B 17/8808</u>)} | 2002/30772 | {Apertures or holes, e.g. of circular cross section} |
| 2/30724 | {Spacers for centering an implant in a bone cavity, e.g. in a cement-receiving cavity} | 2002/30774 | {internally-threaded} |
| 2002/30726 | {Centering or guiding rods, e.g. for insertion of femoral shafts} | 2002/30777 | {Oblong apertures} |
| 2/30728 | {Collars; Bone edge protectors (<u>A61F 2/30734</u> takes precedence; sealing collars for use during cementing <u>A61B 17/8808</u>)} | 2002/30779 | {arcuate} |
| 2002/30729 | {Separate collars} | 2002/30782 | {inclined obliquely} |
| 2002/30731 | {Bone edge protectors} | 2002/30784 | {Plurality of holes} |
| 2002/30733 | {Inserts placed into an endoprosthetic cavity, e.g. for modifying a material property} | 2002/30785 | {parallel} |
| 2/30734 | {Modular inserts, sleeves or augments, e.g. placed on proximal part of stem for fixation purposes or wedges for bridging a bone defect} | 2002/30787 | {inclined obliquely with respect to each other} |
| 2002/30736 | {Augments or augmentation pieces, e.g. wedges or blocks for bridging a bone defect} | 2002/30789 | {perpendicular with respect to each other} |
| 2002/30738 | {Sleeves} | 2002/3079 | {Stepped or enlarged apertures, e.g. having discrete diameter changes} |
| | | 2002/30795 | {Blind bores, e.g. of circular cross-section} |
| | | 2002/30797 | {internally-threaded} |
| | | 2002/308 | {oblong} |
| | | 2002/30802 | {arcuate} |
| | | 2002/30803 | {inclined obliquely} |
| | | 2002/30805 | {Recesses of comparatively large area with respect to their low depth} |
| | | 2002/30807 | {Plurality of blind bores} |
| | | 2002/30808 | {parallel} |

| | | | |
|----------------------|------------------------------------------------------------------------------------------------------------------------------------|----------------------|---------------------------------------------------------------------------------------------------------------------------------------|
| 2002/3081 | {inclined obliquely with respect to each other} | 2002/30896 | {perpendicular with respect to each other} |
| 2002/30812 | {perpendicular with respect to each other} | 2002/30897 | {Stepped protrusions, i.e. having discrete diameter changes} |
| 2002/30813 | {Stepped or enlarged blind bores, e.g. having discrete diameter changes} | 2002/30899 | {Protrusions pierced with apertures} |
| 2002/30817 | {Intersecting or overlapping blind bores} | 2002/30901 | {longitudinally} |
| 2002/30818 | {castellated or crenellated} | 2002/30902 | {laterally or radially} |
| 2002/3082 | {Grooves} | 2002/30904 | {serrated profile, i.e. saw-toothed} |
| 2002/30822 | {Circumferential grooves} | 2002/30906 | {shot- sand- or grit-blasted} |
| 2002/30823 | {having the shape of a reverse dovetail} | 2/30907 | {Nets or sleeves applied to surface of prostheses or in cement} |
| 2002/30825 | {arcuate} | 2002/30909 | {Nets} |
| 2002/30827 | {Plurality of grooves} | 2002/30911 | {having a honeycomb structure} |
| 2002/30828 | {parallel} | 2002/30912 | {made of expanded metal, e.g. diamond mesh or metal nets having lozenge-shaped apertures} |
| 2002/3083 | {inclined obliquely with respect to each other} | 2002/30914 | {Details of the mesh structure, e.g. disposition of the woven warp and weft wires} |
| 2002/30831 | {perpendicular with respect to each other} | 2002/30915 | {made of a stack of bonded perforated sheets, grids or wire meshes} |
| 2002/30836 | {knurled} | 2002/30917 | {for avoiding direct contact between bone and implant, e.g. extensible membrane for preventing contamination or for easy removal} |
| 2002/30838 | {Microstructures} | 2002/30919 | {Sleeves} |
| 2002/3084 | {Nanostructures} | 2002/3092 | {having an open-celled or open-pored structure} |
| 2002/30841 | {Sharp anchoring protrusions for impaction into the bone, e.g. sharp pins, spikes} | 2002/30922 | {Hardened surfaces} |
| 2002/30843 | {Pyramidally-shaped} | 2002/30925 | {etched} |
| 2002/30845 | {with cutting edges} | 2002/30929 | {having at least two superposed coatings} |
| 2002/3085 | {with a threaded, e.g. self-tapping, bone-engaging surface, e.g. external surface} | 2002/3093 | {for promoting ingrowth of bone tissue} |
| 2002/30851 | {Multiple threadings} | 2002/30932 | {for retarding or preventing ingrowth of bone tissue} |
| 2002/30858 | {Threads interrupted by grooves or sidewalls, e.g. flat sidewalls} | 2002/30934 | {Special articulating surfaces} |
| 2002/30859 | {having threaded portions of different pitches} | 2002/30935 | {Concave articulating surface composed of a central conforming area surrounded by a peripheral annular non-conforming area} |
| 2002/30861 | {having threads of increasing or decreasing height} | 2002/30937 | {with cut-outs} |
| 2002/30863 | {the entry end surface having flutes, relief grooves, starter notches or bevelled indentations} | 2002/30939 | {Means for modifying the geometry of articulating surfaces, e.g. for compensating excessive clearance caused by wear} |
| 2002/30864 | {Microthreads} | 2/3094 | {Designing or manufacturing processes} |
| 2002/30866 | {Rounded threads} | 2/30942 | {for designing or making customized prostheses, e.g. using templates, CT or NMR scans, finite-element analysis or CAD-CAM techniques} |
| 2002/30868 | {Square, rectangular or rhomboidal threads} | 2002/30943 | {using mathematical models} |
| 2002/30869 | {Dovetail-shaped} | 2002/30948 | {using computerized tomography, i.e. CT scans} |
| 2002/30871 | {Trapezoidal threads} | 2002/30952 | {using CAD-CAM techniques or NC techniques} |
| 2002/30873 | {Threadings machined on non-cylindrical external surfaces} | 2002/30953 | {using a remote computer network, e.g. Internet} |
| 2002/30878 | {with non-sharp protrusions, for instance contacting the bone for anchoring, e.g. keels, pegs, pins, posts, shanks, stems, struts} | 2002/30955 | {using finite-element analysis} |
| 2002/30879 | {Ribs} | 2002/30957 | {using a positive or a negative model, e.g. moulds} |
| 2002/30881 | {Circumferential ribs, flanges or fins} | 2002/3096 | {trimmed or cut to a customised size} |
| 2002/30883 | {dovetail-shaped} | 2002/30962 | {using stereolithography} |
| 2002/30884 | {Fins or wings, e.g. longitudinal wings for preventing rotation within the bone cavity} | 2002/30963 | {using templates, e.g. grid charts} |
| 2002/30886 | {externally-threaded} | 2/30965 | {Reinforcing the prosthesis by embedding particles or fibres during moulding or dipping} |
| 2002/30889 | {Arcuate pegs} | | |
| 2002/30891 | {Plurality of protrusions} | | |
| 2002/30892 | {parallel} | | |
| 2002/30894 | {inclined obliquely with respect to each other} | | |

| | |
|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| 2002/30967 {Diffusion bonding} | 2002/342 {the outer shell having circumferential protrusions parallel to the equatorial plane, e.g. circumferential fins or wings} |
| 2002/30968 {Sintering} | 2002/3425 {the outer shell having non-meridian protrusions, e.g. fins or wings, located in planes inclined or perpendicular with respect to the equatorial plane} |
| 2002/3097 {using laser} | 2002/3429 {with an integral peripheral collar or flange, e.g. oriented away from the shell centre line} |
| 2002/30971 {Laminates, i.e. layered products} | 2002/343 {partial, i.e. not extending along the entire equatorial circumference} |
| 2002/30973 {Two joined adjacent layers having complementary interlocking protrusions and recesses} | 2002/3432 {having apertures for receiving fixation screws} |
| 2002/30975 {made of two halves} | 2002/3435 {peripheral lip, e.g. elastic lip} |
| 2002/30976 {using hydrojet} | 2002/3437 {oriented inwardly towards the shell centre line} |
| 2002/30978 {using electrical discharge machining [EDM]} | 2002/344 {the inner shell having an inner hip femoral head-receiving cavity offset from its centre line} |
| 2002/30985 {using three dimensional printing [3DP]} | 2002/3441 {the outer shell having an outer surface and an inner insert receiving cavity being angularly inclined with respect to the longitudinal axis of the outer surface} |
| 2/30988 {Other joints not covered by any of the groups A61F 2/32 - A61F 2/4425} | 2002/3443 {with an anti-luxation elevated rim portion, e.g. on the inner shell} |
| 2/3099 {for temporo-mandibular [TM, TMJ] joints (endoprostheses for mandibular reconstruction A61F 2/2803)} | 2002/3445 {having a number of shells different from two} |
| 2002/30991 {Mandibular components} | 2002/3446 {Single cups} |
| 2002/30993 {Temporal components} | 2002/3448 {Multiple cups made of three or more concentric shells fitted or nested into one another} |
| 2002/30995 {for sacro-iliac joints} | 2002/345 {the inner and outer (hemi)spherical surfaces of a shell, e.g. an intermediate shell, having distinct centres of rotation, both located on the centre line of the shell} |
| 2002/30996 {for sterno-clavicular joints} | 2002/3453 {having a non-hemispherical convex outer surface, e.g. quadric-shaped} |
| 2002/30998 {for acromio-clavicular joints} | 2002/3454 {having an oblong, oval or elliptical cross-section in the equatorial plane} |
| 2/32 for the hip | 2002/3456 {ellipsoidal or having a flattened polar region} |
| NOTE | |
| Documents, which are of interest for more than one of the following subgroups, are classified in the hierarchically higher group only | |
| 2002/3208 {Bipolar or multipolar joints, e.g. having a femoral head articulating within an intermediate acetabular shell whilst said shell articulates within the natural acetabular socket or within an artificial outer shell} | 2002/3459 {made of different partially-spherical portions} |
| 2002/3216 {tripolar} | 2002/3462 {having a frustoconical external shape, e.g. entirely frustoconical} |
| 2002/3225 {the diameter of the inner concave femoral head-receiving cavity of the inner acetabular shell being essentially greater than the diameter of the convex femoral head} | 2002/3466 {having a cylindrical external shape, e.g. entirely cylindrical} |
| 2002/3233 {having anti-luxation means for preventing complete dislocation of the femoral head from the acetabular cup} | 2002/3469 {with non-radial inner bores or canals} |
| 2002/3241 {having a ring, e.g. for locking the femoral head into the acetabular cup} | 2002/3479 {Cage-like shells, e.g. hemispherical outer shells made of meridian strips or wires connected to an equatorial strip, rim or wire} |
| 2/34 Acetabular cups | 2002/348 {Additional features} |
| 2002/3401 {with radial apertures, e.g. radial bores for receiving fixation screws} | 2002/3482 {Two hemispherical halves having completely different structures} |
| 2002/3403 {Polar aperture} | 2002/3483 {having a convex shape, e.g. hemispherical heads} |
| 2002/3406 {Oblong apertures} | 2002/3485 {Shells made of block segments linked by thin connecting strips} |
| 2002/3408 {Shells having at least two sets of different apertures, e.g. one set located in the equatorial zone and another set located in the polar zone} | 2002/3487 {Partial acetabular cups, e.g. strips replacing only partially the natural acetabular cartilage} |
| 2002/3412 {with pins or protrusions, e.g. non-sharp pins or protrusions projecting from a shell surface} | |
| 2002/3414 {Polar protrusion, e.g. for centering two concentric shells} | |
| 2002/3417 {the outer shell having protrusions on meridian lines, e.g. equidistant fins or wings around the equatorial zone} | |

| | | |
|-----------|-------|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| 2002/349 | | {Shell having a wavy or undulated peripheral rim} |
| 2002/3493 | | {Spherical shell significantly greater than a hemisphere, e.g. extending over more than 200 degrees} |
| 2002/3495 | | {Spherical shell significantly smaller than a hemisphere, e.g. extending over less than 160 degrees} |
| 2/36 | | Femoral heads {; Femoral endoprostheses} |
| 2/3601 | | {for replacing only the epiphyseal or metaphyseal parts of the femur, e.g. endoprosthetic femoral heads or necks directly fixed to the natural femur by internal fixation devices (non-prosthetic internal fixation devices for the femoral head or neck A61B 17/74)} |
| 2/3603 | | {implanted without ablation of the whole natural femoral head (endoprosthetic cartilage A61F 2/30756)} |
| 2002/3605 | | {made of two or more concentric caps fitted onto one another} |
| 2/3607 | | {including proximal or total replacement of the femur} |
| 2/3609 | | {Femoral heads or necks; Connections of endoprosthetic heads or necks to endoprosthetic femoral shafts (A61F 2/3601 takes precedence)} |
| 2002/3611 | | {Heads or epiphyseal parts of femur} |
| 2002/3613 | | {with lateral or oblique apertures, holes or openings} |
| 2002/3615 | | {having a concave shape, e.g. hemispherical cups} |
| 2002/3621 | | {pierced with a longitudinal bore} |
| 2002/3623 | | {Non-spherical heads} |
| 2002/3625 | | {Necks} |
| 2002/3627 | | {with lateral apertures, holes or openings} |
| 2002/3631 | | {with an integral complete or partial peripheral collar or bearing shoulder at its base} |
| 2002/3647 | | {pierced with a longitudinal bore} |
| 2002/365 | | {Connections of heads to necks} |
| 2002/3652 | | {Connections of necks to shafts} |
| 2002/3654 | | {Connections of heads directly to shafts} |
| 2/3662 | | {Femoral shafts} |
| 2/367 | | {Proximal or metaphyseal parts of shafts (trochanteric devices connected to said proximal parts A61F 2/30739)} |
| 2/3672 | | {Intermediate parts of shafts} |
| 2002/3674 | | {Connections of proximal parts to distal parts} |
| 2/3676 | | {Distal or diaphyseal parts of shafts} |
| 2002/3678 | | {Geometrical features} |
| 2002/368 | | {with lateral apertures, bores, holes or openings, e.g. for reducing the mass, for receiving fixation screws or for communicating with the inside of a hollow shaft} |
| 2002/3686 | | {bent} |
| 2002/3688 | | {with opposite proximal and distal curvatures, i.e. S-shaped shaft} |

| | | |
|-----------|-------|--------------------------------------------------------|
| 2002/369 | | {Stepped shaft, i.e. having discrete diameter changes} |
| 2002/3694 | | {with longitudinal bores} |
| 2002/3698 | | {twisted about the longitudinal axis of the shaft} |
| 2/38 | | for elbows or knees |

NOTE

Documents, which are of interest for more than one of the following subgroups, are classified in the hierarchically higher group only

| | | |
|-----------|------|----------------------------------------------------------------------|
| 2/3804 | | {for elbows} |
| 2002/3809 | | {for radio-humeral joints} |
| 2002/3813 | | {for ulno-humeral joints} |
| 2002/3818 | | {for proximal radio-ulnar joints, i.e. PRU joints} |
| 2002/3822 | | {Humeral components} |
| 2002/3827 | | {Radial components} |
| 2002/3831 | | {Ulnar components} |
| 2/3836 | | {Special connection between upper and lower leg, e.g. constrained} |
| 2/384 | | {hinged, i.e. with transverse axle restricting the movement} |
| 2/3845 | | {allowing only for single rotation} |
| 2/385 | | {also provided with condylar bearing surfaces} |
| 2/3854 | | {with ball and socket joint} |
| 2/3859 | | {Femoral components} |
| 2002/3863 | | {Condyles fitted on an anchored base} |
| 2/3868 | | {with sliding tibial bearing} |
| 2/3872 | | {Meniscus for implantation between the natural bone surfaces} |
| 2/3877 | | {Patellae or trochleae} |
| 2002/3881 | | {with moving parts} |
| 2/3886 | | {for stabilising knees against anterior or lateral dislocations} |
| 2/389 | | {Tibial components (A61F 2/3868 takes precedence)} |
| 2002/3895 | | {unicompartmental} |
| 2/40 | | for shoulders |

NOTE

Documents, which are of interest for more than one of the following subgroups, are classified in the hierarchically higher group only

| | | |
|-----------|------|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| 2/4003 | | {Replacing only the epiphyseal or metaphyseal parts of the humerus, i.e. endoprostheses not comprising an entire humeral shaft (replacing only the epiphyseal or metaphyseal parts of the femur A61F 2/3601)} |
| 2002/4007 | | {implanted without ablation of the whole natural humeral head} |
| 2002/4011 | | {including proximal or total replacement of the humerus} |
| 2/4014 | | {Humeral heads or necks; Connections of endoprosthetic heads or necks to endoprosthetic humeral shafts} |
| 2002/4018 | | {Heads or epiphyseal parts of humerus} |
| 2002/4022 | | {having a concave shape, e.g. hemispherical cups} |

| | | | | | | |
|-----------|-----------|-------------------------------------------------------------------------------|-----------|-----------|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------|---------------------------------------------|
| 2002/4029 | | {Necks} | | 2002/4289 | | {Scaphoid or navicular bone} |
| 2002/4033 | | {with an integral complete or partial peripheral collar at its base} | | 2002/4292 | | {Lunate} |
| 2002/4037 | | {Connections of heads to necks} | | 2002/4294 | | {Triquetrum} |
| 2002/4044 | | {Connections of necks to shafts} | | 2002/4297 | | {Pisiform bone} |
| 2002/4051 | | {Connections of heads directly to shafts} | 2/44 | | | for the spine, e.g. vertebrae, spinal discs |
| 2/4059 | | {Humeral shafts} | 2/4405 | | {for apophyseal or facet joints, i.e. between adjacent spinous or transverse processes (devices implanted between spinous or transverse processes A61B 17/7062)} | |
| 2002/4062 | | {Proximal or metaphyseal parts of shafts} | 2/441 | | {made of inflatable pockets or chambers filled with fluid, e.g. with hydrogel} | |
| 2002/4066 | | {for replacement or reinforcement of the greater tubercle} | 2002/4415 | | {elements of the prosthesis being arranged in a chain like manner} | |
| 2002/407 | | {Intermediate parts of shafts} | 2/442 | | {Intervertebral or spinal discs, e.g. resilient (non-disc-shaped intervertebral inflatable pockets A61F 2/441; non-disc-shaped intervertebral fusion implants A61F 2/4455)} | |
| 2002/4074 | | {Connections of proximal or metaphyseal parts to distal or diaphyseal parts} | 2/4425 | | {made of articulated components} | |
| 2002/4077 | | {Distal or diaphyseal parts of shafts} | 2002/443 | | {having two transversal endplates and at least one intermediate component} | |
| 2/4081 | | {Glenoid components, e.g. cups} | 2002/4435 | | {Support means or repair of the natural disc wall, i.e. annulus, e.g. using plates, membranes or meshes} | |
| 2002/4085 | | {having a convex shape, e.g. hemispherical heads} | 2002/444 | | {for replacing the nucleus pulposus} | |
| 2002/4088 | | {Acromial components} | 2002/4445 | | {Means for culturing intervertebral disc tissue} | |
| 2002/4092 | | {Clavicular components} | 2002/445 | | {Intervertebral disc tissue harvest sites} | |
| 2002/4096 | | {Coracoid process components} | 2/4455 | | {for the fusion of spinal bodies, e.g. intervertebral fusion of adjacent spinal bodies, e.g. fusion cages (intervertebral discs A61F 2/442)} | |
| 2/42 | | for wrists or ankles; for hands, e.g. fingers; for feet, e.g. toes | 2/446 | | {having a circular or elliptical cross-section substantially parallel to the axis of the spine, e.g. cylinders or frustocones} | |
| 2/4202 | | {for ankles} | 2/4465 | | {having a circular or kidney shaped cross-section substantially perpendicular to the axis of the spine} | |
| 2002/4205 | | {Tibial components} | 2/447 | | {substantially parallelepipedal, e.g. having a rectangular or trapezoidal cross-section} | |
| 2002/4207 | | {Talar components} | 2002/448 | | {comprising multiple adjacent spinal implants within the same intervertebral space or within the same vertebra, e.g. comprising two adjacent spinal implants} | |
| 2002/421 | | {Fibular components, e.g. fibular-malleolar shields} | 2002/4485 | | {comprising three or more adjacent spinal implants} | |
| 2002/4212 | | {Tarsal bones} | 2002/449 | | {comprising multiple spinal implants located in different intervertebral spaces or in different vertebrae} | |
| 2002/4215 | | {Lateral row of tarsal bones} | 2002/4495 | | {having a fabric structure, e.g. made from wires or fibres} | |
| 2002/4217 | | {Calcaneum or calcaneus or heel bone} | 2/46 | | Special tools for implanting artificial joints | |
| 2002/422 | | {Medial row of tarsal bones} | 2/4601 | | {for introducing bone substitute, for implanting bone graft implants or for compacting them in the bone cavity} | |
| 2002/4223 | | {Implants for correcting a flat foot} | 2/4603 | | {for insertion or extraction of endoprosthetic joints or of accessories thereof} | |
| 2/4225 | | {for feet, e.g. toes} | 2/4605 | | {of elbows} | |
| 2002/4228 | | {for interphalangeal joints, i.e. IP joints} | 2/4606 | | {of wrists or ankles; of hands, e.g. fingers; of feet, e.g. toes} | |
| 2002/4233 | | {for metatarso-phalangeal joints, i.e. MTP joints} | 2/4607 | | {of hip femoral endoprostheses} | |
| 2002/4238 | | {for tarso-metatarsal joints, i.e. TMT joints} | 2/4609 | | {of acetabular cups} | |
| 2/4241 | | {for hands, e.g. fingers} | 2/461 | | {of knees} | |
| 2002/4243 | | {for interphalangeal joints, i.e. IP joints} | 2/4611 | | {of spinal prostheses} | |
| 2002/4251 | | {for metacarpo-phalangeal joints, i.e. MCP or MP joints, e.g. knuckle joints} | 2/4612 | | {of shoulders} | |
| 2002/4253 | | {for thumbs} | | | | |
| 2002/4256 | | {for carpo-metacarpal joints, i.e. CMC joints} | | | | |
| 2002/4258 | | {for trapezo-metacarpal joints of thumbs} | | | | |
| 2/4261 | | {for wrists} | | | | |
| 2002/4264 | | {for radio-carpal joints} | | | | |
| 2002/4266 | | {for ulno-carpal joints} | | | | |
| 2002/4269 | | {for distal radio-ulnar joints, i.e. DRU joints} | | | | |
| 2002/4271 | | {Carpal bones} | | | | |
| 2002/4274 | | {Distal carpal row, i.e. bones adjacent the metacarpal bones} | | | | |
| 2002/4276 | | {Trapezium} | | | | |
| 2002/4279 | | {Trapezoid} | | | | |
| 2002/4282 | | {Capitate} | | | | |
| 2002/4284 | | {Hamate} | | | | |
| 2002/4287 | | {Proximal carpal row, i.e. bones adjacent the radius and the ulna} | | | | |

| | | | | | | |
|-----------|-----------|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|--|-----------|-----------|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| 2/4614 | | {of plugs for sealing a cement-receiving space} | | 2002/4674 | | {for measuring the pH} |
| 2002/4615 | | {of spacers} | | 2/4675 | | {for cleaning or coating bones, e.g. bone cavities, prior to endoprosthesis implantation or bone cement introduction (for cleaning teeth cavities A61C 17/00 ; irrigators A61M 3/02)} |
| 2002/4616 | | {of temporo-mandibular joints} | | 2002/4676 | | {for coating the bony surface} |
| 2/4618 | | {of cartilage} | | 2002/4677 | | {using a guide wire} |
| 2002/4619 | | {for extraction} | | 2/468 | | {Testing instruments for artificial joints (for testing non-implantable prostheses A61F 2/76)} |
| 2002/462 | | {of broken endoprosthetic joint parts} | | 2002/4681 | | {by applying mechanical shocks, e.g. by hammering} |
| 2002/4622 | | {having the shape of a forceps or a clamp} | | 2002/4683 | | {by applying ultrasonic vibrations} |
| 2002/4625 | | {with relative movement between parts of the instrument during use} | | 2/4684 | | {Trial or dummy prostheses} |
| 2002/4627 | | {with linear motion along or rotating motion about the instrument axis or the implantation direction, e.g. telescopic, along a guiding rod, screwing inside the instrument} | | 2002/4685 | | {by means of vacuum} |
| 2002/4628 | | {with linear motion along or rotating motion about an axis transverse to the instrument axis or to the implantation direction, e.g. clamping} | | 2002/4687 | | {Mechanical guides for implantation instruments} |
| 2002/4629 | | {connected to the endoprosthesis or implant via a threaded connection} | | 2002/4688 | | {having operating or control means} |
| 2002/4631 | | {the prosthesis being specially adapted for being cemented} | | 2002/4689 | | {acoustic} |
| 2002/4632 | | {using computer-controlled surgery, e.g. robotic surgery} | | 2002/469 | | {electrical} |
| 2002/4633 | | {for selection of endoprosthetic joints or for pre-operative planning} | | 2002/4692 | | {fluid} |
| 2002/4635 | | {using minimally invasive surgery} | | 2002/4693 | | {hydraulic} |
| 2/4637 | | {for connecting or disconnecting two parts of a prosthesis} | | 2002/4694 | | {pneumatic} |
| 2002/4638 | | {Tools for performing screwing, e.g. nut or screwdrivers, or particular adaptations therefor} | | 2002/4696 | | {optical} |
| 2002/4641 | | {for disconnecting} | | 2002/4698 | | {magnetic} |
| 2/4644 | | {Preparation of bone graft, bone plugs or bone dowels, e.g. grinding or milling bone material (bone material A61F 2/28 ; disintegrating or milling devices B02C)} | | 2/48 | . . . | Operating or control means, e.g. from outside the body, control of sphincters |
| 2002/4645 | | {Devices for grinding or milling bone material} | | 2/481 | | {Acoustic or audible means} |
| 2002/4646 | | {Devices for cleaning bone graft} | | 2/482 | | {Electrical means} |
| 2002/4648 | | {Means for culturing bone graft} | | 2/484 | | {Fluid means, i.e. hydraulic or pneumatic} |
| 2002/4649 | | {Bone graft or bone dowel harvest sites} | | 2/488 | | {Means for detecting or monitoring wear} |
| 2002/465 | | {using heating means} | | 2/50 | . . . | Prostheses not implantable in the body { closure means for urethra or rectum or for artificial body openings therefor A61F 2/0004 } |
| 2002/4653 | | {using cooling means} | | 2002/5001 | | {Cosmetic coverings} |
| 2002/4655 | | {for introducing lubricating fluid} | | 2002/5003 | | {having damping means, e.g. shock absorbers} |
| 2/4657 | | {Measuring instruments used for implanting artificial joints (for surgical instruments A61B 90/06)} | | 2002/5004 | | {operated by electro- or magnetorheological fluids} |
| 2002/4658 | | {for measuring dimensions, e.g. length} | | 2002/5006 | | {Dampers, e.g. hydraulic damper} |
| 2002/4659 | | {for measuring a diameter} | | 2002/5007 | | {having elastic means different from springs, e.g. including an elastomeric insert} |
| 2002/4661 | | {for measuring thickness} | | 2002/5009 | | {having two or more elastomeric blocks} |
| 2002/4662 | | {for measuring penetration depth} | | 2002/501 | | {having an inflatable pocket filled with fluid, i.e. liquid or gas} |
| 2002/4663 | | {for measuring volumes or other three-dimensional shapes} | | 2002/5012 | | {having two or more inflatable pockets} |
| 2002/4664 | | {for measuring conicities} | | 2002/5013 | | {filled with particles} |
| 2002/4666 | | {for measuring force, pressure or mechanical tension} | | 2002/5015 | | {hardenable fluid, e.g. curable in-situ or cold-hardening casting substance} |
| 2002/4667 | | {for measuring torque} | | 2002/5016 | | {adjustable} |
| 2002/4668 | | {for measuring angles} | | 2002/5018 | | {for adjusting angular orientation} |
| 2002/467 | | {for measuring fluid pressure} | | 2002/502 | | {for adjusting length} |
| 2002/4671 | | {for measuring resonant frequency} | | 2002/5021 | | {for adjusting a position by translation along an axis} |
| 2002/4672 | | {for measuring temperature} | | 2002/5023 | | {along two perpendicular axes} |
| | | | | 2002/5024 | | {for adjusting thickness} |
| | | | | 2002/5026 | | {for adjusting a diameter} |
| | | | | 2002/5027 | | {for adjusting cross-section} |
| | | | | 2002/5029 | | {for adjusting weight or mass} |
| | | | | 2002/503 | | {for adjusting elasticity, flexibility, spring rate or mechanical tension} |
| | | | | 2002/5032 | | {for adjusting fluid pressure} |
| | | | | 2002/5033 | | {for adjusting damping} |

| | | | |
|-----------|----------------------------------------------------------------------------------------------------------------------------|-----------|---------------------------------------------------------------------------------------------------------------|
| 2002/5035 | {for adjusting volume flow} | 2002/523 | {Multiple breast forms made of several concentric breast-shaped layers nested into one another} |
| 2002/5036 | {self-adjustable, e.g. self-learning} | 2002/526 | {Nipples} |
| 2002/5038 | {Hinged joint, e.g. with transverse axle restricting the movement} | 2/54 | ... Artificial arms or hands or parts thereof |
| 2002/5039 | {allowing only for single rotation} | 2002/543 | {Lower arms or forearms} |
| 2002/5041 | {having bearing bushes between the rotating parts} | 2002/546 | {Upper arms} |
| 2002/5043 | {with rotation-limiting stops, e.g. projections or recesses} | 2/58 | ... Elbows; Wrists {; Other joints; Hands} |
| 2/5044 | {Designing or manufacturing processes} | 2/581 | {Shoulder joints} |
| 2/5046 | {for designing or making customized prostheses, e.g. using templates, finite-element analysis or CAD-CAM techniques} | 2/582 | {Elbow joints} |
| 2002/5047 | {using mathematical models (A61F 2002/505 takes precedence)} | 2/583 | {Hands; Wrist joints} |
| 2002/5049 | {Computer aided shaping, e.g. rapid prototyping} | 2/585 | {Wrist joints} |
| 2002/505 | {using CAD-CAM techniques or NC-techniques} | 2/586 | {Fingers} |
| 2002/5052 | {Direct moulding or reforming to the stump} | 2002/587 | {Thumbs} |
| 2002/5053 | {using a positive or a negative model, e.g. casting model or mould} | 2/588 | {Hands having holding devices shaped differently from human fingers, e.g. claws, hooks, tubes} |
| 2002/5055 | {Reinforcing prostheses by embedding particles or fibres during moulding or dipping, e.g. carbon fibre composites} | 2/60 | ... Artificial legs or feet or parts thereof |
| 2002/5056 | {Laminates, i.e. layered products} | 2/601 | {Peg legs, e.g. wooden legs} |
| 2002/5058 | {having means for restoring the perception of senses} | 2/602 | {with air cushions (A61F 2/7843 takes precedence)} |
| 2002/5059 | {the feeling of position} | 2/604 | {Joints for artificial legs (A61F 2/605, A61F 2/64, A61F 2/6607 take precedence)} |
| 2002/5061 | {the sense of touch} | 2/605 | {Hip joints} |
| 2002/5063 | {the feeling of temperature, i.e. of warmth or cold} | 2002/607 | {Lower legs} |
| 2002/5064 | {for reducing pain from phantom limbs} | 2002/608 | {Upper legs} |
| 2002/5066 | {Muscles} | 2/64 | {Knee joints} |
| 2002/5067 | {having rolling elements between articulating surfaces} | 2/642 | {Polycentric joints, without longitudinal rotation} |
| 2002/5069 | {Ball bearings} | 2/644 | {of the single-bar or multi-bar linkage type} |
| 2002/507 | {Roller bearings} | 2/646 | {of the pin-guiding groove linkage type} |
| 2002/5072 | {having spring elements} | 2002/648 | {Patellae} |
| 2002/5073 | {Helical springs, e.g. having at least one helical spring} | 2/66 | {Feet; Ankle joints} |
| 2002/5075 | {Multiple spring systems including two or more helical springs} | 2/6607 | {Ankle joints} |
| 2002/5076 | {Concentric outer and inner helical springs} | 2002/6614 | {Feet} |
| 2002/5078 | {2-D spiral springs} | 2002/6621 | {Toes} |
| 2002/5079 | {Leaf springs (A61F 2002/6657 takes precedence)} | 2002/6628 | {Big toes} |
| 2002/5081 | {Additional features} | 2002/6635 | {Metatarsals} |
| 2002/5083 | {modular} | 2002/6642 | {Heels} |
| 2002/5084 | {telescopic} | 2002/665 | {Soles} |
| 2002/5086 | {Lubricating means} | 2002/6657 | {having a plate-like or strip-like spring element, e.g. an energy-storing cantilever spring keel} |
| 2002/5087 | {Sound-damping or noise-reducing means} | 2002/6664 | {Dual structures made of two connected cantilevered leaf springs} |
| 2002/5089 | {waterproof} | 2002/6671 | {C-shaped} |
| 2002/509 | {specially designed for children, e.g. having means for adjusting to their growth} | 2002/6678 | {L-shaped} |
| 2002/5092 | {Identification means} | 2002/6685 | {S-shaped} |
| 2002/5093 | {Tendon- or ligament-replacing cables} | 2002/6692 | {circular or loop-shaped} |
| 2002/5095 | {for Achilles tendons} | 2/68 | Operating or control means |
| 2002/5096 | {Ball-and-socket joints} | 2002/6809 | {acoustic} |
| 2002/5098 | {with rotation-limiting means} | 2002/6818 | {for braking} |
| 2/52 | Mammary prostheses (brassieres with stiffening or bust-forming inserts A41C 3/10, A41C 3/14) | 2002/6827 | {Feedback system for providing user sensation, e.g. by force, contact or position} |
| | | 2002/6836 | {Gears specially adapted therefor, e.g. reduction gears} |
| | | 2002/6845 | {Clutches} |
| | | 2002/6854 | {for locking or unlocking a joint} |
| | | 2002/6863 | {magnetic} |
| | | 2002/6872 | {attached and mechanically operated by remaining muscle} |

| | | | |
|-----------|--------------------------------------------------------------------------------------------------------------------------------------------|------------|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| 2002/6881 | {optical} | 2002/7868 | {Means for putting-on or pulling-off prostheses} |
| 2002/689 | {Alarm means, e.g. acoustic} | 2002/7875 | {with releasable ratchets or pegs} |
| 2/70 | electrical | 2002/7881 | {using hook and loop-type fasteners} |
| 2002/701 | {operated by electrically controlled means, e.g. solenoids or torque motors} | 2002/7887 | {for connecting limb exoprostheses to the stump bone} |
| 2002/702 | {Battery-charging stations} | 2002/7893 | {using slide fasteners, e.g. zippers} |
| 2002/704 | {computer-controlled, e.g. robotic control} | 2/80 | Sockets, e.g. of suction type |
| 2002/705 | {Electromagnetic data transfer} | 2002/802 | {Suction sockets, i.e. utilizing differential air pressure to retain the prosthesis on the stump} |
| 2002/707 | {Remote control} | 2002/805 | {having an air valve} |
| 2002/708 | {electrically self charging} | 2002/807 | {having a vacuum reservoir chamber} |
| 2/72 | Bioelectric control, e.g. myoelectric | 2/82 | . Devices providing patency to, or preventing collapsing of, tubular structures of the body, e.g. stents (stent-grafts for tubular structures of the body other than blood vessels A61F 2/04; stent-grafts for blood vessels A61F 2/07; dilators A61M 29/00) |
| 2/74 | fluid {, i.e. hydraulic or pneumatic} | 2002/821 | {Ostial stents} |
| 2/741 | {using powered actuators, e.g. stepper motors or solenoids} | 2002/823 | {Stents, different from stent-grafts, adapted to cover an aneurysm} |
| 2/742 | {Low pressure systems, e.g. vacuum pump} | 2002/825 | {having longitudinal struts} |
| 2/744 | {Vane- or curved-cylinder type actuators, e.g. actuators using rotary pistons} | 2002/826 | {more than one stent being applied sequentially} |
| 2/748 | {Valve systems} | 2002/828 | {Means for connecting a plurality of stents allowing flexibility of the whole structure} |
| 2/76 | Means for assembling, fitting or testing prostheses, e.g. for measuring or balancing, {e.g. alignment means} | 2/844 | folded prior to deployment |
| 2002/7605 | {for assembling by heating} | 2/848 | having means for fixation to the vessel wall, e.g. barbs |
| 2002/761 | {for assembling by cooling} | 2002/8483 | {Barbs} |
| 2002/7615 | {Measuring means} | 2002/8486 | {provided on at least one of the ends} |
| 2002/762 | {for measuring dimensions, e.g. a distance} | 2/852 | Two or more distinct overlapping stents |
| 2002/7625 | {for measuring angular position} | 2/856 | Single tubular stent with a side portal passage |
| 2002/763 | {for measuring spatial position, e.g. global positioning system [GPS]} | 2/86 | Stents in a form characterised by the wire-like elements; Stents in the form characterised by a net-like or mesh-like structure |
| 2002/7635 | {for measuring force, pressure or mechanical tension} | 2/88 | the wire-like elements formed as helical or spiral coils |
| 2002/764 | {for measuring acceleration} | 2/885 | {comprising a coil including a plurality of spiral or helical sections with alternate directions around a central axis} |
| 2002/7645 | {for measuring torque, e.g. hinge or turning moment, moment of force} | 2/89 | the wire-like elements comprising two or more adjacent rings flexibly connected by separate members |
| 2002/765 | {for measuring time or frequency} | 2/90 | characterised by a net-like or mesh-like structure |
| 2002/7655 | {for measuring fluid pressure} | 2/91 | made from perforated sheets or tubes, e.g. perforated by laser cuts or etched holes |
| 2002/766 | {for measuring moisture} | 2/915 | with bands having a meander structure, adjacent bands being connected to each other |
| 2002/7665 | {for measuring temperatures} | 2002/91508 | {the meander having a difference in amplitude along the band} |
| 2002/767 | {for measuring blood pressure} | 2002/91516 | {the meander having a change in frequency along the band} |
| 2002/7675 | {for measuring oxygen content} | 2002/91525 | {within the whole structure different bands showing different meander characteristics, e.g. frequency or amplitude} |
| 2002/768 | {for measuring battery status} | 2002/91533 | {characterised by the phase between adjacent bands} |
| 2002/7685 | {located on natural or sound-site limbs, e.g. comparison measuring means} | 2002/91541 | {Adjacent bands are arranged out of phase} |
| 2002/769 | {Displaying measured values} | 2002/9155 | {Adjacent bands being connected to each other} |
| 2002/7695 | {Means for testing non-implantable prostheses} | | |
| 2/78 | Means for protecting prostheses or for attaching them to the body, e.g. bandages, harnesses, straps, or stockings for the limb stump | | |
| 2002/7806 | {using adhesive means} | | |
| 2/7812 | {Interface cushioning members placed between the limb stump and the socket, e.g. bandages or stockings for the limb stump} | | |
| 2002/7818 | {Stockings or socks for the limb stump} | | |
| 2002/7825 | {Devices for putting-on or pulling-off stockings} | | |
| 2002/7831 | {with a rope for pulling the sock inside the socket} | | |
| 2002/7837 | {Sleeves for attaching or protecting, i.e. open ended hoses} | | |
| 2/7843 | {Inflatable bladders} | | |
| 2002/785 | {Pads, e.g. relief pads} | | |
| 2002/7856 | {having finger loops or grips} | | |
| 2002/7862 | {Harnesses or straps} | | |

| | | | | |
|------------|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|---------------------------------------------------------------------------------------------------------------------------------------|-----------|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| 2002/91558 | | {connected peak to peak} | 5/0003 | . {Apparatus for the treatment of obesity; Anti-eating devices (surgical instruments or methods for treatment of obesity, devices specially adapted therefor A61B 17/00 ; hollow or tubular parts of organs A61F 2/04)} |
| 2002/91566 | | {connected trough to trough} | 5/0006 | . . {Diet or mouth appliances} |
| 2002/91575 | | {connected peak to trough} | 5/0009 | . . {External belts} |
| 2002/91583 | | {by a bridge, whereby at least one of its ends is connected along the length of a strut between two consecutive apices within a band} | 5/0013 | . . {Implantable devices or invasive measures} |
| 2002/91591 | | {Locking connectors, e.g. using male-female connections} | 2005/0016 | . . . {comprising measuring means} |
| 2/92 | . . | Stents in the form of a rolled-up sheet expanding after insertion into the vessel {, e.g. with a spiral shape in cross-section} | 2005/002 | {for sensing mechanical parameters} |
| 2/93 | . . . | circumferentially expandable by using ratcheting locks | 2005/0023 | {for sensing chemical parameters} |
| 2/94 | . . . | Stents retaining their form, i.e. not being deformable, after placement in the predetermined place | 5/0026 | {Anti-eating devices using electrical stimulation} |
| 2/945 | . . . | hardenable, e.g. stents formed <i>in situ</i> | 5/003 | {inflatable} |
| 2/95 | . . . | Instruments specially adapted for placement or removal of stents or stent-grafts | 5/0033 | {with more than one chamber} |
| 2002/9505 | . . . | {having retaining means other than an outer sleeve, e.g. male-female connector between stent and instrument} | 5/0036 | {Intragastrical devices} |
| 2002/9511 | . . . | {the retaining means being filaments or wires} | 5/004 | {remotely adjustable} |
| 2/9517 | . . . | {handle assemblies therefor} | 5/0043 | {using injection ports} |
| 2/9522 | . . . | {Means for mounting a stent or stent-graft onto or into a placement instrument} | 5/0046 | {with wireless means} |
| 2/9524 | . . . | {Iris-type crimpers} | 5/005 | {Gastric bands} |
| 2/9525 | . . . | {using a funnel} | 5/0053 | {remotely adjustable} |
| 2/9526 | . . . | {using a mandrel} | 5/0056 | {using injection ports} |
| 2002/9528 | . . . | {for retrieval of stents} | 5/0059 | {with wireless means} |
| 2002/9534 | . . . | {for repositioning of stents} | 5/0063 | {wrapping the stomach} |
| 2/954 | . . . | for placing stents or stent-grafts in a bifurcation | 5/0066 | {Closing devices for gastric bands} |
| 2/958 | . . . | Inflatable balloons for placing stents or stent-grafts | 5/0069 | {in the wall of the stomach} |
| 2002/9583 | . . . | {Means for holding the stent on the balloon, e.g. using protrusions, adhesives or an outer sleeve} | 5/0073 | {in the abdominal cavity, e.g. not attached to the stomach} |
| 2002/9586 | | {the means being inside the balloon} | 5/0076 | {preventing normal digestion, e.g. Bariatric or gastric sleeves} |
| 2/962 | . . | having an outer sleeve | 5/0079 | {Pyloric or esophageal obstructions} |
| 2002/9623 | | {the sleeve being reinforced} | 5/0083 | {Reducing the size of the stomach, e.g. gastroplasty (surgical interventions A61B 17/00)} |
| 2/966 | | with relative longitudinal movement between outer sleeve and prosthesis, e.g. using a push rod | 5/0086 | {using clamps, folding means or the like} |
| 2/9661 | | {the proximal portion of the stent or stent-graft is released first} | 5/0089 | {Instruments for placement or removal} |
| 2/9662 | | {the middle portion of the stent or stent-graft is released first} | 5/0093 | . . {Rectal devices, e.g. for the treatment of haemorrhoids} |
| 2002/9665 | | {with additional retaining means} | 5/0096 | . . . {Anti-rape devices} |
| 2/97 | . . . | the outer sleeve being splittable | 5/01 | . . Orthopaedic devices, e.g. long-term immobilising or pressure directing devices for treating broken or deformed bones such as splints, casts or braces |
| 3/00 | Lengthening pieces for natural legs | | 5/0102 | {specially adapted for correcting deformities of the limbs or for supporting them; Ortheses, e.g. with articulations} |
| 4/00 | Methods or devices enabling patients or disabled persons to operate an apparatus or a device not forming part of the body | | 5/0104 | {without articulation} |
| 5/00 | Orthopaedic methods or devices for non-surgical treatment of bones or joints; Nursing devices (bandages, dressings or absorbent pads A61F 13/00; ; Anti-rape devices) | | 5/0106 | {for the knees} |
| | | | 5/0109 | {Sleeve-like structures} |
| | | | 5/0111 | {for the feet or ankles} |
| | | | 5/0113 | {Drop-foot appliances} |
| | | | 5/0116 | {for connecting the feet to each other or to fixed surroundings (A61F 5/0193 takes precedence)} |
| | | | 5/0118 | {for the arms, hands or fingers} |
| | | | 5/012 | {inflatable} |
| | | | 5/0123 | {for the knees (A61F 5/0106 takes precedence)} |
| | | | 5/0125 | {the device articulating around a single pivot-point} |
| | | | 5/0127 | {for the feet (A61F 5/0111 takes precedence)} |
| | | | 5/013 | {for the arms, hands or fingers (A61F 5/0118 takes precedence)} |
| | | | 2005/0132 | {Additional features of the articulation} |

| | | | |
|-----------|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|----------|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| 2005/0134 | {with two orthogonal pivots} | 5/05825 | {Strips of substantially planar form} |
| 2005/0137 | {with two parallel pivots} | 5/05833 | {Splints rigidified by vacuum evacuation} |
| 2005/0139 | {geared} | 5/05841 | {for the limbs (A61F 5/05816 , A61F 5/05833 take precedence)} |
| 2005/0141 | {with more than two parallel pivots} | 5/0585 | {for the legs (toe correcting devices A61F 5/019)} |
| 2005/0144 | {Multibar} | 5/05858 | {for the arms (restraining devices, e.g. slings A61F 5/37)} |
| 2005/0146 | {combining rotational and sliding movements, e.g. simulating movements of a natural joint} | 5/05866 | {for wrists, hands, fingers or thumbs} |
| 2005/0148 | {Floating pivotal axis} | 5/05875 | {for fingers} |
| 2005/0151 | {combining rotational and torsional movements} | 5/05883 | {for the neck or head (A61F 5/05816 , A61F 5/05833 take precedence; cervical supports A61F 5/055)} |
| 2005/0153 | {combining rotational and stretching movements} | 5/05891 | {for the head, e.g. jaws, nose (nose correcting A61F 5/08)} |
| 2005/0155 | {with actuating means} | 5/08 | . . Devices for correcting deformities of the nose {; Devices for enlarging the nostril, e.g. for breathing improvement} |
| 2005/0158 | {with locking means} | 5/10 | . . Devices for correcting deformities of the fingers |
| 2005/016 | {in standing position} | 5/11 | . . Devices for correcting deformities of the nails |
| 2005/0162 | {when weight is applied} | 5/14 | . . Special medical insertions for shoes for flat-feet, club-feet or the like |
| 2005/0165 | {with limits of movement} | 5/24 | . . Trusses |
| 2005/0167 | {adjustable} | 5/26 | . . . with belt springs |
| 2005/0169 | {with damping means} | 5/28 | . . . Supports for trusses |
| 2005/0172 | {with cushions} | 5/30 | . . . Pressure pads |
| 2005/0174 | {laterally placed} | 5/32 | . . . Adjustable pressure pads |
| 2005/0176 | {supporting the patella} | 5/34 | . . . Pressure pads filled with air or liquid |
| 2005/0179 | {with spring means} | 5/37 | . . Restraining devices for the body or for body parts; Restraining shirts |
| 2005/0181 | {Protectors for articulations} | 5/3707 | {for the head (cervical supports A61F 5/055 ; splints A61F 5/05833)} |
| 2005/0183 | {Hip protectors, e.g. for elderly people} | 5/3715 | {for attaching the limbs to other parts of the body} |
| 2005/0186 | {Thumb protectors} | 5/3723 | {for the arms} |
| 2005/0188 | {having pressure sensors} | 5/373 | {for restricting the movement of the arm at the elbow} |
| 5/019 | . . . {Toe correcting or spreading devices} | 5/3738 | {Slings} |
| 5/0193 | {Apparatus specially adapted for treating hip dislocation; Abduction splints} | 5/3746 | {Jacket-like sling} |
| 5/0195 | {Shoe-like orthopaedic devices for protecting the feet against injuries after operations} | 5/3753 | {Abduction support} |
| 2005/0197 | {with spring means} | 5/3761 | . . . {for attaching the limbs to other objects (A61F 5/3769 takes precedence)} |
| 5/02 | . . . Orthopaedic corsets | 5/3769 | . . . {for attaching the body to beds, wheel-chairs or the like} |
| 5/022 | {consisting of one or more shells} | 5/3776 | {by means of a blanket or belts (to chairs only A61F 5/3792)} |
| 5/024 | {having pressure pads connected in a frame for reduction or correction of the curvature of the spine} | 5/3784 | {directly connected to the trunk, e.g. with jacket} |
| 5/026 | {Back straightening devices with shoulder braces to force back the shoulder to obtain a correct curvature of the spine (for clavicle fractures A61F 5/05808 ; restraining devices A61F 5/37)} | 5/3792 | {to chairs, e.g. wheelchairs (A61F 5/3784 takes precedence)} |
| 5/028 | {Braces for providing support to the lower back, e.g. lumbo sacral supports} | 5/40 | . . Suspensory bandages |
| 5/03 | . . . Corsets or bandages for abdomen, teat or breast support, with or without pads | 5/41 | . . Devices for promoting penis erection |
| | NOTE | 2005/411 | {Penile supports} |
| | Bandages for support of breasts or abdomen are classified in group A61F 13/14 | 2005/412 | {by vacuum means} |
| 5/04 | . . Devices for stretching or reducing fractured limbs; Devices for distractions; Splints | 2005/414 | {by constricting means} |
| 5/042 | . . . for extension or stretching | 2005/415 | {by inflatable means} |
| 5/048 | Traction splints | 2005/417 | {by vibrating means} |
| 5/05 | for immobilising (A61F 5/042 takes precedence) | 2005/418 | {by electrical stimulation} |
| 5/055 | Cervical collars | 5/44 | . . Devices worn by the patient for reception of urine, faeces, catamenial or other discharge (absorbent pads, e.g. sanitary towels, A61F 13/15 ; drainage appliances for wounds A61M 27/00); Colostomy devices |
| 5/058 | Splints | | |
| 5/05808 | {Splints for clavicle fractures} | | |
| 5/05816 | {Inflatable splints} | | |

| | | | |
|-------------|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-----------|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| 5/4401 | . . . {with absorbent pads (diapers A61F 13/49)} | 2006/043 | . . . {with more than one barrier} |
| 2005/4402 | . . . {disposable} | 2006/044 | . . . {with absorbent material} |
| 5/4404 | . . . {Details or parts} | 2006/045 | . . . {with closing devices at the open end} |
| 5/4405 | {Valves or valve arrangements specially adapted therefor (A61F 5/441 takes precedence); Fluid inlets or outlets (A61F 5/4407 takes precedence)} | 2006/046 | {for closing after use} |
| 5/4407 | {Closure means other than valves} | 2006/047 | {with holding means} |
| 5/4408 | {Means for securing receptacles or bags to the body otherwise than by adhesives, e.g. belts, straps or harnesses (A61F 5/449 takes precedence)} | 2006/048 | {with surface protuberances} |
| 5/441 | . . . having {venting or} deodorant means, e.g. filters {; having antiseptic means, e.g. bacterial barriers} | 2006/049 | {with strips to apply the condom} |
| 2005/4415 | . . . {venting by manual operation} | 6/06 | . . . for use by females (A61F 6/20 takes precedence) |
| 5/442 | . . . having irrigation ports or means (irrigators A61M 3/02) | 6/065 | . . . {Condom-like devices worn by females} |
| 5/443 | . . . having {adhesive seals for securing to the body, e.g. of} hydrocolloid type seals, e.g. gels, starches, karaya gums | 6/08 | . . . Pessaries, i.e. devices worn in the vagina to support the uterus, remedy a malposition or prevent conception {, e.g. combined with devices protecting against contagion} |
| 5/445 | . . . Colostomy, {ileostomy or urethrostomy} devices (A61F 5/441, A61F 5/442, A61F 5/443 take precedence) | 6/12 | . . . Inserters or removers |
| 2005/4455 | . . . {Implantable} | 6/14 | . . . intra-uterine type |
| 5/448 | . . . Means for attaching bag to seal ring | 6/142 | {Wirelike structures, e.g. loops, rings, spirals} |
| 2005/4483 | . . . {Convex pressure ring} | 6/144 | {with T-configuration} |
| 2005/4486 | . . . {with operable locking ring} | 6/146 | {Occluders for the cervical canal (occluding by internal devices A61B 17/12022 ; dilators A61M 29/00)} |
| 5/449 | . . . Body securing means, e.g. belts, garments | 6/148 | {with sheet-like structure} |
| 2005/4495 | . . . {with floating-belt attaching ring} | 6/16 | inflatable |
| 5/451 | . . . Genital {or anal} receptacles (A61F 5/441, A61F 5/442, A61F 5/443 take precedence {; other body securing means A61F 5/4408 ; devices for taking faeces samples A61B 10/0038 ; devices for taking urine samples A61B 10/007 }) | 6/18 | Inserters or removers |
| 5/453 | . . . for collecting urine or other discharge from male member (A61F 6/04 takes precedence {; devices for taking sperm samples A61B 10/0058 }) | 6/20 | . . . Vas deferens occluders; Fallopian occluders |
| 5/455 | . . . for collecting urine or discharge from female member | 6/202 | . . . {Means specially adapted for ligaturing, compressing or clamping of oviduct or vas deferens} |
| 5/4553 | {placed in the vagina, e.g. for catamenial use (pessaries A61F 6/08; absorbent cups A61F 13/2045 }) | 6/204 | {Clamp applying devices} |
| 5/4556 | {Portable urination aids, e.g. to allow females to urinate from a standing position} | 6/206 | {Clamps (ligaturing clamps or clips A61B 17/122)} |
| 5/48 | . Devices for preventing wetting or pollution of the bed | 6/208 | {Implements for ligaturing} |
| 5/485 | . . . {Absorbent protective pads (mattress underlays A47C 21/06; bed linen A47G 9/02)} | 6/22 | . . . implantable in tubes {(occluding by internal devices A61B 17/12022)} |
| 5/50 | . Devices for preventing finger-sucking | 6/225 | {transcervical} |
| 5/56 | . Devices for preventing snoring | 6/24 | characterised by valve means |
| 2005/563 | . . . {Anti-bruxism} | 7/00 | Heating or cooling appliances for medical or therapeutic treatment of the human body (hyperthermia using electric or magnetic fields or ultrasound A61N) |
| 5/566 | . . . {Intra-oral devices} | 2007/0001 | . . . {Body part} |
| 5/58 | . Apparatus for correcting stammering or stuttering | 2007/0002 | . . . {Head or parts thereof} |
| 6/00 | Contraceptive devices; Pessaries; Applicators therefor | 2007/0003 | {Face} |
| 6/005 | . . {Packages or dispensers for contraceptive devices} | 2007/0004 | {Eyes or part of the face surrounding the eyes} |
| 6/02 | . . for use by males (A61F 6/20 takes precedence) | 2007/0005 | {Ears} |
| 6/04 | . . . Condoms, sheaths or the like {, e.g. combined with devices protecting against contagion} | 2007/0006 | {Nose} |
| 2006/041 | {combined with a protective garment, e.g. underpants or mask} | 2007/0007 | {Forehead, e.g. headbands} |
| 2006/042 | {covering the mouth, e.g. oral condom} | 2007/0008 | {Scalp} |
| | | 2007/0009 | {Throat or neck} |
| | | 2007/001 | {Throat only} |
| | | 2007/0011 | {Neck only} |
| | | 2007/0012 | {with means for support of the head} |
| | | 2007/0013 | {Jaw} |
| | | 2007/0014 | {Chin} |
| | | 2007/0015 | {Cheeks} |
| | | 2007/0017 | {Mouth} |
| | | 2007/0018 | {Trunk or parts thereof} |
| | | 2007/0019 | {Breast} |
| | | 2007/002 | {Heart} |
| | | 2007/0021 | {Female breast} |
| | | 2007/0022 | {Abdomen} |
| | | 2007/0023 | {Waist} |
| | | 2007/0024 | {Back} |

| | | | |
|-----------|---------------------------------------------------------------------------------------|-----------|-----------------------------------------------------------------------------------------------------------------|
| 2007/0025 | . . . {Higher part of back} | 2007/0087 | . {Hand-held applicators} |
| 2007/0026 | . . . {Middle part of back} | 2007/0088 | . {Radiating heat} |
| 2007/0027 | . . . {Lower part of back} | 2007/0089 | . {Chemotherapy developing heat} |
| 2007/0028 | . . . {Rectum} | 2007/009 | . {with a varying magnetic field acting upon the human body, e.g. an implant therein} |
| 2007/0029 | . . . {Arm or parts thereof} | 2007/0091 | . {inflatable} |
| 2007/003 | . . . {Shoulder} | 2007/0092 | . . . {with, or also with, a substance other than air} |
| 2007/0031 | . . . {Upper arm} | 2007/0093 | . {programmed} |
| 2007/0032 | . . . {Elbow} | 2007/0094 | . {using a remote control} |
| 2007/0034 | . . . {Lower arm} | 2007/0095 | . {with a temperature indicator} |
| 2007/0035 | . . . {Wrist} | 2007/0096 | . . . {with a thermometer} |
| 2007/0036 | . . . {Hand} | 7/0097 | . {Blankets with active heating or cooling sources (warming mats A61F 7/08)} |
| 2007/0037 | . . . {Finger} | 2007/0098 | . {ways of manufacturing heating or cooling devices for therapy} |
| 2007/0038 | . . . {Thumb} | 7/02 | . Compresses or poultices for effecting heating or cooling |
| 2007/0039 | . . . {Leg or parts thereof} | 2007/0201 | . . . {shaped as a doll} |
| 2007/004 | . . . {Hip} | 2007/0203 | . . . {Cataplasms, poultices or compresses, characterised by their contents; Bags therefor} |
| 2007/0041 | . . . {Upper leg} | 2007/0204 | . . . {containing clay, mud, fango, sand, kaolin clay, volcanic or other inorganic granular solids} |
| 2007/0042 | . . . {Knee} | 2007/0206 | . . . {containing organic solids or fibres} |
| 2007/0043 | . . . {Lower leg, calf} | 2007/0207 | . . . {Plants, dried plants, seeds or fruits} |
| 2007/0044 | . . . {Ankle} | 2007/0209 | . . . {Synthetics, e.g. plastics} |
| 2007/0045 | . . . {Foot} | 2007/0211 | {Granulars} |
| 2007/0046 | . . . {Toe} | 2007/0212 | {Foams} |
| 2007/0047 | . . . {Sole} | 2007/0214 | {Polymers, e.g. water absorbing} |
| 2007/0048 | . . . {Genitals} | 2007/0215 | {containing liquids other than water} |
| 2007/005 | . . . {female} | 2007/0217 | {Oils} |
| 2007/0051 | . . . {Stumps after amputation} | 2007/0219 | {Gels} |
| 2007/0052 | . . . {for treatment of skin or hair} | 2007/022 | {Bags therefor} |
| 7/0053 | . {Cabins, rooms, chairs or units for treatment with a hot or cold circulating fluid} | 2007/0222 | {made of synthetics, e.g. plastics} |
| 2007/0054 | . {with a closed fluid circuit, e.g. hot water} | 2007/0223 | {made of textiles} |
| 2007/0055 | . . . {of gas, e.g. hot air or steam} | 2007/0225 | . . . {connected to the body or a part thereof} |
| 2007/0056 | . . . {for cooling} | 2007/0226 | . . . {adhesive, self-sticking} |
| 2007/0057 | . . . {of gas, e.g. air or carbon dioxide} | 2007/0228 | . . . {with belt or strap, e.g. with buckle} |
| 2007/0058 | . . . {evaporating on or near the spot to be cooled} | 2007/023 | {with pockets for receiving packs or pouches} |
| 2007/0059 | . . . {with an open fluid circuit} | 2007/0231 | {hook and loop-type fastener} |
| 2007/006 | . . . {of gas} | 2007/0233 | {connected to or incorporated in clothing or garments (A61F 2007/023 takes precedence)} |
| 2007/0061 | {Using breath} | 2007/0234 | {for the upper part of the trunk, e.g. bodice} |
| 2007/0062 | {the gas being steam or water vapour} | 2007/0236 | {for the lower part of the trunk, e.g. panty} |
| 2007/0063 | . . . {for cooling} | 2007/0238 | {in a pocket (A61F 2007/023 takes precedence)} |
| 2007/0064 | {of gas} | 2007/0239 | {using vacuum} |
| 2007/0065 | {Causing evaporation} | 7/0241 | . . . {Apparatus for the preparation of hot packs, hot compresses, cooling pads, e.g. heaters or refrigerators} |
| 2007/0067 | {of sweat} | 2007/0242 | {heated by microwaves} |
| 2007/0068 | {evaporating on the spot to be cooled} | 2007/0244 | {with layers} |
| 2007/0069 | . . . {with return means} | 2007/0246 | {with a layer having high heat transfer capability} |
| 7/007 | . . {characterised by electric heating} | 2007/0247 | {Using a substance with high conductivity} |
| 2007/0071 | . . . {using a resistor, e.g. near the spot to be heated} | 2007/0249 | {with a layer having low heat transfer capability} |
| 2007/0072 | . . . {remote from the spot to be heated} | 2007/025 | {retaining air or other gas} |
| 2007/0073 | . . . {thermistor} | 2007/0252 | {in closed compartments} |
| 2007/0074 | {PTC} | 2007/0253 | {using a substance with low conductivity (A61F 2007/025 takes precedence)} |
| 2007/0075 | . . . {using a Peltier element, e.g. near the spot to be heated or cooled} | 2007/0255 | {with a reflective layer} |
| 2007/0076 | . . . {remote from the spot to be heated or cooled} | | |
| 2007/0077 | . . . {Details of power supply} | | |
| 2007/0078 | . . . {with a battery} | | |
| 2007/0079 | {connectable to car battery} | | |
| 2007/008 | {with a separate, portable battery pack} | | |
| 2007/0081 | {Low voltage, e.g. using transformer} | | |
| 2007/0082 | {D.C. (A61F 2007/0078 takes precedence)} | | |
| 2007/0084 | . . . {using a solar cell} | | |
| 7/0085 | . {Devices for generating hot or cold treatment fluids} | | |
| 2007/0086 | . . {with a thermostat} | | |

2007/0257 . . . {with a fluid impermeable layer}
 2007/0258 . . . {with a fluid permeable layer}
 2007/026 . . . {with a fluid absorbing layer}
 2007/0261 . . . {medicated}
 2007/0263 . . . {made of a substance with therapeutic action, e.g. copper or silver}
 2007/0265 . . . {antiallergic}
 2007/0266 . . . {without external heat source, i.e. using one's own body heat ([A61F 2007/0061 takes precedence](#))}
 2007/0268 . . . {having a plurality of compartments being filled with a heat carrier}
 2007/0269 . . . {with separable compartments, e.g. reconnectable}
 2007/0271 {Permanently separable compartments, e.g. with rupturable portions}
 2007/0273 {with openings in the walls between the compartments serving as passageways for the filler}
 2007/0274 {the walls being reduced to spot connections, e.g. spot welds}
 2007/0276 {with separate compartments connectable by rupturing a wall or membrane}
 2007/0277 {Other details of hot water bottles, heat packs or cold packs}
 2007/0279 {Removable covers or sleeves}
 2007/028 {Devices for wringing}
 2007/0282 {for particular medical treatments or effects}
 2007/0284 {Treatment of stings or bites}
 2007/0285 {Local anaesthetic effect}
 2007/0287 {Preventing negative effects of chemotherapy}
 2007/0288 {during operations}
 2007/029 {Fat cell removal or destruction by non-ablative heat treatment}
 2007/0292 {using latent heat produced or absorbed during phase change of materials, e.g. of super-cooled solutions}
 2007/0293 {Triggers, activators or catalysts therefor}
 2007/0295 {for heating or cooling or use at more than one temperature}
 2007/0296 {Intervals of heating alternated with intervals of cooling}
 2007/0298 {with a section for heating and a section for cooling}
 7/03 . . . thermophore, i.e. self-heating, {e.g. using a chemical reaction}
 7/032 {using oxygen from the air, e.g. pocket-stoves}
 7/034 {Flameless}
 2007/036 {Fuels}
 2007/038 {Carbon or charcoal, e.g. active}
 7/08 . . . Warming pads, pans or mats; Hot-water bottles
 2007/083 {with an outlets tube, e.g. for enema or irrigation}
 7/086 {Closures; Filling openings}
 7/10 . . . Cooling bags, e.g. ice-bags
 2007/101 {for cooling organs in the body before or during surgery}
 7/103 {refillable}
 2007/105 {Closures specially adapted for icebags or packs}
 7/106 {self-cooling, e.g. using a chemical reaction}
 2007/108 {Cold packs, i.e. devices to be cooled or frozen in refrigerator or freezing compartment}
 7/12 . . . Devices for heating or cooling internal body cavities

7/123 {using a flexible balloon containing the thermal element}
 2007/126 {for invasive application, e.g. for introducing into blood vessels}

Treatment or protection of the eyes or ears; Substitution by other senses

9/00 **Methods or devices for treatment of the eyes; Devices for putting in contact-lenses; Devices to correct squinting; Apparatus to guide the blind; Protective devices for the eyes, carried on the body or in the hand (caps with means for protecting the eyes [A42B 1/0181](#); visors for helmets [A42B 3/22](#); eye baths [A61H 35/02](#); sunglasses or goggles having the same features as spectacles [G02C](#))**
 9/0008 {Introducing ophthalmic products into the ocular cavity or retaining products therein (putting in contact lenses [A61F 9/0061](#); introducing or retaining media in cavities of the body in general [A61M 31/00](#))}
 9/0017 {implantable in, or in contact with, the eye, e.g. ocular inserts}
 9/0026 {Ophthalmic product dispenser attachments to facilitate positioning near the eye}
 2009/0035 {Devices for immobilising a patient's head with respect to the instrument}
 2009/0043 {by supporting the instrument on the patient's head, e.g. head bands}
 2009/0052 {the instrument being supported on the patient's eye}
 9/0061 {Devices for putting-in contact lenses}
 9/007 . . . Methods or devices for eye surgery
 9/00709 {Instruments for removing foreign bodies (for removal of intra-ocular material [A61F 9/00736](#))}
 9/00718 {Restoration of lid function}
 9/00727 {Apparatus for retinal reattachment}
 9/00736 {Instruments for removal of intra-ocular material or intra-ocular injection, e.g. cataract instruments ([A61F 9/008 takes precedence](#))}
 9/00745 {using mechanical vibrations, e.g. ultrasonic}
 9/00754 {for cutting or perforating the anterior lens capsule, e.g. capsulotomes}
 9/00763 {with rotating or reciprocating cutting elements, e.g. concentric cutting needles ([atherectomy cutting instruments A61B 17/3207](#); [endoscopic cutting instruments A61B 17/320016](#))}
 9/00772 {Apparatus for restoration of tear ducts}
 9/00781 {Apparatus for modifying intraocular pressure, e.g. for glaucoma treatment ([drainage implants in general A61M 27/002](#))}
 9/0079 {using non-laser electromagnetic radiation, e.g. non-coherent light or microwaves}
 9/008 using laser
 9/00802 {for photoablation}
 9/00804 {Refractive treatments}
 9/00806 {Correction of higher orders}
 9/00808 {Inducing higher orders, e.g. for correction of presbyopia}
 9/0081 {Transplantation}
 9/00812 {Inlays; Onlays; Intraocular lenses [IOL]}
 9/00814 {Laser features or special beam parameters therefor}
 9/00817 {Beam shaping with masks}

| | | | |
|------------|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|--------|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| 9/00819 | {with photoablative masks} | 9/024 | {Rotating discs with slits, e.g. stroboscopes} |
| 9/00821 | {for coagulation} | 9/025 | {Special attachment of screens, e.g. hinged, removable; Roll-up protective layers} |
| 9/00823 | {Laser features or special beam parameters therefor} | 9/026 | {Paddings; Cushions; Fittings to the face} |
| 9/00825 | {for photodisruption} | 9/027 | {Straps; Buckles; Attachment of headbands} |
| 9/00827 | {Refractive correction, e.g. lenticle} | 9/028 | {Ventilation means} |
| 9/00829 | {Correction of higher orders} | 9/029 | {Additional functions or features, e.g. protection for other parts of the face such as ears, nose or mouth; Screen wipers or cleaning devices} |
| 9/00831 | {Transplantation} | 9/04 | . Eye-masks {; Devices to be worn on the face, not intended for looking through; Eye-pads for sunbathing} |
| 9/00834 | {Inlays; Onlays; Intraocular lenses [IOL]} | 9/045 | {Eye-shades or visors; Shields beside, between or below the eyes (caps with means for protecting the eyes A42B 1/018)} |
| 9/00836 | {Flap cutting} | 9/06 | . . . Masks, shields or hoods for welders |
| 9/00838 | {Correction of presbyopia} | 9/061 | {with movable shutters, e.g. filter discs; Actuating means therefor} |
| 9/0084 | {Laser features or special beam parameters therefor} | 9/062 | {with movable polarising filter discs} |
| 2009/00842 | {Permanent Structural Change [PSC] in index of refraction; Limit between ablation and plasma ignition} | 9/064 | {with two windows, one for viewing and one for use during the welding process} |
| 2009/00844 | {Feedback systems} | 9/065 | {use of particular optical filters (A61F 9/022, A61F 9/062 take precedence)} |
| 2009/00846 | {Eyetracking} | 9/067 | {with variable transmission} |
| 2009/00848 | {based on wavefront} | 9/068 | {with supply or suction of gas, air or smoke inside or outside the welding hood} |
| 2009/00851 | {Optical coherence topography [OCT]} | 9/08 | . Devices or methods enabling eye-patients to replace direct visual perception by another kind of perception |
| 2009/00853 | {Laser thermal keratoplasty or radial keratotomy} | 11/00 | Methods or devices for treatment of the ears or hearing sense (implantable prostheses that substitute or replace internal ear parts, e.g. ear-drums, A61F 2/18; methods or devices to cause a change in the state of auditory consciousness A61M 21/00; electrotherapy applying electrical stimulation of the auditory system, or circuits therefor A61N 1/36; radiotherapy using optical stimulation of the auditory system A61N 5/06; electro-acoustic hearing aids H04R 25/00); Non-electric hearing aids; Methods or devices for enabling ear patients to achieve auditory perception through physiological senses other than hearing sense; Protective devices for the ears, carried on the body or in the hand (headwear, e.g. caps or helmets, with means for protecting the ears A42B 1/0188, A42B 3/16) |
| 2009/00855 | {Calibration of the laser system} | 11/006 | {Ear cleaners, e.g. curettes (cotton tips A61F 13/38 ; cleaning by suction A61M 1/71 , by irrigation A61M 3/02)} |
| 2009/00857 | {considering biodynamics} | 11/04 | . Methods or devices for enabling ear patients to achieve auditory perception through physiological senses other than hearing sense, e.g. through the touch sense {(electronic stimulation of auditory nerves A61N 1/36036)} |
| 2009/00859 | {considering nomograms} | 11/045 | {using mechanical stimulation of nerves} |
| 2009/00861 | {adapted for treatment at a particular location} | 11/06 | . Protective devices for the ears |
| 2009/00863 | {Retina} | 11/08 | . . . internal, e.g. earplugs |
| 2009/00865 | {Sclera} | 11/085 | {including an inner channel} |
| 2009/00868 | {Ciliary muscles or trabecular meshwork} | 11/10 | inflatable or expandable |
| 2009/0087 | {Lens} | 11/12 | External mounting means |
| 2009/00872 | {Cornea} | 11/14 | external, e.g. earcaps or earmuffs |
| 2009/00874 | {Vitreous} | 11/145 | {electric, e.g. for active noise reduction} |
| 2009/00876 | {Iris} | 11/20 | . Ear surgery |
| 2009/00878 | {Planning} | 11/202 | {Surgical middle-ear ventilation or drainage, e.g. permanent; Implants therefor} |
| 2009/0088 | {based on wavefront} | | |
| 2009/00882 | {based on topography} | | |
| 2009/00885 | {for treating a particular disease} | | |
| 2009/00887 | {Cataract} | | |
| 2009/00889 | {Capsulotomy} | | |
| 2009/00891 | {Glaucoma} | | |
| 2009/00893 | {Keratoconus} | | |
| 2009/00895 | {Presbyopia} | | |
| 2009/00897 | {Scanning mechanisms or algorithms} | | |
| 9/009 | . . . Auxiliary devices making contact with the eyeball and coupling in laser light, {e.g. goniolenses (apparatus for eye examination A61B 3/0008)} | | |
| 9/013 | {Instruments} for compensation of ocular refraction (A61F 9/008 takes precedence){; Instruments for use in cornea removal, for reshaping or performing incisions in the cornea} | | |
| 9/0133 | {Knives or scalpels specially adapted therefor} | | |
| 9/0136 | {Mechanical markers} | | |
| 9/02 | . Goggles (for swimming A63B 33/00) | | |
| 2009/021 | . . . {Goggles with prescription spectacle lenses} | | |
| 9/022 | . . . {Use of special optical filters, e.g. multiple layers, filters for protection against laser light or light from nuclear explosions, screens with different filter properties on different parts of the screen; Rotating slit-discs (optical filters per se G02B 5/20)} | | |
| 9/023 | {with variable transmission, e.g. photochromic (for welding A61F 9/067)} | | |

| | | |
|---------------------------------------------------------------------|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|---------------------------------------------------------------------------------------------|
| 11/30 | . Non-electric hearing aids, e.g. ear trumpets, sound amplifiers or ear-shells | 2013/00229 . . . {with alginate} |
| <u>Bandages, dressings or absorbent pads; First-aid kits</u> | | |
| 13/00 | Bandages or dressings (radioactive dressings (A61N 5/1029)); Absorbent pads | 2013/00234 . . . {metallic layer} |
| 13/00051 | . . {Accessories for dressings} | 2013/00238 . . . {characterised by way of knitting or weaving} |
| 13/00055 | . . {Saturation indicators} | 2013/00242 . . . {to avoiding fraying or pilling} |
| 13/00059 | . . {provided with visual effects, e.g. printed or colored} | 2013/00246 . . . {in a special way pervious to air or vapours} |
| 13/00063 | . . {comprising medicaments or additives, e.g. odor control, PH control, debriding, antimicrobic (drug delivery dressings A61K 9/70; chemical aspect of the additives A61L 15/00)} | 2013/00251 . . . {with macroscopic openings} |
| 13/00072 | . . {Packaging of dressings} | 2013/00255 . . . {with pores} |
| 13/00076 | . . . {Packaging of adhesive dressings} | 2013/00259 . . . {thin film} |
| 13/0008 | {having means for facilitating the removal of the packaging and release liner} | 2013/00263 . . . {vapour permeability >500 g/m2/24h} |
| 13/00085 | . . {having means for facilitating the application on the skin, e.g. single hand handling facilities (A61F 13/0259 takes precedence; bandage applicators separate from the bandage or the packaging A61F 15/005)} | 2013/00268 . . . {impervious, i.e. occlusive bandage} |
| 2013/00089 | . . {Wound bandages (A61F 2013/00361 takes precedence;)} | 2013/00272 . . . {protection of the body or articulation} |
| 2013/00093 | . . {tubular} | 2013/00276 . . . {for itching skin} |
| 2013/00097 | . . . {net structure} | 2013/0028 . . . {applying of mechanical pressure; passive massage} |
| 2013/00102 | . . {oblong} | 2013/00285 . . . {medication confinement} |
| 2013/00106 | . . {emergency bandages, e.g. for first aid} | 2013/00289 . . . {easy removing of the protection sheet} |
| 2013/00111 | . . . {spray} | 2013/00293 . . . {anallergic or hypoallergic material} |
| 2013/00114 | . . . {with check valve, e.g. for traumatic pneumothorax} | 2013/00297 . . . {safety barrier for protection of the operator} |
| 2013/00119 | . . {elastic} | 2013/00302 . . . {devices for handling dressings} |
| 2013/00123 | . . . {with elastic indicator} | 2013/00306 . . . {dressing for protection of the operator during surgical procedure} |
| 2013/00127 | . . . {fixation means} | 2013/0031 . . . {for handling common life objects, e.g. telephone} |
| 2013/00131 | . . . {elasticity distribution} | 2013/00314 . . . {with surface treatments} |
| 2013/00136 | {anisotropy} | 2013/00319 . . . {to make surface hydrophobic} |
| 2013/0014 | {non-linearity} | 2013/00323 . . . {to make surface hydrophilic} |
| 2013/00144 | {transversal distribution} | 2013/00327 . . . {to create projections or depressions in surface} |
| 2013/00148 | {longitudinal distribution} | 2013/00331 . . . {lubricants} |
| 2013/00153 | . . {coloured or with decoration pattern or printing} | 2013/00336 . . . {polymeric resins} |
| 2013/00157 | . . {for burns or skin transplants (A61F 2013/00187 takes precedence; not adhering to the wound A61F 2013/00217)} | 2013/0034 . . . {with triboelectric materials} |
| 2013/00161 | . . . {with wax, e.g. petroleum or bees} | 2013/00344 . . . {for increasing oxygen partial pressure} |
| 2013/00165 | . . {not touching the wound} | 2013/00348 . . . {lint-free, i.e. non-linting or frying (A61F 2013/00242 takes precedence)} |
| 2013/0017 | . . {possibility of applying fluid} | 2013/00353 . . . {for red nails, in-grown nails or felonies (inflamed digits)} |
| 2013/00174 | . . . {possibility of applying pressure} | 2013/00357 . . . {implanted wound fillings or covers} |
| 2013/00178 | {hand-held CO ₂ cylinder, e.g. sparklet} | 2013/00361 . . . {Plasters} |
| 2013/00182 | . . {with transparent part} | 2013/00365 . . . {use} |
| 2013/00187 | . . {insulating; warmth or cold applying} | 2013/0037 . . . {for cosmesis} |
| 2013/00191 | . . . {cooled by evaporation} | 2013/00374 . . . {against wrinkles, e.g. face lift} |
| 2013/00195 | . . . {electric warmer} | 2013/00378 . . . {coloured as the skin} |
| 2013/002 | . . . {with temperature control} | 2013/00382 . . . {reconstructing the body shape} |
| 2013/00204 | . . . {insulating} | 2013/00387 . . . {skin protection} |
| 2013/00208 | {by a high viscosity, low conductivity liquid} | 2013/00391 . . . {from irradiation, e.g. sun} |
| 2013/00212 | {infrared absorbing or reflecting} | 2013/00395 . . . {from skin abrasion} |
| 2013/00217 | . . {not adhering to the wound} | 2013/004 . . . {from liquid water} |
| 2013/00221 | . . . {biodegradable, non-irritating} | 2013/00404 . . . {against blisters or bed sores} |
| 2013/00225 | {with non-degradable reinforcing layer, net or mesh} | 2013/00408 . . . {shield for protection against hypodermic needles} |
| | | 2013/00412 . . . {for use with needles, tubes or catheters} |
| | | 2013/00417 . . . {pierced by needle} |
| | | 2013/00421 . . . {with double adhesive layer} |
| | | 2013/00425 . . . {for removing of external skin layer, e.g. prepping} |
| | | 2013/00429 . . . {for conducting tests} |
| | | 2013/00434 . . . {Epicutaneous test} |
| | | 2013/00438 . . . {blood tests} |
| | | 2013/00442 . . . {using electrodes} |
| | | 2013/00446 . . . {for oriental medicine} |
| | | 2013/00451 . . . {for surgical sutures, e.g. butterfly type} |
| | | 2013/00455 . . . {for protection of suture stitches} |

| | | | |
|------------|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|------------|-------------------------------------------------------------------------------------------------------------|
| 2013/00459 | {with cyano-acrylic adhesive} | 2013/00697 | . . . {elastomer-, e.g. rubber- based} |
| 2013/00463 | . . . {haemostatic} | 2013/00702 | {silicon-based} |
| 2013/00468 | {applying local pressure} | 2013/00706 | {basis weight} |
| 2013/00472 | {with chemical means} | 2013/00711 | {containing active agent} |
| 2013/00476 | . . . {for nose} | 2013/00714 | {adhesives for mucosae} |
| 2013/0048 | . . . {for toes} | 2013/00719 | {adhesives for use on wounds} |
| 2013/00485 | {treating of athlete's foot} | 2013/00723 | {non-adhesive skin fixation} |
| 2013/00489 | {for bracing or strapping} | 2013/00727 | {means for wound humidity control} |
| 2013/00493 | {torso} | 2013/00731 | {with absorbing pads} |
| 2013/00497 | {eye patch} | 2013/00736 | {containing zeolites} |
| 2013/00502 | {for eyelids} | 2013/0074 | {containing foams} |
| 2013/00506 | {for treating warts} | 2013/00744 | {containing non-woven} |
| 2013/0051 | {for treating insect bite} | 2013/00748 | {with hydrocolloids or superabsorbers} |
| 2013/00514 | {ticks} | 2013/00753 | {superabsorbent fabric of cloth} |
| 2013/00519 | {for treating burn} | 2013/00757 | {with absorbent adhesives} |
| 2013/00523 | {with hydrogel} | 2013/00761 | {with permeable adhesive layers} |
| 2013/00527 | {artificial skin} | 2013/00765 | {continuous layer} |
| 2013/00531 | {for exfoliation} | 2013/0077 | {arranged in lines} |
| 2013/00536 | {for draining or irrigating wounds} | 2013/00774 | {arranged in discrete dots} |
| 2013/0054 | {for deep wounds} | 2013/00778 | {porous layers} |
| 2013/00544 | . . . {form or structure} | 2013/00782 | {with macroscopic openings} |
| 2013/00548 | {net} | 2013/00787 | {fumed silica} |
| 2013/00553 | {with detachable parts} | 2013/00791 | {device for evaporation of essudates} |
| 2013/00557 | {detachable absorbent pad} | 2013/00795 | {special helping devices} |
| 2013/00561 | {with adhesive connecting means} | 2013/008 | {easy removing of the protection sheet} |
| 2013/00565 | {with hook and loop-type fastener connecting means} | 2013/00804 | {different adhesion of different adhesive layers} |
| 2013/0057 | {with openable cover} | 2013/00808 | {force step in removing the protection layer} |
| 2013/00574 | {shaped as a body part (A61F 2013/00187 take precedence; use of plasters A61F 2013/00365 ; containing means for different purposes A61F 2013/00902)} | 2013/00812 | {perforate or breakable zones} |
| 2013/00578 | {conformable; soft or flexible, e.g. elastomeric} | 2013/00817 | {handles or handling tabs} |
| 2013/00582 | {Properties of backing} | 2013/00821 | {with hinge means} |
| 2013/00587 | {Thickness} | 2013/00825 | {protection of wound surround} |
| 2013/00591 | {breaking stress or force} | 2013/00829 | {rigid or semi-rigid backing} |
| 2013/00595 | {breaking strain or extension} | 2013/00834 | {as a frame} |
| 2013/006 | {Elastic modulus} | 2013/00838 | {changing the adhesion force with strain value} |
| 2013/00604 | {Multilayer} | 2013/00842 | {for tearing off dressing of desired size} |
| 2013/00608 | {with reinforcing layers} | 2013/00846 | {with transparent or translucent part} |
| 2013/00612 | {with different thickness} | 2013/00851 | {with grid or reference marks} |
| 2013/00617 | {with different hardness} | 2013/00855 | {pervious to air or vapours} |
| 2013/00621 | {cast} | 2013/00859 | {with macroscopic openings} |
| 2013/00625 | {in situ} | 2013/00863 | {with pores} |
| 2013/00629 | {on a model} | 2013/00868 | {thin film} |
| 2013/00634 | {foam} | 2013/00872 | {with controlled oxygen permeability} |
| 2013/00638 | {Gel} | 2013/00876 | {vapour permeability >500 g/mg/24h} |
| 2013/00642 | {soluble, e.g. in water} | 2013/0088 | {adjustable to a predetermined value} |
| 2013/00646 | {Medication patches, e.g. transcutaneous} | 2013/00885 | {impervious, i.e. occlusive bandage} |
| 2013/00651 | {tapered, bevelled or chamfered} | 2013/00889 | {waterproof} |
| 2013/00655 | {adhesive} | 2013/00893 | {viscoelastic oil-elastomer gel} |
| 2013/00659 | {polymeric base} | 2013/00897 | {package for individual plaster} |
| 2013/00663 | {acrylic} | 2013/00902 | {containing means} |
| 2013/00668 | {Ether} | 2013/00906 | {for transcutaneous or transdermal drugs application} |
| 2013/00672 | {cyano-acrylic} | 2013/0091 | {with disinfecting or anaesthetics means, e.g. anti-mycrobic} |
| 2013/00676 | {hydrogel} | 2013/00914 | {with deodorising or perfuming means} |
| 2013/0068 | {cross-linked by radiations, e.g. electron beam} | 2013/00919 | {for physical therapy, e.g. cold or magnetic} |
| 2013/00685 | {soluble in liquid, e.g. of particular pH} | 2013/00923 | {triboelectricity} |
| 2013/00689 | {water-based} | 2013/00927 | {with biological activity, e.g. enzymes for debriding wounds or others, collagen or growth factors} |
| 2013/00693 | {oil-based} | 2013/00931 | {chitin} |
| | | 2013/00936 | {metal} |

| | | | |
|------------|---------------------------------------------------------------------------------------------------------------------------------------|-----------|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| 2013/0094 | {for sensing physical parameters} | 13/0269 | {Tapes for dressing attachment (for stoma bags A61F 5/443 ; for nappies or sanitary towels A61F 13/58 ; wound closure tapes A61B 17/085 ; for surgical drapes A61B 46/00 ; attaching catheters A61M 25/02)} |
| 2013/00944 | {humidity; moisture} | 13/0273 | {Adhesive bandages for winding around limb, trunk or head, e.g. cohesive} |
| 2013/00948 | {Ph, e.g. acid} | 13/0276 | {Apparatus or processes for manufacturing adhesive dressings or bandages} |
| 2013/00953 | {temperature} | 13/0279 | {by attaching individual patches on moving webs} |
| 2013/00957 | {pressure} | 13/0283 | {for making adhesive or cohesive tape or fabrics therefor, e.g. coating or mechanical treatments} |
| 2013/00961 | {electrical conductivity} | 13/0286 | {manufacturing of non adhesive dressings} |
| 2013/00965 | {microbiological activity} | 13/0289 | {manufacturing of adhesive dressings} |
| 2013/0097 | {oxygen content} | 13/0293 | {manufacturing of plaster of Paris} |
| 2013/00974 | {for writing or drawing, e.g. labels} | 2013/0296 | {for making transdermal patches (chemical processes excluded)} |
| 2013/00978 | {attachments assembly for prosthesis; pouch, e.g. ostomy} | 13/04 | . Plaster of Paris bandages; Other stiffening bandages (A61F 13/06 - A61F 13/15 take precedence; orthopaedic casts made from stiffening bandages A61F 5/01) |
| 2013/00982 | {anallergic or hypoallergic material} | 13/041 | . . . {Accessories for stiffening bandages, e.g. cast liners, heel-pieces} |
| 13/00987 | . {Apparatus or processes for manufacturing non-adhesive dressings or bandages} | 13/043 | . . . {Shoe-like cast covers; Cast socks (A61F 15/004 takes precedence; shoe-like orthopaedic devices for protecting the feet against injuries after operations A61F 5/0195 ; walking soles A61F 13/045)} |
| 13/00991 | {for treating webs, e.g. for moisturising, coating, impregnating or applying powder} | 13/045 | . . . {Walking soles or heels} |
| 13/00995 | {for mechanical treatments} | 13/046 | . . . {Incorporated ventilation or cooling devices} |
| 13/01 | . Non-adhesive bandages or dressings | 13/048 | . . . {Braces for connecting two cast parts, e.g. hinged cast braces (orthoses A61F 5/0102)} |
| 13/01008 | {characterised by the material} | 13/05 | . specially adapted for use with sub-pressure or over-pressure therapy, wound drainage or wound irrigation, e.g. for use with negative-pressure wound therapy [NPWT] |
| 13/01012 | {being made of natural material, e.g. cellulose-, protein-, collagen-based} | 13/06 | . specially adapted for feet or legs; Corn-pads; Corn-rings |
| 13/01017 | {synthetic, e.g. polymer based} | 13/061 | . . . {for knees (incorporating non-textile reinforcing elements, e.g. springs or stays, A61F 5/0111 ; Patella supports)} |
| 13/01021 | {characterised by the structure of the dressing} | 13/062 | . . . {Openable readjustable} |
| 13/01025 | {made of a single layer} | 13/063 | . . . {Corn-pads; Corn-rings} |
| 13/01029 | {made of multiple layers} | 13/064 | . . . {for feet (incorporating non-textile reinforcing elements, e.g. springs or stays A61F 5/0111 ; corn-pads, corn-rings A61F 13/063)} |
| 13/01034 | {characterised by a property} | 13/065 | . . . {Looped bandages around the forefoot (A61F 13/068 takes precedence)} |
| 13/01038 | {Flexibility, stretchability or elasticity} | 13/066 | . . . {for the ankle} |
| 13/01042 | {Absorbency} | 13/067 | . . . {for the sole of the foot (rigid shoe insertions for supporting the sole A61F 5/14)} |
| 13/01046 | {Air-vapor permeability} | 13/068 | . . . {for the toes (toe correcting or spreading devices A61F 5/019)} |
| 13/02 | . Adhesive bandages or dressings | 13/069 | . . . {Decubitus ulcer bandages} |
| 13/0203 | with fluid retention members | 13/08 | . . . Elastic stockings; for contracting aneurisms |
| 13/0206 | with absorbent fibrous layers, e.g. woven or non-woven absorbent pads or island dressings | 13/085 | . . . {Openable readjustable} |
| 13/0209 | {comprising superabsorbent material} | 13/10 | . specially adapted for fingers, hands or arms; Finger-stalls; Nail-protectors |
| 13/0213 | {the fluid retention member being a layer of hydrocolloid, gel forming material} | 13/101 | . . . {for the elbow, e.g. decubitus ulcer bandages (A61F 13/107 takes precedence)} |
| 13/022 | {having more than one layer with different fluid retention characteristics} | 13/102 | . . . {Openable readjustable} |
| 13/0223 | {characterized by parametric properties of the fluid retention layer, e.g. absorbency, wicking capacity, liquid distribution} | | |
| 13/0226 | {characterised by the support layer} | | |
| 13/023 | {wound covering film layers without a fluid retention layer} | | |
| 13/0233 | {characterised by the occlusive layer skin contacting layer} | | |
| 13/0236 | {characterised by the application/handling support layer} | | |
| 13/024 | {the application or handling support layer being removable} | | |
| 13/0243 | {characterised by the properties of the skin contacting layer, e.g. air-vapor permeability} | | |
| 13/0246 | . . . characterised by the skin-adhering layer | | |
| 13/025 | {having a special distribution arrangement of the adhesive} | | |
| 13/0253 | {characterized by the adhesive material} | | |
| 13/0256 | {characterized by the parametric properties of the adhesive} | | |
| 13/0259 | {characterised by the release liner covering the skin adhering layer} | | |
| 13/0263 | {especially adapted for island dressings} | | |
| 13/0266 | {especially adapted for wound covering/occlusive dressings} | | |

| | | |
|------------|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|----------------------------------------------------------------------------------------------------------------------------------------|
| 13/104 | . . . {for the hands or fingers (A61F 13/107 takes precedence)} | 2013/15243 . . . {printed or coloured, e.g. to match skin} |
| 13/105 | . . . {for the fingers; Finger-stalls; Nail-protectors (devices for correcting deformities of the nails A61F 5/11)} | 13/15252 . . . {compostable or biodegradable} |
| 13/107 | . . . {for wrist support (incorporating non-textile reinforcing elements, e.g. springs or metal braces A61F 5/0118); Compression devices for tennis elbow (epicondylitis)} | 2013/1526 . . . {compostable} |
| 13/108 | . . . {Openable readjustable} | 13/15268 . . . {reusable (with separable parts A61F 13/505)} |
| 13/12 | . . . specially adapted for the head or neck | 2013/15276 . . . {washable} |
| 13/122 | . . . {specially adapted for the face} | 2013/15284 . . . {characterized by quantifiable properties} |
| 13/124 | . . . {specially adapted for the eyes} | 2013/15292 . . . {Resistance, i.e. modulus or strength} |
| 13/126 | . . . {specially adapted for the nose} | 2013/153 {in dry conditions} |
| 13/128 | . . . {specially adapted for the neck} | 2013/15308 {in wet conditions, i.e. wet strength} |
| 13/14 | . . . specially adapted for the breast or abdomen (corsets or bandages for support of breast or abdomen A61F 5/03) | 2013/15317 {Wet compressibility, i.e. void volume/gr} |
| 13/141 | . . . {Milk breast pads} | 2013/15325 {Stress relaxation or compression recovery} |
| 13/143 | . . . {Thorax bandages or bandaging garments} | 2013/15333 {to hot, e.g. 90 decC washing procedures} |
| 13/145 | . . . {specially adapted for the female anatomy} | 2013/15341 {to fire or flame} |
| 13/146 | . . . {Shoulder bandages or bandaging garments} | 2013/15349 {with controlled smoke emission} |
| 13/148 | . . . {Abdomen bandages or bandaging garments} | 2013/15357 {Stiffness, e.g. Taber rigidity} |
| 13/15 | . . . Absorbent pads, e.g. sanitary towels, swabs or tampons for external or internal application to the body; Supporting or fastening means therefor; Tampon applicators | 2013/15365 {Dimensions} |
| 2013/15008 | . . . {characterized by the use} | 2013/15373 {Calliper, i.e. thickness} |
| 2013/15016 | . . . {for breast; pads for bras} | 2013/15382 {Reduced thickness} |
| 2013/15024 | . . . {for protecting the body against ulcers} | 2013/1539 {being expandable} |
| 2013/15032 | . . . {as umbilical bandage} | 2013/15398 {for giving the illusion of a thick absorbent pad} |
| 2013/1504 | {for avoiding contact with umbilical region} | 2013/15406 {Basis weight} |
| 2013/15048 | {for protection against contamination, or protection in using body disinfecting wipes} | 2013/15414 {Bulk thickness} |
| 2013/15056 | {for the protection for furniture, e.g. car seats, chairs, beds} | 2013/15422 {Density} |
| 2013/15065 | {for protecting in contaminated ambience, e.g. NBC or industrial chemicals} | 2013/1543 {with a density gradient in the horizontal plane} |
| 2013/15073 | {as drapes} | 2013/15439 {with a density gradient in the vertical plane} |
| 2013/15081 | {as prophylaxis} | 2013/15447 {Fibre dimension, e.g. denier or tex} |
| 2013/15089 | {as facial prophylaxis} | 2013/15455 {Volume-to-fibre surface area ratio} |
| 2013/15097 | {as genital prophylaxis} | 2013/15463 {Absorbency} |
| 2013/15105 | {as contraceptive, e.g. condom} | 2013/15471 {Total capacity} |
| 2013/15113 | {for haemorrhoids} | 2013/15479 {Drip capacity} |
| 2013/15121 | {for mild incontinence} | 2013/15487 {Capillary properties, e.g. wicking} |
| 2013/1513 | {for anal discharge} | 2013/15495 {pore dimension} |
| 2013/15138 | {for flatus, i.e. gas} | 2013/15504 {with a porosity gradient in the vertical or horizontal plane} |
| 2013/15146 | {for urine collection} | 2013/15512 {with specific hydrophilicity} |
| 2013/15154 | {for hospitalised patients} | 2013/1552 {with specific diffusion velocity} |
| 2013/15162 | {for jaundice phototherapy, i.e. UV light-permeable or transparent materials} | 2013/15528 {with specific capillary or osmotic pressure} |
| 2013/1517 | {for puerperae, i.e. after childbirth} | 2013/15536 {with a capillarity gradient in the vertical or horizontal plane} |
| 2013/15178 | {for prevention and therapy of hip dysplasia or subluxation} | 2013/15544 {Permeability} |
| 2013/15186 | {for animals} | 2013/15552 {Air permeability} |
| 2013/15195 | {as swimwear} | 2013/1556 {Water permeability} |
| 13/15203 | . . . {Properties of the article, e.g. stiffness or absorbency (chemical aspects A61L 15/00)} | 2013/15569 {Adhesivity} |
| 13/15211 | {soluble or disintegratable in liquid} | 13/15577 {Apparatus or processes for manufacturing} |
| 2013/15219 | {by mechanical separation of water resistant parts} | 13/15585 {of babies' napkins, e.g. diapers (A61F 13/15617 - A61F 13/15804 take precedence)} |
| 2013/15227 | {by its solubility in particular Ph solution} | 13/15593 {having elastic ribbons fixed thereto; Devices for applying the ribbons} |
| 2013/15235 | {by its solubility in water} | 13/15601 {the ribbons being applied transversely to the direction of the movement of the webs the diapers are being made of} |
| | | 13/15609 {the ribbons being applied in an irregular path} |
| | | 13/15617 {Making absorbent pads from fibres or pulverulent material with or without treatment of the fibres} |
| | | 13/15626 {Making fibrous pads without outer layers} |

| | |
|-----------------------------------------------------------------------------------------------------------------------------------------------------------------|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| 13/15634 {Making fibrous pads between sheets or webs} | 2013/15934 {for making non-woven} |
| 13/15642 {by depositing continuous layers or pads of fibrous material on single sheets or webs} | 2013/15943 {by air-laid technique} |
| 13/1565 {by depositing continuous layers of fibrous material between webs, e.g. wrapping layers of fibrous material} | 2013/15951 {by wet-laid technique} |
| 13/15658 {Forming continuous, e.g. composite, fibrous webs, e.g. involving the application of pulverulent material on parts thereof} | 2013/15959 {by spunbond technique} |
| 13/15666 {Wrapping formed fibrous webs or pads, e.g. the pads being formed by uniting pad pieces cut from fibrous webs} | 2013/15967 {by meltblown technique} |
| 13/15674 {by wrapping webs or pads between webs moving in their longitudinal direction} | 2013/15975 {by non-bonded and deformable technique} |
| 13/15682 {by folding webs, moving in their longitudinal direction, around webs or pads} | 2013/15983 {by hydroentangled technique} |
| 13/15691 {by inserting webs or pads in a tube or a netting, e.g. involving forming of the tube or netting} | 2013/15991 {in making composite multi-layered product} |
| 13/15699 {Forming webs by bringing together several webs, e.g. by laminating or folding several webs, with or without additional treatment of the webs} | 2013/16 {Sanitary towels; Means for supporting or fastening them} |
| 13/15707 {Mechanical treatment, e.g. notching, twisting, compressing, shaping} | 13/20 Tampons, e.g. catamenial tampons; Accessories therefor |
| 2013/15715 {Shaping or making outer layers} | 13/2002 {characterised by the use} |
| 13/15723 {Partitioning batts; Cutting} | 13/2005 {specially adapted for the nose cavity} |
| 13/15731 {Treating webs, e.g. for giving them a fibrelike appearance, e.g. by embossing} | 13/2008 {specially adapted for the oral cavity} |
| 13/15739 {Sealing, e.g. involving cutting} | 13/2011 {specially adapted for anal cavity} |
| 13/15747 {Folding; Pleating; Coiling; Stacking; Packaging} | 2013/2014 {for endoscopic procedures} |
| 13/15756 {Applying tabs, strips, tapes, loops; Knotting the ends of pads} | 13/2017 {specially adapted for the ear cavity} |
| 13/15764 {Transferring, feeding or handling devices; Drives} | 13/202 {Catamenial tampons (A61F 13/2022-A61F 13/34 take precedence)} |
| 13/15772 {Control} | 13/2022 {characterised by the shape} |
| 2013/1578 {via optical means associated to computer coordinator} | 13/2025 {adapted to change of shape once expelled of the applicator} |
| 2013/15788 {of the presence of the article or components} | 13/2028 {adapted to change of shape after absorption of liquid} |
| 2013/15796 {of the alignment or position of article or components} | 13/2031 {having depressions or elevations, e.g. dots, lines} |
| 13/15804 {Plant, e.g. involving several steps} | 13/2034 {having grooves or ribs, having a main axis in the longitudinal direction} |
| 2013/15813 {with modular lines} | 13/2037 {having grooves or ribs, having a main axis in the radial direction} |
| 2013/15821 {characterized by the apparatus for manufacturing} | 13/204 {having an external member remaining outside the body cavity, e.g. for form fitting or leakage prevention (withdrawal strings persee A61F 13/34)} |
| 2013/15829 {using pressure liquid jet} | 13/2042 {having a central tubular opening} |
| 2013/15837 {using solvent} | 13/2045 {Cup-shaped type tampons (non-absorbent catamenial cups A61F 5/4553)} |
| 2013/15845 {using a specific cam for programming the apparatus} | 13/2048 {Ball-shaped tampons} |
| 2013/15853 {using a specific computer algorithm for programming the apparatus} | 13/2051 {characterised by the material or the structure of the inner absorbing core} |
| 2013/15861 {for bonding} | 13/2054 {made by compressing a not-rolled web or pledged} |
| 2013/15869 {with ultrasonic energy} | 13/2057 {made of foam} |
| 2013/15878 {by thermal bonding} | 13/206 {Tampons made of rolled-up material} |
| 2013/15886 {by spot bonding} | 13/2062 {Tampons made from folded lengths of material, e.g. of string} |
| 2013/15894 {by infrared radiation} | 13/2065 {Tampons folded from sheets of material (A61F 13/206 takes precedence)} |
| 2013/15902 {with specific parameters, e.g. temperature, pressure} | 13/2068 {Tampons made from several layers (A61F 13/2065, A61F 13/206 take precedence)} |
| 2013/1591 {via adhesive} | 13/2071 {characterised by the material or the structure of the outer layer} |
| 2013/15918 {for die cutting} | 13/2074 {impregnated with hydrophobic, hydrophilic, skin enhancers, medicinal etc. substances} |
| 2013/15926 {for vacuum forming} | 13/2077 {having a visual effect, e.g. printed or embossed} |

| | | | |
|-----------|-----------------------------------------------------------------------------------------------------------------------------------------------|------------|--------------------------------------------------------------------------------------------------------------------------------------|
| 13/208 | . . . {having means for avoiding leakage, e.g. liquid impermeable withdrawal end (A61F 13/204 takes precedence)} | 13/47 | . . . Sanitary towels, incontinence pads or napkins (A61F 13/49 takes precedence) |
| 13/2082 | . . . {Apparatus or processes of manufacturing} | 13/4702 | . . . {having a reinforcing member} |
| 13/2085 | {Catamenial tampons} | 13/4704 | {having preferential bending zones, e.g. fold lines or grooves} |
| 13/2088 | {shaping the tampon by compressing} | 2013/4706 | {enlarged in the anal area} |
| 13/2091 | {providing grooves on the tampon} | 2013/4708 | {Panty-liner} |
| 13/2094 | {rolling a web material to form a tampon} | 13/471 | specially adapted for male use |
| 13/2097 | {method of manufacturing tampon applicators} | 13/472 | specially adapted for female use |
| 13/26 | . . . Means for inserting tampons {, i.e. applicators} | 13/47209 | {having only interlabial part, i.e. with no extralabial parts} |
| 13/263 | {with reduced length before use, e.g. with folding rod} | 13/47218 | {with a raised crotch region, e.g. hump} |
| 13/266 | {Insertion devices, e.g. rods or plungers, separate from the tampon} | 13/47227 | {for interlabial use} |
| 13/28 | with lubricating means | 13/47236 | {characterised by an unusual contour} |
| 13/34 | . . . Means for withdrawing tampons {, e.g. withdrawal strings} | 13/47245 | {with asymmetry around the x or y axis} |
| 13/36 | . . . Surgical swabs, e.g. for absorbency or packing body cavities during surgery (A61F 13/38, A61M 35/006 take precedence) | 13/47254 | {with a tanga shape} |
| 13/38 | . . . Swabs having a stick-type handle {, e.g. cotton tips} (A61M 35/006 takes precedence) | 13/47263 | {with activating means, e.g. elastic, heat or chemical activatable means} |
| 13/385 | . . . {Apparatus or processes of manufacturing} | 13/47272 | {with a longitudinal raised end, e.g. cup-shaped gluteal groove (for edge leakage prevention A61F 13/494)} |
| 13/42 | . . . with wetness indicator or alarm | 2013/47281 | {with internal collecting device} |
| 2013/421 | . . . {the alarm being a temperature change} | 2013/4729 | {combining catamenial pad and tampon} |
| 2013/422 | . . . {the alarm being a colour change} | 13/474 | adjustable |
| 2013/423 | . . . {the alarm being a volume change or a movement of a component} | 13/475 | characterised by edge leakage prevention means |
| 2013/424 | . . . {having an electronic device} | 13/4751 | {the means preventing fluid flow in a transversal direction} |
| 2013/425 | . . . {being also a toilet training aid} | 13/4752 | {the means being an upstanding barrier} |
| 2013/426 | . . . {Moisture sensitive polymers} | 13/4753 | {the barrier being not integral with the topsheet or backsheet} |
| 2013/427 | . . . {pH indicator} | 13/4755 | {the means being a flat barrier on or inside the absorbent article, e.g. backsheet wrapped around the edges} |
| 2013/428 | . . . {for articles with superabsorbent materials} | 13/4756 | {the means consisting of grooves, e.g. channels, depressions or embossments, resulting in a heterogeneous surface level} |
| 2013/429 | . . . {Thermochromic materials, e.g. ink or dye} | 13/4757 | {the means being located outside the perimeter of the absorbent core (A61F 13/4752 takes precedence)} |
| 13/44 | . . . with radio-opaque material or signalling means for residual material | 13/4758 | {the means preventing fluid flow in a longitudinal direction} |
| 13/45 | . . . characterised by the shape (cup-shaped type tampons A61F 13/2045) | 13/476 | characterised by encircling the crotch region of the undergarment, e.g. with flaps |
| 2013/4506 | . . . {special configurations using catheter or tube} | 13/49 | specially adapted to be worn around the waist, e.g. diapers, nappies |
| 2013/4512 | . . . {folded in special shape during use (A61F 13/534, A61F 13/551, A61F 13/56, A61F 13/15747 take precedence)} | 13/49001 | {having preferential bending zones, e.g. fold lines or grooves} |
| 2013/4518 | {formed from two separated panels} | 13/49003 | {Reusable, washable fabric diapers} |
| 2013/4525 | {by front and rear joined laterally at the crotch} | 13/49004 | {with fastening means} |
| 2013/4531 | {by lateral panels joined at the centreline, i.e. along the longitudinal axis} | 13/49006 | {the reusable article being in the form of pants or briefs, e.g. slip or panty for light incontinence} |
| 2013/4537 | {with aeration ducts} | 13/49007 | {Form-fitting, self-adjusting disposable diapers} |
| 2013/4543 | {with a special transverse section (A61F 13/534 takes precedence)} | 13/49009 | {with elastic means} |
| 2013/455 | {having a "W" shape} | 13/49011 | {the elastic means is located at the waist region} |
| 2013/4556 | {having a "M" shape} | 13/49012 | {the elastic means being elastic panels} |
| 2013/4562 | {cup-shaped} | 13/49014 | {the elastic means is located at the side panels} |
| 2013/4568 | {three-dimensional; with split absorbent core} | | |
| 2013/4575 | {connected by elastic means} | | |
| 2013/4581 | {with absorbent core in separated pieces} | | |
| 2013/4587 | {with channels or deep spot depressions on the upper surface (A61F 13/4704 and A61F 13/49001 take precedence)} | | |
| 2013/4593 | {allowing introduction of medical instruments without removing the absorbent article} | | |

| | | | |
|----------------------|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|----------------------|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| 13/49015 | {the elastic means being elastic panels} | 2013/49071 | {being triangular} |
| 13/49017 | {the elastic means being located at the crotch region} | 2013/49073 | {being trapezoidal} |
| 13/49019 | {the elastic means being placed longitudinally, transversely or diagonally over the article} | 2013/49074 | {hourglass; dog bone-shaped} |
| 13/4902 | {characterised by the elastic material} | 2013/49076 | {as "I"-shaped} |
| 2013/49022 | {being elastomeric sheet} | 2013/49077 | {as "T"-shaped} |
| 2013/49023 | {being textured, e.g. corrugated} | 2013/49079 | {as backbone-shape} |
| 2013/49025 | {having multiple elastic strands} | 2013/4908 | {concave} |
| 2013/49026 | {with variable spacing} | 2013/49082 | {being a complex shape not covered by the other groups A61F 2013/49068-A61F 2013/4908 } |
| 2013/49028 | {with different tensile stress} | 2013/49084 | {conformable} |
| 2013/4903 | {being a net} | 2013/49085 | {with a multiplicity of rounded, i.e. spherical elements} |
| 2013/49031 | {being elastic in longitudinal direction} | 2013/49087 | {having breakable lateral stitches or panels} |
| 2013/49033 | {being elastic in transversal direction} | 2013/49088 | {characterized by the leg opening} |
| 2013/49034 | {being elastic in both the transversal and longitudinal direction} | 2013/4909 | {being asymmetric leg openings} |
| 2013/49036 | {having an inelastic zone by deactivating the elastic property} | 2013/49092 | {comprising leg cuffs} |
| 2013/49038 | {the elastic means is located all around the absorbent article's perimeter} | 2013/49093 | {having multiple barriers} |
| 2013/49039 | {the elastic means is located around the target zone} | 2013/49095 | {Being formed by lateral sheets} |
| 2013/49041 | {having a specific location other than covered by groups A61F 13/49011 - A61F 13/49019 } | 2013/49096 | {with braces} |
| 2013/49042 | {with only stretchable part, i.e. part being not elastic but only extensible with not a full recovery of its original length} | 2013/49098 | {Other Details not otherwise provided of the absorbent articles specially adapted to be worn around the waist} |
| 2013/49044 | {being stretchable non-elastic panels, (A61F 13/4902 takes precedence) } | 13/491 | specially adapted for gender distinct urine discharge pattern |
| 2013/49046 | {at the crotch} | 13/4915 | {specially adapted for male use} |
| 2013/49047 | {at the ears} | 13/493 | adjustable {by adding or removing material, e.g. umbilical cord arrangements (adjustable by the fastening A61F 13/5638, A61F 13/5655)} |
| 2013/49049 | {on the hips} | 13/494 | characterised by edge leakage prevention means |
| 2013/4905 | {at the waist} | 13/49406 | {the edge leakage prevention means being at the crotch region} |
| 2013/49052 | {having a specific direction of stretchability} | 13/49413 | {the edge leakage prevention means being an upstanding barrier} |
| 2013/49053 | {being stretchable in the longitudinal direction or machine direction, i.e. longitudinal} | 13/4942 | {the barrier not being integral with the top- or back-sheet} |
| 2013/49055 | {being stretchable in transversal direction or cross machine direction} | 13/49426 | {the barrier having an absorbent medium} |
| 2013/49057 | {being stretchable in both longitudinal and transversal direction} | 2013/49433 | {the barrier having variable heights} |
| 13/49058 | {characterised by the modular concept of constructing the diaper} | 2013/4944 | {having multiple barriers} |
| 13/4906 | {the diaper having an outer chassis forming the diaper and an independent absorbent structure attached to the chassis} | 13/49446 | {the edge leakage prevention means being an impermeable sheet or impermeable part of a sheet placed on or under the top sheet (A61F 13/49413 takes precedence) } |
| 13/49061 | {the diaper having one or two waist members forming the diaper waist region and an independent absorbent structure attached to the one or two waist members forming the crotch region} | 13/49453 | {the edge leakage prevention sheet being combined with the impermeable backing sheet, e.g. integral with the backing sheet} |
| 2013/49063 | {the diaper having decoupled components} | 13/4946 | {the edge leakage prevention means being an absorbent medium (A61F 13/49426 takes precedence) } |
| 2013/49065 | {being joined by a transverse line} | 13/49466 | {the edge leakage prevention means being at the waist region} |
| 2013/49066 | {being joined by an area of low stiffness} | 13/49473 | {the edge leakage prevention means having a continuous closed form, e.g. circle, ellipse, rectangle} |
| 2013/49068 | {characterized by the shape of the outline} | 2013/4948 | {the edge leakage prevention means being elastic} |
| 2013/49069 | {being rectangular, i.e. parallelepiped} | 2013/49486 | {the edge leakage prevention means being padded} |

| | | | |
|----------------------|---------------------------------------------------------------------------------------------------------------------------------------------------------|----------------------|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| 2013/49493 | {the edge leakage prevention means being or forming three-dimensional barrier with raised lateral side-or end-wall} | 2013/51088 | {in very fine microtexture} |
| 13/495 | with faecal cavity | 2013/5109 | {with odour control} |
| 2013/4951 | {with internal barriers} | 2013/51092 | {characterized by the dimensions} |
| 2013/4953 | {with rear faecal part separate from front urinary part} | 2013/51095 | {being metallic} |
| 2013/4955 | {with separable, disposable upper body layer} | 2013/51097 | {with high friction coefficient for fixation of the bandage} |
| 2013/4956 | {with vertical spacer or separator keeping other components out of contact} | 13/511 | Topsheet, i.e. the permeable cover or layer facing the skin |
| 2013/4958 | {with a faecal management layer} | 13/51104 | {the top sheet having a three-dimensional cross-section, e.g. corrugations, embossments, recesses or projections} |
| 13/496 | in the form of pants or briefs | 13/51108 | {the top sheet having corrugations or embossments having one axis relatively longer than the other axis, e.g. forming channels or grooves in a longitudinal direction} |
| 13/4963 | {characterized by the seam} | 13/51113 | {comprising an additive, e.g. lotion or odour control (A61F 13/51108 takes precedence)} |
| 2013/4966 | {with intentionally damp topsheet} | 2013/51117 | {the lotion having skin care properties} |
| 13/505 | with separable parts, e.g. combination of disposable and reusable parts (A61F 13/20 {, A61F 13/49003 take precedence}) | 13/51121 | {characterised by the material} |
| 2013/5055 | {Possibility of doubling or putting in new pieces} | 2013/51126 | {being nets} |
| 13/51 | characterised by the outer layers of the pads (A61F 13/20 takes precedence) | 2013/5113 | {being foams} |
| 2013/51002 | {with special fibres} | 2013/51134 | {the foam being compressed and expandable, e.g. a cellulosic sponge} |
| 2013/51004 | {characterized by the length of the fibres} | 2013/51139 | {being woven or knitted fabrics} |
| 2013/51007 | {characterized by the orientation of fibres} | 2013/51143 | {being papers} |
| 2013/51009 | {characterized by the shape of the fibres} | 2013/51147 | {being polymeric films} |
| 2013/51011 | {characterized by the count of the fibres, e.g. denier or tex} | 2013/51152 | {having specific distance between the fibres} |
| 2013/51014 | {characterized by the connection between the fibres} | 2013/51156 | {having integrally attached} |
| 2013/51016 | {followed by a distension heat treatment} | 13/5116 | {being formed of multiple layers (A61F 13/5123 takes precedence)} |
| 2013/51019 | {being cellulosic material} | 2013/51165 | {with the combination of films and nonwovens} |
| 2013/51021 | {being chemically modified} | 2013/51169 | {the nonwoven being hydroentangled or needlingentangled to the film} |
| 2013/51023 | {being polymeric fibres} | 2013/51173 | {with the combination of polymeric films} |
| 2013/51026 | {being in thermoplastic material} | 2013/51178 | {with the combination of nonwoven webs} |
| 2013/51028 | {being bicomponent} | 2013/51182 | {with non-continuous bonding} |
| 2013/5103 | {being hydrophobic} | 2013/51186 | {specially shaped topsheets} |
| 2013/51033 | {being hydrophilic} | 2013/51191 | {Self-sealing top layers} |
| 2013/51035 | {being biodegradable, e.g. Rayon, polylactate, dioxanone} | 2013/51195 | {not contacting the absorber} |
| 2013/51038 | {being a mixture of fibres} | 13/512 | characterised by its apertures, e.g. perforations |
| 2013/5104 | {with pulp and polymeric fibres} | 13/5121 | {characterised by the vertical shape of the apertures, e.g. three dimensional apertures, e.g. macro-apertures} |
| 2013/51042 | {with hydrophobic and hydrophilic fibres} | 13/5122 | {and comprising secondary apertures, e.g. macro-apertures in combination with microapertures} |
| 2013/51045 | {with thermoplastic binder} | 13/5123 | {the apertures being formed on a multilayer top sheet} |
| 2013/51047 | {with antibacterial agents} | 13/5125 | {the apertures not being formed through the complete thickness of the topsheet, e.g. blind holes (blind holes in a single layered topsheet A61F 13/51104)} |
| 2013/5105 | {with mineral or inert material} | 13/5126 | {characterised by the planar distribution of the apertures, e.g. in a predefined pattern} |
| 2013/51052 | {having different diameters} | 2013/5127 | {characterized by the dimension of apertures} |
| 2013/51054 | {having different densities} | 2013/5128 | {characterized by open targets or acquisitions or vulnerability zones} |
| 2013/51057 | {having different ratio of fibres} | | |
| 2013/51059 | {being sprayed with chemicals} | | |
| 2013/51061 | {for rendering the surface hydrophobic} | | |
| 2013/51064 | {in the legs area} | | |
| 2013/51066 | {for rendering the surface hydrophilic} | | |
| 2013/51069 | {by hydrophilisation with plasma or corona discharge} | | |
| 2013/51071 | {with anti-static agents} | | |
| 2013/51073 | {with lubricants} | | |
| 2013/51076 | {with perfumes or odour-masking agents} | | |
| 2013/51078 | {being embossed} | | |
| 2013/5108 | {in grids} | | |
| 2013/51083 | {in point} | | |
| 2013/51085 | {in diamonds} | | |

| | | | |
|------------|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-------------|------------------------------------------------------------------------------------------------------------------------------|
| 13/513 | {characterised by its function or properties, e.g. stretchability, breathability, rewet, visual effect; } having areas of different permeability | 2013/51445 | {comprising microfibres, e.g. Gore-Tex} |
| 13/51305 | {having areas of different permeability} | 2013/51447 | {being air permeable} |
| 13/51311 | {the permeability gradient being in the vertical direction} | 2013/51449 | {being knitted or woven fabrics} |
| 2013/51316 | {with low friction coefficient} | 2013/5145 | {being treated materials} |
| 2013/51322 | {being elastomeric or stretchable} | 2013/51452 | {being nonwovens} |
| 2013/51327 | {in only one specific direction} | 2013/51454 | {being papers} |
| 2013/51333 | {in only specific parts or sections of the top layer} | 13/51456 | {characterised by its properties} |
| 2013/51338 | {having improved touch or feeling, e.g. smooth film} | 13/51458 | {being air-permeable or breathable} |
| 2013/51344 | {with pile webs or velvet-like tissues} | 13/5146 | {having apertures of perforations} |
| 2013/5135 | {with flame retardant agents or fire extinguishing agents} | 13/51462 | {being defined by a value or parameter} |
| 2013/51355 | {for improving fluid flow} | 13/51464 | {being stretchable or elastomeric} |
| 2013/51361 | {with pleats or folds} | 13/51466 | {providing stretchability without the use of elastic material} |
| 2013/51366 | {with hydrophilic lower face} | 2013/51468 | {being removable} |
| 2013/51372 | {with valve or valve-like upper layer; Tapered capillary structures} | 2013/5147 | {the outer layer being adhesive itself} |
| 2013/51377 | {having decoration properties} | 2013/51472 | {for reducing noise} |
| 2013/51383 | {being adapted for female properties} | 13/51474 | {characterised by its structure} |
| 2013/51388 | {being adapted to male properties} | 13/51476 | {being three-dimensional, e.g. embossed, textured, pleated, or with three-dimensional features, like gathers or loops} |
| 13/51394 | {creating a visual effect, e.g. having a printed or coloured topsheet, printed or coloured sub-layer but being visible from the topsheet, other than embossing for purposes of bonding, wicking, acquisition, leakage-prevention} | 13/51478 | {being a laminate, e.g. multi-layered or with several layers} |
| 13/514 | Backsheet, i.e. the impermeable cover or layer furthest from the skin { (A61F 13/15211, A61F 13/15252 take precedence) } | 13/5148 | {having an impervious inner layer and a cloth-like outer layer} |
| 13/51401 | {characterised by the material} | 2013/51482 | {being laminated on paper} |
| 13/51403 | {with activating means, e.g. for closing apertures upon contact with water} | 13/51484 | {being inhomogeneous in the plane of the sheet, i.e. having zones of different properties or structures} |
| 13/51405 | {treated or coated, e.g. with moisture repellent agent} | 2013/51486 | {with specially shaped backsheets} |
| 2013/51407 | {being flexible} | 2013/51488 | {for napkins} |
| 2013/51409 | {being a film} | 2013/5149 | {being embossed} |
| 2013/51411 | {being impervious to fluids but not for air or vapours} | 2013/51492 | {having specially shaped gas or air bubbles or bag-like structure} |
| 2013/51413 | {with macroscopic openings} | 2013/51494 | {having underlayer extending around the longitudinal edges of the absorbent core} |
| 2013/51415 | {with pores} | 13/51496 | {having visual effects} |
| 2013/51417 | {with thin films} | 13/51498 | {Details not otherwise provided for} |
| 2013/51419 | {with stretched areas} | 13/515 | characterised by the interconnection of the topsheet and the backsheet |
| 2013/51421 | {only in special places} | 13/52 | {Layers coated or treated to decrease absorbency} |
| 2013/51423 | {the vapour permeability being less than 500g/m/24h} | 13/53 | characterised by the absorbing medium ((A61F 13/20 takes precedence)) |
| 2013/51425 | {being impervious, i.e. occlusive} | 2013/530007 | {being made from pulp} |
| 2013/51427 | {having valves} | 2013/530014 | {being made in hard wood pulp} |
| 2013/51429 | {being elastomeric or stretchable sheet} | 2013/530021 | {being made in soft wood pulp} |
| 2013/51431 | {in the composition of the elastomer} | 2013/530029 | {being made from cotton} |
| 2013/51433 | {being biodegradable} | 2013/530036 | {being made in chemically-modified cellulosic material, e.g. Rayon} |
| 2013/51435 | {having flame retardant agent or fire extinguishing agent} | 2013/530043 | {being made in oxidized cellulose} |
| 2013/51437 | {being integral with absorbent core} | 2013/530051 | {being made in cross-linked cellulosic fibres} |
| 2013/51439 | {being foams} | 2013/530058 | {with specific method of producing wood pulp fibres} |
| 2013/51441 | {being a fibrous material} | 2013/530065 | {with chemical pulp} |
| 2013/51443 | {being impervious to fluids and being air permeable} | 2013/530072 | {with sulphate pulp, e.g. Kraft} |
| | | 2013/53008 | {being unbleached} |
| | | 2013/530087 | {with debonding agents} |
| | | 2013/530094 | {with mechanical pulp} |
| | | 2013/530102 | {with thermomechanical pulp} |

| | |
|-----------------------|-----------------------------------------------------------------------------------------------------------------------|
| 2013/530109 | {with chemithermomechanical pulp} |
| 2013/530116 | {with recycled material, e.g. paper} |
| 2013/530124 | {with compressed and delaminated material} |
| 2013/530131 | {being made in fibre but being not pulp} |
| 2013/530138 | {characterized by the fibre length} |
| 2013/530145 | {being short} |
| 2013/530153 | {being long} |
| 2013/53016 | {having special shape} |
| 2013/530167 | {being crimped} |
| 2013/530175 | {with capillary channel} |
| 2013/530182 | {characterized by the connection between the fibres} |
| 2013/530189 | {with thermoplastic adhesive} |
| 2013/530197 | {with water-soluble binder} |
| 2013/530204 | {being alcohol-based binder} |
| 2013/530211 | {with water-insoluble binder} |
| 2013/530218 | {followed by heat treatment} |
| 2013/530226 | {with polymeric fibres} |
| 2013/530233 | {being thermoplastic fibres} |
| 2013/53024 | {being bicomponent fibres} |
| 2013/530248 | {being thermosetting fibres} |
| 2013/530255 | {being hydrophobic fibres} |
| 2013/530262 | {only in particular parts or specially arranged} |
| 2013/53027 | {the maximum being at the crotch} |
| 2013/530277 | {the maximum being at front or rear} |
| 2013/530284 | {the maximum being at a certain depth in the thickness} |
| 2013/530291 | {the maximum being along the sides} |
| 2013/530299 | {being hydrophilic fibres} |
| 2013/530306 | {coated with superabsorbent polymer} |
| 2013/530313 | {being biodegradable} |
| 2013/530321 | {in biopolymer, e.g. PHA} |
| 2013/530328 | {being mineral fibres, e.g. glass} |
| 2013/530335 | {being in peat moss} |
| 2013/530343 | {being natural fibres} |
| 2013/53035 | {of cotton} |
| 2013/530357 | {of wool} |
| 2013/530364 | {of bamboo} |
| 2013/530372 | {of ramie or jute or linen} |
| 2013/530379 | {comprising mixtures of fibres} |
| 2013/530386 | {with pulp and polymeric} |
| 2013/530394 | {in coform} |
| 2013/530401 | {with hydrophobic and hydrophilic fibres} |
| 2013/530408 | {with thermoplastic binder} |
| 2013/530416 | {having different count, e.g. denier or tex} |
| 2013/530423 | {having different densities} |
| 2013/53043 | {with different ratio of components} |
| 2013/530437 | {having a part with elevated absorption means} |
| 2013/530445 | {by defining a target or acquisition or vulnerability zone} |
| 2013/530452 | {having chemically-stiffened fibres} |
| 2013/530459 | {being curled} |
| 2013/530467 | {being twisted} |
| 2013/530474 | {being cross-linked} |
| 2013/530481 | {having superabsorbent materials, i.e. highly absorbent polymer gel materials} |
| 2013/530489 | {being randomly mixed in with other material} |
| 2013/530496 | {being fixed to fibres} |
| 2013/530503 | {comprising poly-aluminium-chloride} |
| 2013/53051 | {being only in particular parts or specially arranged} |
| 2013/530518 | {the maximum being at the crotch} |
| 2013/530525 | {the maximum being at front or rear} |
| 2013/530532 | {the maximum being at certain depth in the thickness} |
| 2013/53054 | {the maximum being along the side edges} |
| 2013/530547 | {positioned in a separate layer or layers} |
| 2013/530554 | {and being fixed to a web} |
| 2013/530562 | {being arranged in discontinuous pattern} |
| 2013/530569 | {characterized by the particle size} |
| 2013/530576 | {having different size in different parts} |
| 2013/530583 | {characterized by the form} |
| 2013/530591 | {in granules or particles} |
| 2013/530598 | {in aggregates} |
| 2013/530605 | {in sheet} |
| 2013/530613 | {in fibres} |
| 2013/53062 | {being made into a paper or non-woven} |
| 2013/530627 | {in flakes} |
| 2013/530635 | {in thin film} |
| 2013/530642 | {being cross-linked or polymerised <i>in situ</i> } |
| 2013/530649 | {in sponge or foam} |
| 2013/530656 | {being cut into pieces} |
| 2013/530664 | {being a knitted or woven fabric} |
| 2013/530671 | {being mixed with mineral or inert material, e.g. "introfying particles"} |
| 2013/530678 | {with citric acid} |
| 2013/530686 | {with metallic soluble salts, e.g. Na, K, Mg chloride} |
| 2013/530693 | {with polymeric material} |
| 2013/5307 | {characterized by the quantity or ratio of superabsorbent material} |
| 2013/530708 | {characterized by the absorbency properties} |
| 2013/530715 | {by the acquisition rate} |
| 2013/530722 | {by the delayed absorbency} |
| 2013/530729 | {by the swelling rate} |
| 2013/530737 | {by the absorbent capacity} |
| 2013/530744 | {by the absorbency under load} |
| 2013/530751 | {by the centrifugal load} |
| 2013/530759 | {by the osmotic feature} |
| 2013/530766 | {by the cross-link factor} |
| 2013/530773 | {by the inverse temperature transition} |
| 2013/530781 | {by the ionic surfactant, e.g. salt resistant} |
| 2013/530788 | {characterized by the gel layer permeability} |
| 2013/530795 | {being biodegradable} |
| 2013/530802 | {characterized by the foam or sponge other than superabsorbent (A61F 2013/530649 takes precedence)} |
| 2013/53081 | {with special pore dimension or arrangement} |
| 2013/530817 | {being open cells} |
| 2013/530824 | {the cells being opened by mechanical or physical treatment} |
| 2013/530832 | {being closed cells} |
| 2013/530839 | {being hydrophilic} |
| 2013/530846 | {being hydrophobic} |
| 2013/530854 | {being collapsed or collapsible foam} |
| 2013/530861 | {having slit regions} |

| | | | |
|-----------------------|-------------------------------------------------------------------------------------------------------------------------------------------------------------|----------------------|----------------------------------------------------------------------------------------------------------|
| 2013/530868 | {characterized by the liquid distribution or transport means other than wicking layer (A61F 13/537 takes precedence)} | 13/53708 | {the layer having a promotional function on liquid propagation in at least one direction} |
| 2013/530875 | {having holes} | 13/53713 | {the layer having a promotional function on liquid propagation in the vertical direction} |
| 2013/530883 | {having folds} | 13/53717 | {the layer having a promotional function on liquid propagation in the horizontal direction} |
| 2013/53089 | {having impervious part} | 2013/53721 | {with capillary means} |
| 2013/530897 | {having capillary means, e.g. pore or fibre size gradient} | 2013/53726 | {on the top layer} |
| 2013/530905 | {being hydrophilic} | 2013/5373 | {on the bottom layer} |
| 2013/530912 | {being hydrophobic} | 2013/53734 | {with compressed lines} |
| 2013/530919 | {being hydroneutral} | 2013/53739 | {with compressed points} |
| 2013/530927 | {having longitudinal barriers} | 13/53743 | {characterised by the position of the layer relative to the other layers} |
| 2013/530934 | {having a density gradient} | 13/53747 | {the layer is facing the topsheet (layer is part of the topsheet A61F 13/511)} |
| 2013/530941 | {through the thickness} | 13/53752 | {the layer is embedded in the absorbent core} |
| 2013/530948 | {along the length} | 13/53756 | {the layer facing the back-sheet} |
| 2013/530956 | {being only in particular parts or specially arranged} | 13/5376 | {characterised by the performance of the layer, e.g. acquisition rate, distribution time, transfer time} |
| 2013/530963 | {being maximum at the crotch} | 2013/53765 | {characterized by its geometry} |
| 2013/53097 | {being at front or rear region} | 2013/53769 | {with the wicking layer not contacting the absorbent core} |
| 2013/530978 | {being at a particular depth in the thickness} | 2013/53773 | {with a deformable spacing structure} |
| 2013/530985 | {being along the side edges} | 2013/53778 | {with grooves} |
| 2013/530992 | {in the form of string or ball instead of sheets} | 2013/53782 | {with holes} |
| 13/531 | having a homogeneous composition through the thickness of the pad (A61F 13/538, A61F 13/539 take precedence) | 2013/53786 | {with folds} |
| 2013/5312 | {with structure resisting compression} | 2013/53791 | {being resilient or elastic} |
| 2013/5315 | {with a tissue-wrapped core} | 2013/53795 | {being a surge management layer} |
| 2013/5317 | {with integral impervious bottom surface} | 13/538 | characterised by specific fibre orientation or weave |
| 13/532 | inhomogeneous in the plane of the pad | 2013/5383 | {by the fibre orientation in the x-y plane} |
| 13/5323 | {having absorbent material located in discrete regions, e.g. pockets} | 2013/5386 | {by the fibre orientation in the z plane or vertical direction} |
| 2013/5326 | {being a flanged fibrous pad} | 13/539 | characterised by the connection of the absorbent layers with each other or with the outer layers |
| 13/533 | having discontinuous areas of compression | 2013/53908 | {with adhesive} |
| 13/534 | having an inhomogeneous composition through the thickness of the pad (A61F 13/538, A61F 13/539 take precedence) | 2013/53916 | {with epicyclical pattern} |
| 13/53409 | {having a folded core} | 2013/53925 | {with intermittent pattern, e.g. spots} |
| 13/53418 | {having a C-folded cross-section} | 2013/53933 | {with water-soluble binder} |
| 13/53427 | {having an e-folded cross-section} | 2013/53941 | {being alcohol-based binder} |
| 13/53436 | {having an undulated or corrugated cross-section} | 2013/5395 | {with thermoplastic agent, i.e. softened by heat} |
| 2013/53445 | {from several sheets} | 2013/53958 | {with separate adhesive layer} |
| 2013/53454 | {with mirror-like structure} | 2013/53966 | {by needling, sewing, blow-needling} |
| 2013/53463 | {with a reinforcing structure, e.g. net} | 2013/53975 | {by Hydraulic entanglement} |
| 2013/53472 | {being a non-woven tissue wrapping the core} | 2013/53983 | {with hook and loop-type fastener or the like} |
| 2013/53481 | {being biodegradable} | 2013/53991 | {by ultrasonic method} |
| 2013/5349 | {being a tissue-wrapped core} | 13/551 | Packaging before or after use {(general packaging of absorbent pads B65D 85/00)} |
| 13/535 | inhomogeneous in the plane of the pad, e.g. core absorbent layers being of different sizes ({A61F 13/5323,} A61F 13/537 take precedence) | 13/55105 | {packaging of diapers} |
| 2013/5355 | {with terraced core} | 13/5511 | {characterized by the container (A61F 15/00 takes precedence)} |
| 13/536 | having discontinuous areas of compression | 13/55115 | {characterized by the features before use, e.g. how are the diapers folded or arranged in a package} |
| 13/537 | characterised by a layer facilitating or inhibiting flow in one direction or plane, e.g. a wicking layer ({A61F 13/538 takes precedence}) | 13/5512 | {after use} |
| 13/53704 | {the layer having an inhibiting function on liquid propagation} | | |

| | | | |
|------------|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-----------|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| 2013/55125 | {the disposal system being a bag or a pocket integral with or attached to the diaper} | 13/60 | with release means associated with tab fasteners |
| 13/5513 | {packaging of feminine sanitary napkins} | 13/62 | {Mechanical fastening means (A61F 13/5611 , A61F 13/5616 , A61F 13/581 take precedence);} Fabric strip fastener elements, e.g. hook and loop (A61F 13/66 takes precedence) |
| 13/55135 | {before use} | | |
| 13/5514 | {each item packaged single} | 13/622 | {Fabric strip fastener elements, e.g. hook and loop} |
| 13/55145 | {multiple packaged items} | 13/625 | {characterised by the hook} |
| 13/5515 | {after use} | 13/627 | {characterised by the loop} |
| 2013/55155 | {the disposal system being a bag or pocket integral with or attached to the sanitary napkin} | 13/64 | Straps, belts, ties or endless bands ({A61F 13/5605, A61F 13/5622} , A61F 13/66 take precedence) |
| 13/5516 | {packaging of interlabial absorbing articles} | 13/66 | Garments, holders or supports not integral with absorbent pads |
| 13/55165 | {before use} | 13/665 | {Means specific for supporting or fastening sanitary towels; and sanitary towels} |
| 13/5517 | {after use} | 13/68 | abdominal enclosing type |
| 13/55175 | {packaging of tampons} | 13/70 | with openable or removable crotch portion |
| 13/5518 | {after use} | 13/72 | with endless waist encircling band, e.g. panty type |
| 13/55185 | {in combination with the applicator} | 13/74 | having means to retain absorbent pads |
| 13/5519 | {packages containing more than one kind of item, e.g. tampon and napkin, or diaper and an exchangeable insert} | 13/76 | transverse to width of the pads or fastener elements, e.g. straps, end flaps or tucks |
| 2013/55195 | {Packaging for dispensing and disposing} | 13/78 | Button or snap fastener elements |
| 13/56 | . . . Supporting or fastening means | 13/80 | adjustable relative to body crotch area |
| 13/5605 | {specially adapted for sanitary napkins or the like} | 13/82 | with means for attaching to the body |
| 13/5611 | {using fastening strips, e.g. adhesive, on the undergarment-facing side} | 13/84 | Accessories, not otherwise provided for, for absorbent pads |
| 13/5616 | {using flaps, e.g. adhesive, for attachment to the undergarment (leakage prevention means encircling the crotch portion A61F 13/476)} | 2013/8402 | {including disposal means (A61F 13/5512 , A61F 13/5515 , A61F 13/5517 , A61F 13/5518 take precedence)} |
| 13/5622 | {specially adapted for diapers or the like} | 13/8405 | {Additives, e.g. for odour, disinfectant or pH control} |
| 2013/5627 | {comprising a zip fastener} | 2013/8408 | {with odour control} |
| 13/5633 | {open type diaper} | 2013/8411 | {in controlling solution Ph} |
| 13/5638 | {adjustable open type diapers (adjustable otherwise than by the fasteners A61F 13/493)} | 2013/8414 | {with anti-microbic} |
| 13/5644 | {having more than one pair of fasteners} | 2013/8417 | {being anti-mycosis} |
| 13/565 | {pants type diaper} | 2013/842 | {with active charcoal} |
| 13/5655 | {adjustable pants type diapers (adjustable otherwise than by the fasteners A61F 13/493)} | 2013/8423 | {with molecular sieves; zeolites} |
| 2013/5661 | {in special holders for beds, chairs or seats} | 2013/8426 | {with metallic salts} |
| 2013/5666 | {connected to itself (A61F 13/58 and A61F 13/62 take precedence)} | 2013/8429 | {with ion exchange resins} |
| 2013/5672 | {with buttons or the like (A61F 13/78 takes precedence)} | 2013/8432 | {with glycerine polyol} |
| 2013/5677 | {refastenable} | 2013/8435 | {with plant derivatives} |
| 2013/5683 | {Disposition or arrangement} | 2013/8438 | {being enzymes, e.g. proteolysis, cellulase} |
| 2013/5688 | {inclined at an oblique angle to the longitudinal axis} | 2013/8441 | {being cultures} |
| 2013/5694 | {Other non adhesive means than hook and loop-type fastener or belts (A61F 13/62 , A61F 13/64 and A61F 13/66 take precedence)} | 2013/8444 | {being microbial, e.g. bulgaricus} |
| 13/58 | . . . Adhesive tab fastener elements ({A61F 13/5611, A61F 13/5616} , A61F 13/66 take precedence) | 2013/8447 | {in using different incompatible substances} |
| 13/581 | {Tab fastener elements combining adhesive and mechanical fastening} | 2013/845 | {being powder embodied in a polymeric matrix} |
| 2013/582 | {with one strip on one place} | 2013/8452 | {being contained in microcapsules} |
| 2013/583 | {with strips on several places} | 2013/8455 | {being lubricants} |
| 2013/585 | {being spot like} | 2013/8458 | {having bees-wax} |
| 2013/586 | {on lateral flaps} | 2013/8461 | {having petroleum derivative} |
| 2013/587 | {on rear or front tabs} | 2013/8464 | {having plant derivative} |
| 2013/588 | {on waist panels} | 2013/8467 | {being antistatic agents} |

| | |
|--------------|--------------------------------------------------------------------------------------------------------------------------------------------------------------|
| 2013/8485 | {including optical filtering devices} |
| 2013/8488 | . . . {including testing apparatus} |
| 2013/8491 | {including test methods} |
| 2013/8494 | . . . {including pumping devices} |
| 2013/8497 | . . . {having decorations or indicia means} |
| 15/00 | Auxiliary appliances for wound dressings; Dispensing containers for dressings or bandages {packaging of wound dressings A61F 13/00072} |
| 15/001 | . {Packages or dispensers for bandages, cotton balls, drapes, dressings, gauze, gowns, sheets, sponges, swabsticks or towels (A61F 15/007 takes precedence)} |
| 15/002 | . . {dispensers for web or tape like bandages} |
| 15/003 | . . {dispensers for catamenial tampons} |
| 15/004 | . {Bandage protectors} |
| 15/005 | . {Bandage applicators} |
| 15/006 | . {Bandage fasteners} |
| 15/007 | . {Bandage winders} |
| 15/008 | . {Appliances for wound protecting, e.g. avoiding contact between wound and bandage (corn plasters A61F 13/063)} |
| 15/02 | . Devices for cutting bandages of any kind, e.g. shears, cast-cutting saws |
| 17/00 | First-aid kits |

| | |
|----------------|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| 2210/00 | Particular material properties of prostheses classified in groups A61F 2/00 - A61F 2/26 or A61F 2/82 or A61F 9/00 or A61F 11/00 or subgroups thereof |
| 2210/0004 | . bioabsorbable |
| 2210/0009 | . using materials or accessories for preventing galvanic or electrolytic corrosion |
| 2210/0014 | . using shape memory or superelastic materials, e.g. nitinol |
| 2210/0019 | . . . operated at only one temperature whilst inside or touching the human body, e.g. constrained in a non-operative shape during surgery, another temperature only occurring before the operation |
| 2210/0023 | . . . operated at different temperatures whilst inside or touching the human body, heated or cooled by external energy source or cold supply |
| 2210/0028 | . . . cooled |
| 2210/0033 | . . . electrically, e.g. heated by resistor |
| 2210/0038 | electromagnetically |
| 2210/0042 | . . . using a fluid, e.g. circulating |
| 2210/0047 | . . . heated by light |
| 2210/0052 | . . . ultrasonically |
| 2210/0057 | . stretchable |
| 2210/0061 | . swellable |
| 2210/0066 | . shrinkable |
| 2210/0071 | . thermoplastic |
| 2210/0076 | . multilayered, e.g. laminated structures |
| 2210/008 | . Phase change materials [PCM], e.g. for storing latent heat |
| 2210/0085 | . hardenable <i>in situ</i> , e.g. epoxy resins |
| 2210/009 | . magnetic |
| 2210/0095 | . radioactive |

Filters; Devices providing patency to tubular structures; Prostheses; Accessories

| | |
|----------------|--------------------------------------------------------------------------------------------------------------------------------------------------------|
| 2220/00 | Fixations or connections for prostheses classified in groups A61F 2/00 - A61F 2/26 or A61F 2/82 or A61F 9/00 or A61F 11/00 or subgroups thereof |
| 2220/0008 | . Fixation appliances for connecting prostheses to the body |
| 2220/0016 | . . with sharp anchoring protrusions, e.g. barbs, pins, spikes |
| 2220/0025 | . Connections or couplings between prosthetic parts, e.g. between modular parts; Connecting elements |
| 2220/0033 | . . made by longitudinally pushing a protrusion into a complementary-shaped recess, e.g. held by friction fit |
| 2220/0041 | . . using additional screws, bolts, dowels or rivets, e.g. connecting screws |
| 2220/005 | . . using adhesives |
| 2220/0058 | . . soldered or brazed or welded |
| 2220/0066 | . . stapled |
| 2220/0075 | . . sutured, ligatured or stitched, retained or tied with a rope, string, thread, wire or cable |
| 2220/0083 | . . using hook and loop-type fasteners |
| 2220/0091 | . . connected by a hinged linkage mechanism, e.g. of the single-bar or multi-bar linkage type |
| 2230/00 | Geometry of prostheses classified in groups A61F 2/00 - A61F 2/26 or A61F 2/82 or A61F 9/00 or A61F 11/00 or subgroups thereof |
| 2230/0002 | . Two-dimensional shapes, e.g. cross-sections |
| 2230/0004 | . . Rounded shapes, e.g. with rounded corners |
| 2230/0006 | . . . circular |
| 2230/0008 | . . . elliptical or oval |
| 2230/001 | . . . Figure-8-shaped, e.g. hourglass-shaped |
| 2230/0013 | . . . Horseshoe-shaped, e.g. crescent-shaped, C-shaped, U-shaped |
| 2230/0015 | . . . Kidney-shaped, e.g. bean-shaped |
| 2230/0017 | . . . Angular shapes |
| 2230/0019 | . . . rectangular |
| 2230/0021 | . . . square |
| 2230/0023 | . . . triangular |
| 2230/0026 | . . . trapezoidal |
| 2230/0028 | . . Shapes in the form of latin or greek characters |
| 2230/003 | . . . Alpha-shaped |
| 2230/0032 | . . . B-shaped |
| 2230/0034 | . . . D-shaped |
| 2230/0036 | . . . E-shaped, e.g. epsilon-shaped |
| 2230/0039 | . . . H-shaped |
| 2230/0041 | . . . J-shaped |
| 2230/0043 | . . . L-shaped |
| 2230/0045 | . . . Omega-shaped |
| 2230/0047 | . . . Pi-shaped |
| 2230/005 | . . . Rosette-shaped, e.g. star-shaped |
| 2230/0052 | . . . T-shaped |
| 2230/0054 | . . . V-shaped |
| 2230/0056 | . . . W-shaped, e.g. M-shaped, sigma-shaped |
| 2230/0058 | . . . X-shaped |
| 2230/006 | . . . Y-shaped |
| 2230/0063 | . Three-dimensional shapes |
| 2230/0065 | . . toroidal, e.g. ring-shaped, doughnut-shaped |
| 2230/0067 | . . conical |
| 2230/0069 | . . cylindrical |
| 2230/0071 | . . spherical |

| | | | |
|----------------|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-----------|---------------------------------------------------------------------------------------------------------------------------------------------|
| 2230/0073 | . . . Quadric-shaped | 2250/0032 | . . . differing in radiographic density |
| 2230/0076 | . . . ellipsoidal or ovoid | 2250/0034 | . . . differing in viscosity |
| 2230/0078 | . . . hyperboloidal | 2250/0035 | . . . differing in release or diffusion time |
| 2230/008 | . . . paraboloidal | 2250/0036 | . . . differing in thickness |
| 2230/0082 | . . . parallelepipedal | 2250/0037 | . . . differing in height or in length |
| 2230/0084 | . . . cubical | 2250/0039 | . . . differing in diameter |
| 2230/0086 | . . . Pyramidal, tetrahedral, or wedge-shaped | 2250/004 | . . . differing in coefficient of thermal expansion, e.g. dilation, dilatation |
| 2230/0089 | . . . tetrahedral, i.e. having a triangular basis | 2250/0041 | . . . differing in wear resistance |
| 2230/0091 | . . . helically-coiled or spirally-coiled, i.e. having a 2-D spiral cross-section | 2250/0042 | . . . differing in shape-memory transition temperatures, e.g. in martensitic transition temperature, in austenitic transition temperature |
| 2230/0093 | . . . Umbrella-shaped, e.g. mushroom-shaped | 2250/0043 | . . . differing in electric properties, e.g. in electrical conductivity, in galvanic properties |
| 2230/0095 | . . . Saddle-shaped | 2250/0045 | . . . differing in electromagnetical properties |
| 2230/0097 | . . . Harpoon-shaped | 2250/0046 | . . . differing in melting temperature |
| 2240/00 | Manufacturing or designing of prostheses classified in groups <u>A61F 2/00 - A61F 2/26</u> or <u>A61F 2/82</u> or <u>A61F 9/00</u> or <u>A61F 11/00</u> or subgroups thereof | 2250/0047 | . . . differing in thermal conductivity |
| 2240/001 | . . Designing or manufacturing processes | 2250/0048 | . . . differing in mechanical expandability, e.g. in mechanical, self- or balloon expandability |
| 2240/002 | . . . Designing or making customized prostheses | 2250/005 | . . . differing in colour |
| 2240/004 | . . . Using a positive or negative model, e.g. moulds | 2250/0051 | . . . differing in tissue ingrowth capacity, e.g. made from both ingrowth-promoting and ingrowth-preventing parts |
| 2240/005 | . . . Templates | 2250/0052 | . . . differing in bone ingrowth capacity |
| 2240/007 | . . . Dummy prostheses | 2250/0053 | . . . differing in optical properties |
| 2240/008 | . . . Means for testing implantable prostheses | 2250/0054 | . . . differing in corrosion resistance |
| 2250/00 | Special features of prostheses classified in groups <u>A61F 2/00 - A61F 2/26</u> or <u>A61F 2/82</u> or <u>A61F 9/00</u> or <u>A61F 11/00</u> or subgroups thereof | 2250/0056 | . . . differing in wettability, e.g. in hydrophilic or hydrophobic behaviours |
| 2250/0001 | . . Means for transferring electromagnetic energy to implants | 2250/0057 | . . . made from both cured and uncured parts |
| 2250/0002 | . . . for data transfer | 2250/0058 | . . . Additional features; Implant or prostheses properties not otherwise provided for |
| 2250/0003 | . . . having an inflatable pocket filled with fluid, e.g. liquid or gas | 2250/0059 | . . . temporary |
| 2250/0004 | . . . adjustable | 2250/006 | . . . modular |
| 2250/0006 | . . . for adjusting angular orientation | 2250/0062 | Kits of prosthetic parts to be assembled in various combinations for forming different prostheses |
| 2250/0007 | . . . for adjusting length | 2250/0063 | . . . Nested prosthetic parts |
| 2250/0008 | . . . for adjusting a position by translation along an axis or two perpendicular axes | 2250/0064 | . . . Sets comprising a plurality of prosthetic parts of different sizes |
| 2250/0009 | . . . for adjusting thickness | 2250/0065 | . . . telescopic |
| 2250/001 | . . . for adjusting a diameter | 2250/0067 | . . . Means for introducing or releasing pharmaceutical products into the body |
| 2250/0012 | . . . for adjusting elasticity, flexibility, spring rate or mechanical tension | 2250/0068 | . . . the pharmaceutical product being in a reservoir |
| 2250/0013 | . . . for adjusting fluid pressure | 2250/0069 | . . . Sealing means |
| 2250/0014 | . . . having different values of a given property or geometrical feature, e.g. mechanical property or material property, at different locations within the same prosthesis | 2250/007 | . . . O-rings |
| 2250/0015 | . . . differing in density or specific weight | 2250/0071 | . . . breakable or frangible |
| 2250/0017 | . . . differing in yarn density | 2250/0073 | . . . Force-limiting means |
| 2250/0018 | . . . differing in elasticity, stiffness or compressibility | 2250/0074 | . . . Torque-limiting means |
| 2250/0019 | . . . differing in hardness, e.g. Vickers, Shore, Brinell | 2250/0075 | . . . Sound-damping or noise-reducing means |
| 2250/002 | . . . differing in moment of inertia | 2250/0076 | . . . waterproof |
| 2250/0021 | . . . differing in coefficient of friction | 2250/0078 | . . . Gender-specific, e.g. different for male and female patients |
| 2250/0023 | . . . differing in porosity | 2250/0079 | . . . Means for preventing the accidental forgetting of prosthetic parts inside the body during operation |
| 2250/0024 | made from both porous and non-porous parts, e.g. adjacent parts | 2250/008 | . . . Alarm means |
| 2250/0025 | . . . differing in roughness | 2250/0081 | . . . Prosthesis for animals |
| 2250/0026 | . . . differing in surface structures | 2250/0082 | . . . specially designed for children, e.g. having means for adjusting to their growth |
| 2250/0028 | . . . differing in fibre orientations | 2250/0084 | . . . Means for distinguishing between left-sided and right-sided devices; Sets comprising both left-sided and right-sided prosthetic parts |
| 2250/0029 | . . . differing in bending or flexure capacity | 2250/0085 | . . . Identification means; Administration of patients |
| 2250/003 | . . . differing in adsorbability or resorbability, i.e. in adsorption or resorption time | 2250/0086 | with bar code |
| 2250/0031 | made from both resorbable and non-resorbable prosthetic parts, e.g. adjacent parts | | |

| | | | |
|----------------|--------------------------------------------------------------------------------------------------------------------------------|------------|--------------------------------------------------------------------------|
| 2250/0087 | ... colour-coded | 2310/00245 | ... containing niobium oxide |
| 2250/0089 | ... coded with symbols, e.g. dots, numbers, letters, words | 2310/00251 | ... containing hafnia or hafnium oxide |
| 2250/009 | ... for single use, e.g. having means for preventing re-use | 2310/00257 | ... containing tantalum oxide |
| 2250/0091 | ... transparent or translucent | 2310/00263 | ... based on metal borides |
| 2250/0092 | ... Means for cleaning prostheses | 2310/00269 | ... based on metal carbides |
| 2250/0093 | ... Ultrasound system, e.g. for inducing coagulation during eye surgery | 2310/00275 | ... containing boron carbide |
| 2250/0095 | ... with high intensity focused ultrasound | 2310/00281 | ... containing silicon carbide |
| 2250/0096 | ... Markers and sensors for detecting a position or changes of a position of an implant, e.g. RF sensors, ultrasound markers | 2310/00287 | ... containing titanium carbide |
| 2250/0097 | ... Visible markings, e.g. indicia | 2310/00293 | ... containing a phosphorus-containing compound, e.g. apatite |
| 2250/0098 | ... radio-opaque, e.g. radio-opaque markers | 2310/00299 | ... based on metal nitrides |
| 2310/00 | Prostheses classified in A61F 2/28 or A61F 2/30 - A61F 2/44 being constructed from or coated with a particular material | 2310/00305 | ... containing boron nitride |
| 2310/00005 | . The prosthesis being constructed from a particular material | 2310/00311 | ... containing aluminium nitride |
| 2310/00011 | ... Metals or alloys | 2310/00317 | ... containing silicon nitride |
| 2310/00017 | ... Iron- or Fe-based alloys, e.g. stainless steel | 2310/00323 | ... containing titanium nitride |
| 2310/00023 | ... Titanium or titanium-based alloys, e.g. Ti-Ni alloys | 2310/00329 | ... Glasses, e.g. bioglass |
| 2310/00029 | ... Cobalt-based alloys, e.g. Co-Cr alloys or Vitallium | 2310/00335 | ... Porcelain |
| 2310/00035 | ... Other metals or alloys | 2310/00341 | ... Coral, e.g. aragonite, porite |
| 2310/00041 | ... Magnesium or Mg-based alloys | 2310/00347 | ... Nacre or mother-of-pearl |
| 2310/00047 | ... Aluminium or Al-based alloys | 2310/00353 | ... Bone cement, e.g. polymethylmethacrylate or PMMA |
| 2310/00053 | ... Vanadium or V-based alloys | 2310/00359 | ... Bone or bony tissue |
| 2310/00059 | ... Chromium or Cr-based alloys | 2310/00365 | ... Proteins; Polypeptides; Degradation products thereof |
| 2310/00065 | ... Manganese or Mn-based alloys | 2310/00371 | ... Collagen |
| 2310/00071 | ... Nickel or Ni-based alloys | 2310/00377 | ... Fibrin |
| 2310/00077 | ... Copper or Cu-based alloys | 2310/00383 | ... Gelatin |
| 2310/00083 | ... Zinc or Zn-based alloys | 2310/00389 | . The prosthesis being coated or covered with a particular material |
| 2310/00089 | ... Zirconium or Zr-based alloys | 2310/00395 | ... Coating or prosthesis-covering structure made of metals or of alloys |
| 2310/00095 | ... Niobium or Nb-based alloys | 2310/00401 | ... Coating made of iron, of stainless steel or of other Fe-based alloys |
| 2310/00101 | ... Molybdenum or Mo-based alloys | 2310/00407 | ... Coating made of titanium or of Ti-based alloys |
| 2310/00107 | ... Palladium or Pd-based alloys | 2310/00413 | ... Coating made of cobalt or of Co-based alloys |
| 2310/00113 | ... Silver or Ag-based alloys | 2310/00419 | ... Other metals |
| 2310/00119 | ... Tin or Sn-based alloys | 2310/00425 | ... Coating made of magnesium or of Mg-based alloys |
| 2310/00125 | ... Hafnium or Hf-based alloys | 2310/00431 | ... Coating made of aluminium or of Al-based alloys |
| 2310/00131 | ... Tantalum or Ta-based alloys | 2310/00437 | ... Coating made of silicon or Si-based alloys |
| 2310/00137 | ... Tungsten or W-based alloys | 2310/00443 | ... Coating made of vanadium or of V-based alloys |
| 2310/00143 | ... Iridium or Ir-based alloys | 2310/00449 | ... Coating made of chromium or Cr-based alloys |
| 2310/00149 | ... Platinum or Pt-based alloys | 2310/00455 | ... Coating made of manganese Mn-based alloys |
| 2310/00155 | ... Gold or Au-based alloys | 2310/00461 | ... Coating made of nickel or Ni-based alloys |
| 2310/00161 | ... Carbon; Graphite | 2310/00467 | ... Coating made of copper or Cu-based alloys |
| 2310/00167 | ... Diamond or diamond-like carbon | 2310/00473 | ... Coating made of zinc or Zn-based alloys |
| 2310/00173 | ... Graphite | 2310/00479 | ... Coating made of germanium or Ge-based alloys |
| 2310/00179 | ... Ceramics or ceramic-like structures | 2310/00485 | ... Coating made of zirconium or Zr-based alloys |
| 2310/00185 | ... based on metal oxides | 2310/00491 | ... Coating made of niobium or Nb-based alloys |
| 2310/00191 | ... containing beryllium oxide | 2310/00497 | ... Coating made of molybdenum or Mo-based alloys |
| 2310/00197 | ... containing magnesia or magnesium oxide | 2310/00502 | ... Coating made of ruthenium or Ru-based alloys |
| 2310/00203 | ... containing alumina or aluminium oxide | 2310/00508 | ... Coating made of rhodium or Rh-based alloys |
| 2310/00209 | ... Corundum or Sapphire | 2310/00514 | ... Coating made of palladium or Pd-based alloys |
| 2310/00215 | ... containing silica or silicon oxide | 2310/0052 | ... Coating made of silver or Ag-based alloys |
| 2310/00221 | ... containing calcia or calcium oxide | 2310/00526 | ... Coating made of indium or In-based alloys |
| 2310/00227 | ... containing titania or titanium oxide | | |
| 2310/00233 | ... containing chromia or chromium oxides CrO, CrO ₂ or CrO ₃ | | |
| 2310/00239 | ... containing zirconia or zirconium oxide ZrO ₂ | | |

| | | |
|------------|-----------|-----------------------------------------------------------------------------------------------------------------------------------------------------------|
| 2310/00532 | | Coating made of tin or Sn-based alloys |
| 2310/00538 | | Coating made of hafnium or Hf-based alloys |
| 2310/00544 | | Coating made of tantalum or Ta-based alloys |
| 2310/0055 | | Coating made of tungsten or W-based alloys |
| 2310/00556 | | Coating made of iridium or Ir-based alloys |
| 2310/00562 | | Coating made of platinum or Pt-based alloys |
| 2310/00568 | | Coating made of gold or Au-based alloys |
| 2310/00574 | . . . | Coating or prosthesis-covering structure made of carbon, e.g. of pyrocarbon |
| 2310/0058 | | Coating made of diamond or of diamond-like carbon DLC |
| 2310/00586 | | Coating made of graphite |
| 2310/00592 | . . . | Coating or prosthesis-covering structure made of ceramics or of ceramic-like compounds |
| 2310/00598 | | Coating or prosthesis-covering structure made of compounds based on metal oxides or hydroxides |
| 2310/00604 | | Coating made of aluminium oxide or hydroxides |
| 2310/0061 | | Coating made of silicon oxide or hydroxides |
| 2310/00616 | | Coating made of titanium oxide or hydroxides |
| 2310/00622 | | Coating made of chromium oxide or hydroxides |
| 2310/00628 | | Coating made of cobalt oxide or hydroxides |
| 2310/00634 | | Coating made of zirconium oxide or hydroxides |
| 2310/0064 | | Coating made of niobium oxide or hydroxides |
| 2310/00646 | | Coating made of molybdenum oxide or hydroxides |
| 2310/00652 | | Coating made of hafnium oxide or hydroxides |
| 2310/00658 | | Coating made of tantalum oxide or hydroxides |
| 2310/00664 | | Coating made of tungsten oxide or hydroxides |
| 2310/0067 | | Coating or prosthesis-covering structure made of compounds based on metal borides |
| 2310/00676 | | Coating made of aluminium boride |
| 2310/00682 | | Coating made of titanium boride |
| 2310/00688 | | Coating made of vanadium boride |
| 2310/00694 | | Coating made of chromium boride |
| 2310/007 | | Coating made of cobalt boride |
| 2310/00706 | | Coating made of zirconium boride |
| 2310/00712 | | Coating made of molybdenum boride |
| 2310/00718 | | Coating made of lanthanum boride |
| 2310/00724 | | Coating made of tungsten boride |
| 2310/0073 | | Coating or prosthesis-covering structure made of compounds based on metal carbides |
| 2310/00736 | | Coating made of boron carbide |
| 2310/00742 | | Coating made of silicon carbide |
| 2310/00748 | | Coating made of titanium carbide |
| 2310/00754 | | Coating made of chromium carbide |
| 2310/0076 | | Coating made of nickel carbide |
| 2310/00766 | | Coating made of zirconium carbide |
| 2310/00772 | | Coating made of niobium carbide |
| 2310/00778 | | Coating made of hafnium carbide |
| 2310/00784 | | Coating made of tantalum carbide |
| 2310/0079 | | Coating made of tungsten carbide |
| 2310/00796 | | Coating or prosthesis-covering structure made of a phosphorus-containing compound, e.g. hydroxyapatite |
| 2310/00802 | | Coating or prosthesis-covering structure made of compounds based on metal hydrides |
| 2310/00808 | | Coating made of titanium hydride |
| 2310/00814 | | Coating made of vanadium hydride |
| 2310/0082 | | Coating made of chromium hydride |
| 2310/00826 | | Coating made of zirconium hydride |
| 2310/00832 | | Coating made of niobium hydride |
| 2310/00838 | | Coating made of hafnium hydride |
| 2310/00844 | | Coating made of tantalum hydride |
| 2310/0085 | | Coating or prosthesis-covering structure made of compounds based on metal chlorides |
| 2310/00856 | | Coating or prosthesis-covering structure made of compounds based on metal nitrides |
| 2310/00862 | | Coating made of boron nitride |
| 2310/00868 | | Coating made of aluminium nitride |
| 2310/00874 | | Coating made of silicon nitride |
| 2310/0088 | | Coating made of titanium nitride |
| 2310/00886 | | Coating made of chromium nitride |
| 2310/00892 | | Coating made of zirconium nitride |
| 2310/00898 | | Coating made of niobium nitride |
| 2310/00904 | | Coating made of hafnium nitride |
| 2310/0091 | | Coating made of tantalum nitride |
| 2310/00916 | | Coating or prosthesis-covering structure made of compounds based on metal sulfides |
| 2310/00922 | | Coating made of molybdenum sulfide |
| 2310/00928 | . . . | Coating or prosthesis-covering structure made of glass or of glass-containing compounds, e.g. of bioglass |
| 2310/00934 | | Coating made of enamel |
| 2310/0094 | | Coating made of porcelain |
| 2310/00946 | . . | Coating or prosthesis-covering structure made of nacre or mother-of-pearl |
| 2310/00952 | . . | Coating, pre-coating or prosthesis-covering structure made of bone cement, e.g. pre-applied PMMA cement mantle |
| 2310/00958 | . . | Coating or prosthesis-covering structure made of bone or of bony tissue |
| 2310/00964 | . . | Coating or prosthesis-covering structure made of cartilage |
| 2310/0097 | . . | Coating or prosthesis-covering structure made of pharmaceutical products, e.g. antibiotics |
| 2310/00976 | . . | Coating or prosthesis-covering structure made of proteins or of polypeptides, e.g. of bone morphogenic proteins BMP or of transforming growth factors TGF |
| 2310/00982 | | Coating made of collagen |
| 2310/00988 | | Coating made of fibrin |
| 2310/00994 | | Coating made of gelatin |