CPC COOPERATIVE PATENT CLASSIFICATION

E FIXED CONSTRUCTIONS

BUILDING

E05 LOCKS; KEYS; WINDOW OR DOOR FITTINGS; SAFES

(NOTE omitted)

E05F DEVICES FOR MOVING WINGS INTO OPEN OR CLOSED POSITION; CHECKS FOR WINGS; WING FITTINGS NOT OTHERWISE PROVIDED FOR, CONCERNED WITH THE FUNCTIONING OF THE WING

NOTE

In this subclass, the following terms are used with the meanings indicated:

• "closer" or "opener" includes devices for assisting wing-movement or for wing-counterbalancing.

WARNING

In this subclass non-limiting references (in the sense of paragraph 39 of the Guide to the IPC) may still be displayed in the scheme.

1/00	Closers or openers for wings, not otherwise	1/105	• • • { with a compression spring }
	provided for in this subclass	1/1058	• • • • {for counterbalancing}
1/002	• {controlled by automatically acting means (for	1/1066	• • • { with a traction spring }
	powered-operated mechanisms <u>E05F 15/70</u>)}	1/1075	• • • • {for counterbalancing}
1/004	• {by thermostats, rain, wind or noise (<u>E05F 1/006</u> takes precedence)}	1/1083	• • • {with a leaf or similar spring (<u>E05F 1/1284</u> takes precedence)}
1/006	• • {by emergency conditions, e.g. fire (operating or controlling mechanisms for physical fire-barriers A62C 2/24)}	1/1091 1/12	• • • {with a gas spring (E05F 1/1292 takes precedence)}
1/008	• {by time control}	1/12	Mechanisms in the shape of hinges or pivots,
1/02	• gravity-actuated {, e.g. by use of counterweights}	1/1007	operated by springs
1/025	• gravity-actuated {, e.g. by use of counterweights}• {with rectilinearly-moving counterweights}	1/1207	 { with a coil spring parallel with the pivot axis}
1/04	• • for wings which lift during movement {, operated	1/1215	• • • • { with a canted-coil torsion spring }
	by their own weight}	1/1223	• • • • { with a compression or traction spring }
1/043	• • • { with cams, helical tracks (<u>E05F 1/061</u> takes	1/123	• • • { with a torsion bar }
	precedence)}	1/1238	• • • • {specially adapted for vehicles}
1/046	 • {with rectilinearly-inclined tracks for sliding wings} 	1/1246	• • • {with a coil spring perpendicular to the pivot axis}
1/06	• • • Mechanisms in the shape of hinges or pivots, operated by the weight of the wing	1/1253 1/1261	 {with a compression spring} {for counterbalancing}
1/061	• • • { with cams or helical tracks}	1/1269	• • • • { with a traction spring }
1/063	• • • • {with complementary, substantially identical and slidingly cooperating cam	1/1276	• • • • • {for counterbalancing}
	surfaces (E05F 1/066 takes precedence)}	1/1284	• • • { with a leaf or similar spring }
1/065	{Cam-and-wheel arrangements}	1/1292	• • • {with a gas spring}
1/066	• • • • {Helical grooves, slots, threads or the like}	1/14	 with double-acting springs, e.g. for closing and opening or checking and closing {no material}
1/068	• • • { with inclined pivot-axes }	1/16	
1/08	 spring-actuated {, e.g. for horizontally sliding wings 	1/16	• for sliding wings
	(counterbalancing sliding or lifting wings <u>E05D</u> ; springs <u>per se</u> <u>F16F</u> , e.g. gas-springs <u>F16F 9/00</u>)}	3/00	Closers or openers with braking devices, e.g. checks; Construction of pneumatic or liquid
1/10	for swinging wings {, e.g. counterbalance}		braking devices (construction of non-pneumatic
1/1008	• • • { with a coil spring parallel with the pivot axis		or non-liquid braking devices E05F 5/00; friction
	($E05F 1/1207$ takes precedence)}		devices in hinges E05D 11/08)
1/1016	• • • • { with a canted-coil torsion spring }	3/02	 with pneumatic piston brakes (rotary type
1/1025	• • • { with a compression or traction spring }		E05F 3/14)
1/1033	• • • {with a torsion bar (<u>E05F 1/123</u> takes	3/04	 with liquid piston brakes (rotary type <u>E05F 3/14</u>)
	precedence)}	3/06	in which a torsion spring rotates a member around
1/1041	• • • {with a coil spring perpendicular to the pivot		an axis perpendicular to the axis of the piston

CPC - 2025.08

axis (E05F 1/1246 takes precedence)

3/08	• • in which a torsion spring rotates a member around an axis arranged in the direction of the axis of the	5/04	 hand-operated {, e.g. removable}; operated by centrifugal action {or by high closing speed}
3/10	piston • with a spring, other than a torsion spring, and a	2005/043	• {operated by centrifugal action at high closing speed}
	piston, the axes of which are the same or lie in the	2005/046	{hand operated}
3/102	 same direction • { with rack-and-pinion transmission between driving shaft and piston within the closer 	5/06	 Buffers {or stops limiting opening of swinging wings, e.g. floor or wall stops}(<u>E05F 5/02</u> takes precedence)
	housing}	5/08	• • with springs
3/104	• • • { with cam-and-slide transmission between	5/10	with piston brakes
	driving shaft and piston within the closer housing}	5/12	 specially for preventing the closing of a wing before another wing has been closed
3/106	• • • {with crank-arm transmission between driving shaft and piston within the closer housing}	7/00	Accessories for wings not provided for in other
3/108	• • • {with piston rod protruding from the closer housing; Telescoping closers}		groups of this subclass (specially adapted for furniture A47B 95/00; door-lifters B66F, E04F 21/00;
3/12	Special devices controlling the circulation of the		knobs or handles <u>E05B</u>)
	liquid, e.g. valve arrangement ({E05F 3/223 takes	7/005	• {Aligning devices for wings}
	precedence}; valves <u>per se F16K</u>)	7/02	 for raising wings before being turned {(before
3/14	 with fluid brakes of the rotary type 		sliding <u>E05D 15/565</u>)}
3/16	 with friction brakes 	7/04	 Arrangements affording protection against rattling
3/18	 with counteracting springs (double-acting springs 		(with buffering action $E05F 5/00$)
2/20	E05F 1/14)	7/06	 Devices for taking the weight of the wing, arranged away from the hinge axis
3/20 3/22	. in hinges	7/08	Means for transmitting movements between
	 Additional arrangements for closers, e.g. for holding the wing in opened or other position 		vertical and horizontal sliding bars, rods, or cables
3/221	• • {Mechanical power-locks, e.g. for holding the		(means for transmitting movements between vertical and horizontal sliding bars, rods, or
	wing open or for free-moving zones}		cables, for the fastening of wings <u>E05C 9/24</u> {;
3/222	• • • {electrically operated (<u>E05F 3/223</u> takes		with means for transmitting movements between
	precedence)}		vertical and horizontal sliding bars, rods or cables
3/223	• • {Hydraulic power-locks, e.g. with electrically operated hydraulic valves}		E05D 15/5208})
2/22/	(for assisting in anoning the wing)		
3/224	• • {for assisting in opening the wing}	Operating m	echanisms for wings
3/224	• • {mounted at the bottom of wings, e.g. details		_
3/225	 {mounted at the bottom of wings, e.g. details related to seals, covers, connections to the wings, embedding in the floor} 	Operating m	Means for operating wings by hand rods not guided in or on the frame, including those which
	• • {mounted at the bottom of wings, e.g. details related to seals, covers, connections to the wings,		Means for operating wings by hand rods not
3/225	 • {mounted at the bottom of wings, e.g. details related to seals, covers, connections to the wings, embedding in the floor} • • {with means to adjust the closed position of the wing} • • {mounted at the top of wings, e.g. details related 		Means for operating wings by hand rods not guided in or on the frame, including those which also operate the fastening (bolts or fastening devices
3/225 3/226	 • {mounted at the bottom of wings, e.g. details related to seals, covers, connections to the wings, embedding in the floor} • • {with means to adjust the closed position of the wing} • • {mounted at the top of wings, e.g. details related to closer housings, covers, end caps or rails 	9/00	Means for operating wings by hand rods not guided in or on the frame, including those which also operate the fastening (bolts or fastening devices for wings E05C) Man-operated mechanisms for operating wings, including those which also operate the fastening
3/225 3/226 3/227	 • {mounted at the bottom of wings, e.g. details related to seals, covers, connections to the wings, embedding in the floor} • • {with means to adjust the closed position of the wing} • • {mounted at the top of wings, e.g. details related to closer housings, covers, end caps or rails therefor} 	9/00	Means for operating wings by hand rods not guided in or on the frame, including those which also operate the fastening (bolts or fastening devices for wings E05C) Man-operated mechanisms for operating wings, including those which also operate the fastening (connecting mechanisms for a plurality of wings
3/225 3/226	 • {mounted at the bottom of wings, e.g. details related to seals, covers, connections to the wings, embedding in the floor} • • {with means to adjust the closed position of the wing} • • {mounted at the top of wings, e.g. details related to closer housings, covers, end caps or rails therefor} • • {Arrangements where the end of the closer arm is 	9/00	Means for operating wings by hand rods not guided in or on the frame, including those which also operate the fastening (bolts or fastening devices for wings E05C) Man-operated mechanisms for operating wings, including those which also operate the fastening (connecting mechanisms for a plurality of wings E05F 17/00)
3/225 3/226 3/227	 • {mounted at the bottom of wings, e.g. details related to seals, covers, connections to the wings, embedding in the floor} • • {with means to adjust the closed position of the wing} • • {mounted at the top of wings, e.g. details related to closer housings, covers, end caps or rails therefor} 	9/00	Means for operating wings by hand rods not guided in or on the frame, including those which also operate the fastening (bolts or fastening devices for wings E05C) Man-operated mechanisms for operating wings, including those which also operate the fastening (connecting mechanisms for a plurality of wings E05F 17/00) for wings in general, e.g. fanlights (E05F 11/36)
3/225 3/226 3/227	 • {mounted at the bottom of wings, e.g. details related to seals, covers, connections to the wings, embedding in the floor} • {with means to adjust the closed position of the wing} • {mounted at the top of wings, e.g. details related to closer housings, covers, end caps or rails therefor} • {Arrangements where the end of the closer arm is sliding in a track} Braking devices, e.g. checks; Stops; Buffers 	9/00	Means for operating wings by hand rods not guided in or on the frame, including those which also operate the fastening (bolts or fastening devices for wings E05C) Man-operated mechanisms for operating wings, including those which also operate the fastening (connecting mechanisms for a plurality of wings E05F 17/00) for wings in general, e.g. fanlights (E05F 11/36 takes precedence; for windows to be lowered
3/225 3/226 3/227 2003/228	 • {mounted at the bottom of wings, e.g. details related to seals, covers, connections to the wings, embedding in the floor} • • {with means to adjust the closed position of the wing} • • {mounted at the top of wings, e.g. details related to closer housings, covers, end caps or rails therefor} • • {Arrangements where the end of the closer arm is sliding in a track} Braking devices, e.g. checks; Stops; Buffers (construction of pneumatic or liquid braking devices) 	9/00 11/00 11/02	Means for operating wings by hand rods not guided in or on the frame, including those which also operate the fastening (bolts or fastening devices for wings E05C) Man-operated mechanisms for operating wings, including those which also operate the fastening (connecting mechanisms for a plurality of wings E05F 17/00) olimits for wings in general, e.g. fanlights (E05F 11/36 takes precedence; for windows to be lowered vertically E05F 11/38; for doors E05F 11/54)
3/225 3/226 3/227 2003/228	 • {mounted at the bottom of wings, e.g. details related to seals, covers, connections to the wings, embedding in the floor} • • {with means to adjust the closed position of the wing} • • {mounted at the top of wings, e.g. details related to closer housings, covers, end caps or rails therefor} • • {Arrangements where the end of the closer arm is sliding in a track} Braking devices, e.g. checks; Stops; Buffers (construction of pneumatic or liquid braking devices E05F 3/00; braking devices, buffers or end stops 	9/00 11/00 11/02 11/04	Means for operating wings by hand rods not guided in or on the frame, including those which also operate the fastening (bolts or fastening devices for wings E05C) Man-operated mechanisms for operating wings, including those which also operate the fastening (connecting mechanisms for a plurality of wings E05F 17/00) for wings in general, e.g. fanlights (E05F 11/36 takes precedence; for windows to be lowered vertically E05F 11/38; for doors E05F 11/54) with cords, chains or cables
3/225 3/226 3/227 2003/228	 • {mounted at the bottom of wings, e.g. details related to seals, covers, connections to the wings, embedding in the floor} • • {with means to adjust the closed position of the wing} • • {mounted at the top of wings, e.g. details related to closer housings, covers, end caps or rails therefor} • • {Arrangements where the end of the closer arm is sliding in a track} Braking devices, e.g. checks; Stops; Buffers (construction of pneumatic or liquid braking devices E05F 3/00; braking devices, buffers or end stops on drawers for tables, cabinets or like furniture 	9/00 11/00 11/02 11/04 11/06	Means for operating wings by hand rods not guided in or on the frame, including those which also operate the fastening (bolts or fastening devices for wings E05C) Man-operated mechanisms for operating wings, including those which also operate the fastening (connecting mechanisms for a plurality of wings E05F 17/00) for wings in general, e.g. fanlights (E05F 11/36 takes precedence; for windows to be lowered vertically E05F 11/38; for doors E05F 11/54) with cords, chains or cables in guide-channels
3/225 3/226 3/227 2003/228	 • {mounted at the bottom of wings, e.g. details related to seals, covers, connections to the wings, embedding in the floor} • • {with means to adjust the closed position of the wing} • • {mounted at the top of wings, e.g. details related to closer housings, covers, end caps or rails therefor} • • {Arrangements where the end of the closer arm is sliding in a track} Braking devices, e.g. checks; Stops; Buffers (construction of pneumatic or liquid braking devices E05F 3/00; braking devices, buffers or end stops on drawers for tables, cabinets or like furniture A47B 88/473; combined with devices for holding 	9/00 11/00 11/02 11/04	Means for operating wings by hand rods not guided in or on the frame, including those which also operate the fastening (bolts or fastening devices for wings E05C) Man-operated mechanisms for operating wings, including those which also operate the fastening (connecting mechanisms for a plurality of wings E05F 17/00) for wings in general, e.g. fanlights (E05F 11/36 takes precedence; for windows to be lowered vertically E05F 11/38; for doors E05F 11/54) with cords, chains or cables in guide-channels with longitudinally-moving bars guided, e.g. by
3/225 3/226 3/227 2003/228	 • {mounted at the bottom of wings, e.g. details related to seals, covers, connections to the wings, embedding in the floor} • • {with means to adjust the closed position of the wing} • • {mounted at the top of wings, e.g. details related to closer housings, covers, end caps or rails therefor} • • {Arrangements where the end of the closer arm is sliding in a track} Braking devices, e.g. checks; Stops; Buffers (construction of pneumatic or liquid braking devices E05F 3/00; braking devices, buffers or end stops on drawers for tables, cabinets or like furniture A47B 88/473; combined with devices for holding wings open E05C 17/00; devices for limiting 	9/00 11/00 11/02 11/04 11/06 11/08	Means for operating wings by hand rods not guided in or on the frame, including those which also operate the fastening (bolts or fastening devices for wings E05C) Man-operated mechanisms for operating wings, including those which also operate the fastening (connecting mechanisms for a plurality of wings E05F 17/00) for wings in general, e.g. fanlights (E05F 11/36 takes precedence; for windows to be lowered vertically E05F 11/38; for doors E05F 11/54) with cords, chains or cables in guide-channels with longitudinally-moving bars guided, e.g. by pivoted links, in or on the frame
3/225 3/226 3/227 2003/228	 • {mounted at the bottom of wings, e.g. details related to seals, covers, connections to the wings, embedding in the floor} • • {with means to adjust the closed position of the wing} • • {mounted at the top of wings, e.g. details related to closer housings, covers, end caps or rails therefor} • • {Arrangements where the end of the closer arm is sliding in a track} Braking devices, e.g. checks; Stops; Buffers (construction of pneumatic or liquid braking devices E05F 3/00; braking devices, buffers or end stops on drawers for tables, cabinets or like furniture A47B 88/473; combined with devices for holding wings open E05C 17/00; devices for limiting opening of wings or for holding wings open by a 	9/00 11/00 11/02 11/04 11/06 11/08 11/10	Means for operating wings by hand rods not guided in or on the frame, including those which also operate the fastening (bolts or fastening devices for wings E05C) Man-operated mechanisms for operating wings, including those which also operate the fastening (connecting mechanisms for a plurality of wings E05F 17/00) for wings in general, e.g. fanlights (E05F 11/36 takes precedence; for windows to be lowered vertically E05F 11/38; for doors E05F 11/54) with cords, chains or cables in guide-channels with longitudinally-moving bars guided, e.g. by pivoted links, in or on the frame Mechanisms by which a handle moves the bar
3/225 3/226 3/227 2003/228	 • • {mounted at the bottom of wings, e.g. details related to seals, covers, connections to the wings, embedding in the floor} • • {with means to adjust the closed position of the wing} • • {mounted at the top of wings, e.g. details related to closer housings, covers, end caps or rails therefor} • • {Arrangements where the end of the closer arm is sliding in a track} Braking devices, e.g. checks; Stops; Buffers (construction of pneumatic or liquid braking devices E05F 3/00; braking devices, buffers or end stops on drawers for tables, cabinets or like furniture A47B 88/473; combined with devices for holding wings open E05C 17/00; devices for limiting opening of wings or for holding wings open by a movable member extending between frame and wing 	9/00 11/00 11/02 11/04 11/06 11/08 11/10 11/12	Means for operating wings by hand rods not guided in or on the frame, including those which also operate the fastening (bolts or fastening devices for wings E05C) Man-operated mechanisms for operating wings, including those which also operate the fastening (connecting mechanisms for a plurality of wings E05F 17/00) for wings in general, e.g. fanlights (E05F 11/36 takes precedence; for windows to be lowered vertically E05F 11/38; for doors E05F 11/54) with cords, chains or cables in guide-channels with longitudinally-moving bars guided, e.g. by pivoted links, in or on the frame Mechanisms by which a handle moves the bar Mechanisms by which the bar shifts the wing
3/225 3/226 3/227 2003/228 5/00	 • • {mounted at the bottom of wings, e.g. details related to seals, covers, connections to the wings, embedding in the floor} • • {with means to adjust the closed position of the wing} • • {mounted at the top of wings, e.g. details related to closer housings, covers, end caps or rails therefor} • • {Arrangements where the end of the closer arm is sliding in a track} Braking devices, e.g. checks; Stops; Buffers (construction of pneumatic or liquid braking devices E05F 3/00; braking devices, buffers or end stops on drawers for tables, cabinets or like furniture A47B 88/473; combined with devices for holding wings open E05C 17/00; devices for limiting opening of wings or for holding wings open by a movable member extending between frame and wing E05C 17/04) 	9/00 11/00 11/02 11/04 11/06 11/08 11/10	Means for operating wings by hand rods not guided in or on the frame, including those which also operate the fastening (bolts or fastening devices for wings E05C) Man-operated mechanisms for operating wings, including those which also operate the fastening (connecting mechanisms for a plurality of wings E05F 17/00) for wings in general, e.g. fanlights (E05F 11/36 takes precedence; for windows to be lowered vertically E05F 11/38; for doors E05F 11/54) with cords, chains or cables in guide-channels with longitudinally-moving bars guided, e.g. by pivoted links, in or on the frame Mechanisms by which a handle moves the bar Mechanisms by which the bar shifts the wing directly, i.e. without links, shifting the wing,
3/225 3/226 3/227 2003/228	 • • {mounted at the bottom of wings, e.g. details related to seals, covers, connections to the wings, embedding in the floor} • • {with means to adjust the closed position of the wing} • • {mounted at the top of wings, e.g. details related to closer housings, covers, end caps or rails therefor} • • {Arrangements where the end of the closer arm is sliding in a track} Braking devices, e.g. checks; Stops; Buffers (construction of pneumatic or liquid braking devices E05F 3/00; braking devices, buffers or end stops on drawers for tables, cabinets or like furniture A47B 88/473; combined with devices for holding wings open E05C 17/00; devices for limiting opening of wings or for holding wings open by a movable member extending between frame and wing E05C 17/04) • {for sliding wings (Fasteners specially adapted for 	9/00 11/00 11/02 11/04 11/06 11/08 11/10 11/12 11/14	Means for operating wings by hand rods not guided in or on the frame, including those which also operate the fastening (bolts or fastening devices for wings E05C) Man-operated mechanisms for operating wings, including those which also operate the fastening (connecting mechanisms for a plurality of wings E05F 17/00) for wings in general, e.g. fanlights (E05F 11/36 takes precedence; for windows to be lowered vertically E05F 11/38; for doors E05F 11/54) with cords, chains or cables in guide-channels with longitudinally-moving bars guided, e.g. by pivoted links, in or on the frame Mechanisms by which a handle moves the bar Mechanisms by which the bar shifts the wing directly, i.e. without links, shifting the wing, e.g. by rack and gear or pin and slot
3/225 3/226 3/227 2003/228 5/00	 • {mounted at the bottom of wings, e.g. details related to seals, covers, connections to the wings, embedding in the floor} • • {with means to adjust the closed position of the wing} • • {mounted at the top of wings, e.g. details related to closer housings, covers, end caps or rails therefor} • • {Arrangements where the end of the closer arm is sliding in a track} Braking devices, e.g. checks; Stops; Buffers (construction of pneumatic or liquid braking devices E05F 3/00; braking devices, buffers or end stops on drawers for tables, cabinets or like furniture A47B 88/473; combined with devices for holding wings open E05C 17/00; devices for limiting opening of wings or for holding wings open by a movable member extending between frame and wing E05C 17/04) • {for sliding wings (Fasteners specially adapted for holding sliding wings open E05D 13/04)} 	9/00 11/00 11/02 11/04 11/06 11/08 11/10 11/12 11/14 11/145	Means for operating wings by hand rods not guided in or on the frame, including those which also operate the fastening (bolts or fastening devices for wings E05C) Man-operated mechanisms for operating wings, including those which also operate the fastening (connecting mechanisms for a plurality of wings E05F 17/00) for wings in general, e.g. fanlights (E05F 11/36 takes precedence; for windows to be lowered vertically E05F 11/38; for doors E05F 11/54) with cords, chains or cables in guide-channels with longitudinally-moving bars guided, e.g. by pivoted links, in or on the frame Mechanisms by which a handle moves the bar Mechanisms by which the bar shifts the wing Mechanisms by rack and gear or pin and slot By pin and slot
3/225 3/226 3/227 2003/228 5/00 5/003 5/006	 • {mounted at the bottom of wings, e.g. details related to seals, covers, connections to the wings, embedding in the floor} • • {with means to adjust the closed position of the wing} • • {mounted at the top of wings, e.g. details related to closer housings, covers, end caps or rails therefor} • • {Arrangements where the end of the closer arm is sliding in a track} Braking devices, e.g. checks; Stops; Buffers (construction of pneumatic or liquid braking devices E05F 3/00; braking devices, buffers or end stops on drawers for tables, cabinets or like furniture A47B 88/473; combined with devices for holding wings open E05C 17/00; devices for limiting opening of wings or for holding wings open by a movable member extending between frame and wing E05C 17/04) • {for sliding wings (Fasteners specially adapted for holding sliding wings open E05D 13/04)} • {for hinges having a cup-shaped fixing part, e.g. for attachment to cabinets or furniture} 	9/00 11/00 11/02 11/04 11/06 11/08 11/10 11/12 11/14	Means for operating wings by hand rods not guided in or on the frame, including those which also operate the fastening (bolts or fastening devices for wings E05C) Man-operated mechanisms for operating wings, including those which also operate the fastening (connecting mechanisms for a plurality of wings E05F 17/00) for wings in general, e.g. fanlights (E05F 11/36 takes precedence; for windows to be lowered vertically E05F 11/38; for doors E05F 11/54) with cords, chains or cables in guide-channels with longitudinally-moving bars guided, e.g. by pivoted links, in or on the frame Mechanisms by which a handle moves the bar Mechanisms by which the bar shifts the wing directly, i.e. without links, shifting the wing, e.g. by rack and gear or pin and slot shifting the wing by pivotally-connected members {(moving) in a plane perpendicular
3/225 3/226 3/227 2003/228 5/00	 • {mounted at the bottom of wings, e.g. details related to seals, covers, connections to the wings, embedding in the floor} • • {with means to adjust the closed position of the wing} • • {mounted at the top of wings, e.g. details related to closer housings, covers, end caps or rails therefor} • • {Arrangements where the end of the closer arm is sliding in a track} Braking devices, e.g. checks; Stops; Buffers (construction of pneumatic or liquid braking devices E05F 3/00; braking devices, buffers or end stops on drawers for tables, cabinets or like furniture A47B 88/473; combined with devices for holding wings open E05C 17/00; devices for limiting opening of wings or for holding wings open by a movable member extending between frame and wing E05C 17/04) • {for sliding wings (Fasteners specially adapted for holding sliding wings open E05D 13/04)} • {for hinges having a cup-shaped fixing part, e.g. for attachment to cabinets or furniture} • specially for preventing the slamming of 	9/00 11/00 11/02 11/04 11/06 11/08 11/10 11/12 11/14 11/145 11/16	Means for operating wings by hand rods not guided in or on the frame, including those which also operate the fastening (bolts or fastening devices for wings E05C) Man-operated mechanisms for operating wings, including those which also operate the fastening (connecting mechanisms for a plurality of wings E05F 17/00) for wings in general, e.g. fanlights (E05F 11/36 takes precedence; for windows to be lowered vertically E05F 11/38; for doors E05F 11/54) with cords, chains or cables in guide-channels with longitudinally-moving bars guided, e.g. by pivoted links, in or on the frame Mechanisms by which a handle moves the bar Mechanisms by which the bar shifts the wing e.g. by rack and gear or pin and slot shifting the wing by pivotally-connected members {(moving) in a plane perpendicular to the pivot axis of the wing}
3/225 3/226 3/227 2003/228 5/00 5/003 5/006	 • {mounted at the bottom of wings, e.g. details related to seals, covers, connections to the wings, embedding in the floor} • • {with means to adjust the closed position of the wing} • • {mounted at the top of wings, e.g. details related to closer housings, covers, end caps or rails therefor} • • {Arrangements where the end of the closer arm is sliding in a track} Braking devices, e.g. checks; Stops; Buffers (construction of pneumatic or liquid braking devices E05F 3/00; braking devices, buffers or end stops on drawers for tables, cabinets or like furniture A47B 88/473; combined with devices for holding wings open E05C 17/00; devices for limiting opening of wings or for holding wings open by a movable member extending between frame and wing E05C 17/04) • {for sliding wings (Fasteners specially adapted for holding sliding wings open E05D 13/04)} • {for hinges having a cup-shaped fixing part, e.g. for attachment to cabinets or furniture} 	9/00 11/00 11/02 11/04 11/06 11/08 11/10 11/12 11/14 11/145	Means for operating wings by hand rods not guided in or on the frame, including those which also operate the fastening (bolts or fastening devices for wings E05C) Man-operated mechanisms for operating wings, including those which also operate the fastening (connecting mechanisms for a plurality of wings E05F 17/00) for wings in general, e.g. fanlights (E05F 11/36 takes precedence; for windows to be lowered vertically E05F 11/38; for doors E05F 11/54) with cords, chains or cables in guide-channels with longitudinally-moving bars guided, e.g. by pivoted links, in or on the frame Mechanisms by which a handle moves the bar Mechanisms by which the bar shifts the wing e.g. by rack and gear or pin and slot by pin and slot shifting the wing by pivotally-connected members {(moving) in a plane perpendicular to the pivot axis of the wing} consisting of a lever, e.g. an angle lever,
3/225 3/226 3/227 2003/228 5/00 5/003 5/006	 • {mounted at the bottom of wings, e.g. details related to seals, covers, connections to the wings, embedding in the floor} • • {with means to adjust the closed position of the wing} • • {with means to adjust the closed position of the wing} • • {mounted at the top of wings, e.g. details related to closer housings, covers, end caps or rails therefor} • • {Arrangements where the end of the closer arm is sliding in a track} Braking devices, e.g. checks; Stops; Buffers (construction of pneumatic or liquid braking devices E05F 3/00; braking devices, buffers or end stops on drawers for tables, cabinets or like furniture A47B 88/473; combined with devices for holding wings open E05C 17/00; devices for limiting opening of wings or for holding wings open by a movable member extending between frame and wing E05C 17/04) • {for sliding wings (Fasteners specially adapted for holding sliding wings open E05D 13/04)} • {for hinges having a cup-shaped fixing part, e.g. for attachment to cabinets or furniture} • specially for preventing the slamming of {swinging} wings {during final closing movement, e.g. jamb stops} • {specially adapted for vehicles, e.g. for hoods or 	9/00 11/00 11/02 11/04 11/06 11/08 11/10 11/12 11/14 11/145 11/16	Means for operating wings by hand rods not guided in or on the frame, including those which also operate the fastening (bolts or fastening devices for wings E05C) Man-operated mechanisms for operating wings, including those which also operate the fastening (connecting mechanisms for a plurality of wings E05F 17/00) for wings in general, e.g. fanlights (E05F 11/36 takes precedence; for windows to be lowered vertically E05F 11/38; for doors E05F 11/54) with cords, chains or cables in guide-channels with longitudinally-moving bars guided, e.g. by pivoted links, in or on the frame Mechanisms by which a handle moves the bar Mechanisms by which the bar shifts the wing directly, i.e. without links, shifting the wing, e.g. by rack and gear or pin and slot shifting the wing by pivotally-connected members {(moving) in a plane perpendicular to the pivot axis of the wing} consisting of a lever, e.g. an angle lever, only {no material} consisting of a lever, e.g. an angle lever,
3/225 3/226 3/227 2003/228 5/000 5/003 5/006 5/02 5/022	 • {mounted at the bottom of wings, e.g. details related to seals, covers, connections to the wings, embedding in the floor} • • {with means to adjust the closed position of the wing} • • {with means to adjust the closed position of the wing} • • {mounted at the top of wings, e.g. details related to closer housings, covers, end caps or rails therefor} • • {Arrangements where the end of the closer arm is sliding in a track} Braking devices, e.g. checks; Stops; Buffers (construction of pneumatic or liquid braking devices E05F 3/00; braking devices, buffers or end stops on drawers for tables, cabinets or like furniture A47B 88/473; combined with devices for holding wings open E05C 17/00; devices for limiting opening of wings or for holding wings open by a movable member extending between frame and wing E05C 17/04) • {for sliding wings (Fasteners specially adapted for holding sliding wings open E05D 13/04)} • {for hinges having a cup-shaped fixing part, e.g. for attachment to cabinets or furniture} • specially for preventing the slamming of {swinging} wings {during final closing movement, e.g. jamb stops} • {specially adapted for vehicles, e.g. for hoods or trunks} 	9/00 11/00 11/02 11/04 11/06 11/08 11/10 11/12 11/14 11/145 11/16 11/18 11/20	Means for operating wings by hand rods not guided in or on the frame, including those which also operate the fastening (bolts or fastening devices for wings E05C) Man-operated mechanisms for operating wings, including those which also operate the fastening (connecting mechanisms for a plurality of wings E05F 17/00) for wings in general, e.g. fanlights (E05F 11/36 takes precedence; for windows to be lowered vertically E05F 11/38; for doors E05F 11/54) with cords, chains or cables in guide-channels with longitudinally-moving bars guided, e.g. by pivoted links, in or on the frame Mechanisms by which a handle moves the bar Mechanisms by which the bar shifts the wing directly, i.e. without links, shifting the wing, e.g. by rack and gear or pin and slot shifting the wing by pivotally-connected members {(moving) in a plane perpendicular to the pivot axis of the wing} consisting of a lever, e.g. an angle lever, only {no material} consisting of a lever, e.g. an angle lever, and only one additional link {no material}
3/225 3/226 3/227 2003/228 5/00 5/003 5/006 5/02	 • {mounted at the bottom of wings, e.g. details related to seals, covers, connections to the wings, embedding in the floor} • • {with means to adjust the closed position of the wing} • • {with means to adjust the closed position of the wing} • • {mounted at the top of wings, e.g. details related to closer housings, covers, end caps or rails therefor} • • {Arrangements where the end of the closer arm is sliding in a track} Braking devices, e.g. checks; Stops; Buffers (construction of pneumatic or liquid braking devices E05F 3/00; braking devices, buffers or end stops on drawers for tables, cabinets or like furniture A47B 88/473; combined with devices for holding wings open E05C 17/00; devices for limiting opening of wings or for holding wings open by a movable member extending between frame and wing E05C 17/04) • {for sliding wings (Fasteners specially adapted for holding sliding wings open E05D 13/04)} • {for hinges having a cup-shaped fixing part, e.g. for attachment to cabinets or furniture} • specially for preventing the slamming of {swinging} wings {during final closing movement, e.g. jamb stops} • {specially adapted for vehicles, e.g. for hoods or 	9/00 11/00 11/02 11/04 11/06 11/08 11/10 11/12 11/14 11/145 11/16 11/18	Means for operating wings by hand rods not guided in or on the frame, including those which also operate the fastening (bolts or fastening devices for wings E05C) Man-operated mechanisms for operating wings, including those which also operate the fastening (connecting mechanisms for a plurality of wings E05F 17/00) for wings in general, e.g. fanlights (E05F 11/36 takes precedence; for windows to be lowered vertically E05F 11/38; for doors E05F 11/54) with cords, chains or cables in guide-channels with longitudinally-moving bars guided, e.g. by pivoted links, in or on the frame Mechanisms by which a handle moves the bar Mechanisms by which the bar shifts the wing directly, i.e. without links, shifting the wing, e.g. by rack and gear or pin and slot shifting the wing by pivotally-connected members {(moving) in a plane perpendicular to the pivot axis of the wing} consisting of a lever, e.g. an angle lever, only {no material} consisting of a lever, e.g. an angle lever,

11/24	• • • shifting the wing by pivotally-connected	11/40	operated by screw mechanism
	members {(moving) in a plane parallel to the pivot axis of the wing}		<u>WARNING</u>
11/26	• • • consisting of a lever, e.g. an angle lever, only {no material}		Group E05F 11/40 is impacted by reclassification into group E05F 15/6896.
11/28	consisting of a lever, e.g. an angle lever, and one or more additional links {no material}		Groups <u>E05F 11/40</u> and <u>E05F 15/6896</u> should be considered in order to perform a complete search.
11/30	• • • • consisting of links in rhomb-form {no material}	11/405	• • • {for vehicle windows}
11/32	• • with rotary bars guided in the frame (E05F 11/34		WARNING
11/34	takes precedence) • with screw mechanisms		Group E05F 11/405 is impacted by
11/36	• specially designed for passing through a wall		reclassification into group <u>E05F 15/6896</u> . Groups <u>E05F 11/405</u> and <u>E05F 15/6896</u>
11/38	 for sliding windows, e.g. vehicle windows, to be opened or closed by vertical movement 		should be considered in order to perform a complete search.
	WARNING	11/42	•
	Group E05F 11/38 is impacted by reclassification into groups E05F 15/6892,	11/42	 operated by rack bars and toothed wheels {or other push-pull mechanisms}
	E05F 15/6894, E05F 15/6896, E05F 15/6899,		WARNING
	E05F 15/6901, E05F 15/6903, E05F 15/6905, E05F 15/6907, E05F 15/6909, E05F 15/6911, E05F 15/6914, E05F 15/6916 and E05F 15/6918.		Group E05F 11/42 is impacted by reclassification into groups E05F 15/6899 and E05F 15/6901.
	All groups listed in this Warning should be considered in order to perform a complete search.		Groups E05F 11/42, E05F 15/6899 and E05F 15/6901 should be considered in order to perform a complete search.
11/382	• • {for vehicle windows (<u>E05F 11/40</u> - <u>E05F 11/52</u>	11/423	• • • {for vehicle windows}
	take precedence)}		WARNING
	WARNING		Group E05F 11/423 is impacted by
	Group E05F 11/382 is impacted by reclassification into groups E05F 15/6892, E05F 15/6894, E05F 15/6896, E05F 15/6899,		reclassification into groups <u>E05F 15/6899</u> and <u>E05F 15/6901</u> . Groups <u>E05F 11/423</u> , <u>E05F 15/6899</u> and
	E05F 15/6901, E05F 15/6903, E05F 15/6905, E05F 15/6907, E05F 15/6909, E05F 15/6911, E05F 15/6914, E05F 15/6916 and		E05F 15/6901 should be considered in order to perform a complete search.
	<u>E05F 15/6918</u> .	11/426	• • • {Flexible rack-and-pinion arrangements}
	All groups listed in this Warning should be considered in order to perform a complete		WARNING
	search.		Group E05F 11/426 is impacted by reclassification into group E05F 15/6901.
11/385	• • {Fixing of window glass to the carrier of the operating mechanism}		Groups E05F 11/426 and E05F 15/6901 should be considered in order to perform
	WARNING		a complete search.
	Group E05F 11/385 is impacted by reclassification into groups E05F 15/6892	11/44	• operated by one or more lifting arms
	and <u>E05F 15/6894</u> .		WARNING
	Groups E05F 11/385, E05F 15/6892 and E05F 15/6894 should be considered in order to perform a complete search.		Group E05F 11/44 is impacted by reclassification into groups E05F 15/6903 and E05F 15/6905.
2011/387	• • • { using arrangements in the window glass, e.g. holes}		Groups <u>E05F 11/44</u> , <u>E05F 15/6903</u> and <u>E05F 15/6905</u> should be considered in order to perform a complete search.
	WARNING	11/445	• • {for vehicle windows}
	Group E05F 2011/387 is impacted by reclassification into group E05F 15/6894.	±1/-ſTJ	WARNING
	Groups E05F 2011/387 and E05F 15/6894 should be considered in order to perform a complete search		Group E05F 11/445 is impacted by reclassification into groups E05F 15/6903 and E05F 15/6905.

order to perform a complete search.

and <u>E05F 15/6905</u>.

Groups $\underline{E05F\ 11/445}$, $\underline{E05F\ 15/6903}$ and $\underline{E05F\ 15/6905}$ should be considered in order

to perform a complete search.

11/46 . . operated by lazy-tongs mechanism

WARNING

Group <u>E05F 11/46</u> is impacted by reclassification into groups <u>E05F 15/6903</u> and <u>E05F 15/6905</u>.

Groups E05F 11/46, E05F 15/6903 and E05F 15/6905 should be considered in order to perform a complete search.

11/465 . . . {for vehicle windows}

WARNING

Group E05F 11/465 is impacted by reclassification into groups E05F 15/6903 and E05F 15/6905.

Groups E05F 11/465, E05F 15/6903 and E05F 15/6905 should be considered in order to perform a complete search.

11/48 • operated by cords or chains {or other flexible elongated pulling elements, e.g. tapes}

WARNING

Group <u>E05F 11/48</u> is impacted by reclassification into groups <u>E05F 15/6907</u>, <u>E05F 15/6909</u>, <u>E05F 15/6911</u>, <u>E05F 15/6914</u> and <u>E05F 15/6916</u>.

All groups listed in this Warning should be considered in order to perform a complete search.

11/481 . . . {for vehicle windows}

WARNING

Group <u>E05F 11/481</u> is impacted by reclassification into groups <u>E05F 15/6907</u>, <u>E05F 15/6909</u>, <u>E05F 15/6911</u>, <u>E05F 15/6914</u> and <u>E05F 15/6916</u>.

All groups listed in this Warning should be considered in order to perform a complete search.

11/483 {by cables}

WARNING

Group E05F 11/483 is impacted by reclassification into groups E05F 15/6909, E05F 15/6911, E05F 15/6914 and E05F 15/6916.

All groups listed in this Warning should be considered in order to perform a complete search.

11/485 { with cable tensioners}

WARNING

Group E05F 11/485 is impacted by reclassification into group E05F 15/6911.

Groups E05F 11/485 and E05F 15/6911 should be considered in order to perform a complete search.

11/486 { with one cable connection to the window glass}

WARNING

Group E05F 11/486 is impacted by reclassification into group E05F 15/6914.

Groups E05F 11/486 and E05F 15/6914 should be considered in order to perform a complete search.

11/488 {with two cable connections to the window glass}

WARNING

Group <u>E05F 11/488</u> is impacted by reclassification into group <u>E05F 15/6916</u>.

Groups E05F 11/488 and E05F 15/6916 should be considered in order to perform a complete search.

11/50 . Crank gear with clutches or retaining brakes, for operating window mechanisms

WARNING

Group <u>E05F 11/50</u> is impacted by reclassification into group <u>E05F 15/6918</u>.

Groups E05F 11/50 and E05F 15/6918 should be considered in order to perform a complete search.

11/505 . . . {for vehicle windows}

WARNING

Group E05F 11/505 is impacted by reclassification into group E05F 15/6918. Groups E05F 11/505 and E05F 15/6918 should be considered in order to perform a complete search.

11/52 . . combined with means for producing an additional movement, e.g. a horizontal or a rotary movement

WARNING

Group E05F 11/52 is impacted by reclassification into groups E05F 15/6892, E05F 15/6894, E05F 15/6896, E05F 15/6899, E05F 15/6901, E05F 15/6903, E05F 15/6905, E05F 15/6907, E05F 15/6909, E05F 15/6911, E05F 15/6914, E05F 15/6916 and E05F 15/6918.

All groups listed in this Warning should be considered in order to perform a complete search.

CPC - 2025.08 4

11/525	• • • {for vehicle windows}	15/53	• • for swinging wings
		15/54	• • • operated by linear actuators acting on a helical
	WARNING		track coaxial with the swinging axis
	Group $\underline{\text{E05F }11/525}$ is impacted by	15/56	for horizontally-sliding wings
	reclassification into groups E05F 15/6892,	15/565	{for railway-cars}
	E05F 15/6894, E05F 15/6896,	15/57	for vertically-sliding wings
	E05F 15/6899, E05F 15/6901,	15/59	for overhead wings
	E05F 15/6903, E05F 15/6905, E05F 15/6907, E05F 15/6909,	15/60	 using electrical actuators
	E05F 15/6911, E05F 15/6914,	15/603	using rotary electromotors
	E05F 15/6916 and E05F 15/6918.	15/605	for folding wings
	All groups listed in this Warning should be	15/608	for revolving wings
	considered in order to perform a complete	15/611	for swinging wings
	search.	15/614	operated by meshing gear wheels, one of
44/70			which being mounted at the wing pivot axis;
11/53	• for sliding windows, e.g. vehicle windows, to be		operated by a motor acting directly on the
11/525	opened or closed by horizontal movement		wing pivot axis
11/535	• • {for vehicle windows}	15/616	operated by push-pull mechanisms
11/54	• for doors	15/619	using flexible or rigid rack-and-pinion
13/00	Mechanisms operated by the movement or weight	15/600	arrangements
	of a person or vehicle (through power-operated	15/622	using screw-and-nut mechanisms
	wing-operating mechanisms E05F 15/00)	15/624	using friction wheels
13/02	 by devices, e.g. lever arms, affected by the 	15/627	• • • operated by flexible elongated pulling elements, e.g. belts, chains or cables (using
	movement of the user		flexible elongated push-pull mechanisms
13/04	 by platforms lowered by the weight of the user 		E05F 15/619)
15/00	Power-operated mechanisms for wings (motor-		
20,00	operated accessories in locks for completing closing		NOTE
	or initiating opening of a wing E05B 17/00)		In this group, it is desirable to add the
15/40	• Safety devices, e.g. detection of obstructions or end		indexing codes of E05Y 2201/644.
	positions	15/63	operated by swinging arms
15/41	Detection by monitoring transmitted force or	2015/631	• • • • • • • • • • • • • • • • • • •
	torque (E05F 15/48 takes precedence); Safety	2013/031	Slider arms therefor}
	couplings with activation dependent upon torque	15/632	for horizontally-sliding wings
	or force, e.g. slip couplings	15/635	• • • operated by push-pull mechanisms,
15/42	Detection using safety edges		e.g. flexible or rigid rack-and-pinion
15/43	• • responsive to disruption of energy beams, e.g.		arrangements (E05F 15/652 takes
15/421	light or sound		precedence)
15/431	 { specially adapted for vehicle windows or roofs} 	15/638	allowing or involving a secondary
2015/432	• • • {with acoustical sensors}		movement of the wing, e.g. rotational or
2015/433	{with acoustical sensors} {using reflection from the obstruction}		transversal
2015/434	• • • {using reflection from the obstitution} • • • {with cameras or optical sensors}	15/641	operated by friction wheels
2015/435	{with califoras of optical schsors}	15/643	operated by flexible elongated pulling
2015/436	{the beam being parallel to the wing		elements, e.g. belts, chains or cables (by flexible elongated push-pull mechanisms
2013/430	edge}		E05F 15/635)
2015/437	• • • • { the beam being perpendicular to the	15/646	allowing or involving a secondary
	wing edge}	13/010	movement of the wing, e.g. rotational or
15/44	responsive to changes in electrical conductivity		transversal
15/443	• • • • { specially adapted for vehicle windows or	15/649	operated by swinging arms
	roofs}	15/652	operated by screw-and-nut mechanisms
2015/447	• • • { using switches in serial arrangement }	15/655	specially adapted for vehicle wings
15/46	• • responsive to changes in electrical capacitance	15/657	enabling manual drive, e.g. in case of
15/47	• • responsive to changes in fluid pressure		power failure
15/48	• • • by transmission of mechanical forces, e.g. rigid	15/659	Control circuits therefor
	or movable members	15/662	• • • • Motor units therefor, e.g. geared motors
2015/483	• • • {for detection during opening}	15/665	for vertically-sliding wings
2015/487	• • • {Fault detection of safety edges}	15/668	• • • for overhead wings
15/49	• • specially adapted for mechanisms operated by	15/67	operated by flexible or rigid rack-and-
	fluid pressure, e.g. detection by monitoring		pinion arrangements
	transmitted fluid pressure (<u>E05F 15/47</u> takes	15/673	operated by screw-and-nut mechanisms
15/50	precedence)	15/676	operated by friction wheels
15/50 15/51	using fluid-pressure actuators for folding wings	15/678	operated by swinging lever arms
15/51	for folding wings		

operating in	centinisms for wings	1001
15/681	• • • • operated by flexible elongated pulling elements, e.g. belts	15/6899 { operated by rack bars and toothed wheels or other push-pull mechanisms}
15/684	by chains	WARNING
15/686 15/689	 by cables or ropes specially adapted for vehicle windows	Group E05F 15/6899 is incomplete pending reclassification of documents
	WARNING Group E05F 15/689 is impacted by reclassification into groups E05F 15/6892, E05F 15/6894, E05F 15/6896, E05F 15/6899, E05F 15/6901, E05F 15/6903, E05F 15/6905, E05F 15/6907, E05F 15/6909, E05F 15/6911, E05F 15/6914, E05F 15/6916 and E05F 15/6918. All groups listed in this Warning should	from groups E05F 11/38, E05F 11/382, E05F 11/42, E05F 11/423, E05F 11/525, E05F 11/525, E05F 15/689, E05F 15/692, E05F 15/695 and E05F 15/697. All groups listed in this Warning should be considered in order to perform a complete search. 15/6901 {Flexible rack-and-pinion arrangements}
	be considered in order to perform a	<u>WARNING</u>
15/6892	complete search. {Fixing of window glass to the carrier of the operating mechanism} WARNING	Group E05F 15/6901 is incomplete pending reclassification of documents from groups E05F 11/38, E05F 11/382, E05F 11/42, E05F 11/423, E05F 11/426,
	Group <u>E05F 15/6892</u> is incomplete pending reclassification of documents from groups <u>E05F 11/38</u> , <u>E05F 11/382</u> , <u>E05F 11/385</u> , <u>E05F 11/525</u> , <u>E05F 11/525</u> , <u>E05F 15/689</u> , <u>E05F 15/692</u> , <u>E05F 15/695</u> and <u>E05F 15/697</u> . All groups listed in this Warning should	E05F 11/52, E05F 11/525, E05F 15/689, E05F 15/692, E05F 15/695 and E05F 15/697. All groups listed in this Warning should be considered in order to perform a complete search. 15/6903 {operated by one or more lifting arms}
	be considered in order to perform a	WARNING
15/6894	complete search. {using arrangements in the window glass, e.g. holes} WARNING Group E05F 15/6894 is incomplete pending reclassification of documents from groups E05F 11/38, E05F 11/382, E05F 11/385, E05F 2011/387, E05F 11/52, E05F 11/525, E05F 15/689,	Groups <u>E05F 15/6903</u> and <u>E05F 15/6905</u> are incomplete pending reclassification of documents from groups <u>E05F 11/38</u> , <u>E05F 11/382</u> , <u>E05F 11/44</u> , <u>E05F 11/445</u> , <u>E05F 11/445</u> , <u>E05F 11/46</u> , <u>E05F 11/465</u> , <u>E05F 11/525</u> , <u>E05F 11/525</u> , <u>E05F 15/689</u> , <u>E05F 15/692</u> , <u>E05F 15/695</u> and <u>E05F 15/697</u> . All groups listed in this Warning should be considered in order to perform a
	E05F 15/692, E05F 15/695 and E05F 15/697. All groups listed in this Warning should be considered in order to perform a complete search.	complete search. 15/6905 {operated by lazy-tongs mechanism} 15/6907 {operated by cords or chains or other flexible elongated pulling elements, e.g. tapes}
15/6896	• • • • {operated by screw mechanism}	WARNING
	WARNING Group E05F 15/6896 is incomplete pending reclassification of documents from groups E05F 11/38, E05F 11/382, E05F 11/40, E05F 11/405, E05F 11/52, E05F 11/525, E05F 15/689, E05F 15/693, E05F 15	Group <u>E05F 15/6907</u> is incomplete pending reclassification of documents from groups <u>E05F 11/38</u> , <u>E05F 11/382</u> , <u>E05F 11/48</u> , <u>E05F 11/481</u> , <u>E05F 11/52</u> , <u>E05F 11/525</u> , <u>E05F 15/699</u> , <u>E05F 15/695</u> and <u>E05F 15/697</u>

E05F 15/692, E05F 15/695 and

All groups listed in this Warning should

be considered in order to perform a

E05F 15/697.

complete search.

E05F 15/697.

complete search.

All groups listed in this Warning should be considered in order to perform a

15/6909	{by	cables} ARNING	15/6918	• • • • •	{Crank gear with clutches or retaining brakes, for operating window mechanisms}
		Group E05F 15/6909 is incomplete			WARNING
		pending reclassification of documents from groups <u>E05F 11/38</u> , <u>E05F 11/382</u> , <u>E05F 11/48</u> , <u>E05F 11/481</u> , <u>E05F 11/483</u> , <u>E05F 11/525</u> , <u>E05F 15/689</u> , <u>E05F 15/692</u> , <u>E05F 15/695</u> and <u>E05F 15/697</u> . All groups listed in this Warning			Group E05F 15/6918 is incomplete pending reclassification of documents from groups E05F 11/38, E05F 11/382, E05F 11/50, E05F 11/505, E05F 11/52, E05F 11/525, E05F 15/689, E05F 15/692, E05F 15/695 and E05F 15/697.
	:	should be considered in order to perform a complete search.			All groups listed in this Warning should be considered in order to perform a complete search.
15/6911		with cable tensioners}	4.7.700		•
	<u>v</u>	VARNING	15/692	• • • • •	enabling manual drive, e.g. in case of power failure
		Group E05F 15/6911 is incomplete pending reclassification of documents from groups E05F 11/38, E05F 11/382, E05F 11/48, E05F 11/481, E05F 11/483, E05F 11/485, E05F 11/52, E05F 11/525, E05F 15/689, E05F 15/692, E05F 15/695 and E05F 15/697. All groups listed in this Warning should be considered in order to perform a complete search.			WARNING Group E05F 15/692 is impacted by reclassification into groups E05F 15/6892, E05F 15/6894, E05F 15/6896, E05F 15/6899, E05F 15/6901, E05F 15/6903, E05F 15/6905, E05F 15/6907, E05F 15/6909, E05F 15/6911, E05F 15/6914, E05F 15/6916 and E05F 15/6918. All groups listed in this Warning should
15/6914		with one cable connection to the vindow glass}			be considered in order to perform a complete search.
		-	15/695		Control circuits therefor
		VARNING	15/695		Control circuits therefor WARNING
15/01/	Y	Group E05F 15/6914 is incomplete pending reclassification of documents from groups E05F 11/38, E05F 11/382, E05F 11/48, E05F 11/481, E05F 11/483, E05F 11/486, E05F 11/52, E05F 11/525, E05F 15/689, E05F 15/692, E05F 15/695 and E05F 15/697. All groups listed in this Warning should be considered in order to perform a complete search.	15/695	••••	
15/6916	{	Group E05F 15/6914 is incomplete pending reclassification of documents from groups E05F 11/38, E05F 11/382, E05F 11/48, E05F 11/481, E05F 11/483, E05F 11/486, E05F 11/52, E05F 11/525, E05F 15/689, E05F 15/692, E05F 15/695 and E05F 15/697. All groups listed in this Warning should be considered in order to perform a complete search.	15/695 15/697		WARNING Group E05F 15/695 is impacted by reclassification into groups E05F 15/6892, E05F 15/6894, E05F 15/6896, E05F 15/6899, E05F 15/6901, E05F 15/6903, E05F 15/6905, E05F 15/6907, E05F 15/6909, E05F 15/6911, E05F 15/6914, E05F 15/6916 and E05F 15/6918. All groups listed in this Warning should be considered in order to perform a complete search.
15/6916	· · · · · · · {	Group E05F 15/6914 is incomplete pending reclassification of documents from groups E05F 11/38, E05F 11/382, E05F 11/48, E05F 11/481, E05F 11/483, E05F 11/486, E05F 11/52, E05F 11/525, E05F 15/689, E05F 15/692, E05F 15/695 and E05F 15/697. All groups listed in this Warning should be considered in order to perform a complete search.			WARNING Group E05F 15/695 is impacted by reclassification into groups E05F 15/6892, E05F 15/6894, E05F 15/6896, E05F 15/6899, E05F 15/6901, E05F 15/6903, E05F 15/6905, E05F 15/6907, E05F 15/6909, E05F 15/6911, E05F 15/6914, E05F 15/6916 and E05F 15/6918. All groups listed in this Warning should be considered in order to perform a
15/6916	· · · · · · · {	Group E05F 15/6914 is incomplete pending reclassification of documents from groups E05F 11/38, E05F 11/382, E05F 11/48, E05F 11/481, E05F 11/483, E05F 11/486, E05F 11/52, E05F 11/525, E05F 15/689, E05F 15/692, E05F 15/695 and E05F 15/697. All groups listed in this Warning should be considered in order to perform a complete search. with two cable connections to the vindow glass}		••••	WARNING Group E05F 15/695 is impacted by reclassification into groups E05F 15/6892, E05F 15/6894, E05F 15/6896, E05F 15/6899, E05F 15/6901, E05F 15/6903, E05F 15/6905, E05F 15/6907, E05F 15/6909, E05F 15/6911, E05F 15/6914, E05F 15/6916 and E05F 15/6918. All groups listed in this Warning should be considered in order to perform a complete search. Motor units therefor, e.g. geared motors

15/71	• • responsive to temperature changes, rain, wind or noise
15/72	responsive to emergency conditions, e.g. fire
15/73	• responsive to movement or presence of persons or objects
15/74	using photoelectric cells
15/75	• • responsive to the weight or other physical contact of a person or object
15/76	• • • responsive to devices carried by persons or objects, e.g. magnets or reflectors (E05F 15/77 takes precedence)
2015/763	• • {using acoustical sensors}
2015/765	• • • {using optical sensors}
2015/767	{using cameras}
15/77	using wireless control
15/78	• • using light beams
15/79	• using time control
17/00	Special devices for shifting a plurality of wings operated simultaneously (for simultaneously moving a plurality of interconnected ventilating lamellae E06B 7/086)
17/001	• {of prison cell doors}
17/002	• {for wings which lie one behind the other when closed}
17/004	• {for wings which abut when closed}
2017/005	• {for sliding wings}
2017/007	• • {with means for interlocking the wings}
2017/008	• {for swinging wings}