

**CPC****COOPERATIVE PATENT CLASSIFICATION****D06H****MARKING, INSPECTING, SEAMING OR SEVERING TEXTILE****MATERIALS** (seaming by sewing [D05B](#) ; in connection with manufacturing, see the relevant subclasses)**Guidance heading:****D06H 1/00****Marking textile materials; Marking in combination with metering or inspecting****D06H 1/003**

- . {by passing a needle through the layers, e.g. with a marking fluid flowing through the needle }

**D06H 1/006**

- . {Marking frames for large sized textiles, e.g. for drapery pleat or length marking }

**D06H 1/02**

- . Marking by printing or analogous processes

**D06H 1/04**

- . by attaching threads, tags, or the like

**D06H 1/043**

- .. { by attaching threads }

**D06H 1/046**

- .. { by attaching tags }

**D06H 3/00****Inspecting textile materials** (testing physical properties of textile materials [G01N](#) ; {unwinding or rewinding apparatus incorporating inspecting devices [B65H 16/026](#), [B65H 18/02C](#) })**D06H 3/02**

- . visually ([D06H 3/12](#), [D06H 3/14](#), [D06H 3/16](#) take precedence)

**D06H 3/04**

- .. wherein the material is supported on a table

**D06H 3/06**

- .. wherein the material is supported on a drum

**D06H 3/08**

- . by photo-electric or television means ([D06H 3/12](#), [D06H 3/14](#), [D06H 3/16](#) take precedence)

**D06H 3/10**

- . by non-optical apparatus ([D06H 3/12](#), [D06H 3/14](#), [D06H 3/16](#) take precedence)

**D06H 3/12**

- . Detecting or automatically correcting errors in the position of weft threads in woven fabrics

**D06H 3/125**

- .. {Detecting errors in the position of weft threads }

**D06H 3/14**

- . Detecting and removing metal particles, e.g. broken needles, or card clothing, from fabrics

**D06H 3/16**

- . Inspecting hosiery or other tubular fabric; Inspecting in combination with turning inside-out, classifying, or other handling (turning inside-out per se [D06G 3/00](#))

**D06H 3/165**

- .. {Devices for supplying, removing or stacking the work }

**D06H 5/00****Seaming textile materials** { (splicing webs [B65H 21/00](#); seaming felts in paper-making machines [D21F 7/10](#)) }

- D06H 5/001 . {Devices or apparatus for connecting back and forward ends of fabrics, e.g. for continuous processing }
- D06H 5/002 . . {for tubular fabrics }
- D06H 5/003 . {Devices or apparatus for joining the longitudinal edges of fabrics }
- D06H 5/005 . . {for making a tubular fabric }
- D06H 5/006 . . . {by folding the fabric longitudinally }
- D06H 5/007 . . . {by helically winding the fabric }
- D06H 5/008 . {Making sacks from tubular fabrics }
- D06H 7/00** **Apparatus or processes for cutting, or otherwise severing, specially adapted for the cutting, or otherwise severing, of textile materials** (severing for making buttonholes [A41H](#) ; hand cutting tools in general [B26B](#) ; cutting machines in general [B26D](#) ; severing otherwise than by cutting in general [B26F](#) ; { web delivery apparatus incorporating cutting devices [B65H 35/0006](#) }; trimming seamed edges, shearing surfaces of fabrics, shearing lace or embroidery, e.g. cutting loose threads [D06C](#) )
- D06H 7/005 . { characterized by means or processes to avoid or reduce fraying of the cut edge }
- D06H 7/02 . transversely ([D06H 7/14](#) takes precedence)
- D06H 7/025 . . {in line with an embossed or a raised pattern on the fabric; Cutting pile fabric along a loopless or napless zone, e.g. the plain woven portion of towel cloth }
- D06H 7/04 . longitudinally ([D06H 7/14](#) takes precedence)
- D06H 7/045 . . {in line with an embossed or a raised pattern on the fabric; Cutting pile fabric along a loopless or napless zone ([D06H 7/06](#), [D06H 7/16](#) take precedence) }
- D06H 7/06 . . Removing selvedge edges
- D06H 7/08 . . for cutting tubular fabric longitudinally
- D06H 7/10 . obliquely
- D06H 7/12 . . cutting a tubular fabric helically
- D06H 7/14 . Cutting fabrics by cutting the weft or warp threads while making special provision to avoid cutting warp or weft threads, respectively, adjacent to the cut
- D06H 7/16 . specially adapted for cutting lace or embroidery (shearing, e.g. cutting loose threads, [D06C](#) )
- D06H 7/18 . Cutting rolls of material without unwinding
- D06H 7/20 . Tearing
- D06H 7/22 . Severing by heat or by chemical agents { (by laser beam [B23K 26/40B12C](#)) }
- D06H 7/221 . . { by heat }
- D06H 7/223 . . . { using ultrasonic vibration }
- D06H 7/225 . . . { using meltable yarns or interwoven metal wires heated by an electric current }
- D06H 7/226 . . { by chemical agents }

D06H 7/228 . . . { using dissolvable separator yarns }

D06H 7/24 . Devices specially adapted for cutting-out samples

**Guidance heading:**

**D06H 2201/00 Inspecting textile materials**

D06H 2201/10 . by means of television equipment