

CPC**COOPERATIVE PATENT CLASSIFICATION****B60H****ARRANGEMENTS OR ADAPTATIONS OF HEATING, COOLING, VENTILATING, OR OTHER AIR-TREATING DEVICES SPECIALLY FOR PASSENGER OR GOODS SPACES OF VEHICLES****NOTE**

Attention is drawn to the Note following the title of class [B60](#)

Guidance heading:**B60H 1/00**

Heating, cooling or ventilating devices (heating, cooling or ventilating devices providing other air treatment, the other treatment being relevant, [B60H 3/00](#); ventilating solely by opening windows, doors, roof parts, or the like [B60J](#) ; heating or ventilating devices for vehicle seats [B60N 2/56](#); vehicle window or windscreen cleaners using air, e.g. defrosters, [B60S 1/54](#))

NOTE

In this group and its subgroups, as well as in patent documents, the following abbreviation is used: - HVAC Heating, Ventilating and Air Conditioning

- [B60H 1/00007](#) . { Combined heating, ventilating, or cooling devices (control systems or mechanisms [B60H 1/00642](#)) }
- [B60H 1/00014](#) .. {for load cargos on load transporting vehicles }
- [B60H 1/00021](#) .. { Air flow details of the heating, ventilating and cooling [HVAC] devices]
- [B60H 1/00028](#) ... { Constructional lay-out of the devices in the vehicle }
- [B60H 1/00035](#) ... {for sending an air stream of uniform temperature into the passenger compartment }
- [B60H 1/00042](#) {the air passing only one heat exchanger }
- [B60H 1/0005](#) {the air being firstly cooled and subsequently heated or vice-versa }
- [B60H 1/00057](#) {the air being heated and cooled simultaneously, e.g. using parallel heat exchangers }
- [B60H 1/00064](#) ... {for sending air streams of different temperatures into the passenger compartment }
- [B60H 1/00071](#) {the air passing only one heat exchanger }
- [B60H 2001/00078](#) ... Assembling, manufacturing or layout details
- [B60H 2001/00085](#) of air intake
- [B60H 2001/00092](#) of air deflecting or air directing means inside the device
- [B60H 2001/00099](#) comprising additional ventilating means
- [B60H 2001/00107](#) characterised by the relative position of the heat exchangers, e.g. arrangements leading to a curved airflow
- [B60H 2001/00114](#) ... Heating or cooling details
- [B60H 2001/00121](#) More than one heat exchanger in parallel

B60H 2001/00128	Electric heaters
B60H 2001/00135	Deviding walls for separate air flows
B60H 2001/00142	first heating and then cooling
B60H 2001/0015	...	Temperature regulation
B60H 2001/00157	without by-pass
B60H 2001/00164	with more than one by-pass
B60H 2001/00171	Valves on heaters for modulated liquid flow
B60H 2001/00178	comprising an air passage from the HVAC box to the exterior of the cabin
B60H 2001/00185	...	Distribution of conditioned air
B60H 2001/00192	to left and right part of passenger compartment
B60H 2001/002	to front and rear part of passenger compartment
B60H 1/00207	..	{ characterised by the position of the HVAC devices with respect to the passenger compartment (B60H 1/00021 takes precedence) }
B60H 2001/00214	...	Devices in front of the passenger compartment
B60H 2001/00221	...	Devices in the floor or side wall area of the passenger compartment
B60H 2001/00228	...	Devices in the interior of the passenger compartment
B60H 2001/00235	...	Devices in the roof area of the passenger compartment
B60H 2001/00242	...	Devices in the rear area of the passenger compartment
B60H 1/0025	.	{the devices being independent of the vehicle }
B60H 1/00257	..	{Non-transportable devices, disposed outside the vehicle, e.g. on a parking }
B60H 1/00264	..	{Transportable devices }
B60H 1/00271	.	{ Heating, cooling or ventilating devices specially adapted for particular vehicle parts or components and being connected to the vehicle HVAC unit }
B60H 1/00278	..	{for the battery (arrangement of batteries B60R 16/04) }
B60H 1/00285	..	{ for vehicle seats (vehicle seats with heating or ventilation means independent from the HVAC system of the vehicle B60N 2/56) }
B60H 1/00292	..	{ for steering wheels (steering wheels with heating or ventilation means independent from the HVAC system of the vehicle B62D 1/065) }
B60H 2001/003	..	Component temperature regulation using an air flow
B60H 2001/00307	..	Component temperature regulation using a liquid flow
B60H 1/00314	.	{Arrangements permitting a rapid heating of the heating liquid (B60H 1/00492 , B60H 1/03 take precedence; aiding engine start by heating of engine coolants F02N 19/10) }
B60H 1/00321	.	{Heat exchangers for air-conditioning devices (B60H 1/3227 takes precedence) }
B60H 1/00328	..	{of the liquid-air type }
B60H 1/00335	..	{of the gas-air type (B60H 1/18 takes precedence) }
B60H 1/00342	..	{ of the liquid-liquid type }
B60H 2001/0035	..	movable in and out of the air stream
B60H 1/00357	.	{Air-conditioning arrangements specially adapted for particular vehicles }
B60H 1/00364	..	{for caravans or trailers }
B60H 1/00371	..	{for vehicles carrying large numbers of passengers e.g. buses }

- B60H 1/00378 .. {for tractor or load vehicle cabins }
- B60H 1/00385 .. {for vehicles having an electrical drive, e.g. hybrid or fuel cell }
- B60H 1/00392 ... { for electric vehicles having only electric drive means }
- B60H 1/004 ... { for vehicles having a combustion engine and electric drive means, e.g. hybrid electric vehicles }
- B60H 1/00407 .. { for open or convertible vehicles }
- B60H 1/00414 .. { for military, emergency, safety or security vehicles }
- B60H 1/00421 . {Driving arrangements for parts of a vehicle air-conditioning ([B60H 1/3222](#) takes precedence; auxiliary drives per se for vehicles [B60K 25/00](#)) }
- B60H 1/00428 .. {electric }
- B60H 1/00435 .. {fluid or pneumatic }
- B60H 1/00442 ... {using a vacuum }
- B60H 1/0045 .. {mechanical power take-offs from the vehicle propulsion unit }
- B60H 1/00457 . {Ventilation unit, e.g. combined with a radiator ([control systems for ventilators B60H 1/00828](#)) }
- B60H 1/00464 .. {The ventilator being of the axial type }
- B60H 1/00471 .. {The ventilator being of the radial type, i.e. with radial expulsion of the air }
- B60H 1/00478 . { Air-conditioning devices using the Peltier effect ([for air-conditioning in general F24F 5/00D](#); [for refrigeration F25B 21/02](#); electric devices exhibiting the Peltier effect [H01L 35/00](#)) }
- B60H 1/00485 . {Valves for air-conditioning devices, e.g. thermostatic valves ([valves per se F16K](#) ; [thermostatic valves per se G05D 23/02](#)) }
- B60H 1/00492 . {characterised by comprising regenerative heating or cooling means, e.g. heat accumulators }
- B60H 1/005 .. {Regenerative cooling means, e.g. cold accumulators }
- B60H 1/00507 . {Details, e.g. mounting arrangements, desaeration devices ([B60H 1/32](#) takes precedence) }
- B60H 1/00514 .. {Details of air conditioning housings }
- B60H 1/00521 ... {Mounting or fastening of components in housings, e.g. heat exchangers, fans, electronic regulators }
- B60H 1/00528 ... {Connections between housing parts }
- B60H 1/00535 ... {Mounting or fastening of the housing to the vehicle }
- B60H 1/00542 ... {Modular assemblies }
- B60H 1/0055 ... {the housing or parts thereof being integrated in other devices, e.g. dashboard }
- B60H 1/00557 .. {Details of ducts or cables }
- B60H 1/00564 ... {of air ducts }
- B60H 1/00571 ... {of liquid ducts, e.g. for coolant liquids or refrigerants }
- B60H 1/00578 ... {of bowden wires }
- B60H 1/00585 .. {Means for monitoring, testing or servicing the air-conditioning }
- B60H 1/00592 .. {Add-on devices, e.g. heat/cooling boxes, compartment dividers, upgrade sets }
- B60H 2001/006 .. Noise reduction

B60H 2001/00607	..	Recycling
B60H 2001/00614	..	Cooling of electronic units in air stream
B60H 2001/00621	..	Fastening lids on air-conditioning housings
B60H 2001/00628	..	Adaption for left or right hand drive
B60H 2001/00635	..	Air-tight sealing devices
B60H 1/00642	.	{Control systems or circuits, control members or indication devices for heating, cooling or ventilating devices (B60H 1/3201 - B60H 1/3208 , B60H 1/3225 take precedence; dashboards B60K 37/00 ; systems for controlling or regulating non-electric variables in general G05D) }
B60H 1/0065	..	{Control members, e.g. levers or knobs (B60H 1/00985 takes precedence) }
B60H 1/00657	...	{ Remote control devices }
B60H 1/00664	..	{Construction or arrangement of damper doors (control systems or circuits for damper doors B60H 1/00835) }
B60H 1/00671	...	{Damper doors moved by rotation ; Grilles }
B60H 1/00678	{the axis of rotation being in the door plane, e.g. butterfly doors }
B60H 1/00685	{the door being a rotating disc or cylinder or part thereof (B60H 1/00678 takes precedence) }
B60H 1/00692	...	{Damper doors moved by translation, e.g. curtain doors }
B60H 2001/007	...	Manufacturing or assembling
B60H 2001/00707	...	Details of pivots of damper doors
B60H 2001/00714	...	Details of seals of damper doors
B60H 2001/00721	...	Air deflecting or air directing means
B60H 2001/00728	...	Film doors
B60H 1/00735	..	{Control systems or circuits characterised by their input, i.e. by the detection, measurement or calculation of particular conditions, e.g. signal treatment, dynamic models }
B60H 1/00742	...	{by detection of the vehicle occupants` presence; by detection of conditions relating to the body of occupants, e.g. using radiant heat detectors }
B60H 1/0075	...	{the input being solar radiation }
B60H 1/00757	...	{by the input of sound, e.g. by using a voice synthesizer }
B60H 1/00764	...	{the input being a vehicle driving condition, e.g. speed (B60H 1/00828 , B60H 1/00864 take precedence) }
B60H 1/00771	{ the input being a vehicle position or surrounding, e.g. GPS-based position or tunnel }
B60H 1/00778	{ the input being a stationary vehicle position, e.g. parking or stopping }
B60H 1/00785	...	{by the detection of humidity or frost }
B60H 1/00792	...	{Arrangement of detectors (B60H 1/00742 , B60H 1/0075 , B60H 1/00785 take precedence) }
B60H 1/008	...	{ the input being air quality }
B60H 1/00807	...	{ the input being a specific way of measuring or calculating an air or coolant temperature }
B60H 1/00814	..	{Control systems or circuits characterised by their output, for controlling particular components of the heating, cooling or ventilating installation }
B60H 1/00821	...	{the components being ventilating, air admitting or air distributing devices }
B60H 1/00828	{Ventilators, e.g. speed control (1/00Y6A4 takes precedence) }

B60H 1/00835	{Damper doors, e.g. position control (construction or arrangement of damper doors B60H 1/00664 ; B60H 1/00864 takes precedence) }
B60H 1/00842	{the system comprising a plurality of damper doors; Air distribution between several outlets }
B60H 1/00849	{for selectively commanding the induction of outside or inside air (1/00Y6A3A takes precedence) }
B60H 1/00857	{characterised by the means connecting the initiating means, e.g. control lever, to the damper door }
B60H 1/00864	{Ventilators and damper doors }
B60H 1/00871	{Air directing means, e.g. blades in an air outlet (construction of nozzles or air diffusers B60H 1/34) }
B60H 1/00878	...	{the components being temperature regulating devices (B60H 1/00899 takes precedence; constructions of valves B60H 1/00485) }
B60H 1/00885	{Controlling the flow of heating or cooling liquid, e.g. valves or pumps (B60H 1/00899 takes precedence; constructions of valves B60H 1/00485) }
B60H 1/00892	{Devices specially adapted for avoiding uncomfortable feeling, e.g. sudden temperature changes (B60H 1/00885 takes precedence) }
B60H 1/00899	{Controlling the flow of liquid in a heat pump system (controlling the properties of the refrigerant liquid, e.g. pressure or temperature, B60H 1/3204) }
B60H 1/00907	{where the flow direction of the refrigerant changes and an evaporator becomes condenser }
B60H 1/00914	{where the flow direction of the refrigerant does not change and there is a bypass of the condenser }
B60H 1/00921	{where the flow direction of the refrigerant does not change and there is an extra subcondenser, e.g. in an air duct }
B60H 2001/00928	comprising a secondary circuit
B60H 2001/00935	comprising four way valves for controlling the fluid direction
B60H 2001/00942	comprising a plurality of heat exchangers, e.g. for multi zone heating or cooling
B60H 2001/00949	comprising additional heating/cooling sources, e.g. second evaporator
B60H 2001/00957	comprising locations with heat exchange within the refrigerant circuit itself, e.g. cross-, counter-, or parallel heat exchange
B60H 1/00964	..	{Control systems or circuits characterised by including features for automatic and non-automatic control, e.g. for changing from automatic to manual control }
B60H 1/00971	..	{Control systems or circuits characterised by including features for locking or memorising of control modes }
B60H 1/00978	..	{Control systems or circuits characterised by failure of detection or safety means; Diagnostic methods }
B60H 1/00985	..	{Control systems or circuits characterised by display or indicating devices, e.g. voice simulators (characterised by the input of sound using a voice synthesizer B60H 1/00757 ; B60H 1/00978 takes precedence) }
B60H 2001/00992	..	Calculations modifying a user set value
B60H 1/02	.	the heat being derived from the propulsion plant { (B60H 1/00492 takes precedence) }
B60H 1/025	..	{from both the cooling liquid and the exhaust gases of the propulsion plant }
B60H 1/03	..	and from a source other than the propulsion plant
B60H 1/032	...	{from the cooling liquid of the propulsion plant and from a burner }
B60H 1/034	...	{from the cooling liquid of the propulsion plant and from an electric heating

		device }
B60H 1/036	...	{from the plant exhaust gases and from a burner }
B60H 1/038	...	{from the cooling liquid of the propulsion plant and from a viscous fluid heater }
B60H 1/04	..	from cooling liquid of the plant { (B60H 1/025, B60H 1/03 take precedence) }
B60H 1/06	...	directly from main radiator
B60H 1/08	...	from other radiator than main radiator
B60H 1/10	the other radiator being situated in a duct capable of being connected to atmosphere outside vehicle
B60H 1/12	using an air blower
B60H 1/14	..	otherwise than from cooling liquid of the plant {e.g. heat from the grease oil, the brakes, the transmission unit (B60H 1/03 takes precedence) }
B60H 1/143	...	{ the heat being derived from cooling an electric component, e.g. electric motors, electric circuits, fuel cells or batteries }
B60H 2001/146	...	from a viscous fluid heater
B60H 1/16	...	the air being heated by direct contact with the plant, e.g. air-cooled motor
B60H 1/18	...	the air being heated from the plant exhaust gases { (B60H 1/025 takes precedence; exhaust or silencing apparatus associated with devices profiting by exhaust energy F01N 5/00) }
B60H 1/20	using an intermediate heat-transferring medium
B60H 1/22	.	the heat being derived otherwise than from the propulsion plant { (B60H 1/0025, B60H 1/00492 and B60H 1/03 take precedence) }
B60H 1/2203	..	{ the heat being derived from burners (burners in general F23C , F23D , F24H 9/18) }
B60H 1/2206	...	{ controlling the operation of burners (control of burners in general F23N 5/00) }
B60H 1/2209	...	{ arrangements of burners for heating an intermediate liquid (B60H 1/032 takes precedence) }
B60H 1/2212	...	{ arrangements of burners for heating air }
B60H 1/2215	..	{ the heat being derived from electric heaters (in general H05B ; for electric traction vehicles B60L 1/02) }
B60H 1/2218	...	{ controlling the operation of electric heaters }
B60H 1/2221	...	{ arrangements of electric heaters for heating an intermediate liquid (B60H 1/034 takes precedence) }
B60H 1/2225	...	{ arrangements of electric heaters for heating air }
B60H 2001/2228	..	controlling the operation of heaters
B60H 2001/2231	...	for proper or safe operation of the heater
B60H 2001/2234	...	when vehicle is parked, preheating
B60H 2001/2237	...	supplementary heating, e.g. during stop and go of a vehicle
B60H 2001/224	...	automatic operation, e.g. control circuits or methods
B60H 2001/2243	...	manual operation, e.g. remote control or timer
B60H 2001/2246	..	obtaining information from a variable, e.g. by means of a sensor
B60H 2001/225	...	related to an operational state of another HVAC device
B60H 2001/2253	...	related to an operational state of the vehicle or a vehicle component
B60H 2001/2256	...	related to the operation of the heater itself, e.g. flame detection or overheating
B60H 2001/2259	..	output of a control signal

- B60H 2001/2262 . . . related to the period of on/off time of the heater
- B60H 2001/2265 . . . related to the quantity of heat produced by the heater
- B60H 2001/2268 . . . Constructional features
- B60H 2001/2271 . . . Heat exchangers, burners, ignition devices
- B60H 2001/2275 . . . Thermoelectric converters for generating electrical energy
- B60H 2001/2278 . . . Connectors, water supply, housing, mounting brackets
- B60H 2001/2281 . . . Air supply, exhaust systems
- B60H 2001/2284 . . . Fuel supply
- B60H 2001/2287 . . . Integration into a vehicle HVAC system or vehicle dashboard ([B60H 2001/00128](#) takes precedence)
- B60H 2001/229 . . . Integration into an air outlet
- B60H 2001/2293 . . . Integration into other parts of a vehicle
- B60H 2001/2296 . . . integration into fluid/air heat exchangers

- B60H 1/24 . . . Devices purely for ventilating or where the heating or cooling is irrelevant ([nozzles, air-diffusers B60H 1/34](#))
- B60H 1/241 . . . { characterised by the location of ventilation devices in the vehicle }
- B60H 1/242 . . . { located in the front area }
- B60H 1/243 . . . { located in the lateral area (e.g. doors, pillars) }
- B60H 1/244 . . . { located in the rear area }
- B60H 1/245 . . . { located in the roof }
- B60H 1/246 . . . { located in the interior of the vehicle or in or below the floor }
- B60H 1/247 . . . { Disposition of several air-diffusers in a vehicle for ventilation-air circulation in a vehicle cabin }
- B60H 1/248 . . . {Air-extractors, air-evacuation from the vehicle interior }
- B60H 1/249 . . . {using one-way valves }
- B60H 1/26 . . . Ventilating openings in vehicle exterior; Ducts for conveying ventilating air
- B60H 1/262 . . . {Openings in or on the vehicle roof }
- B60H 1/265 . . . {Openings in window or door past or pillars (door pasts per se [B62D 25/14](#); [B60H 1/248](#) takes precedence) }
- B60H 1/267 . . . {Openings in or near to vehicle windows (pivoting side windows [B60J 1/14](#); wind deflectors associated with windows for ventilating [B60J 1/20](#)) }
- B60H 1/28 . . . the openings being situated directly in front of vehicle front window
- B60H 1/30 . . . Air scoops

- B60H 1/32 . . . Cooling devices ({[B60H 1/00478](#), [B60H 1/005](#) take precedence; } vehicles adapted to transport refrigerated goods [B60P 3/20](#))
- B60H 1/3201 . . . {using absorption or adsorption (in general [F25B 15/00](#), [F25B 17/00](#)) }
- B60H 1/3202 . . . {using evaporation, i.e. not including a compressor, e.g. involving fuel or water evaporation ([B60H 1/3235](#) takes precedence; in general [F25B 19/00](#), [F25D 7/00](#)) }
- B60H 1/3204 . . . {using compression ([B60H 1/3233](#) takes precedence; in general [F25B](#) , [F25D](#)) }
- B60H 1/3205 . . . {Control means therefor }
- B60H 1/3207 { for minimizing the humidity of the air }
- B60H 1/3208 {Vehicle drive related control of the compressor drive means, e.g. for fuel saving purposes }

B60H 1/321	{ for preventing the freezing of a heat exchanger }
B60H 1/3211	{ for increasing the efficiency of a vehicle refrigeration cycle }
B60H 1/3213	{ for increasing the efficiency in a vehicle heat pump }
B60H 1/3214	{ for improving the lubrication of a refrigerant compressor in a vehicle }
B60H 1/3216	{ for improving a change in operation duty of a compressor in a vehicle }
B60H 1/3217	{ for high pressure, inflammable or poisonous refrigerants causing danger in case of accidents }
B60H 1/3219	{ for improving the response time of a vehicle refrigeration cycle }
B60H 1/322	{ for improving the stop or idling operation of the engine }
B60H 1/3222	...	{characterised by the compressor driving arrangements, e.g. clutches, transmissions or multiple drives (B60H 1/3208 , B60H 1/3226 take precedence) }
B60H 1/3223	...	{characterised by the arrangement or type of the compressor (B60H 1/3222 takes precedence) }
B60H 1/3225	...	{characterised by safety arrangements, e.g. compressor anti-seizure means or by signalling devices }
B60H 1/3226	...	{Self-contained devices, i.e. including own drive motor }
B60H 1/3227	...	{characterised by the arrangement or the type of heat exchanger, e.g. condenser, evaporator (condensed liquid drainage means B60H 1/3233) }
B60H 1/3229	...	{characterised by constructional features, e.g. housings, mountings, conversion systems (B60H 1/3227 , B60H 1/3233 take precedence) }
B60H 1/323	...	{characterised by comprising auxiliary or multiple systems, e.g. plurality of evaporators, or by involving auxiliary cooling devices }
B60H 1/3232	...	{particularly adapted for load transporting vehicles (B60H 1/3226 takes precedence) }
B60H 1/3233	..	{characterised by condensed liquid drainage means }
B60H 1/3235	..	{using sublimation, e.g. dry ice cooling or melting ice }
B60H 2001/3236	..	information from a variable is obtained
B60H 2001/3238	...	related to the operation of the compressor
B60H 2001/3239	...	related to flow
B60H 2001/3241	of air
B60H 2001/3242	of a refrigerant
B60H 2001/3244	...	related to humidity
B60H 2001/3245	of air
B60H 2001/3247	of a refrigerant
B60H 2001/3248	...	related to pressure
B60H 2001/325	of the refrigerant at a compressing unit
B60H 2001/3251	of the refrigerant at a condensing unit
B60H 2001/3252	of the refrigerant at an evaporating unit
B60H 2001/3254	of the refrigerant at an expansion unit
B60H 2001/3255	...	related to temperature
B60H 2001/3257	of the refrigerant at a compressing unit
B60H 2001/3258	of the air at a condensing unit
B60H 2001/326	of the refrigerant at a condensing unit
B60H 2001/3261	of the air at an evaporating unit

B60H 2001/3263	of the refrigerant at an evaporating unit
B60H 2001/3264	of the refrigerant at an expansion unit
B60H 2001/3266	...	related to the operation of the vehicle
B60H 2001/3267	...	related to the operation of an expansion valve
B60H 2001/3269	..	output of a control signal
B60H 2001/327	...	related to a compressing unit
B60H 2001/3272	to control the revolving speed of a compressor
B60H 2001/3273	related to the operation of the vehicle , e.g. the compressor driving torque
B60H 2001/3275	to control the volume of a compressor
B60H 2001/3276	...	related to a condensing unit
B60H 2001/3277	to control the air flow
B60H 2001/3279	to control the refrigerant flow
B60H 2001/328	...	related to an evaporating unit
B60H 2001/3282	to control the air flow
B60H 2001/3283	to control the refrigerant flow
B60H 2001/3285	...	related to an expansion unit
B60H 2001/3286	..	Constructional features
B60H 2001/3288	...	Additional heat source
B60H 2001/3289	...	Additional cooling source
B60H 2001/3291	...	Locations with heat exchange within the refrigerant circuit itself
B60H 2001/3292	...	Compressor drive is electric only
B60H 2001/3294	...	Compressor drive is hybrid
B60H 2001/3295	...	Compressing means other than compressor
B60H 2001/3297	...	Expansion means other than expansion valve
B60H 2001/3298	...	Ejector-type refrigerant circuits
B60H 1/34	.	Nozzles ; { Air-diffusers } (dispositions of air diffusers in a vehicle B60H 1/247)
B60H 1/3407	..	{providing an air stream in a fixed direction, e.g. using a grid or porous panel }
B60H 1/3414	..	{with means for adjusting the air stream direction (B60H 1/345 takes precedence) }
B60H 1/3421	...	{using only pivoting shutters }
B60H 1/3428	...	{using a set of pivoting shutters and a pivoting frame }
B60H 1/3435	...	{using only a pivoting frame }
B60H 1/3442	{the frame being spherical }
B60H 1/345	..	{with means for adjusting divergence, convergence or oscillation of air stream }
B60H 1/3457	..	{ Outlets providing a vortex, i.e. a spirally wound air flow }
B60H 2001/3464	..	Details of hinges
B60H 2001/3471	..	Details of actuators
B60H 2001/3478	...	acting on additional damper doors
B60H 2001/3485	..	Air temperature regulation
B60H 2001/3492	..	Manufacturing; Assembling

B60H 3/00 **Other air-treating devices**

- B60H 3/0007 . {Adding substances other than water to the air, e.g. perfume, oxygen }
- B60H 3/0014 . . { characterised by the location of the substance adding device }
- B60H 3/0021 . . . { in the air-conditioning housing }
- B60H 3/0028 . . . { on or near an air outlet }
- B60H 3/0035 . . { characterised by the control methods for adding the substance }
- B60H 2003/0042 . . with ventilating means for adding the substances
- B60H 2003/005 . . with heating means for adding the substances
- B60H 2003/0057 . . Servicing means therefor, e.g. for renewal of substances
- B60H 2003/0064 . . adding more than one substance

- B60H 3/0071 . {Electrically conditioning the air, e.g. by ionizing }
- B60H 3/0078 . . {comprising electric purifying means }

- B60H 3/0085 . {Smell or pollution preventing arrangements } ([B60H 3/0007](#), [B60H 3/0071](#), [B60H 3/02](#), [B60H 3/06](#) take precedence)
- B60H 3/0092 . . { in the interior of the HVAC unit, e.g. by spraying substances inside the unit }

- B60H 3/02 . Moistening; { Devices influencing humidity levels, i.e. humidity control ([B60H 1/3202](#), [B60H 1/3207](#) take precedence) }
- B60H 3/022 . . { for only humidifying the air }
- B60H 3/024 . . { for only dehumidifying the air }
- B60H 2003/026 . . the devices being located in the passenger compartment
- B60H 2003/028 . . the devices comprising regeneration means

- B60H 3/06 . Filtering { ([B60H 3/0078](#) takes precedence) }
- B60H 3/0608 . . {Filter arrangements in the air stream }
- B60H 3/0616 . . . {with provisions for replacing the filter element }
- B60H 3/0625 . . . {with provisions for by-passing the filter element }
- B60H 3/0633 . . . {with provisions for regenerating or cleaning the filter element }
- B60H 3/0641 . . . {near ventilating openings in the vehicle exterior }
- B60H 2003/065 . . . Details for holding filter elements in position
- B60H 3/0658 . . { Filter elements specially adapted for their arrangement in vehicles ([B60H 3/0608](#) takes precedence) }
- B60H 2003/0666 . . . the filter element having non-rectangular shape
- B60H 2003/0675 . . Photocatalytic filters
- B60H 2003/0683 . . the quality of the filter or the air being checked
- B60H 2003/0691 . . Adsorption filters, e.g. activated carbon