

CPC**COOPERATIVE PATENT CLASSIFICATION****B67D**

DISPENSING, DELIVERING OR TRANSFERRING LIQUIDS, NOT OTHERWISE PROVIDED FOR (cleaning pipes or tubes or systems of pipes or tubes [B08B 9/02](#); emptying or filling of bottles, jars, cans, casks, barrels, or similar containers, not otherwise provided for [B67C](#) ; water supply [E03](#) ; pipe systems [F17D](#) ; domestic hot-water supply systems [F24D](#) ; measuring volume, volume flow, mass flow or liquid level, metering by volume [G01F](#) ; coin-freed or like apparatus [G07F](#))

B67D 1/00

Apparatus or devices for dispensing beverages on draught ([B67D 3/00](#) takes precedence; apparatus for making beverages [A47J 31/00](#))

- B67D 1/0001 . { by squeezing collapsible or flexible storage containers ([B67D 1/0462](#) takes precedence) }
- B67D 1/0002 . { specially adapted to be used in microgravity conditions, e.g. in outer space }
- B67D 1/0003 . { the beverage being a single liquid ([B67D 1/02](#), [B67D 1/04](#) take precedence; drinking fountains [E03B 9/20](#)) }
- B67D 1/0004 .. { the beverage being stored in a container, e.g. bottle, cartridge, bag-in-box, bowl }
- B67D 1/0005 ... { the apparatus comprising means for automatically controlling the amount to be dispensed }
- B67D 1/0006 { based on the timed opening of a valve }
- B67D 1/0007 { based on volumetric dosing }
- B67D 1/0008 { based on weighing }
- B67D 1/0009 .. { the beverage being stored in an intermediate container connected to a supply }
- B67D 1/001 ... { the apparatus comprising means for automatically controlling the amount to be dispensed }
- B67D 1/0011 { based on the timed opening of a valve }
- B67D 1/0012 { based on volumetric dosing }
- B67D 1/0013 { based on weighing }
- B67D 1/0014 .. { the beverage being supplied from water mains }
- B67D 1/0015 . { the beverage being prepared by mixing at least two liquid components }
- B67D 1/0016 .. { the beverage being stored in an intermediate container before dispensing, i.e. pre-mix dispensers }
- B67D 1/0017 ... { the apparatus comprising means for automatically controlling the amount to be dispensed }
- B67D 1/0018 { based on the timed opening of a valve }
- B67D 1/0019 { based on volumetric dosing }
- B67D 1/002 { based on weighing }
- B67D 1/0021 .. { the components being mixed at the time of dispensing, i.e. post-mix dispensers }
- B67D 1/0022 ... { the apparatus comprising means for automatically controlling the amount to be dispensed }
- B67D 1/0023 { control of the amount of the mixture, i.e. after mixing }

B67D 1/0024	{ based on the timed opening of a valve }
B67D 1/0025	{ based on volumetric dosing }
B67D 1/0026	{ based on weighing }
B67D 1/0027	{ control of the amount of one component, the amount of the other components(s) being dependent on that control }
B67D 1/0028	{ based on the timed opening of a valve }
B67D 1/0029	{ based on volumetric dosing }
B67D 1/003	{ by means of a dosing chamber }
B67D 1/0031	{ in the form of a metering pump }
B67D 1/0032	{ using flow-rate sensors }
B67D 1/0033	{ based on weighing }
B67D 1/0034	{ for controlling the amount of each component }
B67D 1/0035	{ the controls being based on the same metering technics }
B67D 1/0036	{ based on the timed opening of valves }
B67D 1/0037	{ based on volumetric dosing }
B67D 1/0038	{ based on weighing }
B67D 1/0039	{ the controls involving at least two different metering technics }
B67D 1/004	..	{ the diluent being supplied from water mains }
B67D 1/0041	.	{ Fully automated cocktail bars, i.e. apparatuses combining the use of packaged beverages, pre-mix and post-mix dispensers }
B67D 1/0042	.	{ Details of specific parts of the dispensers }
B67D 1/0043	..	{ Mixing devices for liquids }
B67D 1/0044	...	{ for mixing inside the dispensing nozzle }
B67D 1/0045	{ Venturi arrangements; Aspirators; Eductors }
B67D 1/0046	{ Mixing chambers }
B67D 1/0047	{ with movable parts, e.g. for stirring }
B67D 1/0048	{ with baffles }
B67D 1/0049	{ with means for diverging streams }
B67D 1/005	{ with means for converging streams }
B67D 1/0051	...	{ for mixing outside the nozzle }
B67D 1/0052	{ by means for directing respective streams together }
B67D 1/0053	{ by stirring in the cup }
B67D 1/0054	...	{ Recirculation means }
B67D 1/0055	{ with fountain effect }
B67D 1/0056	{ with illumination }
B67D 1/0057	..	{ Carbonators }
B67D 1/0058	...	{ In-line carbonators }
B67D 1/0059	{ in combination with a mixer tap (constructional features of the tap E03C 1/04) }
B67D 1/006	...	{ Conventional carbonators }
B67D 1/0061	...	{ with cooling means }
B67D 1/0062	{ inside the carbonator }

B67D 1/0063	{ Cooling coil }
B67D 1/0064	{ Cold plate }
B67D 1/0065	{ Ice bank }
B67D 1/0066	{ outside the carbonator }
B67D 1/0067	{ Cooling coil }
B67D 1/0068	{ Cooling bath }
B67D 1/0069	...	{ Details }
B67D 1/007	{ Structure of the carbonating chamber }
B67D 1/0071	{ Carbonating by injecting CO ₂ in the liquid }
B67D 1/0072	{ through a diffuser, a bubbler }
B67D 1/0073	{ Carbonating by spraying the liquid }
B67D 1/0074	{ Automatic carbonation control }
B67D 1/0075	{ by sensing gas pressure }
B67D 1/0076	{ by sensing temperature }
B67D 1/0077	{ Carbonator being specially adapted for adding a second gas to the CO ₂ }
B67D 1/0078	..	{ Ingredient cartridges }
B67D 1/0079	...	{ having their own dispensing means }
B67D 1/008	...	{ Gas cartridges or bottles }
B67D 1/0081	..	{ Dispensing valves }
B67D 1/0082	...	{ entirely mechanical }
B67D 1/0083	{ with means for separately dispensing a single or a mixture of drinks }
B67D 1/0084	{ Hand-held gun type valves }
B67D 1/0085	...	{ electro-mechanical }
B67D 1/0086	{ Hand-held gun type valves }
B67D 2001/0087	...	being mounted on the dispenser housing
B67D 2001/0088	operated by push buttons
B67D 2001/0089	operated by lever means
B67D 2001/009	operated by cup detection
B67D 2001/0091	.	Component storage means
B67D 2001/0092	..	Containers for gas, for e.g. CO ₂ , N ₂
B67D 2001/0093	.	Valves
B67D 2001/0094	..	Valve mountings in dispensers
B67D 2001/0095	.	Constructional details
B67D 2001/0096	..	Means for pressurizing liquid
B67D 2001/0097	...	using a pump
B67D 2001/0098	...	using a gas
B67D 1/02	.	Beer engines or like manually-operable pumping apparatus
B67D 1/025	..	{ with means for carbonating the beverage, or for maintaining its carbonation }
B67D 1/04	.	Apparatus utilising compressed air or other gas acting directly or indirectly on beverages in storage containers

- B67D 1/0406 .. { with means for carbonating the beverage, or for maintaining its carbonation ([B67D 1/0418](#) takes precedence) }
- B67D 1/0412 .. { the whole dispensing unit being fixed to the container }
- B67D 1/0418 ... { comprising a CO2 cartridge for dispensing and carbonating the beverage }
- B67D 1/0425 ... { comprising an air pump system }
- B67D 1/0431 { power-operated }
- B67D 1/0437 ... { comprising a gas pressure space within the container for the liquid }
- B67D 1/0443 ... { comprising a gas generator ([apparatus for generating gases in general B01J 7/00](#)) }
- B67D 1/045 .. { using elastic bags and pistons actuated by air or other gas }
- B67D 1/0456 .. { Siphons, i.e. beverage containers under gas pressure without supply of further pressurised gas during dispensing }
- B67D 1/0462 .. { Squeezing collapsible or flexible beverage containers, e.g. bag-in-box containers }
- B67D 1/0468 .. { comprising means for the recovery of the gas acting on beverages }
- B67D 2001/0475 .. Type of gas or gas mixture used, other than pure CO2
- B67D 2001/0481 ... Single inert gas, e.g. N2
- B67D 2001/0487 ... Mixture of gases, e.g. N2 + CO2
- B67D 2001/0493 Air

- B67D 1/06 . Mountings or arrangements of dispensing apparatus in or on shop or bar counters ([shop or bar counters per se A47F 9/00](#))

- B67D 1/07 . Cleaning beverage-dispensing apparatus { ([B67D 1/0834](#), [B67D 1/0837](#) take precedence) }
- B67D 2001/075 .. { Sanitising or sterilising the apparatus }

- B67D 1/08 . Details
- B67D 1/0801 .. { of beverage containers, e.g. casks, kegs }
- B67D 1/0802 ... { Dip tubes (for pressurized containers [L67D 1/00L20C10](#), [L67D 1/00L20C20](#)) }
- B67D 1/0804 ... { Shape or materials }
- B67D 1/0805 ... { Openings for filling }
- B67D 1/0807 ... { Openings for emptying, e.g. taped openings }
- B67D 1/0808 ... { Closing means, e.g. bungholes, barrel bungs }
- B67D 1/0809 ... { Opening means, e.g. means for assisting the opening }
- B67D 2001/0811 ... provided with coded information
- B67D 2001/0812 ... Bottles, cartridges or similar containers
- B67D 2001/0814 for upside down use
- B67D 2001/0815 with integral venting tube
- B67D 2001/0817 with a venting orifice
- B67D 2001/0818 arranged in series
- B67D 2001/082 arranged in parallel
- B67D 2001/0821 having different compartments for different components
- B67D 2001/0822 ... Pressurised rigid containers, e.g. kegs, figals

B67D 2001/0824	with dip tubes
B67D 2001/0825	details of dip tube
B67D 2001/0827	...	Bags in box
B67D 2001/0828	in pressurised housing
B67D 1/0829	..	{ Keg connection means }
B67D 1/0831	...	{ combined with valves }
B67D 1/0832	{ with two valves disposed concentrically }
B67D 1/0834	{ and having means for admitting a cleaning fluid }
B67D 1/0835	{ with one valve }
B67D 1/0837	{ and having means for admitting a cleaning fluid }
B67D 1/0838	{ comprising means for preventing blow-out on disassembly of the spear valve }
B67D 1/0839	...	{ Automatically operating handles for locking or unlocking a connector to or from a keg }
B67D 1/0841	...	{ Details }
B67D 1/0842	{ Multiple connectors, e.g. for simultaneously connecting several containers }
B67D 1/0844	{ for containers in crates }
B67D 1/0845	{ Security means }
B67D 1/0847	{ Tamper-evident devices }
B67D 1/0848	{ Locking means }
B67D 1/0849	{ provided with means to open the keg valve when gas pressure is applied to it }
B67D 1/0851	{ composed of a piston and ram assembly, e.g. tappet }
B67D 1/0852	{ composed of a membrane and ram assembly }
B67D 1/0854	{ provided with means to open the keg valve when water pressure is applied to it }
B67D 1/0855	..	{ concerning the used flowmeter (flowmeter per se G01F 1/00 , G01F 3/00) }
B67D 1/0857	..	{ Cooling arrangements (cooling systems per se F25B) }
B67D 1/0858	...	{ using compression systems }
B67D 1/0859	{ the evaporator being in direct heat contact with the beverage, e.g. placed inside a beverage container }
B67D 1/0861	{ the evaporator acting through an intermediate heat transfer means }
B67D 1/0862	{ in the form of a cold plate or a cooling block }
B67D 1/0864	{ in the form of a cooling bath }
B67D 1/0865	{ by circulating a cooling fluid along beverage supply lines, e.g. pythons }
B67D 1/0867	{ the cooling fluid being a liquid }
B67D 1/0868	{ the cooling fluid being a gas }
B67D 1/0869	...	{ using solid state elements, e.g. Peltier cells }
B67D 1/0871	..	{ Level gauges for beverage storage containers (level indicators in general G01F) }
B67D 1/0872	..	{ Aesthetics, advertising }
B67D 1/0874	...	{ Means for illuminating the handle of taps or faucets }
B67D 1/0875	...	{ Means for illuminating the beverage to be dispensed }

B67D 1/0877	...	{ Advertising means (advertising in general G09F) }
B67D 1/0878	..	{ Safety, warning or controlling devices (B67D 1/12 takes precedence) }
B67D 1/0879	...	{ Doors for protecting the vessel to be filled }
B67D 1/0881	...	{ Means for counting the doses of dispensed liquid }
B67D 1/0882	...	{ Devices for controlling the dispensing conditions }
B67D 1/0884	{ Means for controlling the parameters of the state of the liquid to be dispensed, e.g. temperature, pressure }
B67D 1/0885	{ Means for dispensing under specific atmospheric conditions, e.g. under inert gas }
B67D 1/0887	...	{ Sanitary protection means for dispensing nozzles or taps, e.g. outlet closures }
B67D 1/0888	..	{ Means comprising electronic circuitry (e.g. control panels, switching or controlling means) }
B67D 1/0889	..	{ Supports }
B67D 1/0891	...	{ for the beverage container }
B67D 1/0892	{ the beverage container being stored in a rack or shelf }
B67D 1/0894	...	{ for the vessel to be filled }
B67D 1/0895	..	{ Heating arrangements }
B67D 1/0897	...	{ located in nozzles }
B67D 1/0898	...	{ Beer warmers (B67D 1/0897 takes precedence) }
B67D 1/10	..	Pump mechanism (in general F04)
B67D 1/101	...	{ of the piston-cylinder type }
B67D 1/102	{ for one liquid component only }
B67D 1/103	{ the piston being driven by a liquid or a gas }
B67D 1/104	{ by the liquid to be dispensed }
B67D 1/105	{ for two or more components }
B67D 1/106	{ the piston being driven by a liquid or a gas }
B67D 1/107	{ by one of the components to be dispensed }
B67D 1/108	...	{ of the peristaltic type }
B67D 1/12	..	Flow or pressure control devices or systems { e.g. valves, gas pressure control, level control in storage containers }
B67D 1/1202	...	{ Flow control, e.g. for controlling total amount or mixture ratio of liquids to be dispensed }
B67D 1/1204	{ for ratio control purposes }
B67D 1/1206	{ Flow detectors }
B67D 1/1209	{ combined with a timer }
B67D 1/1211	{ Flow rate sensor }
B67D 1/1213	{ combined with a timer }
B67D 1/1215	{ combined with a counter }
B67D 1/1218	{ modulating the opening of a valve }
B67D 1/122	{ modulating a pumping rate }
B67D 1/1222	{ Pressure gauges }
B67D 1/1225	{ Weighing }
B67D 1/1227	{ the cup to be filled }

B67D 1/1229	{ the storage container }
B67D 1/1231	{ Metering pumps }
B67D 1/1234	{ to determine the total amount }
B67D 1/1236	{ comprising means for detecting the size of vessels to be filled }
B67D 1/1238	{ comprising means for detecting the liquid level in vessels to be filled e.g. using ultrasonic waves, optical reflexion, probes }
B67D 1/124	{ the flow being started or stopped by means actuated by the vessel to be filled, e.g. by switches, weighing }
B67D 1/1243	{ comprising flow or pressure sensors, e.g. for controlling pumps }
B67D 1/1245	...	{ Change-over devices, i.e. connecting a flow line from an empty container to a full one }
B67D 1/1247	...	{ Means for detecting the presence or absence of liquid }
B67D 1/125	...	{ Safety means, e.g. over-pressure valves }
B67D 1/1252	...	{ Gas pressure control means, e.g. for maintaining proper carbonation (for beer engines B67D 1/025) }
B67D 2001/1254	comprising means for making a mixture of gases
B67D 1/1256	...	{ Anti-dripping devices (Drip trays B67D 1/16) }
B67D 2001/1259	...	Fluid level control devices
B67D 2001/1261	the level being detected mechanically
B67D 2001/1263	the level being detected electrically
B67D 2001/1265	Pressure switches
B67D 2001/1268	Capacitors
B67D 1/127	...	{ Froth control (B67D 1/1411 takes precedence) }
B67D 1/1272	{ preventing froth }
B67D 1/1275	{ promoting froth }
B67D 1/1277	...	{ Flow control valves }
B67D 1/1279	{ regulating the flow }
B67D 1/1281	{ responsive to pressure }
B67D 1/1284	...	{ Ratio control }
B67D 1/1286	{ by mechanical construction }
B67D 1/1288	{ Multi-chamber piston pumps (construction of pumps: B67D 1/10) }
B67D 1/129	{ Means for changing the ratio by acting on structural parts }
B67D 1/1293	{ Means for changing the ratio by acting on commands }
B67D 1/1295	{ Ratio defined by setting flow controllers }
B67D 1/1297	{ Ratio defined by setting of timers }
B67D 1/14	...	Reducing valves or control taps
B67D 1/1405	{ Control taps }
B67D 1/1411	{ Means for controlling the build-up of foam in the container to be filled }
B67D 1/1416	{ comprising foam inducing means }
B67D 1/1422	{ comprising foam avoiding means }
B67D 1/1427	{ by rotating the container to be filled }
B67D 1/1433	{ by delivering the beverage using a helical movement }
B67D 1/1438	{ comprising a valve shutter movable in a direction parallel to the valve seat, e.g. sliding or rotating }

B67D 1/1444	{ the valve shutter being rotated }
B67D 1/145	{ comprising a valve shutter movable in a direction perpendicular to the valve seat }
B67D 1/1455	{ the valve shutter being opened in the same direction as the liquid flow }
B67D 1/1461	{ the valve shutter being integral with a compensator }
B67D 1/1466	{ the valve shutter being opened in a direction opposite to the liquid flow }
B67D 1/1472	{ the valve shutter being integral with a compensator }
B67D 1/1477	{ Devices for assisting tap handling, e.g. levers }
B67D 2001/1483	electrically or electro-mechanically operated
B67D 2001/1488	pneumatically operated
B67D 2001/1494	Taps with means for adjusting the position of a compensator from outside
B67D 1/16	..	Devices for collecting spilled beverages
B67D 1/165	...	{ and re-injecting them in the dispensing line }
B67D 3/00		Apparatus or devices for controlling flow of liquids under gravity from storage containers for dispensing purposes (separating and dispensing metered quantities of liquids G01F)
B67D 3/0003	.	{ provided with automatic fluid control means }
B67D 3/0006	..	{ responsive to coded information provided on the neck or spout of the storage container, e.g. bar-code, magnets or transponder }
B67D 3/0009	.	{ provided with cooling arrangements (cooling per se F25) }
B67D 3/0012	.	{ provided with mixing devices }
B67D 3/0016	..	{ Mixing valves or taps }
B67D 3/0019	.	{ using ingredient cartridges }
B67D 3/0022	.	{ provided with heating arrangements }
B67D 3/0025	.	{ provided with dispensing valves actuated by the receptacle to be filled (B67D 3/02 takes precedence) }
B67D 3/0029	.	{ provided with holders for bottles or similar containers }
B67D 3/0032	..	{ the bottle or container being held upside down and provided with a closure, e.g. a cap, adapted to cooperate with a feed tube }
B67D 3/0035	..	{ the bottle or container being held upside down and not provided with a closure, e.g. a bottle screwed onto a base of a dispenser }
B67D 3/0038	.	{ the liquid being stored in an intermediate container prior to dispensing }
B67D 3/0041	.	{ with provisions for metering the liquid to be dispensed }
B67D 3/0045	..	{ by filling a predetermined volume before dispensing }
B67D 3/0048	.	{ using siphoning arrangements }

- B67D 3/0051 . { dispensing by tilting }
- B67D 3/0054 . { Mounting or arrangements of dispensing apparatus in shops or bar counters }
- B67D 3/0058 . { Details }
- B67D 3/0061 . . { of liquid containers, e.g. filling, emptying, closing or opening means }
- B67D 3/0064 . . . { Dip tubes }
- B67D 3/0067 . . . { relating to shape or materials, e.g. bag-in-box packages (BIB), pouches }
- B67D 3/007 . . . { containers with adjustable volume }
- B67D 3/0074 . . { Safety or warning devices }
- B67D 3/0077 . . { Electronic circuitry }
- B67D 3/008 . . { Supports }
- B67D 3/0083 . . . { for the liquid container }
- B67D 3/0087 { the beverage container being stored in a rack or shelf }
- B67D 3/009 . . . { for the vessel to be filled }
- B67D 3/0093 . . { Level indicators }
- B67D 3/0096 . . { Aesthetics, advertising }

- B67D 3/02 . Liquid-dispensing valves having operating members arranged to be pressed upwards, e.g. by the rims of receptacles held below the delivery orifice

- B67D 3/04 . Liquid-dispensing taps or cocks adapted to seal and open tapping holes of casks, e.g. for beer { (closures with filling and discharging devices for containers [B65D 47/00](#)) }
- B67D 3/041 . . { operated by pinching action on flexible tubes }
- B67D 3/042 . . { operated by deforming a membrane-like closing element }
- B67D 3/043 . . { with a closing element having a linear movement, in a direction perpendicular to the seat }
- B67D 3/044 . . . { and venting means operated automatically with the tap }
- B67D 3/045 . . { with a closing element having a linear movement, in a direction parallel to the seat }
- B67D 3/046 . . . { and venting means operated automatically with the tap }
- B67D 3/047 . . { with a closing element having a rotational movement }
- B67D 3/048 . . . { and venting means operated automatically with the tap }

- B67D 7/00** **Apparatus or devices for transferring liquids from bulk storage containers or reservoirs into vehicles or into portable containers, e.g. for retail sale purposes**
(general disposition of plant in stations for supplying fuel to vehicles [B60S 5/02](#); for filling or emptying locomotive water tanks, e.g. water columns, [B61K 11/00](#); for refuelling aircraft during flight [B64D 39/00](#); liquid- handling ground installations specially adapted for fuelling stationary aircraft [B64F 1/28](#))

- B67D 7/002 . { using articulated pipes }
- B67D 7/005 . { Spouts }
- B67D 7/007 . { using siphoning arrangements }
- B67D 7/02 . for transferring liquids other than fuel or lubricants

- B67D 7/0205 .. { by manually operable pumping apparatus (Hand-held apparatus with pumps for dispensing or spraying liquids or fluent materials [B05B 11/00](#)) }
- B67D 7/0211 ... { with pump locking means }
- B67D 7/0216 .. { by squeezing collapsible or flexible storage containers ([B67D 7/0255](#) takes precedence; for dispensing beverages on draught [B67D 1/0001](#)) }
- B67D 7/0222 ... { the dispensed quantity of liquid being replaced by air sucked through the dispensing opening }
- B67D 7/0227 .. { by an ejection plunger ([B67D 7/0238](#) takes precedence) }
- B67D 7/0233 ... { the plunger being gas driven }
- B67D 7/0238 .. { utilising compressed air or other gas acting directly or indirectly on liquids in storage containers (for dispensing beverages on draught [B67D 1/04](#)) }
- B67D 7/0244 ... { by using elastic expandable bags }
- B67D 7/025 { specially adapted for transferring liquids of high purity }
- B67D 7/0255 ... { squeezing collapsible or flexible storage containers (for dispensing beverages on draught [B67D 1/0462](#)) }
- B67D 7/0261 { specially adapted for transferring liquids of high purity }
- B67D 7/0266 ... { by gas acting directly on the liquid }
- B67D 7/0272 { specially adapted for transferring liquids of high purity }
- B67D 7/0277 .. { using negative pressure }
- B67D 7/0283 ... { specially adapted for transferring liquids of high purity }
- B67D 7/0288 .. { Container connection means (for dispensing beverages on draught [B67D 1/0829](#)) }
- B67D 7/0294 ... { Combined with valves }

- B67D 7/04 . for transferring fuels, lubricants or mixed fuels and lubricants
- B67D 7/0401 .. { arrangements for automatically fuelling vehicles, i.e. without human intervention }
- B67D 2007/0403 ... Fuelling robots
- B67D 2007/0405 Opening devices
- B67D 2007/0407 for fuel tank flaps
- B67D 2007/0409 using vacuum cups
- B67D 2007/0411 using grippers
- B67D 2007/0413 using air blast
- B67D 2007/0415 for filler caps
- B67D 2007/0417 Manipulator arms
- B67D 2007/0419 Fuelling nozzles
- B67D 2007/0421 with locking devices
- B67D 2007/0423 Fuelling hoses
- B67D 2007/0425 comprising a single hose for several fuels
- B67D 2007/0426 comprising several hoses for several fuels
- B67D 2007/0428 having devices to avoid a mix up of different fuels
- B67D 2007/043 Moveable
- B67D 2007/0432 according to a planar coordinate system
- B67D 2007/0434 with the ability to compensate movements of the car during filling
- B67D 2007/0436 according to a spatial coordinate system

B67D 2007/0438	with the ability to compensate movements of the car during filling
B67D 2007/044	...	Customer interfaces
B67D 2007/0442	interface for orders and payments
B67D 2007/0444	...	Sensors
B67D 2007/0446	measuring physical properties of the fluid to be dispensed
B67D 2007/0448	Density
B67D 2007/0449	Viscosity
B67D 2007/0451	Temperature
B67D 2007/0453	recognising the fuel to be dispensed
B67D 2007/0455	recognising the position
B67D 2007/0457	of the car
B67D 2007/0459	by interrogating a transponder
B67D 2007/0461	by calculating from a reference position, e.g the car's silhouette, reference marks
B67D 2007/0463	optically
B67D 2007/0465	by GPS
B67D 2007/0467	of the fuel tank flap and/or fuel tank opening
B67D 2007/0469	by interrogating a transponder
B67D 2007/0471	by calculating from a reference position, e.g the car's silhouette, reference marks
B67D 2007/0473	optically
B67D 2007/0474	of the filling nozzle relative to the fuel tank opening, e.g. engagement between nozzle and tank opening
B67D 7/0476	..	{ Vapour recovery systems }
B67D 7/0478	...	{ constructional features or components (vapour recovery nozzles B67D 7/54) }
B67D 7/048	{ Vapour flow control means, e.g. valves, pumps }
B67D 7/0482	{ using pumps driven at different flow rates }
B67D 7/0484	{ Liquid jet pumps, e.g. venturis }
B67D 7/0486	{ Pumps driven in response to electric signals indicative of pressure, temperature or liquid flow }
B67D 7/0488	{ Means for preventing the formation of condensation on, or for removing condensation from, vapour recovery lines }
B67D 7/049	{ Vapour recovery methods, e.g. condensing the vapour }
B67D 7/0492	{ Vapour storing means, e.g. dedicated ullage spaces, separate tanks }
B67D 2007/0494	Means for condensing the vapours and reintroducing them into the storage tanks
B67D 7/0496	...	{ Performance test devices therefor }
B67D 7/0498	..	{ Arrangements specially adapted for transferring biofuels, e.g. ethanol-gasoline mixture }
B67D 7/06	.	Details or accessories
B67D 7/061	..	{ Means for transferring liquids from a chosen level of a storage container }
B67D 7/062	...	{ from the free surface level of the liquid }
B67D 7/064	..	{ Drive-off preventing means, e.g. in case of non-payment }

B67D 7/065	...	{ acting on the vehicle }
B67D 7/067	...	{ using communication means }
B67D 7/068	...	{ using imaging means, e.g. cameras }
B67D 7/08	..	Arrangements of devices for controlling, indicating, metering or registering quantity or price of liquid transferred (arrangement of flow- or pressure-control valves B67D 7/36 ; computing, calculating, counting G06 ; coin-freed apparatus for dispensing fluids G07F 13/00 ; prepayment devices for metering liquids G07F 15/00)
B67D 7/085	...	{ Testing or calibrating apparatus therefore (testing or calibrating apparatus for measuring volume flow in general G01F 25/00) }
B67D 7/10	...	operated by keys, push-buttons or cash registers
B67D 7/103	{ operated by keys }
B67D 7/106	{ operated by push-buttons }
B67D 7/12	...	operated by movement of delivery hose or nozzle or by devices associated therewith
B67D 7/14	...	responsive to input of recorded programmed information, e.g. on punched cards
B67D 7/145	{ by wireless communication means, e.g. RF, transponders or the like }
B67D 7/16	...	Arrangements of liquid meters
B67D 7/163	{ of fixed measuring chamber type }
B67D 7/166	{ comprising at least two chambers }
B67D 7/18	of piston type
B67D 7/20	of rotary type
B67D 7/22	...	Arrangements of indicators or registers (indicating or recording in fluid meters G01F 15/06)
B67D 7/221	{ using electrical or electro-mechanical means (B67D 7/224 takes precedence) }
B67D 7/222	{ involving digital counting }
B67D 7/224	{ involving price indicators }
B67D 7/225	{ combined with variators }
B67D 7/227	{ using electrical or electro-mechanical means }
B67D 7/228	{ using digital counting }
B67D 7/24	with means for producing or issuing a receipt or record of sale
B67D 7/243	{ using electrical or electro-mechanical means }
B67D 7/246	{ involving digital counting }
B67D 7/26	with resetting or zeroing means
B67D 7/263	{ using electrical or electro-mechanical means }
B67D 7/266	{ involving digital counting }
B67D 7/28	...	with automatic means for reducing or intermittently interrupting flow before completion of delivery, e.g. to produce dribble feed
B67D 7/30	...	with means for predetermining quantity of liquid to be transferred (B67D 7/10 , B67D 7/14 take precedence)
B67D 7/301	{ using mechanical means (B67D 7/306 takes precedence) }
B67D 7/302	{ using electrical or electro-mechanical means (B67D 7/307 takes precedence) }
B67D 7/303	{ involving digital counting }

B67D 7/305	{ in function of money to be spent therefor }
B67D 7/306	{ using mechanical means }
B67D 7/307	{ using electrical or electro-mechanical means }
B67D 7/308	{ involving digital counting }
B67D 7/32	..	Arrangements of safety or warning devices; Means for preventing unauthorised delivery of liquid
B67D 7/3209	...	{ relating to spillage or leakage, e.g. spill containments, leak detection (leak detectors for underground fuel dispensing systems G01M 3/2892) }
B67D 7/3218	...	{ relating to emergency shut-off means }
B67D 7/3227	...	{ relating to venting of a container during loading or unloading }
B67D 7/3236	...	{ relating to electrostatic charges }
B67D 7/3245	...	{ relating to the transfer method }
B67D 7/3254	{ using a pressurised liquid acting directly or indirectly on the bulk of the liquid to be transferred }
B67D 7/3263	{ using a pressurised gas acting directly or indirectly on the bulk of the liquid to be transferred (use of compressed air or gas for transferring liquids B67D 7/0238, B67D 7/72) }
B67D 7/3272	{ using pumps }
B67D 7/3281	...	{ Details }
B67D 2007/329	Function indicator devices
B67D 7/34	...	Means for preventing unauthorised delivery of liquid
B67D 7/342	{ by discriminating the kind of liquid by analysis or by physical properties, e.g. vapour-pressure }
B67D 7/344	{ by checking a correct coupling or coded information }
B67D 7/346	{ by reading a code }
B67D 7/348	{ by interrogating an information transmitter, e.g. a transponder (B67D 7/145 takes precedence) }
B67D 7/36	..	Arrangements of flow- or pressure-control valves (associated with nozzles B67D 7/42)
B67D 7/362	...	{ combined with over-fill preventing means (indicating or measuring liquid level G01F 23/00; level control G05D 9/00) }
B67D 7/365	{ using floats }
B67D 7/367	{ the float acting pneumatically on a shut-off valve }
B67D 7/38	..	Arrangements of hoses, e.g. operative connection with pump motor (hoses in general F16L 11/00)
B67D 7/40	...	Suspending, reeling or storing devices (supports for storing lengths of hoses, in general B65H 75/34)
B67D 7/403	{ the hose carrier comprising a sliding unit }
B67D 7/406	{ the hose carrier comprising a pivoting unit }
B67D 7/42	..	Filling nozzles
B67D 7/421	...	{ comprising protective covers, e.g. anti-splash attachments }
B67D 7/423	...	{ specially adapted for blending several fluids (mixing devices B67D 7/74) }
B67D 7/425	...	{ including components powered by electricity or light }
B67D 7/426	...	{ including means for displaying information, e.g. for advertising (B67D 7/425 takes precedence) }
B67D 7/428	...	{ for delivering at least two different liquids into separate containers }

B67D 7/44	...	automatically closing
B67D 7/445	{ after a predetermined time }
B67D 7/46	when liquid in container to be filled reaches a predetermined level
B67D 7/465	{ Electrical probes sensing the level of the liquid }
B67D 7/48	by making use of air suction through an opening closed by the rising liquid
B67D 7/50	and provided with an additional hand lever
B67D 7/52	and provided with additional flow-controlling valve means
B67D 7/54	...	with means for preventing escape of liquid or vapour or for recovering escaped liquid or vapour (B67D 7/44 takes precedence)
B67D 2007/545	Additional means for preventing dispensing of liquid by incorrect sealing engagement with the tank opening of the vapour recovering means, e.g. bellows, shrouds
B67D 7/56	..	Arrangements of flow-indicators, e.g. transparent compartments, windows, rotary vanes (indicating or recording presence, absence or direction of movement G01P 13/00)
B67D 7/565	...	{ for indicating end of flow, e.g. by optical or audible signals }
B67D 7/58	..	Arrangements of pumps
B67D 7/60	...	manually operable
B67D 7/62	...	power operated
B67D 7/64	of piston type
B67D 7/645	{ Barrel pumps }
B67D 7/66	of rotary type
B67D 7/68	...	submerged in storage tank or reservoir
B67D 7/70	...	of two or more pumps in series or parallel
B67D 7/72	..	Devices for applying air or other gas pressure for forcing liquid to delivery point
B67D 7/725	...	{ using negative pressure }
B67D 7/74	..	Devices for mixing two or more different liquids to be transferred (coin-freed apparatus G07F 13/06)
B67D 7/741	...	{ mechanically operated }
B67D 7/742	{ involving mechanical counters, e.g. of clock-work type }
B67D 7/743	...	{ electrically or electro-mechanically operated }
B67D 7/744	{ involving digital counting }
B67D 2007/745	...	for obtaining fuel of a given octane level
B67D 2007/746	by mixing different fuel grades or fuel and oil
B67D 2007/747	involving means responsive to the octane level, e.g. octane sensor, knock engine
B67D 2007/748	by mixing fuel with additives, e.g. anti-knocking agents
B67D 2007/749	involving means responsive to the octane level, e.g. octane sensor, knock engine
B67D 7/76	..	Arrangements of devices for purifying liquids to be transferred, e.g. of filters, of air or water separators
B67D 7/763	...	{ of air separators }
B67D 7/766	...	{ of water separators }
B67D 7/78	..	Arrangements of storage tanks, reservoirs or pipe-lines

B67D 7/80	..	Arrangements of heating or cooling devices for liquids to be transferred
B67D 7/82	...	Heating only
B67D 7/84	..	Casings, cabinets or frameworks; Trolleys or like movable supports
B67D 7/845	...	{ Trolleys or like movable supports }
B67D 7/86	..	Illuminating arrangements
B67D 9/00		Apparatus or devices for transferring liquids when loading or unloading ships (ship-based equipment B63B 27/00)
B67D 9/02	.	using articulated pipes
B67D 99/00		Subject matter not provided for in other groups of this subclass
B67D 2210/00		Indexing scheme relating to aspects and details of apparatus or devices for dispensing beverages on draught or for controlling flow of liquids under gravity from storage containers for dispensing purposes
B67D 2210/00002	.	Purifying means
B67D 2210/00005	..	Filters
B67D 2210/00007	...	for gas
B67D 2210/0001	...	for liquid
B67D 2210/00013	..	Sterilising means
B67D 2210/00015	...	UV radiation
B67D 2210/00018	...	Membranes
B67D 2210/0002	...	Distillators
B67D 2210/00023	...	Oxygenators
B67D 2210/00026	...	Heaters
B67D 2210/00028	.	Constructional details
B67D 2210/00031	..	Housing
B67D 2210/00034	...	Modules
B67D 2210/00036	for use with or in refrigerators
B67D 2210/00039	...	Panels
B67D 2210/00041	...	Doors
B67D 2210/00044	...	Insulation
B67D 2210/00047	..	Piping
B67D 2210/00049	...	Pipes
B67D 2210/00052	with flow tranquilisers
B67D 2210/00055	with turbulent flow generators, e.g. vortices
B67D 2210/00057	adapted for being easily cleaned
B67D 2210/0006	...	Manifolds
B67D 2210/00062	...	Pipe joints
B67D 2210/00065	..	related to the use of drinking cups or glasses

B67D 2210/00068	...	Means for filling simultaneously a plurality of cups
B67D 2210/0007	...	For use with partially pre-filled cups
B67D 2210/00073	...	Cup cleaning devices
B67D 2210/00076	...	Cup conveyors
B67D 2210/00078	...	Cup dispensers
B67D 2210/00081	..	related to bartenders
B67D 2210/00083	...	Access code recognition means
B67D 2210/00086	...	Selector circuits
B67D 2210/00089	...	Remote control means, e.g. by electromagnetic signals
B67D 2210/00091	...	Bar management means
B67D 2210/00094	..	Ergonomics
B67D 2210/00097	...	Handling of storage containers
B67D 2210/00099	..	Temperature control
B67D 2210/00102	...	Heating only
B67D 2210/00104	...	Cooling only
B67D 2210/00107	by spraying fluids on the inner or outer surfaces of the receptacles to be filled
B67D 2210/0011	The sprayed fluid being a liquid
B67D 2210/00112	The sprayed fluid being a gas
B67D 2210/00115	The sprayed fluid being a cryogen
B67D 2210/00118	...	Heating and cooling
B67D 2210/0012	..	related to concentrate handling
B67D 2210/00123	...	Preparing a mix of concentrates
B67D 2210/00125	...	Treating or conditioning the concentrate, e.g. by heating, freezing
B67D 2210/00128	..	relating to outdoor use; movable; portable
B67D 2210/00131	...	wearable by a person, e.g. as a backpack or helmet
B67D 2210/00133	...	wheeled
B67D 2210/00136	vehicle carried
B67D 2210/00139	Trolleys
B67D 2210/00141	..	Other parts
B67D 2210/00144	...	Magnets, e.g. used in valves or for stirring
B67D 2210/00146	.	Component storage means
B67D 2210/00149	..	Fixed containers to be filled in situ
B67D 2210/00152	...	Automatically
B67D 2210/00154	Level detected by a float
B67D 2210/00157	Level detected electrically by contact with sensors
B67D 2210/0016	.	Adapted for dispensing high viscosity products
B67D 2210/00163	..	Agitators
B67D 2210/00166	..	Heated tubes