

**CPC****COOPERATIVE PATENT CLASSIFICATION****B60D****VEHICLE CONNECTIONS** (components of brake systems [B60T 17/04](#))**NOTE**

Attention is drawn to the note following the class [B60](#)

**B60D 1/00**

**Traction couplings; Hitches; Draw-gear; Towing devices** (devices specially adapted for connection between tractors and agricultural machines or implements [A01B 59/00](#); fifth-wheel couplings [B62D](#))

- B60D 2001/001 . {specially adapted for use on vehicles other than cars }
- B60D 2001/003 .. {for bicycles or motorbikes }
- B60D 2001/005 .. {for carts, scooters, or the like }
- B60D 2001/006 ... {comprising a handle }
- B60D 2001/008 .. {specially adapted for implements, e.g. towed tools }
- B60D 1/01 . Traction couplings or hitches characterised by their type
- B60D 1/015 .. { Fifth wheel couplings }
- B60D 1/02 .. Bolt or shackle-type couplings
- B60D 1/025 ... { comprising release or locking lever pins }
- B60D 1/04 .. Hook or hook-and-hasp couplings
- B60D 1/06 .. Ball-and-socket hitches {e.g. constructional details, auxiliary devices, their arrangement on the vehicle }
- B60D 1/065 ... {characterised by the hitch mechanism }
- B60D 1/07 .. Multi-hitch devices, i.e. comprising several hitches of the same or of a different type; Hitch-adaptors, i.e. for converting hitches from one type to another
- B60D 1/075 ... { Hitch-adaptors }
- B60D 1/14 . Draw-gear or towing devices characterised by their type
- B60D 1/141 .. {Arrangements or frames adapted to allow the connection of trailers to tractor three point hitches (coupling of multipurpose tractors with equipment [B62D 49/065](#)) }
- B60D 1/143 .. { characterised by the mounting of the draw-gear on the towed vehicle ([B60D 1/187](#) takes precedence) }
- B60D 1/145 .. consisting of an elongated single bar or tube
- B60D 1/155 ... comprising telescopic or foldable parts
- B60D 1/167 .. consisting of articulated or rigidly assembled bars or tubes forming a V-, Y-, or U-shaped draw gear ([B60D 1/173](#) takes precedence)
- B60D 1/1675 ... { comprising extendable, retractable or foldable members }
- B60D 1/173 .. consisting of at least two bars which are not connected or articulated to each other
- B60D 1/18 .. Tow ropes, chains or the like
- B60D 1/182 ... {comprising resilient members }
- B60D 1/185 ... {comprising a cable or chain winding device ([B60D 1/38](#) takes precedence) }
- B60D 1/187 ... {characterised by the connection to the towing vehicle or to the trailer }

- B60D 1/24 . characterised by arrangements for particular functions
- B60D 1/241 .. { for suppressing noise generation}
- B60D 1/242 .. { for supporting braking actions, e.g. braking means integrated with hitches; Braking sensors}
- B60D 1/243 .. { for protection in case of crash, collision, impact, or the like}
- B60D 1/244 ... { involving weakened zones in the hitches}
- B60D 1/245 .. { for facilitating push back or parking of trailers}
- B60D 1/246 .. { for actuating the hitch by powered means}
- B60D 1/247 .. { for improving weight distribution}
- B60D 1/248 .. { for measuring, indicating or displaying the weight}
- B60D 1/249 .. { for damping in the pulling direction and being integrated with the hitch, e.g. resilient dampers integrated with the hitch}
- B60D 1/26 .. for remote control, e.g. for releasing
- B60D 1/28 .. for preventing unwanted disengagement, e.g. safety appliances
- B60D 1/30 .. for sway control, { e.g. stabilising or anti-fishtail devices; Sway alarm means}
- B60D 1/305 ... { Sway alarm means}
- B60D 1/32 ... involving damping devices
- B60D 1/322 .... {using fluid dampers (fluid dampers per se [F16F 9/00](#))}
- B60D 1/325 .... {using friction dampers (friction dampers per se [F16F 7/02](#) to [F16F 7/08](#))}
- B60D 1/327 .... {using cables}
- B60D 1/34 ... involving springs
- B60D 1/345 .... {the springs being of the bar or leaf type (torsion bars per se [F16F 1/14](#), leaf springs per se [F16F 1/18](#))}
- B60D 1/36 .. for facilitating connection, e.g. hitch catchers {, visual guide means, signalling aids ([B60D 1/465](#) takes precedence; vehicle signalling in general [B60Q](#); optical arrangements specially adapted for viewing trailer-hitches [B60R 1/003](#))}
- B60D 1/363 ... {Hitch guiding or catching elements, e.g. V-shaped plates partially surrounding a coupling member for guiding the other coupling member}
- B60D 1/366 .... { comprising braking means}
- B60D 1/38 ... involving auxiliary cables for drawing the trailer to the tractor before coupling
- B60D 1/40 ... involving a temporarily extensible or alignable member ([B60D 1/38](#) takes precedence)
- B60D 1/42 .. for being adjustable
- B60D 1/44 ... horizontally
- B60D 1/46 ... vertically
- B60D 1/465 .... {comprising a lifting mechanism, e.g. for coupling while lifting}
- B60D 1/48 . characterised by the mounting
- B60D 1/481 .. { adapted for being mounted to the front and back of trailers, carts, trolleys, or the like to form a train}
- B60D 1/483 .. { adapted for being mounted to the side of a vehicle}
- B60D 1/485 .. { mounted by means of transversal members attached to the frame of a vehicle}
- B60D 1/486 .. { adapted for being mounted to the wheel axle of the vehicle}

B60D 1/488	.. { mounted directly to the chassis of the towing vehicle }
B60D 1/50	.. resiliently mounted ( <a href="#">B60D 1/30</a> takes precedence){( <a href="#">B60D 1/182</a> takes precedence; springs or dampers per se <a href="#">F16F</a> )}
B60D 1/52	.. removably mounted ( <a href="#">B60D 1/56</a> takes precedence)
B60D 1/54	.. collapsible or retractable when not in use, e.g. hide-away hitches ( <a href="#">B60D 1/52</a> takes precedence)
B60D 2001/542	... {characterised by the number of pivot axis }
B60D 2001/544	.... {one pivot axis }
B60D 2001/546	.... {two pivot axes }
B60D 2001/548	.... {three pivot axes }
B60D 1/56	.. securing to the vehicle bumper
B60D 1/565	... { having an eyelet }
B60D 1/58	. Auxiliary devices
B60D 1/583	.. { Holding down means, e.g. holding down retainers }
B60D 1/586	.. { Lubrication means }
B60D 1/60	.. Covers, caps or guards {e.g. comprising anti-theft devices }
B60D 1/605	... { Protection caps }
B60D 1/62	.. involving supply lines, electric circuits, or the like
B60D 1/64	... Couplings or joints therefor
B60D 1/66	.. Props
B60D 1/665	... { comprising supporting wheels, e.g. dollies }
<b>B60D 3/00</b>	<b>Fittings to facilitate pushing</b> ( <a href="#">B60D 1/00</a> takes precedence; vehicle bumpers <a href="#">B60R 19/02</a> ; steering arrangements for backing a normally-drawn trailer <a href="#">B62D 13/06</a> )
<b>B60D 5/00</b>	<b>Gangways for coupled vehicles, e.g. of concertina type</b>
B60D 5/003	. { Bellows for interconnecting vehicle parts }
B60D 5/006	. { Passages between articulated vehicles, e.g. bridges or rotating plates }
<b>B60D 7/00</b>	<b>Other connections</b>