

CPC**COOPERATIVE PATENT CLASSIFICATION****E03C**

DOMESTIC PLUMBING INSTALLATIONS FOR FRESH WATER OR WASTE WATER (not connected to either water-supply main or to waste pipe [A47K](#); devices of the kind used in the ground [E03B](#), [E03F](#)); **SINKS**

E03C 1/00

Domestic plumbing installations for fresh water or waste water; Sinks {(work tops [A47B 77/022](#))}

E03C 2001/005

- . {Installations allowing recovery of heat from waste water for warming up fresh water}

E03C 1/01

- . for combinations of baths, showers, sinks, wash-basins, closets, urinals, or the like {(combinations of baths, douches, or the like, [A47K 4/00](#); cell-like units for special technical purposes [E04B 1/34869](#); panels adapted for locating conduits [E04C 2/52](#); ducts for installation lines [E04F 17/08](#))}

E03C 1/02

- . Plumbing installations for fresh water

E03C 1/021

- . . {Devices for positioning or connecting of water supply lines (connection to the tap body [E03C 1/0403](#))}

E03C 1/023

- . . . {with flow distribution, e.g. diverters}

E03C 1/025

- . . {Water supply lines as such, e.g. shower hoses}

E03C 2001/026

- . . {with flow restricting devices}

E03C 2001/028

- . . {Alignment aids for plumbing installations}

E03C 1/04

- . . Water-basin installations specially adapted to wash-basins or baths (valves, faucets, mixing valves, taps [F16K](#))

E03C 1/0401

- . . . {Fixing a tap to the sanitary appliance or to an associated mounting surface, e.g. a countertop}

E03C 1/0402

- {with mounting from only one side}

E03C 1/0403

- . . . {Connecting the supply lines to the tap body}

E03C 1/0404

- . . . {Constructional or functional features of the spout}

E03C 1/0405

- {enabling multiple spray patterns}

E03C 1/0407

- {Spouts for unpressurized outflow of water}

E03C 1/0408

- . . . {Water installations especially for showers ([E03C 1/06](#) takes precedence; shower heads [B05B 1/18](#))}

E03C 1/0409

- {Shower handles}

E03C 1/041

- . . . {having provisions against scalding, e.g. temperature limiting devices, external covers}

E03C 1/0411

- . . . {Taps specially designed for dispensing boiling water}

E03C 1/0412

- . . . {Constructional or functional features of the faucet handle (valve actuating members as such [F16K 31/60](#))}

E03C 2001/0414

- . . . {allowing different orientations of the spout or the outlet nozzle}

E03C 2001/0415

- . . . {having an extendable water outlet}

E03C 2001/0416

- . . . {using a socket for mounting of faucet}

E03C 2001/0417

- . . . {having space-saving features, e.g. retractable, demountable}

E03C 2001/0418

- . . . {having temperature indicating means}

E03C 1/042

- . . . Arrangements on taps for wash-basins or baths for connecting to the wall

- E03C 1/044 . . . having a heating or cooling apparatus in the supply line (water heaters, e.g. with continuous flow, [F24H](#))
- E03C 1/046 . . . Adding soap, disinfectant, or the like in the supply line {or at the water outlet} (preventing contamination of drinking-water pipes [E03C 1/10](#))
- E03C 1/0465 {by mounting an independent soap dispenser to outlet of tap}
- E03C 1/048 . . . supplying water through two or more openings around or along one side of the water-basin
- E03C 1/05 . . Arrangements of devices on wash-basins, baths, sinks, or the like for remote control of taps (remote control of taps or the like per se [F16K](#))
- E03C 1/052 . . . {Mechanical devices not being part of the tap, e.g. foot pedals}
- E03C 1/055 . . . {Electrical control devices, e.g. with push buttons, control panels or the like}
- E03C 1/057 {touchless, i.e. using sensors}
- E03C 1/06 . . Devices for suspending or supporting the supply pipe or supply hose of a shower-bath {(showers per se [A47K 3/28](#))}
- E03C 1/063 . . . {with reciprocating mechanisms (reciprocating mechanisms for massage, other than showers [A61H 2201/1669](#))}
- E03C 1/066 . . . {allowing height adjustment of shower head}
- E03C 1/08 . . Jet regulators {or jet guides}, e.g. anti-splash devices
- E03C 2001/082 . . . {Outlets connected by an universal joint}
- E03C 1/084 . . . Jet regulators with aerating means
- E03C 1/086 . . . Jet regulators or jet guides, easily mountable on the outlet of taps
- E03C 1/10 . . Devices for preventing contamination of drinking-water pipes, e.g. means for aerating self-closing flushing valves (vacuum-breakers in general [F16K](#), [F16L](#))
- E03C 1/102 . . . {using an air gap device}
- E03C 1/104 . . . {using a single check valve}
- E03C 1/106 . . . {using two or more check valves}
- E03C 1/108 . . . {having an aerating valve}
- E03C 1/12 . . Plumbing installation for waste water; Basins or fountains connected thereto (drainage devices in floors [E03F 5/04](#)); Sinks {(wash-basins not connected to the waste-pipe [A47K 1/04](#))}
- E03C 2001/1206 . . {Pipes with specific features for influencing flow characteristics}
- E03C 2001/1213 . . {Constructional features of bidet bowls; adapters for using other sanitary appliances as bidet}
- E03C 1/122 . . Pipe-line systems for waste water in building (pipe-line systems in general [F17D](#))
- E03C 1/1222 . . . {Arrangements of devices in domestic waste water pipe-line systems}
- E03C 1/1225 {of air admittance valves (structural details of air admittance valves [F16K 24/06](#))}
- E03C 1/1227 {of pumps for facilitating drawing off}
- E03C 1/126 . . Installations for disinfecting or deodorising waste-water plumbing installations
- E03C 1/14 . . Wash-basins connected to the waste-pipe
- E03C 1/16 . . Wash-fountains connected to the waste-pipe
- E03C 1/18 . . Sinks, whether or not connected to the waste-pipe
- E03C 1/181 . . . Anti-splash devices in sinks (jet regulators [E03C 1/08](#))

- E03C 1/182 . . . connected to the waste-pipe
- E03C 1/184 adapted for attachment of washing machines or heating or cooling devices
(washing machines for attachment [D06F 7/00](#))
- E03C 1/186 . . . Separate partition walls, lids, protecting borders, or the like, for sinks
- E03C 1/20 . . Connecting baths or bidets to the wastepipe
- E03C 1/22 . . Outlet devices mounted in basins, baths, or sinks ([stoppers A47K 1/14](#))
- E03C 1/23 . . . with mechanical closure mechanisms
- E03C 1/2302 {the actuation force being transmitted to the plug via rigid elements}
- E03C 1/2304 {the actuation force being transmitted to the plug via flexible elements, e.g. chain, Bowden cable}
- E03C 1/2306 {the plug being operated by hand contact}
- E03C 1/2308 {actuated by rotating the wash-basin}
- E03C 2001/2311 {the actuation force being magnetic or electromagnetic}
- E03C 2001/2313 {the actuation force being pneumatic or hydraulic}
- E03C 2001/2315 {the actuation force created by a turning movement of a handle}
- E03C 2001/2317 {transmission of actuation force involves a spring}
- E03C 1/232 combined with overflow devices ([overflow devices for basins or baths per se E03C 1/24](#))
- E03C 1/24 . . Overflow devices for basins or baths ([E03C 1/232 takes precedence](#))
- E03C 2001/2406 . . . {Overflow alarm devices}
- E03C 2001/2413 . . . {Covers for temporarily closing off overflow outlets}
- E03C 1/242 . . . automatically actuating supply or draining valves
- E03C 1/244 . . . Separate devices to be placed on the outlet opening
- E03C 1/26 . . Object-catching inserts or similar devices for waste pipes or outlets ([E03C 1/28 takes precedence](#))
- E03C 1/262 . . . combined with outlet stoppers
- E03C 1/264 . . . Separate sieves or similar object-catching inserts
- E03C 1/266 . . . Arrangement of disintegrating apparatus in waste pipes or outlets;
Disintegrating apparatus specially adapted for installation in waste pipes or outlets
- E03C 1/2665 {Disintegrating apparatus specially adapted for installation in waste pipes or outlets ([disintegrating apparatus per se B02C](#))}
- E03C 1/28 . . Odour seals
- E03C 1/281 . . . {using other sealants than water}
- E03C 1/282 . . . combined with additional object-catching devices
- E03C 1/284 . . . having U-shaped trap
- E03C 1/286 having hand-operated valves against return of waste water
- E03C 1/288 having non-return valves against return of waste water ([E03C 1/286 takes precedence](#))
- E03C 1/29 . . . having housing containing dividing wall, e.g. tubular
- E03C 1/292 having elastic housing
- E03C 1/294 . . . with provisions against loss of water lock

E03C 1/295 using air-supply valves
E03C 1/296 using water-supply valves
E03C 1/298 consisting only of non-return valve
E03C 1/30	. . Devices to facilitate removing of obstructions in waste-pipes or sinks {(for use in sewer pipes or both in waste and sewer pipes E03F 9/00)}
E03C 1/302 using devices moved through the pipes {(and simultaneously rotated by means of a cable or rods E03F 9/005)}
E03C 1/304 using fluid under pressure
E03C 1/306 by means of a tube connected to the water mains
E03C 1/308 by means of a pumping device
E03C 1/32	. . Holders or supports for basins
E03C 2001/321 {Siphon or angle valve covers}
E03C 1/322 connected to the wall only
E03C 1/324 adjustable
E03C 1/326 resting on the floor
E03C 1/328 adjustable
E03C 1/33 Fastening sinks or basins in an apertured support
E03C 1/335 {the fastening means comprising a screw}
E03C 2201/00	Details, devices or methods not otherwise provided for
E03C 2201/30	. Diverter valves in faucets or taps
E03C 2201/40	. Arrangement of water treatment devices in domestic plumbing installations
E03C 2201/45	. . for carbonated water
E03C 2201/50	. Constructional features of escutcheons for domestic plumbing installations
E03C 2201/60	. Reducing noise in plumbing systems
E03C 2201/70	. Reducing or removing limescale at spout outlet
E03C 2201/80	. Combined water inlet and outlet devices
E03C 2201/90	. Basins movable between several positions