

**CPC****COOPERATIVE PATENT CLASSIFICATION****A21C****MACHINES OR EQUIPMENT FOR MAKING OR PROCESSING DOUGHS; HANDLING BAKED ARTICLES MADE FROM DOUGH****A21C 1/00**

**Mixing or kneading machines for the preparation of dough** ([domestic mixing or kneading machines A47J 43/00, A47J 44/00](#); {mixing in general [B01F](#); mixing or kneading of substances in a plastic state in general [B29B 7/00](#)})

## A21C 1/003

- {Plant; Systems, i.e. flow charts or diagrams}

## A21C 1/006

- {Methods}

## A21C 1/02

- with vertically-mounted tools; Machines for whipping or beating

## A21C 1/04

- with inclined rotating mixing arms or levers

## A21C 1/06

- with horizontally-mounted mixing or kneading tools; Worm {or screw} mixers

## A21C 1/065

- . {Worm or screw mixers, e.g. with consecutive mixing receptacles}

## A21C 1/08

- with rollers

## A21C 1/083

- . {by calendering, i.e. working between rollers ([using rollers for shaping dough A21C 3/02](#))}

## A21C 1/086

- . {having a receptacle rotating about a vertical axis cooperating with rotary rollers}

## A21C 1/10

- with additional aerating apparatus for the manufacture of aerated doughs

## A21C 1/105

- . {the gas being introduced through the shaft of a rotary tool}

## A21C 1/12

- for the preparation of dough directly from grain

## A21C 1/14

- Structural elements of mixing or kneading machines; {Parts; Accessories}

## A21C 1/1405

- . {Tools}

## A21C 1/141

- . . {having mixing or cutting elements essentially perpendicular to their axes}

## A21C 1/1415

- . . {Shafts; Heads therefor}

## A21C 1/142

- . {Feeding mechanisms, e.g. skip lifting mechanisms}

## A21C 1/1425

- . . {for feeding in measured doses}

## A21C 1/143

- . . {using pneumatic means}

## A21C 1/1435

- . . {for liquids ([A21C 1/1425 takes precedence](#))}

## A21C 1/144

- . {Discharge mechanisms}

## A21C 1/1445

- . . {using tiltable receptacles; Tilting mechanisms therefor}

## A21C 1/145

- . {Controlling; Testing; Measuring ([A21C 1/1425 takes precedence](#))}

## A21C 1/1455

- . . {Measuring data of the driving system, e.g. torque, speed, power}

## A21C 1/146

- . . {Measuring properties of the dough, e.g. moisture, electrical conductivity, temperature ([A21C 1/1455 takes precedence](#))}

## A21C 1/1465

- . {Drives}

## A21C 1/147

- . . {for planetary motion}

## A21C 1/1475

- . . {Brakes therefor}

## A21C 1/148

- . {Safety arrangements ([A21C 1/1485 takes precedence](#))}

## A21C 1/1485

- . {Doors; Closures; Operating, e.g. safety, mechanisms therefor}

- A21C 1/149
  - {Receptacles, e.g. provided with means for carrying or guiding fluids, e.g. coolants}
- A21C 1/1495
  - {Arrangements for cooling or heating (receptacles with means for guiding fluids per se [A21C 1/149](#)); Arrangements for applying super- or sub-atmospheric pressure}
- A21C 3/00**

**Machines or apparatus for shaping batches of dough before sub-division**
- A21C 3/02
  - Dough-sheeters; Rolling-machines; Rolling-pins {(mixing or kneading dough by rollers [A21C 1/08](#); non-manual rolling and working of discrete dough pieces [A21C 7/00](#))}
- A21C 3/021
  - {Rolling-pins; Hand-operated spreading or rolling devices ([A21C 11/004](#) takes precedence)}
- A21C 3/022
  - {Laminating or undulating a continuous dough sheet, e.g. by folding transversely or longitudinally onto a moving surface (combined with filling [A21C 9/045](#))}
- A21C 3/024
  - {using one or more rollers with an axis of rotation substantially parallel or oblique to the direction of dough transport ([A21C 3/065](#) takes precedence)}
- A21C 3/025
  - {with one or more rollers moving perpendicularly to its rotation axis, e.g. reciprocally ([A21C 3/024](#) takes precedence; hand-operated rollers [A21C 3/021](#))}
- A21C 3/027
  - {with multiple rollers moving in a closed loop, e.g. in an orbital path; Planetary roller systems}
- A21C 3/028
  - {using rollers having a shape other than straight round cylinders ([A21C 3/04](#) takes precedence)}
- A21C 3/04
  - Dough-extruding machines; {Hoppers with moving elements, e.g. rollers or belts as wall elements for drawing the dough}
- A21C 3/06
  - Machines for coiling sheets of dough, e.g. for producing rolls, {e.g. crescent-rolls (as part of a machine for further moulding or forming [A21C 7/00](#); with filling [A21C 9/06](#))}
- A21C 3/065
  - {the coil axis of the produced rolls being in parallel or oblique position relative to the transport direction; with coiling elements, e.g. rollers, being placed in parallel or oblique position relative to the transport direction}
- A21C 3/08
  - Machines for twisting strips of dough, e.g. for making pretzels
- A21C 3/10
  - combined with dough-dividing apparatus
- A21C 5/00**

**Dough-dividing machines**
- A21C 5/003
  - {with revolving bodies, e.g. with bodies having spaces separated by radially oriented elements or walls}
- A21C 5/006
  - {for dispensing liquid or semi-liquid dough, e.g. batter}
- A21C 5/02
  - with division boxes and ejection plungers
- A21C 5/04
  - with division boxes in a revolving body with radially-working pistons
- A21C 5/06
  - with division boxes in a revolving body with axially-working pistons
- A21C 5/08
  - with radial, i.e. star-like, cutter-blades slidable in the slots of, and relatively to, a pressing-plunger {([A21C 7/06](#) takes precedence)}
- A21C 7/00**

**Machines which homogenise the subdivided dough by working other than by kneading**

- A21C 7/005 . {the dough pieces being worked in radially disposed cavities in a rotating drum}
- A21C 7/01 . with endless bands {(A21C 7/005 takes precedence)}
- A21C 7/02 . with moulding channels (A21C 7/01 takes precedence)
- A21C 7/04 . with moulding cups (A21C 7/01 takes precedence)
- A21C 7/06 . combined with dividing machines with radial, i.e. star-like, cutter-blades slidable in the slots of, and relatively to, a pressing-plunger

**A21C 9/00****Other apparatus for handling dough or dough pieces**

- A21C 9/02 . Apparatus for hanging or distributing strings of dough, such as noodles, spaghetti or macaroni, on bars
- A21C 9/04 . Apparatus for spreading granular material on, or sweeping or coating the surfaces of, pieces or sheets of dough {(coating baked articles A21C 15/002)}
- A21C 9/045 . . {Laminating dough sheets combined with applying a filling in between, e.g. lasagna-type products (ravioli-making machines A21C 9/066; making laminated baked wafer sheets A21C 15/02)}
- A21C 9/06 . Apparatus for filling pieces of dough such as doughnuts {(A21C 11/163 takes precedence; apparatus for filling baked articles A21C 15/007)}
- A21C 9/061 . . {Making continuous filled tubular products, e.g. with subsequent cutting}
- A21C 9/063 . . {Applying a folding, wrapping, rolling action (A21C 9/045, A21C 9/061 take precedence)}
- A21C 9/065 . . {by means of injection into a piece of dough (filling baked articles A21C 15/007)}
- A21C 9/066 . . {using two separate sheets or pieces of dough with filling in between, e.g. crimped at their edges; Ravioli-making machines (A21C 11/163 takes precedence)}
- A21C 9/068 . . . {Tools for crimping or trimming of edges or rims, e.g. hand-operated}
- A21C 9/08 . Depositing, arranging and conveying apparatus for handling pieces, e.g. sheets of dough {(for handling liquid or semi-liquid dough, e.g. batter A21C 5/006)}
- A21C 9/081 . . {Charging of baking tins or forms with dough}
- A21C 9/083 . . {Manipulating tins, pans etc., e.g. charging or discharging conveyors, trolleys or ovens}
- A21C 9/085 . . {Separating, spacing, orienting or aligning discrete dough pieces, e.g. after passing a cutting device}
- A21C 9/086 . . {Stacking or unstacking discrete dough sheets (with filling in between sheets A21C 9/045)}
- A21C 9/088 . . {Folding or bending discrete dough pieces or dough strips (twisting strips of dough A21C 3/08; with filling action A21C 9/063; forming toroid-shaped dough pieces A21C 11/002)}

**A21C 11/00****Other machines for forming the dough into its final shape before cooking or baking**

- A21C 11/002 . {the shape being toroid-like, e.g. bagels, doughnuts (extruding machines for toroid shaped products A21C 11/166)}
- A21C 11/004 . {forming the dough into a substantially disc-like shape with or without an outer rim, e.g. for making pie crusts, cake shells or pizza bases}
- A21C 11/006 . . {by pressing or press-moulding (A21C 11/008 takes precedence)}

A21C 11/008	<ul style="list-style-type: none"> <li>• {by press-rolling}</li> </ul>
A21C 11/02	<ul style="list-style-type: none"> <li>• Embossing machines</li> </ul>
A21C 11/04	<ul style="list-style-type: none"> <li>• with cutting and embossing rollers or drums {(A21C 11/106 takes precedence)}</li> </ul>
A21C 11/06	<ul style="list-style-type: none"> <li>• handling regularly pre-shaped sheets of dough</li> </ul>
A21C 11/08	<ul style="list-style-type: none"> <li>• with engraved moulds, e.g. rotary machines with die rolls</li> </ul>
A21C 11/10	<ul style="list-style-type: none"> <li>• combined with cutting apparatus {(A21C 11/004 takes precedence)}</li> </ul>
A21C 11/103	<ul style="list-style-type: none"> <li>• {having multiple cutting elements slidably or rotably mounted in a diaphragm-like arrangement}</li> </ul>
A21C 11/106	<ul style="list-style-type: none"> <li>• {using hand-operated cutting tools (A21C 9/068 takes precedence)}</li> </ul>
A21C 11/12	<ul style="list-style-type: none"> <li>• Apparatus for slotting, slitting or perforating the surface of pieces of dough</li> </ul>
A21C 11/14	<ul style="list-style-type: none"> <li>• for star-like stamping</li> </ul>
A21C 11/16	<ul style="list-style-type: none"> <li>• Extruding machines</li> </ul>
A21C 11/163	<ul style="list-style-type: none"> <li>• {Applying co-extrusion, i.e. extruding two or more plastic substances simultaneously, e.g. for making filled dough products; Making products from two or more different substances supplied to the extruder}</li> </ul>
A21C 11/166	<ul style="list-style-type: none"> <li>• {for making toroid-shaped products, e.g. doughnuts (A21C 11/163 takes precedence)}</li> </ul>
A21C 11/18	<ul style="list-style-type: none"> <li>• with pistons</li> </ul>
A21C 11/20	<ul style="list-style-type: none"> <li>• with worms</li> </ul>
A21C 11/22	<ul style="list-style-type: none"> <li>• Apparatus with rollers and cutting discs or blades for shaping noodles</li> </ul>
A21C 11/24	<ul style="list-style-type: none"> <li>• Apparatus for cutting out noodles from a sheet or ribbon of dough by an engaging pair of grooved rollers</li> </ul>
<b>A21C 13/00</b>	<b>Provers, i.e. apparatus permitting dough to rise {(testing dough properties G01N 33/10)}</b>
A21C 13/02	<ul style="list-style-type: none"> <li>• with endless conveyers {e.g. for moving the dough pieces progressively through the prover}</li> </ul>
<b>A21C 14/00</b>	<b>Machines or equipment for making or processing dough, not provided for in other groups of this subclass</b>
<b>A21C 15/00</b>	<b>Apparatus for handling baked articles</b>
A21C 15/002	<ul style="list-style-type: none"> <li>• {Apparatus for spreading granular material on, or sweeping or coating the surface of baked articles (of pieces of dough A21C 9/04; for confectionary A23G 3/28)}</li> </ul>
A21C 15/005	<ul style="list-style-type: none"> <li>• {of which at least the dispensing part is hand-held, e.g. comprising a flexible container, pouch or gun-like applicator}</li> </ul>
A21C 15/007	<ul style="list-style-type: none"> <li>• {Apparatus for filling baked articles (filling pieces of dough A21C 9/06; filled bakery products A21D 13/0019, A21D 13/085)}</li> </ul>
A21C 15/02	<ul style="list-style-type: none"> <li>• Apparatus for shaping or moulding baked wafers; Making multi-layer wafer sheets</li> </ul>
A21C 15/025	<ul style="list-style-type: none"> <li>• {Apparatus for shaping or moulding baked wafers, e.g. to obtain cones for ice cream}</li> </ul>
A21C 15/04	<ul style="list-style-type: none"> <li>• Cutting or slicing machines or devices specially adapted for baked articles other than bread (for cutting or slicing bread B26B, B26D)</li> </ul>