

CPC**COOPERATIVE PATENT CLASSIFICATION****C03C****CHEMICAL COMPOSITION OF GLASSES, GLAZES, OR VITREOUS ENAMELS; SURFACE TREATMENT OF GLASS; SURFACE TREATMENT OF FIBRES OR FILAMENTS FROM GLASS, MINERALS OR SLAGS; JOINING GLASS TO GLASS OR OTHER MATERIALS****NOTES**

1. This subclass covers compositions of polycrystalline fibres
2. This subclass does not cover the preparation of single-crystal fibres, which is covered by subclass [C30B](#)

WARNING

The following IPC groups are not used in the CPC scheme. Subject matter covered by these groups is classified in the following CPC groups:

[C03C 6/00](#) covered by [C03C 1/00](#)

[C03C 10/02–C03C 10/14](#) covered by [C03C 10/00](#)

[C03C 13/02](#) covered by [C03C 13/00](#)

[C03C 27/12](#) covered by [B32B 17/00](#)

Chemical composition of glasses, glazes, or vitreous enamels**NOTE**

In groups [C03C 1/00](#) to [C03C 14/00](#), in the absence of an indication to the contrary, classification is made in the last appropriate place.

C03C 1/00**Ingredients generally applicable to manufacture of glasses, glazes, or vitreous enamels**

- [C03C 1/002](#) . {Use of waste materials, e.g. slags}
- [C03C 1/004](#) . {Refining agents ([refining C03B 5/225](#))}
- [C03C 1/006](#) . {to produce glass through wet route}
- [C03C 1/008](#) . . {for the production of films or coatings}
- [C03C 1/02](#) . Pretreated ingredients
- [C03C 1/022](#) . . {Purification of silica sand or other minerals}
- [C03C 1/024](#) . . {Chemical treatment of cullet or glass fibres}
- [C03C 1/026](#) . . {Pelletisation or prereacting of powdered raw materials ([apparatus or methods C03B 1/02](#))}
- [C03C 1/028](#) . . {Ingredients allowing introduction of lead or other easily volatile or dusty compounds}
- [C03C 1/04](#) . Opacifiers, e.g. fluorides or phosphates; Pigments
- [C03C 1/06](#) . . to produce non-uniformly pigmented, e.g. speckled, marbled, or veined products
- [C03C 1/08](#) . to produce crackled effects

- C03C 1/10 . to produce uniformly-coloured transparent products
- C03C 1/105 . . {by the addition of colorants to the forehearth of the glass melting furnace}

C03C 3/00**Glass compositions**

- C03C 3/04 . containing silica

NOTE

If silica is specified as being present in a percent range covered by two of the groups [C03C 3/06](#), [C03C 3/062](#) or [C03C 3/076](#), classification is made in both groups. If the range is covered by the three groups, classification is made in group [C03C 3/04](#) itself.

- C03C 3/045 . . {Silicon oxycarbide, oxynitride or oxycarbonitride glasses}
- C03C 3/06 . . with more than 90% silica by weight, e.g. quartz {(C03C 3/045 takes precedence)}
- C03C 3/061 . . . {by leaching a soluble phase and consolidating}
- C03C 3/062 . . with less than 40% silica by weight
- C03C 3/064 . . . containing boron
- C03C 3/066 containing zinc
- C03C 3/068 containing rare earths
- C03C 3/07 . . . containing lead
- C03C 3/072 containing boron
- C03C 3/074 containing zinc
- C03C 3/0745 {containing more than 50% lead oxide, by weight}
- C03C 3/076 . . with 40% to 90% silica, by weight {(C03C 3/045 takes precedence)}
- C03C 3/078 . . . containing an oxide of a divalent metal, e.g. an oxide of zinc
- C03C 3/083 . . . containing aluminium oxide or an iron compound
- C03C 3/085 containing an oxide of a divalent metal
- C03C 3/087 containing calcium oxide, e.g. common sheet or container glass
- C03C 3/089 . . . containing boron
- C03C 3/091 containing aluminium
- C03C 3/093 containing zinc or zirconium
- C03C 3/095 . . . containing rare earths
- C03C 3/097 . . . containing phosphorus, niobium or tantalum
- C03C 3/102 . . . containing lead
- C03C 3/105 containing aluminium
- C03C 3/108 containing boron
- C03C 3/11 . . . containing halogen or nitrogen
- C03C 3/111 {containing nitrogen}
- C03C 3/112 containing fluorine
- C03C 3/115 containing boron
- C03C 3/118 containing aluminium
- C03C 3/12 . Silica-free oxide glass compositions

- C03C 3/122 . . {containing oxides of As, Sb, Bi, Mo, W, V, Te as glass formers}
- C03C 3/125 . . {containing aluminium as glass former}
- C03C 3/127 . . {containing TiO₂ as glass former}
- C03C 3/14 . . containing boron
- C03C 3/142 . . . {containing lead}
- C03C 3/145 . . . containing aluminium or beryllium
- C03C 3/15 . . . containing rare earths
- C03C 3/155 containing zirconium, titanium, tantalum or niobium
- C03C 3/16 . . containing phosphorus
- C03C 3/17 . . . containing aluminium or beryllium
- C03C 3/19 . . . containing boron
- C03C 3/21 . . . containing titanium, zirconium, vanadium, tungsten or molybdenum
- C03C 3/23 . . containing halogen and at least one oxide, e.g. oxide of boron
- C03C 3/247 . . . containing fluorine and phosphorus
- C03C 3/253 . . containing germanium
- C03C 3/32 . Non-oxide glass compositions, e.g. binary or ternary halides, sulfides or nitrides of germanium, selenium or tellurium
- C03C 3/321 . . {Chalcogenide glasses, e.g. containing S, Se, Te}
- C03C 3/323 . . . {containing halogen, e.g. chalcohalide glasses}
- C03C 3/325 . . {Fluoride glasses}
- C03C 3/326 . . . {containing beryllium}
- C03C 3/328 . . {Nitride glasses}

C03C 4/00**Compositions for glass with special properties****NOTE**

When classifying in group [C03C 4/00](#), classification is also made in the appropriate groups of group [C03C 3/00](#) according to the glass composition.

- C03C 4/0007 . {for biologically-compatible glass}
- C03C 4/0014 . . {Biodegradable glass}
- C03C 4/0021 . . {for dental use}
- C03C 4/0028 . {for crystal glass, e.g. lead-free crystal glass}
- C03C 4/0035 . {for soluble glass for controlled release of a compound incorporated in said glass}
- C03C 4/0042 . {for glass comprising or including particular isotopes}
- C03C 4/005 . {for opaline glass}
- C03C 4/0057 . {for ultrasonic delay lines glass}
- C03C 4/0064 . {for self-destructing glass ([C03C 4/0014](#) takes precedence)}
- C03C 4/0071 . {for laserable glass}
- C03C 4/0078 . {for glass for dosimeters}
- C03C 4/0085 . {for UV-transmitting glass}
- C03C 4/0092 . {for glass with improved high visible transmittance, e.g. extra-clear glass}

| | |
|-------------------|--|
| C03C 4/02 | • for coloured glass |
| C03C 4/04 | • for photosensitive glass |
| C03C 4/06 | • . for phototropic or photochromic glass |
| C03C 4/065 | • . . {for silver-halide free photochromic glass} |
| C03C 4/08 | • for glass selectively absorbing radiation of specified wave lengths |
| C03C 4/082 | • . {for infra-red absorbing glass} |
| C03C 4/085 | • . {for ultra-violet absorbing glass} |
| C03C 4/087 | • . {for X-rays absorbing glass} |
| C03C 4/10 | • for infra-red transmitting glass |
| C03C 4/12 | • for luminescent glass; for fluorescent glass |
| C03C 4/14 | • for electro-conductive glass |
| C03C 4/16 | • for dielectric glass |
| C03C 4/18 | • for ion-sensitive glass |
| C03C 4/20 | • for chemical resistant glass |
| C03C 8/00 | Enamels; Glazes (cold glazes for ceramics {C04B 41/48}); Fusion seal compositions being frit compositions having non-frit additions |
| C03C 8/02 | • Frit compositions, i.e. in a powdered or comminuted form |
| C03C 8/04 | • . containing zinc |
| C03C 8/06 | • . containing halogen |
| C03C 8/08 | • . containing phosphorus |
| C03C 8/10 | • . containing lead |
| C03C 8/12 | • . . containing titanium or zirconium |
| C03C 8/14 | • Glass frit mixtures having non-frit additions, e.g. opacifiers, colorants, mill-additions |
| C03C 8/16 | • . with vehicle or suspending agents, e.g. slip |
| C03C 8/18 | • . containing free metals |
| C03C 8/20 | • . containing titanium compounds; containing zirconium compounds |
| C03C 8/22 | • containing two or more distinct frits having different compositions |
| C03C 8/24 | • Fusion seal compositions being frit compositions having non-frit additions, i.e. for use as seals between dissimilar materials, e.g. glass and metal; Glass solders |
| C03C 8/245 | • . {containing more than 50% lead oxide, by weight} |
| C03C 10/00 | Devitrified glass ceramics, i.e. glass ceramics having a crystalline phase dispersed in a glassy phase and constituting at least 50% by weight of the total composition |
| C03C 10/0009 | • {containing silica as main constituent} |
| C03C 10/0018 | • {containing SiO ₂ , Al ₂ O ₃ and monovalent metal oxide as main constituents} |
| C03C 10/0027 | • . {containing SiO ₂ , Al ₂ O ₃ , Li ₂ O as main constituents} |
| C03C 10/0036 | • {containing SiO ₂ , Al ₂ O ₃ and a divalent metal oxide as main constituents} |
| C03C 10/0045 | • . {containing SiO ₂ , Al ₂ O ₃ and MgO as main constituents} |

- C03C 10/0054
 - {containing PbO, SnO₂, B₂O₃}
- C03C 10/0063
 - {containing waste materials, e.g. slags}
- C03C 10/0072
 - {having a ferro-electric crystal phase}
- C03C 10/0081
 - {having a magnetic crystal phase}
- C03C 10/009
 - {having a superconducting crystal phase}
- C03C 10/16
 - Halogen containing crystalline phase
- C03C 11/00**
 - **Multi-cellular glass; {Porous or hollow glass or glass particles}**
- C03C 11/002
 - {Hollow glass particles}
- C03C 11/005
 - {obtained by leaching after a phase separation step}
- C03C 11/007
 - {Foam glass, e.g. obtained by incorporating a blowing agent and heating}
- C03C 12/00**
 - **Powdered glass ([C03C 8/02](#) takes precedence); Bead compositions**
- C03C 12/02
 - Reflective beads
- C03C 13/00**
 - **Fibre or filament compositions ([manufacture of fibres or filaments C03B 37/00](#))**
- C03C 13/001
 - {Alkali-resistant fibres}
- C03C 13/002
 - . {containing zirconium}
- C03C 13/003
 - {Conducting or semi-conducting fibres}
- C03C 13/005
 - {obtained by leaching of a soluble phase and consolidation}
- C03C 13/006
 - {Glass-ceramics fibres}
- C03C 13/007
 - . {containing zirconium}
- C03C 13/008
 - {Polycrystalline optical fibres}
- C03C 13/04
 - Fibre optics, e.g. core and clad fibre compositions ([light guides G02B 6/00](#))
- C03C 13/041
 - . {Non-oxide glass compositions}
- C03C 13/042
 - . . {Fluoride glass compositions}
- C03C 13/043
 - . . {Chalcogenide glass compositions}
- C03C 13/044
 - . . . {containing halogen, e.g. chalcohalide glass compositions}
- C03C 13/045
 - . . {Silica-containing oxide glass compositions}
- C03C 13/046
 - . . . {Multicomponent glass compositions}
- C03C 13/047
 - . . . {containing deuterium}
- C03C 13/048
 - . . {Silica-free oxide glass compositions}
- C03C 13/06
 - Mineral fibres, e.g. slag wool, mineral wool, rock wool
- C03C 14/00**
 - **Glass compositions containing a non-glass component, e.g. compositions containing fibres, filaments, whiskers, platelets, or the like, dispersed in a glass matrix ([devitrified glass ceramics C03C 10/00](#))**
- C03C 14/002
 - {the non-glass component being in the form of fibres, filaments, yarns, felts or woven material}
- C03C 14/004
 - {the non-glass component being in the form of particles or flakes}
- C03C 14/006
 - {the non-glass component being in the form of microcrystallites, e.g. of optically or electrically active material}
- C03C 14/008
 - {the non-glass component being in molecular form}

Surface treatment of glass; Surface treatment of fibres or filaments from glass, minerals or slag

- C03C 15/00** **Surface treatment of glass , not in the form of fibres or filaments, by etching**
(etching or surface-brightening compositions, in general [C09K 13/00](#))
- C03C 15/02 . for making a smooth surface
- C03C 15/025 . . {for polishing crystal glass, i.e. lead glass}
- C03C 17/00** **Surface treatment of glass, not in the form of fibres or filaments, by coating**
(optical coatings of optical elements [G02B 1/10](#))
- C03C 17/001 . {General methods for coating; Devices therefor}
- C03C 17/002 . . {for flat glass, e.g. float glass}
- C03C 17/003 . . {for hollow ware, e.g. containers}
- C03C 17/004 . . . {Coating the inside}
- C03C 17/005 . . . {Coating the outside}
- C03C 17/006 . {with materials of composite character}
- C03C 17/007 . . {containing a dispersed phase, e.g. particles, fibres or flakes, in a continuous phase}
- C03C 17/008 . . {comprising a mixture of materials covered by two or more of the groups [C03C 17/02](#), [C03C 17/06](#), [C03C 17/22](#) and [C03C 17/28](#)}
- C03C 17/009 . . . {Mixtures of organic and inorganic materials, e.g. ormosils and ormocers}
- C03C 17/02 . with glass ([C03C 17/34](#), [C03C 17/44](#) take precedence)
- C03C 17/04 . . by fritting glass powder
- C03C 17/06 . with metals ([C03C 17/34](#), [C03C 17/44](#) take precedence)
- C03C 17/09 . . by deposition from the vapour phase
- C03C 17/10 . . by deposition from the liquid phase
- C03C 17/22 . with other inorganic material ([C03C 17/34](#), [C03C 17/44](#) take precedence)
- C03C 17/225 . . {Nitrides}
- C03C 17/23 . . Oxides ([C03C 17/02](#) takes precedence)
- C03C 17/245 . . . by deposition from the vapour phase
- C03C 17/2453 {Coating containing SnO₂}
- C03C 17/2456 {Coating containing TiO₂}
- C03C 17/25 . . . by deposition from the liquid phase
- C03C 17/253 {Coating containing SnO₂}
- C03C 17/256 {Coating containing TiO₂}
- C03C 17/27 . . . by oxidation of a coating previously applied
- C03C 17/28 . with organic material ([C03C 17/34](#), [C03C 17/44](#) take precedence)
- C03C 17/30 . . with silicon-containing compounds
- C03C 17/32 . . with synthetic or natural resins ([C03C 17/30](#) takes precedence)
- C03C 17/322 . . . {Polyurethanes or polyisocyanates}
- C03C 17/324 . . . {Polyesters}

- C03C 17/326 . . . {Epoxy resins}
- C03C 17/328 . . . {Polyolefins}
- C03C 17/34 . with at least two coatings having different compositions ([C03C 17/44](#) takes precedence)
- C03C 17/3405 . . {with at least two coatings of organic materials ([C03C 17/36](#), [C03C 17/42](#) take precedence)}
- C03C 17/3411 . . {with at least two coatings of inorganic materials ([C03C 17/36](#), [C03C 17/42](#) take precedence)}
- C03C 17/3417 . . . {all coatings being oxide coatings}
- C03C 17/3423 . . . {at least one of the coatings comprising a suboxide}
- C03C 17/3429 . . . {at least one of the coatings being a non-oxide coating}
- C03C 17/3435 {comprising a nitride, oxynitride, boronitride or carbonitride}
- C03C 17/3441 {comprising carbon, a carbide or oxycarbide}
- C03C 17/3447 {comprising a halide}
- C03C 17/3452 {comprising a fluoride}
- C03C 17/3458 {comprising a chloride}
- C03C 17/3464 {comprising a chalcogenide}
- C03C 17/347 {comprising a sulfide or oxysulfide}
- C03C 17/3476 {comprising a selenide or telluride}
- C03C 17/3482 {comprising silicon, hydrogenated silicon or a silicide}
- C03C 17/3488 {comprising a boride or phosphide}
- C03C 17/3494 {comprising other salts, e.g. sulfate, phosphate}
- C03C 17/36 . . at least one coating being a metal
- C03C 17/3602 . . . {the metal being present as a layer}
- C03C 17/3605 {Coatings of the type glass/metal/inorganic compound}
- C03C 17/3607 {Coatings of the type glass/inorganic compound/metal}
- C03C 17/361 {Coatings of the type glass/metal/inorganic compound/metal/inorganic compound/other}
- C03C 17/3613 {Coatings of type glass/inorganic compound/metal/inorganic compound/metal/other}
- C03C 17/3615 {Coatings of the type glass/metal/other inorganic layers, at least one layer being non-metallic}
- C03C 17/3618 {Coatings of type glass/inorganic compound/other inorganic layers, at least one layer being metallic}
- C03C 17/3621 {one layer at least containing a fluoride}
- C03C 17/3623 {one layer at least containing a chloride, bromide or iodide}
- C03C 17/3626 {one layer at least containing a nitride, oxynitride, boronitride or carbonitride}
- C03C 17/3628 {one layer at least containing a sulfide}
- C03C 17/3631 {one layer at least containing a selenide or telluride}
- C03C 17/3634 {one layer at least containing carbon, a carbide or oxycarbide}
- C03C 17/3636 {one layer at least containing silicon, hydrogenated silicon or a silicide}

- C03C 17/3639 {Multilayers containing at least two functional metal layers}
- C03C 17/3642 {the multilayer coating containing a metal layer}
- C03C 17/3644 {the metal being silver}
- C03C 17/3647 {in combination with other metals, silver being more than 50%}
- C03C 17/3649 {made of metals other than silver}
- C03C 17/3652 {the coating stack containing at least one sacrificial layer to protect the metal from oxidation}
- C03C 17/3655 {the multilayer coating containing at least one conducting layer}
- C03C 17/3657 {the multilayer coating having optical properties}
- C03C 17/366 {Low-emissivity or solar control coatings}
- C03C 17/3663 {specially adapted for use as mirrors}
- C03C 17/3665 {specially adapted for use as photomask}
- C03C 17/3668 {the multilayer coating having electrical properties}
- C03C 17/3671 {specially adapted for use as electrodes}
- C03C 17/3673 {specially adapted for use in heating devices for rear window of vehicles}
- C03C 17/3676 {specially adapted for use as electromagnetic shield}
- C03C 17/3678 {specially adapted for use in solar cells}
- C03C 17/3681 {the multilayer coating being used in glazing, e.g. windows or windscreens}
- C03C 17/3684 {the multilayer coating being used for decoration purposes}
- C03C 17/3686 {the multilayer coating being used for ovens}
- C03C 17/3689 {one oxide layer being obtained by oxidation of a metallic layer}
- C03C 17/3692 {one metallic layer being obtained by reduction of an oxide layer}
- C03C 17/3694 {one layer having a composition gradient through its thickness}
- C03C 17/3697 {one metallic layer at least being obtained by electroless plating}
- C03C 17/38 . . . at least one coating being a coating of an organic material
- C03C 17/40 . . . all coatings being metal coatings
- C03C 17/42 . . at least one coating of an organic material and at least one non-metal coating
- C03C 17/44 . Lustring

C03C 19/00 Surface treatment of glass, not in the form of fibres or filaments, by mechanical means (sand-blasting, grinding, or polishing glass [B24](#))

C03C 21/00 Treatment of glass, not in the form of fibres or filaments, by diffusing ions or metals in the surface

- C03C 21/001 . {in liquid phase, e.g. molten salts, solutions}
- C03C 21/002 . . {to perform ion-exchange between alkali ions ([C03C 21/005](#) takes precedence)}
- C03C 21/003 . . . {under application of an electrical potential difference}
- C03C 21/005 . . {to introduce in the glass such metals or metallic ions as Ag, Cu}
- C03C 21/006 . . {to perform an exchange of the type $Xn^{+} \rightarrow nH^{+}$ }

- C03C 21/007 . {in gaseous phase}
- C03C 21/008 . {in solid phase, e.g. using pastes, powders}

C03C 23/00

Other surface treatment of glass not in the form of fibres or filaments

- C03C 23/0005 . {by irradiation}
- C03C 23/001 . . {by infra-red light}
- C03C 23/0015 . . {by visible light}
- C03C 23/002 . . {by ultra-violet light}
- C03C 23/0025 . . {by a laser beam}
- C03C 23/003 . . {by X-rays}
- C03C 23/0035 . . {by gamma-rays}
- C03C 23/004 . . {by electrons, protons or alpha-particles}
- C03C 23/0045 . . {by neutrons}
- C03C 23/005 . . {by atoms}
- C03C 23/0055 . . {by ion implantation}
- C03C 23/006 . . {by plasma or corona discharge}
- C03C 23/0065 . . {by microwave radiation}
- C03C 23/007 . {by thermal treatment}
- C03C 23/0075 . {Cleaning of glass (specially adapted to plate glass [B08B 11/00](#))}
- C03C 23/008 . {comprising a lixiviation step}
- C03C 23/0085 . {Drying; Dehydroxylation}
- C03C 23/009 . {Poling glass}
- C03C 23/0095 . {Solution impregnating; Solution doping; Molecular stuffing, e.g. of porous glass (in manufacture of preforms [C03B 37/012](#))}

C03C 25/00

Surface treatment of fibres or filaments from glass, minerals, or slags

{(woven fabrics [D03](#); non-woven fabrics [D04](#); treatment of fabrics in general or non-chemical aspects of treatment of glass fabrics [D06M](#))}

- C03C 25/002 . {by thermal treatment}
- C03C 25/005 . {by mechanical means}
- C03C 25/007 . {by solution impregnating; solution doping or molecular stuffing of porous glass}
- C03C 25/10 . by coating
- C03C 25/1005 . . {with materials of composite character}
- C03C 25/101 . . . {containing particles, fibres or flakes, e.g. in a continuous phase}
- C03C 25/1015 . . {with rubber latex-containing coatings}
- C03C 25/102 . . {Coating with colouring agent-containing compositions, e.g. for obtaining coloured textiles}
- C03C 25/1025 . . {Fibres used for reinforcing cement-based products}
- C03C 25/103 . . . {with organic coatings}
- C03C 25/1035 . . . {with inorganic coatings}
- C03C 25/104 . . {to obtain optical fibres}
- C03C 25/1045 . . . {with organic coatings or claddings}

| | |
|--------------|--|
| C03C 25/105 | {Organic claddings} |
| C03C 25/1055 | {Organic coatings} |
| C03C 25/106 | {Single coatings} |
| C03C 25/1065 | {Multiple coatings} |
| C03C 25/107 | . . . {with inorganic coatings} |
| C03C 25/1075 | {Carbon} |
| C03C 25/108 | {Metals} |
| C03C 25/1085 | {Multiple inorganic coatings} |
| C03C 25/109 | . . . {with at least one organic coating and at least one inorganic coating} |
| C03C 25/1095 | . . {to obtain coated fabrics} |
| C03C 25/12 | . . General methods for coating; Devices therefor |
| C03C 25/14 | . . . Spraying, e.g. pulverisation |
| C03C 25/143 | {Pulverisation on continuous fibres} |
| C03C 25/146 | {Pulverisation on fibres in suspension in a gaseous medium} |
| C03C 25/16 | . . . Dipping |
| C03C 25/18 | . . . using extrusion devices |
| C03C 25/20 | . . . Contacting the fibres with applicators, e.g. rolls |
| C03C 25/22 | . . . Depositing from the vapour phase |
| C03C 25/223 | {by chemical vapour deposition or pyrolysis} |
| C03C 25/226 | {by sputtering} |

NOTE

In groups [C03C 25/24](#) to [C03C 25/40](#), organic coating compositions also cover mixtures of organic and inorganic compounds. A coating composition which cannot be completely classified in a single one of groups [C03C 25/24](#) to [C03C 25/40](#) should be classified in each relevant group, in accordance with the following rules:

- Compositions containing only one macromolecular constituent and one or more conventional inorganic or non-macromolecular compounds, e.g. acids, solvents, are classified according to the macromolecular constituent only.
- Compositions containing two or more macromolecular constituents and further conventional inorganic or non-macromolecular compounds are classified according to the macromolecular constituent present in the highest proportion. If, however, the other macromolecular constituents represent invention information, classification is also made for these constituents.
- Compositions containing macromolecular constituents present in comparable proportions are classified according to these constituents.
- If non-macromolecular compounds in the composition also represent invention information, [C03C 25/38](#), for specific solvents, fillers, dyes or pigments, surfactants, biocides or the like in [C03C 25/24](#) or subgroups.

| | |
|------------|---|
| C03C 25/24 | . . Coatings containing organic materials |
|------------|---|

- C03C 25/243 . . . {Oils, waxes, fats or derivatives thereof}
- C03C 25/246 . . . {Non-macromolecular compounds not covered by [C03C 25/243](#)}
- C03C 25/26 . . . Macromolecular compounds or prepolymers, {e.g. sizing compositions}
- C03C 25/28 obtained by reactions involving only carbon-to-carbon unsaturated bonds
- C03C 25/285 {Acrylic resins}
- C03C 25/30 Polyolefins
- C03C 25/305 {Polyfluoro olefins}
- C03C 25/32 obtained otherwise than by reactions involving only carbon-to-carbon unsaturated bonds
- C03C 25/321 {Starch or starch derivatives}
- C03C 25/323 {Esters or alkyd resins}
- C03C 25/325 {Polycarbonates}
- C03C 25/326 {Polyureas or polyurethanes}
- C03C 25/328 {Polyamides}
- C03C 25/34 Condensation polymers of aldehydes, e.g. with phenol, ureas, melamines, amides or amines
- C03C 25/36 Epoxy resins
- C03C 25/38 . . . Organo-metal compounds
- C03C 25/40 . . . Organo-silicon compounds
- C03C 25/42 . . Coatings containing inorganic materials
- C03C 25/44 . . . Carbon, e.g. graphite
- C03C 25/46 . . . Metals
- C03C 25/48 . . with two or more coatings having different compositions {([C03C 25/104](#) takes precedence)}

NOTE

If one or more of the individual coatings are of interest, for each of these coatings classification is also made in one or more of groups [C03C 25/24](#) to [C03C 25/46](#), in accordance with the note before group [C03C 25/24](#).

- C03C 25/50 . . . Coatings containing organic materials only
- C03C 25/52 . . . Coatings containing inorganic materials only
- C03C 25/54 . . . Combinations of one or more coatings containing organic materials only with one or more coatings containing inorganic materials only
- C03C 25/60 . by diffusing ions or metals in the surface
- C03C 25/601 . . {in the liquid phase, e.g. using molten salts or solutions}
- C03C 25/602 . . . {to perform ion-exchange between alkali ions ([C03C 25/605](#) takes precedence)}
- C03C 25/603 {under application of an electrical potential difference}
- C03C 25/605 . . . {to introduce in the glass such metals or metallic ions as Ag or Cu}
- C03C 25/606 . . . {to perform an exchange of the type $Xn+ \rightarrow nH+$ }
- C03C 25/607 . . {in the gaseous phase}

- C03C 25/608 . . {in the solid phase, e.g. using pastes, powders}
- C03C 25/62 . by application of electric or wave energy or particle radiation, or by ion implantation (for drying or dehydration [C03C 25/64](#))
- C03C 25/6206 . . {Electromagnetic waves}
- C03C 25/6213 . . . {Infra-red}
- C03C 25/622 . . . {Visible light}
- C03C 25/6226 . . . {Ultra-violet}
- C03C 25/6233 . . . {Laser}
- C03C 25/624 . . . {X-rays}
- C03C 25/6246 . . . {Gamma-rays}
- C03C 25/6253 . . . {Microwaves}
- C03C 25/626 . . {Particle radiation or ion implantation}
- C03C 25/6266 . . . {Electrons, protons or alpha-particles}
- C03C 25/6273 . . . {Neutrons}
- C03C 25/628 . . . {Atoms}
- C03C 25/6286 . . . {Ion implantation}
- C03C 25/6293 . . {Plasma or corona discharge}
- C03C 25/64 . Drying; Dehydration; Dehydroxylation
- C03C 25/66 . Chemical treatment, e.g. leaching, acid alkali treatment (dehydroxylation [C03C 25/46](#))
- C03C 25/68 . . by etching
- C03C 25/70 . Cleaning, e.g. for reuse ({[C03C 25/002](#),} [C03C 25/62](#) and [C03C 25/66](#) take precedence)

Joining glass to glass or to other materials (fusion seal compositions [C03C 8/24](#))

NOTE

Layered products classified in groups [C03C 27/00](#) or [C03C 29/00](#) are also classified in subclass [B32B](#).

- C03C 27/00** **Joining pieces of glass to pieces of other inorganic material; Joining glass to glass other than by fusing** ([C03C 17/00](#) takes precedence; layered structures comprising at least one glass sheet [B32B 17/00](#); wired glass [C03B](#); joining glass to ceramics [C04](#))
- C03C 27/005 . {with compositions containing more than 50% lead oxide by weight}
- C03C 27/02 . by fusing glass directly to metal
- C03C 27/04 . Joining glass to metal by means of an interlayer
- C03C 27/042 . . {consisting of a combination of materials selected from glass, glass-ceramic or ceramic material with metals, metal oxides or metal salts}
- C03C 27/044 . . . {of glass, glass-ceramic or ceramic material only}
- C03C 27/046 . . . {of metals, metal oxides or metal salts only}
- C03C 27/048 . . {consisting of an adhesive specially adapted for that purpose}

- C03C 27/06 . Joining glass to glass by processes other than fusing ([fusing C03B 23/20; units for use as elements for closing wall or like openings and comprising two or more parallel glass panes in spaced relationship, the panes being permanently secured together E06B 3/66](#))
- C03C 27/08 . . with the aid of intervening metal
- C03C 27/10 . . with the aid of adhesive specially adapted for that purpose

C03C 29/00 Joining metals with the aid of glass

C03C 2201/00 Glass compositions

- C03C 2201/02 . Pure silica glass, e.g. pure fused quartz
- C03C 2201/06 . Doped silica-based glasses
- C03C 2201/08 . . containing boron or halide
- C03C 2201/10 . . . containing boron ([C03C 2201/14 takes precedence](#))
- C03C 2201/11 . . . containing chlorine
- C03C 2201/12 . . . containing fluorine ([C03C 2201/14 takes precedence](#))
- C03C 2201/14 . . . containing boron and fluorine
- C03C 2201/20 . . containing non-metals other than boron or halide
- C03C 2201/21 . . . containing molecular hydrogen
- C03C 2201/22 . . . containing deuterium
- C03C 2201/23 . . . containing hydroxyl groups
- C03C 2201/24 . . . containing nitrogen, e.g. silicon oxy-nitride glasses
- C03C 2201/26 . . . containing carbon
- C03C 2201/28 . . . containing phosphorus
- C03C 2201/30 . . containing metals
- C03C 2201/31 . . . containing germanium
- C03C 2201/32 . . . containing aluminium ([C03C 2201/36 takes precedence](#))
- C03C 2201/34 . . . containing rare earth metals ([C03C 2201/36 takes precedence](#))
- C03C 2201/3405 Scandium
- C03C 2201/3411 Yttrium
- C03C 2201/3417 Lanthanum
- C03C 2201/3423 Cerium
- C03C 2201/3429 Praseodymium
- C03C 2201/3435 Neodymium
- C03C 2201/3441 Samarium
- C03C 2201/3447 Europium
- C03C 2201/3452 Gadolinium
- C03C 2201/3458 Terbium
- C03C 2201/3464 Dysprosium
- C03C 2201/347 Holmium
- C03C 2201/3476 Erbium

- C03C 2201/3482 Thulium
- C03C 2201/3488 Ytterbium
- C03C 2201/3494 Lutetium
- C03C 2201/36 containing rare earth metals and aluminium, e.g. Er-Al co-doped
- C03C 2201/40 containing transition metals other than rare earth metals, e.g. Zr, Nb, Ta or Zn
- C03C 2201/42 containing titanium
- C03C 2201/50 containing alkali metals
- C03C 2201/54 containing beryllium, magnesium or alkaline earth metals
- C03C 2201/58 containing metals in non-oxide form, e.g. CdSe
- C03C 2201/60 containing organic material
- C03C 2201/80 containing bubbles or microbubbles, e.g. opaque quartz glass

C03C 2203/00**Production processes**

- C03C 2203/10 Melting processes
- C03C 2203/20 Wet processes, e.g. sol-gel process
 - C03C 2203/22 using colloidal silica sols
 - C03C 2203/24 using alkali silicate solutions
 - C03C 2203/26 using alkoxides
 - C03C 2203/27 the alkoxides containing other organic groups, e.g. alkyl groups
 - C03C 2203/28 functional groups, e.g. vinyl, glycidyl
- C03C 2203/30 Additives
 - C03C 2203/32 Catalysts
- C03C 2203/34 adding silica powder
- C03C 2203/36 Gel impregnation
- C03C 2203/40 Gas-phase processes
 - C03C 2203/42 using silicon halides as starting materials
 - C03C 2203/44 chlorine containing
 - C03C 2203/46 fluorine containing
- C03C 2203/50 After-treatment
 - C03C 2203/52 Heat-treatment
 - C03C 2203/54 in a dopant containing atmosphere

C03C 2204/00**Glasses, glazes or enamels with special properties**

- C03C 2204/02 Antibacterial glass, glaze or enamel
- C03C 2204/04 Opaque glass, glaze or enamel
 - C03C 2204/06 opacified by gas
- C03C 2204/08 Glass having a rough surface

C03C 2205/00**Compositions applicable for the manufacture of vitreous enamels or glazes**

- C03C 2205/02 for opaque enamels or glazes

- C03C 2205/04 . for self-cleaning enamels or glazes
- C03C 2205/06 . for dental use

C03C 2207/00**Compositions specially applicable for the manufacture of vitreous enamels**

- C03C 2207/02 . containing ingredients for securing a good bond between the vitrified enamel and the metal
- C03C 2207/04 . for steel
- C03C 2207/06 . for cast iron
- C03C 2207/08 . for light metals
- C03C 2207/10 . for copper, silver or gold

C03C 2209/00**Compositions specially applicable for the manufacture of vitreous glazes**

- C03C 2209/02 . to produce non-uniformly coloured glazes

C03C 2213/00**Glass fibres or filaments**

- C03C 2213/02 . Biodegradable glass fibres
- C03C 2213/04 . Dual fibres

C03C 2214/00**Nature of the non-vitreous component**

- C03C 2214/02 . Fibres; Filaments; Yarns; Felts; Woven material
- C03C 2214/03 . . surface treated, e.g. coated
- C03C 2214/04 . Particles; Flakes
- C03C 2214/05 . . surface treated, e.g. coated
- C03C 2214/06 . Whiskers ss
- C03C 2214/07 . . surface treated, e.g. coated
- C03C 2214/08 . Metals
- C03C 2214/10 . Superconducting materials
- C03C 2214/12 . Polymers
- C03C 2214/14 . Waste material, e.g. to be disposed of
- C03C 2214/16 . Microcrystallites, e.g. of optically or electrically active material
- C03C 2214/17 . in molecular form (for molecular composites)
- C03C 2214/20 . Glass-ceramics matrix
- C03C 2214/30 . Methods of making the composites
- C03C 2214/32 . comprising a sol-gel process
- C03C 2214/34 . comprising an impregnation by molten glass step

C03C 2217/00**Coatings on glass**

- C03C 2217/20 . Materials for coating a single layer on glass
- C03C 2217/21 . . Oxides
- C03C 2217/211 . . . SnO₂
- C03C 2217/212 . . . TiO₂
- C03C 2217/213 . . . SiO₂

| | | |
|---------------|-----------|---|
| C03C 2217/214 | . . . | Al ₂ O ₃ |
| C03C 2217/215 | . . . | In ₂ O ₃ |
| C03C 2217/216 | . . . | ZnO |
| C03C 2217/217 | . . . | FeOx, CoOx, NiOx |
| C03C 2217/218 | . . . | V ₂ O ₅ , Nb ₂ O ₅ , Ta ₂ O ₅ |
| C03C 2217/219 | . . . | CrOx, MoOx, WOx |
| C03C 2217/22 | . . . | ZrO ₂ |
| C03C 2217/228 | . . . | Other specific oxides |
| C03C 2217/229 | . . . | Non-specific enumeration |
| C03C 2217/23 | . . . | Mixtures |
| C03C 2217/231 | | In ₂ O ₃ /SnO ₂ |
| C03C 2217/232 | | CdO/SnO ₂ |
| C03C 2217/24 | . . . | Doped oxides |
| C03C 2217/241 | | with halides |
| C03C 2217/242 | | with rare earth metals |
| C03C 2217/243 | | with S, Se, Te |
| C03C 2217/244 | | with Sb |
| C03C 2217/25 | . . | Metals |
| C03C 2217/251 | . . . | Al, Cu, Mg or noble metals |
| C03C 2217/252 | | Al |
| C03C 2217/253 | | Cu |
| C03C 2217/254 | | Noble metals |
| C03C 2217/255 | | Au |
| C03C 2217/256 | | Ag |
| C03C 2217/257 | . . . | Refractory metals |
| C03C 2217/258 | | Ti, Zr, Hf |
| C03C 2217/259 | | V, Nb, Ta |
| C03C 2217/26 | | Cr, Mo, W |
| C03C 2217/261 | . . . | Iron-group metals, i.e. Fe, Co or Ni |
| C03C 2217/262 | . . . | Light metals other than Al |
| C03C 2217/263 | . . . | Metals other than noble metals, Cu or Hg |

NOTE

This code is only to be used in combination with [C03C](#) classification symbols having the +IDT notation.

| | | |
|---------------|-------|----------------------------|
| C03C 2217/268 | . . . | Other specific metals |
| C03C 2217/269 | . . . | Non-specific enumeration |
| C03C 2217/27 | . . . | Mixtures of metals, alloys |
| C03C 2217/28 | . . | Other inorganic materials |
| C03C 2217/281 | . . . | Nitrides |

| | |
|---------------|---|
| C03C 2217/282 | . . . Carbides, silicides |
| C03C 2217/283 | . . . Borides, phosphides |
| C03C 2217/284 | . . . Halides |
| C03C 2217/285 | Fluorides |
| C03C 2217/286 | Chlorides |
| C03C 2217/287 | . . . Chalcogenides |
| C03C 2217/288 | Sulfides |
| C03C 2217/289 | Selenides, tellurides |
| C03C 2217/29 | . . Mixtures |
| C03C 2217/40 | . Coatings comprising at least one inhomogeneous layer |
| C03C 2217/42 | . . consisting of particles only |
| C03C 2217/425 | . . consisting of a porous layer |
| C03C 2217/43 | . . consisting of a dispersed phase in a continuous phase |
| C03C 2217/44 | . . . characterized by the composition of the continuous phase |
| C03C 2217/445 | Organic continuous phases |
| C03C 2217/45 | Inorganic continuous phases |
| C03C 2217/452 | Glass |
| C03C 2217/46 | . . . characterized by the dispersed phase |
| C03C 2217/465 | having a specific shape |
| C03C 2217/47 | consisting of a specific material |
| C03C 2217/475 | Inorganic materials |
| C03C 2217/476 | Tin oxide or doped tin oxide |
| C03C 2217/477 | Titanium oxide |
| C03C 2217/478 | Silica |
| C03C 2217/479 | Metals |
| C03C 2217/48 | having a specific function |
| C03C 2217/485 | Pigments |
| C03C 2217/70 | . Properties of coatings |
| C03C 2217/71 | . . Photocatalytic coatings |
| C03C 2217/72 | . . Decorative coatings |
| C03C 2217/73 | . . Anti-reflective coatings with specific characteristics |
| C03C 2217/732 | . . . made of a single layer |
| C03C 2217/734 | . . . comprising an alternation of high and low refractive indexes |
| C03C 2217/74 | . . UV-absorbing coatings |
| C03C 2217/75 | . . Hydrophilic and oleophilic coatings |
| C03C 2217/76 | . . Hydrophobic and oleophobic coatings |
| C03C 2217/77 | . . Coatings having a rough surface |
| C03C 2217/775 | . . . to provide anti-slip characteristics |
| C03C 2217/78 | . . Coatings specially designed to be durable, e.g. scratch-resistant |
| C03C 2217/90 | . Other aspects of coatings |

- C03C 2217/91 . . Coatings containing at least one layer having a composition gradient through its thickness
- C03C 2217/92 . . Coating of crystal glass
- C03C 2217/93 . . Coatings containing a reinforcement comprising fibers or grids
- C03C 2217/94 . . Transparent conductive oxide layers [TCO] being part of a multilayer coating
- C03C 2217/944 . . . Layers comprising zinc oxide
- C03C 2217/948 . . . Layers comprising indium tin oxide [ITO]

C03C 2218/00**Methods for coating glass**

- C03C 2218/10 . Deposition methods
- C03C 2218/11 . . from solutions or suspensions
- C03C 2218/111 . . . by dipping, immersion
- C03C 2218/112 . . . by spraying
- C03C 2218/113 . . . by sol-gel processes
- C03C 2218/114 . . . by brushing, pouring or doctorblading
- C03C 2218/115 . . . electro-enhanced deposition
- C03C 2218/116 . . . by spin-coating, centrifugation
- C03C 2218/117 . . . by ultrasonic methods
- C03C 2218/118 . . . by roller-coating
- C03C 2218/119 . . . by printing
- C03C 2218/13 . . from melts
- C03C 2218/15 . . from the vapour phase
- C03C 2218/151 . . . by vacuum evaporation
- C03C 2218/152 . . . by cvd
- C03C 2218/1525 by atmospheric CVD
- C03C 2218/153 by plasma-enhanced cvd
- C03C 2218/154 . . . by sputtering
- C03C 2218/155 by reactive sputtering
- C03C 2218/156 by magnetron sputtering
- C03C 2218/17 . . from a solid phase
- C03C 2218/30 . Aspects of methods for coating glass not covered above
- C03C 2218/31 . . Pre-treatment
- C03C 2218/32 . . After-treatment
- C03C 2218/322 . . . Oxidation
- C03C 2218/324 . . . De-oxidation
- C03C 2218/326 . . . Nitriding
- C03C 2218/328 . . . Partly or completely removing a coating
- C03C 2218/33 by etching
- C03C 2218/335 . . Reverse coating
- C03C 2218/34 . . Masking
- C03C 2218/345 . . Surface crystallisation

- C03C 2218/35 . . Exuding
- C03C 2218/355 . . Temporary coating
- C03C 2218/36 . . Underside coating of a glass sheet
- C03C 2218/365 . . Coating different sides of a glass substrate