

CPC**COOPERATIVE PATENT CLASSIFICATION****A61G**

**TRANSPORT OR ACCOMODATION FOR PATIENTS;
OPERATING TABLES OR CHAIRS; CHAIRS FOR DENTISTRY;
FUNERAL DEVICES** (embalming corpses [A01N 1/00](#); {chairs or beds in general [A47C](#); walking aids [A61H 3/00](#)})

WARNING

The following IPC groups are not used in the CPC scheme. Subject matter covered by these groups is classified in the following CPC groups:

A61G 3/04	covered by	A61G 3/02
A61G 7/043	covered by	A61G 7/05
A61G 7/12	covered by	A61G 7/10
A61G 7/14	covered by	A61G 7/10
A61G 7/16	covered by	A61G 7/10
A61G 15/04	covered by	A61G 15/02
A61G 15/06	covered by	A61G 15/02
A61G 17/013	covered by	A61G 17/00

Ambulance service**A61G 1/00****Stretchers****A61G 1/003**

- with facilities for picking up patients or disabled persons, e.g. break-away type or using endless belts {(devices in general for lifting disabled persons [A61G 7/10](#))}

A61G 1/007

- with skis or sled runners (ski vehicles [A63C 5/00](#))

A61G 1/01

- Sheets specially adapted for use as or with stretchers (restraining devices used in nursing [A61F 5/37](#))

A61G 1/013

- foldable or collapsible ([A61G 1/017](#) takes precedence)

A61G 1/017

- convertible into chairs

A61G 1/02

- with wheels

A61G 1/0206

- . {characterised by the number of supporting wheels if stretcher is extended}

A61G 1/0212

- . . {2 pairs having wheels within a pair on the same position in longitudinal direction, e.g. on the same axis}

A61G 1/0218

- . . . {3 pairs having wheels within a pair on the same position in longitudinal direction, e.g. on the same axis}

A61G 1/0225

- . . . {other configuration, e.g. odd number of wheels}

A61G 1/0231

- . . {having only fixed wheels}

A61G 1/0237

- . . {having at least one swivelling wheel, e.g. castors}

A61G 1/0243

- . . . {with lockable swivel action, e.g. fixing castor in certain direction ([Locking of castor swivel action in general \[B60B 33/02\]\(#\)](#))}

A61G 1/025

- . . {having auxiliary wheels, e.g. wheels not touching the ground in extended position}

- A61G 1/0256 . . . {having wheels which support exclusively if stretcher is in low position, e.g. on the folded legs}
- A61G 1/0262 . . . {having loading wheels situated in the front during loading}
- A61G 1/0268 . . . {having deployable or retractable wheels}
- A61G 1/0275 . . {having driven wheels, e.g. motorised}
- A61G 1/0281 . . {having a steering device}
- A61G 1/0287 . . {having brakes, e.g. slowing down and/or holding (Details of brake actuators on castors [B60B 33/0078](#); Brakes on hand carts [B62B 5/04](#); Brakes in general [F16D 49/00](#) - [F16D 65/853](#))}
- A61G 1/0293 . . {stretcher supports with wheels, e.g. used for stretchers without wheels (Stretcher supports without wheels [A61G 1/06](#))}
- A61G 1/04 . Parts, details or accessories, e.g. head-, foot-, or like rests specially adapted for stretchers
- A61G 2001/042 . . {Suspension means}
- A61G 1/044 . . Straps, bands or belts
- A61G 1/048 . . Handles
- A61G 1/052 . . Struts, spars or legs
- A61G 1/056 . . . Swivelling legs
- A61G 1/0562 {independently foldable, i.e. at least part of the leg folding movement is not simultaneous}
- A61G 1/0565 {simultaneously folding, e.g. parallelogram structures}
- A61G 1/0567 {folding in x-shape}
- A61G 1/06 . Supports for stretchers, e.g. to be placed in or on vehicles {([A61G 1/0293](#) takes precedence; supports fixed to a vehicle [A61G 3/02](#) - [A61G 3/08](#))}

- A61G 3/00** **Ambulance aspects of vehicles; Vehicles with special provisions for transporting patients or disabled persons, or their personal conveyances, e.g. for facilitating access of, or for loading, wheelchairs**
- A61G 3/001 . {Vehicles provided with medical equipment to perform operations or examinations}
- A61G 3/003 . . {Supplementary seats, e.g. for doctors to take care of a patient}
- A61G 3/005 . . . {Foldable seats}
- A61G 3/006 . {Means for reducing the influence of acceleration on patients, e.g. suspension systems of platforms (securing loads against shocks in general [B60P 7/16](#))}
- A61G 3/008 . {Ventilation, sterilisation or air conditioning aspects (in general [B60H](#))}
- A61G 3/02 . Loading or unloading personal conveyances; Facilitating access of patients or disabled persons to, or exit from, vehicles
- A61G 3/0209 . . {with storage means for unused wheelchair or stretcher}
- A61G 3/0218 . . {Loading or unloading stretchers (transfer using ramps, lifts or the like [A61G 3/06](#) - [A61G 3/066](#); accommodating or securing wheelchairs or stretchers [A61G 3/08](#) - [A61G 3/0891](#))}
- A61G 3/0227 . . . {by pivoting the support about a vertical axis}
- A61G 3/0236 . . . {by pivoting the support about a horizontal axis}
- A61G 3/0245 . . . {by translating the support}

- A61G 3/0254 . . . {by moving the stretcher on a horizontal path, e.g. sliding or rolling}
- A61G 3/0263 . . . {by moving the stretcher on an inclined path, e.g. sliding or rolling}
- A61G 3/0272 . . . {by support protruding from the vehicle}
- A61G 3/0281 . . . {by using a side-entrance}
- A61G 3/029 . . . {by powered support}
- A61G 3/06 . . Transfer using ramps, lifts or the like
- A61G 3/061 . . . {using ramps}
- A61G 3/062 . . . {using lifts connected to the vehicle}
- A61G 3/063 . . . {using lifts separate from the vehicle, e.g. fixed on the pavement}
- A61G 3/065 . . . {using an adjustable suspension lowering device for the whole vehicle}
- A61G 3/066 . . . {using a lowering device for a part of the floor of the vehicle}
- A61G 2003/067 . . . {with compartment for horizontally storing the ramp or lift (load transporting vehicles with a ramp being stored under the loading floor when not in use [B60P 1/431](#))}
- A61G 2003/068 . . . {in combination with folding stairs (retractable steps or ladders facilitating access to or on a vehicle [B60R 3/02](#); folding steps for railway vehicles [B61D 23/02](#); collapsible stairs in buildings [E04F 11/06](#))}
- A61G 3/08 . . Accommodating or securing wheelchairs {or stretchers}
- A61G 3/0808 . . {Accommodating or securing wheelchairs}
- A61G 3/0816 . . {Accommodating or securing stretchers (support for stretchers independent from vehicle [A61G 1/06](#); loading stretchers [A61G 3/02](#))}
- A61G 3/0825 . . . {using support rack, frame}
- A61G 3/0833 . . . {using other support}
- A61G 3/0841 . . . {on lateral support arms}
- A61G 3/085 . . . {on support, which can be brought into a different position, when not in use, e.g. foldable, collapsible, retractable support}
- A61G 3/0858 . . . {on support for multiple stretchers}
- A61G 3/0866 . . . {on height adjustable support}
- A61G 3/0875 . . . {Securing stretchers, e.g. fastening means}
- A61G 3/0883 {by preventing lateral movement, e.g. tracks}
- A61G 3/0891 {by preventing longitudinal movement}

A61G 5/00

Chairs or personal conveyances specially adapted for patients or disabled persons, e.g. wheelchairs ({chairs with toilet conveniences [A47K 11/04](#); } devices enabling patients or disabled persons to operate an apparatus or device not forming part of the body [A61F 4/00](#); {running gear or propulsion features [B60K](#); } bicycles specially adapted for disabled riders [B62K 3/16](#); {Invalid chairs having removable seats specially adapted to be transferred with the invalid to a vehicle and support the invalid during use of the vehicle [A61G 3/02](#))}

NOTE

Invalid chairs having removable seats specially adapted to be transferred with the invalid to a vehicle and support the invalid during use of the vehicle are classified in group [A61G 3/00](#)

- A61G 5/003 . {Wheelchairs attached to a cycle steerable by an attendant ([wheel chairs propelled by the patient A61G 5/02](#))}
- A61G 5/006 . {convertible to stretchers or beds}
- A61G 5/02 . propelled by the patient or disabled person
- A61G 5/021 . . {having particular propulsion mechanisms}
- A61G 5/022 . . . {acting on wheels, e.g. on tires or hand rims}
- A61G 5/023 . . . {acting directly on hubs or axis}
- A61G 5/024 . . {having particular operating means}
- A61G 5/025 . . . {Levers}
- A61G 5/026 . . . {Crankes or hand wheels}
- A61G 5/027 . . {by using auxiliary detachable mechanisms}
- A61G 5/028 . . {Special adaptations or provisions on hand rim, e.g. for facilitating gripping}
- A61G 5/04 . motor-driven ([A61G 5/06](#) takes precedence; motor-operated rests [A61G 5/12](#); for vehicles with handlebars, equipped with three or more wheels [B62K 5/003](#), [B62K 5/023](#))
- A61G 5/041 . . {having a specific drive-type}
- A61G 5/042 . . . {Front wheel drive}
- A61G 5/043 . . . {Mid wheel drive}
- A61G 5/045 . . . {Rear wheel drive}
- A61G 5/046 . . . {at least three driven wheels}
- A61G 5/047 . . {by a modular detachable drive system}
- A61G 2005/048 . . {Power-assistance activated by pushing on hand rim or on handlebar}
- A61G 5/06 . with obstacle mounting facilities, e.g. for climbing stairs, {kerbs or steps}
- A61G 5/061 . . {for climbing stairs}
- A61G 5/063 . . {with eccentrically mounted wheels}
- A61G 5/065 . . . {with three or more wheels mounted on a rotary cross member, e.g. spiders or spoked wheels with small wheels at the end of the spokes}
- A61G 5/066 . . {with endless belts}
- A61G 5/068 . . {with extensible supports pushing upwards, e.g. telescopic legs}
- A61G 5/08 . foldable
- A61G 2005/0808 . . {characterised by a particular folding direction}
- A61G 2005/0816 . . . {folding left - right, e.g. reducing the overall width of the wheelchair}
- A61G 2005/0825 {comprising a scissor-type frame, e.g. having pivoting cross bars for enabling folding ([scissor-type frame for folding front-back A61G 2005/0841](#); [scissor-type frame for folding up-down A61G 2005/0858](#))}
- A61G 2005/0833 . . . {folding front - back, e.g. reducing the overall depth of the wheelchair}
- A61G 2005/0841 {comprising a scissor-type frame, e.g. having pivoting cross bars for enabling folding ([scissor-type frame for folding left-right A61G 2005/0825](#); [scissor-type frame for folding up-down A61G 2005/0858](#))}
- A61G 2005/085 . . . {folding up - down, e.g. reducing the overall height of the wheelchair}

- A61G 2005/0858 {comprising a scissor-type frame, e.g. having pivoting cross bars for enabling folding (scissor-type frame for folding left-right [A61G 2005/0825](#); scissor-type frame for folding front-back [A61G 2005/0841](#))}
- A61G 2005/0866 . . {folding down backrest, e.g. where the backrest folds down onto the seat support}
- A61G 2005/0875 . . {dismountable, e.g. where the wheelchair can be disassembled for transportation or storage}
- A61G 2005/0883 . . {having locking means for maintaining a folded or unfolded condition}
- A61G 2005/0891 . . {having rigid supports, e.g. seat or back supports which retain their shape after folding of the wheelchair}
- A61G 5/10 . Parts, details or accessories
- A61G 5/1002 . . {with toilet facilities (room closets, night chairs [A47K 11/04](#))}
- A61G 5/1005 . . {Wheelchairs having brakes (braking mechanisms; locking devices against movement for hand carts [B62B 5/04](#); details of brake actuators on castors [B60B 33/0078](#); brakes in general [F16D 49/00](#) - [F16D 65/853](#))}
- A61G 5/1008 . . . {for gradually slowing down the wheelchair}
- A61G 5/101 . . . {of the parking brake type, e.g. holding the wheelchair}
- A61G 5/1013 . . . {engaging the wheel}
- A61G 5/1016 {on the rim}
- A61G 5/1018 {on the running surface}
- A61G 5/1021 . . . {engaging specific brake elements}
- A61G 5/1024 {Brake discs}
- A61G 5/1027 {Hub elements, e.g. drums}
- A61G 5/1029 . . . {engaging a surface, e.g. floor or wall}
- A61G 5/1032 . . . {engaging an element of the drive or transmission, e.g. drive belt, electrodynamic brake}
- A61G 5/1035 . . . {manipulated by wheelchair user}
- A61G 5/1037 . . . {manipulated by assisting person}
- A61G 5/104 . . {Devices for lifting or tilting the whole wheelchair (transfer lifts [A61G 3/06](#); arrangements for adjusting the seat height [A61G 5/1059](#))}
- A61G 5/1043 . . {Cushions specially adapted for wheelchairs}
- A61G 2005/1045 . . . {for the seat portion}
- A61G 2005/1048 . . . {for the back-rest}
- A61G 2005/1051 . . {Arrangements for steering}
- A61G 2005/1054 . . {Large wheels, e.g. higher than the seat portion}
- A61G 5/1056 . . {Arrangements for adjusting the seat}
- A61G 5/1059 . . . {adjusting the height of the seat}
- A61G 5/1062 . . . {adjusting the width of the seat}
- A61G 5/1064 . . . {adjusting the depth of the seat}
- A61G 5/1067 . . . {adjusting the backrest relative to the seat portion}
- A61G 5/107 . . . {positioning the whole seat forward or rearward}
- A61G 5/1072 . . . {rotating the whole seat around a vertical axis}

- A61G 5/1075 . . . {tilting the whole seat backwards (tilting forwards for standing-up or sitting-down aids [A61G 5/14](#))}
- A61G 2005/1078 . . {with shock absorbers or other suspension arrangements between wheels and frame}
- A61G 2005/1081 . . {with shock absorbers or other suspension arrangements between frame and seat}
- A61G 2005/1083 . . {Quickly-removable wheels}
- A61G 2005/1086 . . {Anti-roll-back devices}
- A61G 2005/1089 . . {Anti-tip devices}
- A61G 2005/1091 . . {Cushions, seats or abduction devices}
- A61G 2005/1094 . . {Tables, working plates, trays}
- A61G 2005/1097 . . {Camber- or toe-adjusting means for the drive wheels}
- A61G 5/12 . . Rests specially adapted therefor, e.g. for the head or the feet
- A61G 2005/121 . . . {for head or neck}
- A61G 2005/122 . . . {for the back}
- A61G 2005/124 . . . {for pelvis or buttocks}
- A61G 2005/125 . . . {for arms}
- A61G 2005/127 . . . {for lower legs}
- A61G 2005/128 . . . {for feet}
- A61G 5/14 . . Standing-up or sitting-down aids

Invalid beds or accessories; Treatment rooms for medical purposes; Accommodation for nursing

- A61G 7/00** **Beds specially adapted for nursing; Devices for lifting patients or disabled persons** (equipment for beds, treatment tables, floor frames or the like for extending or stretching [A61F5/045](#) {takes precedence} ; stretchers with facilities for picking up patients or disabled persons [A61G 1/003](#))
- A61G 7/0005 . {Means for bathing bedridden persons}
 - A61G 7/001 . {with means for turning-over the patient}
 - A61G 7/0015 . {having means for attaching a cabinet in order to transport bed and cabinet together}
 - A61G 7/002 . having adjustable mattress frame
- NOTE**
- Combinations of adjustments mentioned in the following subgroups are classified in group [A61G 7/002](#)
- A61G 7/005 . . tiltable around transverse horizontal axis, e.g. for Trendelenburg position {(rocking beds for physical therapy [A61H 1/003](#); hanging patient inclined downwardly for drawing him out [A61H 2203/0493](#))}
 - A61G 7/008 . . tiltable around longitudinal axis, e.g. for rolling
 - A61G 7/012 . . raising or lowering of the whole mattress frame ([A61G 7/005](#), [A61G 7/008](#) take precedence)
 - A61G 7/015 . . divided into different adjustable sections, e.g. for Gatch position
 - A61G 7/018 . . Control or drive mechanisms

- A61G 7/02 . with toilet conveniences, or specially adapted for use with toilets
- A61G 7/047 . Beds for special sanitary purposes {, e.g. for giving enemas, irrigations, flushings ([A61G 7/02](#) takes precedence; means for bathing bed-ridden persons [A61G 7/0005](#))}
- A61G 7/05 . Parts, details or accessories of beds (devices for prevention against falling out [A47C 21/08](#), [A47D 7/00](#); {mattresses [A47C 27/00](#)})
- A61G 7/0501 . . {Bed-clothes supports to alleviate the weight of the bed-clothes on the patient (bed cover holders [A47C 21/02](#))}
- A61G 7/0502 . . {Dispensers of disposable sheets}
- A61G 7/0503 . . {Holders, support devices for receptacles, e.g. for drainage or urine bags (hanging-up devices for infusion [A61M 5/1418](#))}
- A61G 7/0504 . . {Harnesses or restraining devices in order to evacuate a patient with the mattress, e.g. in situations of emergency, disaster or fire (restraining in general [A61F 5/37](#))}
- A61G 7/0506 . . {Head or foot boards (head or foot boards for comfort or ergonomics [A47C 19/022](#))}
- A61G 7/0507 . . {Side-rails (side-bolsters [A61G 7/0525](#); non medical devices for prevention against falling-out [A47C 21/08](#))}
- A61G 2007/0508 . . . {characterised by a particular connection mechanism}
- A61G 2007/0509 {sliding or pivoting downwards}
- A61G 2007/051 {pivoting sideward}
- A61G 2007/0512 . . . {characterised by customised length}
- A61G 2007/0513 {covering particular sections of the bed, e.g. one or more partial side-rail sections along the bed}
- A61G 2007/0514 {mounted to individual mattress supporting frame sections}
- A61G 2007/0515 {covering the full bed length, e.g. from head board to foot board}
- A61G 2007/0516 . . . {with height adjustability}
- A61G 2007/0518 . . . {quickly removable}
- A61G 2007/0519 . . . {stowable, e.g. underneath mattress}
- A61G 2007/052 . . . {characterised by safety means, e.g. to avoid injuries to patient or caregiver}
- A61G 2007/0521 {Anti-pinching means to avoid injuries to body parts when moving side-rails or mattress supports, e.g. gap and grid covers, side-rail parts with special shape or electronic means for warning}
- A61G 2007/0522 {Padding means to soften side-rail surfaces}
- A61G 2007/0524 . . . {characterised by integrated accessories, e.g. bed control means, nurse call or reading lights}
- A61G 7/0525 . . {Side-bolsters (side-rails [A61G 7/0507](#); rests specially adapted for beds [A61G 7/065](#); non medical devices for prevention against falling-out [A47C 21/08](#))}
- A61G 7/0526 . . {Restraining enclosures (side-rails [A61G 7/0507](#); enclosures for maintaining a germ-free environment [A61G 10/005](#); restraining device for the body or for body parts [A61F 5/37](#))}
- A61G 2007/0527 . . {Weighing devices}
- A61G 2007/0528 . . {Steering or braking devices for castor wheels}

- A61G 7/053 . . Aids for getting into, or out of, bed, e.g. steps, chairs, {cane-like supports}
- A61G 7/0533 . . . {Lifting poles}
- A61G 7/0536 . . . {Lifting straps, usually attached to the bed-end and grasped by the patient in order to raise himself into a sitting position}
- A61G 7/057 . . Arrangements for preventing bed-sores or for supporting patients with burns, e.g. mattresses specially adapted therefor {(ventilation openings in mattresses [A47C 21/042](#); pneumatic or hydraulic mattresses [A47C 27/08](#))}
- A61G 7/05707 . . . {with integral, body-bearing projections or protuberances}
- A61G 7/05715 . . . {with modular blocks, or inserts, with layers of different material}
- A61G 7/05723 . . . {with cut-outs or depressions in order to relieve the pressure on a part of the body (mattresses with cavities [A47C 27/142](#))}
- A61G 7/0573 . . . {with mattress frames having alternately movable parts (adjustable mattress frames [A61G 7/015](#))}
- A61G 7/05738 . . . {with fluid-like particles, e.g. sand, mud, seeds, gel, beads}
- A61G 7/05746 {fluidised by air flow}
- A61G 7/05753 {air-evacuated, e.g. in order to adapt to the form of the patient (air-evacuated splints [A61F 5/05833](#))}
- A61G 7/05761 {where patient is supported on a free, unbounded, film or cushion of air}
- A61G 7/05769 {with inflatable chambers}
- A61G 7/05776 {with at least two groups of alternately inflated chambers}
- A61G 2007/05784 {with ventilating means, e.g. mattress or cushion with ventilating holes or ventilators}
- A61G 2007/05792 {with low air loss function, e.g. in mattresses, overlays or beds}
- A61G 7/065 . . Rests specially adapted therefor
- A61G 7/07 . . . for the head or torso, e.g. special back-rests {(pillows in general [A47G 9/10](#))}
- A61G 7/072 {for the head only}
- A61G 7/075 for the limbs
- A61G 7/0755 {for the legs or feet}
- A61G 7/08 . . Apparatus for transporting beds
- A61G 7/10 . . Devices for lifting patients or disabled persons, e.g. special adaptations of hoists thereto
- A61G 7/1001 . . {specially adapted for specific applications}
- A61G 7/1003 . . . {mounted on or in combination with a bath-tub}
- A61G 7/1005 . . . {mounted on, or in combination with, a swimming-pool}
- A61G 7/1007 . . . {mounted on or in combination with a toilet}
- A61G 7/1009 . . . {Buttock lifting device for placing bed-pans under patients}
- A61G 7/1011 . . . {Picking up from the floor}
- A61G 7/1013 . . {Lifting of patients by}
- A61G 7/1015 . . . {Cables, chains or cords}
- A61G 7/1017 . . . {Pivoting arms, e.g. crane type mechanisms}
- A61G 7/1019 . . . {Vertical extending columns or mechanisms}

A61G 7/1021	. . .	{Inflatable cushions}
A61G 7/1023	. . .	{Slings used manually}
A61G 7/1025	. .	{Lateral movement of patients, e.g. horizontal transfer}
A61G 7/1026	. . .	{Sliding sheets or mats}
A61G 7/1028	. . .	{by a support moving on air cushion}
A61G 7/103	. . .	{Transfer boards}
A61G 7/1032	. . .	{Endless belts}
A61G 7/1034	. . .	{Rollers, rails or other means}
A61G 7/1036	. . .	{facilitating loading and unloading of the patient, e.g. using flaps or additional tilting}
A61G 7/1038	. .	{Manual lifting aids, e.g. frames or racks}
A61G 7/104	. .	{Devices carried or supported by}
A61G 7/1042	. . .	{Rail systems (walking aids with suspension devices A61H 3/008)}
A61G 7/1044	. . .	{Stationary fixed means, e.g. fixed to a surface or bed}
A61G 7/1046	. . .	{Mobile bases, e.g. having wheels}
A61G 7/1048	{having auxiliary drive means}
A61G 7/1049	. .	{Attachment, suspending or supporting means for patients}
A61G 7/1051	. . .	{Flexible harnesses or slings}
A61G 7/1053	. . .	{Rigid harnesses}
A61G 7/1055	. . .	{Suspended platforms, frames or sheets for patient in lying position}
A61G 7/1057	. . .	{Supported platforms, frames or sheets for patient in lying position}
A61G 7/1059	. . .	{Seats}
A61G 7/1061	. . .	{Yokes}
A61G 7/1063	. .	{Safety means}
A61G 7/1065	. . .	{with electronic monitoring}
A61G 7/1067	. . .	{for adjustable bases}
A61G 7/1069	. . .	{for quick release}
A61G 7/1071	. . .	{using redundant drives}
A61G 7/1073	. .	{Parts, details or accessories}
A61G 7/1074	. . .	{Devices foldable for storage}
A61G 7/1076	. . .	{Means for rotating around a vertical axis}
A61G 7/1078	. . .	{Clamps for flexible harnesses}
A61G 7/108	. . .	{Weighing means}
A61G 7/1082	. . .	{Rests specially adapted for}
A61G 7/1084	{Head or neck}
A61G 7/1086	{Upper body}
A61G 7/1088	{Back}
A61G 7/109	{Lower body, e.g. pelvis, buttocks}
A61G 7/1092	{the arms}
A61G 7/1094	{Hand or wrist}

A61G 7/1096 {Knee, upper or lower leg}

A61G 7/1098 {Ankle or foot}

A61G 7/16 . . converting a lying surface into a chair

A61G 2007/165 . . . {Chair detachable from bed}

A61G 9/00 **Bed-pans, urinals or other sanitary devices for bed-ridden persons; Cleaning devices therefor, e.g. combined with toilet-urinals** ([urinals worn by the patient A61F 5/44](#))

A61G 9/003 . {Bed-pans}

A61G 9/006 . {Urinals}

A61G 9/02 . Cleaning devices {(washing and rinsing machines for crockery and tableware [A47L 15/00](#))}

A61G 10/00 **Treatment rooms {or enclosures} for medical purposes** (baby incubators, couveuses [A61G 11/00](#); devices for gas baths with ozone, hydrogen or the like [A61H 33/14](#); {for isolating individuals from external stimuli [A61M 21/0094](#)}; containers or portable cabins for affording breathing protection in general [A62B 31/00](#))

A61G 10/005 . {Isolators, i.e. enclosures generally comprising flexible walls for maintaining a germ-free environment}

A61G 10/02 . with artificial climate; with means to maintain a desired pressure, e.g. for germ-free rooms (dust-free laboratory rooms [B01L 1/04](#); decompression arrangements [B63C 11/32](#); arrangements or adaptations in aircraft [B64D 13/00](#); air-conditioning in general [F24F](#))

A61G 10/023 . . {Rooms for the treatment of patients at over- or under-pressure or at a variable pressure}

A61G 10/026 . . . {for hyperbaric oxygen therapy}

A61G 10/04 . Oxygen tents; {Oxygen hoods}

A61G 11/00 **Baby-incubators; Couveruses**

A61G 11/001 . {with height-adjustable elements}

A61G 11/002 . . {height-adjustable patient support}

A61G 11/003 . . {height-adjustable heater}

A61G 11/004 . . {height-adjustable light source}

A61G 11/005 . {with movable walls, e.g. for accessing the inside, removable walls}

A61G 11/006 . . {by pivoting}

A61G 11/007 . . {by translating}

A61G 11/008 . {tiltable about a horizontal axis, e.g. oscillating}

A61G 11/009 . {with hand insertion windows, e.g. in the walls}

A61G 12/00 **Accommodation for nursing, e.g. in hospitals, not covered by groups [A61G 1/00](#) to [A61G 11/00](#), e.g. trolleys for transport of medicaments or food {(service or tea-tables, trolleys or wagons [A47B 31/00](#))}; Prescription lists**

A61G 12/001 . {Trolleys for transport of medicaments, food, linen, nursing supplies (carts specially adapted for surgery or diagnosis [A61B 19/0248](#); hand carts [B62B 3/00](#))}

- A61G 12/002
 - {Supply appliances, e.g. columns for gas, fluid, electricity supply (vertical ducts or channels for receiving utility lines [E04F 17/08](#); installations of electric cables or lines, wall trunking [H02G 3/0431](#); structural combinations of lighting devices with other articles [F21V 33/0068](#); stands or trestles as supports for apparatus or articles [F16M 11/00](#); buildings for public purposes [E04H 3/08](#))}
- A61G 12/004
 - • {mounted on the ceiling}
- A61G 12/005
 - • {mounted on the wall}
- A61G 12/007
 - • {mounted on the floor, e.g. tracks}
- A61G 12/008
 - • {mounted on a mobile base, e.g. on a trolley}

Operating tables or chairs; Dental chairs

- A61G 13/00** **Operating tables; Auxiliary appliances therefor** (illumination of operating tables [F21L](#), [F21S](#) or [F21V](#) {adjustability of tables in general [A47B 9/00](#); tables for radiation diagnosis [A61B 6/04](#), drainage or irrigation pans, bags, or attachments [A61G 7/02](#), [A61G 7/0503](#))}
- A61G 13/0009
 - {Obstetrical tables or delivery beds (chairs for gynaecological purposes [A61G 15/005](#))}
- A61G 13/0018
 - {Physician's examining tables}
- A61G 13/0027
 - {Autopsy, embalming or morgue tables}
- A61G 13/0036
 - {Orthopaedic operating tables (devices for stretching fractured limbs [A61F 5/04](#))}
- A61G 2013/0045
 - • {specially adapted for hand or wrist surgeries}
- A61G 2013/0054
 - • {specially adapted for back or spinal surgeries}
- A61G 2013/0063
 - • {specially adapted for knee surgeries}
- A61G 2013/0072
 - • {specially adapted for shoulder surgeries}
- A61G 2013/0081
 - • {specially adapted for hip surgeries}
- A61G 13/009
 - {Physiotherapeutic tables, beds or platforms; Chiropractic or osteopathic tables (with incorporated massage means [A61H 2201/0138](#))}
- A61G 13/02
 - Adjustable operating tables; Controls therefor
- A61G 13/04
 - • tiltable around transverse or longitudinal axis
- A61G 13/06
 - • raising or lowering of the whole table surface ([A61G 13/04](#) takes precedence)
- A61G 13/08
 - • the table being divided into different adjustable sections
- A61G 13/10
 - Parts, details or accessories (surgical drape sheets [A61B 19/08](#))
- A61G 13/101
 - • {Clamping means for connecting accessories to the operating table (supports as part of surgical instruments [A61B 19/26](#))}
- A61G 13/102
 - • {Fluid drainage means for collecting bodily fluids from the operating table e.g. for blood, urine (drainage on the patient [A61M 1/00](#))}
- A61G 13/104
 - • {Adaptations for table mobility, e.g. arrangement of wheels}
- A61G 13/105
 - • {Portable, foldable or collapsible tables, e.g. for surgery or treatment (portable, foldable or collapsible chairs for surgery or dental treatment [A61G 15/002](#))}
- A61G 13/107
 - • {Supply appliances (supply appliances for dental machines [A61C 1/0007](#))}

- A61G 13/108 . . {Means providing sterile air at a surgical operation table or area (treatment rooms [A61G 10/00](#); instruments or implements for sterile operation [A61B 19/00](#); sterilisation of air [A61L 9/00](#); purification of air in air-conditioning systems [F24F 3/16](#))}
- A61G 13/12 . . Rests specially adapted therefor; Arrangements of patient-supporting surfaces {(rests for the surgeon [A61B 19/00](#); restraining devices [A61F 5/37](#))}
- A61G 13/1205 . . . {for specific parts of the body}
- A61G 13/121 {Head or neck}
- A61G 13/1215 {with patient airway positioning devices (guiding means for tracheal tubes [A61M 16/0488](#))}
- A61G 13/122 {Upper body, e.g. chest}
- A61G 13/1225 {Back}
- A61G 13/123 {Lower body, e.g. pelvis, hip, buttocks}
- A61G 13/1235 {Arms}
- A61G 13/124 {Hands or wrists}
- A61G 13/1245 {Knees, upper or lower legs}
- A61G 13/125 {Ankles or feet}
- A61G 13/1255 {Shoulders}
- A61G 13/126 . . . {with specific supporting surface}
- A61G 13/1265 {having inflatable chambers}
- A61G 13/127 {having chambers filled with liquid or gel}
- A61G 13/1275 {having air-evacuated chambers in order to adapt to the form of the patient (for preventing bed-sores [A61G 7/05753](#))}
- A61G 13/128 . . . {with mechanical surface adaptations}
- A61G 13/1285 {having modular surface parts, e.g. being replaceable or turnable}
- A61G 13/129 {having surface parts for adaptation of the size, e.g. for extension or reduction (tables with different adjustable sections [A61G 13/08](#))}
- A61G 13/1295 {having alignment devices for the patient's body}
- A61G 15/00** **Operating chairs; Dental chairs (barbers' chairs [A47C 1/04](#)); Accessories specially adapted therefor, e.g. work stands**
- A61G 15/002 . {Foldable, portable or collapsible chairs, e.g. for surgery or dental treatment (portable, foldable or collapsible tables for surgery or treatment [A61G 13/105](#))}
- A61G 15/005 . {Chairs specially adapted for gynaecological purposes, e.g. obstetrical chairs}
- A61G 15/007 . {Physiotherapeutic chairs (with incorporated massage means [A61H 1/00](#))}
- A61G 15/02 . Chairs with means to adjust position of patient; Controls therefor
- A61G 15/08 . . associated with seats for the surgeon or dentist
- A61G 15/10 . Parts, details or accessories ([A61G 15/14](#) takes precedence; dental instruments [A61C](#))
- A61G 15/105 . . {Auxiliary supports for children}
- A61G 15/12 . . Rests specially adapted therefor, e.g. for the head or feet {([A61G 15/105](#) takes precedence)}
- A61G 15/125 . . . {Head-rests}

- A61G 15/14 . Dental work stands; Accessories therefor
- A61G 15/16 . . Storage, holding or carrying means for dental handpieces or the like
- A61G 15/18 . . . including retractor for storing flexible hose

Funeral devices

A61G 17/00

Coffins; Funeral wrappings; Funeral urns

- A61G 17/002 . {Coffins with cooling arrangements for the corpse}
- A61G 2017/004 . {specially adapted to be cremated}
- A61G 17/007 . characterised by the construction material used, e.g. biodegradable material; Use of several materials

WARNING

This group and its subgroups are not complete pending reclassification; see also group [A61G 17/00](#)

- A61G 17/0073 . . {Cardboard}
- A61G 17/0076 . . {Metal}
- A61G 17/02 . Coffin closures; Packings therefor
- A61G 17/04 . Fittings for coffins
- A61G 2017/041 . . {Handles}
- A61G 2017/042 . . {Linings}
- A61G 2017/044 . . {Corpse supports}
- A61G 2017/045 . . {Rack for flowers}
- A61G 2017/047 . . {Absorption devices for decomposition liquid}
- A61G 2017/048 . . {Adaption for decomposing gas}
- A61G 17/06 . Sacks for corpses; Corpse wrappings
- A61G 17/08 . Urns ([columbaria E04H 13/00](#))

A61G 19/00

Hoisting or lowering devices for coffins

A61G 21/00

Funeral aspects of hearses or like vehicles

A61G 99/00

Subject matter not provided for in other groups of this subclass

A61G 2200/00

Information related to the kind of patient or his position

- A61G 2200/10 . Type of patient
- A61G 2200/12 . . Women
- A61G 2200/14 . . Children
- A61G 2200/16 . . bariatric, e.g. heavy or obese
- A61G 2200/18 . . tall
- A61G 2200/20 . . with asymmetric abilities, e.g. hemiplegic or missing a limb
- A61G 2200/30 . Specific positions of the patient
- A61G 2200/32 . . lying

A61G 2200/322	. . . lateral
A61G 2200/325	. . . prone
A61G 2200/327	. . . supine
A61G 2200/34	. . sitting
A61G 2200/36	. . standing
A61G 2200/38	. . kneeling
A61G 2200/50	. the patient is supported by a specific part of the body
A61G 2200/52	. . Underarm
A61G 2200/54	. . Shoulder
A61G 2200/56	. . Calf
A61G 2200/58	. . Thigh
A61G 2200/60	. . Elbow

Ambulance service

A61G 2203/00	General characteristics of devices
A61G 2203/10	. characterised by specific control means, e.g. for adjustment or steering
A61G 2203/12	. . Remote controls
A61G 2203/14	. . Joysticks
A61G 2203/16	. . Touchpads
A61G 2203/18	. . by patient's head, eyes, facial muscles or voice
A61G 2203/20	. . Displays or monitors
A61G 2203/22	. . for automatically guiding movable devices, e.g. stretchers or wheelchairs in a hospital
A61G 2203/30	. characterised by sensor means
A61G 2203/32	. . for force
A61G 2203/34	. . for pressure
A61G 2203/36	. . for motion
A61G 2203/38	. . for torque
A61G 2203/40	. . for distance
A61G 2203/42	. . for inclination
A61G 2203/44	. . for weight
A61G 2203/46	. . for temperature
A61G 2203/70	. with special adaptations, e.g. for safety or comfort
A61G 2203/72	. . for collision prevention
A61G 2203/723	. . . Impact absorbing means, e.g. bumpers or airbags
A61G 2203/726	. . . for automatic deactivation, e.g. deactivation of actuators or motors
A61G 2203/74	. . for anti-shear when adjusting furniture
A61G 2203/76	. . for nesting or stacking
A61G 2203/78	. . for clamping

- A61G 2203/80
 - . for connecting a trolley to a device, e.g. bed or column table
- A61G 2203/90
 - . biodegradable

A61G 2205/00**General identification or selection means**

- A61G 2205/10
 - Bar codes
- A61G 2205/20
 - Color codes
- A61G 2205/30
 - Printed labels
- A61G 2205/40
 - by shape or form, e.g. by using shape recognition
- A61G 2205/50
 - using icons or symbolic figures, e.g. by a graphical representation symbolising the type of pathology or the organ by an image
- A61G 2205/60
 - using magnetic or electronic identifications, e.g. chips, RFID, electronic tags

A61G 2210/00**Devices for specific treatment or diagnosis**

- A61G 2210/10
 - for orthopedics
- A61G 2210/20
 - for dialysis
- A61G 2210/30
 - for intensive care
- A61G 2210/50
 - for radiography
- A61G 2210/70
 - for cooling
- A61G 2210/90
 - for heating

A61G 2220/00**Adaptations of particular transporting means**

- A61G 2220/10
 - Aircrafts
- A61G 2220/12
 - Trains
- A61G 2220/14
 - Cars
- A61G 2220/145
 - . driven by a patient sitting in a wheelchair
- A61G 2220/16
 - Buses
- A61G 2220/18
 - Motorbikes
- A61G 2220/20
 - Bicycles