

CPC COOPERATIVE PATENT CLASSIFICATION

B PERFORMING OPERATIONS; TRANSPORTING

(NOTES omitted)

TRANSPORTING

B63 SHIPS OR OTHER WATERBORNE VESSELS; RELATED EQUIPMENT

B63H MARINE PROPULSION OR STEERING ({arrangement of propulsion or steering means on amphibious vehicles [B60F 3/0007](#); } propulsion of air-cushion vehicles [B60V 1/14](#); peculiar to submarines, other than nuclear propulsion, [B63G](#); peculiar to torpedoes [F42B 19/00](#))

NOTE

In this subclass, the indexing codes [B63B 2201/00](#) - [B63B 2241/00](#) are to be used for relevant technical information concerning particular or unusual use, materials, design, methods or means

1/00	Propulsive elements directly acting on water (jet propulsion B63H 11/00; attachment of propellers on shafts B63H 23/34)	2001/185 {Surfacing propellers, i.e. propellers specially adapted for operation at the water surface, with blades incompletely submerged, or piercing the water surface from above in the course of each revolution}
2001/005	. {using Magnus effect}		
1/02	. of rotary type (endless-track type B63H 1/34)		
1/04	. . with rotation axis substantially at right angles to propulsive direction	1/20 Hubs; Blade connections
2001/045	. . . {with partially immersed nutating or undulated disks, e.g. wobble plates}	1/22 the blades being foldable
1/06	. . . with adjustable vanes or blades	1/24 automatically foldable or unfoldable
1/08 with cyclic adjustment	1/26 Blades
1/10 of Voith Schneider type, i.e. with blades extending axially from a disc-shaped rotary body	1/265 {each blade being constituted by a surface enclosing an empty space, e.g. forming a closed loop}
2001/105 {with non-mechanical control of individual blades, e.g. electric or hydraulic control}	1/28 Other means for improving propeller efficiency (water-guiding elements formed by shape of hull B63H 5/00)
1/12	. . with rotation axis substantially in propulsive direction	2001/283 {Propeller hub caps with fins having a pitch different from pitch of propeller blades, or a helix hand opposed to the propellers' helix hand}
2001/122	. . . {Single or multiple threaded helicoidal screws, or the like, comprising foils extending over a substantial angle; Archimedean screws}	2001/286 {Injection of gas into fluid flow to propellers, or around propeller blades}
2001/125 {with helicoidal foils projecting from outside surfaces of floating rotatable bodies, e.g. rotatable, cylindrical bodies}	1/30	. of non-rotary type
2001/127 {with helicoidal foils projecting from inside surfaces of rotating shrouds; Archimedean screws}	1/32	. . Flaps, pistons, or the like, reciprocating in propulsive direction
1/14	. . . Propellers (pitch changing B63H 3/00)	1/34	. . of endless-track type
2001/145 {comprising blades of two or more different types, e.g. different lengths}	2001/342	. . . {with tracks substantially parallel to propulsive direction}
1/15 having vibration damping means (anti-vibration mounting of propulsion plant B63H 21/30 ; means for damping vibration in general F16F)	2001/344 {having paddles mounted in fixed relation to tracks, or to track members}
1/16 having a shrouding ring attached to blades	2001/346 {having paddles movably mounted on the track or on track members, e.g. articulated, or with means for cyclically controlling the paddles' angular position or orientation}
2001/165 {Hubless propellers, e.g. peripherally driven shrouds with blades projecting from the shrouds' inside surfaces}	2001/348	. . . {with tracks oriented transverse to propulsive direction}
1/18 with means for diminishing cavitation, e.g. supercavitation	1/36	. . swinging sideways, e.g. fishtail type
		1/37	. . Moving-wave propellers, i.e. wherein the propelling means comprise a flexible undulating structure
		1/38	. characterised solely by flotation properties, e.g. drums

3/00	Propeller-blade pitch changing {(aircraft propellers B64C 11/30 ; rotors of turbines F01D 7/00 ; axial wind motors F03D 7/022 ; axial-flow pumps F04D 29/00)}	5/125	. . movably mounted with respect to hull, e.g. adjustable in direction {, e.g. podded azimuthing thrusters} ({outboard units or Z-drives B63H 20/00 ; } movably mounted for steering purposes only, {rudders carrying propellers} B63H 25/42)
3/002	. {with individually adjustable blades}	5/1252	. . . {the ability to move being conferred by gearing in transmission between prime mover and propeller and the propulsion unit being other than in a "Z" configuration}
2003/004	. {comprising means for locking blades in position}	2005/1254	. . . {Podded azimuthing thrusters, i.e. podded thruster units arranged inboard for rotation about vertical axis}
2003/006	. {Detecting or transmitting propeller-blade pitch angle}	2005/1256 {with mechanical power transmission to propellers}
3/008	. {characterised by self-adjusting pitch, e.g. by means of springs, centrifugal forces, hydrodynamic forces}	2005/1258 {with electric power transmission to propellers, i.e. with integrated electric propeller motors}
3/02	. actuated by control element coaxial with propeller shaft, e.g. the control element being rotary {(B63H 3/002 takes precedence, fluid actuated B63H 3/081)}	5/14	. . characterised by being mounted in non-rotating ducts or rings, e.g. adjustable for steering purpose (shrouding ring attached to blades B63H 1/16 ; jet propulsion B63H 11/00)
3/04	. . the control element being reciprocable	5/15 Nozzles, e.g. Kort-type
3/06	. characterised by use of non-mechanical actuating means, e.g. electrical (B63H 3/002 takes precedence)	5/16	. . characterised by being mounted in recesses; with stationary water-guiding elements; Means to prevent fouling of the propeller, e.g. guards, cages or screens (anti-fouling paints C09D 5/16)
3/08	. . fluid	5/165	. . . {Propeller guards, line cutters or other means for protecting propellers or rudders}
3/081	. . . {actuated by control element coaxial with the propeller shaft}	5/18	. . of emergency propellers, e.g. arranged at the side of the vessel
3/082 {the control element being axially reciprocable}	5/20	. . . movable from a working position to a non-working position {(movable arrangements of propellers in general B63H 5/125 ; outboard propulsion units in general B63H 20/00 ; steering or dynamic anchoring by propellers used therefore only, or by rudders carrying propellers B63H 25/42)}
2003/084 {with annular cylinder and piston}	7/00	Arrangements of propulsive devices directly acting on air (jet propulsion B63H 11/00)
2003/085 {the control element having means for preventing rotation together with the propeller}	7/02	. using propellers (air-screws of aircraft type B64C)
2003/087 {using gaseous fluids, e.g. steam or air}	9/00	Propulsive devices directly acted on by wind; Arrangements thereof (air driven propellers driving underwater propulsive elements B63H 13/00)
2003/088 {characterised by supply of fluid actuating medium to control element, e.g. of hydraulic fluid to actuator co-rotating with the propeller}	9/02	. using Magnus effect
3/10	. characterised by having pitch control conjoint with propulsion plant control	9/04	. using sails or like wind-catching surfaces (sailing sledges or ice boats B62B 15/00 {; masts for sailing boats B63B 15/0083 ; sail arrangements for wind-driven boards B63B 35/7973)}
3/12	. the pitch being adjustable only when propeller is stationary (B63H 3/002 takes precedence)	9/06	. . Construction or types of sails; Arrangements thereof on vessels
5/00	Arrangements on vessels of propulsion elements directly acting on water	9/0607	. . . {Rigid or aerofoil type sails}
2005/005	. {Front propulsors, i.e. propellers, paddle wheels, or the like substantially arranged ahead of the vessels' midship section}	9/0614 {Inflatable aerofoil sails}
5/02	. of paddle wheels, e.g. of stern wheels	2009/0621 {Rigid sails comprising one or more pivotally supported panels}
2005/025	. . {of Voith Schneider type}	2009/0628 {the panels being pivotable about horizontal axes}
5/03	. . movably mounted with respect to the hull, e.g. having means to reposition paddle wheel assembly, or to retract paddle or to change paddle attitude	2009/0635 {the panels being pivotable about vertical axes}
5/04	. . with stationary water-guiding elements	9/0642 {Sail battens}
5/07	. of propellers (forming part of outboard units {or Z-drives} B63H 20/00)	2009/065 {with variable rigidity, e.g. inflatable}
2005/075	. . {using non-azimuthing podded propulsor units, i.e. podded units without means for rotation about a vertical axis, e.g. rigidly connected to the hull}	9/0657 {Construction of sails (sails with detachable sections B63B 35/7983)}
5/08	. . of more than one propeller		
5/10	. . . of coaxial type, e.g. of counter-rotative type		
2005/103 {of co-rotative type, i.e. rotating in the same direction, e.g. twin propellers}		
2005/106 {with drive shafts of second or further propellers co-axially passing through hub of first propeller, e.g. counter-rotating tandem propellers with co-axial drive shafts}		

2009/0664 {of spinnakers, gennakers, or the like balloon sails}	11/01	. having means to prevent foreign material from clogging fluid passage way
2009/0671 {of molded sails, i.e. of sails manufactured by shaping deformable material on molds, e.g. thermoplastic film on heatable molds; Methods of manufacturing molded sails}	11/02	. the propulsive medium being ambient water
2009/0678 {of laminated sails with oriented fibres, i.e. fibres or filaments arranged along predefined lines substantially parallel to the principal stress trajectories; Methods of manufacturing therefor}	11/025	. . {by means of magneto-hydro-dynamic forces}
9/0685	. . . {Sails pivotally mounted at a mast-tip; Kite sails (B63B 35/7976 takes precedence)}	11/04	. . by means of pumps
2009/0692 {Methods, or means specially adapted for controlling kite sails, e.g. control bars, harnesses, automated control units, or methods of their use}	2011/043	. . . {with means for adjusting or varying pump inlets, e.g. means for varying inlet cross section area}
9/08	. . Connections of sails to masts, spars, or the like	2011/046	. . . {comprising means for varying pump characteristics, e.g. rotary pumps with variable pitch impellers, or adjustable stators}
2009/082	. . . {Booms, or the like}	11/06	. . . of reciprocating type
2009/084	. . . {Gooseneck bearings, i.e. bearings for pivotal support of booms on masts}	11/08	. . . of rotary type
2009/086	. . . {by sliders, i.e. by shoes sliding in, or guided by channels, tracks or rails; , for connecting luffs, leeches, battens, or the like to masts, spars or booms}	2011/081 {with axial flow, i.e. the axis of rotation being parallel to the flow direction}
2009/088	. . . {Means for tensioning sheets, or other running rigging, adapted for being guided on rails, or the like mounted on deck, e.g. travellers or carriages with pulleys}	2011/082 {with combined or mixed flow, i.e. the flow direction being a combination of centrifugal flow and non-centrifugal flow, e.g. centripetal or axial flow}
9/10	. . . Running rigging, e.g. reefing equipment (staying of masts B63B 15/02)	2011/084 {with two or more pump stages}
9/1007 {Trapeze systems (harnesses for windsurfers B63B 35/7993)}	2011/085 {having counter-rotating impellers}
9/1014 {with elastic connection to harnesses}	2011/087 {with radial flow}
9/1021 {Reefing}	2011/088 {using shear forces, e.g. disc pumps or Tesla pumps}
9/1028 {by furling around stays}	11/09	. . . by means of pressure pulses applied to a column of liquid, e.g. by ignition of an air/gas or vapour mixture
9/1035 {by furling around or inside the mast}	11/10	. . having means for deflecting jet or influencing cross-section thereof
9/1042 {by furling around or inside the boom}	11/101	. . . {having means for deflecting jet into a propulsive direction substantially parallel to the plane of the pump outlet opening}
2009/105 {using drives for actuating reefing mechanism, e.g. roll reefing drives}	11/102 {the inlet opening and the outlet opening of the pump being substantially coplanar}
2009/1057 {using sheaves being friction driven by endless ropes or by ropes having two free ends}	11/103	. . . having means to increase efficiency of propulsive fluid, e.g. discharge pipe provided with means to improve the fluid flow
2009/1064 {using drums driven by winding or unwinding single ropes onto or from the drums}	11/107	. . . Direction control of propulsive fluid (B63H 11/101 takes precedence)}
9/1071 {Spinnaker poles or rigging, e.g. combined with spinnaker handling}	11/11 with bucket or clamshell-type reversing means
9/1078 {Boom brakes}	11/113 Pivoted outlet
9/1085 {Boom vang}	11/117 Pivoted vane
9/1092 {Means for stowing, or securing sails when not in use (B63H 9/1021 takes precedence)}	11/12	. the propulsive medium being steam or other gas
11/00	Effecting propulsion by jets, i.e. reaction principle (steering by {auxiliary} jet action, {rudders carrying jets} B63H 25/46; power plant per se, see the relevant classes)	11/14	. . the gas being produced by combustion
2011/002	. {using Coanda effect, i.e. the tendency of fluid jets to be attracted to nearby surfaces}	11/16	. . the gas being produced by other chemical processes
2011/004	. {using the eductor or injector pump principle, e.g. jets with by-pass fluid paths}	13/00	Effecting propulsion by wind motors driving water-engaging propulsive elements
2011/006	. {with propulsive medium supplied from sources external to propelled vessel, e.g. water from public water supply}	15/00	Effecting propulsion by use of vessel-mounted driving mechanisms co-operating with anchored chains or the like
2011/008	. {Arrangements of two or more jet units}	16/00	Effecting propulsion by muscle power (swimming frameworks, {i.e. apparatus fixed to or held by the swimmer or diver} with swimmer-operated driving mechanisms A63B 35/00; land-based training equipment for rowing or sculling A63B 69/06)
		2016/005	. {used on vessels dynamically supported, or lifted out of the water by hydrofoils}
		16/02	. Movable thwarts; Footrests
		16/04	. Oars; Sculls; Paddles; Poles

2016/043	. . {Stop sleeves or collars for positioning oars in rowlocks, e.g. adjustable}	2016/207 {without wheels}
2016/046	. . {Oars for single-oar sculling, i.e. for propelling boats by swinging single stern-mounted oars from side to side; Use or arrangements thereof on boats}	19/00	Effecting propulsion of vessels, not otherwise provided for
16/06	. Rowlocks; Mountings therefor	19/02	. by using energy derived from movement of ambient water, e.g. from rolling or pitching of vessels
2016/063	. . {Rowlocks mounted on movable support structures}	19/04	. . propelled by water current
16/067	. . Rowlocks mounted on a structure extending beyond the gunwale of the vessel	19/06	. by discharging gas into ambient water (with jet action B63H 11/12 ; for reducing surface friction B63B 1/38)
16/073	. . having oar shaft restraining means	19/08	. by direct engagement with water-bed or ground
16/08	. Other apparatus for converting muscle power into propulsive effort (general features of propulsion elements, see the relevant groups)	20/00	Outboard propulsion units, i.e. propulsion units having a substantially vertical power leg mounted outboard of a hull and terminating in a propulsion element, e.g. "outboard motors", Z-drives {with level bridging shaft arranged substantially outboard} (power plants per se, see the relevant classes); Arrangements thereof on vessels {(transom panels for outboard motors on inflatable boats B63B 7/087; tug-type floating propeller units B63B 35/665; rudders carrying propellers B63H 25/42; rudders carrying jets B63H 25/46; engines of outboard propulsion units F02B 61/045)}
2016/085	. . {comprising means for transmitting muscular power applied in oscillatory or rotary manner to a rotary input shaft of a reversing transmission, e.g. alternatively allowing for ahead or astern propulsion}	20/001	. {Arrangements, apparatus and methods for handling fluids used in outboard drives (for handling exhaust gas B63H 20/24 ; for handling cooling-water B63H 20/28 ; cooling outboard marine engines F01P 3/202 ; air intakes for outboard marine engines F02M 35/167)}
16/10	. . for bow-facing rowing	20/002	. . {for handling lubrication liquids (in engines, e.g. outboard marine engines, F01M)}
16/102	. . . {by using an inverting mechanism between the handgrip and the blade, e.g. a toothed transmission}	2020/003	. {Arrangements of two, or more outboard propulsion units}
16/105 {the mechanism having articulated rods}	2020/005	. {Arrangements of two or more propellers, or the like on single outboard propulsion units}
16/107	. . . {by placing the fulcrum outside the segment defined by handgrip and blade}	2020/006	. . {of coaxial type, e.g. of counter-rotative type}
16/12	. . {using hand levers, cranks, pedals, or the like, e.g. water cycles, boats propelled by boat-mounted pedal cycles}	20/007	. {Trolling propulsion units (trolling plates for slowing down B63H 25/50 ; dynamo-electric machines of trolling units H02K)}
WARNING This group is no longer used for classification of new documents as from 01.01.2012. The backlog of this group is being continuously reclassified to groups B63H 16/16 - B63H 16/20		2020/008	. {Tools, specially adapted for maintenance, mounting, repair, or the like of outboard propulsion units, e.g. of outboard motors or Z-drives}
16/14	. . . {for propelled drive}	20/02	. Mounting of propulsion units (B63H 20/08 takes precedence)
WARNING This group is no longer used for classification of new documents as from 01.01.2012. The backlog of this group is being continuously reclassified to groups B63H 16/16 - B63H 16/20		2020/025	. . {Sealings specially adapted for mountings of outboard drive units; Arrangements thereof, e.g. for transom penetrations}
16/16	. . using reciprocating pull cable, i.e. a strand-like member movable alternately backward and forward	20/04	. . in a well
2016/165	. . . {comprising means for transforming oscillating movement into rotary movement, e.g. for driving propeller shafts}	20/06	. . on an intermediate support
16/18	. . using sliding {or pivoting} handle or pedal, i.e. the motive force being transmitted to a propelling means by means of a lever operated by the hand or foot of the occupant	20/08	. Means enabling movement of the position of the propulsion element, e.g. for trim, tilt, or steering (transmissions allowing movement of the propulsion element B63H 20/14); Control of trim or tilt (initiating means for steering B63H 25/02)
2016/185	. . . {comprising means for transforming oscillating movement into rotary movement, e.g. for driving propeller shafts}	20/10	. . Means enabling trim or tilt, or lifting of the propulsion element when an obstruction is hit; Control of trim or tilt
16/20	. . using rotary cranking arm	2020/103	. . . {using a flexible member for enabling or controlling tilt or lifting, e.g. a cable}
2016/202	. . . {specially adapted or arranged for being actuated by the feet of the user, e.g. using bicycle-like pedals}	20/106	. . . {Means enabling lifting of the propulsion element in a substantially vertical, linearly sliding movement}
2016/205 {making use of standard bicycles}	20/12	. . Means enabling steering
		20/14	. Transmission between propulsion power unit and propulsion element

2020/145	<ul style="list-style-type: none">• {comprising means for permitting telescoping movement of components of the outboard propulsion unit, e.g. telescoping movement of power leg}	21/02	<ul style="list-style-type: none">• the vessels being steam-driven (B63H 21/18 takes precedence)
20/16	<ul style="list-style-type: none">• allowing movement of the propulsion element in a horizontal plane only, e.g. for steering	21/04	<ul style="list-style-type: none">• relating to positive-displacement steam engines
20/18	<ul style="list-style-type: none">• allowing movement of the propulsion element about a longitudinal axis, e.g. the through transom shaft (B63H 20/22 takes precedence)	21/06	<ul style="list-style-type: none">• relating to steam turbines
20/20	<ul style="list-style-type: none">• with provision for reverse drive	21/08	<ul style="list-style-type: none">• relating to steam boilers
20/22	<ul style="list-style-type: none">• allowing movement of the propulsion element about at least a horizontal axis without disconnection of the drive, e.g. using universal joints	21/10	<ul style="list-style-type: none">• relating to condensers or engine-cooling fluid heat-exchangers
20/24	<ul style="list-style-type: none">• {Arrangements, apparatus and methods for handling exhaust gas in outboard drives, e.g.} exhaust gas outlets {(in engines, e.g. outboard marine engines, F01N)}	21/12	<ul style="list-style-type: none">• the vessels being motor-driven (B63H 21/175, B63H 21/18 take precedence; {cooling circuits with liquid-to-liquid heat-exchange relative to marine vessels F01P 3/207})
20/245	<ul style="list-style-type: none">• {Exhaust gas outlets (B63H 20/26 takes precedence)}		WARNING Group B63H 21/12 is no longer used for classification of vessels being motor-driven by electric motor, powered by land vehicle supported by vessel, and powered by nuclear energy. These documents are in the process of being reorganised to groups B63H 21/17 , B63H 21/175 , and B63H 21/18 respectively
20/26	<ul style="list-style-type: none">• {Exhaust gas outlets} passing through the propeller or its hub	21/14	<ul style="list-style-type: none">• relating to internal-combustion engines {(of outboard type B63H 20/00)}
20/28	<ul style="list-style-type: none">• {Arrangements, apparatus and methods for handling cooling-water in outboard drives, e.g.} cooling-water intakes {(cooling circuits for outboard marine engines F01P 3/202)}	21/16	<ul style="list-style-type: none">• relating to gas turbines
20/285	<ul style="list-style-type: none">• {Cooling-water intakes (B63H 20/28 takes precedence)}	21/165	<ul style="list-style-type: none">• by hydraulic fluid motor, i.e. wherein a liquid under pressure is utilised to rotate the propelling means {(transmission from power plant or unit to propeller using fluid gearing <i>per se</i> B63H 23/26)}
20/30	<ul style="list-style-type: none">• {Cooling-water intakes} for flushing {(circuits for flushing outboard marine engines F01P 3/205)}	21/17	<ul style="list-style-type: none">• by electric motor (electrically-propelled vehicles B60L ; Transmitting power from propulsion power plant to propulsive elements with electric gearing B63H 23/24)}
20/32	<ul style="list-style-type: none">• Housings {(air intakes for outboard engines F02M 35/167)}	2021/171	<ul style="list-style-type: none">• {making use of photovoltaic energy conversion, e.g. using solar panels}
2020/323	<ul style="list-style-type: none">• {Gear cases}	2021/173	<ul style="list-style-type: none">• {making use of superconductivity}
2020/326	<ul style="list-style-type: none">• {having a dividing plane substantially in plane with the axes of the transmission shafts}	21/175	<ul style="list-style-type: none">• the vessel being powered by land vehicle supported by vessel
20/34	<ul style="list-style-type: none">• comprising stabilising fins {, foils, anticavitation plates, splash plates, or rudders (rudders carrying propellers B63H 25/42; rudders carrying jets B63H 25/46)}	21/18	<ul style="list-style-type: none">• the vessels being powered by nuclear energy
20/36	<ul style="list-style-type: none">• Transporting or testing stands {(hand carts for transporting outboard units B62B; measuring torque G01L 3/00, measuring thrust of propellers G01L 5/133, testing in general G01M); Use of outboard propulsion units as pumps}; Protection of power legs {, e.g. when not in use}	21/20	<ul style="list-style-type: none">• the vessels being powered by combinations of different types of propulsion units
21/00	Use of propulsion power plant or units on vessels (use of outboard propulsion units B63H 20/00 ; hull reinforcements for carrying propulsion power plant or units B63B 3/70 ; {propulsion of submarines B63G 8/08 ; } propulsion power plant or units <i>per se</i> , see the relevant classes)	2021/202	<ul style="list-style-type: none">• {of hybrid electric type}
	NOTE This group comprises arrangements of propulsion power plant or units on vessels and to some extent it includes adaptations of such plant or units to facilitate such arrangements	2021/205	<ul style="list-style-type: none">• {the second power unit being of the internal combustion engine type, or the like, e.g. a Diesel engine}
2021/003	<ul style="list-style-type: none">• {the power plant using fuel cells for energy supply or accumulation, e.g. for buffering photovoltaic energy}	2021/207	<ul style="list-style-type: none">• {the second power unit being a gas turbine}
2021/006	<ul style="list-style-type: none">• {the vessel being driven by hot gas positive-displacement engine plants of closed-cycle type, e.g. Stirling engines}	21/21	<ul style="list-style-type: none">• Control means for engine or transmission, specially adapted for use on marine vessels
		21/213	<ul style="list-style-type: none">• {Levers or the like for controlling the engine or the transmission, e.g. single hand control levers}
		2021/216	<ul style="list-style-type: none">• {using electric control means}
		21/22	<ul style="list-style-type: none">• the propulsion power units being controlled from exterior of engine room, e.g. from navigation bridge; Arrangements of order telegraphs ({conjoint control of specific features of internal combustion engines and of propelling elements F02D } ; order telegraphs <i>per se</i> G08B 9/00)
		21/24	<ul style="list-style-type: none">• {the vessels being small craft, e.g. racing boats}

21/26	<ul style="list-style-type: none"> • {of outboard type; Outboard propulsion power units movably installed for steering, reversing, tilting, or the like (transom panels for outboard motors for inflatable boats B63B 7/087; floating propeller units B63B 35/665)} <p>WARNING</p> <p>Group B63H 21/26 and subgroups are no longer used for classification. Documents are in the process of being reorganised to B63H 5/125, and subgroups, to B63H 20/00, and subgroups, and to B63H 25/42</p>	21/386	<ul style="list-style-type: none"> • {for handling lubrication liquids (in machines or engines in general F01M)}
21/265	<ul style="list-style-type: none"> • . . {Steering or control devices for outboards (steering by rudders B63H 25/06; control handles for boats B63H 21/213)} 	23/00	<p>Transmitting power from propulsion power plant to propulsive elements (changing pitch or propellers B63H 3/00; adaptation of transmission to allow adjustment in location or direction of propellers B63H 5/125; transmission between wind motors and propulsive elements B63H 13/00; in outboard propulsion units B63H 20/14; adaptation of transmission to allow adjustment of location of propellers B63H 20/08; {adaptations of transmissions to allow steering or dynamic anchoring by propellers carried on rudders B63H 25/42; } for vehicles in general B60K; driving auxiliary machinery B63J; transmission elements <i>per se</i> F16)</p>
21/28	<ul style="list-style-type: none"> • . . {Arrangements of transmission between propulsion power unit and propulsive element} 	2023/005	<ul style="list-style-type: none"> • {using a drive acting on the periphery of a rotating propulsive element, e.g. on a dented circumferential ring on a propeller, or a propeller acting as rotor of an electric motor}
21/30	<ul style="list-style-type: none"> • Mounting of propulsion plant or unit, e.g. for anti-vibration purposes (hull reinforcements therefor B63B 3/70; {of outboard propulsion units B63H 20/02; } vibration in systems F16F; engine beds F16M) 	23/02	<ul style="list-style-type: none"> • with mechanical gearing
21/302	<ul style="list-style-type: none"> • {with active vibration damping} 	2023/0208	<ul style="list-style-type: none"> • . {by means of endless flexible members}
21/305	<ul style="list-style-type: none"> • {with passive vibration damping} 	2023/0216	<ul style="list-style-type: none"> • . . {by means of belts, or the like}
2021/307	<ul style="list-style-type: none"> • {Arrangements, or mountings of propulsion power plant elements in modular propulsion power units, e.g. using containers} 	2023/0225	<ul style="list-style-type: none"> • . . . {of grooved belts, i.e. with one or more grooves in longitudinal direction of the belt}
21/32	<ul style="list-style-type: none"> • Arrangements of propulsion-unit exhaust uptakes; Funnels peculiar to vessels; {Small watercraft exhaust arrangements, e.g. under-water}, (engine exhausts in general F01N; flue devices for furnaces in general F23J; {exhaust gas outlets forming part of outboard propulsion units or Z-drives B63H 20/24}) <p>WARNING</p> <p>Group B63H 21/32 is no longer used for classification of documents dealing with gas exhaust outlets forming part of outboard propulsion units or Z-drives. Respective documents are in the process of being reorganised to groups B63H 20/24 and B63H 20/26</p>	2023/0233	<ul style="list-style-type: none"> • . . . {of belts having a toothed contact surface, or regularly spaced bosses, or hollows for slip-less or nearly slip-less meshing with complementary profiled contact surface of a pulley}
21/34	<ul style="list-style-type: none"> • . having exhaust-gas deflecting means 	2023/0241	<ul style="list-style-type: none"> • . . . {of V-belts, i.e. belts of tapered cross section}
21/36	<ul style="list-style-type: none"> • Covers or casing arranged to protect plant or unit from marine environment ({Housings of outboard propulsion units B63H 20/32} hull construction B63B 3/00) 	2023/025	<ul style="list-style-type: none"> • . . {by means of chains}
21/38	<ul style="list-style-type: none"> • Apparatus or methods specially adapted for use on marine vessels, for handling power plant or unit liquids, e.g. lubricants, coolants, fuels or the like ({in outboard drives B63H 20/001; } lubricating or cooling machines or engines in general F01 - F04) <p>WARNING</p> <p>This group and its subgroups are</p> <ul style="list-style-type: none"> - systematically used for classification of documents published from 01.06.2010 onwards - not complete; for documents published before 01.06.2010, see B63B 2770/00 	2023/0258	<ul style="list-style-type: none"> • {comprising gearings with variable gear ratio, other than reversing drives or trolling drives}
21/383	<ul style="list-style-type: none"> • {for handling cooling-water (in outboard drives B63H 20/28; in machines or engines in general F01P 3/00)} 	2023/0266	<ul style="list-style-type: none"> • . . {comprising gearings with automatically variable gear ratio, other than continuously variable transmissions or trolling drives}
		2023/0275	<ul style="list-style-type: none"> • . . {comprising means for conveying rotary motion with continuously variable gear ratio, e.g. continuously variable transmissions using endless flexible members}
		2023/0283	<ul style="list-style-type: none"> • . {using gears having orbital motion}
		2023/0291	<ul style="list-style-type: none"> • {Trolling gears, i.e. mechanical power transmissions comprising controlled slip clutches, e.g. for low speed propulsion}
		23/04	<ul style="list-style-type: none"> • . the main transmitting element, e.g. shaft, being substantially vertical
		23/06	<ul style="list-style-type: none"> • . for transmitting drive from a single propulsion power unit
		2023/062	<ul style="list-style-type: none"> • . . {comprising means for simultaneously driving two or more main transmitting elements, e.g. drive shafts}
		2023/065	<ul style="list-style-type: none"> • . . . {having means for differentially varying the speed of the main transmitting elements, e.g. of the drive shafts}
		2023/067	<ul style="list-style-type: none"> • . . . {the elements being formed by two or more coaxial shafts, e.g. counter-rotating shafts}
		23/08	<ul style="list-style-type: none"> • . with provision for reversing drive
		23/10	<ul style="list-style-type: none"> • . for transmitting drive from more than one propulsion power unit (for synchronisation of propulsive elements B63H 23/28)
		23/12	<ul style="list-style-type: none"> • . . allowing combined use of the propulsion power units

23/14 with unidirectional drive or where reversal is immaterial	25/005	. {Steering specially adapted for towing trains, tug-barge systems, or the like; Equipment or accessories therefor}
23/16 characterised by provision of reverse drive	25/02	. Initiating means for steering {, for slowing down, otherwise than by use of propulsive elements, or for dynamic anchoring}
23/18	. . . for alternative use of the propulsion power units	25/022	. . {Steering wheels; Posts for steering wheels}
23/20 with separate forward and astern propulsion power units, e.g. turbines	25/024	. . {Handle-bars; Posts for supporting handle-bars, e.g. adjustable posts}
23/22	. with non-mechanical gearing	25/026	. . {using multi-axis control levers, or the like, e.g. joysticks, wherein at least one degree of freedom is employed for steering, slowing down, or dynamic anchoring}
23/24	. . electric {(dynamo-electric machines H02K)}	25/028	. . {using remote control means, e.g. wireless control; Equipment or accessories therefor}
2023/245	. . . {with two or more electric motors directly acting on a single drive shaft, e.g. plurality of electric rotors mounted on one common shaft, or plurality of electric motors arranged coaxially one behind the other with rotor shafts coupled together}	25/04	. . automatic, e.g. reacting to compass
23/26	. . fluid	25/045	. . . {making use of satellite radio beacon positioning systems, e.g. the Global Positioning System [GPS]}
23/28	. with synchronisation of propulsive elements	25/06	. Steering by rudders (by rudders carrying propellers B63H 25/42)
23/30	. characterised by use of clutches	25/063	. . {Arrangements of rudders forward of the propeller position, e.g. of backing rudders; Arrangements of rudders on the forebody of the hull; Steering gear therefor}
2023/305	. . {using fluid or semifluid as power transmitting means}	25/066	. . {Arrangements of two or more rudders; Steering gear therefor}
23/32	. Other parts	25/08	. . Steering gear
23/321	. . {Bearings or seals specially adapted for propeller shafts}	25/10	. . . with mechanical transmission
2023/322	. . . {Intermediate propeller shaft bearings, e.g. with provisions for shaft alignment}	25/12	. . . with fluid transmission
2023/323	. . . {Bearings for coaxial propeller shafts, e.g. for driving propellers of the counter-rotative type}	25/14	. . . power assisted; power driven, i.e. using steering engine
2023/325	. . . {Thrust bearings, i.e. axial bearings for propeller shafts}	25/16 with alternative muscle or power operated steering
23/326	. . . {Water lubricated bearings}	25/18 Transmitting of movement of initiating means to steering engine
2023/327	. . . {Sealings specially adapted for propeller shafts or stern tubes}	25/20 by mechanical means
2023/328	. . {Marine transmissions characterised by the use of brakes, other than propeller shaft brakes; Brakes therefor}	25/22 by fluid means
23/34	. . Propeller shafts; Paddle-wheel shafts; Attachment of propellers on shafts (shafts in general F16C; attachment of a member on a shaft in general F16D 1/06)	25/24 by electrical means
2023/342	. . . {comprising couplings, e.g. resilient couplings; Couplings therefor}	25/26 Steering engines
2023/344	. . . {comprising flexible shafts members}	25/28 of fluid type
2023/346	. . . {comprising hollow shaft members}	25/30 hydraulic
2023/348	. . . {with turning or inching gear, i.e. with means for slowly rotating, or for angularly positioning of shafts or propulsive elements mounted thereon}	25/32 steam
23/35	. . . Shaft braking or locking, i.e. means to slow or stop the rotation of the propeller shaft or to prevent the shaft from initial rotation	25/34 Transmitting of movement of engine to rudder, e.g. using quadrants, brakes
23/36	. . Shaft tubes (propeller-shaft tunnels B63B 11/06; shaft-tube seals F16J)	25/36	. . Rudder-position indicators
25/00	Steering; Slowing-down otherwise than by use of propulsive elements (using adjustably-mounted propeller ducts or rings for steering B63H 5/14; using movably-installed outboard propulsion units B63H 20/00); Dynamic anchoring, i.e. positioning vessels by means of main or auxiliary propulsive elements (anchoring, other than dynamic B63B 21/00; equipment to decrease pitch, roll or like unwanted vessel movements by auxiliary jets or propellers B63B 39/08; {systems for waterborne vessel position control G05, e.g. G05D 1/00})	25/38	. . Rudders (stern posts B63B 3/40 {; rudders mounted on housing of outboard motors B63H 20/34; rudders carrying propellers B63H 25/42; rudders carrying jets B63H 25/46))
		25/381	. . . {with flaps}
		25/382	. . . {movable otherwise than for steering purposes; Changing geometry}
		25/383 {with deflecting means able to reverse the water stream direction}
		25/384 {with means for retracting or lifting}
		25/385 {by pivoting}
		25/386 {by sliding, e.g. telescopic}
		25/387	. . . {comprising two or more rigidly interconnected mutually spaced blades pivotable about a common rudder shaft, e.g. parallel twin blades mounted on a pivotable supporting frame}
		25/388	. . . {with varying angle of attack over the height of the rudder blade, e.g. twisted rudders}

B63H

- 25/40 . . . using Magnus effect
- 25/42 . Steering or dynamic anchoring by propulsive elements (by jets [B63H 25/46](#)); Steering or dynamic anchoring by propellers used therefor only; Steering or dynamic anchoring by rudders carrying propellers
- 2025/425 . . {Propulsive elements, other than jets, substantially used for steering or dynamic anchoring only, with means for retracting, or otherwise moving to a rest position outside the water flow around the hull}
- 25/44 . Steering or slowing-down by extensible flaps or the like
- 25/46 . Steering or dynamic anchoring by jets {or by rudders carrying jets (steering or dynamic anchoring by deflecting or directing main propulsion jets [B63H 11/00](#))}
- 2025/465 . . {Jets or thrusters substantially used for steering or dynamic anchoring only, with means for retracting, or otherwise moving to a rest position outside the water flow around the hull}
- 25/48 . Steering or slowing-down by deflection of propeller slipstream otherwise than by rudder
- 25/50 . Slowing-down means not otherwise provided for
- 25/52 . Parts for steering not otherwise provided for