

# CPC COOPERATIVE PATENT CLASSIFICATION

## C CHEMISTRY; METALLURGY

(NOTES omitted)

### CHEMISTRY

#### C08 ORGANIC MACROMOLECULAR COMPOUNDS; THEIR PREPARATION OR CHEMICAL WORKING-UP; COMPOSITIONS BASED THEREON

#### C08L COMPOSITIONS OF MACROMOLECULAR COMPOUNDS (compositions based on polymerisable monomers [C08F](#), [C08G](#); artificial filaments or fibres [D01F](#); textile treating compositions [D06](#))

##### NOTES

- In this subclass, the following term is used with the meaning indicated:
  - Rubber includes:
    - natural or conjugated diene rubbers;
    - rubber in general (for a specific rubber, other than a natural rubber or a conjugated diene rubber, see the group provided for compositions of such macromolecular compounds).
- In this subclass:
  - compositions are classified according to the mutual proportions by weight of only the macromolecular constituents;
  - compositions are classified according to the macromolecular constituent or constituents present in the highest proportion: if all these constituents are present in equal proportions the composition is classified according to each of these constituents.
- Any macromolecular constituent of a composition which is not identified by the classification according to Note (2) above, and the use of which is determined to be novel and non-obvious, must also be classified in this subclass. For example, a composition containing 80 parts polyethylene and 20 parts polyvinyl chloride is classified in both groups [C08L 23/06](#) and [C08L 27/06](#), if the use of polyvinyl chloride is determined to be novel and non-obvious. {This IPC Note does not apply in CPC}
- Any macromolecular constituent of a composition which is not identified by the classification according to Notes (2) or (3) above, and which is considered to represent information of interest for search, may also be classified in this subclass. This can, for example, be the case when it is considered of interest to enable searching of compositions using a combination of classification symbols. Such non-obligatory classification should be given as "additional information". {This IPC Note does not apply in CPC}
- In groups [C08L 65/00](#) - [C08L 85/00](#), in the absence of an indication to the contrary, compositions of macromolecular compounds obtained by reactions forming two different linkages in the main chain are classified only according to the linkage present in excess. {This Note corresponds to IPC Note (1) relating to [C08L 65/00](#) - [C08L 85/00](#).}
- {Compositions classified in [C08K](#) according to note 3 of [C08K](#), are not classified in [C08L](#).}
- {In this subclass, combination sets [C-Sets] are used. The detailed information about the C-Sets construction and the associated syntax rules is present in the definitions of [C08L](#)}
- {[C08L 2666/00](#) indexing codes were used for C-Sets classification of documents before April 2012. In addition to note (6), for searching documents classified before April 2012, see also [C08L 2666/00](#) in the definitions of [C08L](#).}

##### WARNINGS

- The following IPC groups are not in the CPC scheme. The subject matter for these IPC groups is classified in the following CPC groups:
 

<a href="#">C08L 61/08</a> - <a href="#">C08L 61/10</a>	covered by	<a href="#">C08L 61/06</a>
<a href="#">C08L 63/02</a>	covered by	<a href="#">C08L 63/00</a>
<a href="#">C08L 83/05</a>	covered by	<a href="#">C08L 83/04</a>
<a href="#">C08L 83/07</a>	covered by	<a href="#">C08L 83/04</a>
- In this subclass non-limiting references (in the sense of paragraph 39 of the Guide to the IPC) may still be displayed in the scheme.

#### Compositions of polysaccharides or of their derivatives

1/00 Compositions of cellulose, modified cellulose or cellulose derivatives

##### NOTE

In this group, C-Sets are used.

The detailed information about the C-Sets construction and the associated syntax rules is present in the Definitions of [C08L](#).

- |      |  |
|------|--|
| 1/02 | . Cellulose; Modified cellulose                                      |
| 1/04 | . . Oxycellulose; Hydrocellulose {, e.g. microcrystalline cellulose} |
| 1/06 | . . Cellulose hydrate  |

- 1/08 . Cellulose derivatives
- 1/10 . . Esters of organic acids {, i.e. acylates}
- 1/12 . . . Cellulose acetate
- 1/14 . . . Mixed esters, e.g. cellulose acetate-butyrate
- 1/16 . . Esters of inorganic acids
- 1/18 . . . Cellulose nitrate {, i.e. nitrocellulose}
- 1/20 . . Esters of both organic acids and inorganic acids
- 1/22 . . Cellulose xanthate
- 1/24 . . . Viscose
- 1/26 . . Cellulose ethers
- 1/28 . . . Alkyl ethers
- 1/282 . . . . {with halogen-substituted hydrocarbon radicals}
- 1/284 . . . . {with hydroxylated hydrocarbon radicals}
- 1/286 . . . . {substituted with acid radicals, e.g. carboxymethyl cellulose [CMC] (C08L 1/282 takes precedence)}
- 1/288 . . . . {substituted with nitrogen-containing radicals}
- 1/30 . . . Aryl ethers; Aralkyl ethers
- 1/32 . . Cellulose ether-esters

### 3/00 Compositions of starch, amylose or amylopectin or of their derivatives or degradation products

#### NOTE

In this group, C-Sets are used.

The detailed information about the C-Sets construction and the associated syntax rules is present in the Definitions of [C08L](#).

- 3/02 . Starch; Degradation products thereof, e.g. dextrin
- 3/04 . Starch derivatives {, e.g. crosslinked derivatives}
- 3/06 . . Esters
- 3/08 . . Ethers
- 3/10 . . Oxidised starch
- 3/12 . Amylose; Amylopectin; Degradation products thereof
- 3/14 . Amylose derivatives; Amylopectin derivatives
- 3/16 . . Esters
- 3/18 . . Ethers
- 3/20 . . Oxidised amylose; Oxidised amylopectin

### 5/00 Compositions of polysaccharides or of their derivatives not provided for in groups [C08L 1/00](#) or [C08L 3/00](#)

#### NOTE

In this group, C-Sets are used.

The detailed information about the C-Sets construction and the associated syntax rules is present in the Definitions of [C08L](#).

- 5/02 . Dextran; Derivatives thereof
- 5/04 . Alginic acid; Derivatives thereof
- 5/06 . Pectin; Derivatives thereof
- 5/08 . Chitin; Chondroitin sulfate; Hyaluronic acid; Derivatives thereof
- 5/10 . Heparin; Derivatives thereof
- 5/12 . {Agar or} agar-agar {, i.e. mixture of agarose and agaropectin}; Derivatives thereof
- 5/14 . Hemicellulose; Derivatives thereof
- 5/16 . Cyclodextrin; Derivatives thereof

### Compositions of rubber or of their derivatives

#### 7/00 Compositions of natural rubber

##### NOTE

In this group, C-Sets are used.

The detailed information about the C-Sets construction and the associated syntax rules is present in the Definitions of [C08L](#).

- 7/02 . Latex

#### 9/00 Compositions of homopolymers or copolymers of conjugated diene hydrocarbons

##### NOTE

In this group, C-Sets are used.

The detailed information about the C-Sets construction and the associated syntax rules is present in the Definitions of [C08L](#).

- 9/02 . Copolymers with acrylonitrile
- 9/04 . . Latex
- 9/06 . Copolymers with styrene
- 9/08 . . Latex
- 9/10 . Latex ([C08L 9/04](#), [C08L 9/08](#) take precedence)

#### 11/00 Compositions of homopolymers or copolymers of chloroprene

##### NOTE

In this group, C-Sets are used.

The detailed information about the C-Sets construction and the associated syntax rules is present in the Definitions of [C08L](#).

- 11/02 . Latex

#### 13/00 Compositions of rubbers containing carboxyl groups

##### NOTE

In this group, C-Sets are used.

The detailed information about the C-Sets construction and the associated syntax rules is present in the Definitions of [C08L](#).

- 13/02 . Latex

#### 15/00 Compositions of rubber derivatives ([C08L 11/00](#), [C08L 13/00](#) take precedence)

##### NOTE

In this group, C-Sets are used.

The detailed information about the C-Sets construction and the associated syntax rules is present in the Definitions of [C08L](#).

- 15/005 . {Hydrogenated nitrile rubber}
- 15/02 . Rubber derivatives containing halogen

#### 17/00 Compositions of reclaimed rubber

##### NOTE

In this group, C-Sets are used.

The detailed information about the C-Sets construction and the associated syntax rules is present in the Definitions of [C08L](#).

**19/00 Compositions of rubbers not provided for in groups [C08L 7/00](#) - [C08L 17/00](#)****NOTE**

In this group, C-Sets are used.

The detailed information about the C-Sets construction and the associated syntax rules is present in the Definitions of [C08L](#).

- 19/003 . {Precrosslinked rubber; Scrap rubber; Used vulcanised rubber}
- 19/006 . {Rubber characterised by functional groups, e.g. telechelic diene polymers}
- 19/02 . Latex

**21/00 Compositions of unspecified rubbers****NOTE**

In this group, C-Sets are used.

The detailed information about the C-Sets construction and the associated syntax rules is present in the Definitions of [C08L](#).

- 21/02 . Latex

**Compositions of macromolecular compounds obtained by reactions involving only carbon-to-carbon unsaturated bonds****NOTE**

{Groups [C08L 23/00](#) - [C08L 49/00](#) are to be interpreted in accordance with Notes 2), 3) and 4 a) following the title of subclass [C08F](#)}

**23/00 Compositions of homopolymers or copolymers of unsaturated aliphatic hydrocarbons having only one carbon-to-carbon double bond; Compositions of derivatives of such polymers****NOTE**

In this group, C-Sets are used.

The detailed information about the C-Sets construction and the associated syntax rules is present in the Definitions of [C08L](#).

- 23/02 . not modified by chemical after-treatment
- 23/025 . . {Copolymer of an unspecified olefin with a monomer other than an olefin}
- 23/04 . . Homopolymers or copolymers of ethene
- 23/06 . . . Polyethylene
- 23/08 . . . Copolymers of ethene ([C08L 23/16](#) takes precedence)
- 23/0807 . . . . {Copolymers of ethene with unsaturated hydrocarbons only containing more than three carbon atoms}
- 23/0815 . . . . . {Copolymers of ethene with aliphatic 1-olefins}
- 23/0823 . . . . . {Copolymers of ethene with aliphatic cyclic olefins}
- 23/083 . . . . . {Copolymers of ethene with aliphatic polyenes, i.e. containing more than one unsaturated bond}
- 23/0838 . . . . . {Copolymers of ethene with aromatic monomers}
- 23/0846 . . . . . {Copolymers of ethene with unsaturated hydrocarbons containing other atoms than carbon or hydrogen atoms}
- 23/0853 . . . . . {Vinylacetate}

- 23/0861 . . . . . {Saponified vinylacetate}
- 23/0869 . . . . . {Acids or derivatives thereof}
- 23/0876 . . . . . {Neutralised polymers, i.e. ionomers}
- 23/0884 . . . . . {Epoxide containing esters}
- 23/0892 . . . . . {containing monomers with other atoms than carbon, hydrogen or oxygen atoms}
- 23/10 . . Homopolymers or copolymers of propene
- 23/12 . . . Polypropene
- 23/14 . . . Copolymers of propene ([C08L 23/16](#) takes precedence)
- 23/142 . . . . {at least partially crystalline copolymers of propene with other olefins}
- 23/145 . . . . {Copolymers of propene with monomers having more than one C=C double bond}
- 23/147 . . . . {Copolymers of propene with monomers containing other atoms than carbon or hydrogen atoms}
- 23/16 . . {Elastomeric} ethene-propene or ethene-propene-diene copolymers, {e.g. EPR and EPDM rubbers}

**NOTE**

This group is used for polymers comprising both ethylene and propylene

- 23/18 . . Homopolymers or copolymers of hydrocarbons having four or more carbon atoms
- 23/20 . . . having four to nine carbon atoms
- 23/22 . . . . Copolymers of isobutene; Butyl rubber {; Homo- or copolymers of other iso-olefins}
- 23/24 . . . having ten or more carbon atoms
- 23/26 . modified by chemical after-treatment
- 23/28 . . by reaction with halogens or compounds containing halogen ([C08L 23/32](#) takes precedence)
- 23/283 . . . {Halogenated homo- or copolymers of iso-olefins}
- 23/286 . . . {Chlorinated polyethylene}
- 23/30 . . by oxidation
- 23/32 . . by reaction with compounds containing phosphorus or sulfur
- 23/34 . . . by chlorosulfonation
- 23/36 . . by reaction with compounds containing nitrogen, e.g. by nitration
- 2023/40 . . {by reaction with compounds changing molecular weight}
- 2023/42 . . . {Depolymerisation, vis-breaking or degradation}
- 2023/44 . . . {Coupling; Molecular weight increase}

**25/00 Compositions of, homopolymers or copolymers of compounds having one or more unsaturated aliphatic radicals, each having only one carbon-to-carbon double bond, and at least one being terminated by an aromatic carbocyclic ring; Compositions of derivatives of such polymers****NOTE**

In this group, C-Sets are used.

The detailed information about the C-Sets construction and the associated syntax rules is present in the Definitions of [C08L](#).

- 25/02 . Homopolymers or copolymers of hydrocarbons
- 25/04 . . Homopolymers or copolymers of styrene
- 25/06 . . . Polystyrene

- 25/08 . . . Copolymers of styrene ([C08L 29/08](#),  
[C08L 35/06](#), [C08L 55/02](#) take precedence)
- 25/10 . . . . with conjugated dienes
- 25/12 . . . . with unsaturated nitriles
- 25/14 . . . . with unsaturated esters
- 25/16 . . Homopolymers or copolymers of alkyl-  
substituted styrenes
- 25/18 . Homopolymers or copolymers of aromatic  
monomers containing elements other than carbon  
and hydrogen

**27/00** **Compositions of homopolymers or copolymers of compounds having one or more unsaturated aliphatic radicals, each having only one carbon-to-carbon double bond, and at least one being terminated by a halogen; Compositions of derivatives of such polymers**

**NOTE**

In this group, C-Sets are used.

The detailed information about the C-Sets construction and the associated syntax rules is present in the Definitions of [C08L](#).

- 27/02 . not modified by chemical after-treatment
- 27/04 . . containing chlorine atoms
- 27/06 . . . Homopolymers or copolymers of vinyl chloride
- 27/08 . . . Homopolymers or copolymers of vinylidene  
chloride
- 27/10 . . containing bromine or iodine atoms
- 27/12 . . containing fluorine atoms
- 27/14 . . . Homopolymers or copolymers of vinyl fluoride
- 27/16 . . . Homopolymers or copolymers or vinylidene  
fluoride
- 27/18 . . . Homopolymers or copolymers or  
tetrafluoroethene
- 27/20 . . . Homopolymers or copolymers of  
hexafluoropropene
- 27/22 . modified by chemical after-treatment
- 27/24 . . halogenated

**29/00** **Compositions of homopolymers or copolymers of compounds having one or more unsaturated aliphatic radicals, each having only one carbon-to-carbon double bond, and at least one being terminated by an alcohol, ether, aldehydo, ketonic, acetal or ketal radical; Compositions of hydrolysed polymers of esters of unsaturated alcohols with saturated carboxylic acids; Compositions of derivatives of such polymers**

**NOTE**

In this group, C-Sets are used.

The detailed information about the C-Sets construction and the associated syntax rules is present in the Definitions of [C08L](#).

- 29/02 . Homopolymers or copolymers of unsaturated  
alcohols ([C08L 29/14](#) takes precedence)
- 29/04 . . Polyvinyl alcohol; Partially hydrolysed  
homopolymers or copolymers of esters of  
unsaturated alcohols with saturated carboxylic  
acids
- 29/06 . . Copolymers of allyl alcohol
- 29/08 . . . with vinyl-aromatic monomers

- 29/10 . Homopolymers or copolymers of unsaturated ethers  
([C08L 35/08](#) takes precedence)
- 29/12 . Homopolymers or copolymers of unsaturated  
ketones
- 29/14 . Homopolymers or copolymers of acetals or ketals  
obtained by polymerisation of unsaturated acetals  
or ketals or by after-treatment of polymers of  
unsaturated alcohols

**31/00** **Compositions of homopolymers or copolymers of compounds having one or more unsaturated aliphatic radicals, each having only one carbon-to-carbon double bond, and at least one being terminated by an acyloxy radical of a saturated carboxylic acid, of carbonic acid or of a haloformic acid (of hydrolysed polymers [C08L 29/00](#)); Compositions of derivatives of such polymers**

**NOTE**

In this group, C-Sets are used.

The detailed information about the C-Sets construction and the associated syntax rules is present in the Definitions of [C08L](#).

- 31/02 . Homopolymers or copolymers of esters of  
monocarboxylic acids
- 31/04 . . Homopolymers or copolymers of vinyl acetate
- 31/06 . Homopolymers or copolymers of esters of  
polycarboxylic acids
- 31/08 . . of phthalic acid

**33/00** **Compositions of homopolymers or copolymers of compounds having one or more unsaturated aliphatic radicals, each having only one carbon-to-carbon double bond, and only one being terminated by only one carboxyl radical, or of salts, anhydrides, esters, amides, imides or nitriles thereof; Compositions of derivatives of such polymers**

**NOTE**

In this group, C-Sets are used.

The detailed information about the C-Sets construction and the associated syntax rules is present in the Definitions of [C08L](#).

- 33/02 . Homopolymers or copolymers of acids; Metal or  
ammonium salts thereof
- 33/04 . Homopolymers or copolymers of esters  
{([C08L 43/04](#) takes precedence)}
- 33/06 . . of esters containing only carbon, hydrogen and  
oxygen, which oxygen atoms are present only as  
part of the carboxyl radical
- 33/062 . . . {Copolymers with monomers not covered by  
[C08L 33/06](#)}
- 33/064 . . . . {containing anhydride, COOH or COOM  
groups, with M being metal or onium-cation}
- 33/066 . . . . {containing -OH groups}
- 33/068 . . . . {containing glycidyl groups}
- 33/08 . . . Homopolymers or copolymers of acrylic acid  
esters
- 33/10 . . . Homopolymers or copolymers of methacrylic  
acid esters
- 33/12 . . . . Homopolymers or copolymers of methyl  
methacrylate

- 33/14 . . of esters containing halogen, nitrogen, sulfur, or oxygen atoms in addition to the carboxy oxygen
- 33/16 . . . Homopolymers or copolymers of esters containing halogen atoms
- 33/18 . Homopolymers or copolymers of nitriles
- 33/20 . . Homopolymers or copolymers of acrylonitrile ([C08L 55/02](#) takes precedence)
- 33/22 . . Homopolymers or copolymers of nitriles containing four or more carbon atoms
- 33/24 . Homopolymers or copolymers of amides or imides
- 33/26 . . Homopolymers or copolymers of acrylamide or methacrylamide

**35/00** **Compositions of homopolymers or copolymers of compounds having one or more unsaturated aliphatic radicals, each having only one carbon-to-carbon double bond, and at least one being terminated by a carboxyl radical, and containing at least one other carboxyl radical in the molecule, or of salts, anhydrides, esters, amides, imides or nitriles thereof; Compositions of derivatives of such polymers**

**NOTE**

In this group, C-Sets are used.

The detailed information about the C-Sets construction and the associated syntax rules is present in the Definitions of [C08L](#).

- 35/02 . Homopolymers or copolymers of esters ([C08L 35/06](#), [C08L 35/08](#) take precedence)
- 35/04 . Homopolymers or copolymers of nitriles ([C08L 35/06](#), [C08L 35/08](#) take precedence)
- 35/06 . Copolymers with vinyl aromatic monomers
- 35/08 . Copolymers with vinyl ethers

**37/00** **Compositions of homopolymers or copolymers of compounds having one or more unsaturated aliphatic radicals, each having only one carbon-to-carbon double bond, and at least one being terminated by a heterocyclic ring containing oxygen (of cyclic esters of polyfunctional acids [C08L 31/00](#); of cyclic anhydrides of unsaturated acids [C08L 35/00](#)); Compositions of derivatives of such polymers**

**NOTE**

In this group, C-Sets are used.

The detailed information about the C-Sets construction and the associated syntax rules is present in the Definitions of [C08L](#).

**39/00** **Compositions of homopolymers or copolymers of compounds having one or more unsaturated aliphatic radicals, each having only one carbon-to-carbon double bond, and at least one being terminated by a single or double bond to nitrogen or by a heterocyclic ring containing nitrogen; Compositions of derivatives of such polymers**

**NOTE**

In this group, C-Sets are used.

The detailed information about the C-Sets construction and the associated syntax rules is present in the Definitions of [C08L](#).

- 39/02 . Homopolymers or copolymers of vinylamine

- 39/04 . Homopolymers or copolymers of monomers containing heterocyclic rings having nitrogen as ring member
- 39/06 . . Homopolymers or copolymers of N-vinyl-pyrrolidones
- 39/08 . . Homopolymers or copolymers of vinyl-pyridine

**41/00** **Compositions of homopolymers or copolymers of compounds having one or more unsaturated aliphatic radicals, each having only one carbon-to-carbon double bond, and at least one being terminated by a bond to sulfur or by a heterocyclic ring containing sulfur; Compositions of derivatives of such polymers**

**NOTE**

In this group, C-Sets are used.

The detailed information about the C-Sets construction and the associated syntax rules is present in the Definitions of [C08L](#).

**43/00** **Compositions of homopolymers or copolymers of compounds having one or more unsaturated aliphatic radicals, each having only one carbon-to-carbon double bond, and containing boron, silicon, phosphorus, selenium, tellurium or a metal; Compositions of derivatives of such polymers (of metal salts, e.g. phenolates, alcoholates, see the parent compounds)**

**NOTE**

In this group, C-Sets are used.

The detailed information about the C-Sets construction and the associated syntax rules is present in the Definitions of [C08L](#).

- 43/02 . Homopolymers or copolymers of monomers containing phosphorus
- 43/04 . Homopolymers or copolymers of monomers containing silicon

**45/00** **Compositions of homopolymers or copolymers of compounds having no unsaturated aliphatic radicals in side chain, and having one or more carbon-to-carbon double bonds in a carbocyclic or in a heterocyclic ring system; Compositions of derivatives of such polymers (of cyclic anhydrides or imides [C08L 35/00](#); of cyclic esters of polyfunctional acids [C08L 31/00](#))**

**NOTE**

In this group, C-Sets are used.

The detailed information about the C-Sets construction and the associated syntax rules is present in the Definitions of [C08L](#).

- 45/02 . of coumarone-indene polymers

**47/00** **Compositions of homopolymers or copolymers of compounds having one or more unsaturated aliphatic radicals, at least one having two or more carbon-to-carbon double bonds; Compositions of derivatives of such polymers ([C08L 45/00](#) takes precedence; of conjugated diene rubbers [C08L 9/00](#) - [C08L 21/00](#))**

**NOTE**

In this group, C-Sets are used.



C08L 47/00 (continued)	The detailed information about the C-Sets construction and the associated syntax rules is present in the Definitions of <a href="#">C08L</a> .	55/00	<b>Compositions of homopolymers or copolymers, obtained by polymerisation reactions only involving carbon-to-carbon unsaturated bonds, not provided for in groups <a href="#">C08L 23/00</a> - <a href="#">C08L 53/00</a></b>
49/00	<b>Compositions of homopolymers or copolymers of compounds having one or more carbon-to-carbon triple bonds; Compositions of derivatives of such polymers</b>		<b>NOTE</b>
	In this group, C-Sets are used.		In this group, C-Sets are used.
	The detailed information about the C-Sets construction and the associated syntax rules is present in the Definitions of <a href="#">C08L</a> .		The detailed information about the C-Sets construction and the associated syntax rules is present in the Definitions of <a href="#">C08L</a> .
51/00	<b>Compositions of graft polymers in which the grafted component is obtained by reactions only involving carbon-to-carbon unsaturated bonds (for ABS polymers <a href="#">C08L 55/02</a>); Compositions of derivatives of such polymers</b>	55/005	• {Homopolymers or copolymers obtained by polymerisation of macromolecular compounds terminated by a carbon-to-carbon double bond}
	<b>NOTE</b>	55/02	• ABS [Acrylonitrile-Butadiene-Styrene] polymers
	In this group, C-Sets are used.	55/04	• Polyadducts obtained by the diene synthesis
	The detailed information about the C-Sets construction and the associated syntax rules is present in the Definitions of <a href="#">C08L</a> .	57/00	<b>Compositions of unspecified polymers obtained by reactions only involving carbon-to-carbon unsaturated bonds</b>
51/003	• {grafted on to macromolecular compounds obtained by reactions only involving unsaturated carbon-to-carbon bonds ( <a href="#">C08L 51/04</a> , <a href="#">C08L 51/06</a> take precedence)}		<b>NOTE</b>
51/006	• {grafted on to block copolymers containing at least one sequence of polymer obtained by reactions only involving carbon-to-carbon unsaturated bonds}		In this group, C-Sets are used.
51/02	• grafted on to polysaccharides	57/02	• Copolymers of mineral oil hydrocarbons
51/04	• grafted on to rubbers	57/04	• Copolymers in which only the monomer in minority is defined
51/06	• grafted on to homopolymers or copolymers of aliphatic hydrocarbons containing only one carbon-to-carbon double bond	57/06	• Homopolymers or copolymers containing elements other than carbon and hydrogen
51/08	• grafted on to macromolecular compounds obtained otherwise than by reactions only involving unsaturated carbon-to-carbon bonds	57/08	• . containing halogen atoms
51/085	• . {on to polysiloxanes}	57/10	• . containing oxygen atoms
51/10	• grafted on to inorganic materials	57/12	• . containing nitrogen atoms
53/00	<b>Compositions of block copolymers containing at least one sequence of a polymer obtained by reactions only involving carbon-to-carbon unsaturated bonds; Compositions of derivatives of such polymers</b>	<b><u>Compositions of macromolecular compounds obtained otherwise than by reactions only involving carbon-to-carbon unsaturated bonds</u></b>	
	<b>NOTE</b>	59/00	<b>Compositions of polyacetals; Compositions of derivatives of polyacetals (of polyvinyl acetals <a href="#">C08L 29/14</a>)</b>
	In this group, C-Sets are used.		<b>NOTE</b>
	The detailed information about the C-Sets construction and the associated syntax rules is present in the Definitions of <a href="#">C08L</a> .		In this group, C-Sets are used.
53/005	• {Modified block copolymers}	59/02	• Polyacetals containing polyoxymethylene sequences only
53/02	• of vinyl-aromatic monomers and conjugated dienes	59/04	• Copolyoxymethylenes
53/025	• . {modified}	61/00	<b>Compositions of condensation polymers of aldehydes or ketones (with polyalcohols <a href="#">C08L 59/00</a>; with polynitriles <a href="#">C08L 77/00</a>); Compositions of derivatives of such polymers</b>
			<b>NOTE</b>
			In this group, C-Sets are used.
			The detailed information about the C-Sets construction and the associated syntax rules is present in the Definitions of <a href="#">C08L</a> .
		61/02	• Condensation polymers of aldehydes or ketones only

- 61/04 . Condensation polymers of aldehydes or ketones with phenols only
- 61/06 . . of aldehydes with phenols
- 61/12 . . . with polyhydric phenols
- 61/14 . . . Modified phenol-aldehyde condensates
- 61/16 . . of ketones with phenols
- 61/18 . Condensation polymers of aldehydes or ketones with aromatic hydrocarbons or their halogen derivatives only
- 61/20 . Condensation polymers of aldehydes or ketones with only compounds containing hydrogen attached to nitrogen (with aminophenols [C08L 61/04](#))
- 61/22 . . of aldehydes with acyclic or carbocyclic compounds
- 61/24 . . . with urea or thiourea
- 61/26 . . of aldehydes with heterocyclic compounds
- 61/28 . . . with melamine
- 61/30 . . of aldehydes with heterocyclic and acyclic or carbocyclic compounds
- 61/32 . . Modified amine-aldehyde condensates
- 61/34 . Condensation polymers of aldehydes or ketones with monomers covered by at least two of the groups [C08L 61/04](#), [C08L 61/18](#) and [C08L 61/20](#)

**63/00 Compositions of epoxy resins; Compositions of derivatives of epoxy resins**

**NOTE**

In this group, C-Sets are used.  
The detailed information about the C-Sets construction and the associated syntax rules is present in the Definitions of [C08L](#).

- 63/04 . Epoxynovolacs
- 63/06 . Triglycidylisocyanurates
- 63/08 . Epoxidised polymerised polyenes
- 63/10 . Epoxy resins modified by unsaturated compounds

**65/00 Compositions of macromolecular compounds obtained by reactions forming a carbon-to-carbon link in the main chain ([C08L 7/00](#) - [C08L 57/00](#), [C08L 61/00](#) take precedence); Compositions of derivatives of such polymers**

**NOTE**

In this group, C-Sets are used.  
The detailed information about the C-Sets construction and the associated syntax rules is present in the Definitions of [C08L](#).

- 65/02 . Polyphenylenes
- 65/04 . Polyxylenes

**67/00 Compositions of polyesters obtained by reactions forming a carboxylic ester link in the main chain (of polyester-amides [C08L 77/12](#); of polyester-imides [C08L 79/08](#)); Compositions of derivatives of such polymers**

**NOTE**

In this group, C-Sets are used.  
The detailed information about the C-Sets construction and the associated syntax rules is present in the Definitions of [C08L](#).

- 67/02 . Polyesters derived from dicarboxylic acids and dihydroxy compounds ([C08L 67/06](#) takes precedence)
- 67/025 . . {containing polyether sequences}
- 67/03 . . the dicarboxylic acids and dihydroxy compounds having the carboxyl- and the hydroxy groups directly linked to aromatic rings
- 67/04 . Polyesters derived from hydroxycarboxylic acids, e.g. lactones ([C08L 67/06](#) takes precedence)
- 67/06 . Unsaturated polyesters
- 67/07 . . having terminal carbon-to-carbon unsaturated bonds
- 67/08 . Polyesters modified with higher fatty oils or their acids, or with resins or resin acids

**69/00 Compositions of polycarbonates; Compositions of derivatives of polycarbonates**

**NOTE**

In this group, C-Sets are used.  
The detailed information about the C-Sets construction and the associated syntax rules is present in the Definitions of [C08L](#).

- 69/005 . {Polyester-carbonates}

**71/00 Compositions of polyethers obtained by reactions forming an ether link in the main chain (of polyacetals [C08L 59/00](#); of epoxy resins [C08L 63/00](#); of polythioether-ethers [C08L 81/02](#); of polyether-sulfones [C08L 81/06](#)); Compositions of derivatives of such polymers**

**NOTE**

In this group, C-Sets are used.  
The detailed information about the C-Sets construction and the associated syntax rules is present in the Definitions of [C08L](#).

- 71/02 . Polyalkylene oxides
- 71/03 . . Polyepihalohydrins
- 71/08 . Polyethers derived from hydroxy compounds or from their metallic derivatives ([C08L 71/02](#) takes precedence)
- 71/10 . . from phenols
- 71/12 . . . Polyphenylene oxides
- 71/123 . . . . {not modified by chemical after-treatment}
- 71/126 . . . . {modified by chemical after-treatment}
- 71/14 . . Furfuryl alcohol polymers

**73/00 Compositions of macromolecular compounds obtained by reactions forming a linkage containing oxygen or oxygen and carbon in the main chain, not provided for in groups [C08L 59/00](#) - [C08L 71/00](#); Compositions of derivatives of such polymers**

**NOTE**

In this group, C-Sets are used.  
The detailed information about the C-Sets construction and the associated syntax rules is present in the Definitions of [C08L](#).

- 73/02 . Polyanhydrides

**75/00 Compositions of polyureas or polyurethanes;  
Compositions of derivatives of such polymers**

**NOTE**

In this group, C-Sets are used.

The detailed information about the C-Sets construction and the associated syntax rules is present in the Definitions of [C08L](#).

- 75/02 . Polyureas
- 75/04 . Polyurethanes
- 75/06 . . from polyesters
- 75/08 . . from polyethers
- 75/10 . . from polyacetals
- 75/12 . . from compounds containing nitrogen and active hydrogen, the nitrogen atom not being part of an isocyanate group
- 75/14 . . Polyurethanes having carbon-to-carbon unsaturated bonds
- 75/16 . . . having terminal carbon-to-carbon unsaturated bonds

**77/00 Compositions of polyamides obtained by reactions forming a carboxylic amide link in the main chain (of polyhydrazides [C08L 79/06](#); of polyamideimides or polyamide acids [C08L 79/08](#)); Compositions of derivatives of such polymers**

**NOTE**

In this group, C-Sets are used.

The detailed information about the C-Sets construction and the associated syntax rules is present in the Definitions of [C08L](#).

- 77/02 . Polyamides derived from omega-amino carboxylic acids or from lactams thereof ([C08L 77/10 takes precedence](#))
- 77/04 . Polyamides derived from alpha-amino carboxylic acids ([C08L 77/10 takes precedence](#))
- 77/06 . Polyamides derived from polyamines and polycarboxylic acids ([C08L 77/10 takes precedence](#))
- 77/08 . . from polyamines and polymerised unsaturated fatty acids
- 77/10 . Polyamides derived from aromatically bound amino and carboxyl groups of amino-carboxylic acids or of polyamines and polycarboxylic acids
- 77/12 . Polyester-amides

**79/00 Compositions of macromolecular compounds obtained by reactions forming in the main chain of the macromolecule a linkage containing nitrogen with or without oxygen or carbon only, not provided for in groups [C08L 61/00](#) - [C08L 77/00](#)**

**NOTE**

In this group, C-Sets are used.

The detailed information about the C-Sets construction and the associated syntax rules is present in the Definitions of [C08L](#).

- 79/02 . Polyamines
- 79/04 . Polycondensates having nitrogen-containing heterocyclic rings in the main chain; Polyhydrazides; Polyamide acids or similar polyimide precursors

- 79/06 . . Polyhydrazides; Polytriazoles; Polyamino-triazoles; Polyoxadiazoles
- 79/08 . . Polyimides; Polyester-imides; Polyamide-imides; Polyamide acids or similar polyimide precursors
- 79/085 . . . {Unsaturated polyimide precursors}

**81/00 Compositions of macromolecular compounds obtained by reactions forming in the main chain of the macromolecule a linkage containing sulfur with or without nitrogen, oxygen or carbon only; Compositions of polysulfones; Compositions of derivatives of such polymers**

**NOTE**

In this group, C-Sets are used.

The detailed information about the C-Sets construction and the associated syntax rules is present in the Definitions of [C08L](#).

- 81/02 . Polythioethers; Polythioether-ethers
- 81/04 . Polysulfides
- 81/06 . Polysulfones; Polyethersulfones
- 81/08 . Polysulfonates
- 81/10 . Polysulfonamides; Polysulfonimides

**83/00 Compositions of macromolecular compounds obtained by reactions forming in the main chain of the macromolecule a linkage containing silicon with or without sulfur, nitrogen, oxygen or carbon only; Compositions of derivatives of such polymers**

**NOTE**

In this group, C-Sets are used.

The detailed information about the C-Sets construction and the associated syntax rules is present in the Definitions of [C08L](#).

- 83/02 . Polysilicates
- 83/04 . Polysiloxanes
- 83/06 . . containing silicon bound to oxygen-containing groups ([C08L 83/12 takes precedence](#))

**NOTE**

This group does not comprise Si-OH and Si-OR groups that are classified in [C08L 83/04](#).

- 83/08 . . containing silicon bound to organic groups containing atoms other than carbon, hydrogen and oxygen
- 83/10 . Block- or graft-copolymers containing polysiloxane sequences (obtained by polymerising a compound having a carbon-to-carbon double bond on to a polysiloxane [C08L 51/08](#), [C08L 53/00](#))
- 83/12 . . containing polyether sequences
- 83/14 . in which at least two but not all the silicon atoms are connected by linkages other than oxygen atoms ([C08L 83/10 takes precedence](#))
- 83/16 . in which all the silicon atoms are connected by linkages other than oxygen atoms



85/00	<b>Compositions of macromolecular compounds obtained by reactions forming a linkage in the main chain of the macromolecule containing atoms other than silicon, sulfur, nitrogen, oxygen and carbon; Compositions of derivatives of such polymers</b>	93/00	<b>Compositions of natural resins; Compositions of derivatives thereof (of polysaccharides <a href="#">C08L 1/00</a> - <a href="#">C08L 5/00</a>; of natural rubber <a href="#">C08L 7/00</a>)</b>
	<b>NOTE</b>		<b>NOTE</b>
	In this group, C-Sets are used. The detailed information about the C-Sets construction and the associated syntax rules is present in the Definitions of <a href="#">C08L</a> .		In this group, C-Sets are used. The detailed information about the C-Sets construction and the associated syntax rules is present in the Definitions of <a href="#">C08L</a> .
85/02	. containing phosphorus	93/02	. Shellac ( <a href="#">French polish C09F</a> )
85/04	. containing boron	93/04	. Rosin
87/00	<b>Compositions of unspecified macromolecular compounds, obtained otherwise than by polymerisation reactions only involving unsaturated carbon-to-carbon bonds</b>	95/00	<b>Compositions of bituminous materials, e.g. asphalt, tar, pitch</b>
	<b>NOTE</b>		<b>NOTE</b>
	In this group, C-Sets are used. The detailed information about the C-Sets construction and the associated syntax rules is present in the Definitions of <a href="#">C08L</a> .		In this group, C-Sets are used. The detailed information about the C-Sets construction and the associated syntax rules is present in the Definitions of <a href="#">C08L</a> .
87/005	. {Block or graft polymers not provided for in groups <a href="#">C08L 1/00</a> - <a href="#">C08L 85/04</a> }	95/005	. {Aqueous compositions, e.g. emulsions}
<b>Compositions of natural macromolecular compounds or of derivatives thereof (of polysaccharides <a href="#">C08L 1/00</a> - <a href="#">C08L 5/00</a>; of natural rubber <a href="#">C08L 7/00</a>)</b>		97/00	<b>Compositions of lignin-containing materials (of polysaccharides <a href="#">C08L 1/00</a> - <a href="#">C08L 5/00</a>)</b>
			<b>NOTE</b>
	In this group, C-Sets are used. The detailed information about the C-Sets construction and the associated syntax rules is present in the Definitions of <a href="#">C08L</a> .		In this group, C-Sets are used. The detailed information about the C-Sets construction and the associated syntax rules is present in the Definitions of <a href="#">C08L</a> .
89/00	<b>Compositions of proteins; Compositions of derivatives thereof (foodstuff preparations <a href="#">A23J 3/00</a>)</b>	97/002	. {Peat, lignite, coal (ceramic products based on carbon or carbides <a href="#">C04B 35/00</a> ; working-up peat <a href="#">C10F 7/00</a> ; briquettes <a href="#">C10L 5/00</a> )}
	<b>NOTE</b>	97/005	. {Lignin}
	In this group, C-Sets are used. The detailed information about the C-Sets construction and the associated syntax rules is present in the Definitions of <a href="#">C08L</a> .	97/007	. {Cork}
89/005	. {Casein}	97/02	. Lignocellulosic material, e.g. wood, straw or bagasse {(manufacture of articles made from lignocellulosic material by dry processes <a href="#">B27N</a> )}
89/02	. Casein-aldehyde condensates		
89/04	. Products derived from waste materials, e.g. horn, hoof or hair		
89/06	. . derived from leather or skin {, e.g. gelatin}		
91/00	<b>Compositions of oils, fats or waxes; Compositions of derivatives thereof</b>	99/00	<b>Compositions of natural macromolecular compounds or of derivatives thereof not provided for in groups <a href="#">C08L 89/00</a> - <a href="#">C08L 97/00</a></b>
	<b>NOTE</b>		<b>NOTE</b>
	In this group, C-Sets are used. The detailed information about the C-Sets construction and the associated syntax rules is present in the Definitions of <a href="#">C08L</a> .		In this group, C-Sets are used. The detailed information about the C-Sets construction and the associated syntax rules is present in the Definitions of <a href="#">C08L</a> .
91/005	. {Drying oils}	101/00	<b>Compositions of unspecified macromolecular compounds</b>
91/02	. Vulcanised oils, e.g. factice		<b>NOTE</b>
91/04	. Linoxyn		In this group, C-Sets are used. The detailed information about the C-Sets construction and the associated syntax rules is present in the Definitions of <a href="#">C08L</a> .
91/06	. Waxes	101/005	. {Dendritic macromolecules}
91/08	. . Mineral waxes	101/02	. characterised by the presence of specified groups {, e.g. terminal or pendant functional groups}
		101/025	. . {containing nitrogen atoms}
		101/04	. . containing halogen atoms
		101/06	. . containing oxygen atoms {( <a href="#">C08L 101/025</a> takes precedence)}

- 101/08 . . . Carboxyl groups
- 101/10 . . containing hydrolysable silane groups
- 101/12 . characterised by physical features, e.g. anisotropy, viscosity or electrical conductivity ([liquid crystal materials or compositions C09K 19/00](#))
- 101/14 . . the macromolecular compounds being water soluble or water swellable, e.g. aqueous gels
- 101/16 . the macromolecular compounds being biodegradable

**2201/00 Properties**

- 2201/02 . Flame or fire retardant/resistant
- 2201/04 . Antistatic
- 2201/06 . Biodegradable
- 2201/08 . Stabilised against heat, light or radiation or oxydation
- 2201/10 . Transparent films; Clear coatings; Transparent materials
- 2201/12 . Shape memory
- 2201/14 . Gas barrier composition
- 2201/22 . Halogen free composition
- 2201/50 . Aqueous dispersion, e.g. containing polymers with a glass transition temperature (T<sub>g</sub>) above 20°C
- 2201/52 . Aqueous emulsion or latex, e.g. containing polymers of a glass transition temperature (T<sub>g</sub>) below 20°C
- 2201/54 . Aqueous solutions or dispersions
- 2201/56 . Non-aqueous solutions or dispersions

**Properties; Applications; Other features****2203/00 Applications**

- 2203/02 . for biomedical use
- 2203/10 . used for bottles
- 2203/12 . used for fibers
- 2203/14 . used for foams
- 2203/16 . used for films
- 2203/162 . . sealable films
- 2203/18 . used for pipes
- 2203/20 . use in electrical or conductive gadgets
- 2203/202 . . use in electrical wires or wirecoating
- 2203/204 . . use in solar cells
- 2203/206 . . use in coating or encapsulating of electronic parts
- 2203/30 . used for thermoforming
- 2203/40 . used as motor oil additive

**2205/00 Polymer mixtures characterised by other features**

- 2205/02 . containing two or more polymers of the same [C08L](#)-group
- 2205/025 . . containing two or more polymers of the same hierarchy [C08L](#), and differing only in parameters such as density, comonomer content, molecular weight, structure
- 2205/03 . containing three or more polymers in a blend
- 2205/035 . . containing four or more polymers in a blend
- 2205/04 . containing interpenetrating networks
- 2205/05 . containing polymer components which can react with one another
- 2205/06 . having improved processability or containing aids for moulding methods
- 2205/08 . containing additives to improve the compatibility between two polymers

- 2205/12 . containing additives being liquid crystalline or anisotropic in the melt
- 2205/14 . containing polymeric additives characterised by shape
- 2205/16 . . Fibres; Fibrils
- 2205/18 . . Spheres
- 2205/20 . . . Hollow spheres
- 2205/22 . Mixtures comprising a continuous polymer matrix in which are dispersed crosslinked particles of another polymer
- 2205/24 . Crystallisation aids
- 2205/242 . . Beta spherulite nucleating agents

**2207/00 Properties characterising the ingredient of the composition**

- 2207/02 . Heterophasic composition
- 2207/04 . Thermoplastic elastomer
- 2207/06 . Properties of polyethylene
- 2207/062 . . HDPE
- 2207/064 . . VLDPE
- 2207/066 . . LDPE (radical process)
- 2207/068 . . Ultra high molecular weight polyethylene
- 2207/07 . . Long chain branching
- 2207/10 . Peculiar tacticity
- 2207/12 . . Syndiotactic polypropylene
- 2207/14 . . Amorphous or atactic polypropylene
- 2207/20 . Recycled plastic
- 2207/22 . . Recycled asphalt
- 2207/24 . . recycling of old tyres and caoutchouc and addition of caoutchouc particles
- 2207/26 . . recycling of glass in bitumen
- 2207/32 . containing low molecular weight liquid component
- 2207/322 . . Liquid component is processing oil
- 2207/324 . . Liquid component is low molecular weight polymer
- 2207/53 . Core-shell polymer

**2308/00 Chemical blending or stepwise polymerisation process with the same catalyst****2310/00 Masterbatches****2312/00 Crosslinking**

- 2312/02 . with dienes
- 2312/04 . with phenolic resin
- 2312/06 . by radiation
- 2312/08 . by silane

**2314/00 Polymer mixtures characterised by way of preparation**

- 2314/02 . Ziegler natta catalyst
- 2314/04 . Philipps catalyst
- 2314/06 . Metallocene or single site catalysts
- 2314/08 . prepared by late transition metal, i.e. Ni, Pd, Pt, Co, Rh, Ir, Fe, Ru or Os, single site catalyst

**2555/00 Characteristics of bituminous mixtures**

- 2555/10 . Design or test methods for bitumen or asphalt mixtures, e.g. series of measures, procedures or tests to obtain a bitumen or asphalt mixture having preset defined properties, general or international test methods, procedures or standards
- 2555/20 . Mixtures of bitumen and aggregate defined by their production temperatures, e.g. production of asphalt for road or pavement applications

- 2555/22 . . Asphalt produced above 140°C, e.g. hot melt asphalt
  - 2555/24 . . Asphalt produced between 100°C and 140°C, e.g. warm mix asphalt
  - 2555/26 . . Asphalt produced between 65°C and 100°C, e.g. half warm mix asphalt, low energy asphalt produced at 95°C or low temperature asphalt produced at 90°C
  - 2555/28 . . Asphalt produced between 0°C and below 65°C, e.g. cold mix asphalt produced between 0°C and 35°C
  - 2555/30 . . Environmental or health characteristics, e.g. energy consumption, recycling or safety issues
  - 2555/32 . . Environmental burden or human safety, e.g. CO<sub>2</sub> footprint, fuming or leaching
  - 2555/34 . . Recycled or waste materials, e.g. reclaimed bitumen, asphalt, roads or pathways, recycled roof coverings or shingles, recycled aggregate, recycled tires, crumb rubber, glass or cullet, fly or fuel ash, or slag
  - 2555/40 . . Mixtures based upon bitumen or asphalt containing functional additives
  - 2555/50 . . Inorganic non-macromolecular ingredients
  - 2555/52 . . . Aggregate, e.g. crushed stone, sand, gravel or cement
  - 2555/54 . . . Sulfur or carbon black
  - 2555/60 . . Organic non-macromolecular ingredients, e.g. oil, fat, wax or natural dye
  - 2555/62 . . . from natural renewable resources
  - 2555/64 . . . . Oils, fats or waxes based upon fatty acid esters, e.g. fish oil, olive oil, lard, cocoa butter, bees wax or carnauba wax
  - 2555/70 . . . from natural non-renewable resources
  - 2555/72 . . . . Petrochemical based or extracted waxes, e.g. paraffin, Montan wax or cracked polyethylene wax
  - 2555/74 . . . . Petrochemicals other than waxes, e.g. synthetic oils, diesel or other fuels, hydrocarbons, halogenated or otherwise functionalized hydrocarbons
  - 2555/80 . . Macromolecular constituents
  - 2555/82 . . . from natural renewable resources, e.g. starch, cellulose, saw dust, straw, hair or shells
  - 2555/84 . . . Polymers comprising styrene, e.g. , polystyrene, styrene-diene copolymers or styrene-butadiene-styrene copolymers
  - 2555/86 . . . Polymers containing aliphatic hydrocarbons only, e.g. polyethylene, polypropylene or ethylene-propylene-diene copolymers
  - 2666/00** **Composition of polymers characterized by a further compound in the blend, being organic macromolecular compounds, natural resins, waxes or and bituminous materials, non-macromolecular organic substances, inorganic substances or characterized by their function in the composition**
- NOTE**
- Indexing codes of [C08L 2666/00](#) have not been used for the classification of new documents since April 2012. However, they are used in C-Sets searches for documents prior to April 2012. The detailed information about how to search using [C08L 2666/00](#) C-Sets is presented in the Definitions of [C08L](#), [C09D](#) and [C09J](#).
- 2666/02 . . Organic macromolecular compounds, natural resins, waxes or and bituminous materials
  - 2666/04 . . Macromolecular compounds according to groups [C08L 7/00](#) - [C08L 49/00](#), or [C08L 55/00](#) - [C08L 57/00](#); Derivatives thereof
  - 2666/06 . . . Homopolymers or copolymers of unsaturated hydrocarbons; Derivatives thereof
  - 2666/08 . . . Homopolymers or copolymers according to [C08L 7/00](#) - [C08L 21/00](#); Derivatives thereof
  - 2666/10 . . Homopolymers or copolymers according to [C08L 39/00](#) - [C08L 49/00](#); Derivatives thereof
  - 2666/12 . . Homopolymers or copolymers not provided for in [C08L 2666/06](#) - [C08L 2666/10](#)
  - 2666/14 . . Macromolecular compounds according to [C08L 59/00](#) - [C08L 87/00](#); Derivatives thereof
  - 2666/16 . . . Addition or condensation polymers of aldehydes or ketones according to [C08L 59/00](#) - [C08L 61/00](#); Derivatives thereof
  - 2666/18 . . . Polyesters or polycarbonates according to [C08L 67/00](#) - [C08L 69/00](#); Derivatives thereof
  - 2666/20 . . . Macromolecular compounds having nitrogen in the main chain according to [C08L 75/00](#) - [C08L 79/00](#); Derivatives thereof
  - 2666/22 . . . Macromolecular compounds not provided for in [C08L 2666/16](#) - [C08L 2666/20](#)
  - 2666/24 . . Graft or block copolymers according to groups [C08L 51/00](#), [C08L 53/00](#) or [C08L 55/02](#); Derivatives thereof
  - 2666/26 . . Natural polymers, natural resins or derivatives thereof according to [C08L 1/00](#) - [C08L 5/00](#), [C08L 89/00](#), [C08L 93/00](#), [C08L 97/00](#) or [C08L 99/00](#)
  - 2666/28 . . Non-macromolecular organic substances
  - 2666/30 . . Hydrocarbons
  - 2666/32 . . Halogen-containing compounds
  - 2666/34 . . Oxygen-containing compounds, including ammonium and metal salts
  - 2666/36 . . Nitrogen-containing compounds
  - 2666/38 . . Sulfur-, selenium- or tellurium-containing compounds
  - 2666/40 . . Phosphorus-containing compounds
  - 2666/42 . . . Compounds containing phosphorus and sulfur
  - 2666/44 . . Silicon-containing compounds
  - 2666/46 . . Boron-containing compounds
  - 2666/48 . . Organo-metallic compounds, i.e. organic compounds containing a metal-to-carbon bond
  - 2666/50 . . Arsenic- or antimony-containing compounds
  - 2666/52 . . Metal-containing compounds
  - 2666/54 . . Inorganic substances
  - 2666/55 . . Carbon
  - 2666/58 . . SiO<sub>2</sub> or silicates
  - 2666/60 . . . Asbestos
  - 2666/62 . . . Clay
  - 2666/64 . . Sulfur
  - 2666/66 . . Substances characterised by their function in the composition
  - 2666/68 . . Plasticizers; Solvents
  - 2666/70 . . Organic dyes or pigments; Optical brightening agents
  - 2666/72 . . Fillers; Inorganic pigments; Reinforcing additives
  - 2666/74 . . . Aggregates
  - 2666/76 . . . Textured backings, e.g. woven or non-woven
  - 2666/78 . . Stabilisers against oxidation, heat, light or ozone

- 2666/80 . . . Metal-containing stabilizers
- 2666/82 . . . Phosphorus-containing stabilizers
- 2666/84 . . Flame-proofing or flame-retarding additives
- 2666/86 . . Antistatics