CPC COOPERATIVE PATENT CLASSIFICATION

A HUMAN NECESSITIES

PERSONAL OR DOMESTIC ARTICLES

A44 HABERDASHERY; JEWELLERY

A44B BUTTONS, PINS, BUCKLES, SLIDE FASTENERS, OR THE LIKE (fastenings specially adapted for footwear A43C)

NOTE

This subclass covers buckles or slide fasteners whether used as haberdashery or otherwise.

WARNINGS

The following IPC groups are not in the CPC scheme. The subject matter for these IPC groups is classified in the following CPC groups:
 A44B 1/16 covered by A44B 1/14

2. In this subclass non-limiting references (in the sense of paragraph 39 of the Guide to the IPC) may still be displayed in the scheme.

1/00	Buttons (setting on garments A41H 37/10; setting	3/04	• with head tiltable as a whole
	on footwear A43D 100/08; making buttons: see the	3/06	with head formed as two tiltable flaps
	relevant groups in the classes for making articles from	3/08	 with head and base separable
1/02	particular materials) - characterised by their material	5/00	Sleeve-links
	Ornamental buttons	5/002	• {with head tiltable as a whole}
1/04		5/005	• {formed as two tiltable flaps}
1/06 1/08	 Assembling of buttons (covering by braiding <u>D04D</u>) Constructional characteristics 	5/007	• {concealing a sewed-on button (buttons with
	washable		replaceable coverings A44B 1/14)}
1/10		5/02	• with separable parts
1/12	• covered by fabric	<10.0	
1/123	• • • {with a removable fabric covering}	6/00	Retainers or tethers for neckties, cravats,
1/126	• • { Manufacture not otherwise provided for }		neckerchiefs, or the like, e.g. tie-clips, spring clips with attached tie-tethers, woggles, pins
1/14	 with replaceable {or protective} coverings {(removable fabric coverings A44B 1/123; 		with associated sheathing members tetherable
	sleeve-links concealing a sewed-on button		to clothing (tie-pins A44B 9/08; decorative or
	A44B 5/007)}		ornamental aspects A44C)
1/18	adapted for special ways of fastening		
1/185	• • {with quick, thread-like, anchoring means	7/00	Cards for buttons, collar-studs, or sleeve-links
	avoiding the use of a separate needle and thread}	9/00	Hat, scarf, or safety pins or the like (decorative
1/20	attached by thread visible to the front		or ornamental aspect A44C; hair pins A45D 8/02;
	$\{(\underline{A44B \ 1/185} \ takes \ precedence)\}$		sewing needles D05B 85/00)
1/22	attached by thread not visible to the front	9/02	Simple pins
	$\{(\underline{A44B \ 1/185} \ takes \ precedence)\}$	9/04	Ordinary pins
1/24	Eye-buttons	9/06	Hat-pins (other fastening means for head
1/26	• • with resilient shank		coverings <u>A42B 7/00</u>)
1/28	with shank and counterpiece	9/08	Tie-pins (pins with associated sheathing members
1/30	Screw-buttons		tetherable to clothing A44B 6/00)
1/32	Shank inserted into counterpiece and locked by	9/10	Safety devices
	sliding or rotating	9/12	. Safety-pins
1/34	• • • with snap-action counterpiece	9/125	• • {made of plastics}
1/36	• • • with counterpiece in the form of cotter, split-	9/14	Ordinary safety-pins
	pin, or the like	9/16	Brooches; Breast-pins
1/38	Clamping by spring action	9/18	Hinges; Locking devices
1/40	with helical wire-shank screwed into material	9/20	 Attaching heads of glass or the like to pin shafts
1/42	with deformable prongs	11/00	Buckles; Similar fasteners for interconnecting
1/44	with deformable counterpiece	11/00	straps or the like, e.g. for safety belts
3/00	Collar-studs	11/001	• {Ornamental buckles}
3/02	completely rigid	11/001	· [Official ouckies]
3,02	· completely light		

CPC - 2019.02

11/003	 {covered with cloth or other material; Making thereof} 	11/2569	• • • {Safety measures (buckles for releasing in a vehicle emergency <u>B60R 22/32</u> ; control, alarm,
11/005	• {Buckles combined with other articles, e.g. with		or interlock systems for the correct application
	receptacles}		of safety belt buckles in vehicles <u>B60R 22/48</u>)}
11/006	• {Attachment of buckle to strap (for safety buckles A44B 11/2553)}	11/2573	 {Locking means preventing an unauthorised opening, e.g. by children}
11/008	• {extensible}	11/2576	{Buckle covers}
11/02	 frictionally engaging surface of straps 	11/258	• • {fastening by superposing one part on top of the
11/04	• • without movable parts		other (A44B 11/2503 takes precedence)}
11/06	• • with clamping devices	11/2584	• • • {followed by sliding in the main plane of the
11/065	• • • { with strap tightening means (A44B 11/125		buckle}
	takes precedence; tighteners for securing of load on vehicles <u>B60P 7/0823</u> ; buckles attached	11/2588	 . (combined with one buckle element rotating or pivoting)
	to the end of a strap for bundling articles	11/2592	• • {fastening by sliding in the main plane or a
	<u>B65D 63/16</u>)}		plane parallel to the main plane of the buckle
11/08	roller displaceable in wedge-shaped slot		(<u>A44B 11/2503</u> , <u>A44B 11/2584</u> take precedence)}
11/10	sliding wedge	11/2596	• • • {the movement being transverse to the
11/12	turnable clamp		longitudinal direction of the strap or chain}
11/125	• • • { with strap tightening means }	11/26	• with push-button fastenings {(A44B 11/2507
11/14	with snap-action		takes precedence; press-button fasteners
11/16	Strap held by spring action	44/2-2	<u>A44B 17/00</u>)}
11/18	Strap held by threading through linked rings	11/263	• • • {with a push-button acting perpendicularly to
11/20	engaging holes or the like in strap	11/266	the main plane of the buckle}
11/22	Buckle with fixed prong	11/266	• • • {with at least one push-button acting
11/223	• • • {fixed on a movable element}		parallel to the main plane of the buckle and perpendicularly to the direction of the fastening
11/226	• • { with cover plate }		action}
11/24	Buckle with movable prong	11/28	with hooks engaging end-pieces on the strap
11/25	• with two or more separable parts	11/28	{(A44B 11/2503 takes precedence)}
11/2503	• • {Safety buckles (safety belts in vehicles		((<u>1144B 11/2505</u> taxes precedence))
	B60R 22/00; safety belts for aircraft	13/00	Hook or eye fasteners
	B64D 25/02)}	13/0005	• {characterised by their material (A44B 13/0052 and
11/2507	• • • {actuated by a push-button}		<u>A44B 13/0058</u> take precedence)}
11/2511	• • • {acting perpendicularly to the main plane of	13/0011	• • {made of wire}
	the buckle, e.g. placed on the front face of	13/0017	• • {made of metal plate}
	the buckle}	13/0023	• • {made of plastics}
11/2515	• • • { acting parallel to the main plane of the	13/0029	• {characterised by their way of fastening to the
	buckle and perpendicularly to the direction		support (<u>A44B 13/0052</u> and <u>A44B 13/0058</u> take
	of the fastening action}	12/0025	precedence)}
11/2519	• • • • {with two buttons acting in opposite	13/0035	• • {using prongs}
11/0500	directions}	13/0041	• • • {and a backing element on which prongs are
11/2523	{ acting parallel to the main plane of the	12/0047	bent over}
	buckle and in the same direction as the fastening action}	13/0047	• • {welded or moulded}
11/2526	with an operating lever	13/0052	• {Strips of hook or eye fasteners}
11/2520	{ acting in the same plane or in a plane	13/0058	• {Eyelets or grommets}
11/233	parallel to the main plane of the buckle}	13/0064	• {characterised by their material}
11/2534	• • • { with the sliding motion of the buckle	13/007	• • {made of plastics}
11/2334	providing the opening or closing action}	13/0076	• • {characterised by their way of fastening to the
11/2538	• • • { with a pivoting bar retaining a loop of the	12/0092	support}
11/2330	strap itself}	13/0082	{by riveting}
11/2542	• • • {actuated by a rotatable element, e.g. combined	13/0088	• • {by separable snap connection}
11/20 .2	with other actuating means}	13/0094	• • { welded or moulded }
11/2546	· · · {Details}	13/02	• with spring closure of hook
11/2549	• • • {Fastening of other buckle elements to	15/00	Key-rings
	the main buckle (buckles with several	15/002	• {Separable rings}
	tongues released by the same mechanism	15/005	• {Fobs}
	<u>A44B 11/2507</u> - <u>A44B 11/2542</u>)}	15/007	• {Openers}
11/2553	• • • {Attachment of buckle to strap}	15/00	
11/2557	• • • • { with strap length adjustment }	17/00	Press-button or snap fasteners
11/2561	• • • {Tongue elements}	17/0005	• {Fastening of press-button fasteners (A44B 17/0017
11/2565	• • • • {Illuminated buckles}	17/0011	and A44B 17/0035 take precedence)}
		1//0011	• {Press-button fasteners in which the elastic retaining action is obtained by a spring working in the plane

CPC - 2019.02

of the fastener}

17/0017	• • {Their fastening}	19/00	Slide fasteners
17/0023	• {Press-button fasteners in which the elastic retaining	19/02	• with a series of separate interlocking members
	action is obtained by the own elasticity of the		secured to each stringer tape
	material constituting the fastener}	19/04	Stringers arranged edge-to-edge when fastened $\{,$
17/0029	• {Press-button fasteners made of plastics}		e.g. abutting stringers}
17/0035	• • {Their fastening}	19/06	with substantially rectangular members having
17/0041	• {Press-button fasteners consisting of two parts	10/00	interlocking projections and pieces
17/0047	(A44B 17/0029 takes precedence)}	19/08	Stringers arranged side-by-side when fastened, e.g. at least partially superposed stringers
17/0047	• {Press-button fasteners consisting of three parts (A44B 17/0029 takes precedence)}	19/10	with a one-piece interlocking member on each
17/0052	• {Press-button fasteners consisting of four parts	17/10	stringer tape
17,70002	(A44B 17/0029 takes precedence)}	19/12	. Interlocking member in the shape of a continuous
17/0058	• {Strips of press-button fasteners}		helix
17/0064	• {Details}	19/14	Interlocking member formed by a profiled or
17/007	• • {Stud-member}		castellated edge
17/0076	• • {Socket member}	19/16	Interlocking member having uniform section
17/0082	{Decoration}		throughout the length of the stringer {(for sacks
17/0088	• • {made from sheet metal}	19/18	or bags <u>B65D 33/2508</u>)} • with a third member or members, other than the
17/0094	• • {made from solid metal}	19/10	slider, connected to the edges of adjacent stringers
18/00	Fasteners of the touch-and-close type; Making		when closed, e.g. third member moved into position
	such fasteners (making pile fabrics <u>D03</u> , <u>D04</u>)		by a slider
18/0003	• {Fastener constructions (A44B 18/0023,	19/20	the third member being embraced by the stringers
	A44B 18/0046 take precedence)}	19/22	• • the third member embracing the stringers
18/0007	• • {in which each part has similar elements}	19/24	• Details
18/0011	• • {Female or loop elements (<u>A44B 18/0007</u> takes	19/26	Sliders
10/0015	precedence)}	19/262	• • • {Pull members; Ornamental attachments for
18/0015	• • {Male or hook elements (<u>A44B 18/0007</u> takes	10/265	sliders}
18/0019	<pre>precedence)} {of a mushroom type}</pre>	19/265	• • • { with means for preventing the accidental
18/0023	• {Woven or knitted fasteners}		<pre>intrusion of material into the slider body, e.g. with shield or guard}</pre>
18/0026	Devices for cutting loops into hooks (cutting pile)	19/267	• • • {for slide fasteners with edges of stringers
10,0020	loops <u>D06C 13/08</u>)}	-27.	having uniform section throughout the length
18/003	• • {in which each part has similar elements}		thereof (for sacks or bags <u>B65D 33/2591</u>)}
18/0034	• • {Female or loop elements (A44B 18/003 takes	19/28	constructed to be removable from at least one
	precedence)}		stringer {; Sliders with movable parts to permit
18/0038	• • {Male or hook elements (<u>A44B 18/003</u> takes		releasing of the slider in the event of jamming
10/00/13	precedence)}	19/285	or obstruction} {Tools for opening or closing slide
18/0042	{of a mushroom type}	19/203	fasteners
18/0046 18/0049	 {Fasteners made integrally of plastics} • {obtained by moulding processes (compression	19/30	• • • with means for locking in position
16/0049	moulding or articles of indefinite length	19/301	• • • • { at the end of their upward travel with any
	characterised by the shape of the surface		suitable device, e.g. pull member combined
	<u>B29C 43/222</u> ; screen moulding <u>B29C 67/08</u>)}		with a press-button, a hook, a key-operated
18/0053	• • {in which each part has similar elements}		lock}
18/0057	• • {Female or loop elements (<u>A44B 18/0053</u> takes	19/303	• • • • {Self-locking sliders, e.g. slider body
	precedence)}		<pre>provided with locking projection or groove, friction means}</pre>
18/0061	• • {Male or hook elements (<u>A44B 18/0053</u> takes	19/305	• • • • {in the form of a locking prong protuding
10/0065	precedence)}	17/303	from the pull member}
18/0065 18/0069	 {of a mushroom type}. {Details}	19/306	• • • {in the form of a locking spring member
18/0009	 {Attaching means}		actuated by the pull member}
18/0076	Adaptations for being fixed to a moulded article	19/308	• • • { in the form of a spring-actuated locking
10/00/0	during moulding}		member actuated by the pull member}
18/008	• • {Hooks or loops provided with means to	19/32	Means for making slide fasteners gas or
	reinforce the attachment, e.g. by adhesive	10/24	watertight
	means (tab fastener elements for absorbent pads	19/34	• Stringer tapes (A44B 19/40 takes precedence); Flaps secured to stringers for covering the
	combining adhesive and mechanical fastening		interlocking members (A44B 19/32 takes
19/0094	A61F 13/581)}		precedence {; setting slide or glide fastener
18/0084 18/0088	. {Double-sided}. {Mixed male and female members}		elements on garments A41H 37/06})
18/0092	{Induct mate and remate members} {flame retardant}	19/343	• • • {Knitted stringer tapes}
18/0096	{Shape memory materials}	19/346	• • • {Woven stringer tapes (weaving of tapes
			<u>D03D 1/00</u>)}

CPC - 2019.02

19/36	Means for permanently uniting the stringers at the end; Means for stopping movement of slider at the end
19/38	Means at the end of stringer by which the slider can be freed from one stringer, e.g. stringers can be completely separated from each other
19/382	• • • {"Two-way" or "double-acting" separable slide fasteners}
19/384	• • {Separable slide fasteners with quick opening devices}
19/386	• • • {Top end stop means for quick opening slide fasteners}
19/388	• • • {Bottom end stop means for quick opening slide fasteners}
19/40	 Connection of separate, or one-piece, interlocking members to stringer tapes; Reinforcing such connections, e.g. by stitching
19/403	• • {Connection of separate interlocking members}
19/406	• • • {Connection of one-piece interlocking members}
19/42	 Making by processes not fully provided for in one other class, e.g. B21D 53/50, B21F 45/18, B22D 17/16, B29D 5/00 {(attaching closure devices, e.g. slide fasteners, to bags B31B 70/813; making package opening by applying or incorporating profile strips, e.g. for reclosable bags B65B 61/188)}
19/44	Securing metal interlocking members to ready- made stringer tapes (making metal slide fastener parts combined with attaching B21D 53/52)
19/46	Securing separate interlocking members
19/48	 Arranging interlocking members before securing (article handling devices associated with conveyors in general <u>B65G 47/00</u>, e.g. <u>B65G 47/14</u>)
19/50	Securing one-piece interlocking members
19/52	Securing the interlocking members to stringer tapes while making the latter
19/54	while weaving the stringer tapes
19/56	• • • while knitting the stringer tapes
19/58	Removing interlocking members to produce gaps
19/60	Applying end stops upon stringer tapes
19/62	. Assembling sliders in position on stringer tapes
19/64	Slider holders for assemblage of slide fasteners
99/00	Subject matter not provided for in other groups of this subclass
99/005	• {Turn-button fasteners}

CPC - 2019.02 4