EUROPEAN PATENT OFFICE U.S. PATENT AND TRADEMARK OFFICE

CPC NOTICE OF CHANGES 1552

DATE: MAY 1, 2024

PROJECT RP11670

The following classification changes will be effected by this Notice of Changes:

Action	<u>Subclass</u>	Group(s)
SCHEME:		
Symbols New:	A61K	36/071,36/078,36/348,36/3482, 36/3486,36/577,36/5775,36/5777, 36/742
Titles Changed:	A61K	36/10
Warnings New:	A61K	36/07, 36/071, 36/078, 36/18, 36/185, 36/348, 36/577, 36/74, 36/742

The following subclasses/groups are also impacted by this Notice of Changes (indicate subclasses/groups outside of the project scope, such as those listed in the CRL): A23F, A23F

This Notice of Changes includes the following:

1. CL	ASSII	FICATION SCHEME CHANGES
	\boxtimes	A. New, Modified or Deleted Group(s)
	\boxtimes	B. New, Modified or Deleted Warning(s)
		C. New, Modified or Deleted Note(s)
		D. New, Modified or Deleted Guidance Heading(s)
2. DEF	FINIT	TIONS
		A. New or Modified Definitions (Full definition template)
		B. Modified or Deleted Definitions (Definitions Quick Fix)
3.	REV	VISION CONCORDANCE LIST (RCL)
4. 🛛	CHA	ANGES TO THE CPC-TO-IPC CONCORDANCE LIST (CICL)
5. 🛛	CHA	ANGES TO THE CROSS-REFERENCE LIST (CRL)

DATE: MAY 1, 2024

PROJECT RP11670

1. CLASSIFICATION SCHEME CHANGES

A. New, Modified or Deleted Group(s)

SUBCLASS A61K 36/00 - Medicinal preparations of undetermined constitution containing material from algae, lichens, fungi or plants, or derivatives thereof, e.g. traditional herbal medicines $\{(antigens\ from\ pollen\ A61K\ 39/36)\}$

Type*	<u>Symbol</u>	Indent Level Number of dots (e.g. 0, 1, 2)	Title "CPC only" text should normally be enclosed in {curly brackets}**	Transferred to#
С	A61K36/07	2	Basidiomycota, e.g. Cryptococcus	A61K36/07, A61K36/071, A61K36/078
N	A61K36/071	3	{Agaricus}	
U	A61K36/074	3	Ganoderma	
U	A61K36/076	3	Poria	
N	A61K36/078	3	{Psilocybe}	
M	A61K36/10	1	Bryophyta (mosses)	
С	A61K36/18 A61K36/185	2	Ma gnoliophyta (angiosperms) Ma gnoliopsida (dicotyledons)	A61K36/18, A61K36/348, A61K36/3486, A61K36/577, A61K36/5775, A61K36/5777, A61K36/742 A61K36/185, A61K36/348, A61K36/3482, A61K36/3486, A61K36/577,
U U N N N U	A61K36/346 A61K36/348 A61K36/3482 A61K36/3486 A61K36/35	3 4 3 4 4 3	Campanulaceae (Bellflower family) Platycodon {Cannabaceae} {Cannabis} {Humulus} Caprifoliaceae (Honeysuckle family)	A61K36/5775, A61K36/5777, A61K36/742
U	A61K36/57	3	Magnolia ceae (Magnolia family)	
U	A61K36/575	4	Magnolia	
N	A61K36/577	3	{Malvaceae (Mallow family)}	
N	A61K36/5775	4	{Hibiscus}	

DATE: MAY 1, 2024

PROJECT RP11670

N	A61K36/5777	4	{Theobroma, e.g. cocao or	
			cocoa}	
U	A61K36/58	3	Meliaceae (Chinaberry or	
			Mahogany family), e.g.	
			Aza dira chta (neem)	
С	A61K36/74	3	Rubia ceae (Madder family)	A61K36/74,
				A61K36/742
N	A61K36/742	4	{Coffea, e.g. coffee}	
U	A61K36/744	4	Gardenia	

*N = new entries where reclassification into entries is involved; C = entries with modified file scope where reclassification of documents from the entries is involved; Q = new entries which are firstly populated with documents via administrative transfers from deleted (D) entries. Afterwards, the transferred documents into the Q entry will either stay or be moved to more appropriate entries, as determined by intellectual reclassification; T = existing entries with enlarged file scope, which receive documents from C or D entries, e.g. when a limiting reference is removed from the entry title; M = entries with no change to the file scope (no reclassification); D = deleted entries; F = frozen entries will be deleted once reclassification of documents from the entries is completed; U = entries that are unchanged.

- **No {curly brackets} are used for titles in CPC only <u>subclasses</u>, e.g. C12Y, A23Y; 2000 series symbol titles of groups found at the end of schemes (orthogonal codes); or the Y section titles. The {curly brackets} <u>are</u> used for 2000 series symbol titles found interspersed throughout the main trunk schemes (breakdown codes).
- U groups: it is obligatory to display the required "anchor" symbol (U group), i.e. the entry immediately preceding a new group or an array of new groups to be created (in case new groups are not clearly subgroups of C-type groups). Always include the symbol, indent level and title of the U group in the table above.
- All entry types should be included in the scheme changes table above for better understanding of the overall scheme change picture. Symbol, indent level, and title are required for all types.
- "Transferred to" column <u>must</u> be completed for all C, D, F, and Q type entries. F groups will be deleted once reclassification is completed.
- When multiple symbols are included in the "Transferred to" column, avoid using ranges of symbols in order to be as precise as possible.
- For administrative transfer of documents, the following text should be used: "< administrative transfer to XX>", "<administrative transfer to XX and YY simultaneously>", or "<administrative transfer to XX, YY, ...and ZZ simultaneously>" when administrative transfer of the same documents is to more than one place.
- Administrative transfer to main trunk groups is assumed to be the source allocation type, unless otherwise indicated.
- Administrative transfer to 2000/Y series groups is assumed to be "additional information".
- If needed, instructions for allocation type should be indicated within the angle brackets using the abbreviations "ADD" or "INV": <administrative transfer to XX ADD>, <administrative transfer to XX INV>, or < administrative transfer to XX ADD, YY INV, ... and ZZ ADD simultaneously>.
- In certain situations, the "D" entries of 2000-series or Y-series groups may not require a destination ("Transferred to") symbol, however it is required to specify "<no transfer>" in the "Transferred to" column for such cases.
- For finalisation projects, the deleted "F" symbols should have <no transfer> in the "Transferred to" column.
- For more details about the types of scheme change, see CPC Guide.

DATE: MAY 1, 2024

PROJECT RP11670

B. New, Modified or Deleted Warning(s)

SUBCLASS A61 K36/00 - Medicinal preparations of undetermined constitution containing material from algae, lichens, fungi or plants, or derivatives thereof, e.g. traditional herbal medicines $\{(antigens\ from\ pollen\ A61K\ 39/36)\}$

Type*	Location	Old Warning	New/Modified Warning
N	A61K36/07		Group A61K 36/07 is impacted by reclassification into groups A61K 36/071 and A61K 36/078. Groups A61K 36/07, A61K 36/071 and A61K 36/078 should be considered in order to perform a complete search.
N	A61K36/071		Group A61K 36/071 is incomplete pending reclassification of documents from group A61K 36/07. Groups A61K 36/07 and A61K 36/071 should be considered in order to perform a complete search.
N	A61K36/078		Group A61K 36/078 is incomplete pending reclassification of documents from group A61K 36/07. Groups A61K 36/07 and A61K 36/078 should be considered in order to perform a complete search.
N	A61K36/18		Group A61K 36/18 is impacted by reclassification into groups A61K 36/348, A61K 36/3482, A61K 36/5775, A61K 36/5775, A61K 36/5775, A61K 36/742. All groups listed in this Warning should be considered in order to perform a complete search.
N	A61K36/185		Group A61K 36/185 is impacted by reclassification into groups A61K 36/348, A61K 36/3482, A61K 36/3486, A61K 36/577, A61K 36/5775, A61K 36/5777 and A61K 36/742. All groups listed in this Warning should be considered in order to perform a complete search.

DATE: MAY 1, 2024

PROJECT RP11670

Type*	Location	Old Warning	New/Modified Warning
N	A61K36/348		Groups A61K 36/348, A61K 36/3482 and A61K 36/3486 are incomplete pending reclassification of documents from groups A61K 36/18 and A61K 36/185. All groups listed in this Warning should be considered in order to perform a complete search.
N	A61K36/577		Groups A61K 36/577, A61K 36/5775 and A61K 36/5777 are incomplete pending reclassification of documents from groups A61K 36/18 and A61K 36/185. All groups listed in this Warning should be considered in order to perform a complete search.
N	A61K36/74		Group A61K 36/74 is impacted by reclassification into group A61K 36/742. Groups A61K 36/74 and A61K 36/742 should be considered in order to perform a complete search.
N	A61K36/742		Group A61K 36/742 is incomplete pending reclassification of documents from groups A61K 36/18, A61K 36/185 and A61K 36/74. All groups listed in this Warning should be considered in order to perform a complete search.

^{*}N = new warning, M = modified warning, D = deleted warning

NOTE: The "Location" column only requires the symbol PRIOR to the location of the warning. No further directions such as "before" or "after" are required.

DATE: MAY 1, 2024

PROJECT RP11670

3. REVISION CONCORDANCE LIST (RCL)

Type*	From CPC Symbol (existing)	To CPC Symbol(s)
С	A61K36/07	A61K36/07, A61K36/071, A61K36/078
С	A61K36/18	A61K 36/18, A61K 36/348, A61K 36/3482, A61K 36/3486, A61K 36/577, A61K 36/5775, A61K 36/5777, A61K 36/742
С	A61K36/185	A61K 36/185, A61K 36/348, A61K 36/3482, A61K 36/3486, A61K 36/577, A61K 36/5775, A61K 36/5777, A61K 36/742
С	A61K36/74	A61K 36/74, A61K 36/742

^{*} C = entries with modified file scope where reclassification of documents from the entries is involved; Q = new entries which are firstly populated with documents via administrative transfers from deleted (D) entries. Afterwards, the transferred documents into the Q entry will either stay or be moved to more appropriate entries, as determined by intellectual reclassification; D = deleted entries; F = frozen entries will be deleted once reclassification of documents from the entries is completed.

- Only C, D, F, and Q type entries are included in the table above.
- When multiple symbols are included in the "To" column, do not use ranges of symbols.
- For administrative transfer of documents, the following text should be used: "< administrative transfer to XX>", "<administrative transfer to XX and YY simultaneously>", or "<administrative transfer to XX, YY, ...and ZZ simultaneously>" when administrative transfer of the same documents is to more than one place.
- Administrative transfer to main trunk groups is assumed to be the source allocation type, unless otherwise indicated.
- Administrative transfer to 2000/Y series groups is assumed to be "additional information".
- If needed, instructions for allocation type should be indicated within the angle brackets using the abbreviations "ADD" or "INV": <administrative transfer to XX ADD>, <administrative transfer to XX INV>, or < administrative transfer to XX ADD, YY INV, ... and ZZ ADD simultaneously>.
- In certain situations, the "D" entries of 2000-series or Y-series groups may not require a destination ("To") symbol, however it is required to specify "<no transfer>" in the "To" column for such cases.
- RCL is not needed for finalisation projects.

DATE: MAY 1, 2024

PROJECT RP11670

4. CHANGES TO THE CPC-TO-IPC CONCORDANCE LIST (CICL)

CPC	<u>IPC</u>	Action*
A61K36/071	A61K36/07	NEW
A61K36/078	A61K36/07	NEW
A61K36/348	A61K36/185	NEW
A61K36/3482	A61K36/185	NEW
A61K36/3486	A61K36/185	NEW
A61K36/577	A61K36/185	NEW
A61K36/5775	A61K36/185	NEW
A61K36/5777	A61K36/185	NEW
A61K36/742	A61K36/74	NEW

*Action column:

- For an (N) or (Q) entry, provide an IPC symbol and complete the Action column with "NEW."
- For an existing CPC main trunk entry or indexing entry where the existing IPC symbol needs to be changed, provide an updated IPC symbol and complete the Action column with "UPDATED."
- For a (D) CPC entry or indexing entry complete the Action column with "DELETE." IPC symbol does not need to be included in the IPC column.
- For an (N) 2000 series CPC entry which is positioned within the main trunk scheme (breakdown code) provide an IPC symbol and complete the action column with "NEW".
- For an (N) 2000 series CPC entry positioned at the end of the CPC scheme (orthogonal code), with no IPC equivalent, complete the IPC column with "CPCONLY" and complete the action column with "NEW".

- F symbols are <u>not</u> included in the CICL table above.
- T and M symbols are not included in the CICL table above unless a change to the existing IPC is desired.

DATE: MAY 1, 2024

PROJECT RP11670

5. CROSS-REFERENCE LIST (CRL)

<u>Definitions references impacted by this revision project</u>

Location of reference to be changed	Referenced subclass or group to be changed	Section of definition	Action; New reference symbol; New text
A23F	A61K36/74	Informative references	A61K36/742
A23F5/24	A61K36/74	Limiting references	A61K36/742

- The CRL tables above are used for changes to locations <u>outside</u> of the project scope. Changes to references in scheme titles or definitions <u>inside</u> the project scope will be reflected in the "scheme change" template or one of the "definition" templates.
- In addition to other changes proposed in the tables above, in the column titled "Referenced subclass or group to be changed," <u>referenced</u> D symbols should indicate an action of "delete" or should indicate a replacement symbol and <u>referenced</u> F symbols should indicate a replacement symbol.
- When a reference is deleted, text related to that reference will also be deleted unless other references or a range of references associated with the same text remain.