

CPC**COOPERATIVE PATENT CLASSIFICATION****B22F**

WORKING METALLIC POWDER; MANUFACTURE OF ARTICLES FROM METALLIC POWDER; MAKING METALLIC POWDER (processes or devices for granulating materials in general [B01J 2/00](#); making ceramics by compacting or sintering C04B, e.g. [C04B 35/64](#); for the production of metals as such, see class C22; reduction or decomposition of metal compounds in general C22B; making alloys by powder metallurgy C22C; electrolytic production of metal powder [C25C 5/00](#))

NOTE

This subclass covers the making of metallic powder only insofar as powder with specific physical characteristics is made;

In this subclass, the following terms or expressions are used with the meanings indicated:

- "metallic powder" covers powders containing a substantial proportion of non-metallic material;
- "powder" includes somewhat larger particles which are worked, obtained or behave in a manner similar to powder, e.g. fibres.

WARNING

[C2012.01]

1. The following IPC groups are not used in the CPC scheme. Subject matter covered by these groups is classified in the following CPC groups:
[B22F 3/035](#) covered by [B22F 3/03](#)

B22F 1/00

Special treatment of metallic powder, e.g. to facilitate working, to improve properties {(treatment of powder by mechanical means, e.g. by grinding, milling, rolling [B22F 9/04](#)); **Metallic powders per se, e.g. mixtures of particles of different composition** (C04, C08 take precedence; { amorphous powder [B22F 9/002](#)})

B22F 1/0003

- . {Metallic powders per se; Mixtures of metallic powders; Metallic powders mixed with a lubricating or binding agent (making ferrous alloys using a mixture of prealloyed powders [C22C 33/0207](#))}

B22F 1/0007

- .. {Metallic powder characterised by its shape or structure, e.g. fibre structure }

B22F 1/0011

- ... {Metallic powder characterised by size or surface area only}

WARNING

Groups [B22F 1/0011](#) and [B22F 1/0014](#) are not complete, see also [B22F 1/0007](#)

B22F 1/0014

- {by size mixtures or distribution}

B22F 1/0018

- {Nanometer sized particles}

B22F 1/0022

- { Dispersions or suspensions thereof}{ WARNING: Not complete, see also [B22F 1/0018](#)}

B22F 1/0025 { Nanofibres or nanotubes}{ WARNING: Not complete, see also B22F 1/0018 }
B22F 1/004	... { Fibre structure (B22F 1/0025 takes precedence)}
B22F 1/0044	... {Nanometer size structures}
B22F 1/0048	... {Spherical powder}
B22F 1/0051 {Hollow particles}
B22F 1/0055	... { Flake form powders}{ WARNING: Not complete, see also B22F 1/0007 }
B22F 1/0059	.. {Metallic powders mixed with a lubricating or binding agent or organic material}
B22F 1/0062	... { Powders coated with organic material}
B22F 1/007	... { Non-organic or metal salt binders or lubricants}
B22F 1/0074	... { Organic materials comprising a solvent e.g. for slip casting}
B22F 1/0077	... { Mixtures obtained by warm mixing}
B22F 1/0081	. { Special treatment of metallic powder, e.g. to facilitate working, to improve properties (coating with organic material B22F 1/0062)}
B22F 1/0085	.. {Thermal or thermo-mechanical treatment}
B22F 1/0088	.. {Chemical treatment, e.g. passivation}
B22F 1/0096	.. {Treatment resulting in the production of agglomerates}
B22F 1/02	. comprising coating of the powder {(coating with organic material B22F 1/0062 ; chemical surface treatment B22F 1/0088)}
B22F 1/025	.. {Metallic coating}
B22F 3/00	Manufacture of workpieces or articles from metallic powder characterised by the manner of compacting or sintering; Apparatus specially adapted therefor; {Presses and furnaces}
B22F 3/001	. {Starting from powder comprising reducible metal compounds (making ferrous alloys starting from compounds C22C 33/0235)}
B22F 3/002	. {Manufacture of articles essentially made from metallic fibres}
B22F 3/003	. {Apparatus, e.g. furnaces (in general F27B)}
B22F 3/004	. {Filling molds with powder (feeding material to presses in general B30B 15/302)}
B22F 3/005	. {Loading or unloading powder metal objects (transport in general B65G)}
B22F 3/006	. {Amorphous articles}
B22F 3/007	.. {by diffusion starting from non-amorphous articles prepared by powder metallurgy}
B22F 3/008	. {Selective deposition modelling (B22F 3/1055 takes precedence)}
B22F 3/02	. Compacting only
B22F 3/03	.. Press-moulding apparatus therefor
B22F 3/04	.. by applying fluid pressure { e.g. by cold isostatic pressing [CIP] }
B22F 3/045	... {Semi-isostatic pressure}

- B22F 3/06 .. by centrifugal forces
- B22F 3/08 .. by explosive forces {(generating shock waves in general [G10K 15/043](#))}
- B22F 3/087 .. using high energy impulses, e.g. magnetic field impulses
- B22F 3/093 .. using vibrations {or friction}

- B22F 3/10 . Sintering only
- B22F 3/1003 .. {Use of special medium during sintering, e.g. sintering aid}
- B22F 3/1007 ... {Atmosphere ([B22F 3/1021](#) takes precedence)}
- B22F 3/101 {Changing atmosphere}
- B22F 3/1017 .. {Multiple heating or additional steps ([B22F 3/101](#) takes precedence)}
- B22F 3/1021 ... {Removal of binder or filler (removal of binder from ceramics [C04B 35/638](#))}
- B22F 3/1025 {not by heating only}
- B22F 3/1028 ... {Controlled cooling}
- B22F 3/1035 .. {Liquid phase sintering}
- B22F 3/1039 .. {by reaction ([B22F 3/001](#), [B22F 3/23](#) take precedence)}
- B22F 3/105 .. by using electric current {other than for infra-red radiant energy}, laser radiation or plasma ([B22F 3/11](#) takes precedence); {by ultrasonic bonding ([B22F 3/115](#) takes precedence)}

- B22F 3/1055 ... { Selective sintering, i.e. stereolithography (selective sintering of powdered plastics [B29C 67/007](#))}

- B22F 3/11 .. Making porous workpieces or articles
- B22F 3/1103 ... {with particular physical characteristics}
- B22F 3/1109 {Inhomogenous pore distribution (composite layers of porous nature [B22F 7/002](#))}
- B22F 3/1112 {comprising hollow spheres or hollow fibres}
- B22F 3/1115 {comprising complex forms, e.g. honeycombs}
- B22F 3/1118 {comprising internal reinforcements}
- B22F 3/1121 ... {by using decomposable, meltable or sublimatable fillers}
- B22F 3/1125 {involving a foaming process}
- B22F 3/1134 {Inorganic fillers (carbonaceous or paper filler [B22F 3/1121](#))}
- B22F 3/1137 {by coating porous removable preforms}
- B22F 3/114 ... {the porous products being formed by impregnation ([B22F 3/1137](#), [B22F 3/26](#) take precedence)}
- B22F 3/1143 ... {involving an oxidation, reduction or reaction step}
- B22F 3/1146 ... {After-treatment maintaining the porosity ([B22F 3/114](#) takes precedence)}

- B22F 3/115 . by spraying molten metal, i.e. spray sintering, spray casting {(also classified in [C23C 4/121](#), [C23C 4/185](#))}

- B22F 3/12 . Both compacting and sintering (by forging [B22F 3/17](#))
- B22F 3/1208 .. {Containers or coating used therefor}
- B22F 3/1216 ... {Container composition}
- B22F 3/1225 {Glass}
- B22F 3/1233 {Organic material}
- B22F 3/1241 {layered}

B22F 3/125	... {Initially porous container}
B22F 3/1258	... {Container manufacturing}
B22F 3/1266 {by coating or sealing the surface of the preformed article, e.g. by melting}
B22F 3/1275 {by coating a model and eliminating the model before consolidation}
B22F 3/1283 {Container formed as an undeformable model eliminated after consolidation}
B22F 3/1291 {Solid insert eliminated after consolidation}
B22F 3/14	.. simultaneously
B22F 3/15	... Hot isostatic pressing
B22F 3/156 { by a pressure medium in liquid or powder form}
B22F 3/16	.. in successive or repeated steps { WARNING: Subgroups of B22F 3/16 are not complete, see also B22F 3/16 }
B22F 3/162	... { Machining, working after consolidation}
B22F 3/164	... { Partial deformation or calibration}
B22F 3/168 { Local deformation}
B22F 3/17	. by forging
B22F 3/172	.. {Continuous compaction, e.g. rotary hammering (with axial pressure and without reduction of section B22F 3/204)}
B22F 3/177	.. {Rocking die forging}
B22F 3/18	. by using pressure rollers
B22F 3/20	. by extruding
B22F 3/204	.. {Continuous compaction with axial pressure and without reduction of section}
B22F 3/22	. for producing castings from a slip
B22F 3/222	.. {by freeze-casting or in a supercritical fluid}
B22F 3/225	.. { by injection molding} [WARNING: Not complete, see also B22F 3/22]
B22F 3/227	.. { by organic binder assisted extrusion}{ WARNING: Not complete, see also B22F 3/22 }
B22F 3/23	. involving a self-propagating high-temperature synthesis or reaction sintering step {(making cermets by reaction sintering C22C 1/058)}
B22F 3/24	. After-treatment of workpieces or articles {(B22F 3/1146 takes precedence)}
B22F 3/26	.. Impregnating {(making ferrous alloys by impregnation C22C 33/0242)}
B22F 5/00	Manufacture of workpieces or articles from metallic powder characterised by the special shape of the product
B22F 5/003	. {Articles made for being fractured or separated into parts}
B22F 5/006	. {of flat products, e.g. sheets (B22F 3/1103 takes precedence; by using pressure rollers only see B22F 3/18)}
B22F 5/007	. {of moulds}

- B22F 5/008 . { of engine cylinder parts or of piston parts other than piston rings (of piston rings [B22F 5/02](#))}
- B22F 5/009 . { of turbine components other than turbine blades (of turbine blades [B22F 5/04](#))}
- B22F 5/02 . of piston rings
- B22F 5/04 . of turbine blades
- B22F 5/06 . of threaded articles, e.g. nuts
- B22F 5/08 . of toothed articles, e.g. gear wheels; of cam discs
- B22F 5/085 . . { with helical contours}
- B22F 5/10 . of articles with cavities or holes, not otherwise provided for in the preceding subgroups
- B22F 5/106 . . { Tube or ring forms}{ WARNING: Not complete, see also [B22F 5/10](#)}
- B22F 5/12 . of wires {(of tubes [B22F 5/10](#))}

- B22F 7/00** **Manufacture of composite layers, workpieces, or articles, comprising metallic powder, by sintering the powder, with or without compacting { wherein at least one part is obtained by sintering or compression (application of coating layers by use of metal powders, see C23C)}**
- B22F 7/002 . {of porous nature}
- B22F 7/004 . . {comprising at least one non-porous part}
- B22F 7/006 . . . {the porous part being obtained by foaming}
- B22F 7/008 . {characterised by the composition}
- B22F 7/02 . of composite layers {([B22F 7/002](#) takes precedence)}
- B22F 7/04 . . with one or more layers not made from powder, e.g. made from solid metal
- B22F 7/06 . of composite workpieces or articles from parts, e.g. to form tipped tools {([B22F 7/002](#) takes precedence)}
- B22F 7/062 . . {involving the connection or repairing of preformed parts}
- B22F 7/064 . . . {using an intermediate powder layer}
- B22F 7/08 . . with one or more parts not made from powder {([B22F 7/062](#) takes precedence)}

- B22F 8/00** **Manufacture of articles from scrap or waste metal particles**

- B22F 9/00** **Making metallic powder or suspensions thereof**
- B22F 9/002 . {amorphous or microcrystalline}
- B22F 9/004 . . {by diffusion, e.g. solid state reaction}
- B22F 9/005 . . . {Transformation into amorphous state by milling}
- B22F 9/007 . . {Transformation of amorphous into microcrystalline state}

- B22F 9/008 .. {Rapid solidification processing}
- B22F 9/02 . using physical processes
- B22F 9/023 .. {Hydrogen absorption}
- B22F 9/026 .. {Spray drying of solutions or suspensions}
- B22F 9/04 .. starting from solid material, e.g. by crushing, grinding or milling ([C22C 1/1084](#) takes precedence); crushing, grinding or milling, in general, see the relevant subclasses, e.g. [B02C](#))
- B22F 9/06 .. starting from liquid material
- B22F 9/08 ... by casting, e.g. through sieves or in water, by atomising or spraying (using electric discharge [B22F 9/14](#))
- B22F 9/082 { atomising using a fluid (using centrifugal force [B22F 9/10](#))}
- B22F 9/10 using centrifugal force
- B22F 9/12 .. starting from gaseous material
- B22F 9/14 .. using electric discharge
- B22F 9/16 . using chemical processes
- B22F 9/18 .. with reduction of metal compounds
- B22F 9/20 ... starting from solid metal compounds
- B22F 9/22 using gaseous reductors
- B22F 9/24 ... starting from liquid metal compounds, e.g. solutions
- B22F 9/26 using gaseous reductors
- B22F 9/28 ... starting from gaseous metal compounds
- B22F 9/30 .. with decomposition of metal compounds, e.g. by pyrolysis
- B22F 9/305 ... {of metal carbonyls}

- B22F 2001/00** **Special treatment of metallic powder, e.g. to facilitate working, to improve properties** {(treatment of powder by mechanical means, e.g. by grinding, milling, rolling [B22F 9/04](#)); **Metallic powders per se, e.g. mixtures of particles of different composition** ([C04](#), [C08](#) take precedence; { amorphous powder [B22F 9/002](#))}
- B22F 2001/0003 . {Metallic powders per se; Mixtures of metallic powders; Metallic powders mixed with a lubricating or binding agent (making ferrous alloys using a mixture of prealloyed powders [C22C 33/0207](#))}
- B22F 2001/0007 .. {Metallic powder characterised by its shape or structure, e.g. fibre structure }
- B22F 2001/0011 ... {Metallic powder characterised by size or surface area only}

- WARNING**
- Groups [B22F 1/0011](#) and [B22F 1/0014](#) are not complete, see also [B22F 1/0007](#)

- B22F 2001/0018 {Nanometer sized particles}
- B22F 2001/0029 Hollow particles, including tubes and shells
- B22F 2001/0033 Flake form nanoparticles

B22F 2001/0037	Complex form nanoparticles , e.g.. prism, pyramid, octahedron
B22F 2001/0059	..	{Metallic powders mixed with a lubricating or binding agent or organic material}
B22F 2001/0066	...	Organic binder comprising a mixture or obtained by reaction of more than one component other than solvent, lubricant
B22F 2001/0081	.	{ Special treatment of metallic powder, e.g. to facilitate working, to improve properties (coating with organic material B22F 1/0062)}
B22F 2001/0088	..	{Chemical treatment, e.g. passivation}
B22F 2001/0092	...	Making a dispersion
B22F 2003/00		Manufacture of workpieces or articles from metallic powder characterised by the manner of compacting or sintering; Apparatus specially adapted therefor; {Presses and furnaces}
B22F 2003/02	.	Compacting only
B22F 2003/023	..	Lubricant mixed with the metal powder
B22F 2003/026	..	Mold wall lubrication or article surface lubrication
B22F 2003/03	..	Press-moulding apparatus therefor
B22F 2003/031	...	with punches moving in different directions in different planes
B22F 2003/033	...	with multiple punches working in the same direction
B22F 2003/10	.	Sintering only
B22F 2003/1003	..	{Use of special medium during sintering, e.g. sintering aid}
B22F 2003/1014	...	Getter
B22F 2003/1032	..	comprising a grain growth inhibitor
B22F 2003/1042	..	with support for articles to be sintered
B22F 2003/1046	...	with separating means for articles to be sintered
B22F 2003/105	..	by using electric current {other than for infra-red radiant energy}, laser radiation or plasma (B22F 3/11 takes precedence); {by ultrasonic bonding (B22F 3/115 takes precedence)}
B22F 2003/1051	...	by electric discharge
B22F 2003/1052	...	assisted by energy absorption enhanced by the coating or powder
B22F 2003/1053	...	by induction
B22F 2003/1054	...	by microwave
B22F 2003/1055	...	{ Selective sintering, i.e. stereolithography (selective sintering of powdered plastics B29C 67/0077)}
B22F 2003/1056	Apparatus components, details or accessories
B22F 2003/1057	for control or data processing, e.g. algorithms
B22F 2003/1058	Support structures for the 3D object during manufacturing, e.g. using sacrificial material
B22F 2003/1059	for cleaning or recycling
B22F 2003/11	..	Making porous workpieces or articles
B22F 2003/1103	...	{with particular physical characteristics}
B22F 2003/1106	Product comprising closed porosity
B22F 2003/1121	...	{by using decomposable, meltable or sublimatable fillers}

B22F 2003/1125 {involving a foaming process}
B22F 2003/1128 Foaming by expansion of dissolved gas, other than with foaming agent
B22F 2003/1131 Foaming in a liquid suspension and decomposition
B22F 2003/12	. Both compacting and sintering (by forging B22F 3/17)
B22F 2003/14	.. simultaneously
B22F 2003/145	... by warm compacting, below debinding temperature
B22F 2003/15	... Hot isostatic pressing
B22F 2003/153 apparatus specific to HIP
B22F 2003/16	.. in successive or repeated steps { WARNING: Subgroups of B22F 3/16 are not complete, see also B22F 3/16 }
B22F 2003/164	... { Partial deformation or calibration }
B22F 2003/166 Surface calibration, blasting, burnishing, sizing, coining
B22F 2003/17	. by forging
B22F 2003/175	.. by hot forging, below sintering temperature
B22F 2003/18	. by using pressure rollers
B22F 2003/185	.. by hot rolling, below sintering temperature
B22F 2003/20	. by extruding
B22F 2003/202	.. with back pressure
B22F 2003/206	.. Hydrostatic or hydraulic extrusion
B22F 2003/208	.. Warm or hot extruding
B22F 2003/24	. After-treatment of workpieces or articles { (B22F 3/1146 takes precedence) }
B22F 2003/241	.. Chemical after-treatment on the surface
B22F 2003/242	... Coating
B22F 2003/244	... Leaching
B22F 2003/245	.. Making recesses, grooves etc on the surface by removing material
B22F 2003/247	.. Removing material: carving, cleaning, grinding, hobbing, honing, lapping, polishing, milling, shaving, skiving, turning the surface
B22F 2003/248	.. Thermal after-treatment
B22F 2005/00	Manufacture of workpieces or articles from metallic powder characterised by the special shape of the product
B22F 2005/001	. Cutting tools, earth boring or grinding tool other than table ware
B22F 2005/002	. Tools other than cutting tools
B22F 2005/004	. Article comprising helical form elements (B22F 5/085 takes precedence)
B22F 2005/005	. Article surface comprising protrusions
B22F 2005/10	. of articles with cavities or holes, not otherwise provided for in the preceding subgroups

- B22F 2005/103 . . . Cavity made by removal of insert
- B22F 2007/00 Manufacture of composite layers, workpieces, or articles, comprising metallic powder, by sintering the powder, with or without compacting { wherein at least one part is obtained by sintering or compression (application of coating layers by use of metal powders, see C23C)}**
- B22F 2007/02 . . of composite layers {(B22F 7/002 takes precedence)}
- B22F 2007/04 . . . with one or more layers not made from powder, e.g. made from solid metal
- B22F 2007/042 characterised by the layer forming method
- B22F 2007/045 accompanied by fusion or impregnation
- B22F 2007/047 non-pressurised baking of the paste or slurry containing metal powder
- B22F 2007/06 . . of composite workpieces or articles from parts, e.g. to form tipped tools {(B22F 7/002 takes precedence)}
- B22F 2007/062 . . . {involving the connection or repairing of preformed parts}
- B22F 2007/066 using impregnation
- B22F 2007/068 repairing articles
- B22F 2009/00 Making metallic powder or suspensions thereof**
- B22F 2009/001 . . from scrap particles
- B22F 2009/02 . . using physical processes
- B22F 2009/04 . . . starting from solid material, e.g. by crushing, grinding or milling ({C22C 1/1084 takes precedence}; crushing, grinding or milling, in general, see the relevant subclasses, e.g. B02C)
- B22F 2009/041 by mechanical alloying , e.g. blending, milling
- B22F 2009/042 using a particular milling fluid
- B22F 2009/043 by ball milling
- B22F 2009/044 by jet milling
- B22F 2009/045 by other means than ball or jet milling
- B22F 2009/046 by cutting
- B22F 2009/047 by rolling
- B22F 2009/048 by pulverising a quenched ribbon
- B22F 2009/049 by pulverising at particular temperature
- B22F 2009/06 . . . starting from liquid material
- B22F 2009/065 Melting inside a liquid, e.g. making spherical balls
- B22F 2009/08 by casting, e.g. through sieves or in water, by atomising or spraying (using electric discharge B22F 9/14)
- B22F 2009/0804 Dispersion in or on liquid, other than with sieves
- B22F 2009/0808 Mechanical dispersion of melt, e.g. by sieves
- B22F 2009/0812 Pulverisation with a moving liquid coolant stream, by centrifugally rotating stream
- B22F 2009/0816 by casting with pressure or pulsating pressure on the metal bath

B22F 2009/082	{ atomising using a fluid (using centrifugal force B22F 9/10)}
B22F 2009/0824	with a specific atomising fluid
B22F 2009/0828	with water
B22F 2009/0832	Handling of atomising fluid, e.g. heating, cooling, cleaning, recirculating
B22F 2009/0836	with electric or magnetic field or induction
B22F 2009/084	combination of methods
B22F 2009/0844	in controlled atmosphere
B22F 2009/0848	Melting process before atomisation
B22F 2009/0852	Electroslag melting
B22F 2009/0856	Skull melting
B22F 2009/086	Cooling after atomisation
B22F 2009/0864	by oil, other non-aqueous fluid or fluid-bed cooling
B22F 2009/0868	by injection of solid particles in the melt stream
B22F 2009/0872	by water
B22F 2009/0876	by gas
B22F 2009/088	Fluid nozzles , e.g. angle, distance
B22F 2009/0884	Spiral fluid
B22F 2009/0888	casting construction of the melt process, apparatus, intermediate reservoir e.g. tundish, devices for temperature control
B22F 2009/0892	casting nozzle; controlling metal stream in or after the casting nozzle
B22F 2009/0896	particle transport, separation: process and apparatus
B22F 2009/16	.	using chemical processes
B22F 2009/165	..	Chemical reaction in an Ionic Liquid [IL] (B22F 2009/245 takes precedence)
B22F 2009/18	..	with reduction of metal compounds
B22F 2009/24	...	starting from liquid metal compounds, e.g. solutions
B22F 2009/245	Reduction reaction in an Ionic Liquid [IL]

[B22F 2201/00](#) Treatment under specific atmosphere

B22F 2201/01	.	Reducing atmosphere
B22F 2201/013	..	Hydrogen
B22F 2201/016	..	NH3
B22F 2201/02	.	Nitrogen
B22F 2201/03	.	Oxygen
B22F 2201/04	.	CO or CO2
B22F 2201/05	.	Water or water vapour
B22F 2201/10	.	Inert gases

- B22F 2201/11 . . Argon
- B22F 2201/12 . . Helium
- B22F 2201/20 . Use of vacuum
- B22F 2201/30 . Carburising atmosphere
- B22F 2201/32 . Decarburising atmosphere
- B22F 2201/40 . Metal compounds
- B22F 2201/50 . air

B22F 2202/00 Treatment under specific physical conditions

- B22F 2202/01 . Use of vibrations
- B22F 2202/03 . Treatment under cryogenic or supercritical conditions
- B22F 2202/05 . Use of magnetic field
- B22F 2202/06 . Use of electric fields
- B22F 2202/07 . by induction
- B22F 2202/09 . Use of non-gravitational conditions
- B22F 2202/11 . Use of irradiation
- B22F 2202/13 . Use of plasma
- B22F 2202/15 . Use of fluidised beds
- B22F 2202/17 . use of centrifugal or vortex forces

B22F 2203/00 Controlling

- B22F 2203/01 . To-be-deleted with administrative transfer to [B22F 2203/00](#)
- B22F 2203/03 . for feed-back
- B22F 2203/05 . thermal expansion
- B22F 2203/11 . temperature, temperature profile
- B22F 2203/13 . pressure
- B22F 2203/15 . weight

B22F 2207/00**Aspects of the compositions, gradients**

- B22F 2207/01 . Composition gradients
- B22F 2207/03 . . of the metallic binder phase in cermets
- B22F 2207/05 . . . eta-phase
- B22F 2207/07 . . Particles with core-rim gradient
- B22F 2207/11 . Gradients other than composition gradients, e.g. size gradients
- B22F 2207/13 . . Size gradients
- B22F 2207/15 . . Temperature gradients
- B22F 2207/17 . . density or porosity gradients
- B22F 2207/20 . Cooperating components

B22F 2301/00**Metallic composition of the powder or its coating**

- B22F 2301/05 . Light metals
- B22F 2301/052 . . Aluminium
- B22F 2301/054 . . Alkali metals, i.e. Li, Na, K, Rb, Cs, Fr
- B22F 2301/056 . . Alkaline metals, i.e. Ca, Sr, Ba, Ra
- B22F 2301/058 . . Magnesium
- B22F 2301/10 . Copper
- B22F 2301/15 . Nickel or cobalt
- B22F 2301/155 . . Rare Earth - Co or -Ni intermetallic alloys
- B22F 2301/20 . Refractory metals
- B22F 2301/205 . . Titanium, zirconium or hafnium
- B22F 2301/25 . Noble metals, i.e. Ag, Au, Ir, Os, Pd, Pt, Rh, Ru
- B22F 2301/255 . . Silver or gold
- B22F 2301/30 . Low melting point metals, i.e. Zn, Pb, Sn, Cd, In, Ga
- B22F 2301/35 . Iron
- B22F 2301/355 . . Rare Earth - Fe intermetallic alloys
- B22F 2301/40 . Intermetallics other than rare earth-Co or -Ni or -Fe intermetallic alloys
- B22F 2301/45 . Rare earth metals, i.e. Sc, Y, Lanthanides (57-71)

B22F 2302/00 **Metal Compound , non-Metallic compound or non-metal composition of the powder or its coating**

- B22F 2302/05 . Boride
- B22F 2302/10 . Carbide
- B22F 2302/105 . . Silicium carbide (SiC)
- B22F 2302/15 . Carbonitride
- B22F 2302/20 . Nitride
- B22F 2302/205 . Cubic boron nitride
- B22F 2302/25 . Oxide
- B22F 2302/253 . . Aluminum oxide (Al₂O₃)
- B22F 2302/256 . . Silicium oxide (SiO₂)
- B22F 2302/30 . Oxynitride
- B22F 2302/35 . Complex boride, carbide, carbonitride, nitride, oxide or oxynitride
- B22F 2302/40 . Carbon, graphite
- B22F 2302/403 . . Carbon nanotube
- B22F 2302/406 . . Diamond
- B22F 2302/45 . Others, including non-metals

B22F 2303/00 **Functional details of metal or compound in the powder or product,**

- B22F 2303/01 . Main component
- B22F 2303/05 . Compulsory alloy component
- B22F 2303/10 . Optional alloy component
- B22F 2303/15 . Intermetallic
- B22F 2303/20 . Coating by means of particles
- B22F 2303/25 . Coating by means of fibres
- B22F 2303/30 . Coating alloy
- B22F 2303/35 . Molten metal infiltrating a metal preform
- B22F 2303/40 . Layer in a composite stack of layers, workpiece or article
- B22F 2303/405 . . Support layer

B22F 2303/45 . Part of a final mixture to be processed further

B22F 2304/00 Physical aspects of the powder

B22F 2304/05 . Submicron size particles

B22F 2304/052 . . Particle size below 1nm

B22F 2304/054 . . Particle size between 1 and 100 nm

B22F 2304/056 . . Particle size above 100 nm up to 300 nm

B22F 2304/058 . . Particle size above 300 nm up to 1 micrometer

B22F 2304/10 . Micron size particles, i.e. above 1 micrometer up to 500 micrometer

B22F 2304/15 . Millimeter size particles, i.e. above 500 micrometer

B22F 2998/00 Supplementary information concerning processes or compositions relating to powder metallurgy

B22F 2998/10 . Processes characterised by the sequence of their steps

B22F 2999/00 Aspects linked to processes or compositions used in powder metallurgy