

CPC**COOPERATIVE PATENT CLASSIFICATION****B62K**

CYCLES; CYCLE FRAMES; CYCLE STEERING DEVICES; RIDER-OPERATED TERMINAL CONTROLS SPECIALLY ADAPTED FOR CYCLES; CYCLE AXLE SUSPENSIONS; CYCLE SIDE-CARS, FORECARS, OR THE LIKE

NOTE

In this subclass, each of the main groups [B62K 7/00](#) to [B62K 15/00](#) takes precedence over all the preceding main groups, e.g. a child's bicycle is classified in [B62K 9/00](#) and not in [B62K 3/00](#)

B62K 1/00**Unicycles****B62K 3/00****Bicycles****B62K 3/002**

- . {without a seat, i.e. the rider operating the vehicle in a standing position, e.g. non-motorized scooters; non-motorized scooters with skis or runners }

B62K 3/005

- . {Recumbent-type bicycles }

B62K 3/007

- . { Automatic balancing machines supporting a rider, e.g. "Segways" }

B62K 3/02

- . Frames (tandem frames [B62K 3/14](#))

B62K 3/04

- .. having a substantially horizontal top bar

B62K 3/06

- .. of open type

B62K 3/08

- ... having crossing members

B62K 3/10

- .. of single-beam type, i.e. connecting steering head to rear axle

B62K 3/12

- . Tandems

B62K 3/14

- .. Frames

B62K 3/16

- . specially adapted for disabled riders (invalid multi-track cycles [A61G 5/00](#))

B62K 5/00

Cycles with handlebars, equipped with three or more main road wheels (cycle supports or stands equipped with additional wheels for ride stabilisation [B62H 1/12](#))

WARNING

Groups [B62K 5/003](#) - [B62K 5/10](#) correspond to IPC2013.01

B62K 5/003

- . Cycles with four or more wheels, specially adapted for disabled riders, e.g. personal mobility type vehicles with four wheels ([wheelchairs](#) [A61G 5/00](#))

B62K 5/007

- .. power-driven

B62K 5/01

- . Motorcycles with four or more wheels ([specially adapted for disabled riders](#))

[5/003](#))

- B62K 5/02 . Tricycles ([children's tricycles B62K 9/02](#))
- B62K 5/023 . . specially adapted for disabled riders, e.g. personal mobility type vehicles with three wheels ([wheelchairs A61G 5/00](#))
- B62K 5/025 . . . power-driven
- B62K 5/027 . . Motorcycles with three wheels ([specially adapted for disabled riders B62K 5/023](#))
- B62K 5/05 . . characterised by a single rear wheel
- B62K 5/06 . . Frames for tricycles
- B62K 5/08 . with steering devices acting on two or more wheels
- B62K 5/10 . with means for inwardly inclining the vehicle body on bends

B62K 7/00 **Freight- or passenger-carrying cycles**

- B62K 7/02 . Frames
- B62K 7/04 . . having a carrying platform ([article-carrying accessories B62J 7/00 to B62J 11/00](#))

B62K 9/00 **Children's cycles** ([toy vehicles A63H 17/00](#))

- B62K 9/02 . Tricycles

B62K 11/00 **Motorcycles, engine-assisted cycles or motor scooters with one or two wheels** ([fairings or streamlining parts not forming part of the frame B62J](#) ; [transmission of drive from engines to wheels B62M](#))

- B62K 11/02 . Frames ([motor-cycles or cycles with auxiliary engines characterised by position of engine B62M](#))
- B62K 11/04 . . characterised by the engine being between front and rear wheels
- B62K 11/06 . . . the frame being of single-beam type
- B62K 11/08 the beam being fabricated from sheet metal, e.g. forming fuel tank walls
- B62K 11/10 . . characterised by the engine being over or beside driven rear wheel
- B62K 11/12 . Steering wheel forks characterised by the association therewith of engine
- B62K 11/14 . Handle-bar constructions, or arrangements of controls thereon, specially adapted thereto ([hand controls per se B62K 23/02](#))

B62K 13/00 **Cycles convertible to, or transformable into, other type of cycle or land vehicle** ([cycle supports or stands equipped with additional wheels for ride stabilisation B62H 1/12](#))

- B62K 13/02 . to a tandem
- B62K 13/025 . . { [from two or more cycles](#) }
- B62K 13/04 . to a tricycle

B62K 13/06 . to a quadricycle, e.g. by coupling together two bicycles side by side

B62K 13/08 . Frames

B62K 15/00 Collapsible or foldable cycles

B62K 15/006 . {the frame being foldable }

B62K 15/008 . . {foldable about 2 or more axes }

B62K 17/00 Cycles not otherwise provided for

B62K 19/00 Cycle frames (cycle frames specially adapted for one particular kin of cycle specified in groups [B62K 1/00](#) to [B62K 17/00](#), see the relevant group)

B62K 19/02 . characterised by material or cross-section of frame members

B62K 19/04 . . the material being wholly or mainly metallic, e.g. of high elasticity

B62K 19/06 . . . tubular

B62K 19/08 . . . made from sheet

B62K 19/10 . . . Combinations of tube and sheet

B62K 19/12 . . . having cast members

B62K 19/14 . . the material being wholly or mainly wood

B62K 19/16 . . the material being wholly or mainly of plastics

B62K 19/18 . Joints between frame members

B62K 19/20 . . welded, soldered, or brazed

B62K 19/22 . . Adhesive joints

B62K 19/24 . . Screwed joints

B62K 19/26 . . Riveted joints

B62K 19/28 . . Means for strengthening joints

B62K 19/30 . Frame parts shaped to receive other cycle parts or accessories ([axle suspensions B62K 25/00](#))

B62K 19/32 . . Steering heads ([bearings therefor B62K 21/06](#))

B62K 19/34 . . Bottom brackets

B62K 19/36 . . for attaching saddle pillars, e.g. adjustable during ride

B62K 19/38 . . for attaching brake members

B62K 19/40 . . for attaching accessories, e.g. article carriers, lamps

B62K 19/42 . . . for tyre pumps ([attachment devices not forming part of frame B62J 11/02](#))

B62K 19/44 . Chain-guards forming part of frame ([chain-guards per se B62J 13/00](#))

B62K 19/46 . Luggage carriers forming part of frame ([luggage carriers per se B62J 7/00](#))

B62K 19/48 . Fairings forming part of frame

- B62K 21/00** **Steering devices** (steering devices specially adapted for one particular kind of cycle specified in groups [B62K 1/00](#) to [B62K 17/00](#), see the relevant group)
- [B62K 21/005](#) . { Steering pivot axis arranged within the wheel e.g. for a hub center steering arrangement }
- [B62K 21/02](#) . Front wheel forks or equivalent, e.g. single tine
- [B62K 21/04](#) . Fork crowns
- [B62K 21/06](#) . Bearings specially adapted for steering heads (bearings in general [F16C](#))
- [B62K 21/08](#) . Steering dampers (dampers in general [F16F](#))
- [B62K 21/10](#) . Mechanisms for restoring steering device to straight-ahead position
- [B62K 21/12](#) . Handle-bars; Handle-bar stems
- [B62K 21/125](#) . . {Extensions; Auxiliary handlebars }
- [B62K 21/14](#) . . having resilient parts therein
- [B62K 21/145](#) . . . { the handlebar itself being flexible }
- [B62K 21/16](#) . . having adjustable parts therein
- [B62K 21/18](#) . Connections between forks and handle-bars or handle-bar stems
- [B62K 21/20](#) . . resilient
- [B62K 21/22](#) . . adjustable
- [B62K 21/24](#) . . readily releasable
- [B62K 21/26](#) . Handle-bar grips (twist grips [B62K 23/04](#))
- B62K 23/00** **Rider-operated controls specially adapted for cycles, i.e. means for initiating control operations, e.g. levers, grips** (specially adapted to cycle brake mechanisms [B62L 3/00](#))
- [B62K 23/02](#) . hand actuated (arrangements of controls on handle-bars of engine-driven cycles [B62K 11/14](#))
- [B62K 23/04](#) . . Twist grips
- [B62K 23/06](#) . . Levers
- [B62K 23/08](#) . foot actuated
- B62K 25/00** **Axle suspensions** (for vehicles in general [B60G](#))
- [B62K 25/005](#) . {characterised by the axle being supported at one end only }
- [B62K 25/02](#) . for mounting axles rigidly on cycle frame or fork, e.g. adjustably
- [B62K 25/04](#) . for mounting axles resiliently on cycle frame or fork (for sidecars, forecars or the like [B62K 27/06](#))

- B62K 25/06 . . . with telescopic fork, e.g. including auxiliary rocking arms
- B62K 25/08 . . . for front wheel
- B62K 25/10 . . . for rear wheel
- B62K 25/12 . . . with rocking arm pivoted on each fork leg (in combination with telescopic fork [B62K 25/06](#))
- B62K 25/14 . . . with single arm on each fork leg
- B62K 25/16 for front wheel
- B62K 25/18 the arm being pivoted intermediate its ends
- B62K 25/20 for rear wheel
- B62K 25/22 . . . with more than one arm on each fork leg
- B62K 25/24 for front wheel
- B62K 25/26 for rear wheel
- B62K 25/28 . . . with pivoted chain-stay
- B62K 25/283 . . . {for cycles without a pedal crank, e.g. motorcycles }
- B62K 25/286 . . . {the shock absorber being connected to the chain-stay via a linkage mechanism }
- B62K 25/30 . . . pivoted on pedal crank shelf ([B62K 25/32](#) takes precedence)
- B62K 25/32 . . . the chain-stay forming a chain-guard

B62K 27/00 **Sidecars; Forecars;** { Trailers or the like specially adapted to be attached to cycles }
(trailers [B60P](#) ; [B62D](#) ; characterised by carrying propulsion engine { [B62M 7/14](#) })

- B62K 27/003 . { Trailers }

WARNING

This group and its subgroups are not complete pending a reclassification; see also [B62K 27/00](#) and subgroups

- B62K 27/006 . . { having a single wheel }
- B62K 27/02 . Frames
- B62K 27/04 . Car bodies; Fairings
- B62K 27/06 . Resilient axle suspension
- B62K 27/08 . Resilient car-body suspension on frame
- B62K 27/10 . Other component parts or accessories
- B62K 27/12 . . Coupling parts for attaching cars or the like to cycle; Arrangements thereof
- B62K 27/14 . . . Resilient coupling parts
- B62K 27/16 . . Hoods; Weather-guards, e.g. windscreens

B62K 2003/00 **Bicycles**

- B62K 2003/12 . Tandems

[B62K 2003/125](#) . . Tandems with side-by-side seating

B62K 2005/00 **Cycles with handlebars, equipped with three or more main road wheels** ([cycle supports or stands equipped with additional wheels for ride stabilisation B62H 1/12](#))

WARNING

Groups [B62K 5/003](#) - [B62K 5/10](#) correspond to IPC2013.01

[B62K 2005/001](#) . Suspension details for cycles with three or more main road wheels

[B62K 2005/002](#) . with adaptations to be used as golf carts

B62K 2015/00 **Collapsible or foldable cycles**

[B62K 2015/001](#) . Frames adapted to be easily dismantled

[B62K 2015/003](#) . having a foldable crank or pedal

[B62K 2015/005](#) . having additional wheels for use when folded or collapsed

B62K 2025/00 **Axle suspensions** ([for vehicles in general B60G](#))

[B62K 2025/02](#) . for mounting axles rigidly on cycle frame or fork, e.g. adjustably

[B62K 2025/025](#) . . Hinged axle clamps

[B62K 2025/04](#) . for mounting axles resiliently on cycle frame or fork ([for sidecars, forecars or the like B62K 27/06](#))

[B62K 2025/041](#) . . the cycle frame being made of a flexible material

[B62K 2025/042](#) . . Suspensions with sprung hubs

[B62K 2025/044](#) . . Suspensions with automatic adjustment

[B62K 2025/045](#) . . Suspensions with ride-height adjustment

[B62K 2025/047](#) . . with suspension locking means

[B62K 2025/048](#) . . with suspension manual adjustment details

B62K 2201/00 **Springs used in cycle frames or parts thereof**

[B62K 2201/02](#) . Rubber springs

[B62K 2201/04](#) . Helical springs

[B62K 2201/06](#) . Leaf springs

[B62K 2201/08](#) . Fluid springs

B62K 2202/00 **Motorised scooters**

B62K 2204/00	Adaptations for driving cycles by electric motor (for driving electrically assisted bicycles B62M 6/00)
B62K 2206/00	Quick release mechanisms adapted for cycles
B62K 2207/00	Sensors adapted for use on cycles, not otherwise provided for
B62K 2207/02	. for sensing lateral inclination of the cycle
B62K 2207/04	. for sensing longitudinal inclination of the cycle
B62K 2208/00	Arrangements of batteries on cycles, when not used for a cycle with auxiliary electric motor as provided for in B62M 6/90; Batteries specially adapted therefor
B62K 2700/00	Frames for bicycles
	<u>NOTE</u>
	1) This code and all of its subdivisions are not used for classification of new documents;
	2) This code and all its subdivisions were used for indexing documents which were classified in the former Dutch IdT main group 63B and sub-groups, and which have been administratively classified in best proximate CPC groups
B62K 2700/02	. Frames for cycles characterised by the material used, i.e. where the construction of the frame is unimportant
B62K 2700/04	. . Frames for cycles characterised by the shape of the material used
B62K 2700/10	. . Frames for cycles characterised by the kind of material used
B62K 2700/12	. . . Metallic frames
B62K 2700/14	. . . Wooden frames
B62K 2700/16	. . . Frames constructed from another material other than wood or metal
B62K 2700/20	. Frames for cycles characterised by their shape
B62K 2700/22	. . Frames for cycles with two wheels positioned next to one another
B62K 2700/30	. . Frames for cycles with two wheels positioned one behind the other; Cycles without a special usage
B62K 2700/32	. . . Elastic frames
B62K 2700/34	. . . Rigid frames
B62K 2700/36 Polygonal frames with four sides, for men
B62K 2700/38 Frames with crossing elements connecting between the steering head tube and the seat tube
B62K 2700/40 Cross shaped frames
B62K 2700/50	. . Frames for cycles with two wheels positioned one behind the other, e.g. cycles with a special usage
B62K 2700/52	. . . Frames characterised by the position of the cyclist

B62K 2700/54	...	Frames for a plurality of cyclists; Propulsion means therefor
B62K 2700/56	...	Frames for cycles propelled by foot contact on the ground, scooters
B62K 2700/58	Propulsion means
B62K 2700/60	...	Frames of a special shape with regard to luggage transportation

B62K 2710/00 Frames or general construction of cycles with side cars or trailers

NOTE

1) This code and all its subdivisions are not used for classification of new documents; 2) This code and all its subdivisions were used for indexing documents which were classified in the former Dutch IdT main group 63H and sub-groups, and which have been administratively classified in best proximate CPC groups

B62K 2710/02	.	Side cars and trailers for cycles
B62K 2710/04	..	Bodywork, mudguards, luggage carriers, heating or ventilation devices
B62K 2710/06	..	Hoods
B62K 2710/08	..	Resilient bodywork suspension
B62K 2710/10	..	Resilient axle suspension
B62K 2710/12	..	Coupling parts
B62K 2710/14	..	Steering mechanisms for motorcycles with side cars or for side cars with a driven wheel
B62K 2710/16	..	Trailers for cycles and their couplings