

CPC**COOPERATIVE PATENT CLASSIFICATION****F23M**

CONSTRUCTIONAL DETAILS OF COMBUSTION CHAMBERS, NOT OTHERWISE PROVIDED FOR ([construction or support of tube walls for steam boilers F22B](#) ; [generating combustion products of high pressure or high velocity F23R](#))

F23M 3/00

Firebridges ([baffles non confining the fire F23M 9/06](#))

F23M 3/02

- . modified for circulation of fluids, e.g. air, steam, water

F23M 3/04

- . . for delivery of gas, e.g. air, steam

F23M 3/06

- . . . into or towards fire

F23M 3/08

- . . . away from fire, e.g. towards smoke outlet

F23M 3/10

- . . . transversely

F23M 3/12

- . characterised by shape or construction ([F23M 3/02 takes precedence](#))

F23M 3/14

- . . with apertures for passage of combustion products

F23M 3/16

- . . built-up in sections, e.g. using bars or blocks

F23M 3/18

- . . double; multiple

F23M 3/20

- . . comprising loose refractory material, wholly or in part

F23M 3/22

- . movable; adjustable

F23M 5/00

Casings; Linings; Walls ([casings, linings, or walls of heat-treatment chambers of ovens, kilns, or retorts F27D](#))

F23M 5/02

- . characterised by the shape of the bricks or blocks used ([ceramic materials C04B 33/00, C04B 35/00](#))

F23M 5/025

- . . { [specially adapted for burner openings](#) }

F23M 5/04

- . Supports for linings

F23M 5/06

- . Crowns or roofs for combustion chambers ([F23M 5/02, F23M 5/04 take precedence](#))

F23M 5/08

- . Cooling thereof; Tube walls

F23M 5/085

- . . { [using air or other gas as the cooling medium](#) }

F23M 7/00

Doors specially adapted for combustion chambers (in general [E06B](#) ; for flues or smoke-boxes [F23J 13/08](#))

F23M 7/02

- . Frames therefor

F23M 7/04

- . Cooling doors or door frames

F23M 9/00

Baffles or deflectors for air or combustion products; Flame shields

F23M 9/003

- . { [in flue gas ducts](#) }

- F23M 9/006 . . { Backflow diverters }
- F23M 9/02 . in air inlets
- F23M 9/04 . with air-supply passages in the baffle or shield
- F23M 9/06 . in fire-boxes
- F23M 9/08 . Helical or twisted baffles or deflectors
- F23M 9/10 . Baffles or deflectors formed as tubes, e.g. in water-tube boilers ([interconnection of such tubes in boilers for fluid flow F22](#))
- F23M 11/00** **Safety arrangements ([by controlling combustion F23N 5/24](#))**
- F23M 11/02 . Preventing emission of flames or hot gases, or admission of air, through working or charging apertures
- F23M 11/04 . Means for supervising combustion, e.g. window ([alarm systems G08B](#))
- F23M 11/042 . . { Viewing ports of windows }
- F23M 11/045 . . { by observing the flame }
- F23M 11/047 . . { by observing the flue gas ([controlling combustion using gas detectors F23N 5/003](#)) }
- F23M 99/00** **Subject matter not provided for in other groups of this subclass, { e.g. heat storage from flames }**
- F23M 99/005 . { Noise absorbing means }
- F23M 2700/00** **Constructional details of combustion chambers**
- F23M 2700/005 . Structures of combustion chambers or smoke ducts
- F23M 2700/0053 . . Bricks for combustion chamber walls
- F23M 2700/0056 . . Bricks for water tube combustion chamber walls
- F23M 2700/007 . Automatic fire extinguishing devices
- F23M 2700/008 . Preventing outwards emission of flames or hot gases
- F23M 2900/00** **Special features of, or arrangements for combustion chambers**
- F23M 2900/05001 . Preventing corrosion by using special lining materials or other techniques
- F23M 2900/05002 . Means for accommodate thermal expansion of the wall liner
- F23M 2900/05003 . Details of manufacturing specially adapted for combustion chambers
- F23M 2900/05004 . Special materials for walls or lining

- F23M 2900/05005 . Sealing means between wall tiles or panels
- F23M 2900/05021 . Wall blocks adapted for burner openings
- F23M 2900/09061 . Moving baffles, e.g. rotating baffles, for creating vortices
- F23M 2900/09062 . Tube-shaped baffles confining the flame ([flame tubes forming part of the burner head F23D 2900/11403](#))
- F23M 2900/11021 . Means for avoiding accidental fires in rooms where the combustion device is located
- F23M 2900/11041 . Means for observing or monitoring flames using photoelectric devices, e.g. phototransistors
- F23M 2900/13001 . Energy recovery by fuel cells arranged in the combustion plant
- F23M 2900/13002 . Energy recovery by heat storage elements arranged in the combustion chamber
- F23M 2900/13003 . Energy recovery by thermoelectric elements, e.g. by Peltier/Seebeck effect, arranged in the combustion plant
- F23M 2900/13004 . Energy recovery by thermo-photo-voltaic (TPV) elements arranged in the combustion plant