

CPC**COOPERATIVE PATENT CLASSIFICATION****G01G****WEIGHING** ([sorting by weighing B07C 5/16](#))**NOTE**

Attention is drawn to the Notes following the title of class [G01](#) .

G01G 1/00**Weighing apparatus involving the use of a counterweight or other counterbalancing mass**[G01G 1/02](#)

- . Pendulum-weight apparatus

[G01G 1/025](#)

- .. { with variable cam radius or variable counterpoise pendulum }

[G01G 1/04](#)

- .. The pendulum having a fixed pivot axis

[G01G 1/06](#)

- ... with a plurality of pendulums

[G01G 1/08](#)

- .. The pendulum having a moving pivot axis, e.g. a floating pendulum

[G01G 1/10](#)

- ... with a plurality of pendulums

[G01G 1/12](#)

- .. Constructional arrangements for obtaining equal indicative divisions

[G01G 1/14](#)

- .. Temperature compensating arrangements

[G01G 1/16](#)

- .. Means for correcting for obliquity of mounting

[G01G 1/18](#)

- . Balances involving the use of a pivoted beam, i.e. beam balances

[G01G 1/185](#)

- .. { Two draft weighing apparatus e.g. tandem scales systems }

[G01G 1/20](#)

- .. Beam balances having the pans carried below the beam, and for use with separate counterweights

[G01G 1/22](#)

- ... for precision weighing

[G01G 1/24](#)

- .. Platform-type scales, i.e. having the pans carried above the beam

[G01G 1/243](#)

- ... { having pans carried above the beam }

[G01G 1/246](#)

- { of the parallelogram type }

[G01G 1/26](#)

- .. with associated counterweight or set of counterweights

[G01G 1/28](#)

- ... involving means for automatically lifting counterweights corresponding to the load

[G01G 1/29](#)

- with electrical or electro-mechanical control means

[G01G 1/30](#)

- ... wherein the counterweight is in the form of a chain

[G01G 1/32](#)

- ... wherein the counterweights are in the form of rider-weights

[G01G 1/34](#)

- ... involving a fixed counterweight, with poise-weights selectively added to the load side

[G01G 1/36](#)

- ... wherein the counterweights are slideable along the beam, e.g. steelyards

[G01G 1/38](#)

- with automatically-driven counterweight

[G01G 1/40](#)

- .. specially adapted for weighing by substitution

[G01G 1/42](#)

- .. Temperature compensating arrangements

G01G 3/00**Weighing apparatus characterised by the use of elastically-deformable members, e.g. spring balances**

- G01G 3/02 . wherein the weighing element is in the form of a helical spring
- G01G 3/04 . . using a plurality of springs
- G01G 3/06 . wherein the weighing element is in the form of a spiral spring
- G01G 3/08 . wherein the weighing element is in the form of a leaf spring
- G01G 3/10 . wherein the torsional deformation of a weighing element is measured
- G01G 3/12 . wherein the weighing element is in the form of a solid body stressed by pressure or tension during weighing
- G01G 3/125 . . { wherein the weighing element is an optical member }
- G01G 3/13 . . having piezo-electric or piezo-resistive properties
- G01G 3/14 . . measuring variations of electrical resistance ([G01G 3/13](#) takes precedence)
- G01G 3/1402 . . . { Special supports with preselected places to mount the resistance strain gauges; Mounting of supports }
- G01G 3/1404 { combined with means to connect the strain gauges on electrical bridges }
- G01G 3/1406 { combined with special measuring circuits }
- G01G 3/1408 { the supports being of the column type, e.g. cylindric }
- G01G 3/141 { the supports being disc or ring shaped }
- G01G 3/1412 { the supports being parallelogram shaped }
- G01G 3/1414 . . . { Arrangements for correcting or for compensating for unwanted effects }
- G01G 3/1416 { for non-linearity }
- G01G 3/1418 { for temperature variations }
- G01G 3/142 . . . Circuits specially adapted therefor
- G01G 3/145 involving comparison with a reference value ([G01G 3/147](#) takes precedence)
- G01G 3/147 involving digital counting
- G01G 3/15 . . measuring variations of magnetic properties
- G01G 3/16 . . measuring variations of frequency of oscillations of the body
- G01G 3/165 . . . { Constructional details }
- G01G 3/18 . Temperature-compensating arrangements
- G01G 5/00** **Weighing apparatus wherein the balancing is effected by fluid action**
- G01G 5/003 . { load-cell construction or mountings }
- G01G 5/006 . { with pneumatic means }
- G01G 5/02 . with a float or other member variably immersed in liquid
- G01G 5/04 . with means for measuring the pressure imposed by the load on a liquid ([pressure gauges per se G01L](#))
- G01G 5/045 . . { combined with means for totalising the pressure imposed by several load-cells }
- G01G 5/06 . . with electrical indicating means

G01G 7/00 **Weighing apparatus wherein the balancing is effected by magnetic, electromagnetic, or electrostatic action, or by means not provided for in the preceding groups**

- G01G 7/02 . by electromagnetic action
- G01G 7/04 . . with means for regulating the current to solenoids
- G01G 7/045 . . . { having a PID control system }
- G01G 7/06 . by electrostatic action

G01G 9/00 **Methods or apparatus for the determination of weight not otherwise provided for**

- G01G 9/005 . { using radiations, e.g. radioactive (analysing materials by the use of wave or particle radiation [G01N 23/00](#)) }

G01G 11/00 **Apparatus for weighing a countinuous stream of material during flow; Conveyer belt weighers**

- G01G 11/003 . { Details; specially adapted accessories (details of weighing apparatus in general [G01G 21/00](#); auxiliary devices for weighing apparatus in general [G01G 23/00](#)) }
- G01G 11/006 . { Special taring or checking devices therefor (devices for determining tare weight in general [G01G 23/14](#)) }
- G01G 11/02 . having mechanical weight-sensitive devices
- G01G 11/025 . . { combined with totalising or integrating devices }
- G01G 11/04 . having electrical weight-sensitive devices
- G01G 11/043 . . { combined with totalising or integrating devices }
- G01G 11/046 . . . { involving digital counting }
- G01G 11/06 . having fluid weight-sensitive devices
- G01G 11/065 . . { combined with totalising or integrating devices }
- G01G 11/08 . having means for controlling the rate of feed or discharge (regulation of flow of fluent material [G05D](#))
- G01G 11/083 . . { of the weight-belt or weigh-auger type ([G01G 11/10](#), [G01G 11/12](#) take precedence) }
- G01G 11/086 . . { of the loss-in-weight feeding type }
- G01G 11/10 . . by controlling the height of the material on the belt
- G01G 11/12 . . by controlling the speed of the belt
- G01G 11/14 . using totalising or integrating devices (totalising or integrating devices per se [G06](#)) { [G01G 11/025](#), [G01G 11/043](#), [G01G 11/046](#) and [G01G 11/065](#) take precedence }
- G01G 11/16 . . being electrical or electronic means
- G01G 11/18 . . . using digital counting
- G01G 11/20 . . being mechanical means

| | |
|-----------------------------|--|
| G01G 13/00 | Weighing apparatus with automatic feed or discharge for weighing-out batches of material (for weighing a continuous stream G01G 11/00 ; check-weighing G01G 15/00 ; for fluids G01G 17/04 ; apportioning by weight materials to be mixed G01G 19/22 ; combinatorial weighing G01G 19/387) |
| G01G 13/003 | . { Details; specially adapted accessories (details of weighing apparatus in general G01G 21/00 ; auxiliary devices for weighing apparatus in general G01G 23/00) } |
| G01G 13/006 | .. { Container supply or discharge mechanism (means for automatic loading or discharging G01G 13/02 , G01G 13/16 , G01G 13/24) } |
| G01G 13/02 | . Means for automatically loading weigh pans or other receptacles, e.g. disposable containers, under control of the weighing mechanism |
| G01G 13/022 | .. { Material feeding devices (G01G 13/04 to G01G 13/14 take precedence) } |
| G01G 13/024 | ... { by gravity } |
| G01G 13/026 | ... { by mechanical conveying means, e.g. belt or vibratory conveyer } |
| G01G 13/028 | ... { by pneumatic carrying means } |
| G01G 13/04 | .. involving dribble-feed means controlled by the weighing mechanism to top up the receptacle to the target weight |
| G01G 13/06 | ... wherein the main feed is effected by gravity from a hopper or chute |
| G01G 13/08 | ... wherein the main feed is effected by mechanical conveying means, e.g. by belt conveyers, by vibratory conveyers |
| G01G 13/10 | ... wherein the main feed is effected by pneumatic conveying means, e.g. by fluidised feed of granular material |
| G01G 13/12 | .. Arrangements for compensating for material suspended at cut-off, i.e. for material which is still falling from the feeder when the weigher stops the feeder |
| G01G 13/14 | .. Arrangements for determination of, or compensation for, the tare weight of an unloaded container, e.g. of a disposable container |
| G01G 13/16 | . Means for automatically discharging weigh receptacles under control of the weighing mechanism |
| G01G 13/18 | .. by valves or flaps in the container bottom |
| G01G 13/20 | .. by screw conveyers in the weigh receptacle |
| G01G 13/22 | .. by tilting or rotating the weigh receptacle |
| G01G 13/24 | . Weighing mechanism control arrangements for automatic feed or discharge |
| G01G 13/241 | .. { Bulk-final weighing apparatus e.g. rough weighing balance combined with separate fine weighing balance } |
| G01G 13/242 | .. { Twin weighing apparatus; weighing apparatus using single load carrier and a plurality of weigh pans coupled alternately with the load carrier; weighing apparatus with two or more alternatively used weighing devices } |
| G01G 13/243 | ... { using a single load carrier } |
| G01G 13/244 | { with a single weighing receptacle divided into two or more alternatively used sections } |
| G01G 13/245 | { the weighing receptacles being rockable or oscillating } |
| G01G 13/246 | { the weighing apparatus being rotatable } |
| G01G 13/247 | .. { Checking quantity of material in the feeding arrangement, e.g. discharge material only if a predetermined quantity is present } |
| G01G 13/248 | .. { Continuous control of flow of material (control of flow G05D 7/00) } |

| | | |
|--------------|-------|---|
| G01G 13/26 | .. | involving fluid-pressure systems |
| G01G 13/28 | .. | involving variation of an electrical variable which is used to control loading or discharge of the receptacle |
| G01G 13/285 | ... | involving comparison with a reference value (G01G 13/29 takes precedence; { electric measuring arrangements involving comparison with a reference value G01R 17/00 }) |
| G01G 13/2851 | | { for controlling automatic loading of weigh pans or other receptacles (G01G 13/29 takes precedence) } |
| G01G 13/2852 | | { involving dribble-feed means controlled by the weighing mechanism to top up the receptacle to the target weight } |
| G01G 13/2853 | | { wherein the main feed is effected by gravity from a hopper or chute } |
| G01G 13/2855 | | { wherein the main feed is effected by mechanical conveying means, e.g. by belt conveyers, by vibratory conveyers } |
| G01G 13/2856 | | { wherein the main feed is effected by pneumatic conveying means, e.g. by fluidised feed of granular material } |
| G01G 13/2857 | | { Arrangements for compensating for material suspended at cut-off, i.e. for material which is still falling from the feeder when the weigher stops the feeder } |
| G01G 13/2858 | | { Arrangements for the determination of, or compensation for, the tare weight of an unloaded container, e.g. of a disposable container } |
| G01G 13/29 | ... | involving digital counting |
| G01G 13/2906 | | { for controlling automatic loading of weigh-pans or other receptacles } |
| G01G 13/2912 | | { involving dribble-feed means controlled by the weighing mechanism to top up the receptacle to the target weight } |
| G01G 13/2918 | | { wherein the main feed is effected by gravity from a hopper or chute } |
| G01G 13/2925 | | { wherein the main feed is effected by mechanical means, e.g. by belt conveyers, by vibratory conveyers } |
| G01G 13/2931 | | { wherein the main feed is effected by pneumatic conveying means, e.g. by fluidised feed of granular material } |
| G01G 13/2937 | | { Arrangements for compensating for material suspended at cut-off, i.e. for material which is still falling from the feeder when the weigher stops the feeder } |
| G01G 13/2943 | | { Arrangements for determination of, or compensation for, the tare weight of an unloaded container, e.g. of a disposable container } |
| G01G 13/295 | ... | for controlling automatic loading of the receptacle { G01G 13/285 , G01G 13/29 take precedence } |
| G01G 13/2951 | | { involving dribble-feed means controlled by the weighing mechanism to top up the receptacle to the target weight } |
| G01G 13/2952 | | { wherein the main feed is effected by gravity from a hopper or chute } |
| G01G 13/2954 | | { wherein the main feed is effected by mechanical conveying means, e.g. by belt conveyers, by vibratory conveyers } |
| G01G 13/2955 | | { wherein the main feed is effected by pneumatic conveying means, e.g. by fluidised feed of granular material } |
| G01G 13/2957 | | { Arrangements for compensating for material suspended at cut-off, i.e. for material which is still falling from the feeder when the weigher stops the feeder } |
| G01G 13/2958 | | { Arrangements for the determination of, or compensation for, the tare weight of an unloaded container, e.g. a disposable container } |
| G01G 13/30 | .. | involving limit switches or position-sensing switches |

- G01G 13/32 . . . involving photoelectric devices
- G01G 13/34 . . involving mechanical linkage motivated by weighing mechanism

- G01G 15/00** **Arrangements for check-weighing of materials dispensed into removable containers** (packaging aspects [B65B](#) ; { electric measuring arrangements involving comparison with a reference value [G01R 17/00](#) })

- G01G 15/001 . { Volumetric pre-dispensing to an estimated weight; Gravimetric make-up device for target device }
- G01G 15/006 . { using electrical, electromechanical, or electronic means not covered by [G01G 15/001](#), [G01G 15/02](#), [G01G 15/04](#) }
- G01G 15/02 . with provision for adding or removing a make-up quantity of material to obtain the desired net weight (dribble-feed means for automatic batch-weighers [G01G 13/04](#))
- G01G 15/04 . with provision for adding or removing a make-up quantity of material to obtain the desired gross weight (dribble-feed means for automatic batch-weighers [G01G 13/04](#))

- G01G 17/00** **Apparatus for or methods of weighing material of special form or property** (determining weight by measuring volume [G01F](#))

- G01G 17/02 . for weighing material of filamentary or sheet form
- G01G 17/04 . for weighing fluids, e.g. gases, pastes
- G01G 17/06 . . having means for controlling the supply or discharge
- G01G 17/08 . for weighing livestock

- G01G 19/00** **Weighing apparatus or methods adapted for special purposes not provided for in the preceding groups** { (electric measuring arrangements involving comparison with a reference value [G01R 17/00](#)) }

- G01G 19/002 . { for postal parcels and letters }
- G01G 19/005 . . { with electric or electronic computing means }
- G01G 19/007 . { fractioning a determined weight of material in several equal parts }
- G01G 19/02 . for weighing wheeled or rolling bodies, e.g. vehicles
- G01G 19/021 . . { having electrical weight-sensitive devices ([G01G 19/04](#) to [G01G 19/07](#) take precedence) }
- G01G 19/022 . . { for weighing wheeled or rolling bodies in motion ([G01G 19/045](#) takes precedence) }
- G01G 19/024 . . . { using electrical weight-sensitive devices }
- G01G 19/025 . . { wheel-load scales }
- G01G 19/027 . . . { using electrical weight-sensitive devices }
- G01G 19/028 . . { combined with shock-absorbing devices (shock-absorbing arrangements for bearings [G01G 21/02](#); means for damping oscillations [G01G 23/06](#); shock-absorbers per se [F16F](#)) }

- G01G 19/03 . . for weighing during motion ([G01G 19/04](#), [G01G 19/07](#) take precedence) { check weighing of materials dispensed into removable containers [G01G 15/00](#); weighing a continuous stream of material during flow [G01G 11/00](#); [G01G 19/02](#), e.g. [G01G 19/022](#), [G01G 19/045](#) take precedence }
- G01G 19/035 . . . { using electrical weight-sensitive devices }
- G01G 19/04 . . for weighing railway vehicles
- G01G 19/042 . . . { having electrical weight-sensitive devices }
- G01G 19/045 . . . { for weighing railway vehicles in motion }
- G01G 19/047 { using electrical weight-sensitive devices }
- G01G 19/06 . . . on overhead rails
- G01G 19/07 . . for weighing aircraft

- G01G 19/08 . for incorporation in vehicles
- G01G 19/083 . . { lift truck scale }
- G01G 19/086 . . { wherein the vehicle mass is dynamically estimated }
- G01G 19/10 . . having fluid weight-sensitive devices
- G01G 19/12 . . having electrical weight-sensitive devices

- G01G 19/14 . for weighing suspended loads ([G01G 3/00](#) takes precedence; incorporation of weighing devices in cranes [B66C 1/40](#), [B66C 13/16](#))
- G01G 19/16 . . having fluid weight-sensitive devices
- G01G 19/18 . . having electrical weight-sensitive devices
- G01G 19/20 . . for weighing unbalanced loads

- G01G 19/22 . for apportioning materials by weighing prior to mixing them ([ratio regulation G05D 11/00](#))
- G01G 19/24 . . using a single weighing apparatus
- G01G 19/26 . . . associated with two or more counterweighted beams
- G01G 19/28 . . . having fluid weight-sensitive devices
- G01G 19/30 . . . having electrical weight-sensitive devices
- G01G 19/303 { involving digital counting }
- G01G 19/306 { involving comparison with a reference value }
- G01G 19/32 . . using two or more weighing apparatus
- G01G 19/34 . . with electrical control means
- G01G 19/343 . . . { involving digital counting }
- G01G 19/346 . . . { involving comparison with a reference value }
- G01G 19/36 . . with mechanical control means
- G01G 19/38 . . programme controlled, e.g. by perforated tape ([programme control in general G05B 19/00](#))
- G01G 19/382 . . . { involving digital counting }
- G01G 19/384 . . . { involving comparison with a reference value }

- G01G 19/387 . for combinatorial weighing, i.e. selecting a combination of articles whose total weight or number is closest to a desired value
- G01G 19/393 . . using two or more weighing units

- G01G 19/40 . with provisions for indicating, recording, or computing price or other quantities

- dependent on the weight (indicating means for weighing apparatus [G01G 23/18](#); recording means for weighing apparatus [G01G 23/18](#); computers in general [G06](#))
- G01G 19/41 . . using mechanical computing means
 - G01G 19/413 . . using electromechanical or electronic computing means
 - G01G 19/414 . . . using electronic computing means only
 - G01G 19/4142 { for controlling activation of safety devices, e.g. airbag systems (electrical circuits for triggering safety arrangements in case of vehicle accidents [B60R 21/015](#)) }
 - G01G 19/4144 { for controlling weight of goods in commercial establishments, e.g. supermarket, P.O.S. systems }
 - G01G 19/4146 { for controlling caloric intake, e.g. diet control }
 - G01G 19/4148 { for controlling postal rate in articles to be mailed ([Franking apparatus with means for computing G07B 17/02](#)) }
 - G01G 19/415 combined with recording means
 - G01G 19/417 . . with provision for checking computing part of balance
 - G01G 19/42 . . for counting by weighing ([G01G 19/387](#) takes precedence)

 - G01G 19/44 . for weighing persons
 - G01G 19/445 . . { in a horizontal position }
 - G01G 19/46 . . Spring balances specially adapted for this purpose
 - G01G 19/48 . . Pendulum balances specially adapted for this purpose
 - G01G 19/50 . . having additional measuring devices, e.g. for height

 - G01G 19/52 . Weighing apparatus combined with other objects, e.g. furniture ([with walking sticks A45B 3/08](#))
 - G01G 19/54 . . combined with writing implements or paper-knives
 - G01G 19/56 . . combined with handles of tools or household implements
 - G01G 19/58 . . combined with handles of suit-cases or trunks
 - G01G 19/60 . . combined with fishing equipment, e.g. with fishing rods

 - G01G 19/62 . over or under weighing apparatus

 - G01G 19/64 . Percentage-indicating weighing apparatus, i.e. for expressing the weight as a percentage of a predetermined or initial weight

G01G 21/00**Details of weighing apparatus**

- G01G 21/02 . Arrangements of bearings ([bearings per se F16C](#))
- G01G 21/022 . . { of tapes or ribbons }
- G01G 21/025 . . { using a combination of knife-edge and ball or roller bearings }
- G01G 21/027 . . { Hydraulic or pneumatic bearings }
- G01G 21/04 . . of knife-edge bearings
- G01G 21/06 . . of ball or roller bearings
- G01G 21/07 . . of flexure-plate bearings
- G01G 21/08 . . Bearing mountings or adjusting means therefor

- G01G 21/085 ... { of knife-edge bearings (knife-edge bearings [G01G 21/04](#)) }
- G01G 21/10 .. Floating suspensions; Arrangements of shock absorbers (shock absorbers per se [F16F](#))
- G01G 21/12 .. Devices for preventing derangement
- G01G 21/125 ... { of knife-edge bearings (knife-edge bearings [G01G 21/04](#)) }
- G01G 21/14 . Beams
- G01G 21/16 .. of composite construction; Connections between different beams
- G01G 21/161 ... { Connections between different beams }
- G01G 21/162 { using knife-edge bearings (knife-edge bearings [G01G 21/04](#)) }
- G01G 21/163 { using ball or roller bearings (ball or roller bearings [G01G 21/04](#)) }
- G01G 21/165 { using tapes or ribbons (tapes or ribbons [G01G 21/022](#)) }
- G01G 21/166 { using flexure plate fulcrums (flexure plate fulcrums [G01G 21/07](#)) }
- G01G 21/167 { combined with different kinds of bearings }
- G01G 21/168 { combined with knife-edge and ball or roller bearings }
- G01G 21/18 . Link connections between the beam and the weigh pan
- G01G 21/182 .. { using knife-edge bearings (knife-edge bearings [G01G 21/04](#)) }
- G01G 21/184 .. { using ball or roller bearings (ball or roller bearings [G01G 21/06](#)) }
- G01G 21/186 .. { using tapes or ribbons (tapes or ribbons [G01G 21/022](#)) }
- G01G 21/188 .. { using flexure plate fulcrums (flexure plate fulcrums [G01G 21/07](#)) }
- G01G 21/20 .. for precision weighing apparatus
- G01G 21/22 . Weigh pans or other weighing receptacles; Weighing platforms
- G01G 21/23 . Support or suspension of weighing platforms ([G01G 21/24](#) takes precedence)
- G01G 21/235 .. { using knife-edge bearings (knife-edge bearings [G01G 21/04](#)) }
- G01G 21/24 . Guides or linkages for ensuring parallel motion of the weigh-pans
- G01G 21/241 .. { combined with knife-edge bearings (knife-edge bearings [G01G 21/04](#)) }
- G01G 21/242 .. { combined with ball or roller bearings (ball or roller bearings [G01G 21/06](#)) }
- G01G 21/243 .. { combined with tapes or ribbons (tapes or ribbons [G01G 21/022](#)) }
- G01G 21/244 .. { combined with flexure-plate fulcrums (flexure-plate fulcrums [G01G 21/07](#)) }
- G01G 21/245 .. { combined with different kinds of bearings }
- G01G 21/246 ... { combined with knife-edge and ball or roller bearings }
- G01G 21/247 ... { combined with knife-edge bearings and tapes or ribbons }
- G01G 21/248 ... { combined with knife-edge and flexure-plate fulcrums }
- G01G 21/26 . Counterweights; Poise-weights; Sets of weights; Holders for the reception of weights
- G01G 21/28 . Frames, Housings
- G01G 21/283 .. { Details related to a user interface }
- G01G 21/286 .. { with windshields }
- G01G 21/30 . Means for preventing contamination by dust

G01G 23/00**Auxiliary devices for weighing apparatus**

- G01G 23/002 . { Means for correcting for obliquity of mounting (for pendulum-weight apparatus [G01G 1/16](#)) }
- G01G 23/005 . { Means for preventing overload }
- G01G 23/007 . { Integrated arrangements for generating electrical power, e.g. solar cells }
- G01G 23/01 . Testing or calibrating of weighing apparatus
- G01G 23/012 . . { with load cells comprising in-build calibration weights }
- G01G 23/015 . . { by adjusting to the local gravitational acceleration }
- G01G 23/017 . . { Securing calibration against fraud }
- G01G 23/02 . Relieving mechanisms; Arrestment mechanisms
- G01G 23/04 . . for precision weighing apparatus
- G01G 23/06 . Means for damping oscillations, e.g. of weigh beams
- G01G 23/08 . . by fluid means
- G01G 23/10 . . by electric or magnetic means
- G01G 23/12 . . specially adapted for preventing oscillations due to movement of the load
- G01G 23/14 . Devices for determining tare weight or for cancelling out the tare by zeroising, e.g. mechanically operated (in connection with automatic loading [G01G 13/14](#))
- G01G 23/16 . . electrically or magnetically operated
- G01G 23/163 . . . { involving digital counting }
- G01G 23/166 . . . { involving comparison with a reference value }
- G01G 23/18 . Indicating devices, e.g. for remote indication; Recording devices; Scales, e.g. graduated
- G01G 23/20 . . Indicating weight by mechanical means
- G01G 23/203 . . . { with wheel-type counters }
- G01G 23/206 . . . { special graduated scales therefor ([G01G 23/24](#) takes precedence) }
- G01G 23/22 . . . combined with price indicators
- G01G 23/24 . . . involving logarithmic scales
- G01G 23/26 . . . Drive for the indicating member, e.g. mechanical amplifiers
- G01G 23/28 . . . involving auxiliary or memory marks
- G01G 23/30 . . . with means for illuminating the scale
- G01G 23/32 . . Indicating the weight by optical projection means
- G01G 23/34 . . . combined with price indicators
- G01G 23/35 . . indicating the weight by photographic recording
- G01G 23/36 . . indicating the weight by electrical means, e.g. using photoelectric cells
- G01G 23/361 . . . { using photoelectric cells }
- G01G 23/362 . . . { using electric contacts }
- G01G 23/363 . . . { using magnetic or capacitive contacts }

- G01G 23/365 . . . involving comparison with a reference value ([G01G 23/37](#) takes precedence)
- G01G 23/37 . . . involving digital counting
- G01G 23/3707 { using a microprocessor }
- G01G 23/3714 { with feedback means }
- G01G 23/3721 { with particular representation of the result, e.g. graphic }
- G01G 23/3728 { with wireless means }
- G01G 23/3735 { using a digital network }
- G01G 23/3742 { using a mobile telephone network }
- G01G 23/375 during the movement of a coded element
- G01G 23/38 . . Recording and/or coding devices specially adapted for weighing apparatus
(computers per se [G06](#) ; disc converters in general [G08C](#))
- G01G 23/40 . . . mechanically operated
- G01G 23/42 . . . electrically operated
- G01G 23/44 Coding devices therefor
- G01G 23/46 . . . Devices preventing recording until the weighing mechanism has come to rest

- G01G 23/48 . Temperature-compensating arrangements ([G01G 1/14](#), [G01G 1/42](#), [G01G 3/18](#) take precedence)

- G01G 2015/00 Arrangements for check-weighing of materials dispensed into removable containers** ([packaging aspects B65B](#) ; { electric measuring arrangements involving comparison with a reference value [G01R 17/00](#) })

- G01G 2015/001 . { Volumetric pre-dispensing to an estimated weight; Gravimetric make-up device for target device }
- G01G 2015/002 . . { using electrical, electromechanical or electronic means }
- G01G 2015/003 . . . { involving digital counting }
- G01G 2015/005 . . . { involving comparison with reference value }

- G01G 2015/006 . { using electrical, electromechanical, or electronic means not covered by [G01G 15/001](#), [G01G 15/02](#), [G01G 15/04](#) }
- G01G 2015/007 . . { involving digital counting }
- G01G 2015/008 . . { involving comparison with a reference value }

- G01G 2015/02 . with provision for adding or removing a make-up quantity of material to obtain the desired net weight ([dribble-feed means for automatic batch-weighers G01G 13/04](#))
- G01G 2015/022 . . { using electrical, electromechanical or electronic means }
- G01G 2015/025 . . . { involving digital counting }
- G01G 2015/027 . . . { involving comparison with a reference value }

- G01G 2015/04 . with provision for adding or removing a make-up quantity of material to obtain the desired gross weight ([dribble-feed means for automatic batch-weighers G01G 13/04](#))
- G01G 2015/042 . . { using electrical, electromechanical or electronic means }
- G01G 2015/045 . . . { involving digital counting }
- G01G 2015/047 . . . { involving comparison with a reference value }