

CPC**COOPERATIVE PATENT CLASSIFICATION****B61L****GUIDING RAILWAY TRAFFIC; ENSURING THE SAFETY OF RAILWAY TRAFFIC** (power supply lines for electrically-propelled vehicles [B60M](#) ; vehicle

signalling in general [B60Q](#) ; brakes or auxiliary equipment [B61H](#) , [B61K](#) ; point or crossing construction [E01B](#) ; insulated rail joints [E01B 11/54](#); optical devices in general [G02](#) ; controlling in general [G05](#) ; electric communication technique [H04](#))

B61L 1/00

Devices along the route controlled by interaction with the vehicle or vehicle train, { e.g. pedals } (detonators [B61L 5/20](#); operation of points or signals by passage of the vehicle [B61L 11/00](#), [B61L 13/00](#); central traffic control systems controlled by train [B61L 27/04](#); operation of gates, or gates and signals, by approaching vehicle [B61L 29/18](#))

B61L 1/02

. Electric devices associated with track { e.g. rail contacts }

B61L 1/025

.. { actuated by variation of resistance or by piezo-electricity }

B61L 1/04

.. mechanically actuated by a part of the vehicle

B61L 1/045

... { actuated by fluid-pressure }

B61L 1/06

.. actuated by deformation of rail; actuated by vibration in rail

B61L 1/08

.. magnetically actuated; electrostatically actuated

B61L 1/10

.. actuated by electromagnetic radiation; actuated by particle radiation

B61L 1/12

. Electric devices associated with overhead trolley wires

B61L 1/14

. Devices for indicating the passing of the end of the vehicle or vehicle train

B61L 1/16

. Devices for counting axles; Devices for counting vehicles (counting moving objects in general [G06M](#))

B61L 1/161

.. { characterised by the counting methods }

B61L 1/162

.. { characterised by the error correction }

B61L 1/163

.. { Detection devices }

B61L 1/164

... { Mechanical }

B61L 1/165

... { Electrical }

B61L 1/166

... { Optical }

B61L 1/167

.. { Circuit details }

B61L 1/168

.. { Specific transmission details }

B61L 1/169

.. { Diagnosis }

B61L 1/18

. Railway track circuits (automatically-operated track circuits specially adapted for section blocking for controlling traffic [B61L 23/00](#); rail joints [E01B 11/00](#))

B61L 1/181

.. { Details }

B61L 1/182

... { Use of current of indifferent sort or a combination of different current types }

B61L 1/183

.... { Use of means on the vehicle for improving short circuit e.g. in vehicles with rubber bandages }

B61L 1/184

.... { Use of additional conductors for examining leakages between rails }

- B61L 1/185 . . . { Use of direct current }
- B61L 1/186 . . . { Use of rectified alternating current }
- B61L 1/187 . . . { Use of alternating current }
- B61L 1/188 . . . { Use of coded current }

- B61L 1/20 . . . Safety arrangements for preventing or indicating malfunction of the device, e.g. by leakage current, by lightning { remote indicating means for abnormal operations conditions [G08B 21/00](#), [G08B 23/00](#); detectors for indicating the overheating of axle bearings [B61K 9/00](#) }

- B61L 3/00** **Devices along the route for controlling devices on the vehicle or vehicle train, e.g. to release brake, to operate a warning signal**

- B61L 3/002 . { Recorders on the vehicle }
- B61L 3/004 . { Memory means reproducing during the running of the vehicle or vehicle train, e.g. smart cards }
- B61L 3/006 . { On-board optimisation of vehicle or vehicle train operation (track-side optimisation of operation [B61L 27/0027](#)) }
- B61L 3/008 . { On-board target speed calculation or supervision (track-side control of safe travel [B61L 27/0038](#); speed control circuitry [B60L 3/08](#); speed control of electric drives [B60L 15/20](#)) }
- B61L 3/02 . at selected places along the route, e.g. intermittent control { simultaneous mechanical and electrical control }
- B61L 3/04 . . controlling mechanically { arrangements of making elements acting directly on tread [B60T 1/04](#) }
- B61L 3/06 . . controlling by electromagnetic or particle radiation, e.g. by light beam (using radio waves [B61L 3/12](#))
- B61L 3/065 . . . { controlling optically }
- B61L 3/08 . . controlling electrically
- B61L 3/10 . . . using current passing between devices along the route and devices on the vehicle train
- B61L 3/103 { Details of current transmitting conductors or contact brushes }
- B61L 3/106 { with mechanically controlled electrical switch on the vehicle }
- B61L 3/12 . . . using magnetic or electrostatic induction; using radio waves
- B61L 3/121 { using magnetic induction }
- B61L 3/125 { using short-range radio transmission (long-range radio transmission [B61L 15/0027](#), [B61L 27/0005](#)) }
- B61L 3/126 { Constructional details }
- B61L 3/127 { for remote control of locomotives (remote control of locomotives within a train consist [B61C 17/12](#)) }
- B61L 3/128 { for control of tilting trains by external control devices, e.g. by Eurobalise (tilting details [B61F 5/22](#)) }
- B61L 3/14 . . to cut-off the power supply to traction motors of electrically-propelled vehicles
- B61L 3/16 . Continuous control along the route

- B61L 3/18 . . . using electric current passing between devices along the route and devices on the vehicle or vehicle train
- B61L 3/185 . . . { using separate conductors }
- B61L 3/20 . . . employing different frequencies or coded pulse groups { e.g. using currents carried by traction current (operating and signalling systems using network power supply [H02J 13/00](#)) }
- B61L 3/22 . . . using magnetic or electrostatic induction; using electromagnetic radiation
- B61L 3/221 . . . { using track circuits }
- B61L 3/222 . . . { Arrangements on the track only }
- B61L 3/225 . . . { using separate conductors along the route }
- B61L 3/227 . . . { using electromagnetic radiation }
- B61L 3/24 . . . employing different frequencies or coded pulse groups { e.g. in combination with track circuits }
- B61L 3/243 . . . { using alternating current }
- B61L 3/246 . . . { using coded current }

B61L 5/00 **Local operating mechanisms for points or track-mounted scotch-blocks** (track-mounted scotch-blocks per se [B61K](#)); **Visible or audible signals; Local operating mechanisms for visible or audible signals** ([B61L 11/00](#) takes precedence)

- B61L 5/02 . Mechanical devices for operating points or scotch-blocks { e.g. local manual control }
- B61L 5/023 . . { using funicular driving means }
- B61L 5/026 . . { fixing switch-rails to the driving means }
- B61L 5/04 . Fluid-pressure devices for operating points or scotch-blocks
- B61L 5/045 . . { using electrically controlled fluid-pressure operated driving means }
- B61L 5/06 . Electric devices for operating points or scotch-blocks { e.g. using electromotive driving means }
- B61L 5/062 . . { Wiring diagrams }
- B61L 5/065 . . { Construction of driving mechanism }
- B61L 5/067 . . { using electromagnetic driving means }
- B61L 5/08 . Underground actuating arrangements, e.g. for tramways
- B61L 5/10 . Locking mechanisms for points; Means for indicating the setting of points
- B61L 5/102 . . { Controlling electrically }
- B61L 5/105 . . { Controlling funicularly }
- B61L 5/107 . . { electrical control of points position }
- B61L 5/12 . Visible signals { (signalling means on the vehicle [B61L 15/00](#); signalling means for classification yards, or the like, with multiple indicating means [B61L 17/023](#); signalling means for road crossings [B61L 29/24](#); lighting in general [F21](#) ; visible signalling arrangements in general [G08B 5/00](#)) }
- B61L 5/125 . . { Fixed signals, beacons, or the like }
- B61L 5/14 . . Form signals, e.g. semaphore arms { (illumination for points, form signals [B61L 9/00](#)) }

- B61L 5/16 . . . Local operating mechanisms for form signals
- B61L 5/161 { using electromotive driving means }
- B61L 5/162 { Wiring diagrams }
- B61L 5/163 { Driving mechanisms }
- B61L 5/165 { using electromagnetic driving means }
- B61L 5/166 { using electrically controlled gravity operated driving means }
- B61L 5/167 { using electrically controlled fluid-pressure operated driving means }
- B61L 5/168 { using funicular driving means }
- B61L 5/18 . . Light signals; Mechanisms associated therewith, e.g. blinders
- B61L 5/1809 . . . { Daylight signals }
- B61L 5/1818 { using mobile coloured screen }
- B61L 5/1827 { using light sources of different colours and a common optical system }
- B61L 5/1836 { using light sources of different colours and separate optical systems }
- B61L 5/1845 { Optical systems, lenses }
- B61L 5/1854 { Mounting and focussing of the light source in a lamp, fixing means
(focussing of the light source in reflecting mirrors [F21M 3/02](#)) }
- B61L 5/1863 { Lamp mountings on a mast }
- B61L 5/1872 { Mobile mounting arrangements on a mast; Arrangements for hoisting of the
lamp along the mast }
- B61L 5/1881 { Wiring diagrams for power supply, control or testing }
- B61L 5/189 . . . { using flashing light sources (visible signalling in general using flashing light
sources [G08B 5/38](#); thermal switches operating intermittently [H01H 61/06](#),
[H01H 61/08](#)) }

- B61L 5/20 . Audible signals, e.g. detonator { audible signalling }
- B61L 5/203 . . { Detonators; Track mounting means; Composition of the detonative product }
- B61L 5/206 . . { Signalling means for special purposes }
- B61L 5/22 . . Devices for initiating the release of detonators in a certain position of a signal
- B61L 5/24 . . Replacement of detonators

- B61L 7/00 Remote control of local operating means for points, signals, or trackmounted
scotch-blocks ([B61L 11/00](#) takes precedence; interlocking arrangements [B61L 19/00](#);
transmission per se, see the relevant classes)**

- B61L 7/02 . using mechanical transmission; e.g. wire, lever
- B61L 7/021 . . { Driving wheels or supports for traction wires }
- B61L 7/022 . . { Guiding means or supporting foundations in beton }
- B61L 7/024 . . { Coupling for wires or traction bars }
- B61L 7/025 . . { Bracing or compensating arrangements }
- B61L 7/027 . . { Control levers }
- B61L 7/028 . . { Indicating or fixing arrangements in the event of breaking or tension difference of
transmission wires for points, signals or similar }

- B61L 7/04 . using fluid-pressure transmitting

- B61L 7/06 . using electrical transmission

B61L 7/061	.. { using electromotive driving means }
B61L 7/062	... { Wiring diagrams }
B61L 7/063	... { Construction of driving mechanism }
B61L 7/065	.. { using electromagnetic driving means }
B61L 7/066	.. { using electrically controlled fluid-pressure operated driving means }
B61L 7/067	.. { Supply for electric safety arrangements }
B61L 7/068	.. { Protection against eddy-currents, short-circuits, or the like, for electric safety arrangements }
B61L 7/08	.. Circuitry
B61L 7/081	... { Direct line wire control }
B61L 7/083	... { Common line wire control using currents of different amplitudes, polarities, frequencies, or the like }
B61L 7/085	... { Common line wire control using synchronous distributors }
B61L 7/086	... { Common line wire control using relay distributors }
B61L 7/088	... { Common line wire control using series of coded pulses }
B61L 7/10	... for light signals, e.g. for supervision, back-signalling
B61L 7/103 { Electric control of the setting of signals }
B61L 7/106 { for form signals }
B61L 9/00	Illumination specially adapted for points, form signals, or gates (lighting in general F21)
B61L 9/02	. non-electric
B61L 9/04	. electric
B61L 11/00	Operation of points from the vehicle or by the passage of the vehicle
B61L 11/02	. Using mechanical interaction between vehicle and track
B61L 11/04	.. Trailable point locks
B61L 11/06	.. with fluid-pressure transmission
B61L 11/08	. using electrical or magnetic interaction between vehicle and track
B61L 11/083	.. { Magnetic control }
B61L 13/00	Operation of signals from the vehicle or by the passage of the vehicle
B61L 13/002	. { actuated by the passage of the vehicle }
B61L 13/005	. { optically actuated }
B61L 13/007	. { acoustically actuated }
B61L 13/02	. using mechanical interaction between vehicle and track { (pedals B61L 1/00) }
B61L 13/04	. using electrical or magnetic interaction between vehicle and track { e.g. by conductor circuits using special means or special conductors }

- B61L 13/042 . . { using isolated rail sections }
- B61L 13/045 . . { using separated rail contacts, pedals or similar } ([B61L 1/02](#) takes precedence)
- B61L 13/047 . . { controlling inductively or magnetically }

- B61L 15/00** **Indicators provided on the vehicle or vehicle train for signalling purposes; { On-board control or communication systems }**

- B61L 15/0009 . { wiring diagrams for start- or stop-signals on vehicles having one or more carriages and having electrical communication lines between the carriages }
- B61L 15/0018 . { Communication with or on the vehicle or vehicle train (line transmission systems [H04B 3/00](#)) }
- B61L 15/0027 . . { Radio-based, e.g. using GSM-R }
- B61L 15/0036 . . { Conductor-based, e.g. using CAN-Bus, train-line or optical fibres }
- B61L 15/0045 . { Destination indicators, identification panels or distinguishing signs on the vehicles (displaying in general [G09F](#)) }
- B61L 15/0054 . { Train integrity supervision, e.g. end-of-train (EOT) devices }
- B61L 15/0063 . { Multiple on-board control systems, e.g. "2 out of 3"-systems (trackside multiple control systems [B61L 27/0061](#)) }
- B61L 15/0072 . { On-board train data handling (trackside train data handling [B61L 27/0077](#)) }
- B61L 15/0081 . { On-board diagnosis or maintenance (trackside diagnosis or maintenance [B61L 27/0083](#)) }
- B61L 15/009 . { On-board display devices }
- B61L 15/02 . Head or tail indicators, e.g. light

- B61L 17/00** **Switching systems for classification yards (rail brakes [B61K](#))**

- B61L 17/02 . Details, e.g. indicating degree of track filling
- B61L 17/023 . . { Signalling; Signals with multiple indicating means }
- B61L 17/026 . . { Brake devices }

- B61L 19/00** **Arrangements for interlocking between points and signals by means of a single interlocking device, { e.g. central control (remote control [B61L 7/00](#); station block arrangements [B61L 21/00](#)) }**

- B61L 19/02 . Interlocking devices having mechanical or fluid-pressure operation
- B61L 19/023 . . { purely mechanical (control levers [B61L 7/027](#)) }
- B61L 19/026 . . { using fluid-pressure operated points or signals }
- B61L 19/04 . . Detail- e.g. hand lever, back-signalling device
- B61L 19/06 . Interlocking devices having electrical operation

- B61L 19/08 . . . Special arrangements for power supply for interlocking devices
- B61L 19/10 . . . with mechanical locks
- B61L 19/12 Details
- B61L 19/14 . . . with electrical locks
- B61L 19/16 Details

- B61L 21/00** **Station blocking between signal boxes in one yard (interlocking between points and signals by means of a single interlocking device [B61L 19/00](#))**

- B61L 21/02 . Mechanical locking and release of the route; Repeat locks; Coupling of semaphores
- B61L 21/04 . Electrical locking and release of the route; Electrical repeat locks { ([central interlocking \[B61L 19/00\]\(#\) \)](#) }
- B61L 21/06 . Vehicle-on-line indication; Monitoring locking and release of the route
- B61L 21/065 . . { [for signals, including signals actuated by the vehicle](#) }
- B61L 21/08 . Order transmission and reception arrangements for giving or withholding permission
- B61L 21/10 . Arrangements for trains which are closely following one another ([automatic central traffic control systems \[B61L 27/04\]\(#\) \)](#))

- B61L 23/00** **Control, warning, or like safety means along the route or between vehicles or vehicle trains**

- B61L 23/002 . { [Control or safety means for heart-points and crossings of aerial railways, funicular rack-railway \(points or safety systems for model railways \[A63H\]\(#\) ; points, crossings or hearts for aerial railway, funicular rack railway \[E01B 25/12\]\(#\) \)](#) }
- B61L 23/005 . . { [Automatic control or safety means for points for operator-less railway, e.g. transportation systems](#) }
- B61L 23/007 . { [Safety arrangements on railway crossings](#) }
- B61L 23/02 . for indicating along the route the failure of brakes
- B61L 23/04 . for monitoring the mechanical state of the route
- B61L 23/041 . . { [Obstacle detection](#) }
- B61L 23/042 . . { [Track changes detection](#) }
- B61L 23/044 . . . { [Broken rails](#) }
- B61L 23/045 . . . { [Rail wear](#) }
- B61L 23/047 . . . { [Track or rail movements](#) }
- B61L 23/048 . . . { [Road bed changes, e.g. road bed erosion](#) }
- B61L 23/06 . for warning men working on the route
- B61L 23/08 . for controlling traffic in one direction only ([station blocking between signal boxes in one yard \[B61L 21/00\]\(#\) \)](#))
- B61L 23/10 . . manually operated { [e.g. block arrangements](#) }

- B61L 23/12 . . partly operated by train
- B61L 23/14 . . automatically operated
- B61L 23/16 . . . Track circuits specially adapted for section blocking
- B61L 23/161 { using current of indifferent sorte or a combination of different current types }
- B61L 23/163 { using direct current }
- B61L 23/165 { using rectified alternating current }
- B61L 23/166 { using alternating current }
- B61L 23/168 { using coded current }
- B61L 23/18 . . . specially adapted for changing lengths of track sections in dependence upon speed and traffic density
- B61L 23/20 . . . with transmission of instructions to stations along the route
- B61L 23/22 . for controlling traffic in two directions over the same pair of rails ([station blocking between signal boxes in one yard B61L 21/00](#))
- B61L 23/24 . . using token systems, e.g. train staffs, tablets
- B61L 23/26 . . with means for actuating signals from the vehicle or by passage of the vehicle
- B61L 23/28 . . using non-automatic blocking from a place along the route
- B61L 23/30 . . using automatic section blocking
- B61L 23/32 . . . with provision for the blocking or passing sidings
- B61L 23/34 . Control, warnings or like safety means indicating the distance between vehicles or vehicle trains by the transmission of signals therebetween

B61L 25/00 Recording or indicating positions or identities of vehicles or vehicle trains or setting of track apparatus

- B61L 25/02 . Indicating or recording positions or identities of vehicles or vehicle trains
- B61L 25/021 . . { Measuring and recording of train speed }
- B61L 25/023 . . { Determination of driving direction of vehicle or vehicle train }
- B61L 25/025 . . { Absolute localisation, e.g. providing geodetic coordinates }
- B61L 25/026 . . { Relative localisation, e.g. using odometer }
- B61L 25/028 . . { Determination of vehicle position and orientation within a train consist, e.g. serialisation }
- B61L 25/04 . . Indicating or recording train identities
- B61L 25/041 . . . { using reflecting tags }
- B61L 25/043 . . . { using inductive tags }
- B61L 25/045 . . . { using reradiating tags }
- B61L 25/046 . . . { using magnetic tags }
- B61L 25/048 . . . { using programmable tags }
- B61L 25/06 . Indicating or recording the setting of track apparatus, e.g. of points, of signals
- B61L 25/065 . . { for signalling systems on the vehicle using current conduction }
- B61L 25/08 . . Diagrammatic displays

B61L 27/00 Central traffic control systems; { Track-side control or specific communication

}

- B61L 27/0005 . { Details of track-side communication }
- B61L 27/0011 . { Regulation, e.g. scheduling, time tables }
- B61L 27/0016 .. { Preparing schedules }
- B61L 27/0022 .. { Following schedules }
- B61L 27/0027 .. { Track-side optimisation of vehicle or vehicle train operation (on-board optimisation [B61L 3/006](#)) }
- B61L 27/0033 .. { Crew rosters and itineraries }
- B61L 27/0038 . { Track-side control of safe travel of vehicle or vehicle train, e.g. braking curve calculation (on-board target speed calculation and supervision [B61L 3/008](#)) }
- B61L 27/0055 . { Testing or simulation }
- B61L 27/0061 . { Track-side multiple control systems, e.g. switch-over between different systems, "2 out of 3"-systems (on-board multiple control systems [B61L 15/0063](#)) }
- B61L 27/0066 .. { Backup systems, e.g. switching when failures occur }
- B61L 27/0072 .. { Migration, e.g. parallel installations running simultaneously }
- B61L 27/0077 . { Track-side train data handling, e.g. vehicle or vehicle train data, position reports (on-board train data handling [B61L 15/0072](#)) }
- B61L 27/0083 . { Track-side diagnosis or maintenance, e.g. software upgrades (on-board diagnosis or maintenance [B61L 15/0081](#)) }
- B61L 27/0088 .. { for track-side elements or systems, e.g. trackside supervision of trackside control system conditions }
- B61L 27/0094 .. { for vehicles or vehicle trains, e.g. trackside supervision of train conditions }
- B61L 27/02 . Manual systems
- B61L 27/04 . Automatic systems, e.g. controlled by train; Change-over to manual control
- B61L 29/00 Safety means for rail/road crossing traffic**
- B61L 29/02 . Guards or obstacles for preventing access to the route ([cattle guards connected to the permanent way E01B 17/00](#))
- B61L 29/023 .. { Special gates }
- B61L 29/026 ... { Preventing access by means of obstacles raising across the route }
- B61L 29/04 . Gates for level crossings
- B61L 29/06 .. yielding to vehicles in one direction but operated in a different direction
- B61L 29/08 . Operation of gates; Combined operation of gates and signals
- B61L 29/10 .. Means for securing gates in their desired position
- B61L 29/12 .. Manual operation

B61L 29/14	...	mechanically
B61L 29/16	...	electrically
B61L 29/18	..	Operation by approaching rail vehicle or rail vehicle train
B61L 29/20	...	mechanically
B61L 29/22	...	electrically
B61L 29/222	{ using conductor circuits with separate contacts or conductors }
B61L 29/224	{ using rail contacts }
B61L 29/226	{ using track-circuits, closed or short-circuited by train or using isolated rail-sections }
B61L 29/228	{ using optical means }
B61L 29/24	.	Means for warning road traffic that a gate is closed or closing, or that rail traffic is approaching, e.g. for visible or audible warning
B61L 29/243	..	{ Transmission mechanism or acoustical signals for gates }
B61L 29/246	..	{ Signals or brake- or lighting devices mounted on the road vehicle and controlled from the vehicle train }
B61L 29/26	..	mechanically operated
B61L 29/28	..	electrically operated
B61L 29/282	...	{ magnetic or inductive control by the vehicle }
B61L 29/284	...	{ using rail-contacts, rail microphones, or the like, controlled by the vehicle }
B61L 29/286	...	{ using conductor circuits controlled by the vehicle }
B61L 29/288	...	{ Wiring diagram of the signal control circuits }
B61L 29/30	...	Supervision, e.g. monitoring arrangements
B61L 29/32	...	Timing, e.g. advance warning of approaching train
B61L 99/00	Subject matter not provided for in other groups of this subclass	
B61L 2003/00	Devices along the route for controlling devices on the vehicle or vehicle train, e.g. to release brake, to operate a warning signal	
B61L 2003/02	.	at selected places along the route, e.g. intermittent control { simultaneous mechanical and electrical control }
B61L 2003/08	..	controlling electrically
B61L 2003/12	...	using magnetic or electrostatic induction; using radio waves
B61L 2003/121	{ using magnetic induction }
B61L 2003/122	German standard for inductive train protection, called "Induktive Zugsicherung"[INDUSI]
B61L 2003/123	French standard for inductive train protection, called "Contrôle de vitesse par balises" [KVB]
B61L 2003/16	.	Continuous control along the route
B61L 2003/22	..	using magnetic or electrostatic induction; using electromagnetic radiation
B61L 2003/221	...	{ using track circuits }
B61L 2003/223	French cab signaling system, called "Transmission Voie-Machine" [TVM]
B61L 2003/225	...	{ using separate conductors along the route }

B61L 2003/226 German inductive continuous train control, called 'Linienzugbeeinflussung' [LZB]
B61L 2003/228	. . . Constructional details
B61L 2011/00	Operation of points from the vehicle or by the passage of the vehicle
B61L 2011/08	. using electrical or magnetic interaction between vehicle and track
B61L 2011/086	. . German radio based operations, called "Funkfahrbetrieb" [FFB]
B61L 2019/00	Arrangements for interlocking between points and signals by means of a single interlocking device, { e.g. central control (remote control B61L 7/00; station block arrangements B61L 21/00) }
B61L 2019/06	. Interlocking devices having electrical operation
B61L 2019/065	. . with electronic means
B61L 2027/00	Central traffic control systems; { Track-side control or specific communication systems }
B61L 2027/0038	. { Track-side control of safe travel of vehicle or vehicle train, e.g. braking curve calculation (on-board target speed calculation and supervision B61L 3/008) }
B61L 2027/0044	. . using European Train Control System (ETCS)
B61L 2027/005	. . using Communication-based Train Control (CBTC)
B61L 2201/00	Control methods
B61L 2201/02	. Fuzzy control
B61L 2205/00	Communication or navigation systems for railway traffic
B61L 2205/02	. Global system for mobile communication - railways (GSM-R)
B61L 2205/04	. Satellite based navigation systems, e.g. GPS
B61L 2207/00	Features of light signals
B61L 2207/02	. using light-emitting diodes (LEDs)
B61L 2210/00	Vehicle systems
B61L 2210/02	. Single autonomous vehicles
B61L 2210/04	. Magnetic elevation vehicles (maglev)