

**CPC****COOPERATIVE PATENT CLASSIFICATION****F01K**

**STEAM ENGINE PLANTS; STEAM ACCUMULATORS; ENGINE PLANTS NOT OTHERWISE PROVIDED FOR; ENGINES USING SPECIAL WORKING FLUIDS OR CYCLES** ( gas-turbine or jet-propulsion plants [F02](#); nuclear power plants, engine arrangements therein [G21D](#) )

**NOTE**

Attention is drawn to the notes preceding class [F01](#), especially as regards the definitions of "steam" and "special vapour".

**F01K 1/00**      **Steam accumulators** ( use of accumulators in steam engine plants [F01K 3/00](#) )

- [F01K 1/02](#)      .    for storing steam otherwise than in a liquid
- [F01K 1/04](#)      .    for storing steam in a liquid, e.g. Ruth's type ( in alkali to increase steam pressure [F22B 1/20](#) )
- [F01K 1/06](#)      . .    Internal fittings facilitating steam distribution, steam formation, or circulation ( acting during charging or discharging [F01K 1/08](#); fittings facilitating circulation through multiple accumulators [F01K 1/14](#) )
- [F01K 1/08](#)      .    Charging or discharging of accumulators with steam ( peculiar to multiple accumulators [F01K 1/12](#) )
- [F01K 1/10](#)      .    specially adapted for superheated steam
- [F01K 1/12](#)      .    Multiple accumulators; Charging, discharging or regulating peculiar thereto
- [F01K 1/14](#)      . .    Circulation
- [F01K 1/16](#)      .    Other safety or regulating means
- [F01K 1/18](#)      . .    for steam pressure
- [F01K 1/20](#)      .    Other steam-accumulator parts, details, or accessories

**Guidance heading:**    **Steam engine plants**

**F01K 3/00**      **Plants characterised by the use of steam or heat accumulators, or intermediate steam heaters, therein** ( regenerating exhaust steam [F01K 19/00](#) )

- [F01K 3/002](#)      .    { Steam conversion }
- [F01K 3/004](#)      .    { Accumulation in the liquid branch of the circuit }
- [F01K 3/006](#)      .    { Accumulators and steam compressors }
- [F01K 3/008](#)      .    { Use of steam accumulators of the Ruth type for storing steam in water; Regulating thereof ( Ruth accumulators per se [F01K 1/04](#) ) }

- F01K 3/02 . Use of accumulators and specific engine types; Regulating thereof
- F01K 3/04 . . the engine being of multiple-inlet-pressure type
- F01K 3/06 . the engine being of extraction or non-condensing type { ( [F01K 3/004](#) takes precedence ) }
- F01K 3/08 . Use of accumulators and the plant being specially adapted for a specific use
- F01K 3/10 . . for vehicle drive, e.g. for accumulator locomotives
- F01K 3/12 . having two or more accumulators
- F01K 3/14 . having both steam accumulator and heater, e.g. superheating accumulator ( [steam superheaters per se F22G](#) )
- F01K 3/16 . . Mutual arrangement of accumulator and heater
- F01K 3/18 . having heaters ( [having both steam accumulator and heater F01K 3/14](#); [steam heaters per se F22](#) )
- F01K 3/181 . . { using nuclear heat ( [F01K 3/26](#) takes precedence ) }
- F01K 3/183 . . . { one heater being a fired superheater }
- F01K 3/185 . . { using waste heat from outside the plant ( [F02G 5/00](#) takes precedence ) }
- F01K 3/186 . . { using electric heat }
- F01K 3/188 . . { using heat from a specified chemical reaction }
- F01K 3/20 . . with heating by combustion gases of main boiler
- F01K 3/205 . . . { more than one circuit being heated by one boiler }
- F01K 3/22 . . . Controlling, e.g. starting, stopping ( [F01K 7/00](#), [F01K 13/02](#) take precedence )
- F01K 3/24 . . with heating by separately-fired heaters
- F01K 3/242 . . . { delivering steam to a common mains }
- F01K 3/245 . . . { delivering steam at different pressure levels ( [F01K 3/247](#) takes precedence ) }
- F01K 3/247 . . . { one heater being an incinerator }
- F01K 3/26 . . with heating by steam
- F01K 3/262 . . . { by means of heat exchangers }
- F01K 3/265 . . . . { using live steam for superheating or reheating }
- F01K 3/267 . . . { by mixing with steam e.g. LOFFLER-boiler }
- F01K 5/00** **Plants characterised by use of means for storing steam in an alkali to increase steam pressure, e.g. of Honigmann or Koenemann type**
- F01K 5/02 . used in regenerative installation
- F01K 7/00** **Plants characterised by the use of specific types of engine ( [F01K 3/02](#) takes precedence ); Plants or engines characterised by their use of special steam systems, cycles, or processes ( [reciprocating piston engines using uniflow principle F01B 17/04](#) ); Regulating means peculiar to such systems, cycles, or processes; Use of withdrawn or exhaust steam for feed-water heating**
- F01K 7/02 . the engines being of multiple-expansion type ( [the engines being only of turbine type F01K 7/16](#); [the engines using steam of critical or overcritical pressure F01K 7/32](#); the

- engines being of extraction or non-condensing type [F01K 7/34](#) )
- F01K 7/025 .. { Consecutive expansion in a turbine or a positive displacement engine }
- F01K 7/04 .. Regulating means peculiar thereto
- F01K 7/06 . the engines being of multiple-inlet-pressure type ( [F01K 7/02](#) takes precedence; the engines being only of turbine type [F01K 7/16](#); the engines using steam of critical or over-critical pressure [F01K 7/32](#); the engines being of extraction or non-condensing type [F01K 7/34](#) )
- F01K 7/08 .. Regulating means peculiar thereto
- F01K 7/10 . characterised by the engine exhaust pressure ( the engines being only of turbine type [F01K 7/16](#); the engines using steam of critical or over-critical pressure [F01K 7/32](#); the engines being of extraction or non-condensing type [F01K 7/34](#) )
- F01K 7/12 .. of condensing type
- F01K 7/14 ... Regulating means peculiar thereto
- F01K 7/16 . the engines being only of turbine type ( the engines using steam of critical or overcritical pressure [F01K 7/32](#); the engines being of extraction or non-condensing type [F01K 7/34](#) )
- F01K 7/165 .. { Regulating means specially adapted therefor }
- F01K 7/18 .. the turbine being of multiple-inlet-pressure type
- F01K 7/20 ... Regulating means peculiar thereto
- F01K 7/22 .. the turbines having inter-stage steam heating
- F01K 7/223 ... { Inter-stage moisture separation }
- F01K 7/226 ... { Inter-stage steam injection }
- F01K 7/24 ... Regulating or safety means peculiar thereto
- F01K 7/26 .. the turbines having inter-stage steam accumulation
- F01K 7/28 ... Regulating means peculiar thereto
- F01K 7/30 .. the turbines using exhaust steam only
- F01K 7/32 . the engines using steam of critical or overcritical pressure
- F01K 7/34 . the engines being of extraction or non-condensing type; Use of steam for feed-water heating ( [feed-water heaters in general F22D](#) )
- F01K 7/345 .. { Control or safety-means particular thereto }
- F01K 7/36 .. the engines being of positive-displacement type
- F01K 7/38 .. the engines being of turbine type
- F01K 7/40 .. Use of two or more feed-water heaters in series
- F01K 7/42 .. Use of desuperheaters for feed-water heating
- F01K 7/44 .. Use of steam for feed-water heating and another purpose
- F01K 9/00** **Plants characterised by condensers arranged or modified to co-operate with the engines** ( by condensers structurally combined with engines [F01K 11/00](#); steam condensers per se [F28B](#) ) ( [F01K 23/04](#) takes precedence )
- F01K 9/003 . { condenser cooling circuits }
- F01K 9/006 . { Vacuum-breakers }

- F01K 9/02 . Arrangements or modifications of condensate or air pumps
- F01K 9/023 . . { Control thereof }
- F01K 9/026 . . { Returning condensate by capillarity }
- F01K 9/04 . with dump valves to by-pass stages
- F01K 11/00 Plants characterised by the engines being structurally combined with boilers or condensers**
- F01K 11/02 . the engines being turbines
- F01K 11/04 . the boilers or condensers being rotated in use
- F01K 13/00 General lay-out or general methods of operation of complete plants**
- F01K 13/003 . { Arrangements for measuring or testing ( in general [G01](#) ) }
- F01K 13/006 . { Auxiliaries or details not otherwise provided for }
- F01K 13/02 . Regulating, e.g. stopping or starting
- F01K 13/025 . . { Cooling the interior by injection during idling or stand-by }
- F01K 15/00 Adaptations of plants for special use { [F01K 7/02](#) takes precedence }**
- F01K 15/02 . for driving vehicles, e.g. locomotives ( arrangements in vehicles, see the relevant vehicle classes )
- F01K 15/025 . . { the vehicle being a steam locomotive }
- F01K 15/04 . . the vehicles being waterborne vessels
- F01K 15/045 . . . { Control thereof ( [F01K 3/22](#), [F01K 7/00](#), [F01K 13/02](#) take precedence ) }
- F01K 17/00 Using steam or condensate extracted or exhausted from steam engine plant ( for heating feed-water [F01K 7/34](#); returning condensate to boiler [F22D](#) ) { [F01K 7/36](#) takes precedence }**
- F01K 17/005 . { by means of a heat pump ( heat pumps systems per se [F25B](#) ) }
- F01K 17/02 . for heating purposes, e.g. industrial, domestic ( [F01K 17/06](#) takes precedence; domestic- or space-heating systems, e.g. central-heating systems, in general [F24D 1/00](#), [F24D 3/00](#), [F24D 9/00](#) )
- F01K 17/025 . . { in combination with at least one gas turbine, e.g. a combustion gas turbine }
- F01K 17/04 . for specific purposes other than heating ( [F01K 17/06](#) takes precedence )
- F01K 17/06 . Returning energy of steam, in exchanged form, to process, e.g. use of exhaust steam for drying solid fuel or plant
- F01K 19/00 Regenerating or otherwise treating steam exhausted from steam engine plant ( plants characterised by use of means for storing steam in an alkali to increase steam**

pressure [F01K 5/00](#); returning condensate to boiler [F22D](#) ) { [F01K 3/006](#) takes precedence }

- [F01K 19/02](#) . Regenerating by compression
- [F01K 19/04](#) . . in combination with cooling or heating
- [F01K 19/06](#) . . in engine cylinder
- [F01K 19/08](#) . . compression done by injection apparatus, jet blower, or the like
- [F01K 19/10](#) . Cooling exhaust steam other than by condenser; Rendering exhaust steam invisible

#### **F01K 21/00 Steam engine plants not otherwise provided for**

- [F01K 21/005](#) . { using mixtures of liquid and steam or evaporation of a liquid by expansion }
- [F01K 21/02](#) . with steam-generation in engine-cylinders
- [F01K 21/04](#) . using mixtures of steam and gas; Plants generating or heating steam by bringing water or steam into direct contact with hot gas ( { [F01K 25/005](#), [F02B 47/02](#) take precedence; injecting water or steam into a as gas turbine plant [F02C 3/305](#) }; direct-contact steam generators in general [F22B](#) )
- [F01K 21/042](#) . . { pure steam being expanded in a motor somewhere in the plant ( [F01K 21/045](#) takes precedence ) }
- [F01K 21/045](#) . . { Introducing gas and steam separately into the motor, e.g. admission to a single rotor through separate nozzles }
- [F01K 21/047](#) . . { having at least one combustion gas turbine }
- [F01K 21/06](#) . Treating live steam, other than thermo-dynamically, e.g. for fighting deposits in engine

#### **F01K 23/00 Plants characterised by more than one engine delivering power external to the plant, the engines being driven by different fluids**

- [F01K 23/02](#) . the engine cycles being thermally coupled
- [F01K 23/04](#) . . condensation heat from one cycle heating the fluid in another cycle
- [F01K 23/06](#) . . combustion heat from one cycle heating the fluid in another cycle
- [F01K 23/061](#) . . . { with combustion in a fluidised bed ( plants with a fluidised-bed combustor comprising only gas-turbines [F02C 3/205](#); fluidised-bed apparatus per se [B01J 8/18](#); fluidised-bed combustors [F23C 10/00](#); fluidised-bed steam-boilers [F22B 31/0007](#) ) }
- [F01K 23/062](#) . . . . { the combustion bed being pressurised ( pressurised fluid bed combustion per se [F23C 10/16](#) ) }
- [F01K 23/064](#) . . . { in combination with an industrial process e.g. chemical, metallurgical ( particularly adapted for a specific process see the relevant classes ) }
- [F01K 23/065](#) . . . { the combustion taking place in an internal combustion piston engine, e.g. a diesel engine }
- [F01K 23/067](#) . . . { the combustion heat coming from a gasification or pyrolysis process, e.g. coal gasification ( gas turbines with fuel gasifiers [F02C 3/28](#) ) }
- [F01K 23/068](#) . . . . { in combination with an oxygen producing plant, e.g. an air separation plant }

- F01K 23/08 . . . with working fluid of one cycle heating the fluid in another cycle
- F01K 23/10 . . . with exhaust fluid of one cycle heating the fluid in another cycle ( [F01K 17/025 takes precedence](#) )
- F01K 23/101 . . . . { [Regulating means specially adapted therefor \( F01K 23/105, F01K 23/108 take precedence \)](#) }
- F01K 23/103 . . . . { [with afterburner in exhaust boiler](#) }
- F01K 23/105 . . . . . { [Regulating means specially adapted therefor](#) }
- F01K 23/106 . . . . { [with water evaporated or preheated at different pressures in exhaust boiler](#) }
- F01K 23/108 . . . . . { [Regulating means specially adapted therefor](#) }
  
- F01K 23/12 . the engines being mechanically coupled ( [F01K 23/02 takes precedence](#) )
- F01K 23/14 . . including at least one combustion engine
- F01K 23/16 . . all the engines being turbines ( [F01K 23/14 takes precedence](#) )
  
- F01K 23/18 . characterised by adaptation for specific use
  
- F01K 25/00** **Plants or engines characterised by use of special working fluids, not otherwise provided for; Plants operating in closed cycles and not otherwise provided for**
  
- F01K 25/005 . { [the working fluid being steam, created by combustion of hydrogen with oxygen](#) }
- F01K 25/02 . the fluid remaining in the liquid phase
- F01K 25/04 . the fluid being in different phase, e.g. foamed
- F01K 25/06 . using mixtures of different fluids ( [plants using mixtures of steam and gas F01K 21/04](#) )
- F01K 25/065 . . { [with an absorption fluid remaining at least partly in the liquid state, e.g. water for ammonia \( F01K 5/00 takes precedence \)](#) }
  
- F01K 25/08 . using special vapours
- F01K 25/085 . . { [the vapour being sulfur](#) }
- F01K 25/10 . . the vapours being cold, e.g. ammonia, carbon dioxide, ether
- F01K 25/103 . . . { [Carbon dioxide \( F01K 25/065 takes precedence \)](#) }
- F01K 25/106 . . . { [Ammonia \( F01K 25/065 takes precedence \)](#) }
- F01K 25/12 . . the vapours being metallic, e.g. mercury
- F01K 25/14 . . using industrial or other waste gases
  
- F01K 27/00** **Plants for converting heat or fluid energy into mechanical energy, not otherwise provided for**
  
- F01K 27/005 . { [by means of hydraulic motors](#) }
  
- F01K 27/02 . Plants modified to use their waste heat, other than that of exhaust, e.g. engine-friction heat