

CPC**COOPERATIVE PATENT CLASSIFICATION****B02C**

CRUSHING, PULVERISING, OR DISINTEGRATING IN GENERAL; MILLING GRAIN ({ household tools and machines for pulverising foodstuffs, e.g. coffee and spice mills [A47J 42/00](#); pharmaceutical mortars [A61J 3/02](#); mechanical processing of refuse and garbage [B03B 9/06](#); dressing mould materials by grinding [B22C 5/04](#) }; obtaining metallic powder by crushing, grinding or milling [B22F 9/04](#); { recovery of plastics by desintegration [B29B 17/00](#); crushing raw materials in starch making [C08B 30/02](#); beaters for papermaking [D21D 1/02](#); crushing devices specially for transport in mines [E21F 13/002](#); slag crushing devices [F23J 1/00](#); fuel milling devices in combustion apparatus [F23K 1/00](#); household devices for crushing coal [F24B 15/02](#); ice desintegrating devices [F25C 5/02](#) }) **C2011.10**

B02C 1/00**Crushing or disintegrating by reciprocating members**

B02C 1/005

- . { hydraulically or pneumatically operated }

B02C 1/02

- . Jaw crushers or pulverisers

B02C 1/025

- .. { Jaw clearance or overload control }

B02C 1/04

- .. with single-acting jaws

B02C 1/043

- ... { with cooperating single acting jaws }

B02C 1/046

- ... { of the plural stage type }

B02C 1/06

- .. with double-acting jaws

B02C 1/08

- .. with jaws coacting with rotating roller

B02C 1/10

- .. Shape or construction of jaws

B02C 1/12

- . Mills with non-rotating spiked members

B02C 1/14

- . Stamping mills

B02C 2/00**Crushing or disintegrating by gyratory or cone crushers** {(with non-coaxial discs with intersecting axes [B02C 7/005](#))}

B02C 2002/002

- . { the bowl being a driven element for providing a crushing effect }

B02C 2/005

- . { Lining }

B02C 2/007

- . { Feeding devices }

B02C 2/02

- . eccentrically moved

B02C 2/04

- .. with vertical axis

B02C 2/042

- ... { Moved by an eccentric weight }

B02C 2/045

- ... { and with bowl adjusting or controlling mechanisms ([B02C 2/042](#), [B02C 2/06](#) take precedence)}

- B02C 2/047 . . . { and with head adjusting or controlling mechanisms ([B02C 2/042](#), [B02C 2/06](#) take precedence)}
- B02C 2/06 . . . and with top bearing {([B02C 2/042](#) takes precedence)}
- B02C 2/08 . . with horizontal axis
- B02C 2/10 . concentrically moved; Bell crushers
- B02C 4/00** **Crushing or disintegrating by roller mills** (with milling members in the form of rollers or balls co-operating with rings or discs [B02C 15/00](#); roller mills or roll refiners exclusively for chocolate [A23G 1/10](#), [A23G 1/12](#))
- B02C 4/02 . with two or more rollers
- B02C 4/04 . . specially adapted for milling paste-like material, e.g. paint, chocolate, colloids
- B02C 4/06 . . specially adapted for milling grain
- B02C 4/08 . . with co-operating corrugated or toothed crushing-rollers
- B02C 4/10 . with a roller co-operating with a stationary member
- B02C 4/12 . . in the form of a plate
- B02C 4/14 . . . specially adapted for milling paste-like material, e.g. paint, chocolate, colloids
- B02C 4/16 . . . specially adapted for milling grain
- B02C 4/18 . . in the form of a bar
- B02C 4/20 . . . wherein the roller is corrugated or toothed
- B02C 4/22 . . . specially adapted for milling paste-like material, e.g. paint, chocolate, colloids
- B02C 4/24 . . . specially adapted for milling grain
- B02C 4/26 . . in the form of a grid or grating
- B02C 4/28 . Details
- B02C 4/283 . . { Lateral sealing shields }
- B02C 4/286 . . { Feeding devices }
- B02C 4/30 . . Shape or construction of rollers
- B02C 4/305 . . . { Wear resistant rollers }
- B02C 4/32 . . Adjusting, applying pressure to, or controlling the distance between, milling members
- B02C 4/34 . . . in mills wherein a roller co-operates with a stationary member
- B02C 4/36 . . . in mills specially adapted for paste-like materials
- B02C 4/38 . . . in grain mills
- B02C 4/40 . . Detachers, e.g. scrapers
- B02C 4/42 . . Driving mechanisms; Roller speed control
- B02C 4/423 . . . { with vibrating or oscillating mechanisms }
- B02C 4/426 . . . { Torque counterbalancing mechanisms }
- B02C 4/44 . . Cooling or heating rollers or bars

B02C 7/00 **Crushing or disintegrating by disc mills** (apparatus specially adapted for manufacture or treatment of cocoa or cocoa products exclusively [A23G 1/04](#))

- B02C 7/005 . { Crushers with non-coaxial toothed discs with intersecting axes }
- B02C 7/02 . with coaxial discs
- B02C 7/04 . . with concentric circles of intermeshing teeth
- B02C 7/06 . . with horizontal axis ([B02C 7/04](#) takes precedence)
- B02C 7/08 . . with vertical axis ([B02C 7/04](#) takes precedence)
- B02C 7/10 . with eccentric discs
- B02C 7/11 . Details
- B02C 7/12 . . Shape or construction of discs
- B02C 7/13 . . . for grain mills
- B02C 7/14 . . Adjusting, applying pressure to, or controlling distance between, discs
- B02C 7/16 . . Driving mechanisms
- B02C 7/17 . . Cooling or heating of discs
- B02C 7/175 . Disc mills specially adapted for paste-like material, e.g. paint, chocolate, colloids
- B02C 7/18 . Disc mills specially adapted for grain
- B02C 7/182 . . { with horizontal axis }
- B02C 7/184 . . { with vertical axis }
- B02C 7/186 . . { Adjusting, applying pressure to, or controlling distance between, discs }
- B02C 7/188 . . { Driving mechanisms }

B02C 9/00 **Other milling methods or mills specially adapted for grain**

- B02C 9/02 . Cutting or splitting grain
- B02C 9/04 . Systems or sequences of operations; Plant

B02C 11/00 **Other auxiliary devices or accessories specially adapted for grain mills**

- B02C 11/02 . Breaking up amassed particles, e.g. flakes
- B02C 11/04 . Feeding devices
- B02C 11/06 . Arrangements for preventing fire or explosion (methods for preventing or extinguishing fires, devices therefor [A62C](#))

B02C 11/08 . Cooling, heating, ventilating, conditioning with respect to temperature or water content (conditioning grain before milling [B02B 1/08](#); air-conditioning or ventilating in general [F24F](#))

B02C 13/00 Disintegrating by mills having rotary beater elements; { Hammer mills }

B02C 13/02 . with horizontal rotor shaft (with axial flow [B02C 13/10](#))

B02C 13/04 . . with beaters hinged to the rotor; Hammer mills

B02C 13/06 . . with beaters rigidly connected to the rotor

B02C 13/08 . . . and acting as a fan

B02C 13/09 . . . and throwing the material against an anvil or impact plate {(with vertical axis [B02C 13/1807](#))}

B02C 13/095 { with an adjustable anvil or impact plate }

B02C 13/10 . with horizontal rotor shaft and axial flow

B02C 13/12 . . with vortex chamber

B02C 13/13 . with horizontal rotor shaft and combined with sifting devices, e.g. for making powdered fuel

B02C 13/14 . with vertical rotor shaft, e.g. combined with sifting devices

B02C 2013/145 . . { with fast rotating vanes generating vortexes effecting material on material impact }

B02C 13/16 . . with beaters hinged to the rotor

B02C 13/18 . . with beaters rigidly connected to the rotor

B02C 13/1807 . . . { the material to be crushed being thrown against an anvil or impact plate (with horizontal axis [B02C 13/09](#); centrifugal acceleration of material through radially extending channels [B02C 19/0025](#); centrifugal acceleration of material by means of an open top rotor [B02C 19/0031](#))}

B02C 13/1814 { by means of beater or impeller elements fixed on top of a disc type rotor }

B02C 13/1821 { the beater or impeller elements being rotatably fixed around their own axis }

B02C 13/1828 { with dead bed protected beater or impeller elements }

B02C 13/1835 { by means of beater or impeller elements fixed in between an upper and lower rotor disc }

B02C 13/1842 { with dead bed protected beater or impeller elements }

B02C 13/185 { Construction or shape of anvil or impact plate }

B02C 2013/1857 { rotating coaxially around the rotor shaft }

B02C 2013/1864 { rotatable around its own axis }

B02C 2013/1871 { vertically adjustable }

B02C 2013/1878 { radially adjustable }

B02C 2013/1885 { of dead bed type }

B02C 2013/1892 { cooled or heated }

- B02C 13/20 . with two or more co-operating rotors
- B02C 13/205 .. { arranged concentrically }
- B02C 13/22 . with intermeshing pins; { Pin Disk Mills }
- B02C 13/24 .. arranged around a vertical axis
- B02C 13/26 . Details
- B02C 13/28 .. Shape or construction of beater elements
- B02C 13/2804 ... { the beater elements being rigidly connected to the rotor }
- B02C 2013/2808 ... { the beater elements are attached to disks mounted on a shaft }
- B02C 2013/2812 ... { the beater elements are attached to a hollow cylindrical rotor }
- B02C 2013/2816 ... { of chain, rope or cable type }
- B02C 13/282 .. Shape or inner surface of mill-housings
- B02C 2013/2825 ... { with fastening means for fixing lining members to the inner surface of mill-housings }
- B02C 13/284 ... Built-in screens
- B02C 13/286 .. Feeding or discharge
- B02C 2013/28609 ... { Discharge means }
- B02C 2013/28618 ... { Feeding means }
- B02C 2013/28627 { of ram or pusher type }
- B02C 2013/28636 { of conveyor belt type }
- B02C 2013/28645 { of conveyor belt and cooperating roller type }
- B02C 2013/28654 { of screw type }
- B02C 2013/28663 { using rollers }
- B02C 2013/28672 { Feed chute arrangements }
- B02C 2013/28681 { Feed distributor plate for vertical mill }
- B02C 2013/2869 ... { Arrangements of feed and discharge means in relation to each other }
- B02C 13/288 .. Ventilating, or influencing air circulation
- B02C 2013/29 .. { devices for manipulating beater elements }
- B02C 13/30 .. Driving mechanisms
- B02C 13/31 .. Safety devices or measures
- B02C 15/00** **Disintegrating by milling members in the form of rollers or balls co-operating with rings or discs {(high-speed drum mills [B02C 19/11](#))}**
- B02C 15/001 . { Air flow directing means positioned on the periphery of the horizontally rotating milling surface }
- B02C 2015/002 . { combined with a classifier }
- B02C 15/003 . { Shape or construction of discs or rings }

- B02C 15/004 . { Shape or construction of rollers or balls }
- B02C 15/005 .. { Rollers or balls of composite construction }
- B02C 15/006 . { Ring or disc drive gear arrangement }
- B02C 15/007 . { Mills with rollers pressed against a rotary horizontal disc (with pendularly mounted rollers [B02C 15/04](#)) }
- B02C 2015/008 . { Roller drive arrangements }
- B02C 15/02 . Centrifugal pendulum-type mills
- B02C 15/04 . Mills with pressed pendularly-mounted rollers, e.g. spring pressed
- B02C 15/045 .. { pressed against the interior of a ring rotating in a vertical plane }
- B02C 15/06 . Mills with rollers forced against the interior of a rotary ring, e.g. under spring action ([B02C 15/04](#) takes precedence)
- B02C 15/08 . Mills with balls or rollers centrifugally forced against the inner surface of a ring, the balls or rollers of which are driven by a centrally arranged member ([B02C 15/02](#) takes precedence)
- B02C 15/10 . Mills with balls or rollers centrifugally forced against the inner surface of a ring, the balls or rollers of which are driven by other means than a centrally-arranged member
- B02C 15/12 . Mills with at least two discs { or rings } and interposed balls or rollers mounted like ball or roller bearings
- B02C 15/123 .. { with rings and interposed rollers }
- B02C 2015/126 .. { of the plural stage type }
- B02C 15/14 . Edge runners, e.g. Chile mills
- B02C 2015/143 .. { each runner pivot carrying more than one runner }
- B02C 2015/146 .. { Step-shaped runners }
- B02C 15/16 . with milling members essentially having different peripheral speeds and in the form of a hollow cylinder or cone and an internal roller or cone
- B02C 17/00** **Disintegrating by tumbling mills, i.e. mills having a container charged with the material to be disintegrated with or without special disintegrating members such as pebbles or balls (high-speed drum mills [B02C 19/11](#); { drums for polishing or grinding [B24B](#) })**
- B02C 17/002 . { with rotary cutting or beating elements }
- B02C 17/005 . { the charge being turned over by magnetic forces }
- B02C 17/007 . { specially adapted for disintegrating refuse }

- B02C 17/02 . with perforated container
- B02C 17/04 . with unperforated container
- B02C 17/06 .. with several compartments
- B02C 2017/065 ... { with several compartments in the form of multiwell blocks }
- B02C 17/07 ... in radial arrangement
- B02C 17/08 .. with containers performing a planetary movement
- B02C 17/10 . with one or a few disintegrating members arranged in the container
- B02C 17/14 . Mills in which the charge to be ground is turned over by movements of the container other than by rotating, e.g. by swinging, vibrating, tilting {(mills provided with vibrators in general B02C 19/16)}
- B02C 17/16 . Mills in which a fixed container houses stirring means tumbling the charge
- B02C 17/161 .. { Arrangements for separating milling media and ground material }
- B02C 17/163 .. { Stirring means }
- B02C 2017/165 .. { with stirring means comprising more than one agitator }
- B02C 17/166 .. { of the annular gap type }
- B02C 17/168 .. { with a basket media milling device arranged in or on the container, involving therein a circulatory flow of the material to be milled }
- B02C 17/18 . Details
- B02C 17/1805 .. { Monitoring devices for tumbling mills }
- B02C 17/181 .. { Bearings specially adapted for tumbling mills }
- B02C 17/1815 .. { Cooling or heating devices }
- B02C 17/182 .. { Lids }
- B02C 17/1825 .. { Lifting devices (lifting devices associated with the lining for containers B02C 17/22)}
- B02C 17/183 .. { Feeding or discharging devices }
- B02C 17/1835 ... { Discharging devices combined with sorting or separating of material (B02C 17/186 takes precedence)}
- B02C 17/184 { with separator arranged in discharge path of crushing zone }
- B02C 17/1845 { with return of oversize material to crushing zone }
- B02C 17/185 { with more than one separator }
- B02C 17/1855 { with separator defining termination of crushing zone, e.g. screen denying egress of oversize material }
- B02C 17/186 ... { Adding fluid, other than for crushing by fluid energy }
- B02C 17/1865 { after crushing }
- B02C 17/187 { with recirculation of material to crushing zone }
- B02C 17/1875 { passing gas through crushing zone }
- B02C 17/188 { characterised by point of gas entry or exit or by gas flow path }

- B02C 17/1885 { the applied gas acting to effect material separation ([B02C 17/1895 takes precedence](#))}
- B02C 17/189 { with return of oversize material to crushing zone ([B02C 17/1895 takes precedence](#))}
- B02C 17/1895 { gas being recirculated to crushing zone }
- B02C 17/20 .. Disintegrating members
- B02C 17/205 ... { Adding disintegrating members to the tumbling mill }
- B02C 17/22 .. Lining for containers
- B02C 17/225 ... { using rubber or elastomeric material }
- B02C 17/24 .. Driving mechanisms

- B02C 18/00** **Disintegrating by knives or other cutting or tearing members which chop material into fragments** {([tree stump comminutors A01G 23/067](#))}

- B02C 18/0007 . { specially adapted for disintegrating documents }
- B02C 2018/0015 .. { for disintegrating CDs, DVDs and/or credit cards }
- B02C 2018/0023 .. { Switching devices }
- B02C 2018/003 .. { Removing clips, pins or staples before disintegrating }
- B02C 2018/0038 .. { Motor drives }
- B02C 2018/0046 .. { Shape or construction of frames, housings or casings }
- B02C 2018/0053 .. { hand-operated }
- B02C 2018/0061 .. { with compacting devices for the disintegrated material }
- B02C 2018/0069 .. { with stripping devices }

- B02C 18/0076 . { with cutting or tearing members fixed on endless flexible members ([without cutting or tearing members B02C 19/0006](#))}

- B02C 18/0084 . { specially adapted for disintegrating garbage, waste or sewage }
- B02C 18/0092 .. { for waste water or for garbage }

- B02C 18/02 . with reciprocating knives
- B02C 18/04 .. Details

- B02C 18/06 . with rotating knives
- B02C 18/062 .. { with rotor elements extending axially in close radial proximity of a concentrically arranged slotted or perforated ring }
- B02C 18/065 .. { within rotatable bowls, e.g. meat cutters }
- B02C 18/067 .. { Tub-grinders }
- B02C 18/08 .. within vertical containers {([B02C 18/062](#), [B02C 18/065 take precedence](#))}
- B02C 18/083 ... { with a disc rotor having generally radially extending slots or openings bordered with cutting knives }
- B02C 18/086 ... { specially adapted for disintegrating plastics, e.g. cinematographic films ([for plastic bottles B02C 19/0093](#), [disintegrating plastics B29B 17/00](#))}
- B02C 18/10 ... with drive arranged above container {([B02C 18/083 takes precedence](#))}

- B02C 18/12 ... with drive arranged below container {(B02C 18/083 takes precedence)}
- B02C 18/14 .. within horizontal containers {(B02C 18/062, B02C 18/065 take precedence)}
- B02C 18/141 ... { with axial flow }
- B02C 18/142 ... { with two or more inter-engaging rotatable cutter assemblies }
- B02C 18/143 ... { with a disc rotor having generally radially extending slots or openings bordered with cutting knives }
- B02C 18/144 ... { with axially elongated knives }
- B02C 18/145 ... { with knives spaced axially and circumferentially on the periphery of a cylindrical rotor unit }
- B02C 18/146 ... { with a rotor comprising a plurality of axially contiguous disc-like segments each having at least one radially extending cutting element }
- B02C 2018/147 ... { of the plural stage type }
- B02C 18/148 ... { specially adapted for disintegrating plastics, e.g. cinematographic films (for plastic bottles B02C 19/0093, disintegrating plastics B29B 17/00)}
- B02C 18/16 .. Details
 - B02C 2018/162 ... { Shape or inner surface of shredder-housings }
 - B02C 2018/164 ... { Prevention of jamming and/or overload }
 - B02C 2018/166 ... { Lubricating the knives of the cutting mechanisms }
 - B02C 2018/168 ... { User safety devices or measures in shredders }
 - B02C 18/18 ... Knives; Mountings thereof
 - B02C 18/182 { Disc-shaped knives }
 - B02C 18/184 { with peripherally arranged demountable cutting tips or elements }
 - B02C 18/186 { Axially elongated knives }
 - B02C 2018/188 { Stationary counter-knives; Mountings thereof }
 - B02C 18/20 Sickle-shaped knives
 - B02C 18/22 ... Feed or discharge means
 - B02C 2018/2208 { for weblike material }
 - B02C 18/2216 { Discharge means }
 - B02C 18/2225 { Feed means }
 - B02C 18/2233 { of ram or pusher type }
 - B02C 18/2241 { of conveyor belt type (B02C 18/225 takes precedence)}
 - B02C 18/225 { of conveyor belt and cooperating roller type }
 - B02C 18/2258 { of screw type }
 - B02C 18/2266 { of revolving drum type }
 - B02C 18/2275 { using a rotating arm }
 - B02C 18/2283 { using rollers (B02C 18/225 takes precedence)}
 - B02C 18/2291 { Feed chute arrangements }
 - B02C 18/24 ... Drives
- B02C 18/26 . with knives which both reciprocate and rotate
- B02C 18/28 . with spiked cylinders

- B02C 18/30 . Mincing machines with perforated discs and feeding worms
- B02C 18/301 .. { with horizontal axis }
- B02C 18/302 ... { with a knife-perforated disc unit }
- B02C 18/304 ... { with several axially aligned knife-perforated disc units }
- B02C 18/305 .. { Details }
- B02C 2018/307 ... { Cooling arrangements in mincing machines }
- B02C 2018/308 .. { with separating devices for hard material, e.g. bone }
- B02C 18/32 .. with sharpening devices
- B02C 18/34 .. with means for cleaning the perforated discs
- B02C 18/36 .. Knives or perforated discs
- B02C 18/362 ... { Knives }
- B02C 18/365 ... { Perforated discs }
- B02C 2018/367 ... { Resiliently mounted knives or discs }
- B02C 18/38 .. Drives

B02C 19/00 **Other disintegrating devices or methods** (for grain [B02C 9/00](#))

- B02C 19/0006 . { Crushing by endless flexible members (with cutting or tearing members [B02C 18/0076](#)) }
- B02C 19/0012 . { Devices for disintegrating materials by collision of these materials against a breaking surface or breaking body and/or by friction between the material particles (also for grain) }
- B02C 19/0018 .. { using a rotor accelerating the materials centrifugally against a circumferential breaking surface (rotors with beater elements [B02C 13/09](#), [B02C 13/1807](#)) }
- B02C 19/0025 ... { by means of a rotor with radially extending channels }
- B02C 19/0031 ... { by means of an open top rotor }
- B02C 19/0037 { with concentrically arranged open top rotors }
- B02C 19/0043 .. { the materials to be pulverised being projected against a breaking surface or breaking body by a pressurised fluid (jet mills [B02C 19/06](#)) }
- B02C 19/005 .. { the materials to be pulverised being disintegrated by collision of, or friction between, the material particles (jet mills [B02C 19/06](#)) }
- B02C 19/0056 . { specially adapted for specific materials not otherwise provided for }
- B02C 19/0062 .. { specially adapted for shredding scrap metal, e.g. automobile bodies }
- B02C 19/0068 .. { specially adapted for breaking-up fluorescent tubes }
- B02C 19/0075 .. { specially adapted for desintegrating medical waste (disposal of medical waste [B09B 3/0075](#), sterilisation of refuse [A61L 11/00](#)) }
- B02C 19/0081 .. { specially adapted for breaking-up bottles }
- B02C 19/0087 ... { for glass bottles }
- B02C 19/0093 ... { for plastic bottles }
- B02C 19/06 . Jet mills

- B02C 19/061 . . { of the cylindrical type ([B02C 19/068](#) takes precedence)}
- B02C 19/063 . . { of the toroidal type ([B02C 19/068](#) takes precedence)}
- B02C 19/065 . . { of the opposed-jet type ([B02C 19/068](#) takes precedence)}
- B02C 19/066 . . { of the jet-anvil type ([B02C 19/068](#) takes precedence)}
- B02C 19/068 . . { of the fluidised-bed type }

- B02C 19/08 . Pestle and mortar

- B02C 19/10 . Mills in which a friction block is towed along the surface of a cylindrical or annular member

- B02C 19/11 . High-speed drum mills ([for separating B04B](#))

- B02C 19/16 . Mills provided with vibrators ({ [roller mills B02C 4/423](#) }; [tumbling mills B02C 17/14](#))

- B02C 19/18 . Use of auxiliary physical effects, e.g. ultrasonics, irradiation, for disintegrating
- B02C 2019/183 . . { [Crushing by discharge of high electrical energy](#) }
- B02C 19/186 . . { [Use of cold or heat for disintegrating \(B02C 4/44, B02C 7/17, B02C 11/08 take precedence\)](#) }

- B02C 19/20 . Disintegrating by grating ({[domestic food grating devices A47J 43/25](#)})

- B02C 19/22 . Crushing mills with screw-shaped crushing means

- B02C 21/00 Disintegrating plant with or without drying of the material ([for grain B02C 9/04](#))**

- B02C 21/002 . { [using a combination of a roller mill and a drum mill](#) }
- B02C 21/005 . . { [the roller mill having cooperating rollers](#) }

- B02C 21/007 . { [using a combination of two or more drum or tube mills](#) }

- B02C 21/02 . Transportable disintegrating plant
- B02C 2021/023 . . { [for disintegrating material on the surface of the ground](#) }
- B02C 21/026 . . { [self-propelled](#) }

- B02C 23/00 Auxiliary methods or auxiliary devices or accessories specially adapted for crushing or disintegrating not provided for in preceding groups or not specially adapted to apparatus covered by a single preceding group ({ [specially adapted for grain mills B02C 11/00](#); } [separating or sorting in general B03, B04, B07](#))**

- B02C 23/02 . Feeding devices ({ [for grain mills B02C 11/04](#); [for roller mills B02C 4/286](#) }; [transport devices in general B65G](#))

- B02C 23/04 . Safety devices ([in general F16P](#); { [for rotary mills B02C 13/31](#) })

- B02C 23/06 . Selection or use of additives to aid disintegrating

B02C 23/08	. Separating or sorting of material, associated with crushing or disintegrating (B02C 23/18 takes precedence ; { beater mills combined with sifting devices B02C 13/13 , B02C 13/14 ; for tumbling mills B02C 17/1835 })
B02C 23/10	.. with separator arranged in discharge path of crushing or disintegrating zone
B02C 23/12	... with return of oversize material to crushing or disintegrating zone
B02C 23/14	.. with more than one separator
B02C 23/16	.. with separator defining termination of crushing or disintegrating zone, e.g. screen denying egress of oversize material
B02C 2023/165	... { Screen denying egress of oversize material }
B02C 23/18	. Adding fluid, other than for crushing or disintegrating by fluid energy ({ for tumbling mills B02C 17/186 ; } feeding devices B02C 23/02)
B02C 23/20	.. after crushing or disintegrating
B02C 23/22	... with recirculation of material to crushing or disintegrating zone
B02C 23/24	.. Passing gas through crushing or disintegrating zone ({ B02C 15/001 }, B02C 23/38 , B02C 23/40 take precedence)
B02C 23/26	... characterised by point of gas entry or exit or by gas flow path
B02C 23/28	... gas moving means being integral with, or attached to, crushing or disintegrating element
B02C 23/30	... the applied gas acting to effect material separation (B02C 23/34 takes precedence)
B02C 23/32	... with return of oversize material to crushing or disintegrating zone (B02C 23/34 takes precedence)
B02C 23/34	... gas being recirculated to crushing or disintegrating zone
B02C 23/36	.. the crushing or disintegrating zone being submerged in liquid
B02C 23/38	.. in apparatus having multiple crushing or disintegrating zones
B02C 23/40	.. with more than one means for adding fluid to the material being crushed or disintegrated
B02C 25/00	Control arrangements specially adapted for crushing or disintegrating
B02C 2201/00	Codes relating to disintegrating devices adapted for specific materials
B02C 2201/02	. for reinforced concrete
B02C 2201/04	. for used tyres
B02C 2201/06	. for garbage, waste or sewage
B02C 2201/063	.. for waste water or sewage
B02C 2201/066	.. for garden waste
B02C 2210/00	Codes relating to different types of disintegrating devices

- B02C 2210/01
 - Indication of wear on beaters, knives, rollers, anvils, linings and the like
- B02C 2210/02
 - Features for generally used wear parts on beaters, knives, rollers, anvils, linings and the like