

CPC**COOPERATIVE PATENT CLASSIFICATION****G01T**

MEASUREMENT OF NUCLEAR OR X-RADIATION (radiation analysis of materials, mass spectrometry [G01N](#); counters per se [G06M](#), [H03K](#); electric discharge tubes for analysing radiation or particles [H01J 40/00](#) , [H01J 47/00](#) , [H01J 49/00](#))

NOTE

This subclass covers the measurement of X-radiation, gamma radiation, corpuscular radiation, cosmic radiation or neutron radiation.

Attention is drawn to the Notes following the title of class [G01](#).

G01T 1/00 **Measuring X-radiation, gamma radiation, corpuscular radiation, or cosmic radiation** ([G01T 3/00](#) , [G01T 5/00](#) take precedence)

- G01T 1/003 . { Scintillation (flow) cells }
- G01T 1/006 . { Total absorption calorimeters; Shower detectors }
- G01T 1/02 . Dosimeters ([G01T 1/15](#) takes precedence, measuring exposure time to X-rays [H05G 1/28](#))
- G01T 1/023 .. { Scintillation dose-rate meters }
- G01T 1/026 .. { Semiconductor dose-rate meters }
- G01T 1/04 .. Chemical dosimeters ([G01T 1/06](#) , [G01T 1/08](#) take precedence)
- G01T 1/06 .. Glass dosimeters { using colour change; including plastic dosimeters }
- G01T 1/08 .. Photographic dosimeters (sensitive materials, processing thereof [G03C](#) ; { photometry [G01J 1/52](#) })
- G01T 1/10 .. Luminescent dosimeters
- G01T 1/105 ... Read-out devices ([G01T 1/115](#) takes precedence)
- G01T 1/11 ... Thermo-luminescent dosimeters {(thermo-luminescent compositions [C09K 11/00](#))}
- G01T 1/115 Read-out devices
- G01T 1/12 .. Calorimetric dosimeters
- G01T 1/14 .. Electrostatic dosimeters (construction of ionisation chambers [H01J 47/02](#) ; { electrometers [G01R 5/28](#) })
- G01T 1/142 ... Charging devices; Read-out devices
- G01T 1/15 . Instruments in which pulses generated by a radiation detector are integrated, e.g. by a diode pump circuit (pulse rate meters in general [G01R 23/02](#))
- G01T 1/16 . Measuring radiation intensity ([G01T 1/29](#) takes precedence; { self-powered detectors [G01T 3/006](#) ; using an ionisation chamber filled with a liquid or solid, e.g. frozen liquid, dielectric [G01T 3/008](#) })
- G01T 1/1603 .. { with a combination of at least two different types of detector (see provisionally also [G01T 1/16](#))}

G01T 1/1606	..	{ with other specified detectors not provided for in the other sub-groups of G01T 1/16 (see provisionally also G01T 1/16)}
G01T 1/161	..	Application in the field of nuclear medicine, e.g. in vivo counting ({ apparatus for radiation diagnosis A61B 6/00)}
G01T 1/1611	...	{ using both transmission and emission sources sequentially (SPECT imaging G01T 1/1642 ; PET imaging G01T 1/2985 ; detecting hidden objects, e.g. weapons, explosives G01V 5/00D)}
G01T 1/1612	{ with scintillation detectors (G01T 1/20 takes precedence)}
G01T 1/1614	{ with semiconductor detectors (G01T 1/24 takes precedence)}
G01T 1/1615	...	{ using both transmission and emission sources simultaneously (SPECT imaging G01T 1/1642 ; PET imaging G01T 1/2985 ; detecting hidden objects, e.g. weapons, explosives G01V 5/00D)}
G01T 1/1617	{ with scintillation detectors (G01T 1/20 takes precedence)}
G01T 1/1618	{ with semiconductor detectors (G01T 1/24 takes precedence)}
G01T 1/163	...	Whole body counters { hand or feet contamination measurement G01T 1/167 ; lung, brain, thyroid, kidney or the like counting G01T 1/16 }
G01T 1/1635	{ involving relative movement between detector and subject; scanning beds (profile scanning G01T 1/166 ; positioning patients, tiltable tables for radiation diagnosis A61B 6/04)}
G01T 1/164	...	Scintigraphy (radioisotopes G21G 4/00 ; tracers G21H 5/00 ; { measurement of spatial distribution G01T 1/2914 ; apparatus for radiation diagnosis in different planes A61B 6/02 })
G01T 1/1641	{ Static instruments for imaging the distribution of radioactivity in one or two dimensions using one or several scintillating elements; Radio-isotope cameras }
G01T 1/1642	{ using a scintillation crystal and position sensing photodetector arrays, e.g. ANGER cameras }
G01T 1/1644	{ using an array of optically separate scintillation elements permitting direct location of scintillations (G01T 1/1645 takes precedence)}
G01T 1/1645	{ using electron optical imaging means, e.g. image intensifier tubes , coordinate photomultiplier tubes , image converter }
G01T 1/1647	{ Processing of scintigraphic data (not related to a particular imaging system G01T 1/2992)}
G01T 1/1648	{ Ancillary equipment for scintillation cameras e.g. reference markers , devices for removing motion artifacts , calibration devices (adapted for flow studies G01T 1/1647)}
G01T 1/166	involving relative movement between detector and subject ({ scanners in general without using scintigraphy G01T 1/2964 })
G01T 1/1663	{ Processing methods of scan data , e.g. involving contrast enhancement , background reduction , smoothing , motion correction , dual radio-isotope scanning , computer processing (for measuring spatial distribution of radiation G01T 1/2992 ; general purpose image data processing G06T 1/00 ; computerized tomography G06T 11/003); Ancillary equipment (colour printers G01T 1/1666)}
G01T 1/1666	{ adapted for printing different symbols or colours according to the intensity or energy level of the detected radioactivity (depth discrimination in colour G01T 1/2985)}

- G01T 1/167 .. Measuring radioactive content of objects, e.g. contamination ([whole body counters G01T 1/163](#))
- G01T 1/169 .. Exploration, location of contaminated surface areas ([prospecting by the use of nuclear radiation e.g. of natural or induced radioactivity G01V 5/00](#)) { [in situ measurement, e.g. floor contamination monitor \(directional detectors G01T 1/2907\)](#)}
- G01T 1/17 .. Circuit arrangements not adapted to a particular type of detector {([pulse-selection circuits H03K](#) , [G01R](#))}
- G01T 1/171 ... { [Compensation of dead-time counting losses \(see provisionally also G01T 1/17\)](#)}
- G01T 1/172 ... with coincidence circuit arrangements ([G01T 1/178](#) takes precedence; { [combination of detectors, see G01T 1/1603](#) , [G01T 1/30](#) , [G01T 1/361](#) })
- G01T 1/175 ... Power supply circuits ([power supply circuits per se H02J](#) ; [converters H02M](#))
- G01T 1/178 ... for measuring specific activity in the presence of other radioactive substances, e.g. natural, in the air or in liquids such as rain water
- G01T 1/18 .. with counting-tube arrangements, e.g. with Geiger counters ([tubes H01J 47/08](#) ; { [with alarm provision G01T 7/125](#) })
- G01T 1/185 .. with ionisation chamber arrangements ([construction of ionisation chambers H01J 47/02](#) ; { [gas analysis by ionisation G01N 27/66](#) ; [measuring pressure G01L 9/00](#) ; [leak detection G01M 3/00](#) ; [tele-measurements G08C](#) })
- G01T 1/20 .. with scintillation detectors
- G01T 1/2002 ... { [Optical details, e.g. reflecting or diffusing layers](#) }
- G01T 1/2004 ... { [Scintilloscopes \(fluoroscopes G21K 4/00](#) ; [radiation diagnosis A61B 6/00](#))}
- G01T 1/2006 ... { [using a combination of a scintillator and photodetector which measures the means radiation intensity](#) }
- G01T 1/2008 ... { [using a combination of different types of scintillation detectors, e.g. phoswich](#) }

WARNING

[Pending reclassification, for subject-matter regarding phoswich see also G01T 1/20](#)

- G01T 1/201 ... { [using scintillating fibres](#) }

WARNING

[Not complete, see also G01T 1/2992](#)

- G01T 1/2012 ... { [using stimuable phosphors, e.g. stimuable phosphor sheets](#) }

WARNING

[This group and subgroups are not complete pending reclassification; see also group G01T 1/2992](#)

- G01T 1/2014 { [Reading out of stimuable sheets, e.g. latent image](#) }
- G01T 1/2016 { [Erasing of stimuable sheets, e.g. with light, heat or the like](#) }
- G01T 1/2018 ... { [Scintillation-photodiode combination](#) }
- G01T 1/202 ... the detector being a crystal

G01T 1/2023	{ Selection of materials (see provisionally also G01T 1/202)}
G01T 1/2026	{ Well-type detectors (see provisionally also G01T 1/202)}
G01T 1/203	...	the detector being made of plastics
G01T 1/2033	{ Selection of materials (see provisionally also G01T 1/203)}
G01T 1/2036	{ Well-type detectors (see provisionally also G01T 1/203)}
G01T 1/204	...	the detector being a liquid
G01T 1/2042	{ Composition for liquid scintillation systems }
G01T 1/2045	{ Liquid scintillation quench systems }
G01T 1/2047	{ Sample preparation }
G01T 1/205	...	the detector being a gas
G01T 1/208	...	Circuits specially adapted for scintillation detectors, e.g. for the photo-multiplier section
G01T 1/22	..	with Cerenkov detectors
G01T 1/24	..	with semiconductor detectors (semiconductor devices per se H01L 31/00)
G01T 1/241	...	{ Electrode arrangements, e.g. continuous or parallel strips or the like (constructional or manufacturing details H01L 31/00)}
G01T 1/242	...	{ Stacked detectors, e.g. for depth information } (constructional or manufacturing details H01L 25/00)
G01T 1/243	...	{ Modular detectors, e.g. arrays formed from self contained units (constructional or manufacturing details H01L 25/00)}
G01T 1/244	...	{ Auxiliary details, e.g. casings, cooling, damping or insulation against damage by e.g. heat, pressure or the like }
G01T 1/245	...	{ using memory cells }
G01T 1/246	...	{ utilizing latent read-out, e.g. charge stored and read-out later }
G01T 1/247	...	{ Detector read-out circuitry (for processing gain or off-set correction H04N)}
G01T 1/248	...	{ Silicon photomultipliers [SiPM], e.g. an avalanche photodiode [APD] array on a common Si substrate }
G01T 1/249	...	{ specially adapted for use in SPECT or PET (SPECT imaging G01T 1/1642 ; PET imaging G01T 1/2985 ; detecting hidden objects, e.g. weapons, explosives G01V 5/00D)}
G01T 1/26	..	with resistance detectors {(photoresistors H01L 31/00)}
G01T 1/28	..	with secondary-emission detectors (secondary-electron-emitting electrodes in general H01J 1/32) { optionally combined with scintillation counters (secondary emission tubes H01J 43/00)}
G01T 1/29	.	Measurement performed on radiation beams, e.g. position or section of the beam; Measurement of spatial distribution of radiation (scintigraphy G01T 1/164 ; mass-spectrometers H01J 49/025)
G01T 1/2907	..	{ Angle determination; Directional detectors; Telescopes (prospecting by the use of nuclear radiation, e.g. of natural or induced radioactivity G01V 5/00)}
G01T 1/2914	..	{ Measurement of spatial distribution of radiation }
G01T 1/2921	...	{ Static instruments for imaging the distribution of radioactivity in one or two dimensions; Radio-isotope cameras (using scintigraphy G01T 1/1641)}
G01T 1/2928	{ using solid state detectors }

- G01T 1/2935 { using ionisation detectors }
- G01T 1/2942 { using autoradiographic methods }
- G01T 1/295 { using coded aperture devices e.g. Fresnel zone plates (handling of radiation of particles e.g. using diaphragms, collimators, diffraction [G21K 1/00](#))}
- G01T 1/2957 { using channel multiplier arrays (channel multipliers [H01J 43/18](#) ; [G01T 1/1645](#) takes precedence)}
- G01T 1/2964 . . . { Scanners (using scintigraphy [G01T 1/166](#))}
- G01T 1/2971 { using solid state detectors }
- G01T 1/2978 . . . { Hybrid imaging systems, e.g. using a position sensitive detector (camera) to determine the distribution in one direction and using mechanical movement of the detector or the subject in the other direction or using a camera to determine the distribution in two dimensions and using movement of the camera or the subject to increase the field of view ([G01T 1/2985](#) takes precedence)}
- G01T 1/2985 . . . { In depth localisation e.g. using positron emitters; Tomographic imaging (longitudinal and transverse section imaging; apparatus for radiation diagnosis sequentially in different planes, stereoscopic radiation diagnosis); (using external radiation sources [A61B 6/02](#))}
- G01T 1/2992 . . . { Radioisotope data or image processing not related to a particular imaging system; Off-line processing of pictures, e.g. rescanners (for measuring radiation intensity [G01T 1/1663](#) ; digital computing or data processing equipment or methods specially adapted for nuclear physics or nuclear engineering **G06F 15/52** ; general purpose image data processing [G06T 1/00](#) ; computerized tomography [G06T 11/003](#))}
- G01T 1/30 . Measuring half-life of a radioactive substance {(period meters for nuclear fission reactors [G21C 17/14](#))}
- G01T 1/32 . Measuring polarisation of particles
- G01T 1/34 . Measuring cross-section, e.g. absorption cross-section of particles
- G01T 1/36 . Measuring spectral distribution of X-rays or of nuclear radiation { spectrometry (pulse selection circuits per se [H03K](#) ; investigation of materials by radiation diffraction [G01N 23/20](#) ; spectrometer tubes [H01J 49/00](#))}
- G01T 1/361 . . { with a combination of detectors of different types, e.g. anti-Compton spectrometers (intensity measurement with a combination of detectors [G01T 1/1603](#) ; with coincidence circuit [G01T 1/172](#) ; se provisionally also [G01T 1/36](#))}

NOTE

[G01T 1/361](#) takes precedence over [G01T 1/362](#)

- G01T 1/362 . . { with scintillation detectors (see provisionally also [G01T 1/36](#) , [G01T 1/20](#))}
- G01T 1/363 . . { with Cerenkov detectors }
- G01T 1/365 . . { with ionisation detectors e.g. proportional counter (see provisionally also [G01T 1/36](#))}
- G01T 1/366 . . { with semi-conductor detectors (see provisionally also [G01T 1/36](#))}

- G01T 1/367 .. { with resistance detectors (see provisionally also [G01T 1/36](#))}
- G01T 1/368 .. { with secondary-emission detectors (see provisionally [G01T 1/36](#))}
- G01T 1/38 .. Particle discrimination and measurement of relative mass, e.g. by measurement of loss of energy with distance (dE/dx) {([constructional details of semiconductor detectors therefor H01L 31/00](#))}
- G01T 1/40 .. Stabilisation of spectrometers {([circuits specially adapted for scintillation detectors G01T 1/208](#))}

G01T 3/00 **Measuring neutron radiation** ([G01T 5/00](#) takes precedence; { tubes therefor [H01J 47/12](#) ; circuits with such tubes [G01T 1/18](#) ; measuring short time intervals [G04F 10/00](#) ; measuring pulse characteristics [G01R 29/02](#) ; neutron choppers [G21K 1/04](#) ; polarimeters [G01T 1/32](#) })

- G01T 3/001 . { Spectrometry }
- G01T 3/003 .. { Recoil spectrometers (light-nuclei recoil ionisation tubes per se [H01J 47/1277](#))}
- G01T 3/005 .. { Time-of-flight spectrometers (see provisionally also [G01T 3/00](#))}
- G01T 3/006 . { using self-powered detectors (for neutrons as well as for Y- or X-rays), e.g. using Compton-effect (Compton diodes) or photo-emission or a (n,B) nuclear reaction (photovoltaic semiconductors [H01L 31/00](#) ; photo-tubes [H01J 40/00](#) ; thermionic generators [H01J 45/00](#) ; radioisotopic generators [G21H 1/00](#) , e.g. [G21H 1/02](#), [G21H 1/04](#))}
- G01T 3/008 . { using an ionisation chamber filled with a gas, liquid or solid, e.g. frozen liquid, dielectric ([G01T 3/006](#) takes precedence)}
- G01T 3/02 . by shielding other radiation
- G01T 3/04 . using calorimetric devices
- G01T 3/06 . with scintillation detectors
- G01T 3/065 .. { Spectrometry }
- G01T 3/08 . with semiconductor detectors (semiconductor detectors per se [H01L 31/00](#))
- G01T 3/085 .. { Spectrometry }

G01T 5/00 **Recording of movements or tracks of particles** ([spark chambers H01J 47/00](#));
Processing or analysis of such tracks

- G01T 5/002 . { using a combination of several movement of track recording devices (detectors associated with recording chambers and only serving to trigger these chambers, see the appropriate groups of the chamber e.g. [G01T 5/04](#) - [G01T 5/08](#) ; see provisionally also [G01T 5/00](#) and other sub-groups)}
- G01T 5/004 . { Non-electrical readout of multi-wire or parallel-plate chambers (non-electrical readout in such chambers per se [H01J 47/22](#))}
- G01T 5/006 .. { by optical methods }
- G01T 5/008 .. { by acoustical methods }

- G01T 5/02 . Processing of tracks; Analysis of tracks
- G01T 5/04 . Cloud chambers, e.g. Wilson chamber
- G01T 5/06 . Bubble chambers
- G01T 5/08 . Scintillation chambers (discharge tubes [H01J 40/00](#) , [H01J 47/00](#) ; semiconductor devices [H01L](#))
- G01T 5/10 . Plates or blocks in which tracks or nuclear particles are made visible by after-treatment, e.g. using photographic emulsion, using mica
- G01T 5/12 . Circuit arrangements with multi-wire or parallel-plate chambers, e.g. spark chambers (tubes per se [H01J 47/00](#))
- G01T 5/122 . . { for readout of each individual wires; (readout in such chambers per se [H01J 47/16](#)); for processing the output signals }
- G01T 5/125 . . . { by using delay lines }
- G01T 5/127 { by using magnetostrictive delay lines }

- G01T 7/00 Details of radiation-measuring instruments**
- G01T 7/005 . { calibration techniques (stabilization of spectrometer [G01T 1/40](#))}
- G01T 7/02 . Collecting means for receiving or storing samples to be investigated { and possibly directly transporting the samples to the measuring arrangement; particularly for investigating radioactive fluids (sampling, preparing specimens for investigation in general [G01N 1/00](#) , [G01N 1/02](#) ; shielded cells or rooms structurally combined with manipulative devices [G21F](#) ; measuring of chromatographically separated samples [G01N 30/00](#) to [G01N 30/96](#))}
- G01T 7/04 . . by filtration
- G01T 7/06 . . by electrostatic precipitation ([G01T 7/04](#) takes precedence)
- G01T 7/08 . Means for conveying samples received {(i.e. sample changers [G01N 35/00](#))}
- G01T 7/10 . . using turntables
- G01T 7/12 . Provision for actuation of an alarm
- G01T 7/125 . . { Alarm- or controlling circuits using ionisation chambers, proportional counters or Geiger-Mueller tubes, also functioning as UV detectors (measuring radiation intensity with counting tubes [G01T 1/18](#) ; measuring radiation intensity with ionisation chambers [G01T 1/185](#) ; fire alarms actuated by presence of radiation of particles, e.g. of infra-red radiation, of ions [G08B 17/11](#) ; flame monitoring in combustion devices [F23Q 7/00](#) , [F23N](#) ; discharge tubes per se [H01J 47/00](#))}