

CPC**COOPERATIVE PATENT CLASSIFICATION****F25D****REFRIGERATORS; COLD ROOMS; ICE-BOXES; COOLING OR FREEZING APPARATUS NOT COVERED BY ANY OTHER SUBCLASS**

refrigerated show cases [A47F 3/04](#) ; thermally-insulated vessels for domestic use [A47J 41/00](#) ; refrigerated vehicles, see the appropriate subclasses of classes [B60](#) to [B64](#) ; containers with thermal insulation in general [B65D 81/38](#) ; heat-transfer, heat-exchange or heat-storage materials, e.g. refrigerants, or materials for the production of heat or cold by chemical reactions other than by combustion [C09K 5/00](#) ; thermally-insulated vessels for liquefied or solidified gases [F17C](#) ; air-conditioning or air-humidification [F24F](#) ; refrigeration machines, plants or systems [F25B](#) ; cooling of instruments and comparable apparatus without refrigeration [G12B](#) ; cooling of engines or pumps, see the relevant classes)

NOTE

In this subclass, the following term is used with the meaning indicated:

- "device" means an enclosed space to be cooled; such devices being associated either with refrigerating machinery, e.g. in a refrigerator, or with other cold sources, e.g. in an ice-box.

Attention is drawn to Note (2) following the title of subclass [F24F](#) .

Guidance heading: Devices not associated with refrigerating machinery**F25D 1/00****Devices using naturally cold air or cold water**

F25D 1/02

- . using naturally cold water, e.g. household tap water

F25D 3/00**Devices using other cold materials; Devices using cold-storage bodies**

F25D 3/005

- . {combined with heat exchangers}

F25D 3/02

- . using ice, e.g. ice-boxes

F25D 3/04

- .. Stationary cabinets

F25D 3/045

- ... {Details}

F25D 3/06

- .. Movable containers

F25D 3/08

- ... portable, i.e. adapted to be carried personally

F25D 3/10

- . using liquefied gases, e.g. liquid air{(for cooling semiconductor devices [H01L 23/445](#))}

F25D 3/102

- .. {Stationary cabinets}

F25D 3/105

- .. {Movable containers}

F25D 3/107

- .. {portable, i.e. adapted to be carried personally}

F25D 3/11

- .. with conveyers carrying articles to be cooled through the cooling space

F25D 3/12

- . using solidified gases, e.g. carbon-dioxide snow

F25D 3/122	.. {Stationary cabinets}
F25D 3/125	.. {Movable containers}
F25D 3/127	.. {Stationary devices with conveyers carrying articles to be cooled through the cooling space}
F25D 3/14	.. portable, i.e. adapted to be carried personally
F25D 5/00	Devices using endothermic chemical reactions, e.g. using frigorific mixtures
F25D 5/02	. portable, i.e. adapted to be carried personally
F25D 7/00	Devices using evaporation effects without recovery of the vapour(butter or cheese dishes with cooling devices A47G 19/26)
F25D 9/00	Devices not covered by groups F25D 1/00 to F25D 7/00 ; Combinations of devices covered by two or more of the groups F25D 1/00 to F25D 7/00
F25D 9/005	. {using fluorinated halogenous hydrocarbons}
Guidance heading:	<u>Devices associated with refrigerating machinery</u>
F25D 11/00	Self-contained movable devices, e.g. domestic refrigerator
F25D 11/003	. {Transport containers}
F25D 11/006	. {with cold storage accumulators}
F25D 11/02	. with cooling compartments at different temperatures
F25D 11/022	.. {with two or more evaporators}
F25D 11/025	.. {using primary and secondary refrigeration systems}
F25D 11/027	.. {of the sorption cycle type}
F25D 11/04	. specially adapted for storing deep-frozen articles(F25D 11/02 takes precedence)
F25D 13/00	Stationary devices, e.g. cold-rooms
F25D 13/02	. with several cooling compartments, e.g. refrigerated locker systems
F25D 13/04	.. the compartments being at different temperatures
F25D 13/06	. with conveyers carrying articles to be cooled through the cooling space
F25D 13/062	.. {with refrigerated conveyers}
F25D 13/065	.. {Articles being submerged in liquid coolant}
F25D 13/067	.. {with circulation of gaseous cooling fluid}
F25D 15/00	Devices not covered by group F25D 11/00 or F25D 13/00 , e.g. non-self-contained movable devices
F25D 16/00	Devices using a combination of a cooling mode associated with refrigerating machinery with a cooling mode not associated with refrigerating machinery
Guidance heading:	<u>Details or features of the devices covered by groups F25D 1/00 to F25D 16/00</u>
F25D 17/00	Arrangements for circulating cooling fluids; Arrangements for circulating gas, e.g. air, within refrigerated spaces

- F25D 17/005 . {in cold rooms}
- F25D 17/02 . for circulating liquids, e.g. brine
- F25D 17/04 . for circulating air, e.g. by convection
- F25D 17/042 .. {Air treating means within refrigerated spaces(air conditioning in general [F24F](#))}
- F25D 17/045 ... {Air flow control arrangements}
- F25D 17/047 ... {Pressure equalising devices}
- F25D 17/06 .. by forced circulation
- F25D 17/062 ... {in household refrigerators}
- F25D 17/065 {with compartments at different temperatures}
- F25D 17/067 ... {Evaporator fan units}
- F25D 17/08 ... using ducts

- F25D 19/00** **Arrangement or mounting of refrigeration units with respect to devices{or objects to be refrigerated, e.g. infra-red detectors}**
- F25D 19/003 . {with respect to movable containers}
- F25D 19/006 . {Thermal coupling structure or interface}
- F25D 19/02 . plug-in type
- F25D 19/04 . with more than one refrigeration unit

- F25D 21/00** **Defrosting; Preventing frosting; Removing condensed or defrost water(removing ice or water from heat-exchange apparatus in general [F28F 17/00](#) ; heating arrangements specially adapted for transparent or reflecting areas [H05B 3/84](#))**
- F25D 21/002 . {Defroster control}
- F25D 21/004 .. {Control mechanisms([F25D 21/006](#) takes precedence)}
- F25D 21/006 .. {with electronic control circuits}
- F25D 21/008 .. {by timer}
- F25D 21/02 . Detecting the presence of frost or condensate
- F25D 21/025 .. {using air pressure differential detectors}
- F25D 21/04 . Preventing the formation of frost or condensate
- F25D 21/06 . Removing frost(defrosting cycles [F25B 47/02](#))
- F25D 21/065 .. {by mechanical means}
- F25D 21/08 .. by electric heating
- F25D 21/10 .. by spraying with fluid
- F25D 21/12 .. by hot-fluid circulating system separate from the refrigerant system
- F25D 21/125 ... {the hot fluid being ambient air}
- F25D 21/14 . Collecting or removing condensed and defrost water; Drip trays

- F25D 23/00** **General constructional features([F25D 21/00](#) takes precedence)**
- F25D 23/003 . {for cooling refrigerating machinery}
- F25D 23/006 . {for mounting refrigerating machinery components}
- F25D 23/02 . Doors; Covers([F25D 23/08](#) takes precedence) { locks or fastenings [E05B 65/0042](#) }
- F25D 23/021 .. {Sliding doors}

F25D 23/023	.. {Air curtain closures}
F25D 23/025	.. {Secondary closures}
F25D 23/026	.. {for open-top cabinets}
F25D 23/028	.. {Details}
F25D 23/04	.. with special compartments, e.g. butter conditioners
F25D 23/06	. Walls(F25D 23/08 takes precedence; containers with thermal insulation B65D 81/38)
F25D 23/061	.. {with conduit means}
F25D 23/062	.. {defining a cabinet}
F25D 23/063	... {formed by an assembly of panels}
F25D 23/064	... {formed by moulding, e.g. moulding in situ}
F25D 23/065	.. {Details}
F25D 23/066	... {Liners}
F25D 23/067	... {Supporting elements}
F25D 23/068	... {Arrangements for circulating fluids through the insulating material}
F25D 23/069	.. {Cooling space dividing partitions}
F25D 23/08	. Parts formed wholly or mainly of plastics materials
F25D 23/082	.. {Strips}

NOTE

When a document describes both breaking and sealing strips it is classified in group [F25D 23/082](#) only.

F25D 23/085	... {Breaking strips}
F25D 23/087	... {Sealing strips}
F25D 23/10	. Arrangements for mounting in particular locations, e.g. for built-in type, for corner type
F25D 23/12	. Arrangements of compartments additional to cooling compartments; Combinations of refrigerators with other equipment, e.g. stove
F25D 23/123	.. {Butter compartment}
F25D 23/126	.. {Water cooler}

F25D 25/00**Charging, supporting, and discharging the articles to be cooled**

F25D 25/005	. {using containers}
F25D 25/02	. by shelves
F25D 25/021	.. {combined with trays}
F25D 25/022	.. {Baskets}
F25D 25/024	.. {Slidable shelves}
F25D 25/025	... {Drawers}
F25D 25/027	.. {Rotatable shelves}
F25D 25/028	.. {Cooled supporting means}
F25D 25/04	. by conveyers(in general B65G)

F25D 27/00**Lighting arrangements(in general [F21](#))**

F25D 27/005 . {combined with control means}

F25D 29/00

Arrangement or mounting of control or safety devices

F25D 29/001 . {for cryogenic fluid systems}

F25D 29/003 . {for movable devices}

F25D 29/005 . {Mounting of control devices}

F25D 29/006 . {Safety devices}

F25D 29/008 . {Alarm devices}

F25D 31/00

Other cooling or freezing apparatus

F25D 31/001 . {Plate freezers}

F25D 31/002 . {Liquid coolers, e.g. beverage cooler(receptacle coolers [F25D 31/006](#))}

F25D 31/003 . . {with immersed cooling element}

F25D 31/005 . {Combined cooling and heating devices}

F25D 31/006 . {specially adapted for cooling receptacles, e.g. tanks}

F25D 31/007 . . {Bottles or cans}

F25D 31/008 . . {Drinking glasses}

F25D 2201/00

Insulation

F25D 2201/10 . with respect to heat

F25D 2201/12 . . using an insulating packing material

F25D 2201/122 . . . of loose fill type

F25D 2201/124 . . . of fibrous type

F25D 2201/126 . . . of cellular type

F25D 2201/1262 with open cells

F25D 2201/128 . . . of foil type

F25D 2201/1282 with reflective foils

F25D 2201/14 . . using subatmospheric pressure

F25D 2201/30 . with respect to sound

F25D 2230/00

F25D 2240/00

F25D 2250/00

F25D 2260/00

F25D 2270/00

F25D 2300/00

Special arrangements or features for refrigerators; cold rooms; ice-boxes; Cooling or freezing apparatus not covered by any other subclass

F25D 2303/00	{Details of devices using other cold materials; Details of devices using cold-storage bodies}
F25D 2303/08	. Devices using cold storage material, i.e. ice or other freezable liquid
F25D 2303/081	.. using ice cubes or crushed ice
F25D 2303/082	.. disposed in a cold storage element not forming part of a container for products to be cooled , e.g. ice pack or gel accumulator
F25D 2303/0821	... the element placed in a compartment which can be opened without the need of opening the container itself
F25D 2303/0822	... Details of the element
F25D 2303/08221 Fasteners or fixing means for the element
F25D 2303/08222 Shape of the element
F25D 2303/08223 having the shape of an ice cube
F25D 2303/083	.. using cold storage material disposed in closed wall forming part of a container for products to be cooled
F25D 2303/0831	... the liquid is disposed in the space between the walls of the container
F25D 2303/0832	... the liquid is disposed in an accumulator pack locked in a closable wall forming part of the container
F25D 2303/084	.. Position of the cold storage material in relationship to a product to be cooled
F25D 2303/0841	... external to the container for a beverage, e.g. a bottle, can, drinking glass or pitcher
F25D 2303/0842	... inside the beverage contained in a bottle, can, drinking glass, pitcher or dispenser
F25D 2303/0843	... on the side of the product
F25D 2303/0844	... above the product
F25D 2303/0845	... below the product
F25D 2303/0846	... around the neck of a bottle
F25D 2303/085	.. Compositions of cold storage materials
F25D 2317/00	{Details or arrangements for circulating cooling fluids; Details or arrangements for circulating gas, e.g. air, within refrigerated spaces, not provided for in other groups of this subclass}
F25D 2317/04	. Treating air flowing to refrigeration compartments
F25D 2317/041	.. by purification
F25D 2317/0411	... by dehumidification
F25D 2317/04111 Control means therefor
F25D 2317/0413	... by humidification
F25D 2317/04131 Control means therefor
F25D 2317/0415	... by deodorizing
F25D 2317/0416	... using an ozone generator
F25D 2317/0417	... using an UV-lamp
F25D 2317/043	.. by creating a vacuum in a storage compartment
F25D 2317/06	. with forced air circulation

F25D 2317/061	..	through special compartments
F25D 2317/062	..	along the inside of doors
F25D 2317/063	..	with air guides
F25D 2317/065	..	characterised by the air return
F25D 2317/0651	...	through the bottom
F25D 2317/0652	...	through the corner
F25D 2317/0653	...	through the mullion
F25D 2317/0654	...	through the side
F25D 2317/0655	...	through the top
F25D 2317/066	..	characterised by the air supply
F25D 2317/0661	...	from the bottom
F25D 2317/0662	...	from the corner
F25D 2317/0663	...	from the mullion
F25D 2317/0664	...	from the side
F25D 2317/0665	...	from the top
F25D 2317/0666	...	from the freezer
F25D 2317/0667	...	from the refrigerator
F25D 2317/067	..	characterised by air ducts
F25D 2317/0671	...	Inlet ducts
F25D 2317/0672	...	Outlet ducts
F25D 2317/068	..	characterised by the fans
F25D 2317/0681	...	Details thereof
F25D 2317/0682	...	Two or more fans
F25D 2317/0683	...	the fans not of the axial type
F25D 2317/0684	...	the fans allowing rotation in reverse direction
F25D 2321/00		{Details or arrangements for defrosting; Preventing frosting; Removing condensed or defrost water, not provided for in other groups of this subclass}
F25D 2321/14	.	Collecting condense or defrost water; Removing condense or defrost water
F25D 2321/141	..	Removal by evaporation
F25D 2321/1411	...	using compressor heat
F25D 2321/1412	...	using condenser heat or heat of desuperheaters
F25D 2321/1413	...	using heat from electric elements or using an electric field for enhancing removal
F25D 2321/142	..	characterised by droplet guides
F25D 2321/143	..	characterised by means to fix, clamp, or connect water pipes or evaporation trays
F25D 2321/144	..	characterised by the construction of drip water collection pans
F25D 2321/1441	...	inside a refrigerator
F25D 2321/1442	...	outside a refrigerator
F25D 2321/145	..	characterised by multiple collecting pans
F25D 2321/146	..	characterised by the pipes or pipe connections

F25D 2321/147	.. characterised by capillary, wick, adsorbent, or evaporation elements
F25D 2323/00	{General constructional features not provided for in other groups of this subclass}
F25D 2323/0011	. Means for leveling refrigerators
F25D 2323/002	. Details for cooling refrigerating machinery
F25D 2323/0021	.. using air guides
F25D 2323/0022	.. using multiple air flows
F25D 2323/0023	.. Control of the air flow cooling refrigerating machinery
F25D 2323/0024	.. Filters in the air flow cooling refrigerating machinery
F25D 2323/0026	.. characterised by the incoming air flow
F25D 2323/00261	... through the back bottom side
F25D 2323/00262	... through the back top side
F25D 2323/00263	... through the back corner side
F25D 2323/00264	... through the front bottom part
F25D 2323/00265	... through the front top part
F25D 2323/00266	... through the bottom
F25D 2323/00267	... through the side
F25D 2323/00268	... through the top
F25D 2323/0027	.. characterised by the out-flowing air
F25D 2323/00271	... from the back bottom
F25D 2323/00272	... from the back top
F25D 2323/00273	... from the back corner
F25D 2323/00274	... from the front bottom
F25D 2323/00275	... from the front top
F25D 2323/00276	... from the bottom
F25D 2323/00277	... from the side
F25D 2323/00278	... from the top
F25D 2323/0028	.. characterised by the fans
F25D 2323/00281	... Two or more fans
F25D 2323/00282	... the fans not of the axial type
F25D 2323/00283	... the fans allowing rotation in reverse direction
F25D 2323/00284	... Details thereof
F25D 2323/02	. Details of doors or covers not otherwise covered
F25D 2323/021	.. French doors
F25D 2323/022	.. Doors that can be pivoted either left-handed or right-handed
F25D 2323/023	.. Door in door constructions
F25D 2323/024	.. Door hinges
F25D 2323/06	. Details of walls not otherwise covered
F25D 2323/061	.. Collapsible walls
F25D 2323/062	.. Inflatable walls

F25D 2323/121	. the refrigerator is characterised by a water filter for the water/ice dispenser
F25D 2323/122	. the refrigerator is characterised by a water tank for the water/ice dispenser
F25D 2325/00	{Charging, supporting or discharging the articles to be cooled, not provided for in other groups of this subclass}
F25D 2325/021	. Shelves with several possible configurations
F25D 2325/022	. Shelves made of glass or ceramic
F25D 2325/023	. Shelves made of wires
F25D 2327/00	{Lighting arrangements not provided for in other groups of this subclass}
F25D 2327/001	. Lighting arrangements on the external side of the refrigerator, freezer or cooling box
F25D 2331/00	{Details or arrangements of other cooling or freezing apparatus not provided for in other groups of this subclass}
F25D 2331/80	. Type of cooled receptacles
F25D 2331/801	.. Bags
F25D 2331/8011	... to be carried on the back of a person
F25D 2331/8012	... for cosmetics
F25D 2331/8013	... for playing golf
F25D 2331/8014	... for medical use
F25D 2331/8015	... Pouches
F25D 2331/802	.. Barrels
F25D 2331/803	.. Bottles
F25D 2331/804	.. Boxes
F25D 2331/8041	... for drinking
F25D 2331/805	.. Cans
F25D 2331/8051	... for holding milk
F25D 2331/806	.. Dispensers
F25D 2331/807	.. Eggs
F25D 2331/808	.. Glasses
F25D 2331/809	.. Holders
F25D 2331/81	.. Pitchers
F25D 2331/811	.. Pour-throughs
F25D 2331/812	.. Trays
F25D 2400/00	General features of, or devices for refrigerators, cold rooms, ice-boxes, or for cooling or freezing apparatus not covered by any other subclass
F25D 2400/02	. Refrigerators including a heater
F25D 2400/04	. Refrigerators with a horizontal mullion
F25D 2400/06	. Refrigerators with a vertical mullion
F25D 2400/08	. Refrigerator tables
F25D 2400/10	. Refrigerator top-coolers

F25D 2400/12	. Portable refrigerators
F25D 2400/14	. Refrigerator multi units
F25D 2400/16	. Convertible refrigerators
F25D 2400/18	. Aesthetic features
F25D 2400/20	. Carts specially adapted for transporting objects to be cooled
F25D 2400/22	. Cleaning means for refrigerating devices
F25D 2400/24	. Protection against refrigerant explosions
F25D 2400/26	. Refrigerating devices for cooling wearing apparel, e.g. garments, hats, shoes or gloves.
F25D 2400/28	. Quick cooling
F25D 2400/30	. Quick freezing
F25D 2400/32	. Removal, transportation or shipping of refrigerating devices from one location to another
F25D 2400/34	. Temperature balancing devices
F25D 2400/36	. Visual displays
F25D 2400/361	. . Interactive visual displays
F25D 2400/38	. Refrigerating devices characterised by wheels
F25D 2400/40	. Refrigerating devices characterised by electrical wiring
F25D 2500/00	Problems to be solved
F25D 2500/02	. Geometry problems
F25D 2500/04	. Calculation of parameters
F25D 2500/06	. Stock management
F25D 2600/00	Control issues
F25D 2600/02	. Timing
F25D 2600/04	. Controlling heat transfer
F25D 2600/06	. Controlling according to a predetermined profile
F25D 2700/00	Means for sensing or measuring; Sensors therefor
F25D 2700/02	. Sensors detecting door opening
F25D 2700/04	. Sensors detecting the presence of a person
F25D 2700/06	. Sensors detecting the presence of a product
F25D 2700/08	. Sensors using Radio Frequency Identification (RFID)
F25D 2700/10	. Sensors measuring the temperature of the evaporator
F25D 2700/12	. Sensors measuring the inside temperature
F25D 2700/121	. . of particular compartments
F25D 2700/122	. . of freezer compartments
F25D 2700/123	. . more than one sensor measuring the inside air temperature in a compartment
F25D 2700/14	. Sensors measuring the temperature outside the refrigerator or freezer
F25D 2700/16	. Sensors measuring the temperature of products