

CPC**COOPERATIVE PATENT CLASSIFICATION****B29B****PREPARATION OR PRETREATMENT OF THE MATERIAL TO BE SHAPED; MAKING GRANULES OR PREFORMS; RECOVERY OF PLASTICS OR OTHER CONSTITUENTS OF WASTE MATERIAL CONTAINING PLASTICS****B29B 7/00**

Mixing; Kneading ({for preparation of dough [A21C 1/00](#);} in general [B01F](#); combined with calendaring [B29C 43/24](#), with injection [B29C 45/46](#), with extrusion [B29C 47/36](#))

B29B 7/002

. {Methods (chemical aspects [C08J 3/00](#))}

B29B 7/005

.. {for mixing in batches}

B29B 7/007

.. {for continuous mixing}

B29B 7/02

. non-continuous, with mechanical mixing or kneading devices, i.e. batch type

B29B 7/04

.. with non-movable mixing or kneading devices

B29B 7/06

.. with movable mixing or kneading devices

B29B 7/08

... shaking, oscillating or vibrating

B29B 7/085

.... {by means of axially movable pistons}

B29B 7/10

... rotary

B29B 7/103

.... {with rollers or the like in casings}

B29B 7/106

.... {using rotary casings}

B29B 7/12

.... with single shaft

B29B 7/125

..... {having a casing closely surrounding the rotor, e.g. for masticating rubber (with more than one shaft [B29B 7/183](#)); Rotors therefor ([B29B 7/14](#), [B29B 7/16](#) take precedence)}

B29B 7/14

..... with screw or helix

B29B 7/16

..... with paddles or arms

B29B 7/18

.... with more than one shaft

B29B 7/183

..... {having a casing closely surrounding the rotors, e.g. of Banbury type (with single shaft [B29B 7/125](#))}

B29B 7/186

..... {Rotors therefor}

B29B 7/20

..... with intermeshing devices, e.g. screws

B29B 7/22

.. Component parts, details or accessories; Auxiliary operations

B29B 7/24

... for feeding

B29B 7/242

.... {in measured doses}

B29B 7/244

..... {of several materials}

B29B 7/246

.... {in mixers having more than one rotor and a casing closely surrounding the rotors, e.g. with feeding plungers}

B29B 7/248

.... {with plungers for introducing the material, e.g. from below ([B29B 7/246](#) takes precedence)}

B29B 7/26

... for discharging, e.g. doors

B29B 7/263

.... {from the underside in mixers having more than one rotor and a casing closely surrounding the rotors}

B29B 7/266	{using sliding doors}
B29B 7/28	...	for measuring, controlling or regulating, e.g. viscosity control {(B29B 7/242 takes precedence)}
B29B 7/283	{measuring data of the driving system, e.g. torque, speed, power}
B29B 7/286	{measuring properties of the mixture, e.g. temperature, density (B29B 7/283 takes precedence)}
B29B 7/30	.	continuous, with mechanical mixing or kneading devices
B29B 7/32	..	with non-movable mixing or kneading devices
B29B 7/325	...	{Static mixers (in general B01F 5/0602)}
B29B 7/34	..	with movable mixing or kneading devices
B29B 7/36	...	shaking, oscillating or vibrating
B29B 7/365	{by means of axially movable pistons}
B29B 7/38	...	rotary (B29B 7/52 takes precedence)
B29B 7/385	{fluid mixers}
B29B 7/40	with single shaft
B29B 7/401	{having a casing closely surrounding the rotor, e.g. with a plunger for feeding the material (B29B 7/407, B29B 7/42 take precedence)}
B29B 7/402	{using a rotor-stator system with intermeshing elements, e.g. teeth (B29B 7/408, B29B 7/404 take precedence)}
B29B 7/404	{with feeding or valve actuating means, e.g. with cleaning means}
B29B 7/405	{Mixing heads (B29B 7/404, B29B 7/42 take precedence; mixing heads without moving stirrer B29B 7/7457)}
B29B 7/407	{with a casing closely surrounding the rotor, e.g. with conical rotor}
B29B 7/408	{with mixing elements on a rotor co-operating with mixing elements, perpendicular to the axis of the rotor, fixed on a stator}
B29B 7/42	with screw or helix
B29B 7/421	{with screw and additionally other mixing elements on the same shaft, e.g. paddles, discs, bearings, rotor blades of the Banbury type}
B29B 7/422	{with screw sections co-operating, e.g. intermeshing, with elements on the wall of the surrounding casing}
B29B 7/423	{and oscillating axially (in general B01F 11/0057)}
B29B 7/424	{with conical screw surrounded by conical casing}
B29B 7/425	{with screw surrounded by a casing provided with grooves or cavities}
B29B 7/426	{with consecutive casings or screws, e.g. for charging, discharging, mixing}
B29B 7/427	{with independently driven screws rotating about the same axis, e.g. oscillating axially; with axially oscillating screws (B29B 7/423 takes precedence)}
B29B 7/428	{ Parts or accessories, e.g. casings, feeding or discharging means}
B29B 7/429	{Screws(B29B 7/421 takes precedence)}
B29B 7/44	with paddles or arms
B29B 7/46	with more than one shaft

B29B 7/465	{each shaft comprising rotor parts of the Banbury type in addition to screw parts}
B29B 7/48	with intermeshing devices, e.g. screws
B29B 7/481	{provided with paddles, gears or discs (B29B 7/482 takes precedence)}
B29B 7/482	{provided with screw parts in addition to other mixing parts, e.g. paddles, gears, discs}
B29B 7/483	{the other mixing parts being discs perpendicular to the screw axis}
B29B 7/484	{with two shafts provided with screws, e.g. one screw being shorter than the other (B29B 7/482 takes precedence)}
B29B 7/485	{with three or more shafts provided with screws}
B29B 7/486	{with screws surrounded by a casing provided with grooves or cavities}
B29B 7/487	{with consecutive casings or screws, e.g. for feeding, discharging, mixing}
B29B 7/488	{Parts, e.g. casings, sealings; Accessories, e.g. flow controlling or throttling devices (discharging B29B 7/582 ; feeding B29B 7/60)}
B29B 7/489	{Screws (B29B 7/482 takes precedence)}
B29B 7/50	with rotary casing
B29B 7/52	...	with rollers or the like, e.g. calenders
B29B 7/523	{co-operating with casings}
B29B 7/526	{with two or more rollers}
B29B 7/54	with a single roller co-operating with a stationary member {other than the casing}
B29B 7/56	with co-operating rollers{e.g. with repeated action, i.e. the material leaving a set of rollers being reconducted to the same set or being conducted to a next set}
B29B 7/562	{with means for axially moving the material on the rollers}
B29B 7/564	{at least one of the rollers being provided with helicoidal grooves or ridges, e.g. followed by axial extrusion}
B29B 7/566	{provided with means to take material away from a set of rollers and to reconduct it to the same set; provided with endless belts, e.g. which can be in or out of cooperation with at least one of the rollers}
B29B 7/568	{with consecutive sets of rollers or a train of rollers}
B29B 7/58	..	Component parts, details or accessories; Auxiliary operations
B29B 7/582	...	{for discharging, e.g. doors}
B29B 7/584	...	{for mixers with rollers, e.g. wedges, guides, pressing means, thermal conditioning}
B29B 7/586	{Drives}
B29B 7/588	{cutting devices, e.g. movable cutting devices (scrapers for stripping the material from rollers B29B 7/645)}
B29B 7/60	...	for feeding, e.g. end guides for the incoming material {(B29B 7/7615 takes precedence; feeding predetermined amounts for mixing in general B01F 15/0216)}
B29B 7/603	{in measured doses, e.g. proportioning of several materials}

B29B 7/606	{specially adapted for feeding calenders or the like}
B29B 7/62	...	Rollers, e.g. with grooves (B29B 7/564 takes precedence)
B29B 7/625	{provided with cooling or heating means}
B29B 7/64	...	Stripping the material from the rollers
B29B 7/645	{by means of a scraper moving in the axial direction of the rollers}
B29B 7/66	...	Recycling the material {(B29B 7/566 takes precedence)}
B29B 7/68	...	Positioning of rollers
B29B 7/70	...	Conditioning of rollers, e.g. cleaning
B29B 7/72	...	Measuring, controlling or regulating
B29B 7/722	{Safety devices}
B29B 7/724	{for continuous roller mixers, e.g. calenders (B29B 7/722 takes precedence)}
B29B 7/726	{Measuring properties of mixture, e.g. temperature or density (B29B 7/724 takes precedence)}
B29B 7/728	{Measuring data of the driving system, e.g. torque, speed, power, vibration (B29B 7/724 takes precedence)}
B29B 7/74	.	using other mixers or combinations of {mixers, e.g. of} dissimilar mixers; {Plant}
B29B 7/7404	..	{Mixing devices specially adapted for foamable substances (B29B 7/76 takes precedence)}
B29B 7/7409	...	{with supply of gas}
B29B 7/7414	{with rotatable stirrer, e.g. using an intermeshing rotor-stator system (B29B 7/7423 takes precedence)}
B29B 7/7419	{with static or injector mixer elements}
B29B 7/7423	{preceded or followed by rotatable stirring device}
B29B 7/7428	{Methodical aspects}
B29B 7/7433	...	{Plants}
B29B 7/7438	..	{Mixing guns, i.e. hand-held mixing units having dispensing means (B29B 7/761 , B29B 7/7678 take precedence)}
B29B 7/7442	...	{with driven stirrer}
B29B 7/7447	...	{including means for feeding the components}
B29B 7/7452	...	{for mixing components by spraying them into each other; for mixing by intersecting sheets}
B29B 7/7457	..	{Mixing heads without moving stirrer (B29B 7/7438 , B29B 7/76 take precedence)}
B29B 7/7461	..	{Combinations of dissimilar mixers}
B29B 7/7466	..	{Combinations of similar mixers}
B29B 7/7471	..	{Mixers in which the mixing takes place at the inlet of a mould, e.g. mixing chambers situated in the mould opening}
B29B 7/7476	..	{Systems, i.e. flow charts or diagrams; Plants}
B29B 7/748	...	{Plants (B29B 7/7433 , B29B 7/7485 , B29B 7/7495 take precedence)}
B29B 7/7485	...	{with consecutive mixers, e.g. with premixing some of the components}
B29B 7/749	{with stirring means for the individual components before they are mixed together}
B29B 7/7495	...	{for mixing rubber}

B29B 7/76	..	{Mixers} with stream-impingement mixing head
B29B 7/7605	...	{having additional mixing arrangements (B29B 7/7673 takes precedence)}
B29B 7/761	...	{of gun-type, i.e. hand-held units having dispensing means (B29B 7/7678 takes precedence)}
B29B 7/7615	...	{characterised by arrangements for controlling, measuring or regulating, e.g. for feeding or proportioning the components}
B29B 7/7621	{involving introducing a gas or another component in at least one of the components}
B29B 7/7626	{using measuring chambers of piston or plunger type (B29B 7/7621 takes precedence; for mixing in general B01F 15/0454)}
B29B 7/7631	...	{Parts; Accessories (B29B 7/7684 takes precedence)}
B29B 7/7636	{ Construction of the feed orifices, bores, ports}
B29B 7/7642	{ Adjustable feed orifices, e.g. for controlling the rate of feeding}
B29B 7/7647	{ Construction of the mixing conduit module or chamber part}
B29B 7/7652	{ Construction of the discharge orifice, opening or nozzle}
B29B 7/7657	{ Adjustable discharge orifices, openings or nozzle openings, e.g. for controlling the rate of dispensing}
B29B 7/7663	...	{the mixing head having an outlet tube with a reciprocating plunger, e.g. with the jets impinging in the tube}
B29B 7/7668	{having a second tube intersecting the first one with the jets impinging in the second tube}
B29B 7/7673	{having additional mixing arrangements (B29B 7/7668 takes precedence)}
B29B 7/7678	{of the gun type, i.e. hand-held units}
B29B 7/7684	{Parts; Accessories}
B29B 7/7689	{ Plunger constructions}
B29B 7/7694	{ comprising recirculation channels; ducts formed in the plunger}
B29B 7/78	..	by gravity, e.g. falling particle mixers
B29B 7/80	.	Component parts, details or accessories; Auxiliary operations (B29B 7/22 , B29B 7/58 take precedence, {cleaning mixers B01F 15/00019 })
B29B 7/801	..	{Valves}
B29B 7/802	..	{ Constructions or methods for cleaning the mixing or kneading device (cleaning in general B08B)}
B29B 7/803	...	{ Cleaning of mixers of the gun type, stream-impigement type, mixing heads}
B29B 7/805	{ Cleaning of the mixing conduit, module or chamber part}
B29B 7/806	{ Cleaning of the discharge opening, e.g. orifice of the dispenser}
B29B 7/807	{ Cleaning of the central body of the plunger}
B29B 7/808	{ Cleaning of the plunger tip}
B29B 7/82	..	Heating or cooling
B29B 7/823	...	{Temperature control}
B29B 7/826	...	{Apparatus therefor}
B29B 7/84	..	Venting or degassing {;Removing liquids, e.g. by evaporating components}
B29B 7/842	...	{Removing liquids in liquid form}

- B29B 7/845 . . . {Venting, degassing or removing evaporated components in devices with rotary stirrers}
- B29B 7/847 {Removing of gaseous components before or after mixing}
- B29B 7/86 . . for working at sub- or superatmospheric pressure {(B01F 13/06 takes precedence)}
- B29B 7/88 . . Adding charges, {i.e. additives}
- B29B 7/885 . . . {with means for treating, e.g. milling, the charges } (B29B 7/905 takes precedence)]
- B29B 7/90 . . . Fillers or reinforcements{e.g. fibres}
- B29B 7/905 {with means for pretreatment of the charges or fibres}
- B29B 7/92 Wood chips or wood fibres
- B29B 7/94 . . . Liquid charges
- B29B 7/945 {involving coating particles}

B29B 9/00**Making granules** (in general [B01J](#); chemical aspects [C08J 3/12](#))

- B29B 9/02 . by dividing preformed material
- B29B 9/04 . . in the form of plates or sheets
- B29B 9/06 . . in the form of filamentary material, e.g. combined with extrusion
- B29B 9/065 . . . {under-water, e.g. underwater pelletizers}
- B29B 9/08 . by agglomerating smaller particles
- B29B 9/10 . by moulding the material, i.e. treating it in the molten state
- B29B 9/12 . characterised by structure or composition
- B29B 2009/125 . . {Micropellets, microgranules, microparticles }
- B29B 9/14 . . fibre-reinforced
- B29B 9/16 . Auxiliary treatment of granules
- B29B 2009/161 . . {Absorbing, i.e. introducing a gas, a liquid or a solid material into the granules }
- B29B 2009/163 . . {Coating, i.e. applying a layer of liquid or solid material on the granule }
- B29B 2009/165 . . {Crystallizing granules}
- B29B 2009/166 . . {Deforming granules to give a special form, e.g. spheroidizing, rounding }
- B29B 2009/168 . . {Removing undesirable residual components, e.g. solvents, unreacted monomers; Degassing }

B29B 11/00**Making preforms** ([B29C 61/06](#) takes precedence; { combined with blow-moulding [B29C 49/02](#), with thermoforming [B29C 51/02](#); making preforms for manufacturing of light guides [B29D 11/00721](#)})

- B29B 11/02 . by dividing preformed material, e.g. sheets, rods
- B29B 11/04 . by assembling preformed material
- B29B 11/06 . by moulding the material
- B29B 11/08 . . Injection moulding
- B29B 11/10 . . Extrusion moulding
- B29B 11/12 . . Compression moulding
- B29B 11/14 . characterised by structure or composition

- B29B 11/16 . . comprising fillers or reinforcement {(non-woven fabrics per se [D04H 1/00](#), [D04H 3/00](#))}

- B29B 13/00** **Conditioning or physical treatment of the material to be shaped** (chemical aspects [C08J 3/00](#)) {heating, cooling or curing during shaping [B29C 35/00](#); Thermal after-treatment [B29C 71/02](#)}

- B29B 2013/002 . {Extracting undesirable residual components, e.g. solvents, unreacted monomers, from material to be moulded }
- B29B 2013/005 . {Degassing undesirable residual components, e.g. gases, unreacted monomers, from material to be moulded }
- B29B 13/007 . {Treatment of sinter powders}
- B29B 13/02 . by heating ([B29B 13/06](#), [B29B 13/08](#) take precedence)
- B29B 13/021 . . {Heat treatment of powders}
- B29B 13/022 . . {Melting the material to be shaped}
- B29B 13/023 . . {Half-products, e.g. films, plates}
- B29B 13/024 . . . {Hollow bodies, e.g. tubes or profiles}
- B29B 13/025 {Tube ends}
- B29B 2013/026 . . . {Obtaining a uniform temperature over the whole surface of films or tubes }
- B29B 2013/027 . . . {Obtaining a temperature gradient over the surface of films or tubes }
- B29B 2013/028 . . . {Obtaining a temperature gradient across the wall thickness of plates or tubes }
- B29B 13/04 . by cooling {(cooling moulded articles or half products [B29C 35/16](#))}
- B29B 13/045 . . {of powders or pellets}
- B29B 13/06 . by drying ([B29B 13/08](#) takes precedence; {drying moulded articles or half products [B29C 37/0092](#))}
- B29B 13/065 . . {of powder or pellets}
- B29B 13/08 . by using wave energy or particle radiation
- B29B 13/10 . by grinding, e.g. by triturating; by sieving; by filtering

- B29B 15/00** **Pretreatment of the material to be shaped, not covered by groups [B29B 7/00](#) to [B29B 13/00](#)**

- B29B 15/02 . of crude rubber, gutta-percha, or similar substances (tapping latex [A01G](#); Chemical aspects [C08C](#))
- B29B 15/023 . . {Breaking up rubber bales}
- B29B 15/026 . . {Baling of rubber}
- B29B 15/04 . . Coagulating devices
- B29B 15/06 . . Washing devices
- B29B 15/08 . of reinforcements or fillers (chemical aspects [C08J](#), [K](#))
- B29B 15/10 . . Coating or impregnating {independently of the moulding or shaping step} (applying liquids in general [B05](#))

NOTE

Where the coating or impregnating is combined with moulding the documents are classified in [B29C 53/8066](#), [B29C 70/00](#)

- B29B 15/105 . . . { of reinforcement of definite length with a matrix in solid form e.g. powder, fibre or sheet form ([calendering B29C 70/506](#))}
- B29B 15/12 . . . of reinforcements of indefinite length
- B29B 15/122 {with a matrix in liquid form, e.g. as melt, solution or latex}
- B29B 15/125 {by dipping}
- B29B 15/127 {by spraying}
- B29B 15/14 of filaments or wires
- B29B 17/00** **Recovery of plastics or other constituents of waste material containing plastics; ({**
volume reduction of waste plastics, e.g. by mechanical compacting or melting disposal of
solid waste [B09B](#);} chemical recovery [C08J 11/00](#))
- B29B 17/0005 . {Direct recuperation and re-use of scrap material during moulding operation, i.e. feed-back of used material}
- B29B 2017/001 . {Pretreating the materials before recovery }
- B29B 2017/0015 . . {Washing, rinsing }
- B29B 2017/0021 . . {Dividing in large parts }
- B29B 17/0026 . {by agglomeration or compacting}
- B29B 2017/0031 . . {Melting the outer surface of compressed waste, e.g. for forming briquets by expelling the compressed waste material through a heated tool }
- B29B 17/0036 . . {of large particles, e.g. beads, granules, pellets, flakes, slices}
- B29B 17/0042 . . {for shaping parts, e.g. multilayered parts with at least one layer containing regenerated plastic}
- B29B 17/0047 . . {Compacting complete waste articles}
- B29B 17/0052 . . . {Hollow articles, e.g. bottles}
- B29B 2017/0057 {Externally powered deformation tools, e.g. tools being part of relatively big non domestic installations, powered by motors }
- B29B 2017/0063 {Manually driven deformation tools, e.g. tools being part of domestic installations }
- B29B 2017/0068 {Softening the hollow articles by heat and causing permanent deformation }
- B29B 2017/0073 {Removing caps or labels during deformation }
- B29B 2017/0078 {Maintaining the deflated state, e.g. by mounting original screw lids after deformation }
- B29B 2017/0084 {Deflating the hollow articles by vacuum; Details of the nozzles used in the vacuum generating devices. }
- B29B 2017/0089 . {Recycling systems, wherein the flow of products between producers, sellers and consumers includes at least a recycling step, e.g. the products being fed back to the sellers or to the producers for recycling purposes }
- B29B 2017/0094 . {Mobile recycling devices, e.g. devices installed in truck trailers }
- B29B 17/02 . Separating plastics from other materials
- B29B 2017/0203 . . {Separating plastics from plastics }
- B29B 17/0206 . . {Selectively separating reinforcements from matrix material by destroying the interface bound before desintegrating the matrix to particles or powder, e.g. from tires or belts}
- B29B 17/021 . . . {using local heating of the reinforcement}

B29B 2017/0213	..	{Specific separating techniques }
B29B 2017/0217	...	{Mechanical separating techniques; devices therefor }
B29B 2017/022	{Grippers, hooks, piercing needles, fingers, e.g. mounted on robots }
B29B 2017/0224	{Screens, sieves }
B29B 2017/0227	{Vibratory or shaking tables }
B29B 2017/0231	{Centrifugating, cyclones }
B29B 2017/0234	{using gravity, e.g. separating by weight differences in a wind sifter }
B29B 2017/0237	{using density difference }
B29B 2017/0241	{in gas, e.g. air flow }
B29B 2017/0244	{in liquids }
B29B 2017/0248	{Froth flotation, i.e. wherein gas bubbles are attached to suspended particles in an aerated liquid }
B29B 2017/0251	{Hydropulping for converting the material under the influence of water into a slurry, e.g. for separating laminated plastic from paper }
B29B 2017/0255	...	{using different melting or softening temperatures of the materials to be separated }
B29B 2017/0258	{using heated surfaces for selective softening or melting of at least one plastic ingredient }
B29B 2017/0262	...	{using electrical characteristics }
B29B 2017/0265	{Electrostatic separation }
B29B 2017/0268	...	{Separation of metals }
B29B 2017/0272	{Magnetic separation }
B29B 2017/0275	...	{using chemical sensors, e.g. analysing gasified constituents }
B29B 2017/0279	...	{Optical identification, e.g. cameras or spectroscopy }
B29B 2017/0282	...	{using information associated with the materials, e.g. labels on products }
B29B 2017/0286	...	{Cleaning means used for separation }
B29B 2017/0289	{Washing the materials in liquids }
B29B 2017/0293	...	{Dissolving the materials in gases or liquids }
B29B 2017/0296	{Dissolving the materials in aqueous alkaline solutions, e.g. NaOH or KOH }
B29B 17/04	.	Disintegrating plastics, { e.g. by milling } (B29B 9/02 , B29B 11/02 , B29B 13/10 , { B29B 17/02 } take precedence)
B29B 17/0404	..	{ to powder }
B29B 17/0408	...	{ using cryogenic systems }
B29B 17/0412	..	{ to large particles, e.g. beads, granules, flakes, slices }
B29B 2017/0416	..	{Cooling the plastics before disintegration, e.g. freezing }
B29B 2017/042	..	{Mixing disintegrated particles or powders with other materials, e.g. with virgin materials }
B29B 2017/0424	..	{Specific disintegrating techniques; devices therefor }
B29B 2017/0428	...	{Jets of high pressure fluid }
B29B 2017/0432	{Abrasive blasting, i.e. the jets being charged with abrasives }
B29B 2017/0436	...	{Immersion baths }
B29B 2017/044	...	{Knives }

B29B 2017/0444	...	{Cutting wires, e.g. vibrating wires }
B29B 2017/0448	...	{Cutting discs }
B29B 2017/0452	{the discs containing abrasives }
B29B 2017/0456	...	{Pressing tools with calibrated openings, e.g. in sizing plates, for desintegrating solid materials }
B29B 2017/046	...	{Extruder as pressing tool with calibrated die openings for forming and disintegrating pasty or melted material }
B29B 2017/0464	...	{Solid state shear extrusion pulverisation }
B29B 2017/0468	...	{Crushing, i.e. disintegrating into small particles }
B29B 2017/0472	...	{Balls or rollers in a container }
B29B 2017/0476	...	{Cutting or tearing members, e.g. spiked or toothed cylinders or intermeshing rollers }
B29B 2017/048	...	{Cutter-compactors, e.g. of the EREMA type }
B29B 2017/0484	...	{Grinding tools, roller mills or disc mills }
B29B 2017/0488	...	{Hammers or beaters }
B29B 2017/0492	...	{Projecting the material on stationary or moving impact surfaces or plates }
B29B 2017/0496	...	{Pyrolysing the materials }

B29B 2911/00 **Indexing scheme related to making preforms for blow-moulding bottles or the like (not used)**

B29B 2911/14	.	Layer configuration, geometry, dimensions or physical properties of preforms for blow-moulding bottles or the like (not used)
B29B 2911/14006	..	layer configuration (not used)
B29B 2911/14013	...	monolayered
B29B 2911/1402	at neck portion
B29B 2911/14026	at flange portion
B29B 2911/14033	at body portion
B29B 2911/1404	at bottom portion
B29B 2911/14046	...	multilayered
B29B 2911/14053	at neck portion
B29B 2911/1406	partially
B29B 2911/14066	at flange portion
B29B 2911/14073	partially
B29B 2911/1408	at body portion
B29B 2911/14086	partially
B29B 2911/14093	at bottom portion
B29B 2911/141	partially
B29B 2911/14106	having at least one layer
B29B 2911/14113	having at least two layers
B29B 2911/1412	having at least three layers
B29B 2911/14126	having more than three layers
B29B 2911/14133	having at least one layer being injected

B29B 2911/1414	having at least two layers being injected
B29B 2911/14146	having at least three layers being injected
B29B 2911/14153	having more than three layers being injected
B29B 2911/1416	having at least one layer being extruded
B29B 2911/14166	having at least two layers being extruded
B29B 2911/14173	having at least three layers being extruded
B29B 2911/1418	having more than three layers being extruded
B29B 2911/14186	having at least one layer being thermoformed
B29B 2911/14193	having at least two layers being thermoformed
B29B 2911/142	having at least three layers being thermoformed
B29B 2911/14206	having more than three layers being thermoformed
B29B 2911/14213	having at least one layer being compression moulded
B29B 2911/1422	having at least two layers being compression moulded
B29B 2911/14226	having at least three layers being compression moulded
B29B 2911/14233	having more than three layers being compression moulded
B29B 2911/1424	having at least one layer being applied using techniques not covered by B29B 2911/14133 to B29B 2911/14213
B29B 2911/14246	having at least two layers being applied using said techniques
B29B 2911/14253	having at least three layers being applied using said techniques
B29B 2911/1426	having more than three layers being applied using said techniques
B29B 2911/14266	Type of said techniques not covered by B29B 2911/14133 to B29B 2911/14213
B29B 2911/14273	Spray coating
B29B 2911/1428	Dip coating
B29B 2911/14286	Powder coating
B29B 2911/14293	Casting
B29B 2911/143	Interaction between at least two layers
B29B 2911/14306	by welding
B29B 2911/14313	by using adhesives
B29B 2911/1432	..	Geometry (<i>not used</i>)
B29B 2911/14326	...	Variable wall thickness
B29B 2911/14333	...	Variable diameter
B29B 2911/1434	...	Ribs or protrusions
B29B 2911/14346	...	Internal separating wall
B29B 2911/14353	...	Special shape
B29B 2911/1436	Special overall shape
B29B 2911/14366	Conical
B29B 2911/14373	Axially asymmetrical
B29B 2911/1438	Elliptic or oval cross-section shape
B29B 2911/14386	Rectangular cross-section shape

B29B 2911/14393	Hexagonal cross-section shape
B29B 2911/144	Shape allows stacking or nesting
B29B 2911/14406	Special shape of specific parts of preform
B29B 2911/14413	Special lip, i.e. very top of preform neck
B29B 2911/1442	Special neck
B29B 2911/14426	Wide-mouth
B29B 2911/14433	Closure retaining means
B29B 2911/1444	Threads
B29B 2911/14446	Interrupted threads
B29B 2911/14453	Inner threads
B29B 2911/1446	No threads
B29B 2911/14466	Tamper-evident band retaining ring
B29B 2911/14473	Special flange
B29B 2911/1448	Special body
B29B 2911/14486	Special bottom
B29B 2911/14493	Special sprue, i.e. injection mark
B29B 2911/145	Special pinch-off portion
B29B 2911/14506	...	Auxiliary parts or inserts
B29B 2911/14513	Handle
B29B 2911/1452	Closure
B29B 2911/14526	Transport means
B29B 2911/14533	Dispensing spout
B29B 2911/1454	Parts to assist orientation of preform, e.g. in mould
B29B 2911/14546	at neck portion
B29B 2911/14553	at flange portion
B29B 2911/1456	at body portion
B29B 2911/14566	at bottom portion
B29B 2911/14573	Preform, i.e. neck, flange, body and bottom, made of several individual parts
B29B 2911/1458	Finish neck ring
B29B 2911/14586	..	Mentioned dimensions (not used)
B29B 2911/14593	...	Wall thickness
B29B 2911/146	of the lip, i.e. the very top of the preform neck
B29B 2911/14606	of the neck
B29B 2911/14613	of the threads
B29B 2911/1462	of the tamper-evident band retaining ring
B29B 2911/14626	of the flange
B29B 2911/14633	of the body
B29B 2911/1464	of the bottom
B29B 2911/14646	of a layer
B29B 2911/14653	...	Diameter, D

B29B 2911/1466	of the lip, i.e. the very top of the preform neck
B29B 2911/14666	of the neck
B29B 2911/14673	of the threads
B29B 2911/1468	of the tamper-evident band retaining ring
B29B 2911/14686	of the flange
B29B 2911/14693	of the body
B29B 2911/147	of the bottom
B29B 2911/14706	of a layer
B29B 2911/14713	...	Height, length, L
B29B 2911/1472	of the lip, i.e. the very top of the preform neck
B29B 2911/14726	of the neck
B29B 2911/14733	of the threads
B29B 2911/1474	of the tamper-evident band retaining ring
B29B 2911/14746	of the flange
B29B 2911/14753	of the body
B29B 2911/1476	of the bottom
B29B 2911/14766	of a layer
B29B 2911/14773	...	Ratio L/D
B29B 2911/1478	...	Angle
B29B 2911/14786	of the lip, i.e. the very top of the preform neck
B29B 2911/14793	of the neck
B29B 2911/148	of the threads
B29B 2911/14806	of the tamper-evident band retaining ring
B29B 2911/14813	of the flange
B29B 2911/1482	of the body
B29B 2911/14826	of the bottom
B29B 2911/14833	of a layer
B29B 2911/1484	...	Curvature, e.g. radius
B29B 2911/14846	of the lip, i.e. the very top of the preform neck
B29B 2911/14853	of the neck
B29B 2911/1486	of the threads
B29B 2911/14866	of the tamper-evident band retaining ring
B29B 2911/14873	of the flange
B29B 2911/1488	of the body
B29B 2911/14886	of the bottom
B29B 2911/14893	of a layer
B29B 2911/149	..	Mentioned values not covered by B29B 2911/14586
B29B 2911/14906	...	Crystallinity
B29B 2911/14913	at the neck portion
B29B 2911/1492	at the flange portion

B29B 2911/14926	at the body portion
B29B 2911/14933	at the bottom portion
B29B 2911/1494	...	Surface roughness
B29B 2911/14946	at the neck portion
B29B 2911/14953	at the flange portion
B29B 2911/1496	at the body portion
B29B 2911/14966	at the bottom portion
B29B 2911/14973	...	Optical properties
B29B 2911/1498	...	Weight
B29B 2911/14986	...	Composition
B29B 2911/14993	Recycled material