

**CPC****COOPERATIVE PATENT CLASSIFICATION****A01B**

**SOIL WORKING IN AGRICULTURE OR FORESTRY; PARTS, DETAILS, OR ACCESSORIES OF AGRICULTURAL MACHINES OR IMPLEMENTS, IN GENERAL** (making or covering furrows or holes for sowing, planting, or manuring [A01C 5/00](#) ; soil working for engineering purposes [E01](#) , [E02](#) , [E21](#) ; { measuring areas for agricultural purposes [G01B](#)})

**WARNING**

The following IPC groups are not used in the CPC system. Subject matter covered by these groups is classified in the following CPC groups:

<a href="#">A01B 69/04</a>	covered by	<a href="#">A01B 69/008</a>
<a href="#">A01B 69/06</a>	covered by	<a href="#">A01B 69/005</a>
<a href="#">A01B 69/08</a>	covered by	<a href="#">A01B 69/006</a>

**A01B 1/00**

**Hand tools** (edge trimmers for lawns [A01G 3/06](#) ; { machines for working soil [A01B 35/00](#) ; making hand tools [B21D](#)})

- [A01B 1/02](#) . Spades; Shovels {(hand-operated dredgers [E02F 3/02](#))}
- [A01B 1/022](#) .. {Collapsible; extensible; combinations with other tools}
- [A01B 1/024](#) .. {Foot protectors attached to the blade}
- [A01B 1/026](#) .. {with auxiliary handles for facilitating lifting}
- [A01B 1/028](#) .. {with ground abutment shoes or earth anchors for facilitating lifting}
- [A01B 1/04](#) .. with teeth
- [A01B 1/06](#) . Hoes; Hand cultivators {(rakes [A01D 7/00](#) ; forks [A01D 9/00](#) ; picks [B25D](#))}
- [A01B 1/065](#) .. {powered}
- [A01B 1/08](#) .. with a single blade
- [A01B 1/10](#) .. with two or more blades
- [A01B 1/12](#) .. with blades provided with teeth
- [A01B 1/14](#) .. with teeth only
- [A01B 1/16](#) . Tools for uprooting weeds
- [A01B 1/165](#) .. {adapted for extracting a substantially cylindrical plug out of the earth}
- [A01B 1/18](#) .. Tong-like tools
- [A01B 1/20](#) . Combinations of different kinds of hand tools
- [A01B 1/22](#) . Attaching the blades or the like to handles (handles for tools, or their attachment, in general [B25G](#)); Interchangeable or adjustable blades
- [A01B 1/222](#) .. {Adjustable blades}
- [A01B 1/225](#) ... {around a substantially horizontal axis}
- [A01B 1/227](#) .. {Interchangeable blades}
- [A01B 1/24](#) . for treating meadows or lawns
- [A01B 1/243](#) .. {for aerating}
- [A01B 1/246](#) .. {for cutting sods or turves}

**Ploughs****A01B 3/00**

A01B 3/02

A01B 3/04

A01B 3/06

A01B 3/08

A01B 3/10

A01B 3/12

A01B 3/14

A01B 3/16

A01B 3/18

A01B 3/20

A01B 3/22

A01B 3/24

A01B 3/26

A01B 3/28

A01B 3/30

A01B 3/32

A01B 3/34

A01B 3/36

A01B 3/38

A01B 3/40

A01B 3/42

A01B 3/421

A01B 3/4215

A01B 3/426

A01B 3/44

A01B 3/46

A01B 3/462

A01B 3/464

A01B 3/466

A01B 3/468

A01B 3/50

A01B 3/52

A01B 3/54

A01B 3/56

A01B 3/58

**Ploughs with fixed plough-shares**

. Man-driven ploughs

. Animal-drawn ploughs

.. without alternating possibility, i.e. incapable of making an adjacent furrow on return journey,{i.e. **conventional ploughing**}

... Swing ploughs

... Trussed-beam ploughs; Single-wheel ploughs

... Two-wheel beam ploughs

... Frame ploughs

.. Alternating ploughs, i.e. capable of making an adjacent furrow on return journey

... Turn-wrest ploughs

... Balance ploughs

... with parallel plough units used alternately

. Tractor-drawn ploughs ([A01B 3/04](#) takes precedence)

.. without alternating possibility

.. Alternating ploughs

... Turn-wrest ploughs

... Balance ploughs

... with parallel plough units used alternately

. Ploughs mounted on tractors

.. without alternating possibility

.. Alternating ploughs

... Turn-wrest ploughs

.... with a headstock frame made in one piece

..... {the headstock being provided with two or more hydraulic cylinders}

.... with a headstock frame made of two or more parts

... with parallel plough units used alternately

. Ploughs supported partly by tractor and partly by their own wheels

.. {Alternating ploughs with frame rotating about a vertical axis}

.. {Alternating ploughs with frame rotating about a horizontal axis, e.g. turn-wrest ploughs}

... {the frame comprising an articulated beam}

.. {the plough wheels being actively driven}

. Self-propelled ploughs

.. with three or more wheels, or endless tracks

... without alternating possibility

... Alternating ploughs;{Balance ploughs}

.. with two wheels

- A01B 3/60 . . . Alternating ploughs
- A01B 3/62 . . . . Balance ploughs
- A01B 3/64 . Cable ploughs; Indicating or signalling devices for cable plough systems {(vehicles towed by cable [B60D](#))}
- A01B 3/66 . . with motor-driven winding apparatus mounted on the plough
- A01B 3/68 . . Cable systems with one or two engines;{e.g. electrically-driven or with diesel generating set}
- A01B 3/70 . . . Systems with one engine for working uphill
- A01B 3/72 . . Means for anchoring the cables
- A01B 3/74 . Use of electric power for propelling ploughs {for rotary cultivators or the like (electric current collectors [B60L 5/00](#))}
  
- A01B 5/00** **Ploughs with rolling non-driven tools, e.g. discs (with rotary driven tools [A01B 9/00](#))**
- A01B 5/02 . drawn by animals
- A01B 5/04 . drawn by tractors
- A01B 5/06 . . without alternating possibility,{e.g. with rotary counters provided with scrapers}
- A01B 5/08 . . Alternating ploughs
- A01B 5/10 . mounted or partly-mounted on tractors
- A01B 5/12 . . without alternating possibility
- A01B 5/14 . . Alternating ploughs
- A01B 5/16 . Self-propelled disc or like ploughs
  
- A01B 7/00** **Disc-like soil-working implements usable either as ploughs or as harrows, or the like**
  
- A01B 9/00** **Ploughs with rotary driven tools (tilling implements with rotary driven tools [A01B 33/00](#))**
- A01B 9/003 . {with tools on horizontal shaft transverse to direction of travel}
- A01B 9/006 . {with tools on horizontal shaft parallel to direction of travel}
  
- A01B 11/00** **Ploughs with oscillating, digging or piercing tools {driven or not}**
  
- A01B 13/00** **Ploughs or like machines for special purposes (for drainage [E02B 11/02](#));{Ditch diggers, trench ploughs, forestry ploughs, ploughs for land or marsh reclamation (machines for aerating meadows [A01B 45/02](#) ; making furrows [A01C 5/00](#) ; dredging machines in general [E02F](#))}**
- A01B 13/02 . for making or working ridges, e.g. with symmetrically arranged mouldboards,{e.g. ridging plough}
- A01B 13/025 . . {with passively driven rotating disc-like elements for forming the ridge}
- A01B 13/04 . for working in vineyards, orchards, or the like
- A01B 13/06 . . Arrangements for preventing damage to the vines, or the like,{e.g. hydraulic (machines specially adapted for working in vineyards [A01B 39/16](#))}
- A01B 13/08 . for working subsoil
- A01B 13/10 . . Special implements for lifting subsoil layers

- A01B 13/12 . . . Means for distributing the layers on the surface
- A01B 13/14 . for working soil in two or more layers
- A01B 13/16 . Machines for combating erosion, e.g. basin-diggers, furrow-dammers

**A01B 15/00****Elements, tools, or details of ploughs**

- A01B 15/02 . Plough blades; Fixing the blades
- A01B 15/025 . . {specially adapted for working subsoil}
- A01B 15/04 . . Shares {(making ploughshares by rolling [B21H](#))}
- A01B 15/06 . . . Interchangeable or adjustable shares
- A01B 15/08 . . Mouldboards
- A01B 15/10 . . . Interchangeable or adjustable mouldboards
- A01B 15/12 . Beams; Handles (handles for tools or their attachment in general [B25G](#))
- A01B 15/125 . . {Articulated beams}
- A01B 15/14 . Frames (means or arrangements to facilitate transportation [A01B 73/00](#))
- A01B 15/145 . . {the plough blades being connected to the plough beam for unison adjustment of the furrow width}
- A01B 15/16 . Discs (bearings therefor [A01B 71/04](#)); Scrapers for cleaning discs; Sharpening attachments (sharpening in general [B24](#))
- A01B 15/18 . Coulters
- A01B 15/20 . Special adjusting means for tools of ploughs drawn by, or mounted on tractors working on hillsides or slopes

**A01B 17/00****Ploughs with special additional arrangements, e.g. means for putting manure under the soil, clod-crushers ([A01B 49/00](#) takes precedence);{Means for breaking the subsoil}**

- A01B 17/002 . {Means for putting manure, debris, straw or the like under the soil (to plough-in weeds [A01B 39/18](#))}
- A01B 17/004 . {Clod-crushers}
- A01B 17/006 . . {with driven tools}
- A01B 17/008 . . . {rotating about a vertical or steeply inclined axis}

**Harrows****A01B 19/00****Harrows with non-rotating tools {(harrows for working in vineyards [A01B 39/16](#))}**

- A01B 19/02 . with tools rigidly or elastically attached to a tool-frame
- A01B 19/04 . . with two or more tool-frames
- A01B 19/06 . . with tools or tool-frames moved to-and-fro mechanically
- A01B 19/08 . with link network supporting tooth-like tools
- A01B 19/10 . Lifting or cleaning apparatus

**A01B 21/00****Harrows with rotary non-driven tools (tilling implements with rotary driven tools [A01B 33/00](#))**

- A01B 21/02 . with tooth-like tools

- A01B 21/04 . . . on horizontally-arranged axles
- A01B 21/06 . . . on vertically-arranged axles
- A01B 21/08 . . with disc-like tools
- A01B 21/083 . . . {of the type comprising four individual disk groups each pivotally connected at fixed locations to a substantially rigid frame}
- A01B 21/086 . . . {of the type in which the disc-like tools are individually mounted}

**A01B 23/00****Elements, tools, or details of harrows**

- A01B 23/02 . . Teeth; Fixing the teeth
- A01B 23/04 . . Frames (means or arrangements to facilitate transportation [A01B 73/00](#)); Drawing-arrangements
- A01B 23/043 . . . {specially adapted for harrows with non-rotating tools}
- A01B 23/046 . . . {Specially adapted for harrows with rotating tools}
- A01B 23/06 . . Discs ([A01B 15/16](#) takes precedence; bearings therefor [A01B 71/04](#)); Scrapers for cleaning discs; Sharpening attachments; {Lubrication of bearings} (sharpening in general [B24](#))

**A01B 25/00**

**Harrows with special additional arrangements, e.g. means for distributing fertilisers; Harrows for special purposes ([A01B 39/00](#) takes precedence; {fertiliser distributors [A01C 15/00](#))}**

**Other machines for working soil****A01B 27/00****Clod-crushers**

- A01B 27/005 . . {comprising roller-type tools moving on the ground}

**A01B 29/00****Rollers {(rollers for roads [E01C](#))}**

- A01B 29/02 . . with smooth surface
- A01B 29/04 . . with non-smooth surface formed of rotatably-mounted rings or discs or with projections or ribs on the roller body; Land packers
- A01B 29/041 . . . {of "Cambridge"-type, i.e. the soil-pressing rings being stacked on a shaft}
- A01B 29/043 . . . . {Tire-packers}
- A01B 29/045 . . . {the soil-pressing body being a drum}
- A01B 29/046 . . . {the soil-pressing body being a helical coil}
- A01B 29/048 . . . {Bar cage rollers}
- A01B 29/06 . . with special additional arrangements

**A01B 31/00****Drags {graders for field cultivators (graders in general [E02F](#))}****A01B 33/00****Tilling implements with rotary driven tools,{e.g. in combination with fertiliser distributors or seeders, with grubbing chains, with sloping axles, with driven discs}**

- A01B 33/02 . . with tools on horizontal shaft transverse to direction of travel
- A01B 33/021 . . . {with rigid tools}
- A01B 33/022 . . . . {with helicoidal tools}

- A01B 33/024 . . . {with disk-like tools}
- A01B 33/025 . . {with spring tools, i.e. resiliently- or flexibly-attached rigid tools}
- A01B 33/027 . . {Operator supported tools, e.g. using a harness for supporting the tool or power unit}
- A01B 33/028 . . {of the walk-behind type ([walk-type tractors B62D 51/04](#))}
- A01B 33/04 . with tools on horizontal shaft parallel to direction of travel
- A01B 33/06 . with tools on vertical or steeply-inclined shaft
- A01B 33/065 . . {comprising a plurality of rotors carried by an elongate, substantially closed transmission casing, transversely connectable to a tractor}
- A01B 33/08 . Tools; Details, e.g. adaptations of transmissions or gearings
- A01B 33/082 . . {Transmissions; Gearings; Power distribution}
- A01B 33/085 . . . {specially adapted for tools on a vertical shaft}
- A01B 33/087 . . {Lifting devices; Depth regulation devices; Mountings}
- A01B 33/10 . . Structural or functional features of the tools;{Theoretical aspects of the cutting action}
- A01B 33/103 . . . {the rotating shaft being oriented horizontally}
- A01B 33/106 . . . {the rotating shaft being oriented vertically or steeply inclined}
- A01B 33/12 . . Arrangement of the tools; Screening of the tools
- A01B 33/125 . . . {screening of tools rotating about a vertical shaft}
- A01B 33/14 . . Attaching the tools to the rotating shaft, e.g. resiliently {or flexibly}-attached tools
- A01B 33/142 . . . {the rotating shaft being oriented horizontally}
- A01B 33/144 . . . . {with spring tools or resiliently-attached rigid tools}
- A01B 33/146 . . . {the rotating shaft being oriented vertically or steeply inclined}
- A01B 33/148 . . . . {with spring tools or resiliently-attached rigid tools}
- A01B 33/16 . with special additional arrangements ([A01B 49/00](#) takes precedence; for sowing or fertilising [A01B 49/06](#))
  
- A01B 35/00** **Other machines for working soil {not specially adapted for working soil on which crops are growing}** ([A01B 37/00](#) , [A01B 39/00](#) , [A01B 77/00](#) take precedence; { hand tools [A01B 1/00](#)})
- A01B 35/02 . with non-rotating tools
- A01B 35/04 . . drawn by animal or tractor {or man-power}
- A01B 35/06 . . . with spring tools {or with resiliently- or flexibly-attached rigid tools}
- A01B 35/08 . . . with rigid tools
- A01B 35/10 . . mounted on tractors
- A01B 35/12 . . . with spring tools {or with resiliently-or flexibly-attached rigid tools}
- A01B 35/14 . . . with rigid tools
- A01B 35/16 . with rotating or circulating non-propelled tools
- A01B 35/18 . with both rotating and non-rotating tools
- A01B 35/20 . Tools; Details
- A01B 35/22 . . non-rotating tools;{Resilient or flexible mounting of rigid tools}

- A01B 35/225 . . . {the tools being adapted to allow the chisel point to be easily fitted or removed from the shank}
- A01B 35/24 . . . Spring tools
- A01B 35/26 . . . Rigid tools
- A01B 35/28 . . Rotating tools; Mounting rotating tools
- A01B 35/30 . . Undercarriages ([A01B 23/04 takes precedence](#))
- A01B 35/32 . with special additional arrangements

## **A01B 37/00 Devices for loosening soil compacted by wheels or the like**

### **A01B 39/00 Other machines specially adapted for working soil on which crops are growing**

- A01B 39/02 . with non-rotating tools
- A01B 39/04 . . drawn by animal or tractor
- A01B 39/06 . . Self-propelled machines
- A01B 39/08 . with rotating tools {such as weeding machines}
- A01B 39/085 . . {the rotating tools being actively driven}
- A01B 39/10 . with oscillating tools {driven or not}
- A01B 39/12 . for special purposes,{e.g. for special culture}
- A01B 39/14 . . for working ridges,{e.g. for rows of plants and/or furrows}
- A01B 39/16 . . for working in vineyards, orchards, or the like;{Arrangements for preventing damage to vines ([ploughs adapted for working in vineyards A01B 13/06](#))}
- A01B 39/163 . . . {comprising rotating tools}
- A01B 39/166 . . . . {actively driven}
- A01B 39/18 . . for weeding
- A01B 39/19 . . . Rod weeders, i.e. weeder with rotary rods propelled beneath the soil surface
- A01B 39/20 . Tools; Details
- A01B 39/22 . . Tools; Mounting tools
- A01B 39/24 . . Undercarriages ([A01B 23/04 takes precedence](#))
- A01B 39/26 . . Arrangements for protecting plants,{e.g. fenders}
- A01B 39/28 . with special additional arrangements ([A01B 49/00 takes precedence](#))

### **A01B 41/00 Thinning machines**

- A01B 41/02 . with oscillating tools
- A01B 41/04 . with rotating tools
- A01B 41/06 . with electric, e.g. photo-electric control of thinning operations

### **A01B 43/00 Gatherers for removing stones, undesirable roots of the like from the soil, e.g. tractor-drawn rakes {(for harvesting root crops [A01D](#))}**

- A01B 43/005 . {Windrower-type machines}

### **A01B 45/00 Machines for treating meadows or lawns,{e.g. for sports grounds}**

- A01B 45/02 . for aerating

- A01B 45/023 . . {Perforators comprising spiking tools actively driven in a reciprocating movement through a crankshaft or eccentric mechanism}
- A01B 45/026 . . {Scarifiers comprising a knife reel actively driven around a substantially horizontal shaft}
- A01B 45/04 . for cutting sods or turves {(machines for lifting and treating soil [A01B 77/00](#))}
- A01B 45/045 . . {the machine being adapted for stacking sods or sod rolls}

#### **A01B 47/00 Soil-working with electric potential applied between tools and soil**

#### **A01B 49/00 Combined machines** (auxiliary devices attached to machines of a different kind, e.g. harrows attached to ploughs, see the relevant groups for the machines)

- A01B 49/02 . with two or more soil-working tools of different kind
- A01B 49/022 . . {at least one tool being actively driven}
- A01B 49/025 . . . {about a substantially vertical axis}
- A01B 49/027 . . {with a rotating, soil working support element, e.g. a roller}
- A01B 49/04 . Combinations of soil-working tools with non-soil-working tools, e.g. planting tools {(seeding machines [A01C 7/00](#) ; harvesters combined with soil-working implements [A01D 43/12](#))}
- A01B 49/06 . . for sowing or fertilising
- A01B 49/065 . . . {the soil-working tools being actively driven}

**Parts, details or accessories of agricultural machines or implements, in general** (seat constructions [A47C](#) ; wheels [B60B](#) ; shelters for drivers [B60J](#) ; seats specially adapted for vehicles [B60N 2/00](#) ; wheel scrapers [B60S 1/68](#))

#### **A01B 51/00 Undercarriages specially adapted for mounting-on various kinds of agricultural tools or apparatus** (general vehicle aspects, see the relevant subclass of class [B60](#) or [B62](#))

- A01B 51/02 . propelled by a motor
- A01B 51/023 . . {of the Gantry-type}
- A01B 51/026 . . {of the automotive vehicle type, e.g. including driver accomodation ([A01B 51/023](#) takes precedence)}
- A01B 51/04 . drawn by animal or tractor
- A01B 51/045 . . {drawn by animals}

#### **A01B 59/00 Devices specially adapted for connection between animals or tractors and agricultural machines or implements** ([A01B 63/00](#) takes precedence; vehicle connections in general [B60D](#); draught assemblies for animal drawn vehicles, in general [B62C 5/00](#))

- A01B 59/002 . {Details, component parts}
- A01B 59/004 . . {Length-adjustable links}
- A01B 59/006 . . {Latched hooks}
- A01B 59/008 . . {Link connectors with spherical surfaces}
- A01B 59/02 . for animal-drawn machines
- A01B 59/04 . for machines pulled or pushed by a tractor



- A01B 59/041 . . . preventing or limiting side-play of implements ([preventing overstrain A01B 61/00](#))
- A01B 59/0415 . . . {by hydraulic or pneumatic means acting on the lower draft links}
- A01B 59/042 . . . having pulling means arranged on the rear part of the tractor
- A01B 59/043 . . . supported at three points, e.g. by quick-release couplings ([A01B 59/06 takes precedence](#))
- A01B 59/044 . . . having pulling means arranged on the middle part of the tractor
- A01B 59/046 . . . having pulling or pushing means arranged on the side of the tractor
- A01B 59/048 . . . having pulling or pushing means arranged on the front part of the tractor
- A01B 59/06 . . for machines mounted on tractors
- A01B 59/061 . . {specially adapted for enabling connection or disconnection controlled from the driver's seat ([not used, see subgroups](#))}
- A01B 59/062 . . . {the connection comprising a rigid interface frame on the tractor}
- A01B 59/063 . . . {the connection comprising longitudinally oriented tang-and-sheath elements}
- A01B 59/064 . . {for connection to the front of the tractor}
- A01B 59/065 . . {for ploughs or like implements ([A01B 59/061 and subgroups take precedence](#))}
- A01B 59/066 . . {of the type comprising at least two lower arms and one upper arm generally arranged in a triangle (e.g. three-point hitches)}
- A01B 59/067 . . . {the lower arms being lifted or lowered by power actuator means internally incorporated in the tractor}
- A01B 59/068 . . . {the lower arms being lifted or lowered by power actuator means provided externally on the tractor}
- A01B 59/069 . . {with means for weighing the implement}
  
- A01B 61/00** **Devices for, or parts of, agricultural machines or implements for preventing overstrain** ([preventing overstrain in vehicle connections, in general B60D](#); [preventing overstrain in couplings per se F16D](#))
- A01B 61/02 . . of the coupling devices between tractor and machine
- A01B 61/025 . . {the driving connections}
- A01B 61/04 . . of the connection between tools and carrier beam or frame
- A01B 61/042 . . {with shearing devices}
- A01B 61/044 . . {the connection enabling a yielding pivoting movement around a substantially horizontal and transverse axis}
- A01B 61/046 . . . {the device including an energy accumulator for restoring the tool to its working position}
- A01B 61/048 . . . {the connection or the energy accumulator being active in two opposite directions, e.g. for reversible plows}
  
- A01B 63/00** **Lifting or adjusting devices or arrangements for agricultural machines or implements** ([lifting mechanisms for the cutter-bar of a mower A01D 34/24](#) ; [adjusting devices for the cutter-bar of a mower A01D 34/28](#) ; [constructional features of lifting devices per se B66F](#))

- A01B 63/002 . {Devices for adjusting or regulating the position of tools or wheels (preventing overstrain [A01B 61/00](#) ; wheels adjustable relatively to the frame for drawn implements [A01B 3/16](#) ; tools or tool holders adjustable relatively to the frame for drawn implements [A01B 63/24](#))}

### **WARNING**

Documents of group [A01B 63/002](#) and subgroups are in the process of being reorganised to groups [A01B 63/111](#) , [A01B 63/16](#) , [A01B 63/24](#)

- A01B 63/004 .. {Lateral adjustment of tools}
- A01B 63/006 .. {Lateral adjustment of wheels}
- A01B 63/008 .. {Vertical adjustment of tools ([A01B 63/10](#) takes precedence)}
- A01B 63/02 . for implements mounted on tractors
- A01B 63/023 .. {Lateral adjustment of their tools}
- A01B 63/026 .. {Lateral adjustment of their wheels}
- A01B 63/04 .. Hand devices; Hand devices with mechanical accumulators, e.g. springs
- A01B 63/045 ... {for vertically adjusting wheels or similar rotary supporting elements}
- A01B 63/06 .. operated mechanically by tractor motor
- A01B 63/08 .. operated by the movement of the tractor
- A01B 63/10 .. operated by hydraulic or pneumatic means
- A01B 63/1006 ... {the hydraulic or pneumatic means structurally belonging to the tractor}
- A01B 63/1013 .... {and being located inside the tractor body}
- A01B 63/102 ... characterised by the location of the mounting on the tractor, e.g. on the rear part
- A01B 63/104 .... on the middle part, i.e. between front and rear wheels
- A01B 63/106 .... on the side
- A01B 63/108 .... on the front part
- A01B 63/11 ... for controlling weight transfer between implements and tractor wheels
- A01B 63/111 ... regulating working depth of implements
- A01B 63/1112 .... {using a non-tactile ground distance measurement, e.g. using reflection of waves}
- A01B 63/1115 .... {using a mechanical ground contact sensor}
- A01B 63/1117 .... {using a hitch position sensor}
- A01B 63/112 .... to control draught load, i.e. tractive force
- A01B 63/114 .... to achieve a constant working depth
- A01B 63/1145 ..... {for controlling weight transfer between implements and tractor wheels}
- A01B 63/118 ... Mounting implements on power-lift linkages ([A01B 59/043](#) takes precedence; preventing or limiting side-play of implements [A01B 59/041](#) ; preventing overstrain [A01B 61/00](#))
- A01B 63/12 .. operated by an electric motor
- A01B 63/14 . for implements drawn by animals or tractors
- A01B 63/145 .. {for controlling weight transfer between implements and tractor wheels}
- A01B 63/16 .. with wheels adjustable relatively to the frame

- A01B 63/163 . . . {laterally adjustable}
- A01B 63/166 . . . {manually adjustable}
- A01B 63/18 . . . with clutch between Z-type axle and wheel
- A01B 63/20 . . . with gear and rack
- A01B 63/22 . . . operated by hydraulic or pneumatic means
- A01B 63/24 . . Tools or tool-holders adjustable relatively to the frame
- A01B 63/245 . . . {laterally adjustable}
- A01B 63/26 . . . by man-power
- A01B 63/28 . . . operated by the machine or implement
- A01B 63/30 . . . operated by motor power through a mechanical transmission
- A01B 63/32 . . . operated by hydraulic or pneumatic means {without automatic control}

**A01B 67/00** **Devices for controlling the tractor motor by resistance of tools** (preventing overstrain [A01B 61/00](#))

**A01B 69/00** **Steering of agricultural machines or implements; Guiding agricultural machines or implements on a desired track** (vehicle course control in general [G05D 1/02](#))

#### **NOTE**

In this group it is obligatory to classify subject-matter in the first appropriate place. It is however allowed to apply multiple classification where considered useful for search

- A01B 69/001 . {Steering by means of optical assistance, e.g. television cameras (steering devices for road marking vehicles [E01C 23/163](#))}
- A01B 69/002 . {Steering or guiding on a substantially circular or spiral path}
- A01B 69/003 . {Steering or guiding of machines or implements pushed or pulled by or mounted on agricultural vehicles such as tractors, e.g. by lateral shifting of the towing connection}
- A01B 69/004 . . {automatic}
- A01B 69/005 . . {by an additional operator}
- A01B 69/006 . . {derived from the steering of the tractor}
- A01B 69/007 . {Steering or guiding of agricultural vehicles, e.g. steering of the tractor to keep the plough in the furrow}
- A01B 69/008 . . {automatic}
- A01B 69/02 . Ridge-marking or like devices; Checkrow wires; Accessories therefor
- A01B 69/022 . . {Ridge marking by deposition of a chemical substance, e.g. foam, on the surface of the soil}
- A01B 69/024 . . {adapted to cut and form a ridge or furrow in the soil surface, e.g. with a disc}
- A01B 69/026 . . {Checkrow wires}
- A01B 69/028 . . . {the wire being located above the ground}

<b>A01B 71/00</b>	<b>Construction or arrangement of setting or adjusting mechanisms, of implement or tool drive or of power take-off; Means for protecting parts against dust, or the like; Adapting machine elements to or for agricultural purposes</b> {(adjusting mechanisms in general <a href="#">G05G</a> )}
<a href="#">A01B 71/02</a>	. Setting or adjusting mechanisms
<a href="#">A01B 71/04</a>	. Bearings of rotating parts, e.g. for soil-working discs ({discs <a href="#">A01B 15/16</a> , <a href="#">A01B 23/06</a> ; bearings in general <a href="#">F16C</a> )}
<a href="#">A01B 71/06</a>	. Special adaptations of coupling means between power take-off and transmission shaft to the implement or machine (couplings for transmitting rotation <a href="#">F16D</a> )
<a href="#">A01B 71/063</a>	.. {for enabling transmission coupling and connection between tractor and implements to be controlled from the driver's seat}
<a href="#">A01B 71/066</a>	.. {for enabling pitch, roll or yaw movements of trailed implements or machines}
<a href="#">A01B 71/08</a>	. Means for protecting against dust, or the like, or for cleaning agricultural implements ( <a href="#">A01B 15/16</a> , <a href="#">A01B 19/10</a> and <a href="#">A01B 23/06</a> take precedence; screening of rotary driven tilling tools <a href="#">A01B 33/12</a> ; screening of rotary parts in general <a href="#">F16P 1/00</a> )
<b>A01B 73/00</b>	<b>Means or arrangements to facilitate transportation of agricultural machines or implements, e.g. folding frames to reduce overall width</b> (arrangements of lifting devices for soil working implements <a href="#">A01B 63/00</a> ; { carriers for harvesters or mowers <a href="#">A01D 75/002</a> ; arrangements or carriers for haymakers <a href="#">A01D 78/1007</a> , <a href="#">A01D 80/005</a> ; } vehicles adapted for load transportation or to transport, to carry or to comprise special loads or objects <a href="#">B60P</a> ; motor vehicles, trailers <a href="#">B62D</a> )
<a href="#">A01B 73/005</a>	. {for endwise transportation, i.e. the direction of transport being substantially perpendicular to the direction of agricultural operation ( <a href="#">A01B 73/02</a> takes precedence)}
<a href="#">A01B 73/02</a>	. Folding frames
<a href="#">A01B 73/04</a>	.. foldable about a horizontal axis
<a href="#">A01B 73/042</a>	... {specially adapted for actively driven implements}
<a href="#">A01B 73/044</a>	... {the axis being oriented in a longitudinal direction <a href="#">A01B 73/042</a> takes precedence}
<a href="#">A01B 73/046</a>	.... {each folding frame part being foldable in itself}
<a href="#">A01B 73/048</a>	... {the axis being oriented in transverse direction <a href="#">A01B 73/042</a> takes precedence}
<a href="#">A01B 73/06</a>	.. foldable about a vertical axis
<a href="#">A01B 73/062</a>	... {of the type comprising four vertical folding axes each disposed at a substantially fixed location of a supporting frame}
<a href="#">A01B 73/065</a>	... {to a position essentially forward of the axis, in relation to the direction of travel}
<a href="#">A01B 73/067</a>	... {to a position essentially rearward of the axis, in relation to the direction of travel}
<b>A01B 75/00</b>	<b>Carriers for supporting persons when working in the field, e.g. while thinning beet</b>
<b>A01B 76/00</b>	<b>Parts, details or accessories of agricultural machines or implements, not provided for in groups <a href="#">A01B 51/00</a> to <a href="#">A01B 75/00</a></b>

**A01B 77/00**      **Machines for lifting and treating soil** (biocides, pest repellants or attractants, plant growth regulators [A01N 25/00](#) to [A01N 65/00](#) ; fertilisers [C05](#) ; soil-conditioning or soil-stabilising materials [C09K 17/00](#))

**A01B 79/00**      **Methods for working soil** (essentially requiring the use of particular machines, see the relevant groups for the machines)

[A01B 79/005](#)

- {Precision agriculture}

[A01B 79/02](#)

- combined with other agricultural processing, e.g. fertilising, planting