

**CPC****COOPERATIVE PATENT CLASSIFICATION****B60R****VEHICLES, VEHICLE FITTINGS, OR VEHICLE PARTS, NOT OTHERWISE PROVIDED FOR****NOTE**

Attention is drawn to the Note following the title of class [B60](#)

**B60R 1/00**

**Optical viewing arrangements** ({house mirrors and spies [A47G 1/00](#); } antiglare equipment, e.g. polarising, for windscreens or windows [B60J 3/00](#); {visual aids for tractors [B62D 49/0614](#); } devices per se [G02B](#))

**B60R 1/001**

- . {integrated in the windows, e.g. Fresnel lenses}

**B60R 1/002**

- . {specially adapted for covering the peripheral part of the vehicle, e.g. for viewing tyres, bumpers or the like (integrated in the windows [B60R 1/001](#); combined with rear-view mirrors [B60R 1/08](#))}

**B60R 1/003**

- . . {for viewing trailer hitches}

**B60R 1/005**

- . {specially adapted for viewing traffic-lights}

**B60R 1/006**

- . {Side-view mirrors, e.g. V-shaped mirrors located at the front or rear part of the vehicle (combined with rear-view mirrors [B60R 1/08](#); side-view periscopes [B60R 1/10](#))}

**B60R 1/007**

- . . {specially adapted for covering the lateral blind spot not covered by the usual rear-view mirror}

**B60R 1/008**

- . {allowing the driver to see passengers, e.g. for busses (combined with rear-view mirrors [B60R 1/08](#))}

**B60R 1/02**

- . Rear-view mirror arrangements ([periscope arrangements B60R 1/10](#))

**B60R 1/025**

- . . {comprising special mechanical means for correcting the field of view in relation to particular driving conditions, e.g. change of lane; scanning mirrors}

**B60R 1/04**

- . . mounted inside vehicle {([B60R 1/025](#), [B60R 1/08](#) take precedence)}

**B60R 1/06**

- . . mounted on vehicle exterior {([B60R 1/025](#), [B60R 1/08](#) take precedence)}

**B60R 1/0602**

- . . . {comprising means for cleaning or deicing}

**B60R 1/0605**

- . . . {specially adapted for mounting on trucks, e.g. by C-shaped support means}

**B60R 1/0607**

- . . . . {with remote position control adjustment}

**B60R 1/061**

- . . . . . {by manually actuated mechanical means, e.g. push-pull cables}

**B60R 1/0612**

- . . . . . {by electrically actuated means}

**B60R 1/0615**

- . . . . . {by hydraulically or pneumatically actuated means}

**B60R 1/0617**

- . . . . . {foldable along the vehicle, e.g. in case of external force applied thereon}

**B60R 1/062**

- . . . . with remote control for adjusting position {([B60R 1/0607](#) takes precedence)}

**B60R 1/0625**

- . . . . . {by hydraulically or pneumatically powered actuators}

**B60R 1/064**

- . . . . . by manually powered actuators

**B60R 1/066**

- . . . . . for adjusting the mirror relative to its housing

**B60R 1/068**

- . . . . . . using cables

**B60R 1/07**

- . . . . . by electrically powered actuators

**B60R 1/072**

- . . . . . for adjusting the mirror relative to its housing

- B60R 1/074 . . . . . for retracting the mirror arrangements to a non-use position alongside the vehicle
- B60R 1/076 . . . . . yieldable to excessive external force and provided with an indexed use position ([B60R 1/0617](#), [B60R 1/074](#) take precedence)
- B60R 1/078 . . . . . easily removable; mounted for bodily outward movement, e.g. when towing
- B60R 1/08 . . . . . involving special optical features, e.g. avoiding blind spots {,e.g. [convex mirrors](#); [Side-by-side associations of rear-view and other mirrors](#) ([B60R 1/025](#), [B60R 1/10](#) take precedence)}
- B60R 1/081 . . . . . {avoiding blind spots, e.g. by using a [side-by-side association of mirrors](#)}
- B60R 1/082 . . . . . {using a single wide field mirror or an association of rigidly connected mirrors}
- B60R 1/083 . . . . . {Anti-glare mirrors, e.g. "day-night" mirrors}
- B60R 1/084 . . . . . {using a removable filtering or hiding screen ([associated with windows or windscreens](#) [B60J 3/00](#))}
- B60R 1/085 . . . . . {using a combination of interchangeable reflecting surfaces, e.g. reversible mirrors}
- B60R 1/086 . . . . . {using a mirror angularly movable between a position of use and a non-glare position reflecting a dark field to the user, e.g. situated behind a transparent glass used as low-reflecting surface; [Wedge-shaped mirrors](#)}
- B60R 1/087 . . . . . {with remote or automatic control means}
- B60R 1/088 . . . . . {using a cell of electrically changeable optical characteristic, e.g. liquid-crystal or electrochromic mirrors}
- B60R 1/089 . . . . . {using a liquid filtering layer of variable thickness}
- B60R 1/10 . . . . . Front-view mirror arrangements; {([specially adapted for covering the peripheral part of the vehicle](#) [B60R 1/002](#)); periscope arrangements {,i.e. optical devices using combinations of mirrors, lenses, prisms or the like ([specially adapted for covering the peripheral part of the vehicle](#) [B60R 1/002](#); for viewing traffic-lights [B60R 1/005](#)); Other mirror arrangements giving a view from above or under the vehicle}
- B60R 1/105 . . . . . {Optical arrangements giving a view under the vehicle, e.g. using periscopes}
- B60R 1/12 . . . . . Mirror assemblies combined with other articles, e.g. clocks
- B60R 1/1207 . . . . . {with lamps; with turn indicators}
- B60R 2001/1215 . . . . . {with information displays}
- B60R 2001/1223 . . . . . {with sensors or transducers}
- B60R 2001/123 . . . . . {with thermometers}
- B60R 2001/1238 . . . . . {with vanity mirrors}
- B60R 2001/1246 . . . . . {with clocks}
- B60R 2001/1253 . . . . . {with cameras, video cameras or video screens}
- B60R 2001/1261 . . . . . {with antennae}
- B60R 2001/1269 . . . . . {with sun visors}
- B60R 2001/1276 . . . . . {with radio receivers, loud-speakers or buzzers}
- B60R 2001/1284 . . . . . {with communication systems other than radio-receivers, e.g. keyless entry systems, navigation systems; with anti-collision systems}
- B60R 2001/1292 . . . . . {with holding means for personal articles}

<b>B60R 3/00</b>	<b>Arrangements of steps {or ladders facilitating access to or on the vehicle}, e.g. running-boards</b> ({construction of steps for railway vehicles <a href="#">B61D 23/00</a> ; ladders <a href="#">E06C</a> )
<a href="#">B60R 3/002</a>	. {Running boards (for vehicle tops <a href="#">B60R 3/005</a> ; at the sides of the vehicle for carrying loads <a href="#">B60R 9/02</a> )}
<a href="#">B60R 3/005</a>	. {Catwalks, running boards for vehicle tops, access means for vehicle tops; Handrails therefor}
<a href="#">B60R 3/007</a>	. {Removable steps or ladders, e.g. foldable (as access means for vehicle tops <a href="#">B60R 3/005</a> )}
<a href="#">B60R 3/02</a>	. Retractable steps {or ladders, e.g. movable under shock ( <a href="#">B60R 3/005</a> takes precedence)}
<a href="#">B60R 3/04</a>	. with provisions for shoe scraping
<b>B60R 5/00</b>	<b>Compartments within vehicle body primarily intended or sufficiently spacious for trunks, suit-cases, or the like</b> (primarily intended for stowing loads in load-transporting vehicles <a href="#">B60P</a> ; arrangements for stowing spare wheels <a href="#">B62D 43/00</a> )
<a href="#">B60R 5/003</a>	. {Luggage racks, e.g. for busses (primarily intended for passengers' property smaller than suitcases <a href="#">B60R 7/04</a> ; <a href="#">B60R 7/08</a> ; luggage racks for rail vehicles <a href="#">B61D 37/003</a> )}
<a href="#">B60R 5/006</a>	. {stowing or holding means for elongated articles, e.g. skis inside vehicles}
<a href="#">B60R 5/02</a>	. arranged at front of vehicle {( <a href="#">B60R 5/003</a> takes precedence)}
<a href="#">B60R 5/04</a>	. arranged at rear of vehicle {( <a href="#">B60R 5/003</a> , <a href="#">B60R 5/006</a> take precedence; external trunks arranged at rear of vehicle <a href="#">B60R 9/065</a> )}
<a href="#">B60R 5/041</a>	. . {extensible externally of the vehicle body, e.g. to create an open luggage compartment of increased capacity (devices for anchoring the boot lid while carrying oversize objects <a href="#">E05C 17/042</a> )}
<a href="#">B60R 5/042</a>	. . . {to create an enclosed luggage compartment of increased capacity, e.g. with ventilation apertures for transporting dogs}
<a href="#">B60R 5/044</a>	. . {luggage covering means, e.g. parcel shelves}
<a href="#">B60R 5/045</a>	. . . {collapsible or transformable}
<a href="#">B60R 5/047</a>	. . . . {collapsible by rolling-up}
<a href="#">B60R 5/048</a>	. . . . {of accordion-type, i.e. collapsible by sliding and folding}
<b>B60R 7/00</b>	<b>Stowing or holding appliances inside vehicle primarily intended for personal property smaller than suit-cases, e.g. travelling articles, or maps</b> (for radio sets, television sets, telephones or the like, mounting of cameras operative during drive, tools, or spare parts <a href="#">B60R 11/00</a> ; for receptacles for refuse, food, beverages, cigarettes <a href="#">B60N</a> )
<a href="#">B60R 7/005</a>	. {Nets or elastic pockets tensioned against walls or backrests}
<a href="#">B60R 7/02</a>	. in separate luggage compartment {( <a href="#">B60R 7/005</a> takes precedence)}
<a href="#">B60R 7/04</a>	. in driver or passenger space, {e.g. using racks ( <a href="#">B60R 7/005</a> , <a href="#">B60R 7/08</a> take precedence)}
<a href="#">B60R 7/043</a>	. . {mounted on or under a seat}
<a href="#">B60R 7/046</a>	. . {mounted on door}
<a href="#">B60R 7/05</a>	. . mounted on sun visor
<a href="#">B60R 7/06</a>	. . mounted on or below dashboards

- B60R 7/08 . Disposition of racks, clips, {holders, containers} or the like {for supporting specific articles (B60R 7/005 takes precedence)}
- B60R 7/081 . . {for supporting maps}
- B60R 7/082 . . {for supporting spectacles}
- B60R 7/084 . . {for supporting tissues or tissue boxes}
- B60R 7/085 . . {for supporting flowers or flower vases}
- B60R 7/087 . . {for stowing money or valuables, e.g. using safes}
- B60R 7/088 . . {for stowing tape cartridges, compact discs, or the like}
- B60R 7/10 . . for supporting hats, clothes or clothes hangers
- B60R 7/12 . . for supporting umbrellas
- B60R 7/14 . . for supporting weapons
  
- B60R 9/00** **Supplementary fittings on vehicle exterior for carrying loads, e.g. luggage, sports gear or the like**
- B60R 9/02 . at the sides, e.g. on running-board
- B60R 9/04 . Carriers associated with vehicle roof (B60R 9/08 takes precedence)
- B60R 9/042 . . Carriers characterised by means to facilitate loading or unloading of the load, e.g. rollers, tracks, or the like
- B60R 9/0423 . . . {for ladders}
- B60R 9/0426 . . . {for small vehicles, e.g. invalid chairs, perambulators}
- B60R 9/045 . . Carriers being adjustable or transformable, e.g. expansible, collapsible {(transformable into tents B60P 3/36; into beds B60P 3/38)}
- B60R 9/048 . . Carriers characterised by article-gripping, {-covering,}-retaining, or -locking means
- B60R 9/0485 . . . {for ladders (B60R 9/0423 takes precedence)}
- B60R 9/05 . . Carriers characterised by wind deflecting means (wind deflectors for open roofs B60J 7/22)
- B60R 9/052 . . Carriers comprising elongate members extending only transversely of vehicle (B60R 9/08 takes precedence)
- B60R 9/055 . . Enclosure-type carriers, e.g. containers, boxes (B60R 9/048 takes precedence)
- B60R 9/058 . . characterised by releasable attaching means between carrier and roof
- B60R 9/06 . at vehicle front or rear {(rear luggage compartments within vehicle extensible externally of the vehicle body B60R 5/041)}
- B60R 9/065 . . {Enclosure-type carriers, e.g. trunks}
- B60R 9/08 . specially adapted for sports gear (vehicles specially adapted for carrying aeroplanes, for carrying boats B60P)
- B60R 9/10 . . for cycles
- B60R 9/12 . . for skis
  
- B60R 11/00** **Arrangements for holding or mounting articles, not otherwise provided for**
- B60R 2011/0001 . {characterised by position}
- B60R 2011/0003 . . {inside the vehicle}
- B60R 2011/0005 . . . {Dashboard}
- B60R 2011/0007 . . . {Mid-console}

B60R 2011/0008	. . .	{Ventilation grilles}
B60R 2011/001	. . .	{Vehicle control means, e.g. steering-wheel or column}
B60R 2011/0012	. . .	{Seats or parts thereof}
B60R 2011/0014	. . . .	{Arm-rests}
B60R 2011/0015	. . . .	{Back-rests}
B60R 2011/0017	. . . .	{Head-rests}
B60R 2011/0019	. . .	{Side or rear panels}
B60R 2011/0021	. . . .	{Doors}
B60R 2011/0022	. . . .	{Pillars}
B60R 2011/0024	. . . .	{Rear shelves}
B60R 2011/0026	. . .	{Windows, e.g. windscreen}
B60R 2011/0028	. . .	{Ceiling, e.g. roof rails}
B60R 2011/0029	. . .	{Floor, e.g. side sills, fire wall}
B60R 2011/0031	. . .	{Seat belts}
B60R 2011/0033	. . .	{Rear-view mirrors}
B60R 2011/0035	. . .	{Sun visors}
B60R 2011/0036	. . .	{Luggage compartment}
B60R 2011/0038	. . .	{Engine compartment}
B60R 2011/004	. .	{outside the vehicle}
B60R 2011/0042	. .	{characterised by mounting means}
B60R 2011/0043	. .	{for integrated articles, i.e. not substantially protruding from the surrounding parts}
B60R 2011/0045	. . .	{with visible part, e.g. flush mounted}
B60R 2011/0047	. . . .	{using hidden fastening means}
B60R 2011/0049	. .	{for non integrated articles}
B60R 2011/005	. . .	{Connection with the vehicle part}
B60R 2011/0052	. . . .	{using screws, bolts, rivets or the like}
B60R 2011/0054	. . . .	{using cigarette lighter}
B60R 2011/0056	. . . .	{using suction cups}
B60R 2011/0057	. . . .	{using magnetic means}
B60R 2011/0059	. . . .	{using clips, clamps, straps or the like}
B60R 2011/0061	. . . .	{using key-type connections}
B60R 2011/0063	. . . .	{using adhesive means, e.g. hook and loop fasteners}
B60R 2011/0064	. . .	{Connection with the article}
B60R 2011/0066	. . . .	{using screws, bolts, rivets or the like}
B60R 2011/0068	. . . .	{using suction cups}
B60R 2011/007	. . . .	{using magnetic means}
B60R 2011/0071	. . . .	{using latches, clips, clamps, straps or the like}
B60R 2011/0073	. . . .	{using key-type connections}
B60R 2011/0075	. . . .	{using a containment or docking space}
B60R 2011/0077	. . . .	{using adhesive means, e.g. hook and loop fasteners}

- B60R 2011/0078 . . . {Quick-disconnect two-parts mounting means}
- B60R 2011/008 . . {Adjustable or movable supports}
- B60R 2011/0082 . . . {collapsible, e.g. for storing after use}
- B60R 2011/0084 . . . {with adjustment by linear movement in their operational position}
- B60R 2011/0085 . . . {with adjustment by rotation in their operational position}
- B60R 2011/0087 . . . . {around two axes}
- B60R 2011/0089 . . . . {around three axes, i.e. universally mounted}
- B60R 2011/0091 . . . . . {the article being mounted on a flexible shaft}
- B60R 2011/0092 . . . {with motorization}
- B60R 2011/0094 . {characterised by means for covering after user, e.g. boxes, shutters or the like}
- B60R 2011/0096 . {Theft prevention of articles}
- B60R 2011/0098 . . {using electric or electronic means, e.g. alarms, codes}
- B60R 11/02 . for radio sets, television sets, telephones, or the like; Arrangements of control thereof  
(stowing of tape cartridges, compact discs or the like B60R 7/088; } of aerials H01Q)
- B60R 11/0205 . . {for radio sets (B60R 11/0211 takes precedence)}
- B60R 11/0211 . . {for record carriers apparatus, e.g. video recorders, tape players or CD players}
- B60R 11/0217 . . {for loud-speakers}
- B60R 11/0223 . . . {of flat type}
- B60R 11/0229 . . {for displays, e.g. cathodic tubes}
- B60R 11/0235 . . . {of flat type, e.g. LCD}
- B60R 11/0241 . . {for telephones}
- B60R 11/0247 . . {for microphones or earphones}
- B60R 11/0252 . . {for personal computers, e.g. laptops, notebooks}
- B60R 11/0258 . . {for navigation systems}
- B60R 11/0264 . . {for control means}
- B60R 2011/027 . . {for Din-sized apparatus}
- B60R 2011/0276 . . {for rear passenger use}
- B60R 2011/0282 . . {for the use of several passengers, e.g. simultaneously}
- B60R 2011/0288 . . {Apparatus made of several modules independently mounted}
- B60R 2011/0294 . . {Apparatus with multi-functionalities, e.g. radio and telephone}
- B60R 11/04 . Mounting of cameras operative during drive; Arrangement of controls thereof relative  
to the vehicle (cameras per se G03B)
- B60R 11/06 . for tools or spare parts (for vehicle roof parts B60J 7/20; for spare wheels B62D)
  
- B60R 13/00** **Elements for body-finishing, identifying, or decorating; Arrangements or  
adaptations for advertising purposes**
- B60R 13/005 . {Manufacturers' emblems, name plates, bonnet ornaments, mascots or the like;  
Mounting means therefor}
- B60R 13/01 . Liners for load platforms or load compartments
- B60R 13/011 . . {for internal load compartments, e.g. car trunks}
- B60R 13/013 . . . {comprising removable or hinged parts, e.g. for accessing storage  
compartments}



- B60R 2013/015 . . {made of a plurality of visible parts}
- B60R 2013/016 . . {integrating other functions or accessories}
- B60R 2013/018 . . {Connection or positioning of adjacent panels}
- B60R 13/02 . {Internal} Trim mouldings; {Internal} Ledges; Wall liners {for passenger compartments}; Roof liners ([B60R 13/01](#) takes precedence; {padded linings for the vehicle interior [B60R 21/04](#); arrangements or adaptations of floor mats or carpets in vehicles [B60N 3/04](#); internal lining for trains [B61D 17/18](#)})
- B60R 13/0206 . . {Arrangements of fasteners and clips specially adapted for attaching inner vehicle liners or mouldings (devices for fastening or securing [F16B](#))}
- B60R 13/0212 . . {Roof or head liners (movable head-liners [B60J 7/0007](#))}
- B60R 13/0218 . . . {supported by adhesion with the roof panel}
- B60R 13/0225 . . . {self supporting head liners}
- B60R 13/0231 . . . {specially adapted for roofs with openings}
- B60R 13/0237 . . {Side or rear panels}
- B60R 13/0243 . . . {Doors}
- B60R 13/025 . . . {Pillars; Roof rails}
- B60R 13/0256 . . {Dashboard liners}
- B60R 13/0262 . . {Mid-console liners}
- B60R 13/0268 . . {Rear parcel liners (used as luggage covering means [B60R 5/044](#))}
- B60R 13/0275 . . {comprising removable or hinged parts (for accessing storage compartments [B60R 7/04](#); for airbag deployment [B60R 21/215](#))}
- B60R 2013/0281 . . {made of a plurality of visible parts}
- B60R 2013/0287 . . {integrating other functions or accessories}
- B60R 2013/0293 . . {Connection or positioning of adjacent panels}
- B60R 13/04 . {External} Ornamental or guard strips; Ornamental inscriptive devices {thereon (fastening strips or bars to sheets or plates by means of clips [F16B 5/12](#))}
- B60R 13/043 . . {Door edge guards}
- B60R 2013/046 . . {Foot boards}
- B60R 13/06 . Sealing strips (sealing arrangements for vehicle windows, windscreens, non-fixed roofs, doors, or similar devices [B60J 10/00](#))
- B60R 13/07 . Water drainage or guide means not integral with roof structure ([B60R 13/06](#), {[B60J 10/0045](#)} take precedence; {integral with roof structure [B62D 25/07](#); drainage openings having movable or removable closures [B62D 25/24](#)})
- B60R 13/08 . Insulating elements, e.g. for sound insulation {(sound insulating linings for trains [B61D 17/185](#); drivers' cabs for load-carrying vehicles insulated against vibrations or noise [B62D 33/0604](#); thermal or acoustic insulation of engines [F02B 77/11](#); damping of sounds using compensation by electro-acoustic methods [G10K 11/178](#))}
- B60R 2013/0807 . . {Arrangements of fasteners or clips specially adapted therefore}
- B60R 13/0815 . . {Acoustic or thermal insulation of passenger compartments (wall or roof liners integrating the insulating function [B60R 13/02](#); insulating floor mats or carpets [B60N 3/04](#))}
- B60R 13/0823 . . . {Insulating partitions, e.g. between front and rear seats}
- B60R 13/083 . . . {for fire walls or floors}
- B60R 13/0838 . . {for engine compartments}

- B60R 13/0846 . . {for duct, cable or rod passages, e.g. between engine and passenger compartments}
- B60R 13/0853 . . . {specially adapted for movable parts, e.g. gears levers, pedals}
- B60R 13/0861 . . {for covering undersurfaces of vehicles, e.g. wheel houses}
- B60R 13/0869 . . {for protecting heat sensitive parts, e.g. electronic components}
- B60R 13/0876 . . {for mounting around heat sources, e.g. exhaust pipes}
- B60R 13/0884 . . {for mounting around noise sources, e.g. air blowers}
- B60R 13/0892 . . {for humidity insulation (sealing strips [B60R 13/06](#))}
- B60R 13/10 . Registration, licencing, or like devices
- B60R 13/105 . . {Licence- or registration plates, provided with mounting means, e.g. frames, holders, retainers, brackets}

#### **B60R 15/00 Arrangements or adaptations of sanitation devices**

- B60R 15/02 . Washing facilities {(in railway vehicles [B61D 35/002](#))}
- B60R 15/04 . Toilet facilities {(in railway vehicles [B61D 35/005](#))}

#### **B60R 16/00 Electric or fluid circuits specially adapted for vehicles and not otherwise provided for; Arrangement of elements of electric or fluid circuits specially adapted for vehicles and not otherwise provided for {(devices for protecting vehicle occupants in case of accidents [B60R 21/00](#); safety belts [B60R 22/00](#); central door locking [E05B 49/00](#), [E05B 77/50](#))}**

- B60R 16/005 . {Electro-mechanical devices, e.g. switched (electric switches in general [H01H](#))}
- B60R 16/02 . electric {constitutive elements}
- B60R 16/0207 . . {Wire harnesses}
- B60R 16/0215 . . . {Protecting, fastening and routing means therefor}
- B60R 16/0222 . . . . {Grommets}
- B60R 16/023 . . for transmission of signals between vehicle parts or subsystems
- B60R 16/0231 . . . {Circuits relating to the driving or the functioning of the vehicle (for dash boards [B60K 37/00](#), [B60Q 3/04](#); for indicating emergencies [B60Q 1/52](#); registering or indicating the working of vehicles [G07C 5/00](#); measuring distance [G01C](#), e.g. combinations of speed and distance [G01C 23/00](#); engine indicators [G01L](#); measuring speed or acceleration [G01P](#); brake control systems [B60T](#); monitoring tyres [B60C 23/00](#); indicating overspeed [B60K 31/00](#))}
- B60R 16/0232 . . . . {for measuring vehicle parameters and indicating critical, abnormal or dangerous conditions}
- B60R 16/0233 . . . . . {Vehicle tilting, overturning or roll over}
- B60R 16/0234 . . . . . {related to maintenance or repairing of vehicles}
- B60R 16/0235 . . . . {for lighting devices combined with starting or ignition devices for road vehicles}
- B60R 16/0236 . . . . {for economical driving}
- B60R 16/0237 . . . {circuits concerning the atmospheric environment (meteorology [G01W](#))}
- B60R 16/0238 . . . {Electrical distribution centers}
- B60R 16/0239 . . . {Electronic boxes}



- B60R 16/027 . . . between relatively movable parts of the vehicle, e.g. between steering wheel and column {(devices for measuring, signalling or controlling tyre pressure or temperature specially adapted for mounting on vehicles [B60C 23/00](#))}
- B60R 16/03 . . for supply of electrical power to vehicle subsystems {or for (circuit arrangements for charging batteries [H02J 7/00](#))}
- B60R 16/0307 . . . {using generators driven by a machine different from the vehicle motor}
- B60R 16/0315 . . . {using multiplexing techniques (multiplexing for transmission of signals [G08C 15/00](#); multiplexing for electrical communication in general [H04J](#))}
- B60R 2016/0322 . . . . {Temporary code for documents to be reclassified to [G08C](#), [H04L](#) or [H04Q](#)}
- B60R 16/033 . . . characterised by the use of electrical cells or batteries (for propulsion puposes [B60K 1/04](#); supplying batteries to, or removing batteries from, vehicles [B60S 5/06](#); testing of charge state [G01R 31/36](#))
- B60R 16/037 . . for occupant comfort, {e.g. for automatic adjustment of appliances according to personal settings, e.g. seats, mirrors, steering wheel}
- B60R 16/0373 . . . {Voice control (in general [G10L](#))}
- B60R 16/04 . . Arrangement of batteries
- B60R 16/06 . . for removing electrostatic charges (carrying-off electrostatic charges in general [H05F 3/00](#))
- B60R 16/08 . fluid
- B60R 17/00** **Arrangements or adaptations of lubricating systems or devices** (lubricating in general [F16N](#))
- B60R 17/02 . Systems, e.g. central lubrication systems
- B60R 19/00** **Wheel guards; Radiator guards, {e.g. grilles}; Obstruction removers; Fittings damping bouncing force in collisions** ({reinforcement elements for side doors [B60J 5/0412](#); } mudguards [B62D](#))
- B60R 2019/002 . {Wheel guards}
- B60R 2019/005 . {Crash attenuators, i.e. means added to highway service vehicles for softening high speed impacts}
- B60R 2019/007 . {Means for adjusting or regulating the crash absorption capacity of the vehicle, e.g. when detecting an impending collision}
- B60R 19/02 . Bumpers, i.e. impact receiving or absorbing members for protecting vehicles or fending off blows from other vehicles or objects ({[B60R 19/56](#) takes precedence; initiating brake action by contact of bumper with an external object [B60T 7/22](#); for rail vehicles [B61F 19/04](#); safety equipment for cycles [B62J 27/00](#);} integral with waterborne vessels or specially adapted therefor [B63B 59/02](#))
- B60R 19/023 . . {Details}
- B60R 2019/026 . . {Buffers, i.e. bumpers of limited extent}
- B60R 19/03 . . characterised by material, e.g. composite ([B60R 19/18](#) takes precedence)
- B60R 19/04 . . formed from more than one section {in a side-by-side arrangement}
- B60R 19/12 . . . vertically spaced
- B60R 19/14 . . . having folding parts
- B60R 19/16 . . . having deflecting members, e.g. rollers, balls
- B60R 19/18 . . {characterised by the cross-section;} Means within the bumper to absorb impact

B60R 2019/1806	. . .	{Structural beams therefor, e.g. shock-absorbing (bumper beams made of cellular materials <a href="#">B60R 19/22</a> )}
B60R 2019/1813	. . . .	{made of metal}
B60R 2019/182	. . . . .	{of light metal, e.g. extruded}
B60R 2019/1826	. . . . .	{of high-tension steel}
B60R 2019/1833	. . . .	{made of plastic material}
B60R 2019/184	. . . . .	{Blow moulded}
B60R 2019/1846	. . . . .	{comprising a cellular structure}
B60R 2019/1853	. . . . .	{of reinforced plastic material}
B60R 2019/186	. . .	{Additional energy absorbing means supported on bumper beams, e.g. cellular structures or material}
B60R 2019/1866	. . . .	{Cellular structures}
B60R 2019/1873	. . . .	{Cellular materials}
B60R 2019/188	. . . .	{Blow molded structures}
B60R 2019/1886	. . .	{Bumper fascias and fastening means therefor (on fenders <a href="#">B60R 2019/247</a> )}
B60R 2019/1893	. . .	{comprising a multiplicity of identical adjacent shock-absorbing means}
B60R 19/20	. . .	containing {mainly} gas or liquid, e.g. inflatable (connection of valves to inflatable elastic bodies <a href="#">B60C 29/00</a> )
B60R 19/205	. . . .	{inflatable in the direction of an obstacle upon impending impact, e.g. using air bags}
B60R 19/22	. . .	containing {mainly} cellular material, e.g. solid foam
B60R 19/24	. .	Arrangements for mounting bumpers on vehicles
B60R 2019/242	. . .	{on two vertical sleeves, e.g. on energy absorber ends}
B60R 2019/245	. . .	{with adjusting means to compensate manufacturing tolerances, e.g. between bumper and energy absorbers}
B60R 2019/247	. . .	{Fastening of bumpers' side ends}
B60R 19/26	. . .	comprising yieldable mounting means ({ <a href="#">B60R 19/38</a> takes precedence;} springs, shock absorbers, or means for damping vibrations per se <a href="#">F16F</a> )
B60R 2019/262	. . . .	{with means to adjust or regulate the amount of energy to be absorbed}
B60R 2019/264	. . . .	{using cellular structures}
B60R 2019/266	. . . .	{using friction surfaces}
B60R 2019/268	. . . .	{with rebound preventing means, e.g. ratchets}
B60R 19/28	. . . .	Metallic springs
B60R 19/285	. . . . .	{comprising only leaf springs, e.g. the mounting means forming part of the guard itself}
B60R 19/30	. . . .	Elastomeric material ({ <a href="#">B60R 19/34</a> takes precedence})
B60R 19/32	. . . .	Fluid shock absorbers {, e.g. with coaxial coil springs}
B60R 19/34	. . . .	destroyed upon impact, e.g. one-shot type
B60R 19/36	. . . .	Combinations of yieldable mounting means of different types {(fluid shock absorbers with coaxial coil springs <a href="#">B60R 19/32</a> )}
B60R 19/38	. . .	adjustably or movably mounted, e.g. horizontally displaceable for securing a space between parked vehicles {(adjustably mounted for compensating manufacturing tolerances <a href="#">B60R 19/24</a> , <a href="#">B60R 19/26</a> )}

- B60R 19/40 . . . . in the direction of an obstacle before a collision, {or extending during driving of the vehicle, i.e. to increase the energy absorption capacity of the bumper (inflatable bumpers [B60R 19/20](#))}
- B60R 19/42 . . extending primarily along the sides of, or completely encircling, a vehicle (ornamental or guard strips [B60R 13/04](#))
- B60R 19/44 . . Bumper guards
- B60R 19/445 . . . {Guard strips}
- B60R 19/46 . . . spring- or pivotally-mounted
- B60R 19/48 . . combined with, or convertible into, other devices or objects, e.g. bumpers combined with road brushes, bumpers convertible into beds
- B60R 19/483 . . . {with obstacle sensors of electric or electronic type}
- B60R 2019/486 . . . {with air passages, e.g. for cooling}
- B60R 19/50 . . . with lights or registration plates
- B60R 2019/505 . . . . {with lights}
- B60R 19/52 . Radiator or grille guards {; Radiator grilles (cooling aspects [B60K 11/08](#))}
- B60R 2019/522 . . {Bull bars}
- B60R 2019/525 . . {Radiator grilles}
- B60R 2019/527 . . . {integral with bumpers}
- B60R 19/54 . Obstruction removers or deflectors ([B60R 19/16](#), [B60R 21/34](#) take precedence)
- B60R 19/545 . . {Devices for cutting wire-type obstructions}
- B60R 19/56 . {Fittings damping bouncing force in truck collisions, e.g. bumpers;} Arrangements on high-riding vehicles, e.g. lorries, for preventing vehicles or objects from running thereunder
- B60R 19/565 . . {on vehicle sides}
- B60R 21/00** **Arrangements or fittings on vehicles for protecting or preventing injuries to occupants or pedestrians in case of accidents or other traffic risks** (safety belts or body harnesses in vehicles [B60R 22/00](#); devices, apparatus or methods for life-saving in general [A62B](#); safety devices for propulsion unit control specially adapted for, or arranged in, vehicles [B60K 28/00](#); seats constructed to protect the occupant from the effect of abnormal g-forces, e.g. crash or safety seats, [B60N 2/42](#); energy-absorbing arrangements for hand wheels for steering vehicles [B62D 1/11](#); energy-absorbing arrangements for vehicle steering columns [B62D 1/19](#); harnessing in aircraft [B64D 25/00](#))
  - B60R 2021/0002 . {Type of accident}
  - B60R 2021/0004 . . {Frontal collision}
  - B60R 2021/0006 . . {Lateral collision}
  - B60R 2021/0009 . . {Oblique collision}
  - B60R 2021/0011 . . {Rear collision or recoiling bounce after frontal collision}
  - B60R 2021/0013 . . {Free fall}
  - B60R 2021/0016 . . {Fall in water}
  - B60R 2021/0018 . . {Roll-over}
  - B60R 2021/002 . . {Underrun collision}
  - B60R 2021/0023 . . {Offset collision}

B60R 2021/0025	. . {Pole collision}
B60R 2021/0027	. {Post collision measures, e.g. notifying emergency services}
B60R 2021/003	. {characterised by occupant or pedestrian}
B60R 2021/0032	. . {Position of passenger}
B60R 2021/0034	. . . {lying down}
B60R 2021/0037	. . . {standing}
B60R 2021/0039	. . {Body parts of the occupant or pedestrian affected by the accident}
B60R 2021/0041	. . . {Arms}
B60R 2021/0044	. . . {Chest}
B60R 2021/0046	. . . {Feet}
B60R 2021/0048	. . . {Head}
B60R 2021/0051	. . . {Knees}
B60R 2021/0053	. . . {Legs}
B60R 2021/0055	. . . {Pelvis}
B60R 2021/0058	. . . {Shoulders}
B60R 2021/006	. . {Type of passenger}
B60R 2021/0062	. . . {woman, e.g. pregnant}
B60R 2021/0065	. {Type of vehicles}
B60R 2021/0067	. . {Buses}
B60R 2021/0069	. . {Trailers, e.g. caravans}
B60R 2021/0072	. . {Convertible cars}
B60R 2021/0074	. . {Utility vehicles}
B60R 2021/0076	. . . {Agricultural vehicles, e.g. tractors}
B60R 2021/0079	. . . {Fork-lift trucks}
B60R 2021/0081	. . . {Working vehicles}
B60R 2021/0083	. . . {Pick-up trucks; Light trucks; Sport utility vehicles}
B60R 2021/0086	. . {Racing cars}
B60R 2021/0088	. . {Cycles, e.g. motorcycles}
B60R 2021/009	. . {Railway vehicles}
B60R 2021/0093	. . {Aircraft}
B60R 2021/0095	. . {Boats}
B60R 2021/0097	. . {Amusement vehicles}
B60R 21/01	. Electrical circuits for triggering {passive} safety arrangements, {e.g. airbags, safety belt tighteners,} in case of vehicle accidents or impending vehicle accidents {(electrical circuits for transmission of signals between steering wheel and the vehicle itself <a href="#">B60R 16/027</a> ; for electrically actuating belt retractor locking means <a href="#">B60R 22/343</a> )}
B60R 2021/01006	. . {Mounting of electrical components in vehicles}
B60R 2021/01013	. . {Means for detecting collision, impending collision or roll-over}
B60R 2021/0102	. . . {the monitored value being used for calculating occupant displacement}
B60R 2021/01027	. . . {Safing sensors}
B60R 2021/01034	. . {Controlling a plurality of restraint devices}

B60R 2021/0104	. .	{Communication circuits for data transmission}
B60R 2021/01047	. . .	{Architecture}
B60R 2021/01054	. . . .	{Bus}
B60R 2021/01061	. . . . .	{between the airbag system and other vehicle electronic systems}
B60R 2021/01068	. . . . .	{between different sensors and airbag control unit}
B60R 2021/01075	. . . . .	{between the airbag control unit and pyrotechnic fuses or equivalent actuators}
B60R 2021/01081	. . .	{Transmission medium}
B60R 2021/01088	. . . .	{wireless}
B60R 2021/01095	. . . .	{optical}
B60R 2021/01102	. . .	{Transmission method}
B60R 2021/01109	. . . .	{power and data signal using transmission medium}
B60R 2021/01115	. . . .	{specific data frames}
B60R 2021/01122	. .	{Prevention of malfunction}
B60R 2021/01129	. . .	{Problems or faults}
B60R 2021/01136	. . . .	{Cut lines}
B60R 2021/01143	. . . .	{Short circuits}
B60R 2021/0115	. . . .	{Current leakage}
B60R 2021/01156	. . . .	{Current or voltage overload}
B60R 2021/01163	. . . .	{Insufficient current or voltage}
B60R 2021/0117	. . . .	{Noise}
B60R 2021/01177	. . . .	{Misdeployment, e.g. during assembly, disassembly, accident salvage or recycling}
B60R 2021/01184	. . .	{Fault detection or diagnostic circuits (in power circuits <a href="#">B60R 2021/01129</a> )}
B60R 2021/0119	. . . .	{Plausibility check}
B60R 2021/01197	. . . .	{Warning devices}
B60R 2021/01204	. .	{Actuation parameters of safety arrangements}
B60R 2021/01211	. . .	{Expansion of air bags}
B60R 2021/01218	. . . .	{control of expansion speed}
B60R 2021/01225	. . . .	{control of expansion volume}
B60R 2021/01231	. . . .	{control of expansion timing or sequence}
B60R 2021/01238	. . . .	{control of expansion shape}
B60R 2021/01245	. . . .	{selection of seat for bag expansion}
B60R 2021/01252	. . .	{Devices other than bags}
B60R 2021/01259	. . . .	{Brakes}
B60R 2021/01265	. . . .	{Seat belts}
B60R 2021/01272	. . . . .	{Belt tensioners}
B60R 2021/01279	. . . . .	{Load limiters}
B60R 2021/01286	. .	{Electronic control units}
B60R 2021/01293	. . .	{programmable for use in different vehicles or with different airbags configurations}

- B60R 21/013 . . including means for detecting collisions, impending collision or roll-over
- B60R 2021/01302 . . . {monitoring vehicle body vibrations or noise}
- B60R 2021/01304 . . . {monitoring rough road condition}
- B60R 2021/01306 . . . {monitoring vehicle inclination}
- B60R 2021/01308 . . . {monitoring distance between vehicle body and road}
- B60R 2021/01311 . . . {monitoring the braking system, e.g. ABS}
- B60R 2021/01313 . . . {monitoring the vehicle steering system or the dynamic control system}
- B60R 2021/01315 . . . {monitoring occupant displacement}
- B60R 2021/01317 . . . {monitoring seat belt tension}
- B60R 21/0132 . . . responsive to vehicle motion parameters {,e.g. to vehicle longitudinal or transversal deceleration or speed value}
- B60R 2021/01322 . . . . {comprising variable thresholds, e.g. depending from other collision parameters}
- B60R 2021/01325 . . . . {Vertical acceleration}
- B60R 2021/01327 . . . . {Angular velocity or angular acceleration}
- B60R 21/0133 . . . . {by integrating the amplitude of the input signal}

#### **WARNING**

Group(s) [B60R 21/0133](#) - [B60R 21/01338](#) are incomplete pending reclassification of documents from group [B60R 21/0132](#).

Until reclassification is complete, groups [B60R 21/0132](#) and [B60R 21/0133](#) - [B60R 21/01338](#) should be considered in order to perform a complete search.

- B60R 21/01332 . . . . {by frequency or waveform analysis}
- B60R 21/01334 . . . . . {using Fourier analysis}
- B60R 21/01336 . . . . . {using filtering}
- B60R 21/01338 . . . . . {using vector analysis}
- B60R 21/0134 . . . responsive to imminent contact with an obstacle {,e.g. using radar systems}
- B60R 2021/01345 . . . . {using mechanical sensing means}
- B60R 21/0136 . . . responsive to actual contact with an obstacle {, e.g. to vehicle deformation, bumper displacement or bumper velocity relative to the vehicle ([monitoring crash strength in combination with passenger seat detection B60R 21/01558](#))}
- B60R 21/015 . . including means for detecting the presence or position of passengers, passenger seats or child seats {, and the related safety parameters therefor, e.g. speed or timing of airbag inflation in relation to occupant position or seat belt use}

#### **WARNING**

Group(s) [B60R 21/01504](#) - [B60R 21/01566](#) is/are incomplete pending reclassification of documents from group(s) [B60R 21/015](#).

Until reclassification is complete, group [B60R 21/015](#) should be considered in order to perform a complete search.

- B60R 21/01504 . . . {detecting bag displacement}



B60R 21/01508	. . . {detecting forces or pressure in bags or modules}
B60R 21/01512	. . . {Passenger detection systems}
B60R 21/01516	. . . . {using force or pressure sensing means}
B60R 21/0152	. . . . . {using strain gauges}
B60R 21/01522	. . . . . {using fluid means}
B60R 21/01524	. . . . . {using electric switches}
B60R 21/01526	. . . . . {using piezoelectric elements}
B60R 21/01528	. . . . {mounted on the bag}
B60R 21/0153	. . . . {using field detection presence sensors}
B60R 21/01532	. . . . . {using electric or capacitive field sensors}
B60R 21/01534	. . . . . {using electromagnetic waves, e.g. infrared}
B60R 21/01536	. . . . . {using ultrasonic waves}
B60R 21/01538	. . . . . {for image processing, e.g. cameras or sensor arrays}
B60R 21/0154	. . . . . {in combination with seat heating}
B60R 21/01542	. . . . {detecting passenger motion}
B60R 21/01544	. . . . {detecting seat belt parameters, e.g. length, tension or height-adjustment}
B60R 21/01546	. . . . . {using belt buckle sensors}
B60R 21/01548	. . . . . {sensing the amount of belt wound on retractor}
B60R 21/0155	. . . . . {sensing belt tension}
B60R 21/01552	. . . . {detecting position of specific human body parts, e.g. face, eyes or hands}
B60R 21/01554	. . . {Seat position sensors}
B60R 21/01556	. . . {Child-seat detection systems}
B60R 21/01558	. . . {monitoring crash strength}
B60R 21/0156	. . . . {by deceleration}
B60R 21/01562	. . . . {by speed}
B60R 21/01564	. . . {Manually or key-actuated inhibition switches}
B60R 21/01566	. . . {Devices for warning or indicating mode of inhibition}
B60R 21/017	. . including arrangements for providing electric power to safety arrangements {or their actuating means, e.g. to pyrotechnic fuses or electro-mechanic valves}
B60R 21/0173	. . . {Diagnostic or recording means therefor}
B60R 21/0176	. . . . {for firing circuits using only mechanical switches as collision detecting means, in series with pyrotechnic fuses}
B60R 21/02	. Occupant safety arrangements or fittings, {e.g. crash pads (seat belts with crash pads <a href="#">B60R 22/14</a> ; removable children's seats having a front guard or barrier <a href="#">B60N 2/2839</a> )}
B60R 2021/0206	. . {Self-supporting restraint systems, e.g. restraining arms, plates or the like}
B60R 2021/0213	. . . {mounted on floor}
B60R 2021/022	. . . {mounted on seats}
B60R 2021/0226	. . . {mounted on fire wall}
B60R 2021/0233	. . . {mounted on steering-wheel}
B60R 2021/024	. . . {mounted on dash-board}
B60R 2021/0246	. . . {mounted on side walls}

B60R 2021/0253	. . . {mounted on roof}
B60R 21/026	. . {Rigid partitions inside vehicles, e.g. between passengers and load compartments (B60R 21/12 takes precedence)}
B60R 2021/0266	. . . {comprising energy absorbing means}
B60R 2021/0273	. . {automatically movable to an operative position, e.g. in case of collision or impending collision}
B60R 2021/028	. . {Means preventing passenger from falling out of vehicles}
B60R 21/0286	. . {Padded or energy absorbing driving control initiating means, e.g. gear lever, pedals (B60R 21/09 takes precedence; padded linings for steering control means B60R 21/05)}
B60R 2021/0293	. . {Additional pads or cushions in vehicle compartments, e.g. movably mounted}
B60R 21/04	. . Padded linings for the vehicle interior; {Energy absorbing structures associated with padded or non-padded linings}
B60R 2021/0407	. . . {using gas or liquid as energy absorbing means}
B60R 2021/0414	. . . {using energy absorbing ribs}
B60R 2021/0421	. . . {using honeycomb structures}
B60R 21/0428	. . . {associated with the side doors or panels, e.g. displaced towards the occupants in case of a side collision}
B60R 2021/0435	. . . {associated with the side or roof pillars}
B60R 2021/0442	. . . {associated with the roof panel}
B60R 21/045	. . . associated with the instrument panel or dashboard
B60R 21/05	. . . associated with the steering wheel, {steering} hand lever or {steering} column (yieldable steering columns B62D 1/18)
B60R 21/055	. . Padded {or energy-absorbing} fittings, {e.g. seat belt anchors (sun visors B60J 3/00; head rests B60N 2/48)}
B60R 21/06	. . Safety nets, transparent sheets, curtains, or the like, e.g. between occupants and glass ({B60R 21/026} , B60R 21/11, B60R 21/12, B60R 21/16 take precedence)
B60R 2021/065	. . . {comprising energy absorbing mounting means}
B60R 21/08	. . . {automatically} movable from an inoperative to an operative position, e.g. in a collision (electrical circuits for triggering safety arrangements B60R 21/01)
B60R 21/09	. . Control elements or operating handles movable from an operative to an out-of-the way position, e.g. {pedals,} switch knobs, window cranks {(specially adapted for brake pedals, e.g. by venting of master cylinder or destruction of force transmitting rod, B60T 7/065)}
B60R 21/11	. . Overhead guards, e.g. against loads falling down {(specially adapted for fork-lift trucks B66F 9/07545)}
B60R 21/12	. . which protect the occupants against personal attack from the inside or the outside of the vehicle
B60R 21/13	. . Roll-over protection (electrical circuits for triggering safety arrangements B60R 21/01)
B60R 21/131	. . . {Protective devices for drivers in case of overturning of tractors (means for preventing overturning or tipping of tractors B62D 49/08)}
B60R 2021/132	. . . {Roll bars for convertible vehicles}
B60R 2021/134	. . . . {movable from a retracted to a protection position}
B60R 2021/135	. . . . . {automatically during an accident}

B60R 2021/137	. . .	{Reinforcement cages for closed vehicle bodies}
B60R 2021/138	. . .	{using external airbags}
B60R 21/16	. .	Inflatable occupant restraints or confinements designed to inflate upon impact or impending impact, e.g. air bags ({protective garments with automatically inflatable shock-absorbing means <a href="#">A41D 13/018</a> ; } connection of valves to inflatable elastic bodies <a href="#">B60C 29/00</a> )
B60R 2021/161	. . .	{characterised by additional means for controlling deployment trajectory}
B60R 2021/162	. . .	{Means for diverting, destroying or blocking the bag in case of dangerous deployment, e.g. during rescue operations or use of rear-facing children seats}
B60R 21/164	. . .	{combined with vehicle venting means for reducing or avoiding the passenger compartment overpressure during inflation}
B60R 2021/165	. . .	{reusable, e.g. in case of multiple collisions}
B60R 2021/167	. . .	{comprising anti-theft devices}
B60R 2021/168	. . .	{for restraining luggages}
B60R 21/18	. . .	the inflatable member formed as a belt or harness or combined with a belt or harness arrangement
B60R 21/20	. . .	Arrangements for storing inflatable members in their non-use or deflated condition; Arrangement or mounting of air bag modules or components
B60R 21/201	. . . .	Packaging straps or envelopes for inflatable members
B60R 21/203	. . . .	in steering wheels or steering columns
B60R 21/2032	. . . . .	{the inflator or inflatable member not being rotatable with the steering wheel; Arrangements using the steering column or steering wheel rim for storing, supplying or evacuating the inflation gas or for storing the inflatable member}
B60R 21/2035	. . . . .	{using modules containing inflator, bag and cover attachable to the steering wheel as a complete sub-unit (steering wheel covers with tear lines <a href="#">B60R 21/21656</a> ; assembling of modules <a href="#">B60R 21/217</a> )}
B60R 21/2037	. . . . .	{the module or a major component thereof being yieldably mounted, e.g. for actuating the horn switch or for protecting the driver in a non-deployment situation (horn switches integrated in steering wheel covers with tear lines <a href="#">B60R 21/21658</a> )}
B60R 21/205	. . . .	in dashboards
B60R 21/206	. . . . .	in the lower part of dashboards, e.g. for protecting the knees
B60R 21/207	. . . .	in vehicle seats
B60R 21/2072	. . . . .	{in children's seats}
B60R 2021/2074	. . . . .	{in head rests}
B60R 2021/2076	. . . . .	{Removable covers with tear seams}
B60R 2021/2078	. . . . .	{in rear seats}
B60R 21/21	. . . .	in vehicle side panels, e.g. doors (pillar mounted arrangements <a href="#">B60R 21/213</a> )
B60R 21/213	. . . .	in vehicle roof frames or pillars
B60R 21/214	. . . .	in roof panels
B60R 21/215	. . . .	characterised by the covers for the inflatable member ({ <a href="#">B60R 21/2176</a> takes precedence})

B60R 2021/21506	. . . . .	{comprising tearing tabs, legs or the like for holding the lid before deployment}
B60R 2021/21512	. . . . .	{the lid being displaced towards the occupant during deployment ( <a href="#">B60R 2021/2161</a> , <a href="#">B60R 2021/21525</a> take precedence)}
B60R 2021/21518	. . . . .	{comprising a lock unlocked during deployment}
B60R 2021/21525	. . . . .	{the lid being fixed on the bag, or forming part of the bag wall, or the bag itself being used as wall liner}
B60R 2021/21531	. . . . .	{using a stretchable wall liner}
B60R 2021/21537	. . . . .	{characterised by hinges}
B60R 2021/21543	. . . . .	{with emblems}
B60R 21/2155	. . . . .	with complex motion of the cover; Retraction under the lining during opening
B60R 21/216	. . . . .	comprising tether means for limitation of cover motion during deployment
B60R 2021/2161	. . . . .	{the cover being displaced towards the occupant during deployment}
B60R 2021/2163	. . . . .	{with energy absorbing or elastic means}
B60R 21/2165	. . . . .	characterised by a tear line for defining a deployment opening
B60R 2021/21652	. . . . .	{the tearing being done or assisted by cutters}
B60R 2021/21654	. . . . .	{the tearing being done or assisted by heating or pyrotechnic means}
B60R 21/21656	. . . . .	{Steering wheel covers or similar cup-shaped covers}
B60R 21/21658	. . . . .	{with integrated switches, e.g. horn switches}
B60R 21/217	. . . . .	Inflation fluid source retainers, e.g. reaction canisters; Connection of bags, covers, diffusers or inflation fluid sources therewith or together
B60R 21/2171	. . . . .	{specially adapted for elongated cylindrical or bottle-like inflators with a symmetry axis perpendicular to the main direction of bag deployment, e.g. extruded reaction canisters ( <a href="#">B60R 21/2176</a> takes precedence)}
B60R 2021/2172	. . . . .	{the cover being connected to the surrounding part and to the module, e.g. floating mounts}
B60R 2021/2173	. . . . .	{the module or part thereof being movably mounted on the vehicle}
B60R 2021/2175	. . . . .	{using energy absorbing means}
B60R 21/2176	. . . . .	{the air bag components being completely enclosed in a soft or semi-rigid housing or cover}
B60R 2021/2177	. . . . .	{Reaction canisters characterised by material}
B60R 2021/2178	. . . . .	{Plastic}
B60R 21/23	. . . . .	Inflatable members ( <a href="#">B60R 21/18</a> takes precedence; connection to inflation fluid source retainers <a href="#">B60R 21/217</a> )
B60R 21/231	. . . . .	characterised by their shape, construction or spatial configuration

**WARNING**

Groups [B60R 21/2334](#) - [B60R 21/2346](#) are not complete, pending a reorganisation; see provisionally also group [B60R 21/233](#)

B60R 2021/23107	. . . . .	{the bag being integrated in a multi-bag system}
B60R 2021/23115	. . . . .	{with inflatable support compartments creating an internal suction volume}

B60R 2021/23123	. . . . .	{Heat protection panels}
B60R 2021/2313	. . . . .	{comprising sensitive compartments}
B60R 21/23138	. . . . .	{specially adapted for side protection ( <a href="#">B60R 21/23184</a> , <a href="#">B60R 21/232</a> take precedence)}
B60R 2021/23146	. . . . .	. {seat mounted}
B60R 2021/23153	. . . . .	{specially adapted for rear seat passengers}
B60R 2021/23161	. . . . .	{specially adapted for protecting at least two passengers, e.g. preventing them from hitting each other}
B60R 2021/23169	. . . . .	{specially adapted for knee protection}
B60R 2021/23176	. . . . .	{specially adapted for foot protection}
B60R 21/23184	. . . . .	{Tubular air bags connected to the vehicle at their two extremities}
B60R 2021/23192	. . . . .	{Roof bags, i.e. protecting the occupant in a roll-over situation}
B60R 21/232	. . . . .	Curtain-type airbags deploying mainly in a vertical direction from their top edge
B60R 21/233	. . . . .	comprising a plurality of individual compartments; comprising two or more bag-like members, one within the other ( <a href="#">B60R 21/232</a> takes precedence)
B60R 2021/23308	. . . . .	. {the individual compartments defining the external shape of the bag}
B60R 2021/23316	. . . . .	. {Inner seams, e.g. creating separate compartments or used as tethering means}
B60R 2021/23324	. . . . .	. {Inner walls crating separate compartments, e.g. communicating with vents}
B60R 2021/23332	. . . . .	. . {using independent bags, one within the other}
B60R 21/2334	. . . . .	Expansion regulating features
B60R 21/2338	. . . . .	. Tethers
B60R 2021/23382	. . . . .	. . {Internal tether means}
B60R 2021/23384	. . . . .	. . . {having ends which are movable or detachable during deployment}
B60R 2021/23386	. . . . .	. . . {External tether means}
B60R 2021/23388	. . . . .	. . . {having ends which are movable or detachable during deployment}
B60R 21/2342	. . . . .	. Tear seams
B60R 21/2346	. . . . .	. Soft diffusers
B60R 21/235	. . . . .	characterised by their material
B60R 2021/23504	. . . . .	. {characterised by material}
B60R 2021/23509	. . . . .	. {Fabric}
B60R 2021/23514	. . . . .	. . {coated fabric}
B60R 2021/23519	. . . . .	. {Resin (for coating fabric <a href="#">B60R 2021/23514</a> )}
B60R 2021/23523	. . . . .	. {Composite (coated fabric <a href="#">B60R 2021/23514</a> )}
B60R 2021/23528	. . . . .	. {Metal}
B60R 2021/23533	. . . . .	. {characterised by the manufacturing process}
B60R 2021/23538	. . . . .	. {Sewing}
B60R 2021/23542	. . . . .	. {Weaving}

B60R 2021/23547	. . . . .	{one piece weaving}
B60R 2021/23552	. . . . .	{Knitting}
B60R 2021/23557	. . . . .	{Molding}
B60R 2021/23561	. . . . .	{Sealing}
B60R 2021/23566	. . . . .	{Nesting of panels, i.e. for material utilisation}
B60R 2021/23571	. . . . .	{characterised by connections between panels}
B60R 2021/23576	. . . . .	{Sewing}
B60R 2021/2358	. . . . .	{Bonding}
B60R 2021/23585	. . . . .	{Vulcanisation}
B60R 2021/2359	. . . . .	{Welding}
B60R 2021/23595	. . . . .	{Sealing}
B60R 21/237	. . . . .	characterised by the way they are folded
B60R 2021/2375	. . . . .	{Folding devices}
B60R 21/239	. . . . .	characterised by their venting means
B60R 2021/2395	. . . . .	{comprising means to control the venting}
B60R 21/26	. . . . .	characterised by the inflation fluid source or means to control inflation fluid flow {(arrangement or mounting thereof to the vehicle <a href="#">B60R 21/20</a> ; blasting cartridges for producing gas under pressure in general <a href="#">F42B 3/04</a> ; Initiators or igniters therefor <a href="#">F42B 3/10</a> )}

**WARNING**

Groups [B60R 21/261](#) - [B60R 21/264](#) are not complete, pending a reorganisation; see provisionally also this group

B60R 21/26005	. . . . .	{the inflation fluid being transferred to the inflatable member by the mechanical deformation of the fluid container during an impact}
B60R 2021/26011	. . . . .	{using a filter through which the inflation gas passes}
B60R 2021/26017	. . . . .	{a cooling agent being added to the inflation fluid}
B60R 2021/26023	. . . . .	{for filling the bag with foam}
B60R 2021/26029	. . . . .	{Igniters}
B60R 2021/26035	. . . . .	{triggered by mechanical means}
B60R 2021/26041	. . . . .	{of elongated shape}
B60R 2021/26047	. . . . .	{of film shape}
B60R 2021/26052	. . . . .	{using fluid materials}
B60R 2021/26058	. . . . .	{using a combination of inflators}
B60R 2021/26064	. . . . .	{characterised by auto-ignition means}
B60R 2021/2607	. . . . .	{characterised by heating or heat insulating means, e.g. for use under extreme temperatures}
B60R 2021/26076	. . . . .	{characterised by casing}
B60R 2021/26082	. . . . .	{Material}
B60R 2021/26088	. . . . .	{Plastic}
B60R 2021/26094	. . . . .	{characterised by fluid flow controlling valves}



B60R 21/261	. . . .	with means other than bag structure to diffuse or guide inflation fluid
B60R 2021/2612	. . . . .	{Gas guiding means, e.g. ducts}
B60R 2021/2615	. . . . .	{for diverting the gas into a plurality of bags}
B60R 2021/2617	. . . . .	{Curtain bag nozzles}
B60R 21/262	. . . . .	Elongated tubular diffusers, e.g. curtain-type
B60R 21/263	. . . . .	using a variable source, e.g. plural stage or controlled output ( <a href="#">hybrid inflators B60R 21/272</a> )
B60R 2021/2633	. . . . .	{with a plurality of inflation levels}
B60R 2021/2636	. . . . .	{The volume of gas being continuously adjustable}
B60R 21/264	. . . . .	using instantaneous generation of gas, e.g. pyrotechnic ( <a href="#">B60R 21/268 takes precedence</a> )
B60R 2021/2642	. . . . .	{comprising a plurality of combustion chambers or sub-chambers}
B60R 21/2644	. . . . .	{using only solid reacting substances, e.g. pellets, powder}
B60R 21/2646	. . . . .	{the reacting substances being supported by the inflatable member walls, or by a flexible support within it}
B60R 2021/2648	. . . . .	{comprising a plurality of combustion chambers or sub-chambers}
B60R 21/268	. . . . .	using instantaneous release of stored pressurized gas {( <a href="#">B60R 21/26005 takes precedence</a> )}
B60R 2021/2685	. . . . .	{comprising a plurality of pressure chambers}
B60R 21/272	. . . . .	with means for increasing the pressure of the gas just before or during liberation, e.g. hybrid inflators
B60R 2021/2725	. . . . .	{using a fluid fuel gas generator}
B60R 21/274	. . . . .	characterised by means to rupture or open the fluid source

### WARNING

This group is not complete, pending a reorganisation; see provisionally also group [B60R 21/268](#)

B60R 21/276	. . . .	with means to vent the inflation fluid source, e.g. in case of overpressure {( <a href="#">B60R 21/30 takes precedence</a> ; venting means on inflatable member walls <a href="#">B60R 21/239</a> )}
B60R 2021/2765	. . . . .	{comprising means to control the venting}
B60R 21/30	. . . .	with means to draw ambient air into the flow line and mix such air with the inflation fluid
B60R 21/33	. . .	Arrangements for non-electric triggering of inflation ( <a href="#">electrical circuits for triggering safety arrangements B60R 21/01</a> )
B60R 2021/335	. . . .	{Connections between collision detecting means and inflators using pyrotechnic transmission lines}
B60R 21/34	. .	Protecting non-occupants of a vehicle, e.g. pedestrians {( <a href="#">B60R 19/02 takes precedence</a> )}
B60R 2021/343	. .	{using deformable body panel, bodywork or components}
B60R 2021/346	. .	{means outside vehicle body}
B60R 21/36	. .	using airbags
B60R 21/38	. .	using means for lifting bonnets

<b>B60R 22/00</b>	<b>Safety belts or body harnesses in vehicles</b> (safety belts or body harnesses in general <a href="#">A62B 35/00</a> )
B60R 22/001	. {Knee, leg or head belts}
B60R 22/003	. {for restraining detainees}
B60R 22/005	. {for restraining luggages}
B60R 22/006	. {Sleeve or tubular members enveloping the seat belt for enhancing comfort or protection}
B60R 22/008	. {Belts; Fixing thereof specially adapted for pregnant users}
B60R 22/02	. Semi-passive restraint systems, e.g. systems applied or removed automatically but not both; {Manual restraint systems (knee, leg or head belts <a href="#">B60R 22/001</a> ; devices for releasing in an emergency, remote or automatic unbuckling devices <a href="#">B60R 22/32</a> )}
B60R 22/021	. . {Means for holding the tongue or buckle in a non-use position, e.g. for easy access by the user}
B60R 22/022	. . {with means for facilitating access to rear seats in two-door cars}
B60R 22/023	. . {Three-point seat belt systems comprising two side lower and one side upper anchoring devices ( <a href="#">B60R 22/022</a> , <a href="#">B60R 22/03</a> take precedence)}
B60R 22/024	. . . {Adaptations for use by small passengers, e.g. children ( <a href="#">B60R 22/20</a> takes precedence; using belt anti-slip devices <a href="#">B60R 22/30</a> )}
B60R 22/025	. . . {Adaptations for use with children seats or luggages}
B60R 22/026	. . . {at least two ends of the belt being retractable after use}
B60R 22/027	. . {Four-point seat belt systems, e.g. with the two upper points connected together}
B60R 22/028	. . {specially adapted for use in sleeping position, e.g. for reclining seats}
B60R 22/029	. . {Belt storage; Devices or systems for controlling winding up of unused seat belt}
B60R 22/03	. . Means for presenting the belt or part thereof to the wearer, {e.g. foot-operated}
B60R 22/04	. Passive restraint systems, i.e. systems both applied and removed automatically, e.g. by movement of the vehicle door
B60R 22/06	. . having the belt or harness connected to a member slidable in a vehicle-mounted track
B60R 22/08	. . having the belt retractor mounted on or in a vehicle closure, e.g. the door
B60R 22/10	. specially adapted for children or animals ( <a href="#">children's seats B60N 2/24</a> )

**NOTE**

Groups [B60R 22/02](#){[B60R 22/022](#)} to [B60R 22/08](#), [B60R 22/18](#) to [B60R 22/48](#) take precedence over group [B60R 22/10](#)

B60R 22/105	. . {for children (adaptation of children's seats for seat belts <a href="#">B60N 2/265</a> , <a href="#">B60N 2/2803</a> )}
B60R 22/12	. Construction of belts or harnesses ( <a href="#">B60R 21/18</a> takes precedence; {woven fabrics for safety belts <a href="#">D03D 1/0005</a> )}
B60R 22/14	. . incorporating enlarged restraint areas, e.g. vests, nets {, crash pads, optionally for children (crash pads for occupants' safety on vehicles in general <a href="#">B60R 21/02</a> )}
B60R 22/16	. . using belts which become permanently deformed, i.e. one time use
B60R 22/18	. Anchoring devices
B60R 22/1806	. . {for buckles}

- B60R 2022/1812 . . {Connections between seat belt and buckle tongue}
- B60R 2022/1818 . . {Belt guides}
- B60R 2022/1825 . . . {using rollers}
- B60R 2022/1831 . . . {comprising a slotted plate sliding in its plane, e.g. inside circular guides}
- B60R 2022/1837 . . . {comprising a universal mounting. e.g. spherical or cardan-type}
- B60R 2022/1843 . . . {comprising an elongated sleeve}
- B60R 22/185 . . with stopping means for acting directly upon the belt in an emergency, e.g. by clamping or friction {(B60R 22/195 takes precedence; combined with the retractor B60R 22/42)}
- B60R 22/1855 . . . {the means being sensitive to belt tension}
- B60R 22/19 . . with means for reducing belt tension during use under normal conditions {(included in the retractor B60R 22/44)}
- B60R 22/195 . . with means to tension the belt in an emergency, {e.g. means of the through-anchor or splitted reel type} (electrical circuits for triggering safety arrangements {B60R 21/01})

#### **NOTE**

If the type of belt tensioner is not specified and can be used indifferently for pulling belt anchors or rotating belt reels, the documents are classified in [B60R 22/46](#)

- B60R 22/1951 . . . {characterised by arrangements in vehicle or relative to seat belt}
- B60R 22/1952 . . . {Transmission of tensioning power by cable; Return motion locking means therefor}
- B60R 22/1953 . . . . {the cable being pulled by mechanical means, e.g. pre-stressed springs, bumper displacement during crash}
- B60R 22/1954 . . . {characterised by fluid actuators, e.g. pyrotechnic gas generators (actuating a cable B60R 22/1952)}
- B60R 22/1955 . . . . {Linear actuators}
- B60R 22/1956 . . . . {Mechanical triggering means therefor (also adapted for air bag inflators B60R 21/33)}
- B60R 2022/1957 . . . {characterised by electric actuators}
- B60R 22/1958 . . . {characterised by spring actuators (B60R 22/1953 takes precedence)}
- B60R 22/20 . . adjustable in position, e.g. in height
- B60R 22/201 . . . {with the belt anchor connected to a slider movable in a vehicle-mounted track (for passive restraint systems B60R 22/06)}
- B60R 22/202 . . . . {the slider comprising spring-actuated locking means (B60R 22/205 takes precedence)}
- B60R 22/203 . . . . . {the locking means being movably mounted on the slider}
- B60R 22/205 . . . . {the slider comprising emergency actuated locking means}
- B60R 22/206 . . . {Adjustable stop members for restraint systems comprising belt anchor vehicle mounted tracks, e.g. for passive seat belts}
- B60R 2022/207 . . . {Horizontally or transversally adjustable}
- B60R 2022/208 . . . {by automatic or remote control means}
- B60R 22/22 . . secured to the vehicle floor

- B60R 22/24 . . . secured to the side, door, or roof of the vehicle
- B60R 22/26 . . . secured to the seat
- B60R 2022/263 . . . {Front seats}
- B60R 2022/266 . . . {Rear seats, e.g. benches}
- B60R 22/28 . . incorporating energy-absorbing devices {(belt anchors provided with energy-absorbing means for protecting the occupants in case of physical contact therewith [B60R 21/055](#); belt retractors comprising energy-absorbing means [B60R 22/341](#), [B60R 22/4676](#))}
- B60R 2022/281 . . {for buckles}
- B60R 2022/282 . . {using fluids or vico-elastic materials}
- B60R 2022/283 . . {using tearing or scoring of material}
- B60R 2022/284 . . {using electric or magnetic braking means}
- B60R 2022/285 . . {using friction surfaces}
- B60R 2022/286 . . {using deformation of material}
- B60R 2022/287 . . . {of torsion rods or tubes}
- B60R 2022/288 . . {with means to adjust or regulate the amount of energy to be absorbed}
- B60R 2022/289 . . {Energy-absorption curves}
- B60R 22/30 . . Coupling devices other than buckles, including length-adjusting fittings {or anti-slip devices (adaptations of manual three-point seat belt systems for use by small passengers using other means than belt anti-slip devices [B60R 22/024](#); buckles [A44B 11/00](#); releasable fastenings in general [F16B](#))}
- B60R 22/32 . . Devices for releasing in an emergency, e.g. after an accident; {Remote or automatic unbuckling devices (unlocking devices for retractors [B60R 22/3416](#))}
- B60R 22/321 . . {using electric means}
- B60R 22/322 . . {using automatic actuating means ([B60R 22/321](#) takes precedence)}
- B60R 22/324 . . . {triggered by strong traction on the seat belt, e.g. with temporisation}
- B60R 22/325 . . {using remote control means ([B60R 22/321](#), [B60R 22/322](#) take precedence)}
- B60R 2022/327 . . {using pyrotechnic means}
- B60R 2022/328 . . {comprising means for cutting the belt}
- B60R 22/34 . . Belt retractors, e.g. reels (anchoring devices {e.g. guide loops} , with means to tension the belt in an emergency [B60R 22/195](#))
- B60R 2022/3402 . . {Retractor casings; Mounting thereof}
- B60R 22/3405 . . {of the non-rotary type}
- B60R 22/3408 . . {without locking means ([B60R 22/3405](#) takes precedence)}
- B60R 22/341 . . {comprising energy-absorbing means}
- B60R 22/3413 . . . {operating between belt reel and retractor frame ([B60R 22/4676](#) takes precedence)}
- B60R 22/3416 . . {Unlocking devices for retractors ([B60R 22/3405](#) takes precedence)}
- B60R 2022/3419 . . {with end lock preventing means}
- B60R 2022/3421 . . {with means for locking the belt reel in a non-use position, e.g. for seat mounted retractor when the seat is in a non-locked condition}
- B60R 2022/3424 . . {Multi-spool or multi-belt retractors}
- B60R 2022/3427 . . {Seat belt connection on reels}

B60R 22/343	. .	with electrically actuated locking means {(B60R 22/3405 takes precedence)}
B60R 22/347	. .	with means for permanently locking the retractor during the wearing of the belt {(B60R 22/3405) , B60R 22/343, B60R 22/415 take precedence}
B60R 2022/3475	. . .	{having means for acting directly upon the belt, e.g. by clamping or friction}
B60R 22/35	. . .	the locking means being automatically actuated
B60R 22/353	. . . .	in response to belt movement when a wearer applies the belt
B60R 2022/3535	. . . . .	{comprising anti-cinch devices}
B60R 22/357	. . . .	in response to fastening of the belt buckle
B60R 22/36	. .	self-locking in an emergency {(B60R 22/3405) , B60R 22/343 take precedence}
B60R 22/38	. . .	responsive only to belt movement
B60R 2022/385	. . . .	{with adjustable sensitivity}
B60R 22/40	. . .	responsive only to vehicle movement
B60R 2022/401	. . . .	{with adjustable sensor}
B60R 2022/402	. . . . .	{automatically adjustable to keep a vertical position, e.g. irrespective of seat or vehicle tilting}
B60R 2022/403	. . . . .	{using externally controlled means, e.g. linked with seat back hinge}
B60R 2022/404	. . . .	{with remote sensor, e.g. for mounting on seat}
B60R 22/405	. . .	responsive to belt movement and vehicle movement
B60R 22/41	. . .	with additional means for preventing locking {during unwinding} under predetermined conditions
B60R 22/415	. . .	with additional means allowing a permanent locking of the retractor during the wearing of the belt
B60R 22/42	. . .	having means for acting directly upon the belt, e.g. by clamping or friction {(not combined with the retractor B60R 22/185)}
B60R 22/44	. .	with means for reducing belt tension during use under normal conditions {(not included in the retractor B60R 22/19; B60R 22/3405 takes precedence)}
B60R 2022/4406	. . .	{Spring shapes; Spring characteristic; Springs with adjustable anchoring means}
B60R 2022/4413	. . .	{by connecting the retracting spring to the belt reel by means of a transmission which decreases the spring force when the belt is pulled out, e.g. using conical pulleys}
B60R 2022/442	. . .	{using one spring and one additional retraction device in parallel}
B60R 2022/4426	. . . .	{the additional retraction device being a second spring}
B60R 2022/4433	. . . . .	{externally controlled}
B60R 2022/444	. . . .	{the additional retraction device being an electric actuator}
B60R 2022/4446	. . .	{using one spring and one additional retraction device in series}
B60R 2022/4453	. . . .	{the additional retraction device being a second spring}
B60R 2022/446	. . . . .	{with external control means}
B60R 2022/4466	. . . .	{the additional retraction device being an electric actuator}
B60R 2022/4473	. . .	{using an electric retraction device (combined with a spring B60R 2022/444, B60R 2022/4466)}
B60R 2022/448	. . .	{using a fluid actuated retraction device}
B60R 2022/4486	. . .	{for cancelling the belt tension}

B60R 2022/4493	. . . {for braking the belt reel using friction surfaces or the like}
B60R 22/46	. . {Reels} with means to tension the belt in an emergency {by forced winding up} (electrical circuits for triggering safety arrangements <a href="#">B60R 21/01</a> {tensioners using reels only guiding the belt during normal use, e.g. splitted reels <a href="#">B60R 22/195</a> })
B60R 22/4604	. . . {characterised by arrangements in vehicle or relative to seat belt}
B60R 2022/4609	. . . . {using a plurality of tensioners}
B60R 2022/4614	. . . . {one pretensioner acting on a plurality of belts}
B60R 22/4619	. . . {Transmission of tensioning power by cable, e.g. using a clutch on reel side}
B60R 22/4623	. . . . {the cable being pulled by mechanical means, e.g. pre-stressed springs, bumper displacement during crash}
B60R 22/4628	. . . {characterised by fluid actuators, e.g. pyrotechnic gas generators (actuating a cable <a href="#">B60R 22/4619</a> )}
B60R 22/4633	. . . . {Linear actuators, e.g. comprising a piston moving along reel axis and rotating along its own axis}
B60R 2022/4638	. . . . . {comprising a piston moving along or in parallel to the reel axis}
B60R 2022/4642	. . . . {the gas directly propelling a flexible driving means, e.g. a plurality of successive masses, in a tubular chamber}
B60R 2022/4647	. . . . . {the driving means being a belt, a chain or the like}
B60R 22/4652	. . . . {Mechanical triggering means therefor (also adapted for air bag inflators <a href="#">B60R 21/33</a> )}
B60R 2022/4657	. . . . {comprising a plurality of charges}
B60R 2022/4661	. . . . {comprising venting means, e.g. for avoiding overpressure in case of fire or for allowing return motion with energy absorption}
B60R 2022/4666	. . . {characterised by electric actuators}
B60R 22/4671	. . . {characterised by spring actuators ( <a href="#">B60R 22/4623</a> takes precedence)}
B60R 22/4676	. . . {comprising energy-absorbing means operating between belt reel and retractor frame}
B60R 2022/468	. . . {characterised by clutching means between actuator and belt reel}
B60R 2022/4685	. . . {with means to adjust or regulate the tensioning force in relation to external parameters}
B60R 2022/469	. . . {reusable}
B60R 2022/4695	. . . {without winding function during normal use}
B60R 22/48	. Control systems, alarms, or interlock systems, for the correct application of the belt or harness
B60R 2022/4808	. . {Sensing means arrangements therefor}
B60R 2022/4816	. . . {for sensing locking of buckle}
B60R 2022/4825	. . . {for sensing amount of belt wound on retractor}
B60R 2022/4833	. . . {for sensing locking of retractor}
B60R 2022/4841	. . . {for sensing belt tension}
B60R 2022/485	. . . {for sensing belt anchor position, belt orientation, or the like}
B60R 2022/4858	. . . {for sensing pressure on seat}
B60R 2022/4866	. . {Displaying or indicating arrangements thereof}
B60R 2022/4875	. . . {on vehicle exterior}



- B60R 2022/4883 . . {Interlock systems}
- B60R 2022/4891 . . . {preventing use of the vehicle when the seatbelt is not fastened}

**B60R 25/00** **Fittings or systems for preventing or indicating unauthorised use or theft of vehicles** (locks for vehicles [E05B 77/00-E05B 85/00](#))

**WARNING**

Subgroups of [B60R 25/00](#) corresponding to IPC2013.01 are not complete pending the completion of a reclassification; see also [B60R 25/00](#) and its other subgroups

- B60R 25/001 . {Anti-theft devices acting on jacking means or props, e.g. for trailers}
- B60R 25/002 . {Locking of control actuating or transmitting means (of steering mechanism [B60R 25/02](#))}
- B60R 25/003 . . {locking of control actuating means}
- B60R 25/005 . . . {of foot actuated control means (rods connecting pedals and steering wheels [B60R 25/021](#))}
- B60R 25/006 . . . . {using means preventing access, e.g. boxes, shutters}
- B60R 25/007 . . . . {of hand actuated control means}
- B60R 25/008 . . . . {comprising means for locking two or more control means together, e.g. hand-brake handle and gear shift lever}
- B60R 25/01 . operating on vehicle systems or fittings, e.g. on doors, seats or windcreens
- B60R 25/012 . . {Airbags triggered}
- B60R 25/014 . . {comprising means for locking the seat or parts thereof in a driving prevention position}
- B60R 25/016 . . {comprising means for shuttering the windscreen or part thereof}
- B60R 25/018 . . {Thief traps}
- B60R 25/02 . . operating on the steering mechanism
- B60R 25/021 . . . restraining movement of the steering column or steering wheel hub, e.g. restraining means controlled by ignition switch
- B60R 25/02102 . . . . {with supplementary safety device preventing operation of the starter of an engine already running}
- B60R 25/02105 . . . . {Arrangement of the steering column thereof}
- B60R 25/02107 . . . . . {comprising overload clutching means}
- B60R 25/0211 . . . . {comprising a locking member radially and linearly moved towards the steering column}
- B60R 25/02113 . . . . . {manually actuated, e.g. using removable locking means}
- B60R 25/02115 . . . . . {key actuated}
- B60R 25/02118 . . . . . {with linear bolt motion parallel to the lock axis}
- B60R 25/02121 . . . . . . {comprising safety devices avoiding locking until removal of the key}
- B60R 25/02123 . . . . . . . {using an axially slidable lock cylinder}
- B60R 25/02126 . . . . . . . {with linear bolt motion perpendicular to the lock axis}

B60R 25/02128	. . . . .	{comprising safety devices avoiding locking until removal of the key}
B60R 25/02131	. . . . .	{by using an axially slidable lock cylinder}
B60R 25/02134	. . . . .	{comprising a locking member axially moved along the steering column}
B60R 25/02136	. . . . .	{manually actuated, e.g. using removable locking members}
B60R 25/02139	. . . . .	{key actuated}
B60R 25/02142	. . . . .	{comprising externally controlled safety devices for preventing locking during vehicle running condition}
B60R 25/02144	. . . . .	{interlocked with gear box or gear lever}
B60R 25/02147	. . . . .	{comprising a locking member having other than linear, axial or radial motion, e.g. rotatable; Steering column locking using balls, rollers or the like}
B60R 25/0215	. . . . .	using electric means, e.g. electric motors or solenoids
B60R 25/02153	. . . . .	{comprising a locking member radially and linearly moved towards the steering column}
B60R 25/02156	. . . . .	{comprising a locking member axially moved along the steering column}
B60R 25/022	. . . . .	operating on the steering wheel, e.g. bars locked to the steering wheel rim ( <a href="#">B60R 25/021</a> takes precedence)
B60R 25/0221	. . . . .	{restraining means joining the steering wheel with another part of the car, e.g. pedals}
B60R 25/0222	. . . . .	{by disjoining steering wheel and column}
B60R 25/0224	. . . . .	{restraining of steering wheel by collapsing against column}
B60R 25/0225	. . . . .	{using a rod locked on the steering wheel rim ( <a href="#">B60R 25/0221</a> takes precedence)}
B60R 25/0227	. . . . .	{using means preventing access, e.g. boxes enclosing the steering wheel ( <a href="#">B60R 25/014</a> takes precedence)}
B60R 25/0228	. . . . .	{comprising a locking bolt or fork slidable between or around the steering wheel spokes}
B60R 25/023	. . . . .	countermeasures against the physical destruction of the steering lock
B60R 25/04	. . . . .	operating on the propulsion system, e.g. engine or drive motor
B60R 2025/0405	. . . . .	{from the external}
B60R 2025/041	. . . . .	{Preventing use of engine operating on the fluid supply}
B60R 2025/0415	. . . . .	{with safe immobilisation}

**WARNING**

Not complete pending reclassification; see also other subgroups of  
[B60R 25/00](#)

B60R 25/042	. . . . .	operating on the fuel supply
B60R 25/043	. . . . .	by blocking the exhaust
B60R 25/044	. . . . .	by limiting or blocking the air supply
B60R 25/045	. . . . .	by limiting or cutting the electrical supply to the propulsion unit
B60R 25/06	. . . . .	operating on the vehicle transmission
B60R 25/063	. . . . .	{Locking of foot actuated control actuating means}

B60R 25/066	. . . . {Locking of hand actuated control actuating means}
B60R 25/08	. . operating on brakes or brake system
B60R 25/083	. . . {Locking of foot-actuated control actuating means}
B60R 25/086	. . . {Locking of hand-actuated control actuating means}
B60R 25/09	. . by restraining wheel rotation, e.g. wheel clamps
B60R 25/093	. . . {comprising ground-engaging means}
B60R 25/096	. . . {comprising means for deflating tyres}
B60R 25/10	. actuating a signalling device
B60R 25/1001	. . {Alarm systems associated with another car fitting or mechanism, e.g. door lock or knob, pedals (features related to the general power supply <a href="#">B60R 25/1018</a> )}
B60R 25/1003	. . {Alarm systems characterised by arm or disarm features}
B60R 25/1004	. . {Alarm systems characterised by the type of sensor, e.g. current sensing means (using door lock sensors <a href="#">B60R 25/1001</a> )}
B60R 25/1006	. . . {Mechanical sensors, e.g. pendulums ( <a href="#">B60R 25/101</a> takes precedence)}
B60R 25/1007	. . . . {comprising associated circuitry}
B60R 25/1009	. . . {Sonic sensors; Signal treatment therefor}
B60R 25/101	. . . {Fuel level sensors}
B60R 25/1012	. . . {Zone surveillance means, e.g. parking lots, truck depots}
B60R 2025/1013	. . {Alarm systems characterised by the type of warning signal, e.g. visual, audible}
B60R 2025/1015	. . . {Signal coming from the exhaust}
B60R 2025/1016	. . . {Remote signals alerting owner or authorities, e.g. radio signals}
B60R 25/1018	. . {Alarm systems characterised by features related to the general power supply}
B60R 25/102	. . a signal being sent to a remote location, e.g. a radio signal being transmitted to a police station, a security company or the owner
B60R 25/1025	. . . {preventing jamming or interference of said signal}
B60R 25/104	. . characterised by the type of theft warning signal, e.g. visual or audible signals with special characteristics
B60R 25/1045	. . . {Signal coming from the exhaust}
B60R 25/20	. Means to switch the anti-theft system on or off
B60R 25/2009	. . {Antitheft state indicator}
B60R 25/2018	. . {Central base unlocks or authorises unlocking}
B60R 25/2027	. . {with data signals passing through the human body}
B60R 25/2036	. . {by using the door logic and door and engine unlock means}
B60R 25/2045	. . {by hand gestures}
B60R 25/2054	. . {by foot gestures}
B60R 25/2063	. . {Ignition switch geometry}
B60R 25/2072	. . {with means for preventing jamming or interference of a remote switch control signal}
B60R 25/2081	. . {combined with personal settings of other vehicle devices, e.g. mirrors, seats, steering wheels}
B60R 25/209	. . {Remote starting of engine}
B60R 25/21	. . using hidden switches

B60R 25/22	. . using mechanical identifiers
B60R 25/225	. . . {key in lock presence switch}
B60R 25/23	. . using manual input or alphanumerical codes
B60R 25/24	. . using electronic identifiers containing a code not memorised by the user
B60R 25/241	. . . {whereby access privileges are related to the identifiers}
B60R 25/243	. . . {with more than one way to gain access}
B60R 25/245	. . . {where the antenna reception area plays a role}
B60R 25/246	. . . {characterised by the challenge triggering}
B60R 25/248	. . . {Electronic key extraction prevention}
B60R 25/25	. . using biometry
B60R 25/252	. . . {Fingerprint recognition}
B60R 25/255	. . . {Eye recognition}
B60R 25/257	. . . {Voice recognition}
B60R 25/30	. Detection related to theft or to other events relevant to anti-theft systems
B60R 25/302	. . {using recording means, e.g. black box}
B60R 25/305	. . {using a camera}
B60R 25/307	. . {using data concerning maintenance or configuration}
B60R 25/31	. . of human presence inside or outside the vehicle
B60R 25/32	. . of vehicle dynamic parameters, e.g. speed or acceleration
B60R 25/33	. . of global position, e.g. by providing GPS coordinates
B60R 25/34	. . of conditions of vehicle components, e.g. of windows, door locks or gear selectors
B60R 25/40	. Features of the power supply for the anti-theft system, e.g. anti-theft batteries, back-up power supply or means to save battery power
B60R 25/403	. . {Power supply in the vehicle}
B60R 25/406	. . {Power supply in the remote key}
<b>B60R 99/00</b>	<b>Subject matter not provided for in other groups of this subclass</b>
B60R 2099/005	. {Protections against martens or rodents}
<b>B60R 2225/00</b>	<b>Means indicating the functioning state of the alarm system, e.g. indicating arming, using leds</b>
<b>B60R 2300/00</b>	<b>Details of viewing arrangements using cameras and displays, specially adapted for use in a vehicle</b>
B60R 2300/10	. characterised by the type of camera system used
B60R 2300/101	. . using cameras with adjustable capturing direction
B60R 2300/102	. . using 360 degree surveillance camera system
B60R 2300/103	. . using camera systems provided with artificial illumination device, e.g. IR light source
B60R 2300/105	. . using multiple cameras
B60R 2300/106	. . using night vision cameras
B60R 2300/107	. . using stereoscopic cameras

- B60R 2300/108 . . . using 'non-standard' camera systems, e.g. camera sensor used for additional purposes i.a. rain sensor, camera sensor split in multiple image areas
- B60R 2300/20 . . . characterised by the type of display used
- B60R 2300/202 . . . displaying a blind spot scene on the vehicle part responsible for the blind spot
- B60R 2300/205 . . . using a head-up display
- B60R 2300/207 . . . using multi-purpose displays, e.g. camera image and navigation or video on same display
- B60R 2300/30 . . . characterised by the type of image processing
- B60R 2300/301 . . . combining image information with other obstacle sensor information, e.g. using RADAR/LIDAR/SONAR sensors for estimating risk of collision
- B60R 2300/302 . . . combining image information with GPS information or vehicle data, e.g. vehicle speed, gyro, steering angle data
- B60R 2300/303 . . . using joined images, e.g. multiple camera images
- B60R 2300/304 . . . using merged images, e.g. merging camera image with stored images
- B60R 2300/305 . . . . merging camera image with lines or icons
- B60R 2300/306 . . . using a re-scaling of images
- B60R 2300/307 . . . virtually distinguishing relevant parts of a scene from the background of the scene
- B60R 2300/308 . . . . by overlaying the real scene, e.g. through a head-up display on the windscreen
- B60R 2300/40 . . . characterised by the details of the power supply or the coupling to vehicle components
- B60R 2300/402 . . . Image calibration
- B60R 2300/404 . . . triggering from stand-by mode to operation mode
- B60R 2300/406 . . . using wireless transmission
- B60R 2300/408 . . . using a data bus
- B60R 2300/50 . . . characterised by the display information being shared, e.g. external display, data transfer to other traffic participants or centralised traffic controller
- B60R 2300/60 . . . characterised by monitoring and displaying vehicle exterior scenes from a transformed perspective
- B60R 2300/602 . . . with an adjustable viewpoint
- B60R 2300/605 . . . . the adjustment being automatic
- B60R 2300/607 . . . from a bird's eye viewpoint
- B60R 2300/70 . . . characterised by an event-triggered choice to display a specific image among a selection of captured images
- B60R 2300/80 . . . characterised by the intended use of the viewing arrangement
- B60R 2300/8006 . . . for monitoring and displaying scenes of vehicle interior, e.g. for monitoring passengers or cargo
- B60R 2300/8013 . . . . for child monitoring
- B60R 2300/802 . . . for monitoring and displaying vehicle exterior blind spot views
- B60R 2300/8026 . . . . in addition to a rear-view mirror system
- B60R 2300/8033 . . . for pedestrian protection
- B60R 2300/804 . . . for lane monitoring
- B60R 2300/8046 . . . for replacing a rear-view mirror system
- B60R 2300/8053 . . . for bad weather conditions or night vision

- B60R 2300/806 . . for aiding parking
- B60R 2300/8066 . . for monitoring rearward traffic
- B60R 2300/8073 . . for vehicle security, e.g. parked vehicle surveillance, burglar detection
- B60R 2300/808 . . for facilitating docking to a trailer
- B60R 2300/8086 . . for vehicle path indication
- B60R 2300/8093 . . for obstacle warning

**B60R 2325/00****Indexing scheme relating to vehicle anti-theft devices**

- B60R 2325/10 . Communication protocols, communication systems of vehicle anti-theft devices
- B60R 2325/101 . . Bluetooth
- B60R 2325/103 . . Near field communication [NFC]
- B60R 2325/105 . . Radio frequency identification data [RFID]
- B60R 2325/106 . . Internet
- B60R 2325/108 . . Encryption
- B60R 2325/20 . Communication devices for vehicle anti-theft devices
- B60R 2325/202 . . Personal digital assistant [PDA]
- B60R 2325/205 . . Mobile phones
- B60R 2325/207 . . Satellites
- B60R 2325/30 . Vehicles applying the vehicle anti-theft devices
- B60R 2325/302 . . Airplanes
- B60R 2325/304 . . Boats
- B60R 2325/306 . . Motorcycles
- B60R 2325/308 . . Industrial vehicles
- B60R 2325/40 . Programmable elements