

# CPC COOPERATIVE PATENT CLASSIFICATION

## C07F ACYCLIC, CARBOCYCLIC OR HETEROCYCLIC COMPOUNDS CONTAINING ELEMENTS OTHER THAN CARBON, HYDROGEN, HALOGEN, OXYGEN, NITROGEN, SULFUR, SELENIUM OR TELLURIUM (metal-containing porphyrins [C07D 487/22](#))

### NOTES

1. Attention is drawn to Note (3) [C07](#), which defines the last place priority rule applied in the range of subclasses [C07C-C07K](#) and within these subclasses.
2. Attention is drawn to Note (6) following the title of class [C07](#).
3. Attention is drawn to Note (3) after the title of section [C](#), which Note indicates to which version of the periodic table of chemical elements the IPC refers.
4. In this subclass, organic acid salts, alcoholates, phenates, chelates or mercaptides are classified as the parent compounds.
5. Compounds containing Se or Te are classified with their sulfur homologues
6. A hydrocarbon chain is considered to be terminated by a heteroatom or by a carbon atom having three bonds to heteroatoms with at the most one to halogen
7. When groups, e.g. aromatic or aliphatic groups, are mentioned without further indications, it means that the group concerned can be further substituted. Otherwise it will be indicated, e.g. [C07F 9/11](#) with hydroxyalkyl compounds without further substituents on alkyl.

### WARNING

The following IPC groups are not used in the CPC scheme. Subject matter covered by these groups are classified in the following CPC groups:

[C07F 9/6593](#)

covered by

[C07F 9/65815](#)

#### 1/00 Compounds containing elements of Groups 1 or 11 of the Periodic System

- 1/005 . {without C-Metal linkages}
- 1/02 . Lithium compounds
- 1/04 . Sodium compounds
- 1/06 . Potassium compounds
- 1/08 . Copper compounds
- 1/10 . Silver compounds
- 1/12 . Gold compounds

#### 3/00 Compounds containing elements of Groups 2 or 12 of the Periodic System

- 3/003 . {without C-Metal linkages}
- 3/006 . {Beryllium compounds}
- 3/02 . Magnesium compounds
- 3/04 . Calcium compounds
- 3/06 . Zinc compounds
- 3/08 . Cadmium compounds
- 3/10 . Mercury compounds
- 3/103 . . {without C-Mercury linkages}
- 3/106 . . {Aliphatic substances containing mercury}
- 3/12 . . Aromatic substances containing mercury
- 3/14 . . Heterocyclic substances containing mercury

#### 5/00 Compounds containing elements of Groups 3 or 13 of the Periodic System

- 5/003 . {without C-Metal linkages}
- 5/006 . {Addition and condensation products with amines or phosphines}
- 5/02 . Boron compounds
- 5/022 . . {without C-boron linkages}
- 5/025 . . {Boronic and borinic acid compounds}

- 5/027 . . {Organoboranes and organoborohydrides}
- 5/04 . . Esters of boric acids
- 5/05 . . Cyclic compounds having at least one ring containing boron but no carbon in the ring
- 5/06 . Aluminium compounds
- 5/061 . . {with C-aluminium linkage}
- 5/062 . . . {Al linked exclusively to C}
- 5/063 . . . . {compounds containing only Al, C, H and Al is not a ring element}
- 5/064 . . . {compounds with an Al-Halogen linkage}
- 5/065 . . . {compounds with an Al-H linkage}
- 5/066 . . . {compounds with Al linked to an element other than Al, C, H or halogen (this includes Al-cyanide linkage)}
- 5/067 . . . . {compounds with Al also linked to H or halogen}
- 5/068 . . . . {preparation of alum(in)oxanes}
- 5/069 . . {without C-aluminium linkages}

#### 7/00 Compounds containing elements of Groups 4 or 14 of the Periodic System

- 7/003 . {without C-Metal linkages}
- 7/006 . . {of Group 4 of the Periodic System}
- 7/02 . Silicon compounds
- 7/025 . . {without C-silicon linkages}
- 7/04 . . Esters of silicic acids
- 7/045 . . . {Esters of monosilicic acid}
- 7/06 . . . with hydroxyaryl compounds
- 7/07 . . . Cyclic esters
- 7/08 . . Compounds having one or more C-Si linkages
- 7/0801 . . . {General processes}
- 7/0803 . . . {Compounds with Si-C or Si-Si linkages}

7/0805	. . . . . {comprising only Si, C or H atoms}	7/0872	. . . . . {Preparation and treatment thereof}
7/0807	. . . . . {comprising Si as a ring atom}	7/0874	. . . . . {Reactions involving a bond of the Si-O-Si linkage}
7/0809	. . . . . {comprising no Si as a ring atom}	7/0876	. . . . . {Reactions involving the formation of bonds to a Si atom of a Si-O-Si sequence other than a bond of the Si-O-Si linkage}
7/081	. . . . . {comprising at least one atom selected from the elements N, O, halogen, S, Se or Te}	7/0878	. . . . . {Si-C bond}
7/0812	. . . . . {comprising a heterocyclic ring}	7/0879	. . . . . {Hydrosilylation reactions}
7/0814	. . . . . {said ring is substituted at a C ring atom by Si}	7/0881	. . . . . {Other reactions}
7/0816	. . . . . {said ring comprising Si as a ring atom}	7/0883	. . . . . {Si-halogen bond}
7/0818	. . . . . {comprising no heterocyclic ring}	7/0885	. . . . . {Si-OX bond (X = C or H)}
7/082	. . . . . {comprising at least one atom selected from elements other than Si, C, H, N, O, halogen, S, Se or Te}	7/0887	. . . . . {Si-Q bond (Q different from O, C or halogen)}
7/0821	. . . . . {comprising at least one Si-Si linkage}	7/0889	. . . . . {Reactions not involving the Si atom of the Si-O-Si sequence}
7/0823	. . . . . {comprising at least one Si-cyano linkage}	7/089	. . . . . {Treatments not covered by a preceding group}
7/0825	. . . . . {Preparations of compounds not comprising Si-Si or Si-cyano linkages}	7/0892	. . . . . {Compounds with a Si-O-N linkage}
7/0827	. . . . . {Syntheses with formation of a Si-C bond}	7/0894	. . . . . {Compounds with a Si-O-O linkage}
7/0829	. . . . . {Hydrosilylation reactions}	7/0896	. . . . . {Compounds with a Si-H linkage}
7/083	. . . . . {Syntheses without formation of a Si-C bond}	7/0898	. . . . . {Compounds with a Si-S linkage}
7/0832	. . . . . {Other preparations}	7/10	. . . . . Containing nitrogen {having a Si-N linkage}
7/0834	. . . . . {Compounds having one or more O-Si linkage (for compounds with C-O-Si linkages see <a href="#">C07F 7/18</a> )}	7/12	. . . . . Organo silicon halides
7/0836	. . . . . {Compounds with one or more Si-OH or Si-O-metal linkage}	7/121	. . . . . {Preparation or treatment not provided for in <a href="#">C07F 7/14</a> , <a href="#">C07F 7/16</a> or <a href="#">C07F 7/20</a> }
7/0838	. . . . . {Compounds with one or more Si-O-Si sequences}	<b>NOTE</b>	
7/084	. . . . . {containing a ring comprising a Si-O-Si sequence (compounds with a ring containing only alternating Si and O atoms, i.e. cyclosiloxanes <a href="#">C07F 7/21</a> )}	The silicon atom involved in the reaction that is attached or becomes attached to the highest number of halide atoms determines classification	
7/0841	. . . . . {also comprising a C atom}	7/122	. . . . . {by reactions involving the formation of Si-C linkages (hydrosilylation reactions <a href="#">C07F 7/14</a> ; direct synthesis <a href="#">C07F 7/16</a> )}
7/0843	. . . . . {also comprising an atom different from Si, O and C}	7/123	. . . . . {by reactions involving the formation of Si-halogen linkages}
7/0845	. . . . . {not containing a ring comprising a Si-O-Si sequence}	7/125	. . . . . {by reactions involving both Si-C and Si-halogen linkages, the Si-C and Si-halogen linkages can be to the same or to different Si atoms, e.g. redistribution reactions}
7/0847	. . . . . {a Si atom of a Si-O-Si sequence being attached only to -O-Si or to a C atom}	7/126	. . . . . {by reactions involving the formation of Si-Y linkages, where Y is not a carbon or halogen atom}
7/0849	. . . . . {this C atom being part of a group which contains only C and H}	7/127	. . . . . {by reactions not affecting the linkages to the silicon atom}
7/085	. . . . . {this C atom being part of a group which contains halogen}	7/128	. . . . . {by reactions covered by more than one of the groups <a href="#">C07F 7/122</a> - <a href="#">C07F 7/127</a> and of which the starting material is unknown or insufficiently determined}
7/0852	. . . . . {this C atom being part of a group which contains O}	7/14	. . . . . Preparation thereof from {optionally substituted} halogenated silanes and hydrocarbons {hydrosilylation reactions}
7/0854	. . . . . {this C atom being part of a group which contains N}	7/16	. . . . . Preparation thereof from silicon and halogenated hydrocarbons {direct synthesis}
7/0856	. . . . . {this C atom being part of a group which contains an element other than C, H, O, N and halogen}	7/18	. . . . . Compounds having one or more C-Si linkages as well as one or more C-O-Si linkages
7/0858	. . . . . {a Si atom of a Si-O-Si sequence having linkages other than Si-O-Si or bonds other than Si-C}	7/1804	. . . . . {Compounds having Si-O-C linkages (Si-O-acyl linkages <a href="#">C07F 7/1896</a> )}
7/0859	. . . . . {Si-OX bond, X = H or C}	7/1808	. . . . . {the Si-C and Si-O-C linkages being at different Si atoms}
7/0861	. . . . . {Si-Halogen bond}		
7/0863	. . . . . {Si-N bond}		
7/0865	. . . . . {Si-O-N bond}		
7/0867	. . . . . {Si-H bond}		
7/0869	. . . . . {Si-Q bond, Q different from O, N, H and halogen}		
7/087	. . . . . {Compounds of unknown structure containing a Si-O-Si sequence}		

- 7/1812 . . . . . {having (C1)a-Si-(OC2)b linkages, a and b each being  $\geq 1$  and  $a+b = 4$ , C1 and C2 being hydrocarbon or substituted hydrocarbon radicals}
- 7/1816 . . . . . {a and b being alternatively specified}
- 7/182 . . . . . {C1 containing aliphatic or cycloaliphatic unsaturated bonds or heteroatoms}
- 7/1824 . . . . . {C2 containing aliphatic or cycloaliphatic unsaturated bonds or heteroatoms}
- 7/1828 . . . . . {C1 and C2 containing aliphatic or cycloaliphatic unsaturated bonds or heteroatoms}
- 7/1832 . . . . . {compounds not provided for in [C07F 7/182](#) - [C07F 7/1824](#)}
- 7/1836 . . . . . {a being 1, b being 3}
- 7/184 . . . . . {a being 2, b being 2}
- 7/1844 . . . . . {a being 3, b being 1}
- 7/1848 . . . . . {C1 being an unsubstituted acyclic saturated hydrocarbon radical containing less than six carbon atoms, a benzyl radical, a phenyl radical, or a methyl substituted phenyl radical}
- 7/1852 . . . . . {C2 being an acyclic, arylaliphatic or a non-condensed aromatic radical containing only carbon, hydrogen, halogen, oxygen, nitrogen or sulfur}
- 7/1856 . . . . . {C2 containing cycloaliphatic, heterocyclic or condensed aromatic rings}
- 7/186 . . . . . {C2 containing an azetidine radical or condensed azetidine radical}
- 7/1864 . . . . . {C2 containing elements other than carbon, hydrogen, halogen, oxygen, nitrogen or sulfur}
- 7/1868 . . . . . {having (C1)a-Si-(OC2)b linkages, a and b each being  $\geq 1$  and  $a+b \neq 4$  (C1 and C2 being hydrocarbon or substituted hydrocarbon radicals)}
- 7/1872 . . . . . {Preparation; Treatments not provided for in [C07F 7/20](#)}
- 7/1876 . . . . . {by reactions involving the formation of Si-C linkages}
- 7/188 . . . . . {by reactions involving the formation of Si-O linkages}
- 7/1884 . . . . . {by dismutation}
- 7/1888 . . . . . {by reactions involving the formation of other Si-linkages, e.g. Si-N}
- 7/1892 . . . . . {by reactions not provided for in [C07F 7/1876](#) - [C07F 7/1888](#)}
- 7/1896 . . . . . {Compounds having one or more Si-O-acyl linkages}
- 7/20 . . . Purification, separation
- 7/21 . . . Cyclic compounds having at least one ring containing silicon, but no carbon in the ring
- 7/22 . . . Tin compounds
- 7/2204 . . . {Not belonging to the groups [C07F 7/2208](#) - [C07F 7/2296](#)}
- 7/2208 . . . {Compounds having tin linked only to carbon, hydrogen and/or halogen}
- 7/2212 . . . {Compounds having only tin-carbon linkages}
- 7/2216 . . . {Compounds having one or more tin-halogen linkages}
- 7/222 . . . {Compounds having one or more tin-hydrogen linkages}
- 7/2224 . . . {Compounds having one or more tin-oxygen linkages}
- 7/2228 . . . {Compounds not belonging to the groups [C07F 7/2232](#) - [C07F 7/2252](#)}
- 7/2232 . . . {Compounds having one or more Sn-O-R linkages (R=H or C, except if C belongs to a carboxyl group)}
- 7/2236 . . . {Compounds with a Sn=O linkage}
- 7/224 . . . {Stannoic acids and their esters}
- 7/2244 . . . {Tin esters of organic acids}
- 7/2248 . . . {Tin esters of inorganic acids}
- 7/2252 . . . {Compounds with a Sn-O-metal linkage}
- 7/2256 . . . {Compounds containing a Sn-O-Sn linkage}
- 7/226 . . . {Compounds with one or more Sn-S linkages}
- 7/2264 . . . {Compounds not belonging to group [C07F 7/2268](#) - [C07F 7/2276](#)}
- 7/2268 . . . {Compounds having one or more Sn-S-R linkages (R=H or C, except if C belongs to a carboxyl group)}
- 7/2272 . . . {Esters of thiocarboxylic acids and their derivatives}
- 7/2276 . . . {Compounds with one or more Sn-S-metal linkages}
- 7/228 . . . {Compounds with one or more Sn-S-Sn linkages}
- 7/2284 . . . {Compounds with one or more Sn-N linkages}
- 7/2288 . . . {Compounds with one or more Sn-metal linkages}
- 7/2292 . . . {Compounds with one or more Sn-Sn linkages}
- 7/2296 . . . {Purification, stabilisation, isolation}
- 7/24 . . . Lead compounds
- 7/26 . . . Tetra-alkyl lead compounds
- 7/28 . . . Titanium compounds
- 7/30 . . . Germanium compounds
- 9/00 Compounds containing elements of Groups 5 or 15 of the Periodic System**
- 9/005 . . . {Compounds of elements of Group 5 of the Periodic System without metal-carbon linkages}
- 9/02 . . . Phosphorus compounds ([sugar phosphates C07H 11/04](#); [nucleotides C07H 19/00](#), [C07H 21/00](#); [nucleic acids C07H 21/00](#))
- 9/025 . . . {Purification; Separation; Stabilisation; Desodorisation of organo-phosphorus compounds (of natural phosphatides [C07F 9/103](#); phosphines [C07F 9/5095](#))}
- 9/04 . . . Reaction products of phosphorus sulfur compounds with hydrocarbons
- 9/06 . . . without P-C bonds
- 9/062 . . . {Organo-phosphoranes without P-C bonds}
- 9/065 . . . {Phosphoranes containing the structure P=N-}
- 9/067 . . . {Polyphosphazenes containing the structure [P=N-n] ([cyclic compounds C07F 9/65812](#))}
- 9/08 . . . Esters of oxyacids of phosphorus ([C07F 9/062 takes precedence](#))}
- 9/09 . . . Esters of phosphoric acids
- 9/091 . . . {with hydroxyalkyl compounds with further substituents on alkyl}























9/092	. . . . . {substituted by B, Si or a metal}	9/1656	. . . . . {Compounds containing the structure $P(=X)_n-X-C(=X)-$ ( $X = O, S, Se; n = 0, 1$ )}
9/093	. . . . . {Polyol derivatives esterified at least twice by phosphoric rests}	9/1657	. . . . . {Compounds containing the structure $P(=X)_n-X-N$ ( $X = O, S, Se; n = 0, 1$ )}
9/094	. . . . . {with arylalkanols}	9/1658	. . . . . {Esters of thiopolyphosphoric acids or anhydrides}
9/095	. . . . . {Compounds containing the structure $P(=O)-O-acyl$ , $P(=O)-O-heteroatom$ , $P(=O)-O-CN$ }	9/17	. . . . . with hydroxyalkyl compounds without further substituents on alkyl
9/096	. . . . . {Compounds containing the structure $P(=O)-O-C(=X)-$ ( $X = O, S, Se$ )}	9/173	. . . . . with unsaturated acyclic alcohols
9/097	. . . . . {Compounds containing the structure $P(=O)-O-N$ }	9/177	. . . . . with cycloaliphatic alcohols
9/098	. . . . . {Esters of polyphosphoric acids or anhydrides}	9/18	. . . . . with hydroxyaryl compounds
9/10	. . . . . Phosphatides, e.g. lecithin	9/20	. . . . . containing P-halide groups
9/103	. . . . . {Extraction or purification by physical or chemical treatment of natural phosphatides; Preparation of compositions containing phosphatides of unknown structure}	9/2003	. . . . . {containing the structure Hal-P-X-unsaturated acyclic rest}
9/106	. . . . . {Adducts, complexes, salts of phosphatides}	9/2006	. . . . . {containing the structure Hal-P-X-aryl}
9/11	. . . . . with hydroxyalkyl compounds without further substituents on alkyl	9/201	. . . . . Esters of thiophosphorus acids
9/113	. . . . . with unsaturated acyclic alcohols	9/2015	. . . . . {with hydroxyalkyl compounds with further substituents on alkyl}
9/117	. . . . . with cycloaliphatic alcohols	9/202	. . . . . with hydroxyl compounds without further substituents on alkyl
9/12	. . . . . with hydroxyaryl compounds	9/203	. . . . . with unsaturated acyclic alcohols
9/14	. . . . . containing $P(=O)$ -halide groups	9/204	. . . . . with cycloaliphatic alcohols
9/1403	. . . . . {containing the structure Hal-P(=O)-O-unsaturated acyclic rest}	9/205	. . . . . with hydroxyaryl compounds
9/1406	. . . . . {containing the structure Hal-P(=O)-O-aryl}	9/206	. . . . . containing P-halide groups
9/141	. . . . . Esters of phosphorous acids	9/22	. . . . . Amides of acids of phosphorus
9/1411	. . . . . {with hydroxyalkyl compounds with further substituents on alkyl}	9/222	. . . . . {Amides of phosphoric acids}
9/1412	. . . . . {Polyol derivatives esterified at least twice by phosphorous acid rests}	9/224	. . . . . {Phosphorus triamides}
9/1414	. . . . . {with arylalkanols}	9/226	. . . . . {containing the structure P-isocyanates}
9/1415	. . . . . {Compounds containing the structure P-O-acyl, P-O-heteroatom, P-O-CN}	9/228	. . . . . {containing the structure P-N-N, e.g. azides, hydrazides}
9/1417	. . . . . {Compounds containing the structure $P-O-C(=X)-$ ( $X = O, S, Se$ )}	9/24	. . . . . Esteramides
9/1418	. . . . . {Compounds containing the structure P-O-N}	9/2404	. . . . . {the ester moiety containing a substituent or a structure which is considered as characteristic}
9/142	. . . . . with hydroxyalkyl compounds without further substituents on alkyl	9/2408	. . . . . {of hydroxyalkyl compounds}
9/143	. . . . . with unsaturated acyclic alcohols	9/2412	. . . . . {of unsaturated acyclic alcohols}
9/144	. . . . . with cycloaliphatic alcohols	9/2416	. . . . . {of cycloaliphatic alcohols}
9/145	. . . . . with hydroxyaryl compounds	9/242	. . . . . {of hydroxyaryl compounds}
9/146	. . . . . containing P-halide groups	9/2425	. . . . . {containing the structure $(RX)(RR'N)P(=Y)-Z-(C)_n-Z'-P(=Y)(XR)_2$ ( $X = O, S, NR; Y = O, S$ , electron pair; $Z = O, S; Z' = O, S$ )}
9/16	. . . . . Esters of thiophosphoric acids or thiophosphorous acids	9/2429	. . . . . {of arylalkanols}
9/165	. . . . . Esters of thiophosphoric acids	9/2433	. . . . . {Compounds containing the structure $N-P(=X)_n-X-acyl$ , $N-P(=X)_n-X-heteroatom$ , $N-P(=X)_n-X-CN$ ( $X = O, S, Se; n = 0, 1$ )}
9/1651	. . . . . {with hydroxyalkyl compounds with further substituents on alkyl}	9/2437	. . . . . {Compounds containing the structure $N-P(=X)_n-S-(S)_x-(X = O, S, Se; n=0,1; x \geq 1)$ }
9/1652	. . . . . {Polyol derivatives esterified at least twice by (thio)phosphoric acid esters}	9/2441	. . . . . {containing the structure $N-P(=X)_n-X-C(=X)$ ( $X = O, S, Se; n = 0, 1$ )}
9/1653	. . . . . {with arylalkanols}	9/2445	. . . . . {containing the structure $N-P(=X)_n-X-N$ ( $X = O, S, Se; n = 0, 1$ )}
9/1654	. . . . . {Compounds containing the structure $P(=X)_n-X-acyl$ , $P(=X)_n-X-heteroatom$ , $P(=X)_n-X-CN$ ( $X = O, S, Se; n = 0, 1$ )}	9/245	. . . . . {containing the structure $N-P(=X)_n-X-P$ ( $X = O, S, Se; n = 0, 1$ )}
9/1655	. . . . . {Compounds containing the structure $P(=X)_n-S-(S)_x-$ ( $X = O, S, Se; n=0,1; x \geq 1$ )}	9/2454	. . . . . {the amide moiety containing a substituent or a structure which is considered as characteristic}
		9/2458	. . . . . {of aliphatic amines}
		9/2462	. . . . . {of unsaturated acyclic amines}
		9/2466	. . . . . {of cycloaliphatic amines}























9/247	. . . . . {of aromatic amines (N-C aromatic linkage)}	9/36	. . . . . Amides thereof
9/2475	. . . . . {of aralkylamines}	9/38	. . . . . Phosphonic acids $RP(=O)(OH)_2$ ; Thiophosphonic acids {, i.e. $RP(=X)(XH)_2$ (X = S, Se)}
9/2479	. . . . . {Compounds containing the structure $P(=X)n-N$ -acyl, $P(=X)n-N$ -heteroatom, $P(=X)n-N-CN$ (X = O, S, Se; n = 0, 1)}	9/3804	. . . . . {not used, see subgroups}
9/2483	. . . . . {containing the structure $P(=X)n-N-S$ (X = O, S, Se; n = 0, 1)}	9/3808	. . . . . {Acyclic saturated acids which can have further substituents on alkyl}
9/2487	. . . . . {containing the structure $P(=X)n-N-C(=X)$ (X = O, S, Se; n = 0, 1)}	9/3813	. . . . . {N-Phosphonomethylglycine; Salts or complexes thereof}
9/2491	. . . . . {containing the structure $P(=X)n-N-N$ (X = O, S, Se; n = 0, 1)}	9/3817	. . . . . {Acids containing the structure $(RX)_2P(=X)-alk-N...P$ (X = O, S, Se)}
9/2495	. . . . . {containing the structure $P(=X)n-N-P$ (X = O, S, Se; n = 0, 1)}	9/3821	. . . . . {substituted by B, Si, P or a metal (C07F 9/3839 takes precedence)}
9/26	. . . . . containing P-halide groups	9/3826	. . . . . {Acyclic unsaturated acids}
9/28	. . . . . with one or more P-C bonds	9/383	. . . . . {Cycloaliphatic acids}
9/30	. . . . . Phosphinic acids $R_2P(=O)(OH)$ ; Thiophosphinic acids {, i.e. $R_2P(=X)(XH)$ (X = S, Se)}	9/3834	. . . . . {Aromatic acids (P-C aromatic linkage)}
9/301	. . . . . {Acyclic saturated acids which can have further substituents on alkyl}	9/3839	. . . . . {Polyphosphonic acids}
9/302	. . . . . {Acyclic unsaturated acids}	9/3843	. . . . . {containing no further substituents than $-PO_3H_2$ groups}
9/303	. . . . . {Cycloaliphatic acids}	9/3847	. . . . . {Acyclic unsaturated derivatives}
9/304	. . . . . {Aromatic acids (P-C aromatic linkage)}	9/3852	. . . . . {Cycloaliphatic derivatives}
9/305	. . . . . {Poly(thio)phosphinic acids}	9/3856	. . . . . {containing halogen or nitro(so) substituents}
9/306	. . . . . {Arylalkanephosphinic acids, e.g. $Ar-(CH_2)n-P(=X)(R)(XH)$ , (X = O, S, Se; n >= 1)}	9/386	. . . . . {containing hydroxy substituents in the hydrocarbon radicals}
9/307	. . . . . {Acids containing the structure $-C(=X)-P(=X)(R)(XH)$ or $NC-P(=X)(R)(XH)$ , (X = O, S, Se)}	9/3865	. . . . . {containing sulfur substituents}
9/308	. . . . . {Pyrophosphinic acids; Phosphinic acid anhydrides}	9/3869	. . . . . {containing carboxylic acid or carboxylic acid derivative substituents}
9/32	. . . . . Esters thereof	9/3873	. . . . . {containing nitrogen substituents, e.g. $N.....H$ or $N$ -hydrocarbon rest which can be substituted by halogen or nitro(so), $N.....O$ , $N.....S$ , $N.....C(=X)-$ (X = O, S), $N.....N$ , $N...C(=X)...N$ (X = O, S)}
9/3205	. . . . . {the acid moiety containing a substituent or a structure which is considered as characteristic}	9/3878	. . . . . {containing substituents selected from B, Si, P (other than $-PO_3H_2$ groups) or a metal}
9/3211	. . . . . {Esters of acyclic saturated acids which can have further substituents on alkyl}	9/3882	. . . . . {Arylalkanephosphonic acids (C07F 9/3839 takes precedence)}
9/3217	. . . . . {Esters of acyclic unsaturated acids}	9/3886	. . . . . {Acids containing the structure $-C(=X)-P(=X)(XH)_2$ or $NC-P(=X)(XH)_2$ , (X = O, S, Se)}
9/3223	. . . . . {Esters of cycloaliphatic acids}	9/3891	. . . . . {Acids containing the structure $-C(=X)-P(=X)(XH)_2$ , (X = O, S, Se)}
9/3229	. . . . . {Esters of aromatic acids (P-C aromatic linkage)}	9/3895	. . . . . {Pyrophosphonic acids; phosphonic acid anhydrides}
9/3235	. . . . . {Esters of poly(thio)phosphinic acids}	9/40	. . . . . Esters thereof
9/3241	. . . . . {Esters of arylalkanephosphinic acids}	9/4003	. . . . . {the acid moiety containing a substituent or a structure which is considered as characteristic}
9/3247	. . . . . {Esters of acids containing the structure $-C(=X)-P(=X)(R)(XH)$ or $NC-P(=X)(R)(XH)$ , (X = O, S, Se)}	9/4006	. . . . . {Esters of acyclic acids which can have further substituents on alkyl}
9/3252	. . . . . {containing the structure $-C(=X)-P(=X)(R)(XR)$ , (X = O, S, Se)}	9/4009	. . . . . {Esters containing the structure $(RX)_2P(=X)-alk-N...P$ (X = O, S, Se)}
9/3258	. . . . . {the ester moiety containing a substituent or a structure which is considered as characteristic}	9/4012	. . . . . {substituted by B, Si, P or a metal (C07F 9/4025 takes precedence)}
9/3264	. . . . . {Esters with hydroxyalkyl compounds}	9/4015	. . . . . {Esters of acyclic unsaturated acids}
9/327	. . . . . {Esters with unsaturated acyclic alcohols}	9/4018	. . . . . {Esters of cycloaliphatic acids}
9/3276	. . . . . {Esters with cycloaliphatic alcohols}	9/4021	. . . . . {Esters of aromatic acids (P-C aromatic linkage)}
9/3282	. . . . . {Esters with hydroxyaryl compounds}	9/4025	. . . . . {Esters of poly(thio)phosphonic acids}
9/3288	. . . . . {Esters with arylalkanols}	9/4028	. . . . . {containing no further substituents than $-PO_3H_2$ groups in free or esterified form}
9/3294	. . . . . {Compounds containing the structure $R_2P(=X)-X$ -acyl, $R_2P(=X)-X$ -heteroatom, $R_2P(=X)-X-CN$ (X = O, S, Se)}		
9/34	. . . . . Halides thereof		



















9/4031	. . . . .	{Acyclic unsaturated derivatives}	9/4426	. . . . .	{Amides of arylalkanephosphonic acids}
9/4034	. . . . .	{Cycloaliphatic derivatives}	9/443	. . . . .	{Amides of acids containing the structure -C(=Y)-P(=X)(XR)-N or NC-(P(=X)(XR)-N)}
9/4037	. . . . .	{containing halogen or nitro(so) substituents}	9/4434	. . . . .	{the ester moiety containing a substituent or a structure which is considered as characteristic}
9/404	. . . . .	{containing hydroxy substituents in the hydrocarbon radicals}	9/4438	. . . . .	{Ester with hydroxyalkyl compounds}
9/4043	. . . . .	{containing sulfur substituents}	9/4442	. . . . .	{Esters with unsaturated acyclic alcohols}
9/4046	. . . . .	{containing carboxylic acid or carboxylic acid derivative substituents}	9/4446	. . . . .	{Esters with cycloaliphatic alcohols}
9/405	. . . . .	{containing nitrogen substituents, e.g. N.....H or N-hydrocarbon rest which can be substituted by halogen or nitro(so), N.....O, N.....S, N.....C(=X)-(X = O, S), N.....N, N...C(=X)...N (X = O, S)}	9/4449	. . . . .	{Esters with hydroxyaryl compounds}
9/4053	. . . . .	{containing substituents selected from B, Si, P (other than -PO <sub>3</sub> H <sub>2</sub> groups in free or esterified form), or a metal}	9/4453	. . . . .	{Esters with arylalkanols}
9/4056	. . . . .	{Esters of arylalkanephosphonic acids (C07F 9/4025 takes precedence)}	9/4457	. . . . .	{Compounds containing the structure C-P(=X)(X-acyl)-N, C-P(=X)(X-heteroatom)-N or C-P(=X)(X-CN)-N (X, Y = O, S)}
9/4059	. . . . .	{n-C(=O)-(CH <sub>2</sub> ) <sub>m</sub> -Ar, (X, Y = O, S, Se; n>=1, m>=0)}	9/4461	. . . . .	{the amide moiety containing a substituent or a structure which is considered as characteristic}
9/4062	. . . . .	{Esters of acids containing the structure -C(=X)-P(=X)(XR) <sub>2</sub> or NC-P(=X)(XR) <sub>2</sub> , (X = O, S, Se)}	9/4465	. . . . .	{of aliphatic amines}
9/4065	. . . . .	{Esters of acids containing the structure -C(=X)-P(=X)(XR) <sub>2</sub> , (X = O, S, Se)}	9/4469	. . . . .	{of unsaturated acyclic amines}
9/4068	. . . . .	{Esters of pyrophosphonic acids; Esters of phosphonic acid anhydrides}	9/4473	. . . . .	{of cycloaliphatic amines}
9/4071	. . . . .	{the ester moiety containing a substituent or a structure which is considered as characteristic}	9/4476	. . . . .	{of aromatic amines (N-C aromatic linkage)}
9/4075	. . . . .	{Esters with hydroxyalkyl compounds}	9/448	. . . . .	{of aralkylamines}
9/4078	. . . . .	{Esters with unsaturated acyclic alcohols}	9/4484	. . . . .	{Compounds containing the structure C-P(=X)(N-acyl)-X, C-P(=X)(N-heteroatom)-X or C-P(=X)(N-CN)-X (X = O, S, Se)}
9/4081	. . . . .	{Esters with cycloaliphatic alcohols}	9/4488	. . . . .	{Compounds containing the structure P(=X)(N-S-)(X = O, S, Se)}
9/4084	. . . . .	{Esters with hydroxyaryl compounds}	9/4492	. . . . .	{Compounds containing the structure P(=X)(N-C(=X)-)(X = O, S, Se)}
9/4087	. . . . .	{Esters with arylalkanols}	9/4496	. . . . .	{Compounds containing the structure P(=X)(N-N-)(X = O, S, Se)}
9/409	. . . . .	{Compounds containing the structure P(=X)-X-acyl, P(=X)-X-heteroatom, P(=X)-X-CN (X = O, S, Se)}	9/46	. . .	Phosphinous acids R <sub>2</sub> =P-OH; Thiophosphinous acids; Aminophosphines R <sub>2</sub> -P-NH <sub>2</sub> {including R <sub>2</sub> P(=O)H; derivatives thereof}
9/4093	. . . . .	{Compounds containing the structure P(=X)-X-C(=X)- (X = O, S, Se)}	9/48	. . .	Phosphonous acids R-P(OH) <sub>2</sub> ; Thiophosphonous acids {including RHP(=O)(OH); Derivatives thereof}
9/4096	. . . . .	{Compounds containing the structure P(=X)-X-N (X = O, S, Se)}	9/4808	. . . . .	{the acid moiety containing a substituent or structure which is considered as characteristic}
9/42	. . . . .	Halides thereof	9/4816	. . . . .	{Acyclic saturated acids or derivatives which can have further substituents on alkyl}
9/425	. . . . .	{Acid or estermonohalides thereof, e.g. RP(=X)(YR)(Hal) (X, Y = O, S; R = H, or hydrocarbon group)}	9/4825	. . . . .	{Acyclic unsaturated acids or derivatives}
9/44	. . . . .	Amides thereof	9/4833	. . . . .	{Cycloaliphatic acids or derivatives}
9/4403	. . . . .	{the acid moiety containing a substituent or a structure which is considered as characteristic}	9/4841	. . . . .	{Aromatic acids or derivatives (P-C aromatic linkage)}
9/4407	. . . . .	{Amides of acyclic saturated acids which can have further substituents on alkyl}	9/485	. . . . .	{Polyphosphonous acids or derivatives}
9/4411	. . . . .	{Amides of acyclic unsaturated acids}	9/4858	. . . . .	{Acids or derivatives containing the structure -C(=X)-P(XR) <sub>2</sub> or NC-P(XR) <sub>2</sub> (X = O, S, Se)}
9/4415	. . . . .	{Amides of cycloaliphatic acids}	9/4866	. . . . .	{the ester moiety containing a substituent or structure which is considered as characteristic}
9/4419	. . . . .	{Amides of aromatic acids (P-C aromatic linkage)}	9/4875	. . . . .	{Esters with hydroxy aryl compounds}
9/4423	. . . . .	{Amides of poly (thio)phosphonic acids}	9/4883	. . . . .	{Amides or esteramides thereof, e.g. RP(NR' <sub>2</sub> ) <sub>2</sub> or RP(XR')(NR'' <sub>2</sub> ) (X = O, S)}

- 9/4891 . . . . {Monohalide derivatives RP (XR') (Hal) (X = O, S, N) (dihalide derivatives [C07F 9/52](#))}
- 9/50 . . . Organo-phosphines
- 9/5004 . . . . {Acyclic saturated phosphines}
- 9/5009 . . . . {substituted by B, Si, P or a metal ([C07F 9/5027](#) takes precedence)}
- 9/5013 . . . . {Acyclic unsaturated phosphines}
- 9/5018 . . . . {Cycloaliphatic phosphines}
- 9/5022 . . . . {Aromatic phosphines (P-C aromatic linkage)}
- 9/5027 . . . . {Polyphosphines}
- 9/5031 . . . . {Arylalkane phosphines ([C07F 9/5027](#) takes precedence)}
- 9/5036 . . . . {Phosphines containing the structure -C(=X)-P or NC-P}
- 9/504 . . . . {Organo-phosphines containing a P-P bond}
- 9/5045 . . . . {Complexes or chelates of phosphines with metallic compounds or metals}
- 9/505 . . . . {Preparation; Separation; Purification; Stabilisation}
- 9/5054 . . . . {by a process in which the phosphorus atom is not involved}
- 9/5059 . . . . {by addition of phosphorus compounds to alkenes or alkynes}
- 9/5063 . . . . {from compounds having the structure P-H or P-Heteroatom, in which one or more of such bonds are converted into P-C bonds ([C07F 9/5059](#) takes precedence)}
- 9/5068 . . . . {from starting materials having the structure >P-Hal}
- 9/5072 . . . . {from starting materials having the structure P-H ([C07F 9/5059](#) takes precedence)}
- 9/5077 . . . . {from starting materials having the structure P-Metal, including  $R_2P^+$ }
- 9/5081 . . . . {from starting materials having the structure >P-Het, Het being an heteroatom different from Hal or Metal}
- 9/5086 . . . . {from phosphonium salts as starting materials}
- 9/509 . . . . {by reduction of pentavalent phosphorus derivatives, e.g. -P=X with X = O, S, Se or -P-Hal<sub>2</sub>}
- 9/5095 . . . . {Separation; Purification; Stabilisation}
- 9/52 . . . . Halophosphines
- 9/53 . . . . Organo-phosphine oxides; Organo-phosphine thioxides
- 9/5304 . . . . {Acyclic saturated phosphine oxides or thioxides}
- 9/5308 . . . . {substituted by B, Si, P or a metal}
- 9/5312 . . . . {substituted by a phosphorus atom ([C07F 9/5329](#) takes precedence)}
- 9/5316 . . . . {Unsaturated acyclic phosphine oxides or thioxides}
- 9/532 . . . . {Cycloaliphatic phosphine oxides or thioxides}
- 9/5325 . . . . {Aromatic phosphine oxides or thioxides (P-C aromatic linkage)}
- 9/5329 . . . . {Polyphosphine oxides or thioxides}
- 9/5333 . . . . {Arylalkane phosphine oxides or thioxides ([C07F 9/5329](#) takes precedence)}
- 9/5337 . . . . {Phosphine oxides or thioxides containing the structure -C(=X)-P(=X) or NC-P(=X) (X = O, S, Se)}
- 9/5341 . . . . {Organo-phosphine oxides or thioxides containing a P-P bond}
- 9/5345 . . . . {Complexes or chelates of phosphine-oxides or thioxides with metallic compounds or metals}
- 9/535 . . . . Organo-phosphoranes
- 9/5352 . . . . {Phosphoranes containing the structure P=C-}
- 9/5355 . . . . {Phosphoranes containing the structure P=N-}
- 9/5357 . . . . {Polyphosphazenes containing the structure [P=N-n] ([cyclic compounds C07F 9/65812](#))}
- 9/54 . . . . Quarternary phosphonium compounds
- 9/5407 . . . . {Acyclic saturated phosphonium compounds}
- 9/5414 . . . . {substituted by B, Si, P or a metal}
- 9/5421 . . . . {substituted by a phosphorus atom ([C07F 9/5449](#) takes precedence)}
- 9/5428 . . . . {Acyclic unsaturated phosphonium compounds}
- 9/5435 . . . . {Cycloaliphatic phosphonium compounds}
- 9/5442 . . . . {Aromatic phosphonium compounds (P-C aromatic linkage)}
- 9/5449 . . . . {Polyphosphonium compounds}
- 9/5456 . . . . {Arylalkane phosphonium compounds}
- 9/5463 . . . . {Compounds of the type "quasi-phosphonium", e.g. (C)a-P-(Y)b wherein a +b=4, b>=1 and Y=heteroatom, generally N or O}
- 9/547 . . . Heterocyclic compounds, e.g. containing phosphorus as a ring hetero atom
- 9/5475 . . . {having nitrogen and selenium with or without oxygen or sulfur as ring hetero atoms; having nitrogen and tellurium with or without oxygen or sulfur as ring hetero atoms}
- 9/553 . . . having one nitrogen atom as the only ring hetero atom
- 9/5532 . . . . {Seven-(or more) membered rings}
- 9/5535 . . . . {condensed with carbocyclic rings or ring systems}
- 9/5537 . . . . {the heteroring containing the structure -C(=O)-N-C(=O)- (both carbon atoms belong to the heteroring)}
- 9/564 . . . . Three-membered rings
- 9/568 . . . . Four-membered rings
- 9/5683 . . . . {the phosphorus atom is bonded to a cyclic nitrogen atom, directly, through one or more heteroatoms or through a hydrocarbon chain which may be broken by one or more heteroatoms}
- 9/5686 . . . . {condensed with carbocyclic rings or ring systems}
- 9/572 . . . . Five-membered rings
- 9/5721 . . . . {the phosphorus atom is bonded to a cyclic nitrogen atom, directly, through one or more heteroatoms or through a hydrocarbon chain which may be broken by one or more heteroatoms}


- 9/5722 . . . . . {the phosphorus atom is bonded to a cyclic carbon atom, other than directly, through a heteroatom, or through a hydrocarbon chain which may be broken by at least one nitrogen atom, e.g. 
- or 
- 9/5723 . . . . . {the phosphorus atom is bonded to a cyclic carbon atom, directly or through a heteroatom other than nitrogen, e.g.  or 
- 9/5725 . . . . . {bonded through a heteroatom}
- 9/5726 . . . . . {directly bonded}
- 9/5727 . . . . . {the phosphorus atom is bonded to a cyclic carbon atom, through a nitrogen atom or through a hydrocarbon chain which is broken by at least one nitrogen atom, e.g. 
- or 
- 9/5728 . . . . . {condensed with carbocyclic rings or carbocyclic ring systems}
- 9/576 . . . . . Six-membered rings
- 9/5765 . . . . . {condensed with carbocyclic rings or carbocyclic ring systems}
- 9/58 . . . . . Pyridine rings
- 9/581 . . . . . {the phosphorus atom is bonded to a cyclic nitrogen atom, directly, through one or more heteroatoms or through a hydrocarbon chain which may be broken by one or more heteroatoms}
- 9/582 . . . . . {the phosphorus atom is bonded to a cyclic carbon atom, other than directly, through a heteroatom, or through a hydrocarbon chain which may be broken by at least one nitrogen atom, e.g. 
- or 
- 9/584 . . . . . {the phosphorus atom is bonded to a cyclic carbon atom, directly or through a heteroatom other than nitrogen, e.g.  or 
- 9/585 . . . . . {bonded through a heteroatom}
- 9/587 . . . . . {directly bonded}
- 9/588 . . . . . {the phosphorus atom is bonded to a cyclic carbon atom, through a nitrogen atom or through a hydrocarbon chain which is broken by at least one nitrogen atom, e.g. 
- or 
- 9/59 . . . . . Hydrogenated pyridine rings
- 9/591 . . . . . {the phosphorus atom is bonded to a cyclic nitrogen atom, directly, through one or more heteroatoms or through a hydrocarbon chain which may be broken by one or more heteroatoms}
- 9/592 . . . . . {the phosphorus atom is bonded to a cyclic carbon atom, other than directly, through a heteroatom, or through a hydrocarbon chain which may be broken by at least one nitrogen atom, e.g. 
- or 
- 9/594 . . . . . {the phosphorus atom is bonded to a cyclic carbon atom, directly or through a heteroatom other than nitrogen, e.g.  or 
- 9/595 . . . . . {bonded through a heteroatom}
- 9/597 . . . . . {directly bonded}
- 9/598 . . . . . {the phosphorus atom is bonded to a cyclic carbon atom, through a nitrogen atom or through a hydrocarbon chain which is broken by at least one nitrogen atom, e.g. 
- or 
- 9/60 . . . . . Quinoline or hydrogenated quinoline ring systems
- 9/62 . . . . . Isoquinoline or hydrogenated isoquinoline ring systems
- 9/64 . . . . . Acridine or hydrogenated acridine ring systems
- 9/645 . . . . . having two nitrogen atoms as the only ring heteroatoms
- 9/6503 . . . . . Five-membered rings
- 9/65031 . . . . . {having the nitrogen atoms in the positions 1 and 2}
- 9/65032 . . . . . {the phosphorus atom is bonded to a cyclic nitrogen atom, directly, through one or more heteroatoms or through a hydrocarbon chain which may be broken by one or more heteroatoms}
- 9/65033 . . . . . {the phosphorus atom is bonded to a cyclic carbon atom, other than directly, through a heteroatom, or through a hydrocarbon chain which may be broken by at least one nitrogen atom, e.g. 
- or 
- 9/65034 . . . . . {the phosphorus atom is bonded to a cyclic carbon atom, directly or through a heteroatom other than nitrogen, e.g.  or 
- 9/65035 . . . . . {bonded through a heteroatom}
- 9/65036 . . . . . {directly bonded}



- 9/65037 . . . . . {the phosphorus atom is bonded to a cyclic carbon atom, through a nitrogen atom or through a hydrocarbon chain which is broken by at least one nitrogen atom, e.g. 
- or 
- 9/65038 . . . . . {condensed with carbocyclic rings or carbocyclic ring systems}
- 9/6506 . . . . . having the nitrogen atoms in positions 1 and 3
- 9/65061 . . . . . {the phosphorus atom is bonded to a cyclic nitrogen atom, directly, through one or more heteroatoms or through a hydrocarbon chain which may be broken by one or more heteroatoms}
- 9/65062 . . . . . {the phosphorus atom is bonded to a cyclic carbon atom, other than directly, through a heteroatom, or through a hydrocarbon chain which may be broken by at least one nitrogen atom, e.g. 
- or 
- 9/65063 . . . . . {the phosphorus atom is bonded to a cyclic carbon atom, directly or through a heteroatom other than nitrogen, e.g. 
- or 
- 9/65065 . . . . . {bonded through a heteroatom}
- 9/65066 . . . . . {directly bonded}
- 9/65067 . . . . . {the phosphorus atom is bonded to a cyclic carbon atom, through a nitrogen atom or through a hydrocarbon chain which is broken by at least one nitrogen atom, e.g. 
- or 
- 9/65068 . . . . . {condensed with carbocyclic rings or carbocyclic ring systems}
- 9/6509 . . . . . Six-membered rings
- 9/650905 . . . . . {having the nitrogen atoms in the positions 1 and 2}
- 9/650911 . . . . . {the phosphorus atom is bonded to a cyclic nitrogen atom, directly, through one or more heteroatoms or through a hydrocarbon chain which may be broken by one or more heteroatoms}
- 9/650917 . . . . . {the phosphorus atom is bonded to a cyclic carbon atom, other than directly, through a heteroatom, or through a hydrocarbon chain which may be broken by at least one nitrogen atom, e.g. 
- or 
- 9/650923 . . . . . {the phosphorus atom is bonded to a cyclic carbon atom, directly or through a heteroatom other than nitrogen, e.g. 
- or 
- 9/650929 . . . . . {bonded through a heteroatom}
- 9/650935 . . . . . {directly bonded}
- 9/650941 . . . . . {the phosphorus atom is bonded to a cyclic carbon atom, through a nitrogen atom or through a hydrocarbon chain which is broken by at least one nitrogen atom, e.g. 
- or 
- 9/650947 . . . . . {condensed with carbocyclic rings or carbocyclic ring systems}
- 9/650952 . . . . . {having the nitrogen atoms in the position 1 and 4}
- 9/650958 . . . . . {the phosphorus atom is bonded to a cyclic nitrogen atom, directly, through one or more heteroatoms or through a hydrocarbon chain which may be broken by one or more heteroatoms}
- 9/650964 . . . . . {the phosphorus atom is bonded to a cyclic carbon atom, other than directly, through a heteroatom, or through a hydrocarbon chain which may be broken by at least one nitrogen atom, e.g. 
- or 
- 9/65097 . . . . . {the phosphorus atom is bonded to a cyclic carbon atom, directly or through a heteroatom other than nitrogen, e.g. 
- or 
- 9/650976 . . . . . {bonded through a heteroatom}
- 9/650982 . . . . . {directly bonded}
- 9/650988 . . . . . {the phosphorus atom is bonded to a cyclic carbon atom, through a nitrogen atom or through a hydrocarbon chain which is broken by at least one nitrogen atom, e.g. 
- or 
- 9/650994 . . . . . {condensed with carbocyclic rings or carbocyclic ring systems}
- 9/6512 . . . . . having the nitrogen atoms in positions 1 and 3
- 9/65121 . . . . . {the phosphorus atom is bonded to a cyclic nitrogen atom, directly, through one or more heteroatoms or through a hydrocarbon chain which may be broken by one or more heteroatoms}


- 9/65122 . . . . . { the phosphorus atom is bonded to a cyclic carbon atom, other than directly, through a heteroatom, or through a hydrocarbon chain which may be broken by at least one nitrogen atom, e.g. 
- or 
- 9/65123 . . . . . { the phosphorus atom is bonded to a cyclic carbon atom, directly or through a heteroatom other than nitrogen, e.g. 
- or 
- 9/65125 . . . . . { bonded through a heteroatom }
- 9/65126 . . . . . { directly bonded }
- 9/65127 . . . . . { the phosphorus atom is bonded to a cyclic carbon atom, through a nitrogen atom or through a hydrocarbon chain which is broken by at least one nitrogen atom, e.g. 
- or 
- 9/65128 . . . . . { condensed with carbocyclic rings or carbocyclic ring systems }
- 9/6515 . . . . . having three nitrogen atoms as the only ring hetero atoms
- 9/6518 . . . . . Five-membered rings
- 9/65181 . . . . . { the phosphorus atom is bonded to a cyclic nitrogen atom, directly, through one or more heteroatoms or through a hydrocarbon chain which may be broken by one or more heteroatoms }
- 9/65182 . . . . . { the phosphorus atom is bonded to a cyclic carbon atom, other than directly, through a heteroatom, or through a hydrocarbon chain which may be broken by at least one nitrogen atom, e.g. 
- or 
- 9/65183 . . . . . { the phosphorus atom is bonded to a cyclic carbon atom, directly or through a heteroatom other than nitrogen, e.g. 
- or 
- 9/65185 . . . . . { bonded through a heteroatom }
- 9/65186 . . . . . { directly bonded }
- 9/65187 . . . . . { the phosphorus atom is bonded to a cyclic carbon atom, through a nitrogen atom or through a hydrocarbon chain which is broken by at least one nitrogen atom, e.g. 
- or 
- 9/65188 . . . . . { condensed with carbocyclic rings or carbocyclic ring systems }
- 9/6521 . . . . . Six-membered rings
- 9/65211 . . . . . { the phosphorus atom is bonded to a cyclic nitrogen atom, directly, through one or more heteroatoms or through a hydrocarbon chain which may be broken by one or more heteroatoms }
- 9/65212 . . . . . { the phosphorus atom is bonded to a cyclic carbon atom, other than directly, through a heteroatom, or through a hydrocarbon chain which may be broken by at least one nitrogen atom, e.g. 
- or 
- 9/65213 . . . . . { the phosphorus atom is bonded to a cyclic carbon atom, directly or through a heteroatom other than nitrogen, e.g. 
- or 
- 9/65215 . . . . . { bonded through a heteroatom }
- 9/65216 . . . . . { directly bonded }
- 9/65217 . . . . . { the phosphorus atom is bonded to a cyclic carbon atom, through a nitrogen atom or through a hydrocarbon chain which is broken by at least one nitrogen atom, e.g. 
- or 
- 9/65218 . . . . . { condensed with carbocyclic rings or carbocyclic ring systems }
- 9/6524 . . . . . having four or more nitrogen atoms as the only ring hetero atoms
- 9/6527 . . . . . having nitrogen and oxygen atoms as the only ring hetero atoms
- 9/653 . . . . . Five-membered rings
- 9/65306 . . . . . { containing two nitrogen atoms }
- 9/65312 . . . . . { having the two nitrogen atoms in positions 1 and 2 }
- 9/65318 . . . . . { having the two nitrogen atoms in positions 1 and 3 }
- 9/65324 . . . . . { condensed with carbocyclic rings or carbocyclic ring systems }
- 9/6533 . . . . . Six-membered rings
- 9/65335 . . . . . { condensed with carbocyclic rings or carbocyclic ring systems }
- 9/6536 . . . . . having nitrogen and sulfur atoms with or without oxygen atoms, as the only ring hetero atoms
- 9/6539 . . . . . Five-membered rings
- 9/65392 . . . . . { containing two nitrogen atoms }
- 9/65395 . . . . . { having the two nitrogen atoms in positions 1 and 2 }
- 9/65397 . . . . . { having the two nitrogen atoms in positions 1 and 3 }
- 9/6541 . . . . . condensed with carbocyclic rings or {carbocyclic} ring systems
- 9/6544 . . . . . Six-membered rings
- 9/6547 . . . . . condensed with carbocyclic rings or {carbocyclic} ring systems
- 9/655 . . . . . having oxygen atoms, with or without sulfur, selenium, or tellurium atoms, as the only ring hetero atoms

- 9/65502 . . . . {the oxygen atom being part of a three-membered ring}
- 9/65505 . . . . {Phosphonic acids containing oxirane groups; esters thereof}
- 9/65507 . . . . {condensed with carbocyclic rings or carbocyclic ring systems}
- 9/6551 . . . . {the oxygen atom being part of a four-membered ring}
- 9/65512 . . . . {condensed with carbocyclic rings or carbocyclic ring systems}
- 9/65515 . . . . {the oxygen atom being part of a five-membered ring}
- 9/65517 . . . . {condensed with carbocyclic rings or carbocyclic ring systems}
- 9/6552 . . . . {the oxygen atom being part of a six-membered ring}
- 9/65522 . . . . {condensed with carbocyclic rings or carbocyclic ring systems}
- 9/65525 . . . . {the oxygen atom being part of a seven-(or more) membered ring}
- 9/65527 . . . . {condensed with carbocyclic rings or carbocyclic ring systems}
- 9/6553 . . . . having sulfur atoms, with or without selenium or tellurium atoms, as the only ring hetero atoms
- 9/655309 . . . . {the sulfur atom being part of a three-membered ring}
- 9/655318 . . . . {condensed with carbocyclic rings or carbocyclic ring systems}
- 9/655327 . . . . {the sulfur atom being part of a four-membered ring}
- 9/655336 . . . . {condensed with carbocyclic rings or carbocyclic ring systems}
- 9/655345 . . . . {the sulfur atom being part of a five-membered ring}
- 9/655354 . . . . {condensed with carbocyclic rings or carbocyclic ring systems}
- 9/655363 . . . . {the sulfur atom being part of a six-membered ring}
- 9/655372 . . . . {condensed with carbocyclic rings or carbocyclic ring systems}
- 9/655381 . . . . {the sulfur atom being part of a seven-(or more) membered ring}
- 9/65539 . . . . {condensed with carbocyclic rings or carbocyclic ring systems}
- 9/6558 . . . . containing at least two different or differently substituted hetero rings neither condensed among themselves nor condensed with a common carbocyclic ring or ring system
- 9/65583 . . . . {each of the hetero rings containing nitrogen as ring hetero atom}
- 9/65586 . . . . {at least one of the hetero rings does not contain nitrogen as ring hetero atom}
- 9/6561 . . . . containing systems of two or more relevant hetero rings condensed among themselves or condensed with a common carbocyclic ring or ring system, with or without other non-condensed hetero rings
- 9/65611 . . . . {containing the ring system




(X = CH<sub>2</sub>, O, S, NH) optionally with an additional double bond and/or substituents, e.g. penicillins and analogs}

- 9/65613 . . . . {containing the ring system




(X = CH<sub>2</sub>, O, S, NH) optionally with an additional double bond and/or substituents, e.g. cephalosporins and analogs}

- 9/65615 . . . . {containing a spiro condensed ring system of the formula




atoms X or Y is a hetero atom, e.g. S}

- 9/65616 . . . . {containing the ring system



having three or more than three double bonds between ring members or between ring members and non-ring members, e.g. purine or analogs}

- 9/65618 . . . . {containing the ring system, e.g. flavins or analogues}



- 9/6564 . . . . having phosphorus atoms, with or without nitrogen, oxygen, sulfur, selenium or tellurium atoms, as ring hetero atoms
- 9/6568 . . . . having phosphorus atoms as the only ring hetero atoms
- 9/65681 . . . . {the ring phosphorus atom being part of a (thio)phosphinic acid or ester thereof}
- 9/65683 . . . . {the ring phosphorus atom being part of a phosphine}
- 9/65685 . . . . {the ring phosphorus atom being part of a phosphine oxide or thioxide}
- 9/65686 . . . . {the ring phosphorus atom being part of an organo-phosphorane}
- 9/65688 . . . . {the ring phosphorus atom being part of a phosphonium compound}
- 9/6571 . . . . having phosphorus and oxygen atoms as the only ring hetero atoms
- 9/657109 . . . . {esters of oxyacids of phosphorus in which one or more exocyclic oxygen atoms have been replaced by (a) sulfur atom(s)}
- 9/657118 . . . . {non-condensed with carbocyclic rings or heterocyclic rings or ring systems}
- 9/657127 . . . . {condensed with carbocyclic or heterocyclic rings or ring systems}
- 9/657136 . . . . {the molecule containing more than one cyclic phosphorus atom}
- 9/657145 . . . . {the cyclic phosphorus atom belonging to more than one ring system}
- 9/657154 . . . . {Cyclic esteramides of oxyacids of phosphorus}
- 9/657163 . . . . {the ring phosphorus atom being bound to at least one carbon atom}
- 9/657172 . . . . {the ring phosphorus atom and one oxygen atom being part of a (thio)phosphinic acid ester:



(X = O, S)}

- 9/657181 . . . . {the ring phosphorus atom and, at least, one ring oxygen atom being part of a (thio)phosphonic acid derivative}

- 9/65719 . . . . . {the ring phosphorus atom and, at least, one ring oxygen atom being part of a (thio)phosphonous acid derivative}
- 9/6574 . . . . . Esters of oxyacids of phosphorus  
{(C07F 9/657163 takes precedence)}
- 9/65742 . . . . . {non-condensed with carbocyclic rings or heterocyclic rings or ring systems}
- 9/65744 . . . . . {condensed with carbocyclic or heterocyclic rings or ring systems}
- 9/65746 . . . . . {the molecule containing more than one cyclic phosphorus atom}
- 9/65748 . . . . . {the cyclic phosphorus atom belonging to more than one ring system}
- 9/6578 . . . . . having phosphorus and sulfur atoms with or without oxygen atoms, as ring hetero atoms
- 9/65785 . . . . . {the ring phosphorus atom and, at least, one ring sulfur atom being part of a thiophosphonic acid derivative}
- 9/6581 . . . . . having phosphorus and nitrogen atoms with or without oxygen or sulfur atoms, as ring hetero atoms
- 9/65811 . . . . . {having four or more phosphorus atoms as ring hetero atoms}
- 9/65812 . . . . . {Cyclic phosphazenes [P=N-n, n>=3]}
- 9/65814 . . . . . {n = 3 or 4}
- 9/65815 . . . . . {n = 3}
- 9/65817 . . . . . {n = 4}
- 9/65818 . . . . . {n > 4}
- 9/6584 . . . . . having one phosphorus atom as ring hetero atom
- 9/65842 . . . . . {Cyclic amide derivatives of acids of phosphorus, in which one nitrogen atom belongs to the ring}
- 9/65844 . . . . . {the phosphorus atom being part of a five-membered ring which may be condensed with another ring system}
- 9/65846 . . . . . {the phosphorus atom being part of a six-membered ring which may be condensed with another ring system}
- 9/65848 . . . . . {Cyclic amide derivatives of acids of phosphorus, in which two nitrogen atoms belong to the ring}
- 9/6587 . . . . . having two phosphorus atoms as ring hetero atoms in the same ring
- 9/659 . . . . . having three phosphorus atoms as ring hetero atoms in the same ring  
{(C07F 9/65812 takes precedence)}
- 9/6596 . . . . . having atoms other than oxygen, sulfur, selenium, tellurium, nitrogen or phosphorus as ring hetero atoms
- 9/66 . . . . . Arsenic compounds
- 9/68 . . . . . without As-C bonds
- 9/70 . . . . . Organo-arsenic compounds
- 9/703 . . . . . {Complex metallic compounds}
- 9/706 . . . . . {Heterocyclic compounds containing As in the ring}
- 9/72 . . . . . Aliphatic compounds
- 9/723 . . . . . {As bound only to carbon, hydrogen and/or oxygen}
- 9/726 . . . . . {Compounds with chains of As}
- 9/74 . . . . . Aromatic compounds
- 9/743 . . . . . {As bound only to carbon, hydrogen and/or oxygen}
- 9/746 . . . . . {Compounds with chains of As}
- 9/76 . . . . . containing hydroxyl groups
- 9/78 . . . . . containing amino groups
- 9/80 . . . . . Heterocyclic compounds
- 9/803 . . . . . {As bound only to carbon, hydrogen and/or oxygen}
- 9/806 . . . . . {Compounds with chains of As}
- 9/82 . . . . . Arsenic compounds containing one or more pyridine rings
- 9/84 . . . . . Arsenic compounds containing one or more quinoline ring systems
- 9/86 . . . . . Arsenic compounds containing one or more isoquinoline ring systems
- 9/88 . . . . . Arsenic compounds containing one or more acridine ring systems
- 9/90 . . . . . Antimony compounds
- 9/902 . . . . . {Compounds without antimony-carbon linkages}
- 9/904 . . . . . {Aliphatic compounds}
- 9/906 . . . . . {Heterocyclic compounds}
- 9/908 . . . . . {Complex compounds}
- 9/92 . . . . . Aromatic compounds
- 9/94 . . . . . Bismuth compounds
- 11/00 Compounds containing elements of Groups 6 or 16 of the Periodic System**
- 11/005 . . . . . {compounds without a metal-carbon linkage}
- 13/00 Compounds containing elements of Groups 7 or 17 of the Periodic System**
- 13/005 . . . . . {Compounds without a metal-carbon linkage}
- 15/00 Compounds containing elements of Groups 8, 9, 10 or 18 of the Periodic System**
- 15/0006 . . . . . {compounds of the platinum group}
- 15/0013 . . . . . {without a metal-carbon linkage}
- 15/002 . . . . . {Osmium compounds}
- 15/0026 . . . . . {without a metal-carbon linkage}
- 15/0033 . . . . . {Iridium compounds}
- 15/004 . . . . . {without a metal-carbon linkage}
- 15/0046 . . . . . {Ruthenium compounds}
- 15/0053 . . . . . {without a metal-carbon linkage}
- 15/006 . . . . . {Palladium compounds}
- 15/0066 . . . . . {without a metal-carbon linkage}
- 15/0073 . . . . . {Rhodium compounds}
- 15/008 . . . . . {without a metal-carbon linkage}
- 15/0086 . . . . . {Platinum compounds}
- 15/0093 . . . . . {without a metal-carbon linkage}
- 15/02 . . . . . Iron compounds
- 15/025 . . . . . {without a metal-carbon linkage}
- 15/03 . . . . . Sideramines; The corresponding desferri compounds
- 15/04 . . . . . Nickel compounds
- 15/045 . . . . . {without a metal-carbon linkage}
- 15/06 . . . . . Cobalt compounds
- 15/065 . . . . . {without a metal-carbon linkage}
- 17/00 Metallocenes**
- 17/02 . . . . . of metals of Groups 8, 9 or 10 of the Periodic System
- 19/00 Metal compounds according to more than one of main groups C07F 1/00 - C07F 17/00**
- 19/005 . . . . . {without metal-C linkages}