

# CPC COOPERATIVE PATENT CLASSIFICATION

## B05D PROCESSES FOR APPLYING LIQUIDS OR OTHER FLUENT MATERIALS TO SURFACES, IN GENERAL (apparatus for applying liquids or other fluent materials to surfaces [B05B](#), [B05C](#); {coating of foodstuffs [A23P 20/17](#), [A23P 20/15](#), [A23P 20/18](#)})

### NOTES

1. This subclass covers:
  - processes for applying liquids or other fluent materials to a surface or part of a surface, in general, by any mechanical or physical method and particularly processes producing a uniform distribution of liquids or other fluent materials on a surface;
  - pretreatment of surfaces to which liquids or other fluent materials are to be applied;
  - after-treatment of applied coatings.
2. Attention is drawn to the Note following the title of class [B05](#).

<b>1/00</b>	<b>Processes for applying liquids or other fluent materials (<a href="#">B05D 5/00</a>, <a href="#">B05D 7/00</a> take precedence)</b>	1/322	. . {Removable films used as masks}
1/002	. {the substrate being rotated}	1/325	. . . {Masking layer made of peelable film}
1/005	. . {Spin coating}	1/327	. . . {Masking layer made of washable film}
1/007	. {using an electrostatic field ( <a href="#">B05D 1/02</a> - <a href="#">B05D 1/16</a> take precedence)}	1/34	. Applying different liquids or other fluent materials simultaneously
1/02	. performed by spraying	1/36	. Successively applying liquids or other fluent materials, e.g. without intermediate treatment
1/025	. . {using gas close to its critical state}	1/38	. . with intermediate treatment ( <a href="#">intermediate treatment per se B05D 3/00</a> )
1/04	. . involving the use of an electrostatic field ( <a href="#">B05D 1/025</a> and <a href="#">B05D 1/14</a> take precedence)}	1/40	. Distributing applied liquids or other fluent materials by members moving relatively to surface
1/045	. . . {on non-conductive substrates}	1/42	. . by non-rotary members
1/06	. . . Applying particulate materials	1/60	. {Deposition of organic layers from vapour phase (vapour phase deposition in general <a href="#">C23C 14/00</a> , <a href="#">C23C 16/00</a> )}
1/08	. . Flame spraying	1/62	. {Plasma-deposition of organic layers (plasma deposition in general <a href="#">C23C 14/00</a> , <a href="#">C23C 16/00</a> )}
1/10	. . . Applying particulate materials		
1/12	. . Applying particulate materials ( <a href="#">B05D 1/06</a> , <a href="#">B05D 1/10</a> take precedence)	<b>3/00</b>	<b>Pretreatment of surfaces to which liquids or other fluent materials are to be applied; After-treatment of applied coatings, e.g. intermediate treating of an applied coating preparatory to subsequent applications of liquids or other fluent materials (successively applying liquids or other fluent materials <a href="#">B05D 1/36</a>; drying ovens <a href="#">F26B</a>)</b>
1/14	. . . Flocking	3/002	. {Pretreatment}
1/16	. Flocking otherwise than by spraying	3/005	. . {Pretreatment for allowing a non-conductive substrate to be electrostatically coated}
1/18	. performed by dipping	3/007	. {After-treatment}
1/185	. . {applying monomolecular layers ( <a href="#">B05D 1/204</a> takes precedence)}	3/02	. by baking ( <a href="#">B05D 3/04</a> takes precedence)}
1/20	. . substances to be applied floating on a fluid	3/0209	. . {Multistage baking}
1/202	. . . {Langmuir Blodgett films (LB films)}	3/0218	. . {Pretreatment, e.g. heating the substrate}
1/204	. . . . {LB techniques}	3/0227	. . . {with IR heaters}
1/206	. . . . {LB troughs}	3/0236	. . . {with ovens ( <a href="#">B05D 3/0227</a> takes precedence)}
1/208	. . . . {After-treatment of monomolecular films}	3/0245	. . . {with induction heating}
1/22	. . using fluidised-bed technique ( <a href="#">fluidised-bed technique in general B01J 8/24</a> )	3/0254	. . {After-treatment}
1/24	. . . Applying particulate materials	3/0263	. . . {with IR heaters}
1/26	. performed by applying the liquid or other fluent material from an outlet device in contact with, or almost in contact with, the surface	3/0272	. . . {with ovens}
1/265	. . {Extrusion coatings}	3/0281	. . . {with induction heating}
1/28	. performed by transfer from the surfaces of elements carrying the liquid or other fluent material, e.g. brushes, pads, rollers	3/029	. . . {with microwaves}
1/283	. . {Transferring monomolecular layers or solutions of molecules adapted for forming monomolecular layers from carrying elements}	3/04	. by exposure to gases
1/286	. . {using a temporary backing to which the coating has been applied}	3/0406	. . {the gas being air}
1/30	. performed by gravity only, i.e. flow coating	3/0413	. . . {Heating with air}
1/305	. . {Curtain coating}	3/042	. . . {Directing or stopping the fluid to be coated with air}
1/32	. using means for protecting parts of a surface not to be coated, e.g. using stencils, resists		

- 3/0426 . . . {Cooling with air}
- 3/0433 . . {the gas being a reactive gas}
- 3/044 . . . {Pretreatment}
- 3/0446 . . . . {of a polymeric substrate}
- 3/0453 . . . {After-treatment}
- 3/046 . . . . {Curing or evaporating the solvent}
- 3/0466 . . {the gas being a non-reacting gas ([B05D 3/0406](#) takes precedence)}
- 3/0473 . . . {for heating, e.g. vapour heating}
- 3/048 . . . {for cooling}
- 3/0486 . . {Operating the coating or treatment in a controlled atmosphere}
- 3/0493 . . {using vacuum}
- 3/06 . . by exposure to radiation ([B05D 3/02](#) takes precedence; {plasma treatment [B05D 3/141](#)})
- 3/061 . . {using U.V.}
- 3/062 . . . {Pretreatment}
- 3/063 . . . . {of polymeric substrates ([B05D 3/064](#) takes precedence)}
- 3/064 . . . . {involving also the use of a gas}
- 3/065 . . . {After-treatment}
- 3/066 . . . . {involving also the use of a gas}
- 3/067 . . . . {Curing or cross-linking the coating}
- 3/068 . . {using ionising radiations (gamma, X, electrons)}
- 3/08 . . by flames
- 3/10 . . by other chemical means
- 3/101 . . {Pretreatment of polymeric substrate}
- 3/102 . . {Pretreatment of metallic substrates ([C23C](#) takes precedence)}
- 3/104 . . {Pretreatment of other substrates}
- 3/105 . . {Intermediate treatments}
- 3/107 . . {Post-treatment of applied coatings}
- 3/108 . . . {Curing}
- 3/12 . . by mechanical means
- 3/14 . . by electrical means
- 3/141 . . {Plasma treatment}
- 3/142 . . . {Pretreatment}
- 3/144 . . . . {of polymeric substrates}
- 3/145 . . . {After-treatment}
- 3/147 . . . . {Curing}
- 3/148 . . . . {affecting the surface properties of the coating}
- 3/20 . . {by magnetic fields}
- 3/203 . . {pre-treatment by magnetic fields}
- 3/207 . . {post-treatment by magnetic fields}
- 5/00 Processes for applying liquids or other fluent materials to surfaces to obtain special surface effects, finishes or structures**
- 5/005 . . {Repairing damaged coatings}
- 5/02 . . to obtain a matt or rough surface
- 5/04 . . to obtain a surface receptive to ink or other liquid ([B05D 5/02](#), {[B41M 5/52](#)} take precedence)
- 5/06 . . to obtain multicolour or other optical effects ([B05D 5/02](#) takes precedence)
- 5/061 . . {Special surface effect}
- 5/062 . . . {Wrinkled, cracked or ancient-looking effect}
- 5/063 . . . {Reflective effect ([B05D 5/067](#) takes precedence)}
- 5/065 . . {having colour interferences or colour shifts or opalescent looking, flip-flop, two tones}
- 5/066 . . . {achieved by multilayers}
- 5/067 . . {Metallic effect}
- 5/068 . . . {achieved by multilayers ([B05D 5/066](#) takes precedence)}
- 5/08 . . to obtain an anti-friction or anti-adhesive surface (rendering particulate materials free-flowing in general, e.g. making them hydrophobic [B01J 2/30](#))
- 5/083 . . {involving the use of fluoropolymers}
- 5/086 . . . {having an anchoring layer}
- 5/10 . . to obtain an adhesive surface
- 5/12 . . to obtain a coating with specific electrical properties
- 7/00 Processes, other than flocking, specially adapted for applying liquids or other fluent materials to particular surfaces or for applying particular liquids or other fluent materials** {(coating of foodstuffs [A23P 20/17](#), [A23P 20/15](#), [A23P 20/18](#))}
- 7/02 . . to macromolecular substances, e.g. rubber (treatment or coating of shaped articles made of macromolecular substances [C08J 7/00](#))
- 7/04 . . to surfaces of films or sheets (producing layered products by applying coatings of pasty or pulverulent plastics [B29C 41/00](#))
- 7/06 . . to wood
- 7/08 . . . using synthetic lacquers or varnishes
- 7/10 . . . based on cellulose derivatives
- 7/12 . . to leather (chemical treatment of leather [C14C](#); dyeing leather [D06P](#))
- 7/14 . . to metal, e.g. car bodies (involving a chemical reaction between the metal and the coating [C23](#))
- 7/142 . . {Auto-deposited coatings, i.e. autophoretic coatings}
- 7/144 . . . {After-treatment of auto-deposited coatings}
- 7/146 . . {to metallic pipes or tubes (processes for coating the interior of pipes [B05D 7/222](#))}
- 7/148 . . {using epoxy-polyolefin systems in mono- or multilayers}
- 7/16 . . . using synthetic lacquers or varnishes
- 7/18 . . . based on cellulose derivatives
- 7/20 . . to wires (for insulating electric cables [H01B 13/16](#))
- 7/22 . . to internal surfaces, e.g. of tubes
- 7/222 . . {of pipes}
- 7/225 . . . {Laminating inside the pipe}
- 7/227 . . {of containers, cans or the like}
- 7/24 . . for applying particular liquids or other fluent materials
- 7/26 . . synthetic lacquers or varnishes ([B05D 7/08](#), [B05D 7/16](#) take precedence)
- 7/50 . . {Multilayers}
- NOTE**
- A possible inorganic pretreatment or coating on the substrate such as chromatation, phosphatation, plating, is not counted as a layer. This group covers mostly multilayers characterised by each layer and the succession of them (laminates in general [B32B](#))
- 7/51 . . {One specific pretreatment, e.g. phosphatation, chromatation, in combination with one specific coating (pretreatment of metallic substrates [C23C](#); pretreatment before coating in general [B05D 3/00](#))}
- 7/52 . . {Two layers}
- 7/53 . . . {Base coat plus clear coat type}
- 7/532 . . . . {the two layers being cured or baked together, i.e. wet on wet}

- 7/5323 . . . . {the two layers being applied simultaneously}
- 7/534 . . . . {the first layer being let to dry at least partially before applying the second layer (B05D 7/538 takes precedence)}
- 7/536 . . . . {each layer being cured, at least partially, separately}
- 7/538 . . . . {No curing step for the last layer}
- 7/5383 . . . . {No curing step for any layer}
- 7/5385 . . . . {the two layers being applied simultaneously}
- 7/54 . . . {No clear coat specified}
- 7/542 . . . . {the two layers being cured or baked together}
- 7/5423 . . . . {the two layers being applied simultaneously}
- 7/544 . . . . {the first layer is let to dry at least partially before applying the second layer}
- 7/546 . . . . {each layer being cured, at least partially, separately}
- 7/548 . . . . {No curing step for the last layer}
- 7/5483 . . . . {No curing step for any layer}
- 7/5485 . . . . {the two layers being applied simultaneously}
- 7/56 . . {Three layers or more}
- 7/57 . . . {the last layer being a clear coat}
- 7/572 . . . . {all layers being cured or baked together}
- 7/5723 . . . . {all layers being applied simultaneously}
- 7/574 . . . . {at least some layers being let to dry at least partially before applying the next layer (B05D 7/577 takes precedence)}
- 7/576 . . . . {each layer being cured, at least partially, separately}
- 7/577 . . . . {some layers being coated "wet-on-wet", the others not}
- 7/578 . . . . {No curing step for the last layer}
- 7/5783 . . . . {No curing step for any layer}
- 7/5785 . . . . {all layers being applied simultaneously}
- 7/58 . . . {No clear coat specified}
- 7/582 . . . . {all layers being cured or baked together}
- 7/5823 . . . . {all layers being applied simultaneously}
- 7/584 . . . . {at least some layers being let to dry, at least partially, before applying the next layer (B05D 7/587 takes precedence)}
- 7/586 . . . . {each layer being cured, at least partially, separately}
- 7/587 . . . . {some layers being coated "wet-on-wet", the others not}
- 7/588 . . . . {No curing step for the last layer}
- 7/5883 . . . . {No curing step for any layer}
- 7/5885 . . . . {all layers being applied simultaneously}

**2201/00 Polymeric substrate or laminate**

- 2201/02 . Polymeric substrate
- 2201/04 . Laminate
- 2201/06 . . Laminate of which the last layer is not a polymer

**Substrate****2202/00 Metallic substrate**

- 2202/10 . based on Fe
- 2202/15 . . Stainless steel

- 2202/20 . based on light metals
- 2202/25 . . based on Al
- 2202/30 . based on refractory metals (Ti, V, Cr, Zr, Nb, Mo, Hf, Ta, W)
- 2202/35 . . based on Ti
- 2202/40 . based on other transition elements
- 2202/45 . . based on Cu

**2203/00 Other substrates**

- 2203/20 . Wood or similar material
- 2203/22 . Paper or cardboard
- 2203/24 . Leather
- 2203/30 . Other inorganic substrates, e.g. ceramics, silicon
- 2203/35 . . Glass

**2210/00 Applying material to more than three types of substrate materials****2252/00 Sheets**

- 2252/02 . of indefinite length
- 2252/04 . of definite length in a continuous process
- 2252/10 . Applying the material on both sides

**Shape of substrate****2254/00 Tubes**

- 2254/02 . Applying the material on the exterior of the tube
- 2254/04 . Applying the material on the interior of the tube
- 2254/06 . . Applying the material on the interior and exterior of the tube

**2256/00 Wires or fibres****2258/00 Small objects (e.g. screws)**

- 2258/02 . The objects being coated one after the other

**2259/00 Applying the material to the internal surface of hollow articles other than tubes****2301/00 Inorganic additives or organic salts thereof**

- 2301/10 . Phosphates, phosphoric acid or organic salts thereof
- 2301/20 . Chromates, chromic acid or organic salts thereof
- 2301/30 . Acids
- 2301/50 . Bases

**Additives other than fillers present in the coating material or in the coating bath****2320/00 Organic additives**

- 2320/10 . Detergents

**2350/00 Pretreatment of the substrate**

- 2350/10 . Phosphatation
- 2350/20 . Chromatation
- 2350/30 . Change of the surface
- 2350/33 . . Roughening
- 2350/35 . . . by chemical means
- 2350/38 . . . by mechanical means
- 2350/40 . . . by adding a porous layer
- 2350/50 . . Smoothing
- 2350/60 . Adding a layer before coating

- 2350/63 . . ceramic layer
- 2350/65 . . metal layer

### **Pretreatment of the substrates**

#### **2400/00 Indexing scheme for single layers or multilayers**

- 
- 2401/00 Form of the coating product, e.g. solution, water dispersion, powders or the like**
  - 2401/10 . Organic solvent ([B05D 2401/21 takes precedence](#))
  - 2401/20 . Aqueous dispersion or solution
  - 2401/21 . . Mixture of organic solvent and water
  - 2401/30 . the coating being applied in other forms than involving eliminable solvent, diluent or dispersant
  - 2401/31 . . applied as mixtures of monomers and polymers
  - 2401/32 . . applied as powders
  - 2401/33 . . applied as vapours polymerising in situ

#### **NOTE**

A process should be classified or coded in [B05D 1/60](#) or [B05D 1/62](#)

- 2401/40 . where the carrier is not clearly specified
- 2401/50 . where organic solvent or water can be used as alternative
- 2401/60 . non aqueous inorganic solvent ([B05D 2401/90 takes precedence](#))
- 2401/90 . at least one component of the composition being in supercritical state or close to supercritical state

#### **2420/00 Indexing scheme corresponding to the position of each layer within a multilayer coating relative to the substrate**

- 2420/01 . first layer from the substrate side
- 2420/02 . second layer from the substrate side
- 2420/03 . third layer from the substrate side
- 2420/04 . fourth layer from the substrate side
- 2420/05 . fifth layer from the substrate side

#### **2425/00 Indexing scheme corresponding to the position of each layer within a multilayer coating relative to the surface**

- 2425/01 . top layer/ last layer, i.e. first layer from the top surface
- 2425/02 . second layer from the top surface
- 2425/03 . third layer from the top surface
- 2425/04 . fourth layer from the top surface
- 2425/05 . fifth layer from the top surface

#### **2430/00 Component used as a filler in the composition**

#### **2451/00 Type of carrier, type of coating (Multilayers)**

#### **2490/00 Intermixed layers**

- 2490/50 . compositions varying with a gradient perpendicular to the surface
- 2490/60 . compositions varying with a gradient parallel to the surface

#### **2500/00 Indexation scheme for the composition of layers**

#### **NOTE**

**L05D5\*\*/\*\*** codes may be combined with one or more codes of the series [B05D 2400/00](#) with a +

sign. Example : [B05D 2503/00](#) + [B05D 2420/01](#) + [B05D 2420/02](#)

#### **2501/00 Varnish or unspecified clear coat**

- 2501/10 . Wax

### **Type of polymer or polymer coating**

#### **2502/00 Acrylic polymers**

- 2502/005 . modified

#### **2503/00 Polyurethanes**

#### **2504/00 Epoxy polymers**

#### **2505/00 Polyamides**

- 2505/50 . Polyimides

#### **2506/00 Halogenated polymers**

- 2506/10 . Fluorinated polymers
- 2506/15 . . Polytetrafluoroethylene [PTFE]
- 2506/20 . Chlorinated polymers
- 2506/25 . . PVC ([B05D 2520/10 takes precedence](#))

#### **2507/00 Polyolefins**

- 2507/005 . modified
- 2507/01 . Polyethylene
- 2507/015 . . modified
- 2507/02 . Polypropylene
- 2507/025 . . modified

#### **2508/00 Polyesters**

#### **2518/00 Other type of polymers**

- 2518/10 . Silicon-containing polymers
- 2518/12 . . Ceramic precursors (polysiloxanes, polysilazanes)

#### **2520/00 Water-based dispersions**

- 2520/05 . Latex
- 2520/10 . PVC [Plastisol]

#### **2530/00 Rubber or the like**

#### **2601/00 Inorganic fillers**

- 2601/02 . used for pigmentation effect, e.g. metallic effect
- 2601/04 . . Mica
- 2601/06 . . . Coated Mica
- 2601/08 . . Aluminium flakes or platelets
- 2601/10 . . Other metals
- 2601/20 . used for non-pigmentation effect
- 2601/22 . . Silica
- 2601/24 . . Titanium dioxide, e.g. rutile
- 2601/26 . . Abrasives
- 2601/28 . . Metals

#### **2602/00 Organic fillers**

---

#### **2701/00 Coatings being able to withstand changes in the shape of the substrate or to withstand welding**

- 2701/10 . withstanding draw and redraw process, punching
- 2701/20 . withstanding rolling
- 2701/30 . withstanding bending
- 2701/40 . withstanding welding