

CPC COOPERATIVE PATENT CLASSIFICATION

B PERFORMING OPERATIONS; TRANSPORTING

(NOTES omitted)

TRANSPORTING

B62 LAND VEHICLES FOR TRAVELLING OTHERWISE THAN ON RAILS

B62D MOTOR VEHICLES; TRAILERS (steering, or guiding on a desired track, of agricultural machines or implements [A01B 69/00](#); wheels, castors, axles, increasing wheel adhesion [B60B](#); vehicle tyres, tyre inflation or tyre changing [B60C](#); connections between vehicles of a train or the like [B60D](#); vehicles for use on rail and road, amphibious or convertible vehicles [B60F](#); suspension arrangements [B60G](#); heating, cooling, ventilating or other air treating devices [B60H](#); windows, windscreens, non-fixed roofs, doors or similar devices, protective coverings for vehicles not in use [B60J](#); propulsion plant arrangements, auxiliary drives, transmissions, controls, instrumentation or dashboards [B60K](#); electric equipment or propulsion of electrically-propelled vehicles [B60L](#); power supply for electrically-propelled vehicles [B60M](#); passenger accommodation not otherwise provided for [B60N](#); adaptations for load transportation or to carry special loads or objects [B60P](#); arrangement of signalling or lighting devices, the mounting or supporting thereof or circuits therefor, for vehicles in general [B60Q](#); vehicles, vehicle fittings or vehicle parts not otherwise provided for [B60R](#); servicing, cleaning, repairing, supporting, lifting, or manoeuvring, not otherwise provided for, [B60S](#); brake arrangements, brake control systems or parts thereof [B60T](#); air-cushion vehicles [B60V](#); motor-cycles, accessories therefor [B62J](#), [B62K](#); testing of vehicles [G01M](#))

NOTE

In this subclass, the following terms are used with the meanings indicated:

- "vehicles" include motor vehicles and trailers;
- "trailers" include forecars or sidecars.

WARNING

The following IPC groups are not used in the CPC scheme. Subject matter covered by these groups is classified in the following CPC groups:

B62D 25/13	covered by	B60J 1/20 , B60R 13/07
B62D 25/22	covered by	B60R 3/00
B62D 65/08	covered by	B60J 10/45
B62D 101/00-B62D 137/00	covered by	

Steering of motor vehicles or trailers

NOTE

Steering devices acting on ground-engaging wheels, endless tracks or the like and also applicable to aircraft are classified in [B62D 1/00](#) and relevant subsequent groups; these groups take precedence over [B64C](#); These elaborations also embrace steering of vehicles in general but applicable to land vehicles

1/00 Steering controls, i.e. means for initiating a change of direction of the vehicle

- 1/02 . vehicle-mounted
- 1/04 . . Hand wheels
- 1/043 . . . {with a device allowing single-hand operation of the steering wheel}
- 1/046 . . . {Adaptations on rotatable parts of the steering wheel for accommodation of switches}

- 1/06 . . . Rims, e.g. with heating means; Rim covers ([B62D 1/11](#) takes precedence)
- 1/065 {Steering wheels with heating and ventilating means (heating and ventilating arrangements for spaces of vehicles [B60H](#))}
- 1/08 . . . Spokes, e.g. resilient ([B62D 1/11](#) takes precedence)
- 1/10 . . . Hubs; Connecting hubs to steering columns, e.g. adjustable ([B62D 1/11](#) takes precedence)
- 1/105 {Non-rotatable hubs, e.g. the central part of the steering wheel not rotating (for storing airbags [B60R 21/2032](#))}
- 1/11 . . . incorporating energy-absorbing arrangements, e.g. by being yieldable or collapsible (padded linings associated with the steering wheel [B60R 21/05](#); shock absorbers using plastic deformation of members in general [F16F 7/12](#))

- 1/12 . . Hand levers
 - 1/14 . . . Tillers, i.e. hand levers operating on steering columns
 - 1/16 . . Steering columns
 - 1/163 . . . {Part of the steering column replaced by flexible means, e.g. cable or belt}
 - 1/166 . . . {Means changing the transfer ratio between steering wheel and steering gear (by continuous supply of energy, e.g. from electric motor [B62D 5/008](#); controlling steering depending on driving conditions sensed and responded to [B62D 6/00](#))}
 - 1/18 . . . yieldable or adjustable, e.g. tiltable (padded linings associated with the steering column [B60R 21/05](#))
- NOTE**
- Group [B62D 1/181](#) takes precedence over groups [B62D 1/183](#) - [B62D 1/187](#).
- 1/181 with power actuated adjustment, e.g. with position memory
 - 1/183 adjustable between in-use and out-of-use positions, e.g. to improve access
 - 1/184 Mechanisms for locking columns at selected positions {locking of telescopic systems in general [F16B 7/10](#)}
 - 1/185 adjustable by axial displacement, e.g. telescopically ([B62D 1/183](#), [B62D 1/187](#), [B62D 1/19](#) take precedence)
 - 1/187 with tilt adjustment; with tilt and axial adjustment ([B62D 1/183](#), [B62D 1/19](#) takes precedence)
 - 1/189 the entire column being tiltable as a unit
 - 1/19 incorporating energy-absorbing arrangements, e.g. by being yieldable or collapsible (shock absorbers using plastic deformation of members in general [F16F 7/12](#))
 - 1/192 {Yieldable or collapsible columns}
 - 1/195 {Yieldable supports for the steering column}
 - 1/197 {incorporating devices for preventing ingress of the steering column into the passengers space in case of accident}
 - 1/20 . . . Connecting steering column to steering gear
 - 1/22 . . Alternative steering-control elements, e.g. for teaching purposes
 - 1/24 . not vehicle-mounted {(special adaptations of automatic tractor steering [A01B 69/008](#); devices for lifting, movable on wheels, automatically guided [B66F 9/063](#))}
 - 1/26 . . mechanical, e.g. by a non-load-bearing guide (railways [B61](#))
 - 1/265 . . . {especially adapted for guiding road vehicles carrying loads or passengers, e.g. in urban networks for public transportation}
 - 1/28 . . non-mechanical {, e.g. following a line or other known markers (steering position indicators [B62D 15/02](#); steering aids [B62D 15/025](#); parking aids [B62D 15/027](#); steering assistants [B62D 15/029](#); determination or calculation of trajectory of land vehicles [G05D 1/021](#))}
 - 1/283 . . . {for unmanned vehicles}

- 1/286 . . . {Systems for interrupting non-mechanical steering due to driver intervention}
- 3/00 Steering gears (power assisted or power driven [B62D 5/00](#); steering linkages [B62D 7/00](#); for non-deflectable wheels [B62D 11/00](#); gearing in general [F16H](#))**
- 3/02 . mechanical
 - 3/04 . . of worm type
 - 3/06 . . . with screw and nut
 - 3/08 using intermediate balls or the like
 - 3/10 . . . with worm engaging in sector or roller gear
 - 3/12 . . of rack-and-pinion type
 - 3/123 . . . {characterised by pressure yokes}
 - 3/126 . . . {characterised by the rack}
 - 3/14 . hydraulic
- 5/00 Power-assisted or power-driven steering ({controlling steering depending on driving conditions sensed and responded to [B62D 6/00](#); } for non-deflectable wheels [B62D 11/00](#); fluid pressure servomotors in general [F15B](#))**
- 5/001 . {Mechanical aspects of steer-by-wire systems, not otherwise provided in [B62D 5/00](#) (hydraulic steer-by-wire systems [B62D 5/091](#))}
 - 5/003 . . {Backup systems, e.g. for manual steering ([B62D 5/30](#) takes precedence)}
 - 5/005 . . {means for generating torque on steering wheel, e.g. feedback}
 - 5/006 . . . {power actuated (control thereof [B62D 6/008](#))}
 - 5/008 . {Changing the transfer ratio between the steering wheel and the steering gear by variable supply of energy, e.g. by using a superposition gear}
 - 5/02 . mechanical, e.g. using a power-take-off mechanism for taking power from a rotating shaft of the vehicle and applying it to the steering gear
 - 5/04 . electrical, e.g. using an electric servo-motor connected to, or forming part of, the steering gear
 - 5/0403 . . {characterised by constructional features, e.g. common housing for motor and gear box}
 - 5/0406 . . . {including housing for electronic control unit}
 - 5/0409 . . {Electric motor acting on the steering column}
 - 5/0412 . . . {the axes of motor and steering column being parallel}
 - 5/0415 {the axes being coaxial}
 - 5/0418 . . {Electric motor acting on road wheel carriers}
 - 5/0421 . . {Electric motor acting on or near steering gear}
 - 5/0424 . . . {the axes of motor and final driven element of steering gear, e.g. rack, being parallel}
 - 5/0427 {the axes being coaxial}
 - 5/043 . . {characterised by clutch means between driving element, e.g. motor, and driven element, e.g. steering column or steering gear}
 - 5/0433 . . . {the clutch being of on-off type}
 - 5/0436 {the clutch being a controlled emergency clutch, e.g. for disconnecting at motor break-down}
 - 5/0439 . . . {Controllable friction clutches ([B62D 5/0436](#) takes precedence)}
 - 5/0442 . . {Conversion of rotational into longitudinal movement}
 - 5/0445 . . . {Screw drives (screw mechanisms in general [F16H 25/20](#))}
 - 5/0448 {Ball nuts}

- 5/0451 . . . {Roller spindle drives}
- 5/0454 . . . {Worm gears}
- 5/0457 . . {characterised by control features of the drive means as such (controlling steering depending on driving conditions sensed and responded to [B62D 6/00](#); determination of steering angle [B62D 15/021](#); measuring torque applied to steering wheels [G01L 5/221](#); control of electric motor as such [H02P](#))}
- 5/046 . . . {Controlling the motor}
- 5/0463 {for generating assisting torque}
- 5/0466 {for returning the steering wheel to neutral position}
- 5/0469 {End-of-stroke control}
- 5/0472 {for damping vibrations}
- 5/0475 . . . {Controlling other elements}
- 5/0478 {Clutches}
- 5/0481 . . . {monitoring the steering system, e.g. failures}
- 5/0484 {for reaction to failures, e.g. limp home}
- 5/0487 {detecting motor faults ([B62D 5/0496](#) takes precedence)}
- 5/049 {detecting sensor failures}
- 5/0493 {detecting processor errors, e.g. plausibility of steering direction}
- 5/0496 {by using a temperature sensor}
- 5/06 . . fluid, i.e. using a pressurised fluid for most or all the force required for steering a vehicle
- 5/061 . . {provided with effort, steering lock, or end-of-stroke limiters}
- 5/062 . . {Details, component parts}
- 5/063 . . . {Pump driven by vehicle engine ([B62D 5/065](#) takes precedence)}
- 5/064 . . . {Pump driven independently from vehicle engine, e.g. electric driven pump ([B62D 5/065](#) takes precedence)}
- 5/065 . . characterised by specially adapted means for varying pressurised fluid supply based on need, e.g. on-demand, variable assist
- 5/07 . . Supply of pressurised fluid for steering also supplying other consumers{; control thereof}
- 5/075 . . . {using priority valves (priority valves in general [F15B 13/022](#))}
- 5/08 . . characterised by type of {steering} valve used (valves in general [F16K](#))
- 5/081 . . . {Seat valves}
- 5/083 . . . Rotary valves
- 5/0832 {with elastic means other than a torsion bar, e.g. leaf springs}
- 5/0835 {characterised by means for actively limiting the deflection angle, e.g. depending on driving parameters (controlling steering depending on driving conditions sensed and responded to [B62D 6/00](#))}
- 5/0837 {characterised by the shape of the control edges, e.g. to reduce noise}
- 5/087 . . . Sliding spool valves
- 5/09 . . characterised by means for actuating valves
- 5/091 . . . {Hydraulic steer-by-wire systems, e.g. the valve being actuated by an electric motor}
- 5/092 {the electric motor being connected to the final driven element of the steering gear, e.g. rack}
- 5/093 . . . Telemotor driven by steering wheel movement (hydraulic steering gear [B62D 3/14](#))
- 5/097 gerotor type
- 5/10 . . characterised by type of power unit
- 5/12 . . . Piston and cylinder
- 5/14 . . . Rotary motor
- 5/16 . . . Expansible chamber with flexible wall
- 5/18 . . characterised by power transmitting means
- 5/20 . . specially adapted for particular type of steering gear or particular application (steering gears [per se B62D 3/00](#); steering linkages not characterised by being power-assisted or power-driven [B62D 7/00](#))
- 5/22 . . . for rack-and-pinion type {(pressure yokes [B62D 3/123](#))}
- 5/24 . . . for worm type
- 5/26 . . . for pivoted axles
- 5/28 . . . for pivoted bogies
- 5/30 . . Safety devices, e.g. alternate emergency power supply or transmission means to ensure steering upon failure of the primary steering means
- 5/32 . . . for telemotor systems
- 6/00 Arrangements for automatically controlling steering depending on driving conditions sensed and responded to, e.g. control circuits (means for initiating a change in direction [B62D 1/00](#); steering valves [B62D 5/06](#); combined with means for inclining the vehicle body or wheels on bends [B62D 9/00](#))**
- NOTE**
- When classifying in this group, classification is also made in the appropriate one of groups [B62D 1/00](#) - [B62D 5/00](#) or [B62D 7/00](#) - [B62D 19/00](#) if other aspects of the steering system are of interest
- 6/001 . {the torque NOT being among the input parameters}
- 6/002 . {computing target steering angles for front or rear wheels ([B62D 7/159](#) takes precedence)}
- 6/003 . . {in order to control vehicle yaw movement, i.e. around a vertical axis ([B62D 6/007](#) take precedence; stability systems acting on the brakes [B60T 8/1755](#))}
- 6/005 . . . {treating sensor outputs to obtain the actual yaw rate}
- 6/006 . . {using a measured or estimated road friction coefficient}
- 6/007 . {adjustable by the driver, e.g. sport mode}
- 6/008 . {Control of feed-back to the steering input member, e.g. simulating road feel in steer-by-wire applications}
- 6/02 . responsive only to vehicle speed
- 6/04 . responsive only to forces disturbing the intended course of the vehicle, e.g. forces acting transversely to the direction of vehicle travel
- 6/06 . responsive only to vehicle vibration dampening arrangements (steering dampers for cycles [B62K 21/08](#))
- 6/08 . responsive only to {driver} input torque
- 6/10 . . characterised by means for sensing {or determining} torque
- WARNING**
- Group [B62D 6/10](#) is not complete. See also [G01L 5/22](#)

7/00 Steering linkage; Stub axles or their mountings
([B62D 13/00](#) takes precedence; power-assisted or power-driven steering [B62D 5/00](#))

- 7/02 . for pivoted bogies
- 7/023 . . {Steering turntables}
- 7/026 . . {characterised by comprising more than one bogie, e.g. situated in more than one plane transversal to the longitudinal centre line of the vehicle}
- 7/04 . . with more than one wheel
- 7/06 . for individually-pivoted wheels, e.g. on king-pins
- 7/08 . . the pivotal axes being situated in a single plane transverse to the longitudinal centre line of the vehicle
- 7/09 . . . characterised by means varying the ratio between the steering angles of the steered wheels ([varying the ratio automatically depending on driving conditions B62D 6/00](#))
- 7/10 . . . with single-output steering gear
- 7/12 . . . with twin-output steering gear
- 7/14 . . the pivotal axes being situated in more than one plane transverse to the longitudinal centre line of the vehicle, e.g. all-wheel steering
- 7/142 . . . {specially adapted for particular vehicles, e.g. tractors, carts, earth-moving vehicles, trucks}
- 7/144 {for vehicles with more than two axles}
- 7/146 . . . {characterised by comprising means for steering by acting on the suspension system, e.g. on the mountings of the suspension arms ([means on vehicle for adjusting camber, castor or toe-in B62D 17/00](#))}
- 7/148 . . . {provided with safety devices}
- 7/15 . . . characterised by means varying the ratio between the steering angles of the steered wheels {([B62D 7/148](#) takes precedence)}
- 7/1509 {with different steering modes, e.g. crab-steering, or steering specially adapted for reversing of the vehicle}
- 7/1518 {comprising a mechanical interconnecting system between the steering control means of the different axles}
- 7/1527 {comprising only mechanical parts, i.e. without assistance means}
- 7/1536 {provided with hydraulic assistance; ([power-assisted fluid steering per se B62D 5/06](#))}
- 7/1545 {provided with electrical assistance; ([power-assisted electrical steering per se B62D 5/04](#))}
- 7/1554 {comprising a fluid interconnecting system between the steering control means of the different axles; ([power-assisted fluid steering per se B62D 5/06](#))}
- 7/1563 {provided with fluid control means; ([B62D 7/1572](#) takes precedence)}
- 7/1572 {provided with electro-hydraulic control means}
- 7/1581 {characterised by comprising an electrical interconnecting system between the steering control means of the different axles; ([power-assisted electrical steering per se B62D 5/04](#))}

- 7/159 {characterised by computing methods or stabilisation processes or systems, e.g. responding to yaw rate, lateral wind, load, road condition}
- 7/16 . Arrangement of linkage connections ([pivots per se F16C](#); e.g. ball joints [F16C 11/06](#))
- 7/163 . . {substantially in axial direction, e.g. between rack bar and tie-rod}
- 7/166 . . {substantially perpendicular, e.g. between tie-rod and steering knuckle ([steering knuckles in general B62D 7/18](#))}
- 7/18 . Steering knuckles; King pins
- 7/20 . Links, e.g. track rods ([means for adjusting camber, castor, or toe-in B62D 17/00](#))
- 7/22 . Arrangements for reducing or eliminating reaction, e.g. vibration, from parts, e.g. wheels, of the steering system {([dampers in general F16F](#))}
- 7/222 . . {acting on the steering wheel}
- 7/224 . . {acting between the steering wheel and the steering gear, e.g. on the steering column}
- 7/226 . . {acting on the steering gear}
- 7/228 . . {acting between the steering gear and the road wheels, e.g. on tie-rod}

9/00 Steering deflectable wheels not otherwise provided for
([steering position indicators B62D 15/02](#))

- 9/002 . {combined with means for differentially distributing power on the deflectable wheels during cornering}
- 9/005 . {Emergency systems using brakes for steering}
- 9/007 . {Emergency systems using the steering system for braking}
- 9/02 . combined with means for inwardly inclining vehicle body on bends
- 9/04 . combined with means for {inwardly} inclining wheels on bends ([B62D 9/02](#) takes precedence)

11/00 Steering non-deflectable wheels; Steering endless tracks or the like

NOTE

Gearings of interest apart from this application are also classified in the relevant group of subclass [F16H](#) covering gearings [per se](#)

- 11/001 . {control systems ([B62D 11/183](#) takes precedence)}

NOTE

When classifying in this group, classification is also made in the appropriate one of groups [B62D 11/02](#) - [B62D 11/24](#) if other aspects of the steering system are of interest

- 11/003 . . {Electric or electronic control systems}
- 11/005 . . {Hydraulic control systems}
- 11/006 . . {Mechanical control systems}
- 11/008 . . {Pneumatic control systems}
- 11/02 . by differentially driving ground-engaging elements on opposite vehicle sides
- 11/04 . . by means of separate power sources
- 11/06 . . by means of a single main power source
- 11/08 . . . using brakes or clutches as main steering-effecting means

- 11/10 . . . using gearings with differential power outputs on opposite sides, e.g. with twin-differential or epicyclic gears {[\(arrangements or mounting of transmissions in vehicles B60K 17/00; gearing in general F16H\)](#)}
- 11/105 {using variable ratio belt and pulley gearings ([gearing for conveying rotary motion by endless flexible members F16H 7/00, F16H 9/00](#))}
- 11/12 using separate change-speed gearings
- 11/14 differential power outputs being effected by additional power supply to one side, e.g. power originating from secondary power source
- 11/16 the additional power supply being supplied mechanically
- 11/18 the additional power supply being supplied hydraulically
- 11/183 {Control systems therefor}
- 11/186 {Uncoupling devices for the hydraulic motors, e.g. to allow towing}
- 11/20 . Endless-track steering having pivoted bogie carrying track ([B62D 11/02 takes precedence](#))
- 11/22 . Endless track steering being effected by deflecting endless track rollers or the like
- 11/24 . Endless track steering specially adapted for vehicles having both steerable wheels and endless track
- 12/00 Steering specially adapted for vehicles operating in tandem or having pivotally connected frames** ([steering endless tracks or the like B62D 11/00; steering specially adapted for trailers B62D 13/00](#))
- 12/02 . for vehicles operating in tandem
- 13/00 Steering specially adapted for trailers** ([combined traction and steering hitches B60D](#))
- 13/005 . {operated from tractor steering system}
- 13/02 . for centrally-pivoted axles
- 13/025 . . {the pivoted movement being initiated by the coupling means between tractor and trailer}
- 13/04 . for individually-pivoted wheels
- 13/06 . for backing a normally drawn trailer
- 15/00 Steering not otherwise provided for**
- 15/02 . Steering position indicators{; [Steering position determination; Steering aids](#)}
- 15/0205 . . {[Mechanical indicators, e.g. in or near steering wheel](#)}
- 15/021 . . {[Determination of steering angle \(sensors in general G01B\)](#)}
- 15/0215 . . . {[by measuring on the steering column](#)}
- 15/022 {[on or near the connection between the steering wheel and steering column](#)}
- 15/0225 . . . {[by measuring on a steering gear element, e.g. on a rack bar](#)}
- 15/023 . . . {[by measuring on the king pin](#)}
- 15/0235 . . . {[by measuring or deriving directly at the electric power steering motor](#)}
- 15/024 . . . {[Other means for determination of steering angle without directly measuring it, e.g. deriving from wheel speeds on different sides of the car](#)}
- 15/0245 . . . {[Means or methods for determination of the central position of the steering system, e.g. straight ahead position](#)}
- 15/025 . . {[Active steering aids, e.g. helping the driver by actively influencing the steering system after environment evaluation \(B62D 1/28 takes precedence; parking aids B62D 15/027\)](#)}
- 15/0255 . . . {[Automatic changing of lane, e.g. for passing another vehicle](#)}
- 15/026 . . . {[combined with automatic distance control, i.e. electronic tow bar](#)}
- 15/0265 . . . {[Automatic obstacle avoidance by steering](#)}
- 15/027 . . {[Parking aids, e.g. instruction means](#)}
- 15/0275 . . . {[by overlaying a vehicle path based on present steering angle over an image without processing that image](#)}
- 15/028 . . . {[Guided parking by providing commands to the driver, e.g. acoustically or optically](#)}
- 15/0285 . . . {[Parking performed automatically](#)}
- 15/029 . . {[Steering assistants using warnings or proposing actions to the driver without influencing the steering system \(parking aids B62D 15/027, determination or calculation of trajectory of land vehicles G05D 1/021, image processing G06T\)](#)}
- 15/0295 . . . {[by overlaying a vehicle path based on present steering angle over an image without processing that image](#)}
- 17/00 Means on vehicles for adjusting camber, castor, or toe-in**
- 19/00 Radius rods, i.e. distance members**
- Understructures; Superstructures; Vehicle bodies**
- 21/00 Understructures, i.e. chassis frame on which a vehicle body may be mounted** ([combined frame and vehicle body B62D 23/00](#){; characterised by the material thereof [B62D 29/00](#))})
- 21/02 . comprising longitudinally or transversely arranged frame members
- 21/03 . . transverse members providing body support
- 21/04 . . single longitudinal type
- 21/05 . . pinched frame type, i.e. formed of at least two longitudinal frame sections connected by other longitudinal frame sections of lesser transverse dimension
- 21/06 . of X-shaped or fork-shaped construction, i.e. having members which form an X or fork as the frame is seen in plan view
- 21/07 . wide-hipped frame type, i.e. a wide box-shaped mid portion with narrower sections extending from said mid portion in both fore and aft directions
- 21/08 . built up with interlaced cross members
- 21/09 . Means for mounting load bearing surfaces
- 21/10 . in which the main member is plate-like
- 21/11 . with resilient means for suspension {, e.g. of wheels or engine; sub-frames for mounting engine or suspensions}
- NOTE**
- This group does not cover subject matter primarily relating to the suspension, with only a nominal recitation of frame structure, which are covered by subclass [B60G](#)
- 21/12 . assembled from readily detachable parts
- 21/14 . of adjustable length or width

- 21/15 . . having impact absorbing means, e.g. a frame designed to permanently or temporarily change shape or dimension upon impact with another body (bumpers [B60R 19/02](#); shock absorbers in general [F16F](#))
- 21/152 . . {Front or rear frames}
- 21/155 . . . {Sub-frames or underguards}
- 21/157 . . {for side impacts}
- 21/16 . . having fluid storage compartment
- 21/17 . . forming fluid or electrical conduit means or having other means to accommodate the transmission of a force or signal
- 21/18 . . characterised by the vehicle type and not provided for in groups [B62D 21/02](#) - [B62D 21/17](#)
- 21/183 . . {specially adapted for sports vehicles, e.g. race, dune buggies, go-karts (tubular skeleton [B62D 23/005](#))}
- 21/186 . . {for building site vehicles or multi-purpose tractors (tracked vehicles [B62D 55/10](#); tractors in general [B62D 49/00](#); building site vehicles in general [E02F](#); lift-trucks [B66F](#))}
- 21/20 . . trailer type, i.e. a frame specifically constructed for use in a non-powered vehicle
- 23/00 Combined superstructure and frame, i.e. monocoque constructions** ({having impact absorbing means [B62D 21/15](#); } superstructure {or monocoque structure} sub-units {or parts or details thereof} [B62D 25/00](#){; characterised by the material thereof [B62D 29/00](#)})
- 23/005 . . {with integrated chassis in the whole shell, e.g. meshwork, tubes, or the like ([B62D 33/044](#) takes precedence)}
- 24/00 Connections between vehicle body and vehicle frame** ([B62D 23/00](#), [B62D 33/077](#) take precedence)
- 24/02 . . Vehicle body, not intended to move relatively to the vehicle frame, and mounted on vibration absorbing mountings, e.g. rubber pads
- 24/04 . . Vehicle body mounted on resilient suspension for movement relative to the vehicle frame
- 25/00 Superstructure {or monocoque structure} sub-units; Parts or details thereof not otherwise provided for** ({having impact absorbing means [B62D 21/15](#); running-boards, steps, or the like as superstructure sub-unit [B60R 3/00](#))}
- 25/02 . . Side panels ({[B62D 33/046](#) takes precedence; sideboards for open load compartments [B62D 33/023](#))}
- 25/025 . . {Side sills thereof}
- 25/04 . . Door pillars{; windshield pillars}
- 25/06 . . Fixed roofs (non-fixed roofs or like shelters [B60J 7/00](#); roof liners [B60R 13/02](#); insulating elements [B60R 13/08](#))
- 25/07 . . having water drainage or guide means integral with roof structure
- 25/08 . . Front or rear portions ({sub-frames for mounting engine or suspensions [B62D 21/11](#))}
- 25/081 . . {COWLS (ventilating openings situated directly in front of the vehicle front window [B60H 1/28](#))}
- 25/082 . . {Engine compartments}
- 25/084 . . . {Radiator supports}
- 25/085 . . . {Front-end modules}
- 25/087 . . {Luggage compartments}
- 25/088 . . {Details of structures as upper supports for springs or dampers}
- 25/10 . . Bonnets or lids{, e.g. for trucks, tractors, busses, work vehicles (for truck beds [B60J 7/1607](#); for boats [B63B 19/12](#); doors arranged at the vehicle rear [B60J 5/10](#); inlet covers for vehicle fuel tanks [B60K 15/05](#); for protecting non-occupants of a vehicle [B60R 21/38](#))}
- 25/105 . . . {for motor cars}
- 25/12 . . . Parts or details thereof (locks [E05B](#), {[E05B 83/16](#); devices for holding open [E05C 17/00](#), e.g. while carrying oversize objects [E05C 17/042](#)}; hinges [E05D](#); counterbalancing means [E05F](#); {checks, stops, buffers [E05F 5/00](#); } springs, {e.g. pneumatic springs} [F16F](#))
- 25/14 . . Dashboards as superstructure sub-units (other dashboard aspects [B60K](#))
- 25/142 . . . {having ventilation channels incorporated therein}
- 25/145 . . . {having a crossbeam incorporated therein}
- 25/147 {with adjustable connection to the A-pillars}
- 25/16 . . Mud-guards or wings; Wheel cover panels (equipped with means for freeing wheels or tyres from foreign matter [B60S](#))
- 25/161 . . . {Mud-guards made of non-conventional material, e.g. rubber, plastics}
- 25/163 . . . {Mounting devices}
- 25/165 {including sealing devices}
- 25/166 {by rods or other distance-keeping devices}
- 25/168 . . . {Mud guards for utility vehicles}
- 25/18 . . . Parts or details thereof, e.g. mudguard flaps
- 25/182 {Movable mudguards, or mudguards comprising movable or detachable parts ([B62D 25/188](#) takes precedence)}
- 25/184 {to facilitate access to wheels}
- 25/186 {being attached or suspended laterally from the wheel ([B62D 25/184](#) takes precedence)}
- 25/188 {Mud-guard flaps for utility vehicles}
- 25/20 . . Floors or bottom sub-units ({sub-frames for mounting engine or suspensions [B62D 21/11](#); drip trays [F16N 31/006](#))}
- 25/2009 . . {in connection with other superstructure subunits}
- 25/2018 . . . {the subunits being front structures}
- 25/2027 . . . {the subunits being rear structures}
- 25/2036 . . . {the subunits being side panels, sills or pillars ([B62D 21/157](#) takes precedence)}
- 25/2045 . . . {the subunits being fire walls}
- 25/2054 . . {Load carrying floors for commercial vehicles}
- 25/2063 . . {Floor elements for repairs}
- 25/2072 . . {Floor protection, e.g. from corrosion or scratching (floor mats [B60N 3/04](#), armour [F41H 7/042](#), insulation [B60R 13/08](#), streamlining [B62D 35/02](#))}
- 25/2081 . . {Jack receiving devices}
- 25/209 . . {Arrangements for the mounting of vehicle hitches (vehicle connections in general [B60D](#))}
- 25/24 . . Superstructure sub-units with access {or drainage} openings having movable or removable closures; {Sealing means therefor} (inlet covers for vehicle fuel tanks [B60K 15/05](#))

- 27/00** **Connections between superstructure {or understructure} sub-units** {(B62D 33/0207, B62D 33/044 take precedence; between sub-units predominantly made of synthetic material B62D 29/048)}
- 27/02 . rigid
- 27/023 . . {Assembly of structural joints}
- 27/026 . . {Connections by glue bonding (in general F16B 11/00; processes C09J 5/00)}
- 27/04 . resilient
- 27/06 . readily releasable
- 27/065 . . {using screwthread (connection of crossbeam to A- pillars B62D 25/147; mounting load bearing surfaces B62D 21/09; securing mudguards B62D 25/163; connections for synthetic parts B62D 29/048)}
- 29/00** **Superstructures, {understructures, or sub-units thereof,} characterised by the material thereof** {(B62D 33/044, B62D 33/048 take precedence)}
- 29/001 . {characterised by combining metal and synthetic material}
- 29/002 . . {a foamable synthetic material or metal being added *in situ* (shaping of substances in a plastic state by foaming, in general B29C 44/00)}
- 29/004 . . {the metal being over-moulded by the synthetic material, e.g. in a mould}
- 29/005 . . {preformed metal and synthetic material elements being joined together, e.g. by adhesives}
- 29/007 . {predominantly of special steel or specially treated steel, e.g. stainless steel or locally surface hardened steel}
- 29/008 . {predominantly of light alloys, e.g. extruded}
- 29/02 . predominantly of wood
- 29/04 . predominantly of synthetic material (working of plastics or substances in a plastic state B29)
- 29/041 . . {Understructures}
- 29/043 . . {Superstructures (B62D 25/161 takes precedence)}
- 29/045 . . . {Van bodies composed of substantially rectangular panels}
- 29/046 . . {Combined superstructure and frame, i.e. monocoque constructions}
- 29/048 . . {Connections therefor, e.g. joints (B62D 29/045 takes precedence)}
- 31/00** **Superstructures for passenger vehicles** (passenger vehicles specially adapted to co-operate with aircraft or terminal buildings B64F 1/31)
- 31/003 . {compact cars, e.g. city cars}
- 31/006 . . {foldable (droppable B60F 5/006)}
- 31/02 . for carrying large numbers of passengers, e.g. omnibus
- 31/025 . . {having modular sections}
- 31/04 . with more than one deck
- 33/00** **Superstructures for load-carrying vehicles** ({having impact absorbing means B62D 21/15; } in which a load-carrying element is movable B60P; liners B60R 13/00; joining sheets or plates to one another or to strips or bars parallel to them F16B 5/00)
- 33/02 . Platforms; Open load compartments {(flat wagons including posts or standards B61D 3/08)}
- 33/0207 . . {Connections of movable or detachable racks or stanchions to platforms}
- 33/0215 . . . {for log hauling vehicles (vehicles for log transport in general B60P 3/41)}
- 33/0222 . . {Connecting elements between stanchions, e.g. roof supporting elements, stiffeners (non-fixed roofs B60J 7/00; securing and covering of load B60P 7/00)}
- 33/023 . . Sideboard or tailgate structures {(vehicle side panels in general B62D 25/02)}
- 33/027 . . . movable
- 33/0273 {Movable tailboards for vehicles comprising non-movable sideboards, e.g. pick-up trucks (B62D 33/037 takes precedence)}
- 33/0276 {by vertical translation (B62D 33/0273 takes precedence)}
- 33/03 by swinging down {(B62D 33/0273 takes precedence)}
- 33/033 removable {(B62D 33/0273 takes precedence)}
- 33/037 Latching means therefor
- 33/04 . Enclosed load compartments {Frameworks for movable panels, tarpaulins or side curtains (tarpaulins *per se* B60J 7/00, B60P 7/04; side curtains *per se* B60J 5/065)}
- 33/042 . . {divided into compartments (movable bulk heads B60P 7/14; cattle transport B60P 3/04; bottled liquids B60P 3/22)}
- 33/044 . . {built up with profiles of constant elongated shape, e.g. extruded, mechanically interconnected by coupling members, e.g. by clamping, riveting or bolting}
- 33/046 . . {built up with flat self-supporting panels; Fixed connections between panels (B62D 29/045, B62D 33/048 take precedence)}
- 33/048 . . {for refrigerated goods vehicles}
- 33/06 . Drivers' cabs {(overhead guards, e.g. against loads falling down B60R 21/11; roll-over protection B60R 21/13)}
- 33/0604 . . {Cabs insulated against vibrations or noise, e.g. with elastic suspension (resilient connections between superstructure sub-units B62D 27/04; damping noise in general G10K 11/00; for vehicles in general B60R 13/08)}
- 33/0608 . . . {pneumatic or hydraulic suspension}
- 33/0612 . . {Cabins with living accommodation, especially for long distance road vehicles, i.e. sleeping, cooking, or other facilities (beds in general adapted to be used in vehicles A47C 17/80; sanitation devices in vehicles in general B60R 15/00; living accommodation in vehicles in general B60P 3/32; passenger fittings in general B60N 3/00)}
- 33/0617 . . {for tractors or off-the-road vehicles (protective devices for drivers in case of overturning of tractors B60R 21/131)}
- 33/0621 . . . {able to be dismantled, folding}
- 33/0625 . . . {open}
- 33/063 . . movable from one position into at least one other position, e.g. tiltable, pivotable about a vertical axis, displaceable from one side of the vehicle to the other
- 33/0633 . . . {pivotable about a vertical axis}
- 33/0636 . . . {displaceable along a linear path}
- 33/067 . . . tiltable

33/07 characterised by the device for locking the cab in the tilted or in the driving position	49/00	Tractors (of walk type B62D 51/04 ; endless-track features B62D 55/00 {; tractors for handling aircraft B64F 1/22 ; transport specially adapted for underground galleries E21F 13/02 })
33/071 {Locking devices for cabins in driving position; Shock and vibration absorbing devices therefor}	49/002	. {characterised by being of the low ground pressure type}
33/073	. . . characterised by special adaptations of vehicle control devices	49/005	. {Tractors for semi-trailers (combinations of tractor plus semi-trailer B62D 53/06)}
33/077	. characterised by the connection of the superstructure to the vehicle frame {(B62D 33/06 takes precedence)}	49/007	. . {Tractors for handling trailers, e.g. roll-trailers in terminals}
33/08	. comprising adjustable means (B62D 33/10 takes precedence)	49/02	. modified to take lifting devices
33/10	. . comprising means for the suspension of the superstructure on the frame	49/04	. modified to take pushing devices
35/00	Vehicle bodies characterised by streamlining	49/06	. adapted for multi-purpose use
35/001	. {For commercial vehicles or tractor-trailer combinations, e.g. caravans}	49/0607	. . {Straddle tractors, used for instance above vine stocks, rows of bushes, or the like}
35/002	. . {for caravans (B62D 35/004 takes precedence)}	49/0614	. . {equipped with visual aids for positioning implements or to control working condition (optical signalling for vehicles in general B60Q 1/26)}
35/004	. . {Inflatable nose or rear cones}	49/0621	. . {comprising traction increasing arrangements, e.g. all-wheel traction devices, multiple-axle traction arrangements, auxiliary traction increasing devices (anti-skid or anti-slip devices fitted onto the wheels B60B 15/02 , B60B 39/12 ; arrangements of transmission for driving both front and rear wheels or tandem wheels of vehicles B60K 17/34 , B60K 17/36)}
35/005	. {Front spoilers (B62D 35/001 takes precedence)}	49/0628	. . . {using detachable weights (counterweights against overturning B62D 49/085 ; movable stabilisation masses B62D 37/04)}
35/007	. {Rear spoilers (B62D 35/001 takes precedence)}	49/0635	. . . {using additional ground engaging means, e.g. endless tracks (vehicles with endless tracks and either additional or alternative ground wheels B62D 55/02 , B62D 55/04)}
35/008	. {Side spoilers (B62D 35/001 takes precedence)}	49/0642	. . . {by coupling of tractors}
35/02	. Streamlining the undersurfaces {(B62D 35/005 , B62D 35/007 , B62D 35/008 take precedence)}	49/065	. . {Coupling of multi-purpose tractors with equipment (towing bars B60D ; with load transfer B62D 53/08 ; power take-off B60K ; with lifting devices B62D 49/02 ; pushing gear B62D 49/04)}
37/00	Stabilising vehicle bodies without controlling suspension arrangements	49/0657	. . {Asymmetrical tractors}
37/02	. by aerodynamic means	49/0664	. . {Light, simple, and economical tractors (B62D 49/002 takes precedence)}
37/04	. by means of movable masses	49/0671	. . . {the driver riding on the tractor}
37/06	. . using gyroscopes	49/0678	. . {Tractors of variable track width or wheel base (for vehicles in general B60B 23/12 and B60B 35/10)}
39/00	Vehicle bodies not otherwise provided for {, e.g. safety vehicles (safety equipment B60R 21/00)}	49/0685	. . {Reversible tractors adapted for shuttle work}
41/00	Fittings for identifying vehicles in case of collision; Fittings for marking or recording collision areas	49/0692	. . {characterised by the particular arrangement of control devices, e.g. having more than one control stand, operable from vehicle extension (control devices or systems characterised by mechanical features only)}
43/00	Spare wheel stowing, holding, or mounting arrangements	49/08	. having means for preventing overturning or tipping (safety devices for propulsion-unit control, specially adapted for, or arranged in, vehicles B60K 28/00)
43/002	. {Handling devices, mainly for heavy wheels (via cables and chains B62D 43/045)}	49/085	. . {Counterweight}
43/005	. {Protective coverings for spare wheels}	51/00	Motor vehicles characterised by the driver not being seated {(wheeled carriers for golf bags A63B 55/60)}
43/007	. {Anti-theft devices for spare wheels}	51/001	. {characterised by the vehicle control device (mechanical features of control devices in general G05G ; arrangements of vehicle control devices in general B60K 20/00 , B60K 23/00 , B60K 26/00)}
43/02	. external to the vehicle body		
43/04	. . attached beneath the vehicle body		
43/045	. . . {the wheel or its cradle being attached to one or more chains or cables for handling}		
43/06	. within the vehicle body		
43/08	. . and arranged substantially vertically		
43/10	. . and arranged substantially horizontally		
<u>Motor vehicles or trailers classified according to type; Parts or accessories thereof (frames for vehicles of special type B62D 21/18)</u>			
47/00	Motor vehicles or trailers predominantly for carrying passengers (superstructures B62D 31/00)		
47/003	. {convertible in order to modify the number of seats (foldable compact cars B62D 31/006 ; convertible from one use to a different one B60P 3/42)}		
47/006	. {Vehicles which can be divided in sub-vehicles; nestable vehicles}		
47/02	. for large numbers of passengers, e.g. omnibus		
47/025	. . {articulated buses with interconnecting passageway, e.g. bellows (coupling aspects B60D 5/00)}		

- 51/002 . . {comprising safety arrangements (safety devices for vehicle propulsion unit control [B60K 28/00](#))}
- 51/004 . {characterised by the transmission (arrangements or mounting of transmissions in vehicles [B60K 17/00](#); gearing in general [F16H](#))}
- 51/005 . {Vehicular characteristics of load handling vehicles, e.g. pedestrian trucks (fork-lift trucks [B66F 9/06](#))}
- 51/007 . {the vehicle being of the endless track type (endless track vehicles in general [B62D 55/00](#))}
- 51/008 . {characterised by the vehicle being formed by articulated or separable units (road trains [B62D 53/00](#))}
- 51/02 . the driver standing in the vehicle
- 51/04 . the driver walking
- 51/06 . . Uniaxle walk-type tractors
- 51/065 . . . {the vehicle having only one wheel}
- 53/00 Tractor-trailer combinations; Road trains (traction couplings other than fifth wheel coupling [B60D](#) ; tracked vehicles comprising at least two articulated parts [B62D 55/0655](#))**
- 53/005 . {Combinations with at least three axles and comprising two or more articulated parts (articulated buses [B62D 47/025](#))}
- 53/02 . comprising a uniaxle tractor unit and a uniaxle trailer unit {(see [B60B 11/00](#) - [B60B 11/08](#))}
- 53/021 . . {comprising a universal coupling joint}
- 53/023 . . {with two or more coupling joints allowing staggering of the units from a central plane}
- 53/025 . . {Comprising a transmission shaft passing through the coupling joints ([B62D 53/021](#) takes precedence; trailers with powered axles [B62D 59/00](#))}
- 53/026 . . . {With all wheels powered}
- 53/028 . . {Having only coupling joints other than directional (articulated frames [B62D 21/186](#) and [B62D 55/10](#))}
- 53/04 . comprising a vehicle carrying an essential part of the other vehicle's load by having supporting means for the front or rear part of the other vehicle
- 53/045 . . {with rigid linkage in the horizontal plane (luggage trailers [B62D 63/064](#) - [B62D 63/067](#))}
- 53/06 . . Semi-trailers
- 53/061 . . . {of flat bed or low loader type or fitted with swan necks (detachable swan necks [B62D 53/065](#); swan neck-fifth wheel couplings [B62D 53/08](#))}
- 53/062 {having inclinable, lowerable platforms; Lift bed trailers; Straddle trailers (lifting coupling saddles [B62D 53/0821](#); crane vehicles [B60P 3/28](#))}
- 53/064 {inclining platforms by detachable bogies}
- 53/065 {inclining platforms by detachable or folding swan necks}
- 53/067 . . . {Multi-purpose, convertible or extendable load surface semi-trailers (for container transport [B60P 1/6418](#); convertible road transport vehicles in general [B60P 3/42](#))}
- 53/068 . . . {having devices to equalise or modify the load between the fifth wheel and the rear wheels (adjustable coupling saddles [per se B62D 53/0807](#); load transfer devices to permit coupling or uncoupling [B62D 53/0857](#); anti jack-knifing devices [B62D 53/0871](#))}
- 53/08 . . Fifth wheel traction couplings {(tractors for handling trailers in terminals [B62D 49/007](#))}
- 53/0807 . . . {adjustable coupling saddles mounted on sub-frames; Mounting plates therefor}
- 53/0814 {with adjustment of the clearance between the tractor or the trailer (devices modifying the load in tractor-trailer combinations [B62D 53/068](#))}
- 53/0821 {Lifting saddles, i.e. to lift the trailer front (tilting body constructions [B60P](#))}
- 53/0828 {Removable or fold-away traction couplings for non-specialised tractor vehicles}
- 53/0835 {Coupling saddles able to rock in all directions, e.g. for use in rough terrain}
- 53/0842 . . . {King pins}
- 53/085 {fitted with anti-coupling devices, pivotal or retractable king pins, e.g. to prevent theft (vehicle fittings for preventing theft in general [B60R 25/00](#))}
- 53/0857 . . . {Auxiliary semi-trailer handling or loading equipment, e.g. ramps, rigs, coupling supports}
- 53/0864 {Dollies for fifth wheel coupling}
- 53/0871 . . . {with stabilising means, e.g. to prevent jack-knifing, pitching, rolling, buck jumping (stabilising in general [B62D 37/00](#); tractors [B62D 49/08](#))}
- 53/0878 {the fifth wheel coupling incorporating braking or restraining means}
- 53/0885 . . . {Comprising devices to limit or to compensate for wear or excessive play; Lubricating, shock absorbing, bearing devices, or the like}
- 53/0892 . . . {comprising power transmission shafts (trailers with driven ground wheels [B62D 59/00](#))}
- 53/10 . . . with means for preventing accidental uncoupling
- 53/12 . . . engaging automatically
- 53/125 {with simultaneous coupling of the service lines}
- 55/00 Endless track vehicles (steering aspects [B62D 11/00](#); {characterised by the driver not being seated [B62D 51/007](#))}**
- 55/02 . with tracks and additional ground wheels {(for multi-purpose tractors [B62D 49/0635](#))}
- 55/04 . with tracks and alternative ground wheels, e.g. changeable from endless track vehicle into wheeled vehicle and *vice versa* {(for multi-purpose tractors [B62D 49/0635](#))}
- 55/06 . with tracks without ground wheels
- 55/062 . . {Tracked vehicles of great dimensions adapted for moving bulky loads or gear}
- 55/065 . . Multi-track vehicles, i.e. more than two tracks {(soil-shifting machines [E02F](#); mining machines [E21C](#))}
- 55/0655 . . . {Articulated endless track vehicles (steering specially adapted for trailers [B62D 13/00](#); articulated buses [B62D 47/025](#); tractor-trailer combinations or road trains comprising a uniaxle unit and a uni-axle trailer [B62D 53/02](#))}
- 55/07 . . Mono-track vehicles
- 55/075 . . Tracked vehicles for ascending or descending stairs, {steep slopes or vertical surfaces} (magnetic or pneumatic ground-engaging parts [B62D 55/265](#); chairs or multi-track cycles specially adapted for invalids [A61G 5/00](#))

55/08	. Endless track units; Parts thereof	55/22 Arrangements for preventing or modifying back-flexing
55/084	. . Endless-track units or carriages mounted separably, adjustably or extensibly on vehicles, e.g. portable track units (B62D 55/07 takes precedence)	55/24	. . . of continuously flexible type, e.g. rubber belts
55/0842	. . . {Tracked vehicle with track carriages suspended on three points, e.g. by an equaliser bar}	55/242 {The flexible band being semi-rigid for resisting back-flexing and contributing to spring the vehicle}
55/0845	. . . {Protection devices}	55/244 {Moulded in one piece, with either smooth surfaces or surfaces having projections, e.g. incorporating reinforcing elements}
55/0847	. . . {Track blocking devices mounted on the frame; Track guides}	55/247 Gas filled or inflatable flexible tracks (connection of valves to inflatable elastic bodies B60C 29/00)
55/088	. . with means to exclude or remove foreign matter, e.g. sealing means, self-cleaning track links or sprockets, deflector plates or scrapers	55/253 having elements interconnected by one or more cables or like elements
55/0882	. . . {Track or sprocket cleaning devices mounted on the frame (wheel cleaning devices in general B60S)}	55/26	. . . Ground engaging parts or elements {(tracks specially adapted for amphibious vehicles B60F 3/0015)}
55/0885	. . . {Self-cleaning sprockets}	55/265 having magnetic or pneumatic adhesion
55/0887	. . . {Track-articulation sealings against dust, water, mud or the like (sealing of bearings in general F16C 33/72 ; chain bushings in general F16G 15/00)}	55/27 having different types of crampons for progression over varying ground
55/092	. . with lubrication means (lubricating in general F16N)	55/275 with street plate, i.e. means to prevent tread from cutting into road surface
55/096	. . with noise reducing means	55/28 detachable
55/0963	. . . {Anti-noise driving sprockets}	55/283 {and movable, e.g. around an axis or perpendicularly to the track}
55/0966	. . . {Low noise rollers, e.g. with antivibration means (elastic wheel rims in general B60B 9/00)}	55/286 {For soft grounds, e.g. consisting of snow or swamp}
55/10	. . Bogies; Frames (track-tensioning means B62D 55/30)	55/30	. . Track-tensioning means
55/104	. . Suspension devices for wheels, rollers, bogies or frames (vehicle suspension in general B60G)	55/305	. . . {acting on pivotably mounted idlers}
55/108	. . . with mechanical springs, e.g. torsion bars	55/32	. Assembly, disassembly, repair or servicing of endless-track systems
55/1083 {Torsion-bar springs}	57/00	Vehicles characterised by having other propulsion or other ground- engaging means than wheels or endless track, alone or in addition to wheels or endless track (sledges B62B; motor sledges B62M)
55/1086 {Rubber springs}	57/02	. with ground-engaging propulsion means, e.g. walking members
55/112	. . . with fluid springs, e.g. hydraulic pneumatic	57/021	. . {the ground engaging means being sequentially inflatable bags for peristaltic movement (B62D 57/024 takes precedence)}
55/1125 {Hydro-pneumatic or pneumatic, e.g. air-cushioned}	57/022	. . {consisting of members having both rotational and walking movements}
55/116	. . . Attitude or position control of chassis by action on suspension, e.g. to compensate for a slope	57/024	. . specially adapted for moving on inclined or vertical surfaces (endless-track vehicles for ascending or descending stairs B62D 55/075 ; hand-carts with provision for travelling up or down stairs B62B 5/02)
55/12	. . Arrangement, location, or adaptation of driving sprockets	57/028	. . having wheels and mechanical legs (B62D 57/024 takes precedence; ground-engaging vehicle fittings for supporting, lifting or manoeuvring the vehicle, wholly or in part B60S 9/00)
55/125	. . . Final drives	57/032	. . with alternately or sequentially lifted supporting base and legs; with alternately or sequentially lifted feet or skid (B62D 57/024 takes precedence)
55/13 readily interchangeable modular type	57/036	. . screw type, e.g. Archimedian screw {(amphibious vehicles comprising screw-type ground-engaging means B60F 3/0023)}
55/135	. . . with dismountable driving crown	57/04	. having other than ground-engaging propulsion means, e.g. having propellers (arrangement of jet-propulsion units B60K)
55/14	. . Arrangement, location, or adaptation of rollers	59/00	Trailers with driven ground wheels or the like
55/145	. . . {Rollers with replaceable wear rings or rims (driving sprockets with replaceable rims B62D 55/12)}	59/02	. driven from external propulsion unit
55/15	. . . Mounting devices, e.g. bushings, axles, bearings, sealings {(with lubrication means B62D 55/092)}		
55/18	. . Tracks (self-cleaning track links B62D 55/088)		
55/20	. . . of articulated type, e.g. chains {(with lubrication means B62D 55/092)}		
55/202 {Wheel engaging parts; Wheel guides on links}		
55/205 Connections between track links		
55/21 Links connected by transverse pivot pins		
55/211 {Bitubular chain links assembled by pins and double connectors}		
55/213 {Master track links}		
55/215 Resilient connections between links		

- 59/04 . . driven from propulsion unit on trailer
- 61/00 Motor vehicles or trailers, characterised by the arrangement or number of wheels, not otherwise provided for, e.g. four wheels in diamond pattern**
- 61/02 . . with two road wheels in tandem on the longitudinal centre line of the vehicle
- 61/04 . . with two other wheels which are coaxial
- 61/06 . . with only three wheels
- 61/065 . . {with single rear wheel}
- 61/08 . . with single front wheel
- 61/10 . . with more than four wheels {(tractors of the low ground pressure type B62D 49/002)}
- 61/12 . . with variable number of ground engaging wheels, e.g. with some wheels arranged higher than others, or with retractable wheels (for manoeuvring purposes only B60S)
- 61/125 . . {the retractable wheel being a part of a set of tandem wheels (resilient suspension for a single set of tandem wheels B60G 5/00)}
- 63/00 Motor vehicles or trailers not otherwise provided for**
- 63/02 . . Motor vehicles
- 63/025 . . {Modular vehicles (superstructures for busses having modular sections B62D 31/025)}
- 63/04 . . Component parts or accessories
- 63/06 . . Trailers (vehicles comprising living accommodation for people, e.g. caravans, camping or like vehicles B60P 3/32)
- 63/061 . . {Foldable, extensible or yielding trailers (foldable caravans B60P 3/34; adjustable chassis frames B62D 21/14)}
- 63/062 . . {Trailers with one axle or two wheels (semi-trailers B62D 53/06)}
- 63/064 . . . {light luggage or equipment trailers, e.g. for batteries, gas generators, gas bottles, stretchers (luggage carriers per se B60R)}
- 63/065 . . . {forming an extension of the towing vehicle, i.e. with two point fixation}
- 63/067 {single wheeled (rigid or semi-rigid coupling)}
- 63/068 . . {with more than two axles or more than four wheels (vehicles with more than four wheels in general B62D 61/10)}
- 63/08 . . Component parts or accessories
- 65/00 Designing, manufacturing, e.g. assembling, facilitating disassembly, or structurally modifying motor vehicles or trailers, not otherwise provided for**
- 65/005 . . {Inspection and final control devices}
- 65/02 . . Joining sub-units or components to, or positioning sub-units or components with respect to, body shell or other sub-units or components
- 65/022 . . {Transferring or handling sub-units or components, e.g. in work stations or between workstations and transportation systems}
- 65/024 . . {Positioning of sub-units or components with respect to body shell or other sub-units or components}
- 65/026 . . . {by using a jig or the like; Positioning of the jig}
- 65/028 . . . {by determining relative positions by measurement}
- 65/04 . . . Joining preassembled modular units composed of sub-units performing diverse functions, e.g. engine and bonnet (B62D 65/06 - B62D 65/16 take precedence)
- 65/06 . . the sub-units or components being doors, windows, openable roofs, lids, bonnets, or weather strips or seals therefor {(assembling sealing arrangements with vehicle parts, e.g. doors, windows B60J 10/45)}
- 65/10 . . the sub-units or components being engines, clutches or transmissions
- 65/12 . . the sub-units or components being suspensions, brakes or wheel units
- 65/14 . . the sub-units or components being passenger compartment fittings, e.g. seats, linings, trim, instrument panels
- 65/16 . . the sub-units or components being exterior fittings, e.g. bumpers, lights, wipers {, exhausts}
- 65/18 . . Transportation, conveyor or haulage systems specially adapted for motor vehicle or trailer assembly lines {(conveyors and haulage in general B65G)}
- 67/00 Systematic disassembly of vehicles for recovery of salvageable components, e.g. for recycling (for disposal of vehicles by destroying or transformation B09B 3/00, B09B 5/00 {; general arrangement of separating plants B03B 9/00; recovery of plastics B29B 17/00})**