

- 5/08 . . for sawing with the saw blade abutting parallel against a surface of the workpiece
- 5/10 . Wheeled circular saws; Circular saws designed to be attached to tractors or other vehicles and driven by same {(saw assemblies designed to be mounted on or driven by tractors [B27B 11/12](#))}
- 5/12 . Cylinder saws {(B27C 1/007 takes precedence)}
- 5/14 . Rim-driven circular saws
- 5/16 . Saw benches ([B27B 15/06](#) takes precedence)
- 5/165 . . {Convertible sawing devices}
- 5/18 . . with feedable circular saw blade, e.g. arranged on a carriage
- 5/181 . . . {the saw blade being arranged underneath a work-table}
- 5/182 {the saw blade performing a pivoting movement only}
- 5/184 {the saw blade performing a rectilinear movement only}
- 5/185 . . . {the saw blade being carried by a pivoted lever ([B27B 5/181](#) and [B27B 5/188](#) take precedence)}
- 5/187 . . . {the saw blade being fitted on a movable carriage ([B27B 5/181](#) takes precedence)}
- 5/188 . . . {the saw blade being mounted on a hanging arm or at the end of a set of bars, e.g. parallelograms}
- 5/20 . . . the saw blade being adjustable according to depth or angle of cut; Radial saws, i.e. sawing machines with a pivoted radial arm for guiding the movable carriage
- 5/201 {Radial sawing machines; Machines having a saw blade on an extendable radial arm}
- 5/202 {with the saw blade underneath a work-table}
- 5/203 {the saw blade performing a pivoting movement only}
- 5/205 {the saw blade performing a rectilinear movement only}
- 5/206 {the saw blade being carried by a pivoted lever ([B27B 5/208](#) takes precedence)}
- 5/207 {the saw blade being fitted on a movable carriage}
- 5/208 {the saw blade being mounted on a hanging arm or at the end of a set of bars, e.g. parallelograms}
- 5/22 . . with non-feedable circular saw blade
- 5/222 . . . {the saw blade being arranged underneath the work-table; Guiding arrangements for the work-table}
- 5/224 . . . {the workpieces being fitted on a pivoting support}
- 5/226 . . . {the workpieces being radially fed by means of a turning drum}
- 5/228 . . . {Cross-cutting automatically laterally-fed travelling workpieces; Reducing lumber to desired lengths}
- 5/24 . . . the saw blade being adjustable according to depth or angle of cut
- 5/243 {the saw blade being arranged underneath the work-table (the circular saw blade arranged underneath a stationary work-table for sawing material in general [B23D 45/06](#))}
- 5/246 {End cutting of automatically laterally-fed travelling workpieces}
- 5/26 . . . the table being adjustable according to depth or angle of cut
- 5/265 {with the saw blade arranged underneath the work-table}
- 5/29 . Details; Component parts; Accessories
- 5/30 . . for mounting or securing saw blades or saw spindles
- 5/32 . . . Devices for securing circular saw blades to the saw spindle
- 5/325 {using fluid pressure means}
- 5/34 . . . Devices for securing a plurality of circular saw blades on a single saw spindle; Equipment for adjusting the mutual distance {(arrangements for adjusting the mutual distances of circular saw machines for lengthwise sawing of trunks [B27B 7/04](#))}
- 5/36 . . . Mounting for swivelling or tilting the circular saw blade {, e.g. using an adjustable mounting (slotting or mortising machines [B27F 5/02](#))}
- 5/38 . . Devices for braking the circular saw blade or the saw spindle; Devices for damping vibrations of the circular saw blade, e.g. silencing {(B23D 47/005 takes precedence)}
- 7/00 Sawing machines working with circular saw blades, specially designed for length sawing of trunks**
- 7/02 . by making use of circular saws mounted substantially at right angles, e.g. vertically and horizontally
- 7/04 . by making use of a plurality of circular saws mounted on a single spindle; Arrangements for adjusting the mutual distances {(equipment for adjusting the mutual distance of circular wood saws in general [B27B 5/34](#))}
- 9/00 Portable power-driven circular saws for manual operation (details or components, e.g. handles, casings, of portable power-driven tools not particularly related to the operation performed [B25F 5/00](#))**
- 9/02 . Arrangements for adjusting the cutting depth or the amount of tilting
- 9/04 . Guiding equipment, e.g. for cutting panels {(circular sawing machines for dividing plates in parts of determined size, e.g. panels [B27B 5/06](#))}
- 11/00 Cross-cut reciprocating saws with power drive; Appurtenances therefor**
- 11/02 . Arrangements for guiding the saw blade
- 11/04 . . Supports able to be attached to the work
- 11/06 . Arrangements for chucking the saw blade, with or without releasable transmission mechanisms for uncoupling the drive
- 11/08 . Frames, pillars, or beds
- 11/10 . Devices for clamping the work or holding same in position
- 11/12 . Saw assemblies designed to be mounted on or driven by tractors {(circular saws designed to be attached to tractors or other vehicles and driven by same [B27B 5/10](#))}
- Band or strap sawing machines**
- 13/00 Band or strap sawing machines (for length cutting of trunks [B27B 15/00](#)); Components or equipment therefor**

13/02	• Frames; Pillars	19/002	• {Power-driven hand saws}
13/04	• Work-tables; Arrangements for tilting the band saw blade	19/004	• • {in which the saw blade is chucked at both ends}
13/06	• Saw pulleys; Bearings therefor	19/006	• {with oscillating saw blades; Hand saws with oscillating saw blades}
13/08	• Arrangements for stretching the band saw blade {(B23D 55/10 takes precedence)}	19/008	• • {having a plurality of saw blades or saw blades having plural cutting zones}
13/10	• Guiding equipment for the band saw blade, e.g. guide rollers, back guides, side guides {(B23D 55/08 takes precedence)}	19/02	• Saws with a power-driven blade chucked at both ends or at one end only, e.g. jig saws, scroll saws (B27B 19/10 takes precedence)
13/12	• Lubricating devices specially designed for band saw blades	19/04	• • characterised by power drive, e.g. by electromagnetic drive
13/14	• Braking devices specially designed for band sawing machines, e.g. acting after damage of the band saw blade	19/06	• • Stationary machines
13/16	• Accessories, e.g. for cooling the saw blade	19/065	• • • {hand-operated or foot-operated}
15/00	Band or strap sawing machines specially designed for length cutting of trunks	19/09	• • portable
15/02	• with horizontally-guided saw blade, i.e. horizontal log band saw	19/10	• Fret-saws, i.e. with bilaterally chucked saw blade in a manually-guided bow
15/04	• with vertically-guided saw blade	19/12	• • with power drive
15/06	• in combined arrangement with circular saws for performing simultaneously several sawing procedures	19/14	• • with hand drive
15/08	• with a plurality of band saw blades	21/00	Hand saws without power drive ({hand saws with oscillating saw blades,} B27B 19/14 takes precedence); Equipment for hand sawing, e.g. saw horses {(work benches B25H 1/00; saw guides B27B 11/02)}
17/00	Chain saws; Equipment therefor {(slotting or mortising machines equipped with chain cutters B27F 5/06)}	21/02	• Buck or hack saws
17/0008	• {Means for carrying the chain saw, e.g. handles (B27B 17/0033 takes precedence)}	21/04	• Cross-cut saws; Pad saws
17/0016	• {Devices to adapt the chain saw for other purposes, e.g. drilling}	21/06	• Arrangements for stretching the saw blade
17/0025	• {Length measuring devices incorporated in the chain saw}	21/08	• Arrangements of gauging or adjusting equipment on hand saws, e.g. for limiting the cutting depth
17/0033	• {Devices for attenuation of vibrations}	23/00	Other cutting of wood by non-rotary toothed tools; Tools therefor (cutting with hot wire B27M 1/06)
17/0041	• {Saw benches or saw bucks}	Components or accessories for saws	
17/005	• • {with the saw mounted on a carriage}	25/00	Feeding devices for timber in saw mills or sawing machines; Feeding devices for trees ({B27B 29/00}, B27B 31/00 take precedence)
17/0058	• • {with the saw being pivotally mounted}	25/02	• with feed and pressure rollers
17/0066	• • {with the saw mounted upright}	25/04	• with feed chains or belts
17/0075	• • {the workpiece being held in a cantilever manner}	25/06	• Resilient feeding or pressing accessories, e.g. pads, springs
17/0083	• {Attachments for guiding or supporting chain saws during operation}	25/08	• Feeding devices able to be attached to any sawing machine
17/0091	• {Wheeled chain saws; Chain saws mounted on or driven by vehicles, e.g. for sawing trees <i>in situ</i> }	25/10	• Manually-operated feeding or pressing accessories, e.g. pushers
17/02	• Chain saws equipped with guide bar (B27B 17/06 takes precedence)	27/00	Guide fences or stops for timber in saw mills or sawing machines; Measuring equipment thereon (safety guards or devices specially designed for wood saws B27G 19/00; constructional features of measuring devices G01B)
17/025	• • {Composite guide bars, e.g. laminated, multisectioned; Guide bars of diverse material}	27/02	• arranged laterally and parallel with respect to the plane of the saw blade
17/04	• • Roller bearing guides	27/04	• arranged perpendicularly to the plane of the saw blade
17/06	• Chain saws mounted on a bow	27/06	• arranged angularly with respect to the plane of the saw blade, e.g. for mitring {(devices for mitring wood B27G 5/00)}
17/08	• Drives or gearings; Devices for swivelling or tilting the chain saw	27/08	• arranged adjustably, not limited to only one of the groups B27B 27/02 - B27B 27/06
17/083	• • {Devices for arresting movement of the saw chain}	27/10	• Devices for moving or adjusting the guide fences or stops
17/086	• • {Angle drives}		
17/10	• • Transmission clutches specially designed for chain saws		
17/12	• Lubricating devices specially designed for chain saws		
17/14	• Arrangements for stretching the chain saw		
19/00	Other reciprocating saws with power drive; Fret-saws		

- 29/00** **Gripping, clamping, or holding devices for the trunk or log in saw mills or sawing machines**
 (for other timber, [see the relevant groups for the machines](#); safety guards or devices specially designed for wood saws [B27G 19/00](#)); **Travelling trunk or log carriages** {(for logs being held in a cantilever manner [B27B 17/0075](#))}
- 29/02 . Clamping angles; Gripping equipment thereon
- 29/04 . Trunk or log carriages with gripping means which do not pass the saw blade(s), specially for gang saws; Arrangement of gripping accessories thereon
- 29/06 . . Auxiliary trunk or log carriages for carrying initially the log to the feed rollers or for carrying the sawn part of the log
- 29/08 . Trunk or log carriages with gripping means designed to pass the saw blade(s), especially for band saws; Arrangement of gripping accessories thereon; Turning devices thereon
- 29/085 . . {Turning devices thereon}
- 29/10 . . Assemblies for laterally adjusting or controlling the clamping or turning devices with respect to the thickness of the board to be sawn
- 31/00** **Arrangements for conveying, loading, turning, adjusting, or discharging the log or timber, specially designed for saw mills or sawing machines** ([B27B 29/00](#) takes precedence {; arrangements for raising or lowering the feed rollers of gang saw mills [B27B 3/14](#); driving mechanisms for the feed rollers of gang saw mills [B27B 3/16](#)})
- 31/003 . {with rollers}
- 31/006 . {with chains or belts}
- 31/02 . Loading equipment for travelling carriages
- 31/04 . Turning equipment {(turning devices on trunk or log carriages [B27B 29/08](#))}
- 31/06 . Adjusting equipment, e.g. using optical projection {(see also [B27L 5/022](#))}
- 31/08 . Discharging equipment
- 33/00** **Sawing tools for saw mills, sawing machines, or sawing devices**
- 33/02 . Structural design of saw blades or saw teeth
- 33/04 . . Gang saw blades
- 33/06 . . Band saw blades
- 33/08 . . Circular saw blades
- 33/10 . . Hand saw blades
- 33/12 . . Saw blades having inserted or exchangeably arranged bits or toothed segments
- 33/14 . Saw chains {(saw chains for slotting or mortising devices [B27F 5/08](#))}
- 33/141 . . {with means to control the depth of cut}
- 33/142 . . {Cutter elements}
- 33/144 . . . {having cutting inserts or exchangeable cutting teeth}
- 33/145 . . . {having plural teeth on a single link}
- 33/147 . . {with incorporated lubricating means}
- 33/148 . . {with means permitting replacement of cutter elements}
- 33/16 . Saw wires; Twisted saw strips
- 33/20 . Edge trimming saw blades or tools combined with means to disintegrate waste