

# CPC COOPERATIVE PATENT CLASSIFICATION

## B PERFORMING OPERATIONS; TRANSPORTING (NOTES omitted)

### SHAPING

## B23 MACHINE TOOLS; METAL-WORKING NOT OTHERWISE PROVIDED FOR (NOTES omitted)

### B23B TURNING; BORING (arrangements for copying or controlling [B23Q](#))

#### WARNINGS

1. The following IPC groups are not in the CPC scheme. The subject matter for these IPC groups is classified in the following CPC groups:

<a href="#">B23B 3/18</a>	covered by	<a href="#">B23B 3/16</a>
<a href="#">B23B 3/20</a>	covered by	<a href="#">B23B 3/16</a>
<a href="#">B23B 3/28</a>	covered by	<a href="#">B23B 3/00</a>
<a href="#">B23B 5/22</a>	covered by	<a href="#">B23B 31/00</a>
<a href="#">B23B 5/24</a>	covered by	<a href="#">B23Q 27/00</a> ; <a href="#">B23B 35/00</a>
<a href="#">B23B 5/30</a>	covered by	<a href="#">B23Q 35/00</a>
<a href="#">B23B 5/34</a>	covered by	<a href="#">B23B 31/00</a> ; <a href="#">B23B 33/00</a>
<a href="#">B23B 5/42</a>	covered by	<a href="#">B23Q 35/00</a>
<a href="#">B23B 5/44</a>	covered by	<a href="#">B23Q 27/00</a>
<a href="#">B23B 7/08</a>	covered by	<a href="#">B23B 7/04</a>
<a href="#">B23B 7/14</a>	covered by	<a href="#">B23B 7/12</a>
<a href="#">B23B 7/16</a>	covered by	<a href="#">B23B 7/12</a>
<a href="#">B23B 9/04</a>	covered by	<a href="#">B23B 9/02</a>
<a href="#">B23B 9/06</a>	covered by	<a href="#">B23B 9/02</a>
<a href="#">B23B 9/10</a>	covered by	<a href="#">B23B 9/08</a>
<a href="#">B23B 9/12</a>	covered by	<a href="#">B23B 9/08</a>
<a href="#">B23B 15/00</a>	covered by	<a href="#">B23Q 7/00</a>
<a href="#">B23B 17/00</a>	covered by	<a href="#">B23Q 1/01</a> ; <a href="#">B23Q 1/03</a> ; <a href="#">B23Q 1/25</a>
<a href="#">B23B 19/00</a>	covered by	<a href="#">B23Q 1/70</a>
<a href="#">B23B 19/02</a>	covered by	<a href="#">B23Q 1/70</a>
<a href="#">B23B 21/00</a>	covered by	<a href="#">B23Q 1/00</a>
<a href="#">B23B 29/30</a>	covered by	<a href="#">B23B 29/28</a>
<a href="#">B23B 31/163</a>	covered by	<a href="#">B23B 31/16004</a>
<a href="#">B23B 31/165</a>	covered by	<a href="#">B23B 31/16045</a>
<a href="#">B23B 31/167</a>	covered by	<a href="#">B23B 31/16045</a>
<a href="#">B23B 31/169</a>	covered by	<a href="#">B23B 31/16083</a>
<a href="#">B23B 31/171</a>	covered by	<a href="#">B23B 31/1612</a>
<a href="#">B23B 31/173</a>	covered by	<a href="#">B23B 31/16158</a>
<a href="#">B23B 31/175</a>	covered by	<a href="#">B23B 31/16195</a>
<a href="#">B23B 31/177</a>	covered by	<a href="#">B23B 31/16233</a>
<a href="#">B23B 41/08</a>	covered by	<a href="#">F16L 41/04</a>
<a href="#">B23B 45/14</a>	covered by	<a href="#">B25H 1/0021</a>
<a href="#">B23B 45/16</a>	covered by	<a href="#">B25D 16/00</a>
<a href="#">B23B 47/02</a>	covered by	<a href="#">B23Q 5/00</a>
<a href="#">B23B 47/04</a>	covered by	<a href="#">B23Q 5/00</a>
<a href="#">B23B 47/06</a>	covered by	<a href="#">B23Q 5/00</a>
<a href="#">B23B 47/08</a>	covered by	<a href="#">B23Q 5/00</a>
<a href="#">B23B 47/10</a>	covered by	<a href="#">B23Q 5/00</a>
<a href="#">B23B 47/12</a>	covered by	<a href="#">B23Q 5/00</a>
<a href="#">B23B 47/14</a>	covered by	<a href="#">B23Q 5/00</a>
<a href="#">B23B 47/16</a>	covered by	<a href="#">B23Q 5/00</a>
<a href="#">B23B 47/18</a>	covered by	<a href="#">B23Q 5/00</a>
<a href="#">B23B 47/20</a>	covered by	<a href="#">B23Q 5/00</a>
<a href="#">B23B 47/22</a>	covered by	<a href="#">B23Q 5/00</a>
<a href="#">B23B 47/24</a>	covered by	<a href="#">B23Q 16/00</a>

- B23B  
(continued) 2. In this subclass non-limiting references (in the sense of paragraph 39 of the Guide to the IPC) may still be displayed in the scheme.

**Turning**

- 1/00** **Methods for turning or working essentially requiring the use of turning-machines; Use of auxiliary equipment in connection with such methods**
- 3/00** **General-purpose turning-machines or devices, e.g. centre lathes with feed rod and lead screw; Sets of turning-machines**
- 3/02 . Small lathes, e.g. for toolmakers ([specially designed for watchmakers G04D 3/00](#))
- 3/04 . Turning-machines in which the workpiece is rotated by means at a distance from the headstock
- 3/06 . Turning-machines or devices characterised only by the special arrangement of constructional units ([B23Q 37/00 takes precedence](#); structural features of details, [see the relevant groups](#); such features of general applicability [B23Q](#))
- 3/065 . . {Arrangements for performing other machining operations, e.g. milling, drilling}
- 3/08 . Turning-machines characterised by the use of faceplates
- 3/10 . . with the faceplate horizontal, i.e. vertical boring and turning machines
- 3/12 . . with the faceplate vertical, i.e. face lathes
- 3/14 . . Mountings or drives of faceplates ({[rotatable members, e.g. faceplates B23Q 1/50](#)})
- 3/16 . Turret lathes for turning individually-chucked workpieces ({[turrets B23B 29/24](#)})
- 3/161 . . {lathe with one toolslide carrying one turret head}
- 3/162 . . . {Arrangements for performing other machining operations, e.g. milling, drilling}
- 3/164 . . {lathe with one toolslide carrying two or more turret heads}
- 3/165 . . . {Arrangements for performing other machining operations, e.g. milling, drilling}
- 3/167 . . {lathe with two or more toolslides carrying turrets}
- 3/168 . . . {Arrangements for performing other machining operations, e.g. milling, drilling}
- 3/22 . Turning-machines or devices with rotary tool heads ({[B23B 5/08](#), [B23B 5/14](#) and [B23B 5/16 take precedence](#)})
- 3/24 . . the tools of which do not perform a radial movement; Rotary tool heads therefor
- 3/26 . . the tools of which perform a radial movement; Rotary tool heads thereof
- 3/265 . . . {Surfacing or grooving flanges}
- 3/30 . Turning-machines with two or more working-spindles, e.g. in fixed arrangement
- 3/32 . . for performing identical operations simultaneously on two or more workpieces
- 3/34 . Short turning-machines with one or multiple working-spindles attended from the end ([B23B 3/12 takes precedence](#))
- 3/36 . Associations of only turning-machines directed to a particular metal-working result ([if the metal-working result is not essential B23Q 39/00](#))

**5/00****Turning-machines or devices specially adapted for particular work; Accessories specially adapted therefor**

- 5/02 . for turning hubs or brake drums ([B23B 5/04 takes precedence](#))
- 5/04 . for reconditioning hubs or brake drums or axle spindles without removing same from the vehicle
- 5/06 . for turning valves or valve bodies ({[turning conical surfaces in general B23B 5/38](#); tools for working valve seats [B23B 51/106](#)})
- 5/08 . for turning axles, bars, rods, tubes, rolls, i.e. shaft-turning lathes, roll lathes; Centreless turning
- 5/10 . . for turning pilgrim rolls
- 5/12 . . for peeling bars or tubes by making use of cutting bits arranged around the workpiece ([otherwise than by turning B23D 79/12](#))
- 5/14 . Cutting-off lathes ({[B23D 21/00 takes precedence](#)} shearing [B23D](#))
- 5/16 . for bevelling, chamfering, or deburring the ends of bars or tubes
- 5/161 . . {Devices attached to the workpiece}
- 5/162 . . . {with an internal clamping device}
- 5/163 . . . {with an external clamping device}
- 5/165 . . {Workpieces clamped on a bench, e.g. a vice}
- 5/166 . . {Devices for working electrodes}
- 5/167 . . {Tools for chamfering the ends of bars or tubes}
- 5/168 . . . {with guiding devices}
- 5/18 . for turning crankshafts, eccentrics, or cams, e.g. crankpin lathes
- 5/20 . . without removing same from the engine
- 5/26 . for simultaneously turning internal and external surfaces of a body
- 5/28 . for turning wheels or wheel sets or cranks thereon, i.e. wheel lathes
- 5/32 . . for reconditioning wheel sets without removing same from the vehicle; Underfloor wheel lathes for railway vehicles
- 5/36 . for turning specially-shaped surfaces by making use of relative movement of the tool and work produced by geometrical mechanisms, i.e. forming-lathes
- 5/365 . . {for toroidal surfaces}
- 5/38 . . for turning conical surfaces inside or outside, e.g. taper pins ({[for turning valves or valve bodies B23B 5/06](#)})
- 5/40 . . for turning spherical surfaces inside or outside
- 5/46 . . for turning helical or spiral surfaces ([thread cutting B23G](#))
- 5/48 . . . for cutting grooves, e.g. oil grooves of helicoidal shape
- 7/00** **Automatic or semi-automatic turning-machines with a single working-spindle, e.g. controlled by cams; Equipment therefor; Features common to automatic and semi-automatic turning-machines with one or more working-spindles ({arrangements or accessories for enabling machine tools not specially designed only for thread cutting to be used for this purpose B23G 3/00})**
- 7/02 . Automatic or semi-automatic machines for turning of stock

- 7/04 . . Turret machines
- 7/06 . . with sliding headstock
- 7/10 . . Accessories, e.g. guards {(guards [B23Q 11/08](#) takes precedence)}
- 7/12 . Automatic or semi-automatic machines for turning of workpieces
- 9/00 Automatic or semi-automatic turning-machines with a plurality of working-spindles, e.g. automatic multiple-spindle machines with spindles arranged in a drum carrier able to be moved into predetermined positions; Equipment therefor (equipment applicable to single-spindle machines [B23B 7/00](#))**
  - 9/005 . {Spindle carriers: constructional details, drives for the spindles, or the like}
  - 9/02 . Automatic or semi-automatic machines for turning of stock
  - 9/08 . Automatic or semi-automatic machines for turning of workpieces
- 11/00 Automatic or semi-automatic turning-machines incorporating equipment for performing other working procedures, e.g. slotting, milling, rolling {(B23B 3/065 and B23B 3/16 take precedence; machines incorporating a plurality of sub-assemblies, each capable of performing a metal-working operation, the sub-assemblies being arranged to operate simultaneously at different stations [B23Q 39/04](#))}**
- 13/00 Arrangements for automatically conveying or chucking or guiding stock**
  - 13/02 . for turning-machines with a single working-spindle
  - 13/021 . . {Feeding device having intermittent movement}
  - 13/022 . . . {being placed in the spindle}
  - 13/024 . . . . {including two collets}
  - 13/025 . . {with stock drum}
  - 13/027 . . {Feeding by pistons under fluid-pressure}
  - 13/028 . . {the material being fed from a reel}
  - 13/04 . for turning-machines with a plurality of working-spindles
  - 13/06 . Arrangements for switching-off the drive of turning-machines after the stock has been completely machined
  - 13/08 . Arrangements for reducing vibrations in feeding-passages or for damping noise (damping noise in general [G10K](#))
  - 13/10 . with magazines for stock
  - 13/12 . Accessories, e.g. stops, grippers
  - 13/121 . . {Stops (stops for equipment for precise positioning of tool or work into particular locations not otherwise provided for [B23Q 16/00](#))}
  - 13/123 . . {Grippers, pushers or guiding tubes (arrangements for reducing vibrations in feeding-passages or for damping noise [B23B 13/08](#))}
  - 13/125 . . . {Feed collets (feeding device having intermittent movement being placed in the spindle including two collets [B23B 13/024](#); collet chucks [B23B 31/20](#))}
  - 13/126 . . {Supports}
  - 13/128 . . {Stock rest handling devices, e.g. ejectors}

**Components or accessories particularly for turning machines**

- 23/00 Tailstocks; Centres {(for grinding machines [B24B 41/062](#))}**
    - 23/005 . {the centres being adjustable}
    - 23/02 . Dead centres
    - 23/025 . . {the centres being adjustable}
    - 23/04 . Live centres
    - 23/045 . . {the centres being adjustable}
  - 25/00 Accessories or auxiliary equipment for turning-machines (for machine tools in general [B23Q](#); cooling or lubricating [B23Q 11/12](#))**
    - 25/02 . Arrangements for chip-breaking in turning-machines (on cutting tools [B23B 27/22](#))
    - 25/04 . Safety guards specially designed for turning machines {(B23Q 11/08 takes precedence; in general [F16P](#))}
    - 25/06 . Measuring, gauging, or adjusting equipment on turning-machines for setting-on, feeding, controlling, or monitoring the cutting tools or work (measuring devices or gauges [G01B](#))
    - 25/065 . . {Tool setting height gauges}
  - 27/00 Tools for turning or boring machines (for drilling machines [B23B 51/00](#)); Tools of a similar kind in general; Accessories therefor**
- NOTE**
- all subgroups except [B23B 27/12](#) relate to tools with a shank
- 27/002 . {with vibration damping means}
  - 27/005 . {Geometry of the chip-forming or the clearance planes, e.g. tool angles ([B23B 27/141](#) and [B23B 27/22](#) take precedence)}
  - 27/007 . {for internal turning (boring bars [B23B 29/02](#), boring heads [B23B 29/03](#); milling cutters [B23C 5/00](#); reamers [B23D 77/00](#))}
  - 27/02 . Cutting tools with straight main part and cutting edge at an angle ([B23B 27/04](#) - [B23B 27/08](#) take precedence)
  - 27/04 . Cutting-off tools ([B23B 27/08](#) takes precedence ; toolholders for cutting-off inserts [B23B 29/043](#))
  - 27/045 . . {with chip-breaking arrangements}
  - 27/06 . Profile cutting tools, i.e. forming-tools
  - 27/065 . . {Thread-turning tools}
  - 27/08 . Cutting tools with blade- or disc-like main parts {(with disc-like main parts [B23B 27/083](#))}
  - 27/083 . . {Cutting tools with disc-like main parts}
  - 27/086 . . {with yieldable support for the cutting insert}
  - 27/10 . Cutting tools with special provision for cooling {(drills with lubricating or cooling equipment [B23B 51/06](#); features relating to lubricating or cooling of milling cutters [B23C 5/28](#); arrangements or devices for cooling or lubricating tools or work [B23Q 11/10](#))}
  - 27/12 . . with a continuously-rotated circular cutting edge; Holders therefor
  - 27/14 . Cutting tools of which the bits or tips {or cutting inserts} are of special material

- 27/141 . . {Specially shaped plate-like cutting inserts, i.e. length greater or equal to width, width greater than or equal to thickness ([with specially shaped plate-like exchangeable cutting inserts, e.g. chip-breaking groove, B23B 27/1603; with removable plate-like milling cutting inserts of special shape B23C 5/202](#))}
- 27/143 . . . {characterised by having chip-breakers}
- 27/145 . . . {characterised by having a special shape}
- 27/146 . . . . {Means to improve the adhesion between the substrate and the coating}
- 27/148 . . {Composition of the cutting inserts}
- 27/16 . . with exchangeable cutting bits {or cutting inserts}, e.g. able to be clamped
- 27/1603 . . . {with specially shaped plate-like exchangeable cutting inserts, e.g. chip-breaking groove ([B23B 27/1614 - B23B 27/1655 take precedence](#))}
- 27/1607 . . . . {characterised by having chip-breakers}
- 27/1611 . . . . {characterised by having a special shape}
- 27/1614 . . . {with plate-like cutting inserts of special shape clamped against the walls of the recess in the shank by a clamping member acting upon the wall of a hole in the insert ([B23B 27/1644 takes precedence](#))}
- 27/1618 . . . . {characterised by having chip-breakers}
- 27/1622 . . . . {characterised by having a special shape}
- 27/1625 . . . {with plate-like cutting inserts of special shape clamped by a clamping member acting almost perpendicularly on the chip-forming plane ([B23B 27/1644 takes precedence](#))}
- 27/1629 . . . . {in which the clamping member breaks the chips}
- 27/1633 . . . . {in which the chip-breaking clamping member is adjustable}
- 27/1637 . . . . {characterised by having chip-breakers}
- 27/164 . . . . {characterised by having a special shape}
- 27/1644 . . . {with plate-like cutting inserts of special shape clamped by a clamping member acting almost perpendicularly on the chip-forming plane and at the same time upon the wall of a hole in the cutting insert}
- 27/1648 . . . . {characterised by having chip-breakers}
- 27/1651 . . . . {characterised by having a special shape}
- 27/1655 . . . {Adjustable position of the plate-like cutting inserts of special form}
- 27/1659 . . . {with plate-like exchangeable cutting inserts ([B23B 27/1662 - B23B 27/1681 take precedence](#))}
- 27/1662 . . . {with plate-like cutting inserts clamped against the walls of the recess in the shank by a clamping member acting upon the wall of a hole in the cutting insert ([B23B 27/1677 takes precedence](#))}
- 27/1666 . . . {with plate-like cutting inserts clamped by a clamping member acting almost perpendicularly on chip-forming plane ([B23B 27/1677 takes precedence](#))}
- 27/167 . . . . {in which the clamping member breaks the chips}
- 27/1674 . . . . {in which the chip-breaking clamping member is adjustable}
- 27/1677 . . . . {with plate-like cutting inserts clamped by a clamping member acting almost perpendicularly on the chip-forming plane and at the same time upon the wall of a hole in the insert}
- 27/1681 . . . . {Adjustable position of the plate-like cutting inserts}
- 27/1685 . . . . {Adjustable position of the cutting inserts ([B23B 27/1655 and B23B 27/1681 take precedence](#))}
- 27/1688 . . . . {Height of the cutting tip adjustable}
- 27/1692 . . . . {Angular position of the cutting insert adjustable around an axis parallel to the chip-forming plane}
- 27/1696 . . . . {Angular position of the cutting insert adjustable around an axis generally perpendicularly to the chip-forming plane}
- 27/18 . . with cutting bits or tips {or cutting inserts} rigidly mounted, e.g. by brazing
- 27/20 . . . with diamond bits {or cutting inserts}
- 27/22 . Cutting tools with chip-breaking equipment ([B23B 27/045, B23B 27/143, B23B 27/16 take precedence; arrangements for chip-breaking B23B 25/02; for milling tools B23C 5/165](#))}
- 27/24 . Knurling tools
- 29/00 Holders for non-rotary cutting tools ([B23B 27/12 takes precedence](#)); Boring bars or boring heads; Accessories for tool holders**
- 29/02 . Boring bars
- 29/022 . . {with vibration reducing means}
- 29/025 . . {Boring toolholders fixed on the boring bar}
- 29/027 . . {Steadies for boring bars ([auxiliary devices, e.g. steadies, rests B23Q 1/76](#))}
- 29/03 . Boring heads
- 29/034 . . with tools moving radially, e.g. for making chamfers or undercuttings
- 29/03403 . . . {radially adjustable before starting manufacturing}
- 29/03407 . . . . {by means of screws and nuts}
- 29/0341 . . . . . {Cartridges}
- 29/03414 . . . . . {adjustment of the tool placed in the hole being possible}
- 29/03417 . . . . {by means of inclined planes}
- 29/03421 . . . . {by pivoting the tool carriers or by elastic deformation}
- 29/03425 . . . . {by means of gears and racks}
- 29/03428 . . . . {by means of an eccentric}
- 29/03432 . . . {radially adjustable during manufacturing}
- 29/03435 . . . . {by means of screws and nuts}
- 29/03439 . . . . . {Boring and facing heads}
- 29/03442 . . . . . {Grooving tool}
- 29/03446 . . . . {by means of inclined planes}
- 29/0345 . . . . . {Boring and facing heads}
- 29/03453 . . . . . {Grooving tool}
- 29/03457 . . . . {by pivoting the tool carriers or by elastic deformation}
- 29/0346 . . . . . {Boring and facing heads}
- 29/03464 . . . . . {Grooving tool}
- 29/03467 . . . . {by means of gears and racks}
- 29/03471 . . . . . {Boring and facing heads}
- 29/03475 . . . . . {Grooving tool}
- 29/03478 . . . . {by means of an eccentric}
- 29/03482 . . . . . {Boring and facing heads}

- 29/03485 . . . . . {Grooving tool}
- 29/03489 . . . . . {Adjustment means not specified or not covered by the groups [B23B 29/03435](#) - [B23B 29/03478](#)}
- 29/03492 . . . . . {Boring and facing heads}
- 29/03496 . . . . . {Grooving tool}
- 29/04 . . . . . Tool holders for a single cutting tool
- 29/043 . . . . . {with cutting-off, grooving or profile cutting tools, i.e. blade- or disc-like main cutting parts ([B23B 29/14](#) takes precedence)}
- 29/046 . . . . . {with an intermediary toolholder}
- 29/06 . . . . . Tool holders equipped with longitudinally-arranged grooves for setting the cutting tool
- 29/08 . . . . . Tool holders equipped with grooves arranged crosswise to the longitudinal direction for setting the cutting tool
- 29/10 . . . . . with adjustable counterbase for the cutting tool
- 29/12 . . . . . Special arrangements on tool holders
- 29/125 . . . . . {Vibratory toolholders}
- 29/14 . . . . . affording a yielding support of the cutting tool, e.g. by spring clamping {(cutting tools with yieldable support for the cutting insert [B23B 27/086](#))}
- 29/16 . . . . . for supporting the workpiece in a backrest
- 29/18 . . . . . for retracting the cutting tool
- 29/20 . . . . . for placing same by shanks in sleeves of a turret
- 29/205 . . . . . {the tools being adjustable}
- 29/22 . . . . . for tool adjustment by means of shims or spacers
- 29/24 . . . . . Tool holders for a plurality of cutting tools, e.g. turrets {(indexing devices [B23Q 16/00](#))}
- 29/242 . . . . . {Turrets, without description of the angular positioning device (turret lathes for turning individually-chucked workpieces [B23B 3/16](#); turrets with manually operated angular positioning devices [B23B 29/282](#); turrets with power operated angular positioning devices [B23B 29/323](#))}
- 29/244 . . . . . {Toolposts, i.e. clamping quick-change toolholders, without description of the angular positioning device (toolposts with manually operated angular positioning devices [B23B 29/285](#); toolposts with power operated angular positioning devices [B23B 29/326](#))}
- 29/246 . . . . . {Quick-change tool holders}
- 29/248 . . . . . {with individually adjustable toolholders}
- 29/26 . . . . . Tool holders in fixed position
- 29/28 . . . . . Turrets manually adjustable about a vertical {or horizontal} pivot {(indexing devices [B23Q 16/00](#))}
- 29/282 . . . . . {Turrets with manually operated angular positioning devices}
- 29/285 . . . . . {Toolposts with manually operated angular positioning devices}
- 29/287 . . . . . {Turret toolholder with manually operated angular positioning devices}
- 29/32 . . . . . Turrets adjustable by power drive, i.e. turret heads {(indexing devices [B23Q 16/00](#))}
- 29/323 . . . . . {Turrets with power operated angular positioning devices}
- 29/326 . . . . . {Toolposts with power operated angular positioning devices}

- 29/34 . . . . . Turrets equipped with triggers for releasing the cutting tools
- 31/00** **Chucks** {(allowing axial oscillation of percussion tool bits [B25D 17/08](#))}; **Expansion mandrels; Adaptations thereof for remote control** (faceplates [B23Q 1/50](#); rotary devices holding by magnetic and/or electrical force acting directly on work [B23Q 3/152](#))
- WARNING**  
Group [B23B 31/00](#) is impacted by reclassification into groups [B23B 2231/56](#), [B23B 2231/565](#), and [B23B 2231/58](#).  
All groups listed in this Warning should be considered in order to perform a complete search.
- 31/001 . . . . . {Protection against entering of chips or dust}
- 31/003 . . . . . {Work or tool ejection means}
- 31/005 . . . . . {Cylindrical shanks of tools}
- 31/006 . . . . . {Conical shanks of tools}
- 31/008 . . . . . {with arrangements for transmitting torque}
- 31/02 . . . . . Chucks
- WARNING**  
Group [B23B 31/02](#) is impacted by reclassification into groups [B23B 31/0261](#), [B23B 2231/56](#), [B23B 2231/565](#), and [B23B 2231/58](#).  
All groups listed in this Warning should be considered in order to perform a complete search.
- 31/021 . . . . . {Faceplates}
- 31/023 . . . . . {for screw-threads}
- 31/025 . . . . . {for gears}
- 31/026 . . . . . {the radial or angular position of the tool being adjustable (boring heads with tools moving radially [B23B 29/034](#); holding tools yieldably [B23B 31/08](#); with means for adjusting the chuck with respect to the working spindle [B23B 31/36](#))}
- WARNING**  
Group [B23B 31/026](#) is impacted by reclassification into group [B23B 31/0261](#).  
Groups [B23B 31/026](#) and [B23B 31/0261](#) should be considered in order to perform a complete search.
- 31/0261 . . . . . {for centering the tool}
- WARNING**  
Group [B23B 31/0261](#) is incomplete pending reclassification of documents from groups [B23B 31/02](#) and [B23B 31/026](#).  
Groups [B23B 31/02](#), [B23B 31/026](#), and [B23B 31/0261](#) should be considered in order to perform a complete search.
- 31/028 . . . . . {the axial positioning of the tool being adjustable ([B23B 31/208](#) takes precedence; with means for adjusting the chuck with respect to the working spindle [B23B 31/36](#))}
- 31/06 . . . . . Features relating to the removal of tools; Accessories therefor
- 31/07 . . . . . Ejector wedges



- 31/08 . . holding tools yieldably
- 31/083 . . . {axially}
- 31/086 . . . . {having an overload clutch}
- 31/10 . . characterised by the retaining or gripping devices or their immediate operating means

**NOTE**

Group [B23B 31/12](#) takes precedence over groups ([B23B 31/101](#), [B23B 31/102](#), [B23B 31/103](#) - [B23B 31/117](#))

- 31/101 . . . {Chucks with separately-acting jaws movable radially ([B23B 31/1602](#), [B23B 31/16062](#), [B23B 31/161](#), [B23B 31/16137](#), [B23B 31/16175](#), [B23B 31/16212](#), [B23B 31/1625](#) and [B23B 31/16283](#) take precedence; Chucks with simultaneously acting jaws moving radially [B23B 31/16](#))}
- 31/102 . . . {Jaws, accessories or adjustment means ([B23B 31/16008](#), [B23B 31/1605](#), [B23B 31/16087](#), [B23B 31/16125](#), [B23B 31/16162](#), [B23B 31/162](#), [B23B 31/16237](#), [B23B 31/1627](#) take precedence)}
- 31/103 . . . Retention by pivotal elements, e.g. catches, pawls
- 31/107 . . . Retention by laterally-acting detents, e.g. pins, screws, wedges; Retention by loose elements, e.g. balls

**WARNING**

Group [B23B 31/107](#) is impacted by reclassification into group [B23B 31/1079](#). Groups [B23B 31/107](#) and [B23B 31/1079](#) should be considered in order to perform a complete search.

- 31/1071 . . . . {Retention by balls (balls acting as jaws [B23B 31/22](#))}
- 31/1072 . . . . {Retention by axially or circumferentially oriented cylindrical elements (cylindrical elements acting as jaws [B23B 31/22](#))}

**WARNING**

Group [B23B 31/1072](#) is impacted by reclassification into groups [B23B 31/10741](#) and [B23B 31/1079](#).

Groups [B23B 31/1072](#), [B23B 31/10741](#), and [B23B 31/1079](#) should be considered in order to perform a complete search.

- 31/1073 . . . . {Retention by conical elements (conical elements acting as jaws [B23B 31/22](#))}
- 31/10741 . . . . {Retention by substantially radially oriented pins}

**WARNING**

Group [B23B 31/10741](#) is incomplete pending reclassification of documents from group [B23B 31/1072](#).

Groups [B23B 31/1072](#) and [B23B 31/10741](#) should be considered in order to perform a complete search.

- 31/1075 . . . . {Retention by screws}
- 31/1076 . . . . . {with conical ends}
- 31/1077 . . . . . {acting on a floating pin}

- 31/1078 . . . . {Retention by wedges}
- 31/1079 . . . . {Retention by spring or wire}

**WARNING**

Group [B23B 31/1079](#) is incomplete pending reclassification of documents from groups [B23B 31/107](#) and [B23B 31/1072](#).

Groups [B23B 31/107](#), [B23B 31/1072](#), and [B23B 31/1079](#) should be considered in order to perform a complete search.

- 31/11 . . . Retention by threaded connection
- 31/1107 . . . . {for conical parts}
- 31/1115 . . . . . {using conical threads}
- 31/1122 . . . . . {using cylindrical threads}
- 31/113 . . . Retention by bayonet connection
- 31/117 . . . Retention by friction only, e.g. using springs, resilient sleeves, tapers
- 31/1171 . . . . {not used, see subgroups and [B23B 31/117](#)}
- 31/1172 . . . . . {using fluid-pressure means to actuate the gripping means}
- 31/1173 . . . . . {using springs}
- 31/1174 . . . . . {using fluid-pressure means to actuate the gripping means}
- 31/1175 . . . . . {using elastomer rings or sleeves}
- 31/1176 . . . . . {using fluid-pressure means to actuate the gripping means}
- 31/1177 . . . . . {using resilient metallic rings or sleeves}
- 31/1178 . . . . . {using fluid-pressure means to actuate the gripping means}
- 31/1179 . . . . . {using heating and cooling}
- 31/12 . . . Chucks with simultaneously-acting jaws, whether or not also individually adjustable
- 31/1207 . . . . {moving obliquely to the axis of the chuck in a plane containing this axis}
- 31/1215 . . . . . {Details of the jaws}
- 31/1223 . . . . . {using fluid-pressure means in the chuck to actuate the gripping means}
- 31/123 . . . . . {with locking arrangements (locking arrangements for chucks with simultaneously-acting jaws moving radially actuated by one or more spiral grooves [B23B 31/16041](#))}
- 31/1238 . . . . . {Jaws movement actuated by a nut with conical screw-thread}
- 31/1246 . . . . . {Jaws movement actuated by a bolt with conical screw-thread}
- 31/1253 . . . . . {Jaws movement actuated by an axially movable member}
- 31/1261 . . . . . {pivotaly movable in a radial plane}
- 31/1269 . . . . . {Details of the jaws}
- 31/1276 . . . . . {using fluid-pressure means to actuate the gripping means}
- 31/1284 . . . . . {with a centre}
- 31/1292 . . . . . {using mechanical transmission through the spindle}

31/14 . . . . involving the use of centrifugal force

**WARNING**

Group [B23B 31/14](#) is impacted by reclassification into groups [B23B 31/141](#) and [B23B 31/142](#).

Groups [B23B 31/14](#), [B23B 31/141](#) and [B23B 31/142](#) should be considered in order to perform a complete search.

31/141 . . . . . {To counterbalance the jaws}

**WARNING**

Group [B23B 31/141](#) is incomplete pending reclassification of documents from group [B23B 31/14](#).

Groups [B23B 31/14](#) and [B23B 31/141](#) should be considered in order to perform a complete search.

31/142 . . . . . {To grip a tool or workpiece}

**WARNING**

Group [B23B 31/142](#) is incomplete pending reclassification of documents from group [B23B 31/14](#).

Groups [B23B 31/14](#) and [B23B 31/142](#) should be considered in order to perform a complete search.

31/16 . . . . moving radially

31/16004 . . . . . {Jaws movement actuated by one or more spiral grooves}

31/16008 . . . . . {Details of the jaws}

31/16012 . . . . . {Form of the jaws}

31/16016 . . . . . {Fixation on the master jaw}

31/1602 . . . . . {Individually adjustable jaws}

31/16025 . . . . . {using fluid-pressure means to actuate the gripping means}

31/16029 . . . . . {using mechanical transmission through the spindle}

31/16033 . . . . . {with a centre}

31/16037 . . . . . {using mechanical transmission through the spindle ([B23B 31/16029](#) takes precedence)}

31/16041 . . . . . {with locking arrangements (locking arrangements for chucks with simultaneously-acting jaws moving obliquely to the axis of the chuck in a plane containing this axis [B23B 31/123](#))}

31/16045 . . . . . {Jaws movement actuated by screws and nuts or oblique racks}

31/1605 . . . . . {Details of the jaws}

31/16054 . . . . . {Form of the jaws}

31/16058 . . . . . {Fixation on the master jaw}

31/16062 . . . . . {Individually adjustable jaws}

31/16066 . . . . . {using fluid-pressure means to actuate the gripping means}

31/1607 . . . . . {using mechanical transmission through the spindle}

31/16075 . . . . . {with a centre}

31/16079 . . . . . {using mechanical transmission through the spindle ([B23B 31/1607](#) takes precedence)}

31/16083 . . . . . {Jaws movement actuated by gears and racks}

31/16087 . . . . . {Details of the jaws}

31/16091 . . . . . {Form of the jaws}

31/16095 . . . . . {Fixation on the master jaw}

31/161 . . . . . {Individually adjustable jaws}

31/16104 . . . . . {using fluid-pressure means to actuate the gripping means}

31/16108 . . . . . {using mechanical transmission through the spindle}

31/16112 . . . . . {with a centre}

31/16116 . . . . . {using mechanical transmission through the spindle ([B23B 31/16108](#) takes precedence)}

31/1612 . . . . . {Jaws movement actuated by cam surface in a radial plane}

31/16125 . . . . . {Details of the jaws}

31/16129 . . . . . {Form of the jaws}

31/16133 . . . . . {Fixation on the master jaw}

31/16137 . . . . . {Individually adjustable jaws}

31/16141 . . . . . {using fluid-pressure means to actuate the gripping means}

31/16145 . . . . . {using mechanical transmission through the spindle}

31/1615 . . . . . {with a centre}

31/16154 . . . . . {using mechanical transmission through the spindle ([B23B 31/16145](#) takes precedence)}

31/16158 . . . . . {Jaws movement actuated by coaxial conical surfaces}

31/16162 . . . . . {Details of the jaws}

31/16166 . . . . . {Form of the jaws}

31/1617 . . . . . {Fixation on the master jaw}

31/16175 . . . . . {Individually adjustable jaws}

31/16179 . . . . . {using fluid-pressure means to actuate the gripping means}

31/16183 . . . . . {using mechanical transmission through the spindle}

31/16187 . . . . . {with a centre}

31/16191 . . . . . {using mechanical transmission through the spindle ([B23B 31/16183](#) takes precedence)}

31/16195 . . . . . {Jaws movement actuated by levers moved by a coaxial control rod}

31/162 . . . . . {Details of the jaws}

31/16204 . . . . . {Form of the jaws}

31/16208 . . . . . {Fixation on the master jaw}

31/16212 . . . . . {Individually adjustable jaws}

31/16216 . . . . . {using fluid-pressure means to actuate the gripping means}

31/1622 . . . . . {using mechanical transmission through the spindle}

31/16225 . . . . . {with a centre}

31/16229 . . . . . {using mechanical transmission through the spindle ([B23B 31/1622](#) takes precedence)}

31/16233 . . . . . {Jaws movement actuated by oblique surfaces of a coaxial control rod}

31/16237 . . . . . {Details of the jaws}

31/16241 . . . . . {Form of the jaws}

31/16245 . . . . . {Fixation on the master jaw}

31/1625 . . . . . {Individually adjustable jaws}

- 31/16254 . . . . . {using fluid-pressure means to actuate the gripping means}
- 31/16258 . . . . . {using mechanical transmission through the spindle}
- 31/16262 . . . . . {with a centre}
- 31/16266 . . . . . {using mechanical transmission through the spindle ([B23B 31/16258](#) takes precedence)}
- 31/1627 . . . . . {Details of the jaws}
- 31/16275 . . . . . {Form of the jaws}
- 31/16279 . . . . . {Fixation on the master jaw}
- 31/16283 . . . . . {Individually adjustable jaws}
- 31/16287 . . . . . {using fluid-pressure means to actuate the gripping means}
- 31/16291 . . . . . {with a centre}
- 31/16295 . . . . . {with means preventing the ejection of the jaws}
- 31/18 . . . . . pivotally movable in planes containing the axis of the chuck
- 31/185 . . . . . {moving first parallel to the axis then pivotally in planes containing the axis of the chuck}
- 31/19 . . . . . moving parallel to the axis of the chuck {([B23B 31/185](#) takes precedence)}
- 31/20 . . . . . Longitudinally-split sleeves, e.g. collet chucks

**WARNING**

Group [B23B 31/20](#) is impacted by reclassification into groups [B23B 31/2012](#), [B23B 31/20125](#), [B23B 31/2025](#), [B23B 31/206](#), [B23B 31/2072](#), and [B23B 31/2073](#).

All groups listed in this Warning should be considered in order to perform a complete search.

- 31/201 . . . . . {Characterized by features relating primarily to remote control of the gripping means}

**WARNING**

Group [B23B 31/201](#) is impacted by reclassification into groups [B23B 31/2012](#), [B23B 31/20125](#), [B23B 31/206](#), [B23B 31/2072](#), and [B23B 31/2073](#).

All groups listed in this Warning should be considered in order to perform a complete search.

- 31/2012 . . . . . {Threaded cam actuator}

**WARNING**

Groups [B23B 31/2012](#) and [B23B 31/20125](#) are incomplete pending reclassification of documents from groups [B23B 31/20](#) and [B23B 31/201](#).

All groups listed in this Warning should be considered in order to perform a complete search.

- 31/20125 . . . . . {Axially fixed cam, moving jaws}

- 31/202 . . . . . {Details of the jaws}

**WARNING**

Group [B23B 31/202](#) is impacted by reclassification into group [B23B 31/2025](#).

Groups [B23B 31/202](#) and [B23B 31/2025](#) should be considered in order to perform a complete search.

- 31/2025 . . . . . {Wherein the sleeve is split into two relatively movable parts}

**WARNING**

Group [B23B 31/2025](#) is incomplete pending reclassification of documents from groups [B23B 31/20](#) and [B23B 31/202](#).

Groups [B23B 31/20](#), [B23B 31/202](#), and [B23B 31/2025](#) should be considered in order to perform a complete search.

- 31/204 . . . . . {using fluid-pressure means to actuate the gripping means ([B23B 31/207](#) take precedence)}

- 31/206 . . . . . {Reciprocating cam actuator ([B23B 31/207](#) takes precedence)}

**WARNING**

Group [B23B 31/206](#) is incomplete pending reclassification of documents from groups [B23B 31/20](#) and [B23B 31/201](#).

Groups [B23B 31/20](#), [B23B 31/201](#), and [B23B 31/206](#) should be considered in order to perform a complete search.

- 31/207 . . . . . {using mechanical transmission through the spindle}

**WARNING**

Group [B23B 31/207](#) is impacted by reclassification into groups [B23B 31/2072](#), [B23B 31/2073](#), [B23B 2270/025](#), and [B23B 2270/027](#).

All groups listed in this Warning should be considered in order to perform a complete search.

- 31/2072 . . . . . {Axially moving cam, fixed jaws}

**WARNING**

Group [B23B 31/2072](#) is incomplete pending reclassification of documents from groups [B23B 31/20](#), [B23B 31/201](#), and [B23B 31/207](#).

All groups listed in this Warning should be considered in order to perform a complete search.



- 31/2073 . . . . . {Axially fixed cam, moving jaws  
([B23B 31/20125](#) takes precedence)}
- WARNING**
- Group [B23B 31/2073](#) is incomplete pending reclassification of documents from groups [B23B 31/20](#), [B23B 31/201](#), and [B23B 31/207](#).
- All groups listed in this Warning should be considered in order to perform a complete search.
- 31/208 . . . . . {with a tool positioning stop (axial positioning of the tool being adjustable [B23B 31/028](#))}
- 31/22 . . . . . Jaws in the form of balls {(retention by balls [B23B 31/1071](#))}
- 31/223 . . . . . {Jaws in the form of cylindrical elements (retention by cylindrical elements [B23B 31/1072](#))}
- 31/226 . . . . . {Jaws in the form of conical elements (retention by conical elements [B23B 31/1073](#))}
- 31/24 . . characterised by features relating primarily to remote control of the gripping means {(B23B 31/201 takes precedence)}
- 31/26 . . . using mechanical transmission through the working-spindle {(B23B 31/16 and [B23B 31/40](#) take precedence)}
- 31/261 . . . . . {clamping the end of the toolholder shank}
- 31/263 . . . . . {by means of balls}
- 31/265 . . . . . {by means of collets}
- 31/266 . . . . . {using a threaded spindle}
- 31/268 . . . . . {using a bayonet connection}
- 31/28 . . . using electric or magnetic means in the chuck
- 31/30 . . . using fluid-pressure means in the chuck {(B23B 31/10 and [B23B 31/40](#) take precedence)}
- 31/302 . . . . . {Hydraulic equipment, e.g. pistons, valves, rotary joints}
- 31/305 . . . . . {the gripping means is a deformable sleeve}
- 31/307 . . . . . {Vacuum chucks}
- 31/32 . . with jaws carried by diaphragm
- 31/34 . . with means enabling the workpiece to be reversed or tilted
- 31/36 . . with means for adjusting the chuck with respect to the working-spindle
- 31/38 . . with overload clutches {(B23B 31/086 takes precedence)}
- 31/39 . . Jaw changers
- 31/40 . . Expansion mandrels
- 31/4006 . . {Gripping the work or tool by a split sleeve (collet chucks [B23B 31/20](#))}
- 31/4013 . . . {Details of the jaws}
- 31/402 . . . {using fluid-pressure means to actuate the gripping means}
- 31/4026 . . . . . {using mechanical transmission through the spindle}
- 31/4033 . . . {using mechanical transmission through the spindle ([B23B 31/4026](#) takes precedence)}
- 31/404 . . {Gripping the work or tool by jaws moving radially controlled by conical surfaces (see also [B23B 31/16158](#))}

- 31/4046 . . . {Details of the jaws}
- 31/4053 . . . {using fluid-pressure means to actuate the gripping means}
- 31/406 . . . . . {using mechanical transmission through the spindle}
- 31/4066 . . . {using mechanical transmission through the spindle ([B23B 31/406](#) takes precedence)}
- 31/4073 . . {Gripping the work or tool between planes almost perpendicular to the axis}
- 31/408 . . {Work or tool supported by two conical surfaces}
- 31/4086 . . {Work or tool gripped by a roller movable on an inclined plane}
- 31/4093 . . {Tube supporting means including a centerhole}
- 31/42 . . characterised by features relating primarily to remote control of the gripping means
- 33/00 Drivers; Driving centres, Nose clutches, e.g. lathe dogs**
- 33/005 . {Drivers with driving pins or the like}

**Boring; Drilling** (for surgical purposes [A61B 17/16](#); in metal using electric current [B23H 9/14](#); by laser beam [B23K 26/00](#); earth or rock drilling [E21B](#))

- 35/00 Methods for boring or drilling, or for working essentially requiring the use of boring or drilling machines; Use of auxiliary equipment in connection with such methods**
- 35/005 . {Measures for preventing splintering}
- 37/00 Boring by making use of ultrasonic energy (essentially using abrasive material [B24B](#), e.g. [B24B 1/04](#))**
- 39/00 General-purpose boring or drilling machines or devices; Sets of boring and/or drilling machines**
- 39/003 . {Drilling machine situated underneath the workpiece}
- 39/006 . {Portal drilling machines}
- 39/02 . Boring machines; Combined horizontal boring and milling machines
- 39/04 . Co-ordinate boring or drilling machines; Machines for making holes without previous marking
- 39/06 . . Equipment for positioning work
- 39/08 . . Devices for programme control
- 39/10 . characterised by the drive, e.g. by fluid-pressure drive pneumatic power drive
- 39/12 . Radial drilling machines
- 39/14 . with special provision to enable the machine or the drilling or boring head to be moved into any desired position, e.g. with respect to immovable work
- 39/16 . Drilling machines with a plurality of working-spindles; Drilling automatons
- 39/161 . . {with parallel work spindles}
- 39/162 . . . {having gear transmissions}
- 39/163 . . . {having crank pin transmissions}
- 39/165 . . . {having universal joint transmissions}
- 39/166 . . . {having flexible shaft transmissions}
- 39/167 . . . {having belt and chain transmissions}
- 39/168 . . {with the work spindles being oblique to each other}
- 39/18 . . Setting work or tool carrier along a straight index line
- 39/20 . . Setting work or tool carrier along a circular index line; Turret head drilling machines

- 39/205 . . . {Turret head drilling machines}
- 39/22 . . with working-spindles in opposite headstocks
- 39/24 . . designed for programme control
- 39/26 . in which the working position of tool or work is controlled by copying discrete points of a pattern (features of copying devices [B23Q 35/02](#))
- 39/28 . Associations of only boring or drilling machines directed to a particular metal-working result (if not producing a particular metal-working result [B23Q 39/00](#))
- 41/00 Boring or drilling machines or devices specially adapted for particular work** {(surgical drilling machines [A61B 17/16](#)); Accessories specially adapted therefor
- 41/003 . {for drilling elongated pieces, e.g. beams}
- 41/006 . . {the machining device being moved along a fixed workpiece}
- 41/02 . for boring deep holes; Trepanning, e.g. of gun or rifle barrels
- 41/04 . for boring polygonal or other non-circular holes
- 41/06 . for boring conical holes
- 41/10 . for boring holes in steam boilers
- 41/12 . for forming working surfaces of cylinders, of bearings, e.g. in heads of driving rods, or of other engine parts
- 41/14 . for very small holes
- 41/16 . for boring holes with high-quality surface
- 43/00 Boring or drilling devices able to be attached to a machine tool, whether or not replacing an operative portion of the machine tool** (if specially adapted for particular work [B23B 41/00](#))
- 43/02 . to the tailstock of a lathe
- 45/00 Hand-held or like portable drilling machines, e.g. drill guns; Equipment therefor** (details or components, e.g. casings, bodies, of portable power-driven tools not particularly related to the operation performed [B25F 5/00](#))
- 45/001 . {Housing of the drill, e.g. handgrip}
- 45/003 . {Attachments}
- 45/005 . . {Flexible shafts}
- 45/006 . {Keys for operating the chucks}
- 45/008 . {Gear boxes, clutches, bearings, feeding mechanisms or like equipment}
- 45/02 . driven by electric power
- 45/04 . driven by fluid-pressure or pneumatic power
- 45/042 . . {Turbine motors}
- 45/044 . . {Rotary vane type motors}
- 45/046 . . {Piston engines}
- 45/048 . . . {Internal combustion piston engines}
- 45/06 . driven by man-power
- 45/08 . . for drilling rails or profiled stock
- 45/10 . . by using a fiddle bow or a belt
- 45/12 . . by using a ratchet brace
- 47/26 . Liftable or lowerable drill heads or headstocks; Balancing arrangements therefor {(weight and flexion compensation [B23Q 11/001](#))}
- 47/28 . Drill jigs for workpieces (equipment for setting or guiding the drill [B23B 49/00](#))
- 47/281 . . {Jigs for drilling cylindrical parts}
- 47/282 . . {Jigs for drilling spherical parts}
- 47/284 . . {Jigs for drilling rivets or bolts}
- 47/285 . . {Jigs for drilling ski bindings}
- 47/287 . . {Jigs for drilling plate-like workpieces (templates for marking the position of fittings on wings or frames [E05D 11/0009](#))}
- 47/288 . . . {involving dowelling}
- 47/30 . Additional gear with one or more working-spindles attachable to the main working-spindle and mounting the additional gear {(multi-spindle drilling machines [B23B 39/16](#))}
- 47/32 . Arrangements for preventing the running-out of drills or fracture of drills when getting through
- 47/34 . Arrangements for removing chips out of the holes made; Chip-breaking arrangements attached to the tool {(chip-breaking in turning machines [B23B 25/02](#); in turning tools [B23B 27/22](#))}
- 49/00 Measuring or gauging equipment on boring machines for positioning or guiding the drill; Devices for indicating failure of drills during boring; Centering devices for holes to be bored** (marking-out equipment [B25H 7/00](#); measuring devices, gauges [G01B](#))
- 49/001 . {Devices for detecting or indicating failure of drills}
- 49/003 . {Stops attached to drilling tools, tool holders or drilling machines ([B23B 51/104](#) takes precedence)}
- 49/005 . . {Attached to the drill}
- 49/006 . . {Attached to drilling machines}
- 49/008 . . . {Attached to the nose of the drilling machines}
- 49/02 . Boring templates or bushings
- 49/023 . . {Bushings and their connection to the template}
- 49/026 . . {Boring bushing carriers attached to the workpiece by glue, magnets, suction devices or the like}
- 49/04 . Devices for boring or drilling centre holes in workpieces
- 49/06 . Devices for drilling holes in brake bands or brake linings
- 51/00 Tools for drilling machines**
- WARNING**
- Group [B23B 51/00](#) is impacted by reclassification into groups [B23B 51/0002](#), [B23B 51/0003](#), [B23B 51/00035](#), [B23B 51/0004](#), [B23B 51/0005](#), [B23B 51/0006](#), [B23B 51/0007](#), [B23B 51/0008](#), [B23B 51/0011](#), [B23B 51/0095](#), [B23B 51/011](#) and [B23B 2251/249](#).
- All groups listed in this Warning should be considered in order to perform a complete search.

**Components or accessories for boring or drilling machines**

- 47/00 Constructional features of components specially designed for boring or drilling machines; Accessories therefor** (working-spindles, bearing sleeves therefor [B23Q 1/70](#); for machine tools in general [B23Q](#))

- 51/0002 . {Drills with connected cutting heads, e.g. with non-exchangeable cutting heads; Drills with a single insert extending across the rotational axis and having at least two radially extending cutting edges in the working position}

**WARNING**

Group [B23B 51/0002](#) is incomplete pending reclassification of documents from groups [B23B 51/00](#), [B23B 51/02](#), [B23B 2251/50](#) and [B23B 2251/505](#).

All groups listed in this Warning should be considered in order to perform a complete search.

- 51/0003 . . {with exchangeable heads or inserts}

**WARNING**

Groups [B23B 51/0003](#), [B23B 51/0004](#) and [B23B 51/0005](#) are incomplete pending reclassification of documents from groups [B23B 51/00](#), [B23B 51/02](#), [B23B 2251/02](#), [B23B 2251/50](#) and [B23B 2251/505](#).

All groups listed in this Warning should be considered in order to perform a complete search.

- 51/00035 . . . {Spade drills}

**WARNING**

Group [B23B 51/00035](#) is incomplete pending reclassification of documents from groups [B23B 51/00](#), [B23B 2251/50](#) and [B23B 2251/505](#).

All groups listed in this Warning should be considered in order to perform a complete search.

- 51/0004 . . . {with cutting heads or inserts attached by screw means}

- 51/0005 . . . {with cutting heads or inserts attached by wedge means}

- 51/0006 . {Drills with cutting inserts ([B23B 51/0002](#) takes precedence)}

**WARNING**

Group [B23B 51/0006](#) is incomplete pending reclassification of documents from groups [B23B 51/00](#), [B23B 51/02](#), [B23B 2251/50](#) and [B23B 2251/505](#).

All groups listed in this Warning should be considered in order to perform a complete search.

- 51/0007 . . {with exchangeable cutting insert}

**WARNING**

Groups [B23B 51/0007](#) and [B23B 51/0008](#) are incomplete pending reclassification of documents from groups [B23B 51/00](#), [B23B 51/02](#), [B23B 51/04](#), [B23B 51/0426](#), [B23B 51/044](#), [B23B 51/0453](#), [B23B 51/0466](#), [B23B 51/0493](#), [B23B 2251/50](#) and [B23B 2251/505](#).

All groups listed in this Warning should be considered in order to perform a complete search.

- 51/0008 . . . {with indexable or reversible cutting inserts}

- 51/0011 . . {with radially inner and outer cutting inserts}

**WARNING**

Group [B23B 51/0011](#) is incomplete pending reclassification of documents from groups [B23B 51/00](#), [B23B 51/02](#), [B23B 2251/50](#) and [B23B 2251/505](#).

All groups listed in this Warning should be considered in order to perform a complete search.

- 51/0018 . {Drills for enlarging a hole}

- 51/0027 . . {by tool swivelling}

- 51/0036 . . {by a tool-carrying eccentric}

- 51/0045 . . {by expanding or tilting the toolhead}

- 51/0054 . {Drill guiding devices}

- 51/0063 . {Centerdrills}

- 51/0072 . {Drills for making non-circular holes}

- 51/0081 . {Conical drills}

- 51/009 . {Stepped drills}

- 51/0095 . {Spade drills ([B23B 51/00035](#) takes precedence)}

**WARNING**

Group [B23B 51/0095](#) is incomplete pending reclassification of documents from group [B23B 51/00](#).

Groups [B23B 51/00](#) and [B23B 51/0095](#) should be considered in order to perform a complete search.

- 51/011 . {Micro drills}

**WARNING**

Group [B23B 51/011](#) is incomplete pending reclassification of documents from groups [B23B 51/00](#) and [B23B 51/02](#).

Groups [B23B 51/00](#), [B23B 51/02](#) and [B23B 51/011](#) should be considered in order to perform a complete search.

51/02 . Twist drills

**WARNING**

Group [B23B 51/02](#) is impacted by reclassification into groups [B23B 51/0002](#), [B23B 51/0003](#), [B23B 51/0004](#), [B23B 51/0005](#), [B23B 51/0006](#), [B23B 51/0007](#), [B23B 51/0008](#), [B23B 51/0011](#), [B23B 51/011](#) and [B23B 2251/249](#).

All groups listed in this Warning should be considered in order to perform a complete search.

51/04 . {Drills} for trepanning

**WARNING**

Group [B23B 51/04](#) is incomplete pending reclassification of documents from group [B23B 51/0466](#).

Group [B23B 51/04](#) is also impacted by reclassification into groups [B23B 51/0007](#), [B23B 51/0008](#), [B23B 51/0411](#), [B23B 51/0417](#), [B23B 51/0426](#), [B23B 51/044](#), [B23B 51/0461](#), [B23B 51/0467](#), [B23B 51/0468](#) and [B23B 51/0469](#).

All groups listed in this Warning should be considered in order to perform a complete search.

51/0411 . . {with stepped tubular cutting bodies}

**WARNING**

Group [B23B 51/0411](#) is incomplete pending reclassification of documents from groups [B23B 51/04](#) and [B23B 51/0466](#).

All groups listed in this Warning should be considered in order to perform a complete search.

51/0413 . . {with core-cutting-off devices}

51/0417 . . {including chamfer or spot bore cutter}

**WARNING**

Group [B23B 51/0417](#) is incomplete pending reclassification of documents from groups [B23B 51/04](#) and [B23B 51/0466](#).

All groups listed in this Warning should be considered in order to perform a complete search.

51/042 . . {with lubricating or cooling equipment}

51/0426 . . {with centering devices}

**WARNING**

Group [B23B 51/0426](#) is incomplete pending reclassification of documents from groups [B23B 51/04](#) and [B23B 51/0466](#).

Group [B23B 51/0426](#) is also impacted by reclassification into groups [B23B 51/0007](#), [B23B 51/0008](#) and [B23B 51/0466](#).

All groups listed in this Warning should be considered in order to perform a complete search.

51/044 . . {with core holding devices}

**WARNING**

Group [B23B 51/044](#) is incomplete pending reclassification of documents from groups [B23B 51/04](#) and [B23B 51/0466](#).

Group [B23B 51/044](#) is also impacted by reclassification into groups [B23B 51/0007](#), [B23B 51/0008](#) and [B23B 51/0466](#).

All groups listed in this Warning should be considered in order to perform a complete search.

51/0453 . . {with ejecting devices}

**WARNING**

Group [B23B 51/0453](#) is impacted by reclassification into groups [B23B 51/0007](#), [B23B 51/0008](#) and [B23B 51/0466](#).

All groups listed in this Warning should be considered in order to perform a complete search.

51/0461 . . {with exchangeable cutting heads or crowns}

51/0466 . . {with exchangeable cutting inserts, e.g. able to be clamped}

**WARNING**

Group [B23B 51/0466](#) is incomplete pending reclassification of documents from groups [B23B 51/0426](#), [B23B 51/044](#) and [B23B 51/0453](#).

Group [B23B 51/0466](#) is also impacted by reclassification into groups [B23B 51/0007](#), [B23B 51/0008](#), [B23B 51/04](#), [B23B 51/0411](#), [B23B 51/0417](#), [B23B 51/0426](#), [B23B 51/044](#), [B23B 51/0467](#), [B23B 51/0468](#) and [B23B 51/0469](#).

All groups listed in this Warning should be considered in order to perform a complete search.

51/0467 . . {Details of the tubular body sidewall}

**WARNING**

Groups [B23B 51/0467](#) - [B23B 51/0469](#) are incomplete pending reclassification of documents from groups [B23B 51/04](#) and [B23B 51/0466](#).

All groups listed in this Warning should be considered in order to perform a complete search.

51/0468 . . . {Internal grooves}

51/0469 . . . {Eccentric or non-circular}

51/0473 . . {Details about the connection between the driven shaft and the tubular cutting part; Arbors}

- 51/0486 . . {with lubricating or cooling equipment  
(Frozen) ([B23B 51/042](#) takes precedence)}

**WARNING**

Group [B23B 51/0486](#) is no longer used for the classification of documents as of January 1, 2022.

The content of this group is being reclassified into groups [B23B 51/063](#) and [B23B 51/066](#).

Groups [B23B 51/0486](#), [B23B 51/063](#) and [B23B 51/066](#) should be considered in order to perform a complete search.

- 51/0493 . . . {with exchangeable cutting inserts, e.g. able to be clamped}  
(Frozen)

**WARNING**

Group [B23B 51/0493](#) is no longer used for the classification of documents as of January 1, 2022.

The content of this group is being reclassified into groups [B23B 51/0007](#), [B23B 51/0008](#), [B23B 51/06](#), [B23B 51/063](#), [B23B 51/066](#), [B23B 51/068](#), [B23B 51/0682](#), [B23B 51/0684](#) and [B23B 51/0686](#).

All groups listed in this Warning should be considered in order to perform a complete search.

- 51/05 . . for cutting discs from sheet  
51/06 . Drills with lubricating or cooling equipment  
{([B23B 51/042](#) takes precedence)}

**WARNING**

Group [B23B 51/06](#) is incomplete pending reclassification of documents from group [B23B 51/0493](#).

Group [B23B 51/06](#) is also impacted by reclassification into groups [B23B 51/063](#), [B23B 51/066](#), [B23B 51/068](#), [B23B 51/0682](#), [B23B 51/0684](#) and [B23B 51/0686](#).

All groups listed in this Warning should be considered in order to perform a complete search.

- 51/063 . . {Deep hole drills, e.g. ejector drills}

**WARNING**

Groups [B23B 51/063](#) and [B23B 51/066](#) are incomplete pending reclassification of documents from groups [B23B 51/0486](#), [B23B 51/0493](#) and [B23B 51/06](#).

All groups listed in this Warning should be considered in order to perform a complete search.

- 51/066 . . . {Gun drills}

- 51/068 . . {Details of the lubricating or cooling channel}

**WARNING**

Groups [B23B 51/068](#) - [B23B 51/0686](#) are incomplete pending reclassification of documents from groups [B23B 51/0493](#) and [B23B 51/06](#).

All groups listed in this Warning should be considered in order to perform a complete search.

- 51/0682 . . . {Coolant moves along outside of tool periphery toward cutting edges}  
51/0684 . . . {Deflector or nozzle on drill to point the coolant in a desired direction}  
51/0686 . . . {Cross-sectional shape of coolant hole}  
51/08 . Drills combined with tool parts or tools for performing additional working {([B23G 5/20](#) takes precedence)}  
51/10 . Bits for countersinking

**WARNING**

Group [B23B 51/10](#) is impacted by reclassification into group [B23B 51/109](#).

Groups [B23B 51/10](#) and [B23B 51/109](#) should be considered in order to perform a complete search.

- 51/101 . . {Deburring tools ([B23B 51/103](#) takes precedence)}  
51/102 . . {Back spot-facing or chamfering}  
51/103 . . {Deburring or chamfering tools for the ends of tubes or rods}  
51/104 . . {with stops}  
51/105 . . {Deburring or countersinking of radial holes}  
51/106 . . {with a cutting edge adjustable along a direction oblique to the axis}  
51/107 . . {having a pilot}

**WARNING**

Group [B23B 51/107](#) is impacted by reclassification into group [B23B 51/109](#).

Groups [B23B 51/107](#) and [B23B 51/109](#) should be considered in order to perform a complete search.

- 51/108 . . {having a centering drill}

**WARNING**

Group [B23B 51/108](#) is impacted by reclassification into group [B23B 51/1085](#).

Groups [B23B 51/108](#) and [B23B 51/1085](#) should be considered in order to perform a complete search.

- 51/1085 . . . {countersink in the form of an attachment to the drill}

**WARNING**

Group [B23B 51/1085](#) is incomplete pending reclassification of documents from group [B23B 51/108](#).

Groups [B23B 51/108](#) and [B23B 51/1085](#) should be considered in order to perform a complete search.



- 51/109 . . {Counterboring tools ([B23B 51/102](#) takes precedence)}

**WARNING**

Group [B23B 51/109](#) is incomplete pending reclassification of documents from groups [B23B 51/10](#), [B23B 51/107](#) and [B23B 51/108](#).

All groups listed in this Warning should be considered in order to perform a complete search.

- 51/12 . Adapters for drills or chucks; Tapered sleeves  
 51/123 . . {Conical reduction sleeves}  
 51/126 . . {Tool elongating devices}  
 51/14 . . Adapters for broken drills

**2200/00 Details of cutting inserts**

- 2200/04 . Overall shape  
 2200/0404 . . Hexagonal  
 2200/0409 . . . irregular  
 2200/0414 . . . rounded  
 2200/0419 . . . trigonal  
 2200/0423 . . Irregular  
 2200/0428 . . Lozenge  
 2200/0433 . . . rounded  
 2200/0438 . . Octagonal  
 2200/0442 . . . rounded  
 2200/0447 . . Parallelogram  
 2200/0452 . . . rounded  
 2200/0457 . . Pentagonal  
 2200/0461 . . Round  
 2200/0466 . . Segment or sector of a circle  
 2200/0471 . . Square  
 2200/0476 . . . rounded  
 2200/048 . . Star form  
 2200/0485 . . Trapezium  
 2200/049 . . Triangular  
 2200/0495 . . . rounded  
 2200/08 . Rake or top surfaces  
 2200/081 . . with projections ([chip breaking projections in general B23B 2200/321](#))  
 2200/082 . . with elevated clamping surface  
 2200/083 . . curved  
 2200/085 . . discontinuous  
 2200/086 . . with one or more grooves  
 2200/087 . . . for chip breaking ([chip breaking depressions in general B23B 2200/323](#), [multiple chip breaking grooves B23B 2200/325](#))  
 2200/088 . . . for clamping  
 2200/12 . Side or flank surfaces  
 2200/121 . . with projections  
 2200/123 . . curved  
 2200/125 . . discontinuous  
 2200/126 . . . stepped  
 2200/128 . . with one or more grooves  
 2200/16 . Supporting or bottom surfaces  
 2200/161 . . with projections  
 2200/162 . . curved  
 2200/163 . . discontinuous  
 2200/164 . . ground  
 2200/165 . . with one or more grooves

- 2200/166 . . polygonal  
 2200/167 . . with serrations  
 2200/168 . . star form  
 2200/20 . Top or side views of the cutting edge  
 2200/201 . . Details of the nose radius and immediately surrounding area  
 2200/202 . . with curved cutting edge  
 2200/204 . . with discontinuous cutting edge  
 2200/205 . . with cutting edge having a wave form  
 2200/207 . . for cutting a particular form corresponding to the form of the cutting edge  
 2200/208 . . with wiper, i.e. an auxiliary cutting edge to improve surface finish  
 2200/24 . Cross section of the cutting edge  
 2200/242 . . bevelled or chamfered  
 2200/245 . . rounded  
 2200/247 . . sharp  
 2200/28 . Angles  
 2200/283 . . Negative cutting angles  
 2200/286 . . Positive cutting angles  
 2200/32 . Chip breaking or chip evacuation  
 2200/321 . . by chip breaking projections ([with projections on rake surface B23B 2200/081](#))  
 2200/323 . . by chip breaking depressions ([with one or more grooves on top surface for chip breaking B23B 2200/087](#), [with multiple chip breaking grooves B23B 2200/325](#))  
 2200/325 . . by multiple chip-breaking grooves ([with one or more grooves on top surface for chip breaking B23B 2200/087](#), [with chip breaking depression B23B 2200/323](#))  
 2200/326 . . by chip breaking-plates  
 2200/328 . . Details of chip evacuation  
 2200/36 . Other features of cutting inserts not covered by [B23B 2200/04](#) - [B23B 2200/32](#)  
 2200/3609 . . Chamfers  
 2200/3618 . . Fixation holes  
 2200/3627 . . Indexing ([with grooves on bottom surfaces B23C 2200/165](#), [with polygonal bottom surfaces B23B 2200/166](#), [with star form bottom surfaces B23C 2200/167](#))  
 2200/3636 . . . with cutting geometries differing according to the indexed position  
 2200/3645 . . Lands, i.e. the outer peripheral section of the rake face  
 2200/3654 . . . being variable ([negative lands of variable width B23B 2200/3672](#))  
 2200/3663 . . . having negative cutting angles ([with bevelled cutting edge B23C 2200/243](#))  
 2200/3672 . . . . being variable ([lands with variable width B23B 2200/3654](#))  
 2200/3681 . . Split inserts, i.e. comprising two or more sections roughly equal in size and having similar or dissimilar cutting geometries  
 2200/369 . . Mounted tangentially, i.e. where the rake face is not the face with the largest area

**2205/00 Fixation of cutting inserts in holders**

- 2205/02 . Fixation using an elastically deformable clamping member  
 2205/04 . Fixation screws, bolts or pins of particular form  
 2205/045 . . orientated obliquely to the hole in the insert or to the seating surface  
 2205/08 . using an eccentric

2205/10	• using two or more fixation screws	2222/04	• Aluminium
2205/12	• Seats for cutting inserts	2222/12	• Brass
2205/125	• . One or more walls of the seat being elastically deformable	2222/14	• Cast iron ( <a href="#">iron B23B 2222/44</a> )
2205/16	• Shims	2222/16	• Cermet
2205/18	• Systems for indexing the cutting insert automatically	2222/21	• Copper
2205/21	• Systems for changing the cutting insert automatically	2222/24	• Gold
2205/215	• . using a magazine	2222/28	• Details of hard metal, i.e. cemented carbide
2205/215	• . using a magazine	2222/32	• Details of high speed steel ( <a href="#">stainless steel B23B 2222/80</a> , <a href="#">steel B23B 2222/84</a> )
<b>2210/00</b>	<b>Details of turning tools</b>	2222/36	• Nickel chrome alloys, e.g. Inconel®
2210/02	• Tool holders having multiple cutting inserts	2222/41	• Nickel steel alloys, e.g. invar®
2210/022	• . Grooving tools	2222/44	• Iron ( <a href="#">cast iron B23B 2222/14</a> )
2210/025	• . . Grooving inserts arranged on a turret	2222/48	• Lead
2210/027	• . . Means for adjusting the grooving inserts	2222/52	• Magnesium
2210/04	• Self-sharpening tools	2222/56	• Non-specified metals
2210/06	• Chip breakers	2222/61	• Metal matrices with non-metallic particles or fibres
2210/08	• Tools comprising intermediary toolholders	2222/64	• Nickel
2210/12	• Tools comprising weakened spot on the tool at a preferred breakage location ( <a href="#">break points on shanks of tools B23B 2231/0212</a> )	2222/68	• Palladium
<b>2215/00</b>	<b>Details of workpieces</b>	2222/72	• Platinum
2215/04	• Aircraft components	2222/76	• Silver
2215/08	• Automobile wheels	2222/80	• Stainless steel ( <a href="#">high speed steel B23B 2222/32</a> , <a href="#">steel B23B 2222/84</a> )
2215/10	• Ammunition cartridge cases	2222/84	• Steel ( <a href="#">high speed steel B23B 2222/32</a> , <a href="#">stainless steel B23B 2222/80</a> )
2215/12	• Bearing races	2222/88	• Titanium
2215/16	• Camshafts	2222/92	• Tungsten
2215/20	• Crankshafts	2222/98	• Zinc
2215/24	• Components of internal combustion engines ( <a href="#">B23B 2215/16</a> and <a href="#">B23B 2215/20</a> take precedence)	<b>2224/00</b>	<b>Materials of tools or workpieces composed of a compound including a metal</b>
2215/242	• . Cylinder liners	2224/04	• Aluminium oxide
2215/245	• . Pistons	2224/08	• Aluminium nitride
2215/247	• . Piston rings	2224/12	• Chromium carbide
2215/28	• Firearms, guns	2224/16	• Molybdenum disulphide
2215/32	• Railway tracks	2224/20	• Tantalum carbide
2215/36	• Railway wheels	2224/24	• Titanium aluminium nitride
2215/40	• Spectacles	2224/28	• Titanium carbide
2215/56	• Springs	2224/32	• Titanium carbide nitride (TiCN)
2215/60	• Steel wool	2224/36	• Titanium nitride
2215/64	• Thin walled components	2224/40	• Tungsten disulphide
2215/68	• Threaded components	<b>2226/00</b>	<b>Materials of tools or workpieces not comprising a metal</b>
2215/72	• Tubes, pipes	2226/04	• Aromatic polyamides
2215/76	• Components for turbines	2226/09	• Asbestos
2215/81	• . Turbine blades	2226/12	• Boron nitride
<b>2220/00</b>	<b>Details of turning, boring or drilling processes</b>	2226/125	• . cubic [CBN]
2220/04	• Chamferring ( <a href="#">B23B 2220/28</a> takes precedence)	2226/15	• Cardboard
2220/08	• Deburring	2226/18	• Ceramic
2220/12	• Grooving	2226/27	• Composites
2220/123	• . Producing internal grooves	2226/275	• . Carbon fibre reinforced carbon composites
2220/126	• . Producing ring grooves	2226/31	• Diamond
2220/24	• Finishing ( <a href="#">roughing and finishing B23B 2220/445</a> )	2226/315	• . polycrystalline [PCD]
2220/28	• Parting off and chamferring simultaneously	2226/33	• Elastomers, e.g. rubber
2220/32	• Drilling holes from both sides	2226/36	• Epoxy
2220/36	• Turning, boring or drilling at high speeds	2226/39	• Foam
2220/40	• Peeling	2226/42	• Gem, i.e. precious stone
2220/44	• Roughing	2226/45	• Glass ( <a href="#">turning glass B28D 1/16</a> , <a href="#">drilling glass B28D 1/14</a> )
2220/445	• . and finishing	2226/48	• Ice
2220/52	• Whirling	2226/54	• Paper
<b>2222/00</b>	<b>Materials of tools or workpieces composed of metals, alloys or metal matrices</b>	2226/57	• Plasterboard, i.e. sheetrock
		2226/61	• Plastics not otherwise provided for, e.g. nylon

2226/63	. Polyurethane	2231/0272	. . . Grooves on conical clamping surfaces
2226/66	. Polytetrafluoroethylene	2231/0276	. . Keyways ( <a href="#">axial grooves B23B 2231/0264</a> )
2226/69	. Sapphire	2231/028	. . Lugs
2226/72	. Silicon carbide	2231/0284	. . Notches
2226/75	. Stone, rock or concrete ( <a href="#">working of stone B28D</a> )	2231/0288	. . Conical shanks of tools in which the cone is not formed as one continuous surface
2226/78	. Textile	2231/0292	. . Flanges of conical shanks
<b>2228/00</b>	<b>Properties of materials of tools or workpieces, materials of tools or workpieces applied in a specific manner</b>	2231/0296	. . Ends of conical shanks, e.g. pull studs, tangs
2228/04	. applied by chemical vapour deposition [CVD]	2231/04	. Adapters
2228/08	. applied by physical vapour deposition [PVD]	2231/06	. Chucks for handtools having means for opening and closing the jaws using the driving motor of the handtool
2228/10	. Coatings	2231/08	. Chucks for shanks of tools having means for reducing the bending of the retained shanks
2228/105	. . with specified thickness	2231/10	. Chucks having data storage chips
2228/12	. Abrasive	2231/12	. Chucks having means to amplify the force produced by the actuating means to increase the clamping force
2228/16	. Shape memory alloys	2231/14	. Chucks with clamping force limitation means
2228/21	. Cast, i.e. In the form of a casting	2231/20	. Collet chucks
2228/24	. Hard, i.e. after being hardened	2231/2002	. . Collets having blade-like jaws
2228/28	. Soft	2231/2005	. . Keys preventing rotation
2228/32	. Explosive	2231/2008	. . Bores holding the collet having a slightly conical profile
2228/36	. Multi-layered	2231/201	. . Operating surfaces of collets, i.e. the surface of the collet acted on by the operating means
2228/41	. Highly conductive	2231/2013	. . . Non-cylindrical ( <a href="#">polygonal B23B 2231/2016</a> )
2228/44	. Materials having grain size less than 1 micrometre, e.g. nanocrystalline	2231/2016	. . . Polygonal
2228/48	. Self-luminous, i.e. light-emitting, e.g. fluorescent	2231/2018	. . . with a saw-tooth profile
2228/52	. Solid lubricants	2231/2021	. . . comprising two different cones
2228/56	. Two phase materials	2231/2024	. . Non-circular surfaces of collets for the transmission of torque
2228/61	. Materials comprising whiskers	2231/2027	. . Gripping surfaces, i.e. the surface contacting the tool or workpiece
<b>2229/00</b>	<b>Details of boring bars or boring heads</b>	2231/2029	. . . Conical
2229/04	. Guiding pads	2231/2032	. . . with non-cylindrical cross section
2229/08	. Cutting edges of different lengths or at different axial positions	2231/2035	. . . Polygonal
2229/12	. Cutting inserts located on different radii	2231/2037	. . . Roughened
2229/16	. Boring, facing or grooving heads with integral electric motor	2231/204	. . . with saw tooth profiles
<b>2231/00</b>	<b>Details of chucks, toolholder shanks or tool shanks</b>	2231/2043	. . . Discontinuous, interrupted or split
2231/02	. Features of shanks of tools not relating to the operation performed by the tool	2231/2045	. . . comprising two or more diameters, e.g. stepped
2231/0204	. . Connection of shanks to working elements of tools	2231/2048	. . Collets comprising inserts
2231/0208	. . Bores	2231/2051	. . . brazed in position
2231/0212	. . Shanks of tools having a reduced cross section at a position where breakage of the tool is preferred ( <a href="#">break points on tools not in shank area B23B 2210/12</a> , <a href="#">shanks with reduced cross sections in general B23B 2231/0252</a> )	2231/2054	. . . glued in position
2231/0216	. . Overall cross sectional shape of the shank	2231/2056	. . . where the insert forms part of the surface gripping the workpiece or tool
2231/022	. . . Triangular	2231/2059	. . . Hard inserts
2231/0224	. . . . Rounded triangular	2231/2062	. . . Inserts mechanically clamped in the collet
2231/0228	. . . Square	2231/2064	. . . Inserts in the form of a roll
2231/0232	. . . Hexagonal	2231/2067	. . . Soft inserts
2231/0236	. . . Octagonal	2231/207	. . . Inserts welded in position
2231/024	. . . Star form	2231/2072	. . Jaws of collets
2231/0244	. . . Special forms not otherwise provided for	2231/2075	. . . of special form
2231/0248	. . Codes for diameters	2231/2078	. . Jaw carriers, i.e. components retaining the collet itself
2231/0252	. . Shanks having a section of reduced diameter ( <a href="#">to provide a preferred breaking point B23B 2231/0212</a> )	2231/2081	. . Keys, spanners or wrenches to operate the collet chuck
2231/0256	. . Flats	2231/2083	. . Collets comprising screw threads
2231/026	. . Grooves ( <a href="#">keyways B23B 2231/0276</a> )	2231/2086	. . Collets in which the jaws are formed as separate elements, i.e. not joined together
2231/0264	. . . Axial grooves	2231/2089	. . Slits of collets
2231/0268	. . . Radial grooves	2231/2091	. . . extending from both axial ends of the collet

- 2231/2094 . . . Helical
- 2231/2097 . . . having a special form not otherwise provided for
- 2231/22 . . . Compensating chucks, i.e. with means for the compensation of irregularities of form or position
- 2231/24 . . . Cooling or lubrication means
- 2231/26 . . . Detection of clamping (in general [B23Q 17/006](#))
- 2231/28 . . . Dust covers (nose pieces in chucks [B23B 2231/44](#), dust covers for turning, boring or drilling in general [B23B 2260/058](#))
- 2231/30 . . . Chucks with four jaws
- 2231/32 . . . Guideways for jaws
- 2231/34 . . . Jaws

**WARNING**

Group [B23B 2231/34](#) is impacted by reclassification into groups [B23B 2231/341](#) and [B23B 2231/342](#).

Groups [B23B 2231/34](#), [B23B 2231/341](#), and [B23B 2231/342](#) should be considered in order to perform a complete search.

- 2231/341 . . . Jaws with hard inserts

**WARNING**

Group [B23B 2231/341](#) is incomplete pending reclassification of documents from group [B23B 2231/34](#).

Groups [B23B 2231/34](#) and [B23B 2231/341](#) should be considered in order to perform a complete search.

- 2231/342 . . . Padded or cushioned jaws

**WARNING**

Group [B23B 2231/342](#) is incomplete pending reclassification of documents from group [B23B 2231/34](#).

Groups [B23B 2231/34](#) and [B23B 2231/342](#) should be considered in order to perform a complete search.

- 2231/345 . . . Different jaws
- 2231/36 . . . Sealed joints
- 2231/365 . . . using O-rings
- 2231/38 . . . Keyless chucks for hand tools
- 2231/40 . . . Chucks having a pivotal retention element in the form of a laterally acting cam
- 2231/42 . . . Chucks operated by a motor which is movable to engage with, or disengage from, the chuck operating means
- 2231/44 . . . Nose pieces (dust covers in chucks [B23B 2231/28](#), dust covers for turning, boring or drilling in general [B23B 2260/058](#))
- 2231/46 . . . Pins
- 2231/48 . . . Polygonal cross sections
- 2231/50 . . . Devices to counteract clamping forces exerted within the spindle in order to release the tool or workpiece
- 2231/52 . . . Chucks with means to loosely retain the tool or workpiece in the unclamped position
- 2231/54 . . . Chucks for taps

- 2231/56 . . . Chucks with more than one set of gripping means

**WARNING**

Groups [B23B 2231/56](#) and [B23B 2231/565](#) are incomplete pending reclassification of documents from groups [B23B 31/00](#) and [B23B 31/02](#).

All groups listed in this Warning should be considered in order to perform a complete search.

- 2231/565 . . . Wherein only one means is usable at a time
- 2231/58 . . . Self-grasping, i.e., automatic grasping upon insertion of tool or workpiece

**WARNING**

Group [B23B 2231/58](#) is incomplete pending reclassification of documents from groups [B23B 31/00](#) and [B23B 31/02](#).

Groups [B23B 31/00](#), [B23B 31/02](#), and [B23B 2231/58](#) should be considered in order to perform a complete search.

**2233/00 Details of centres or drivers**

- 2233/04 . . . Means to allow the facing of the axial end of the workpiece near the axis of rotation
- 2233/08 . . . Centres or drivers comprising a ball
- 2233/12 . . . Centres or drivers with a special arrangement of bearings or with special bearings
- 2233/16 . . . Centres or drivers comprising chucks
- 2233/20 . . . Centres or drivers with convex surfaces
- 2233/24 . . . Centres or drivers with inserts
- 2233/28 . . . Centres or drivers supporting the workpiece at three points around the circumference
- 2233/32 . . . Yieldable centres

**2235/00 Turning of brake discs, drums or hubs**

- 2235/04 . . . Machining of brake discs
- 2235/045 . . . Simultaneous machining of both sides of the brake disc
- 2235/12 . . . Machining of brake drums
- 2235/16 . . . Machining of hubs
- 2235/21 . . . Compensation of run out

**2240/00 Details of connections of tools or workpieces**

- 2240/04 . . . Bayonet connections
- 2240/08 . . . Brazed connections
- 2240/11 . . . Soldered connections
- 2240/16 . . . Welded connections
- 2240/21 . . . Glued connections
- 2240/24 . . . Connections using hollow screws, e.g. for the transmission of coolant
- 2240/28 . . . Shrink-fitted connections, i.e. using heating and cooling to produce interference fits (shrink fits chucks [B23B 31/1179](#))
- 2240/32 . . . Press fits
- 2240/36 . . . Connections using a tongue and a hollow of corresponding prismatic form

**2247/00 Details of drilling jigs**

- 2247/02 . . . Jigs for drilling spectacles (machines for drilling spectacle lenses [B28D 1/143](#))
- 2247/04 . . . Jigs using one or more holes as datums for drilling further holes
- 2247/06 . . . Jigs for drilling holes for lock sets for doors
- 2247/08 . . . Jigs for drilling overlapping or interfering holes

- 2247/10 . Jigs for drilling inclined holes
- 2247/12 . Drilling jigs with means to affix the jig to the workpiece
- 2247/14 . Jigs for drilling flanges
- 2247/16 . Jigs for drilling stairs and associated components, e.g. banisters or handrails
- 2247/18 . Jigs comprising V-blocks
- 2247/20 . Jigs for drilling holes for lock wires in bolts or nuts

#### **2250/00 Compensating adverse effects during turning, boring or drilling**

##### **WARNING**

Group [B23B 2250/00](#) is impacted by reclassification into group [B23B 2250/18](#).

Groups [B23B 2250/00](#) and [B23B 2250/18](#) should be considered in order to perform a complete search.

- 2250/04 . Balancing rotating components
- 2250/08 . Compensation of centrifugal force
- 2250/12 . Cooling and lubrication

##### **WARNING**

Group [B23B 2250/12](#) is impacted by reclassification into groups [B23B 2250/121](#), [B23B 2250/122](#), [B23B 2250/123](#) and [B23B 2250/124](#).

All groups listed in this Warning should be considered in order to perform a complete search.

- 2250/121 . . Insert with coolant channels

##### **WARNING**

Group [B23B 2250/121](#) is incomplete pending reclassification of documents from group [B23B 2250/12](#).

Groups [B23B 2250/12](#) and [B23B 2250/121](#) should be considered in order to perform a complete search.

- 2250/122 . . Internal coolant reservoir

##### **WARNING**

Group [B23B 2250/122](#) is incomplete pending reclassification of documents from group [B23B 2250/12](#).

Groups [B23B 2250/12](#) and [B23B 2250/122](#) should be considered in order to perform a complete search.

- 2250/123 . . Meltable lubricant

##### **WARNING**

Group [B23B 2250/123](#) is incomplete pending reclassification of documents from group [B23B 2250/12](#).

Groups [B23B 2250/12](#) and [B23B 2250/123](#) should be considered in order to perform a complete search.

- 2250/124 . . Coolant trapping reservoir, e.g. recesses, pockets on external surface of tool

##### **WARNING**

Group [B23B 2250/124](#) is incomplete pending reclassification of documents from group [B23B 2250/12](#).

Groups [B23B 2250/12](#) and [B23B 2250/124](#) should be considered in order to perform a complete search.

- 2250/125 . . Improving heat transfer away from the working area of the tool by conduction

- 2250/16 . Damping of vibrations

- 2250/18 . Surface of tool modified by roughening, scratching, etc. to modify friction or other adverse effect

##### **WARNING**

Group [B23B 2250/18](#) is incomplete pending reclassification of documents from group [B23B 2250/00](#).

Groups [B23B 2250/00](#) and [B23B 2250/18](#) should be considered in order to perform a complete search.

#### **2251/00 Details of tools for drilling machines**

##### **WARNING**

Group [B23B 2251/00](#) is impacted by reclassification into groups [B23B 2251/16](#), [B23B 2251/51](#) and [B23B 2251/74](#).

All groups listed in this Warning should be considered in order to perform a complete search.

- 2251/02 . Connections between shanks and removable cutting heads  
(Frozen)

##### **WARNING**

Group [B23B 2251/02](#) is no longer used for the classification of documents as of January 1, 2022.

The content of this group is being reclassified into groups [B23B 51/0003](#), [B23B 51/0004](#) and [B23B 51/0005](#).

All groups listed in this Warning should be considered in order to perform a complete search.

- 2251/04 . Angles, e.g. cutting angles

##### **WARNING**

Group [B23B 2251/04](#) is impacted by reclassification into groups [B23B 2251/047](#) and [B23B 2251/048](#).

Groups [B23B 2251/04](#), [B23B 2251/047](#) and [B23B 2251/048](#) should be considered in order to perform a complete search.

- 2251/043 . . Helix angles

- 2251/046 . . . Variable



- 2251/047 . . Axial clearance angles

**WARNING**

Group [B23B 2251/047](#) is incomplete pending reclassification of documents from groups [B23B 2251/04](#) and [B23B 2251/14](#).

Groups [B23B 2251/04](#), [B23B 2251/14](#) and [B23B 2251/047](#) should be considered in order to perform a complete search.

- 2251/048 . . Radial clearance angles

**WARNING**

Group [B23B 2251/048](#) is incomplete pending reclassification of documents from groups [B23B 2251/04](#) and [B23B 2251/14](#).

Groups [B23B 2251/04](#), [B23B 2251/14](#) and [B23B 2251/048](#) should be considered in order to perform a complete search.

- 2251/08 . Side or plan views of cutting edges

- 2251/082 . . Curved cutting edges

**WARNING**

Group [B23B 2251/082](#) is impacted by reclassification into group [B23B 2251/0825](#).

Groups [B23B 2251/082](#) and [B23B 2251/0825](#) should be considered in order to perform a complete search.

- 2251/0825 . . . Curved in the axial direction

**WARNING**

Group [B23B 2251/0825](#) is incomplete pending reclassification of documents from group [B23B 2251/082](#).

Groups [B23B 2251/082](#) and [B23B 2251/0825](#) should be considered in order to perform a complete search.

- 2251/085 . . Discontinuous or interrupted cutting edges

- 2251/087 . . Cutting edges with a wave form

- 2251/12 . Cross sectional views of the cutting edges

- 2251/122 . . Bevelled cutting edges

- 2251/125 . . Rounded cutting edges

- 2251/127 . . Sharp cutting edges

- 2251/14 . Configuration of the cutting part, i.e. the main cutting edges

**WARNING**

Group [B23B 2251/14](#) is impacted by reclassification into groups [B23B 2251/047](#) and [B23B 2251/048](#).

Groups [B23B 2251/14](#), [B23B 2251/047](#) and [B23B 2251/048](#) should be considered in order to perform a complete search.

- 2251/16 . New cutting edge by fracture, wear, or recycling

**WARNING**

Group [B23B 2251/16](#) is incomplete pending reclassification of documents from group [B23B 2251/00](#).

Groups [B23B 2251/00](#) and [B23B 2251/16](#) should be considered in order to perform a complete search.

- 2251/18 . Configuration of the drill point

**WARNING**

Group [B23B 2251/18](#) is impacted by reclassification into groups [B23B 2251/182](#), [B23B 2251/185](#) and [B23B 2251/188](#).

All groups listed in this Warning should be considered in order to perform a complete search.

- 2251/182 . . Web thinning

**WARNING**

Group [B23B 2251/182](#) is incomplete pending reclassification of documents from group [B23B 2251/18](#).

Groups [B23B 2251/18](#) and [B23B 2251/182](#) should be considered in order to perform a complete search.

- 2251/185 . . Point angles less than 90 degrees

**WARNING**

Group [B23B 2251/185](#) is incomplete pending reclassification of documents from group [B23B 2251/18](#).

Groups [B23B 2251/18](#) and [B23B 2251/185](#) should be considered in order to perform a complete search.

- 2251/188 . . Variable point angles

**WARNING**

Group [B23B 2251/188](#) is incomplete pending reclassification of documents from group [B23B 2251/18](#).

Groups [B23B 2251/18](#) and [B23B 2251/188](#) should be considered in order to perform a complete search.

- 2251/20 . Number of cutting edges

- 2251/201 . . Single cutting edge

- 2251/202 . . Three cutting edges

- 2251/204 . . Four cutting edges

- 2251/205 . . Five cutting edges

- 2251/207 . . Six cutting edges

- 2251/208 . . Eight cutting edges

- 2251/24 . Overall form of drilling tools

**WARNING**

Group [B23B 2251/24](#) is impacted by reclassification into group [B23B 2251/249](#).

Groups [B23B 2251/24](#) and [B23B 2251/249](#) should be considered in order to perform a complete search.

- 2251/241 . . Cross sections of the diameter of the drill

- 2251/242 . . . increasing in a direction towards the shank from the tool tip

- 2251/244 . . . decreasing in a direction towards the shank from the tool tip

- 2251/245 . . . Variable cross sections

- 2251/247 . . Drilling tools having a working portion at both ends of the shank

- 2251/248 . . Drills in which the outer surface is of special form

- 2251/249 . . Drills in which the shank is flexible

**WARNING**

Group [B23B 2251/249](#) is incomplete pending reclassification of documents from groups [B23B 51/00](#), [B23B 51/02](#) and [B23B 2251/24](#).

All groups listed in this Warning should be considered in order to perform a complete search.

- 2251/28 . . Arrangement of teeth  
 2251/282 . . Unequal spacing of cutting edges in the circumferential direction  
 2251/285 . . Cutting teeth arranged at different heights  
 2251/287 . . Cutting edges having different lengths  
 2251/40 . . Flutes, i.e. chip conveying grooves

**WARNING**

Group [B23B 2251/40](#) is impacted by reclassification into groups [B23B 2251/4011](#) and [B23B 2251/4012](#).

Groups [B23B 2251/40](#), [B23B 2251/4011](#) and [B23B 2251/4012](#) should be considered in order to perform a complete search.

- 2251/4011 . . Two flutes merge into one flute

**WARNING**

Group [B23B 2251/4011](#) is incomplete pending reclassification of documents from group [B23B 2251/40](#).

Groups [B23B 2251/40](#) and [B23B 2251/4011](#) should be considered in order to perform a complete search.

- 2251/4012 . . Flutes with sleeves

**WARNING**

Group [B23B 2251/4012](#) is incomplete pending reclassification of documents from group [B23B 2251/40](#).

Groups [B23B 2251/40](#) and [B23B 2251/4012](#) should be considered in order to perform a complete search.

- 2251/402 . . with increasing depth in a direction towards the shank from the tool tip  
 2251/404 . . with decreasing depth in a direction towards the shank from the tool tip  
 2251/406 . . of special form not otherwise provided for

**WARNING**

Group [B23B 2251/406](#) is impacted by reclassification into group [B23B 2251/4062](#).

Groups [B23B 2251/406](#) and [B23B 2251/4062](#) should be considered in order to perform a complete search.

- 2251/4062 . . . Reverse flutes

**WARNING**

Group [B23B 2251/4062](#) is incomplete pending reclassification of documents from group [B23B 2251/406](#).

Groups [B23B 2251/406](#) and [B23B 2251/4062](#) should be considered in order to perform a complete search.

- 2251/408 . . Spiral grooves  
 2251/44 . . Margins, i.e. the narrow portion of the land which is not cut away to provide clearance on the circumferential surface

**WARNING**

Group [B23B 2251/44](#) is impacted by reclassification into group [B23B 2251/448](#).

Groups [B23B 2251/44](#) and [B23B 2251/448](#) should be considered in order to perform a complete search.

- 2251/443 . . Double margin drills  
 2251/446 . . Drills with variable margins  
 2251/448 . . Drills with axial cutting edge extending along margin

**WARNING**

Group [B23B 2251/448](#) is incomplete pending reclassification of documents from group [B23B 2251/44](#).

Groups [B23B 2251/44](#) and [B23B 2251/448](#) should be considered in order to perform a complete search.

- 2251/46 . . Drills having a centre free from cutting edges or with recessed cutting edges  
 2251/48 . . Chip breakers  
 2251/50 . . Drilling tools comprising cutting inserts  
 (Frozen)

**WARNING**

Group [B23B 2251/50](#) is no longer used for the classification of documents as of January 1, 2022.

The content of this group is being reclassified into groups [B23B 51/0002](#), [B23B 51/0003](#), [B23B 51/00035](#), [B23B 51/0004](#), [B23B 51/0005](#), [B23B 51/0006](#), [B23B 51/0007](#), [B23B 51/0008](#) and [B23B 51/0011](#).

All groups listed in this Warning should be considered in order to perform a complete search.

- 2251/505 . . set at different heights  
(Frozen)

**WARNING**

Group [B23B 2251/505](#) is no longer used for the classification of documents as of January 1, 2022.

The content of this group is being reclassified into groups [B23B 51/0002](#), [B23B 51/0003](#), [B23B 51/00035](#), [B23B 51/0004](#), [B23B 51/0005](#), [B23B 51/0006](#), [B23B 51/0007](#), [B23B 51/0008](#) and [B23B 51/0011](#).

All groups listed in this Warning should be considered in order to perform a complete search.

- 2251/51 . Drills with means for feeding cable

**WARNING**

Group [B23B 2251/51](#) is incomplete pending reclassification of documents from group [B23B 2251/00](#).

Groups [B23B 2251/00](#) and [B23B 2251/51](#) should be considered in order to perform a complete search.

- 2251/52 . Depth indicators  
2251/56 . Guiding pads  
2251/58 . Guiding rolls  
2251/60 . Drills with pilots  
2251/603 . . Detachable pilots, e.g. in the form of a drill  
2251/606 . . . being a twist drill  
2251/62 . Drilling tools having means to reinforce the shank, e.g. drills having small shanks being gripped by devices having a larger shank  
2251/64 . Drills operating in the reverse direction, i.e. in the unscrewing direction of a right-hand thread  
2251/66 . Drills with provision to be used as a screwdriver  
2251/68 . Drills with provision for suction  
2251/70 . Drills with vibration suppressing means  
2251/74 . Drills for drilling a flat bottomed hole

**WARNING**

Group [B23B 2251/74](#) is incomplete pending reclassification of documents from group [B23B 2251/00](#).

Groups [B23B 2251/00](#) and [B23B 2251/74](#) should be considered in order to perform a complete search.

**2260/00 Details of constructional elements**

- 2260/002 . Accumulators  
2260/004 . Adjustable elements  
2260/0045 . . Two elements adjustable relative to each other in three mutually perpendicular directions  
2260/008 . Bearings  
2260/0082 . . Sliding contact bearings  
2260/0085 . . Needle roller bearings  
2260/0087 . . Preloading of bearings  
2260/016 . Bolts  
2260/018 . Brushes  
2260/02 . Cams  
2260/022 . Balls  
2260/024 . Batteries  
2260/026 . Bushings, e.g. adapter sleeves  
2260/028 . Chains

- 2260/03 . Clamps  
2260/032 . Diaphragms  
2260/034 . Drawbars  
2260/036 . Cables  
2260/038 . Cartridges  
2260/04 . Centre drills of known configuration, e.g. the provision of a centre drill in centres or chucks  
2260/042 . Collets of known configuration, i.e. devices using a collet  
2260/044 . Clutches  
2260/0445 . . Overload clutches  
2260/048 . Devices to regulate the depth of cut  
2260/0482 . . Depth controls, e.g. depth stops ([stops B23B 2260/12](#))  
2260/0485 . . Depth gauges  
2260/0487 . . Depth indicators ([indication scales B23B 2260/088](#))  
2260/056 . Differential screw threads  
2260/058 . Dust covers ([dust covers in chucks B23B 2231/28](#), [nose pieces in chucks B23B 2231/44](#))  
2260/062 . Electric motors  
2260/0625 . . Linear motors  
2260/066 . Electrostrictive elements  
2260/068 . Flexible members  
2260/07 . Gears  
2260/072 . Grooves  
2260/0725 . . Spiral  
2260/076 . Harmonic drive gearboxes, i.e. reduction gearing including wave generator, flex spline and a circular spline  
2260/078 . Hand tools used to operate chucks or to assemble, adjust or disassemble tools or equipment used for turning, boring or drilling  
2260/0785 . . for unclamping cutting inserts  
2260/082 . Holes  
2260/084 . Hirth couplings  
2260/088 . Indication scales  
2260/09 . Knurled surfaces  
2260/092 . Lasers  
2260/094 . Levels, e.g. spirit levels  
2260/096 . Levers  
2260/098 . Magazines  
2260/10 . Magnets  
2260/102 . Magnetostrictive elements  
2260/104 . Markings, i.e. symbols or other indicating marks  
2260/106 . Nuts  
2260/108 . Piezoelectric elements  
2260/11 . Planetary drives  
2260/112 . Projections  
2260/114 . Rings  
2260/116 . Rollers or rolls  
2260/118 . Suction pads or vacuum cups, e.g. for attachment of guides to workpieces  
2260/12 . Stops ([depth controls B23B 2260/0482](#))  
2260/122 . Safety devices  
2260/124 . Screws  
2260/126 . Seals  
2260/128 . Sensors  
2260/1285 . . Vibration sensors  
2260/132 . Serrations ([cutting inserts with serrated bottom surfaces B23B 2200/167](#))

- 2260/134 . Spacers or shims ([shims for supporting cutting inserts B23B 2205/16](#))
- 2260/136 . Springs
- 2260/138 . Screw threads
- 2260/1381 . . Conical
- 2260/1383 . . with round thread profile
- 2260/1385 . . with square thread profile
- 2260/1386 . . with trapezoidal thread profile
- 2260/1388 . . with special profile not otherwise provided for
- 2260/142 . Valves
- 2260/144 . Wear indicators
- 2260/146 . Wedges
- 2260/158 . Worms and worm wheels

#### **2265/00 Details of general geometric configurations**

- 2265/08 . Conical
- 2265/12 . Eccentric
- 2265/16 . Elliptical
- 2265/32 . Polygonal
- 2265/322 . . Square
- 2265/324 . . Pentagonal
- 2265/326 . . Hexagonal
- 2265/328 . . Octagonal
- 2265/34 . Round
- 2265/36 . Spherical

#### **2270/00 Details of turning, boring or drilling machines, processes or tools not otherwise provided for**

- 2270/02 . Use of a particular power source
- 2270/022 . . Electricity
- 2270/025 . . Hydraulics

#### **WARNING**

Group [B23B 2270/025](#) is incomplete pending reclassification of documents from group [B23B 31/207](#).

Groups [B23B 31/207](#) and [B23B 2270/025](#) should be considered in order to perform a complete search.

- 2270/027 . . Pneumatics
- 2270/04 . Use of centrifugal force ([compensating centrifugal force B23B 2250/08](#))
- 2270/06 . Use of elastic deformation
- 2270/08 . Clamping mechanisms; Provisions for clamping ([B23B 2210/00 takes precedence](#))
- 2270/09 . Details relating to unclamping
- 2270/10 . Use of ultrasound
- 2270/12 . Centering of two components relative to one another
- 2270/14 . Constructions comprising exactly two similar components
- 2270/16 . Constructions comprising three or more similar components
- 2270/20 . Internally located features, machining or gripping of internal surfaces
- 2270/205 . . Machining or gripping both internal and external surfaces
- 2270/22 . Externally located features, machining or gripping of external surfaces ([machining or gripping of both internal and external surfaces B23B 2270/205](#))
- 2270/24 . Tool, chuck or other device activated by the coolant or lubrication system of the machine tool
- 2270/26 . Burnishing
- 2270/28 . Cleaning

- 2270/30 . Chip guiding or removal ([use of suction B23B 2270/62, drilling tools with provision for suction B23B 2251/68](#))
- 2270/32 . Use of electronics
- 2270/34 . Means for guiding
- 2270/36 . Identification of tooling or other equipment
- 2270/38 . Using magnetic fields ([magnets B23B 2260/10](#))
- 2270/48 . Measuring or detecting
- 2270/483 . . Measurement of force
- 2270/486 . . Measurement of rotational speed
- 2270/54 . Methods of turning, boring or drilling not otherwise provided for
- 2270/56 . Turning, boring or drilling tools or machines with provision for milling
- 2270/58 . Oblique elements
- 2270/60 . Prevention of rotation
- 2270/62 . Use of suction ([suction pads or vacuum cups B23B 2260/118, drilling tools with provision for suction B23B 2251/68, chip removal B23B 2270/30](#))