

CPC COOPERATIVE PATENT CLASSIFICATION

B PERFORMING OPERATIONS; TRANSPORTING

(NOTES omitted)

TRANSPORTING

B65 CONVEYING; PACKING; STORING; HANDLING THIN OR FILAMENTARY MATERIAL

B65B MACHINES, APPARATUS OR DEVICES FOR, OR METHODS OF, PACKAGING ARTICLES OR MATERIALS; UNPACKING (bundling and pressing devices for cigars [A24C 1/44](#); devices for tensioning and securing binders adapted to be supported by the article or articles to be bound [B25B 25/00](#); applying closure members to bottles, jars or similar containers [B67B 1/00-B67B 6/00](#); concurrent cleaning, filling and closing of bottles [B67C 7/00](#); emptying bottles, jars, cans, casks, barrels or similar containers [B67C 9/00](#))

NOTE

The term "packaging" should be understood as including mainly the following operations:

filling portable containers or receptacles with materials or small articles to form packages

inserting articles, or groups of articles, into containers or receptacles

closing filled containers or receptacles otherwise than by metal-, glass-, or wood-working operations

enclosing, or partially enclosing, articles or quantities of material, in sheets, strips, blanks, webs, or tubes of thin flexible material, e.g. wrapping

bundling articles, e.g. holding articles together in groups by applying string or wire

attaching articles to cards, sheets, or webs

Operations of these types employed in the manufacture of articles other than packages are classified in other appropriate subclasses, e.g. making confectionery products by casting in moulds formed by wrappers [A23G](#), filling ammunition cartridges [F42B](#)

Methods of packaging which are wholly characterised by the form of the package produced, or the form of the container or packaging-element utilised, are to be classified in [B65D](#) rather than in this subclass. In the following elaborations, the term "package" is used to mean the end product of a packaging operation, e.g. a filled and closed container, an article enclosed in a wrapper, a group of articles held together by string or wire, a crate of bottles. In the following elaborations, the term "materials" is to be understood as embracing matter, or masses of articles, which are to be packaged, as distinct from separate or individual articles. Machines, apparatus or methods of general application for packaging articles or materials

WARNINGS

- The following IPC groups are not in the CPC scheme. The subject matter for these IPC groups is classified in the following CPC groups:
[B65B 51/09](#) covered by [B65B 51/00](#)
- In this subclass non-limiting references (in the sense of paragraph 39 of the Guide to the IPC) may still be displayed in the scheme.

Machines, apparatus or methods of general application for packaging articles or materials

- 1/00 Packaging fluent solid material, e.g. powders, granular or loose fibrous material, loose masses of small articles, in individual containers or receptacles, e.g. bags, sacks, boxes, cartons, cans, or jars**
- 1/02 . Machines characterised by the incorporation of means for making the containers or receptacles (from flat, folded, or tubular webs of flexible sheet material [B65B 9/00](#); making containers or receptacles of interest apart from this application, see the appropriate subclasses)
- 1/04 . Methods of, or means for, filling the material into the containers or receptacles
- 1/06 . . by gravity flow

- 1/08 . . by vibratory feeders
- 1/10 . . by rotary feeders
- 1/12 . . . of screw type
- 1/14 . . . of centrifugal type
- 1/16 . . by pneumatic means, e.g. by suction
- 1/18 . . for filling valve-bags
- 1/20 . Reducing volume of filled material
- 1/22 . . by vibration
- 1/24 . . by mechanical compression
- 1/26 . . by pneumatic means, e.g. suction
- 1/28 . Controlling escape of air or dust from containers or receptacles during filling
- 1/30 . Devices or methods for controlling or determining the quantity or quality or the material fed or filled
- 1/32 . . by weighing (check-weighing of filled containers or receptacles [B65B 1/46](#))

- 1/34 . . . Adjusting weight by trickle feed
- 1/36 . . by volumetric devices or methods ([checking volume of filled material B65B 1/48](#))
- 1/363 . . . {with measuring pockets moving in an endless path}
- 1/366 {about a horizontal axis of symmetry}
- 1/38 . . . by pistons co-operating with measuring chambers
- 1/385 {moving in an endless path}
- 1/40 . . by timing of filling operations
- 1/42 . . . and arresting flow by cut-off means
- 1/44 . . Checking density of material to be filled
- 1/46 . . Check-weighing of filled containers or receptacles
- 1/48 . . Checking volume of filled material
- 3/00 Packaging plastic material, semiliquids, liquids or mixed solids and liquids, in individual containers or receptacles, e.g. bags, sacks, boxes, cartons, cans, or jars**
- 3/003 . {Filling medical containers such as ampoules, vials, syringes or the like}
- 3/006 . . {Related operations, e.g. scoring ampoules}
- 3/02 . Machines characterised by the incorporation of means for making the containers or receptacles ([making containers or receptacles of interest apart from this application, see appropriate subclasses](#))
- 3/022 . . {Making containers by moulding of a thermoplastic material}
- 3/025 . . {Making parallelepipedal containers from a single carton blank}
- 3/027 . . {Making containers from separate body and end-parts}
- 3/04 . Methods of, or means for, filling the material into the containers or receptacles
- 3/045 . . {for filling flexible containers having a filling and dispensing spout, e.g. containers of the "bag-in-box"-type}
- 3/06 . . by gravity flow
- 3/08 . . by screw-type feeders
- 3/10 . . by application of pressure to material ([by screw-type feeders B65B 3/08](#))
- 3/12 . . . mechanically, e.g. by pistons or pumps
- 3/14 . . . pneumatically
- 3/16 . . for filling collapsible tubes ([for filling valve bags B65B 3/17](#))
- 3/17 . . for filling valve bags
- 3/18 . Controlling escape of air from containers or receptacles during filling
- 3/22 . Defoaming liquids in connection with filling
- 3/24 . Topping-up containers or receptacles to ensure complete filling
- 3/26 . Methods or devices for controlling the quantity of the material fed or filled
- 3/28 . . by weighing
- 3/30 . . by volumetric measurement
- 3/305 . . . {with measuring pockets moving in an endless path}
- 3/32 . . . by pistons co-operating with measuring chambers
- 3/323 {with measuring chambers travelling in an endless path}
- 3/326 {for dosing several products to be mixed}
- 3/34 . . by timing of filling operations
- 3/36 . . . and arresting flow by cut-off means
- 5/00 Packaging individual articles in containers or receptacles, e.g. bags, sacks, boxes, cartons, cans, jars**
- 5/02 . Machines characterised by incorporation of means for making the containers or receptacles ([making containers or receptacles of interest apart from this application, see the appropriate subclasses](#))
- 5/022 . . {for making bags}
- 5/024 . . {for making containers from preformed blanks}
- 5/026 . . . {for making trays}
- 5/028 . . . {for making containers from two or more blanks ([B65B 5/026 takes precedence](#))}
- 5/04 . Packaging single articles
- 5/045 . . {in bags}
- 5/06 . Packaging groups of articles, the groups being treated as single articles
- 5/061 . . {Filled bags}
- 5/062 . . {Confectionery}
- 5/064 . . {Potato chips}
- 5/065 . . {Gable-topped container}
- 5/067 . . {in bags ([B65B 5/061 - B65B 5/065 take precedence](#))}
- 5/068 . . {in trays ([B65B 5/061 - B65B 5/065 take precedence](#))}
- 5/08 . Packaging groups of articles, the articles being individually gripped or guided for transfer to the containers or receptacles
- 5/10 . Filling containers or receptacles progressively or in stages by introducing successive articles, or layers of articles
- 5/101 . . {by gravity ([B65B 5/12 and B65B 5/108 take precedence](#))}
- 5/103 . . . {for packaging pills or tablets}
- 5/105 . . {by grippers ([B65B 5/12 and B65B 5/108 take precedence](#))}
- 5/106 . . {by pushers ([B65B 5/12 and B65B 5/108 take precedence](#))}
- 5/108 . . {Article support means temporarily arranged in the container}
- 5/12 . . Introducing successive articles, e.g. confectionery products, of different shape or size in predetermined positions
- 7/00 Closing containers or receptacles after filling**
- 7/01 . Machines characterised by incorporation of means for making the closures before applying ([making closures, of interest apart from this application, see the relevant subclass](#))
- 7/02 . Closing containers or receptacles deformed by, or taking-up shape of, contents, e.g. bags, sacks
- 7/025 . . {Closing valve bags}
- 7/04 . . by tucking-in mouth portion to form two flaps and subsequently folding-down
- 7/06 . . by collapsing mouth portion, e.g. to form a single flap
- 7/08 . . . and folding
- 7/10 . . . and rolling-in
- 7/12 . . . and twisting
- 7/14 . Closing collapsible or resilient tubes, e.g. for tooth paste, for lighter fuel
- 7/16 . Closing semi-rigid or rigid containers or receptacles not deformed by, or not taking-up shape of, contents, e.g. boxes or cartons

7/161	. . {Sealing filled ampoules}	9/08	. . in a web folded and sealed transversely to form pockets which are subsequently filled and then closed by sealing
7/162	. . {by feeding web material to securing means}		
7/164	. . . {Securing by heat-sealing}		
7/165	. . . {Securing by deformation of the web material}		
7/167	. . . {Securing by heat-shrinking}		
7/168	. . {by applying and securing double closures}		
7/18	. . by collapsing mouth portion and subsequently folding-down or securing flaps		
7/20	. . by folding-down preformed flaps	9/087	. . . the web advancing continuously
7/22	. . . and inserting flap portions between contents and wall	9/093	. . . the web having intermittent motion
7/24	. . . and interengaging tongue and slot closures	9/10	. Enclosing successive articles, or quantities of material, in preformed tubular webs, or in webs formed into tubes around filling nozzles, e.g. extruded tubular webs
7/26	. . by closing hinged lids		
7/28	. . by applying separate preformed closures, e.g. lids, covers	9/12	. . Subdividing filled tubes to form two or more packages by sealing or securing involving displacement of contents
7/2807	. . . {Feeding closures}	9/13	. . the preformed tubular webs being supplied in a flattened state
7/2814 {the closures being interconnected}	9/135	. . . {for palletised loads}
7/2821	. . . {applying plugs or threadless stoppers (for bottles or jars B67B 1/04)}	9/14	. . . Devices for distending tubes supplied in the flattened state
7/2828	. . . {inserting and rotating screw stoppers (for bottles or jars B67B 1/06)}	9/15	. . the preformed tubular webs being stored on filling nozzles
7/2835	. . . {applying and rotating preformed threaded caps (for bottles or jars B67B 3/20)}	9/18	. . . Devices for storing tubular webs
7/2842	. . . {Securing closures on containers (in general B65B 51/00)}	9/20	. . the webs being formed into tubes <u>in situ</u> around the filling nozzles
7/285 {by deformation of the closure}		
7/2857 {and the container rim}		
7/2864 {by adhesive tape}		
7/2871 {by gluing}		
7/2878 {by heat-sealing}		
7/2885 {by heat-shrinking (in general B65B 53/02)}		
7/2892 {by deformation of the container rim}		
9/00	Enclosing successive articles, or quantities of material, e.g. liquids or semiliquids, in flat, folded, or tubular webs of flexible sheet material; Subdividing filled flexible tubes to form packages		
9/02	. Enclosing successive articles, or quantities of material between opposed webs	9/2007	. . . {Means for stripping or squeezing filled tubes prior to sealing to remove air or products from sealing area}
9/023	. . {Packaging fluent material (B65B 9/04 takes precedence)}	9/2014	. . . {Tube advancing means}
9/026	. . {the webs forming a curtain}	9/2021 {combined with longitudinal welding devices}
9/04	. . one or both webs being formed with pockets for the reception of the articles, or of the quantities of material	9/2028 {Rollers or belts}
9/042	. . . {for fluent material}	9/2035	. . . {Tube guiding means}
9/045	. . . {for single articles, e.g. tablets}	9/2042	. . . {Means for altering the cross-section of the tube filling opening prior to transversal sealing, e.g. tube spreading devices (subdividing filled tubes to form two or more packages by sealing involving displacement of contents B65B 9/12)}
2009/047	. . . {Rotary pocket formers}	9/2049	. . . {Package shaping devices acting on filled tubes prior to sealing the filling opening (shaping or reshaping completed packages B65B 61/24)}
9/06	. Enclosing successive articles, or quantities of material, in a longitudinally-folded web, or in a web folded into a tube about the articles or quantities of material placed upon it	9/2056	. . . {Machines for packages of special type or form}
	NOTE	9/2063 {The webs being spirally wound around the filling nozzle}
	If an invention involves both continuous and intermittent web motion, it is classified in both groups B65B 9/067 and B65B 9/073 .	9/207	. . . the web advancing continuously (B65B 9/22 takes precedence)
2009/063	. . {Forming shoulders}	9/213	. . . the web having intermittent motion (B65B 9/22 takes precedence)
9/067	. . the web advancing continuously (B65B 9/08 takes precedence)	9/22	. . . Forming shoulders; Tube formers
9/073	. . the web having intermittent motion (B65B 9/08 takes precedence)	9/24	. . the tubes being formed <u>in situ</u> by extrusion

NOTE

If an invention involves both continuous and intermittent web motion, it is classified in both groups [B65B 9/087](#) and [B65B 9/093](#).

NOTE

If an invention involves both continuous and intermittent web motion, it is classified in both groups [B65B 9/207](#) and [B65B 9/213](#).

11/00	Wrapping, e.g. partially or wholly enclosing, articles or quantities of material, in strips, sheets or blanks, of flexible material (bundling articles by applying narrow strips or bands of flexible material B65B 13/00)	11/44 the ends of the tube being subsequently twisted
2011/002	. {Prestretching mechanism in wrapping machines}	11/46	. . . to fold the wrappers in channel form about contents and then to close the ends of the channel by folding and finally the mouth of the channel by folding or twisting
11/004	. {in blanks, e.g. sheets precut and creased for folding }	11/48	. Enclosing articles, or quantities of material, by folding a wrapper, e.g. a pocketed wrapper, and securing its opposed free margins to enclose contents
11/006	. {Helical strip wrapping combined with roping }	11/50	. Enclosing articles, or quantities of material, by disposing contents between two sheets, e.g. pocketed sheets, and securing their opposed free margins (apparatus or devices for forming pockets in or from sheets, blanks or webs B65B 47/00)
11/008	. {by webs revolving around articles moved along the axis of revolution }	11/52	. . one sheet being rendered plastic, e.g. by heating, and forced by fluid pressure, e.g. vacuum, into engagement with the other sheet and contents, e.g. skin- {, blister-, or bubble-} packaging
11/02	. Wrapping articles or quantities of material, without changing their position during the wrapping operation, e.g. in moulds with hinged folders (by doubling a wrapper and securing its opposed free margins to enclose contents B65B 11/48 ; by disposing contents between two sheets and securing their opposed free margins B65B 11/50)	11/54	. Wrapping by causing the wrapper to embrace one end and all sides of the contents, and closing the wrapper onto the opposite end by forming regular or irregular pleats
11/025	. . {by webs revolving around stationary articles }	11/56	. Rolling articles with wrappers along a supporting surface
11/04	. the articles being rotated	11/58	. Applying two or more wrappers, e.g. in succession
11/045	. . {by rotating platforms supporting the articles }	11/585	. . {to stacked articles, e.g. pallettised loads }
11/06	. Wrapping articles, or quantities of material, by conveying wrapper and contents in {common} defined paths	13/00	Bundling articles
11/08	. . in a single straight path	13/02	. Applying and securing binding material around articles or groups of articles, e.g. using strings, wires, strips, bands or tapes
11/10	. . . to fold the wrappers in tubular form about contents	13/022	. . {Applying preformed bands of continuous-ring form, e.g. elastic }
11/105 {the axis of the tube being parallel to the conveying direction }	13/025	. . {Hand-held tools }
11/12 and then to form closing folds of similar form at opposite ends of the tube	13/027	. . . {for applying straps having preformed connecting means, e.g. cable ties }
11/14 the ends of the tube being subsequently twisted	13/04	. . with means for guiding the binding material around the articles prior to severing from supply
11/16	. . . to fold the wrappers in channel form about contents and then to close the ends of the channel by folding and finally the mouth of the channel by folding or twisting	13/06	. . . Stationary ducts or channels
11/18	. . in two or more straight paths	13/08	. . . Single guide or carrier for the free end of material movable part-away around articles from one side only
11/20	. . . to fold the wrappers in tubular form about contents	13/10	. . . Carriers travelling completely around the articles while holding the free end of material
11/22 and then to form closing folds of similar form at opposite ends of the tube	13/12 attached to rotating rings
11/24 the ends of the tube being subsequently twisted	13/14	. . . Pairs of carriers or guides movable around opposite sides of the articles
11/26	. . . to fold the wrappers in channel form about contents and then to close the ends of the channel by folding and finally the mouth of the channel by folding or twisting	13/16	. . with means for severing the binding material from supply and then applying it around the articles
11/28	. . in a curved path, e.g. on rotary tables or turrets	13/18	. Details of, or auxiliary devices used in, bundling machines {or bundling tools }
11/30	. . . to fold the wrappers in tubular form about contents	13/181	. . {applying edge protecting members during bundling }
11/32 and then to form closing folds of similar form at opposite ends of the tube	13/182	. . {Affixing labels during bundling }
11/34 the ends of the tube being subsequently twisted	13/183	. . {Load orienting means }
11/36	. . . to fold the wrappers in channel form about contents and then to close the ends of the channel by folding and finally the mouth of the channel by folding or twisting	13/184	. . {Strap accumulators }
11/38	. . in a combination of straight and curved paths	13/185	. . {Details of tools (B65B 13/24 takes precedence) }
11/40	. . . to fold the wrappers in tubular form about contents	13/186	. . . {Supports or tables facilitating tensioning operations }
11/42 and then to form closing folds of similar form at opposite ends of the tube	13/187	. . . {Motor means }
		13/188 {pneumatic or hydraulic }
		13/189 {using explosives }

- | | | | |
|--------------|--|--------------|--|
| 13/20 | . . Means for compressing or compacting bundles prior to bundling | 19/221 | . . . {in one or more straight paths (B65B 19/24 takes precedence)} |
| 13/22 | . . Means for controlling tension of binding means | 19/223 | . . . {in a curved path; in a combination of straight and curved paths, e.g. on rotary tables or other endless conveyors (B65B 19/24 takes precedence)} |
| 13/24 | . . Securing ends of binding material | | |
| 13/26 | . . . by knotting | 19/225 | {the conveyors having continuous movement} |
| 13/265 | {Hand tools} | 19/226 | {using endless conveyors having pockets, each pocket being provided with separate members, e.g. folders (B65B 19/225 takes precedence)} |
| 13/28 | . . . by twisting | 19/228 | . . . {Preparing and feeding blanks} |
| 13/285 | {Hand tools} | 19/24 | . . . using hollow mandrels through which groups of cigarettes are fed |
| 13/30 | . . . by deforming the overlapping ends of the strip or band | 19/245 | {carried by continuously driven endless conveyors} |
| 13/305 | {Hand tools} | 19/26 | . Machines specially adapted for packaging cigars |
| 13/32 | . . . by welding, soldering, or heat-sealing; by applying adhesive | 19/28 | . Control devices for cigarette or cigar packaging machines |
| 13/322 | {Friction welding} | 19/30 | . . responsive to presence of faulty articles, e.g. incorrectly filled cigarettes |
| 13/325 | {Ultrasonic welding} | 19/32 | . . responsive to incorrect grouping of articles or to incorrect filling of packages |
| 13/327 | {Hand tools} | 19/34 | . Packaging other rod-shaped articles, e.g. sausages, macaroni, spaghetti, drinking straws, welding electrodes |
| 13/34 | . . . by applying separate securing members, e.g. deformable clips | | |
| 13/345 | {Hand tools} | 21/00 | Packaging or unpacking of bottles (bundling bottles B65B 27/04) |
| 15/00 | Attaching articles to cards, sheets, strings, webs, or other carriers | 21/02 | . in or from preformed containers, e.g. crates |
| 15/02 | . Attaching small articles, e.g. buttons, to cards | 21/025 | . . {the bottles being arranged in a head-to-bottom formation} |
| 15/04 | . Attaching a series of articles, e.g. small electrical components, to a continuous web {(ammunition filling F42B)} | 21/04 | . . Arranging, assembling, feeding, or orientating the bottles prior to introduction into, or after removal from, containers {(B65B 21/025 takes precedence)} |
| 17/00 | Other machines, apparatus, or methods for packaging articles or materials | 21/06 | . . . Forming groups of bottles |
| 17/02 | . Joining articles, e.g. cans, directly to each other for convenience of storage, transport, or handling | 21/08 | . . Introducing or removing single bottles, or groups of bottles, e.g. for progressive filling or emptying of containers |
| 17/025 | . . {the articles being joined by a top carrier element} | 21/10 | . . . using gravity flow |
| | | 21/12 | . . . using grippers engaging bottles, e.g. bottle necks |
| | | 21/14 | . . Introducing or removing groups of bottles, for filling or emptying containers in one operation |
| | | 21/16 | . . . using gravity flow |
| | | 21/18 | . . . using grippers engaging bottles, e.g. bottle necks |
| | | 21/183 | {the grippers moving in an endless path} |
| | | 21/186 | {Inflatable grippers} |
| | | 21/20 | with means for varying spacing of bottles |
| | | 21/22 | . . . by inverting and raising or lowering the container relative to bottles |
| | | 21/24 | . Enclosing bottles in wrappers |
| | | 21/242 | . . {in collapsed carton sleeves} |
| | | 21/245 | . . {in flexible wrappers, e.g. foils (B65B 21/26 takes precedence)} |
| | | 21/247 | . . {Wrapping individual bottles in straw-made wrappers} |
| | | 21/26 | . . Applying wrappers to individual bottles by operations involving rotation or rolling of the bottles |

Machines, apparatus or methods adapted for packaging articles or materials presenting special problems, or for special packaging operations; Unpacking bottles or eggs

- | | |
|--------------|--|
| 19/00 | Packaging rod-shaped or tubular articles susceptible to damage by abrasion or pressure, e.g. cigarettes, cigars, macaroni, spaghetti, drinking straws or welding electrodes |
| 19/02 | . Packaging cigarettes |
| 19/025 | . . {in webs of flexible sheet material} |
| 19/04 | . . Arranging, feeding, or orientating the cigarettes |
| 19/06 | . . . Turning individual cigarettes to present printed marks in desired position |
| 19/08 | . . . Positioning oval cigarettes in overlapped arrangement |
| 19/10 | . . . Arranging cigarettes in layers each comprising a predetermined number |
| 19/105 | {using rotary drums for withdrawal of successive layers from a hopper} |
| 19/12 | . . Inserting the cigarettes, or wrapped groups thereof, into preformed containers |
| 19/14 | . . . into pocket boxes, e.g. boxes of rectangular form closed at one end by a flap adapted to be inserted into a slot in the body |
| 19/16 | into boxes with two pockets |
| 19/18 | . . . into drawer-and-shell type boxes or cartons |
| 19/20 | . . . into boxes with hinged lids |
| 19/22 | . . Wrapping the cigarettes; Packaging the cigarettes in containers formed by folding wrapping material around formers |

23/00	Packaging fragile or shock-sensitive articles other than bottles; Unpacking eggs (embedding articles in shock-absorbing media B65B 55/20)	25/16	• Packaging bread or like bakery products, e.g. unsliced loaves
23/02	• Packaging or unpacking eggs	25/18	• • Wrapping sliced bread
23/04	• • Erecting egg trays or cartons from collapsed blanks	25/20	• Packaging garments, e.g. socks, stockings, shirts
23/06	• • Arranging, feeding, or orientating the eggs to be packed; Removing eggs from trays or cartons	25/22	• Packaging articles of food, e.g. fish fillets, intended to be cooked in the package
23/08	• • • using grippers	25/24	• Packaging annular articles, e.g. tyres
23/10	• Packaging biscuits	27/00	Bundling particular articles presenting special problems using string, wire, or narrow tape or band; Baling fibrous material, e.g. peat, not otherwise provided for
23/12	• • Arranging, feeding or orientating the biscuits to be packaged	27/02	• Bundling bricks or other building blocks
23/14	• • • Forming groups of biscuits	27/04	• Bundling groups of cans or bottles
23/16	• • Inserting the biscuits, or wrapped groups thereof, into {already} preformed containers	27/06	• Bundling coils of wire or like annular objects
23/18	• • Wrapping individual biscuits, or groups of biscuits	27/08	• Bundling paper sheets, envelopes, bags, newspapers, or other thin flat articles
23/20	• Packaging plate glass, tiles, or shingles	27/083	• • {Storage receptacles therefor}
23/22	• Packaging glass ampoules, lamp bulbs, radio valves or tubes, or the like	27/086	• • {using more than one tie, e.g. cross-ties}
25/00	Packaging other articles presenting special problems (bundling B65B 27/00)	27/10	• Bundling rods, sticks, or like elongated objects
25/001	• {of foodstuffs, combined with their conservation (B65B 25/041 , B65B 25/062 , B65B 25/067 take precedence)}	27/105	• • {by means of adhesive tape}
25/002	• {packaging of information carriers, e.g. records, CD, DVD}	27/12	• Baling or bundling compressible fibrous material, e.g. peat
25/003	• {packaging of razor blades}	27/125	• • {and wrapping or bagging}
25/005	• {packaging of confectionery}	29/00	Packaging of materials presenting special problems
25/006	• • {packaging of lollipops}	29/02	• Packaging of substances, e.g. tea, which are intended to be infused in the package
25/007	• {packaging of ice-cream}	29/022	• • {packaging infusion material into capsules}
25/008	• {packaging of contact lenses}	29/025	• • {packaging infusion material into pods}
25/02	• Packaging agricultural or horticultural products	29/028	• • {packaging infusion material into filter bags}
25/023	• • {Packaging flower bouquets}	29/04	• • Attaching, or forming and attaching, string handles or tags to tea bags
25/026	• • {Packaging flower pots}	29/06	• Packaging of substances to which a further ingredient, e.g. water, is to be added in the package by the user for mixing prior to dispensing
25/04	• • Packaging fruit or vegetables	29/08	• Packaging of edible materials intended to be cooked in the package (infusible substances B65B 29/02)
25/041	• • • {combined with their conservation}	29/10	• Packaging two or more different substances isolated from one another in the package but capable of being mixed without opening the package, e.g. forming packages containing a resin and hardener isolated by a frangible partition
25/043	• • • {of olives}	31/00	Packaging articles or materials under special atmospheric or gaseous conditions; Adding propellants to aerosol containers
25/045	• • • {by flotation means}	31/003	• {Adding propellants in fluid form to aerosol containers (in solid form B65B 31/10)}
25/046	• • • {in crates or boxes (B65B 25/045 takes precedence)}	31/006	• {Adding fluids for preventing deformation of filled and closed containers or wrappers}
25/048	• • • {in nets}	31/02	• Filling, closing, or filling and closing, containers {or wrappers} in chambers maintained under vacuum or superatmospheric pressure or containing a special atmosphere, e.g. of inert gas
25/06	• Packaging slices or specially-shaped pieces of meat, cheese, or other plastic or tacky products	31/021	• • {the containers or wrappers being interconnected}
25/061	• • {of fish}	31/022	• • {the chambers moving in an endless path}
25/062	• • • {combined with its conservation}	31/024	• • {specially adapted for wrappers or bags (B65B 31/021 , B65B 31/022 take precedence)}
25/064	• • {of poultry (processing of poultry A22C 21/00)}	31/025	• • {specially adapted for rigid or semi-rigid containers (B65B 31/021 , B65B 31/022 take precedence)}
25/065	• • {of meat}	31/027	• • • {closed by a stopper}
25/067	• • • {combined with its conservation}		
25/068	• • {of cheese}		
25/08	• • between layers or strips of sheet or web material, e.g. in webs folded to zig-zag form		
25/10	• • Forming sector-shaped packages of cheese or like plastic products		
25/12	• • • and enclosing in circular containers		
25/14	• Packaging paper or like sheets, envelopes, or newspapers, in flat, folded, or rolled form		
25/141	• • {packaging flat articles in boxes}		
25/143	• • • {by introducing successive articles}		
25/145	• • {packaging folded articles}		
25/146	• • {packaging rolled-up articles}		
25/148	• • • {Jumbo paper rolls}		

31/028	. . . {closed by a lid sealed to the upper rim of the container, e.g. tray-like container}	35/246	. . . {using extensible or retractable conveyors}
31/04	. Evacuating, pressurising or gasifying filled containers or wrappers by means of nozzles through which air or other gas, e.g. an inert gas, is withdrawn or supplied	35/26	. . by rotary conveyors
31/041	. . {the nozzles acting from above on containers or wrappers open at their top (B65B 31/044 take precedence)}	35/28	. . by pneumatic conveyors
31/042	. . . {the nozzles being arranged for insertion into, and withdrawal from, the container or wrapper}	35/30	. Arranging and feeding articles in groups
31/043	. . {the nozzles acting horizontally between an upper and a lower part of the container or wrapper, e.g. between container and lid}	35/32	. . by gravity
31/044	. . {the nozzles being combined with a filling device (B65B 31/043 takes precedence)}	35/34	. . by agitators or vibrators
31/045	. . . {of Vertical Form-Fill-Seal [VFFS] machines}	35/36	. . by grippers
31/046	. . {the nozzles co-operating, or being combined, with a device for opening or closing the container or wrapper (B65B 31/06 takes precedence)}	35/38	. . . by suction-operated grippers
31/047	. . . {the nozzles co-operating with a check valve in the opening of the container or wrapper}	35/40	. . by reciprocating or oscillatory pushers
31/048	. . . {specially adapted for wrappers or bags}	35/405	. . . {linked to endless conveyors}
31/06	. . the nozzle being arranged for insertion into, and withdrawal from, the mouth of a filled container and operating in conjunction with means for sealing the container mouth	35/42	. . by roller-ways
31/08	. . the nozzle being adapted to pierce the container or wrapper	35/44	. . by endless belts or chains {(B65B 35/405 takes precedence)}
31/10	. Adding propellants in solid form to aerosol containers	35/46	. . by rotary conveyors
33/00	Packaging articles by applying removable, e.g. strippable, coatings (B65B 11/52 takes precedence)	35/48	. . by pneumatic conveyors
33/02	. Packaging small articles, e.g. spare parts for machines or engines	35/50	. . Stacking one article, or group of articles, upon another before packaging
33/04	. Packaging large articles, e.g. complete machines, aircraft	35/52	. . . building-up the stack from the bottom
33/06	. . the coating being applied to a supporting layer or framework of sheets or strips of thin flexible material, e.g. cocoon packaging	35/54	. . Feeding articles along multiple paths to a single packaging position
Details of, auxiliary devices applied to, or auxiliary measures taken in, machines, apparatus, or methods, not otherwise provided for		35/56	. Orientating, i.e. changing the attitude of, articles, e.g. of non-uniform cross-section
35/00	Supplying, feeding, arranging or orientating articles to be packaged	35/58	. . Turning articles by positively-acting means, e.g. to present labelled portions in uppermost position
35/02	. Supply magazines	37/00	Supplying or feeding fluent-solid, plastic, or liquid material, or loose masses of small articles, to be packaged (methods of, or means for, filling individual containers with such materials or articles B65B 1/04, B65B 3/04)
35/04	. . with buffer storage devices	37/005	. {by endless belts or chains}
35/06	. Separating single articles from loose masses of articles	37/02	. by gravity flow
35/08	. . using pocketed conveyors	37/04	. by vibratory feeders
35/10	. Feeding, e.g. conveying, single articles	37/06	. by pistons or pumps
35/12	. . by gravity	37/08	. by rotary feeders
35/14	. . by agitators or vibrators	37/10	. . of screw type
35/16	. . by grippers	37/12	. . of centrifugal type
35/18	. . . by suction-operated grippers	37/14	. by pneumatic feeders
35/20	. . by reciprocating or oscillatory pushers	37/16	. Separating measured quantities from supply (in container-filling machines B65B 1/30, B65B 3/26)
35/205	. . . {linked to endless conveyors}	37/18	. . by weighing {(devices or methods for controlling the quantity of material or liquid fed or filled into a container by weighing B65B 1/32, B65B 3/28)}
35/22	. . by roller-ways	37/20	. . by volume measurement
35/24	. . by endless belts or chains {(B65B 35/205 takes precedence)}	39/00	Nozzles, funnels or guides for introducing articles or materials into containers or wrappers
35/243	. . . {using cooperating conveyors engaging the articles simultaneously}	39/001	. {with flow cut-off means, e.g. valves}
		39/002	. . {Pivoting plates}
		39/003	. . {Rotating means}
		39/004	. . {moving linearly}
		39/005	. . . {transverse to flow direction}
		39/006	. {Grids for introducing bottles into cases}
		39/007	. {Guides or funnels for introducing articles into containers or wrappers}
		2039/008	. {Strainer means}
		2039/009	. {Multiple outlets}
		39/02	. Expansible or contractible nozzles, funnels, or guides
		39/04	. having air-escape, or air-withdrawal, passages
		39/06	. adapted to support containers or wrappers
		39/08	. . by means of clamps
		39/10	. . . operating automatically

- | | |
|--|--|
| <p>39/12 . movable towards or away from container or wrapper during filling or depositing</p> <p>39/14 . movable with a moving container or wrapper during filling or depositing</p> <p>39/145 . . {in an endless path}</p> <p>41/00 Supplying or feeding container-forming sheets or wrapping material</p> <p>41/02 . Feeding sheets or wrapper blanks</p> <p>41/04 . . by grippers</p> <p>41/06 . . . by suction-operated grippers</p> <p>41/08 . . by reciprocating or oscillating pushers</p> <p>41/10 . . by rollers</p> <p>41/12 . Feeding webs from rolls</p> <p>41/14 . . by grippers</p> <p>41/16 . . by rollers</p> <p>41/18 . Registering sheets, blanks, or webs</p> <p>43/00 Forming, feeding, opening or setting-up containers or receptacles in association with packaging (forming pockets in sheets, blanks or webs, by pressing the material into forming dies or moving it through folding dies B65B 47/00)</p> <p>43/02 . Forming flat bags from individual sheets or blanks</p> <p>43/04 . Forming flat bags from webs</p> <p>43/06 . . from more than one web</p> <p>43/08 . Forming three-dimensional containers from sheet material</p> <p>43/10 . . by folding the material</p> <p>43/12 . Feeding flexible bags or carton blanks in flat or collapsed state; Feeding flat bags connected to form a series or chain</p> <p>43/123 . . {Feeding flat bags connected to form a series or chain}</p> <p>43/126 . . {Feeding carton blanks in flat or collapsed state}</p> <p>43/14 . . Feeding individual bags or carton blanks from piles or magazines</p> <p>43/145 . . . {Feeding carton blanks from piles or magazines}</p> <p>43/16 . . . by grippers</p> <p>43/165 {specially adapted for carton blanks}</p> <p>43/18 by suction-operated grippers</p> <p>43/185 {specially adapted for carton blanks}</p> <p>43/20 . . . by reciprocating or oscillating pushers</p> <p>43/205 {specially adapted for carton blanks}</p> <p>43/22 . . . by rollers</p> <p>43/225 {specially adapted for carton blanks}</p> <p>43/24 . Breaking creases to facilitate setting-up cartons</p> <p>43/26 . Opening or distending bags; Opening, erecting, or setting-up boxes, cartons, or carton blanks</p> <p>43/262 . . {opening of valve bags}</p> <p>43/265 . . {Opening, erecting or setting-up boxes, cartons or carton blanks}</p> <p>43/267 . . {Opening of bags interconnected in a web}</p> <p>43/28 . . by grippers co-operating with fixed supports</p> <p>43/285 . . . {specially adapted for boxes, cartons or carton blanks}</p> <p>43/30 . . by grippers engaging opposed walls, e.g. suction-operated</p> <p>43/305 . . . {specially adapted for boxes, cartons or carton blanks}</p> <p>43/32 . . by external pressure diagonally applied</p> <p>43/325 . . . {to boxes, cartons or carton blanks}</p> <p>43/34 . . by internal pressure</p> | <p>43/345 . . . {applied to boxes, cartons or carton blanks}</p> <p>43/36 . . . applied pneumatically</p> <p>43/365 {to boxes, cartons or carton blanks}</p> <p>43/38 . Opening hinged lids</p> <p>43/39 . . Opening-out closure flaps clear of bag, box, or carton mouth</p> <p>43/40 . Removing separate lids</p> <p>43/41 . Opening drawer-and-shell cartons</p> <p>43/42 . Feeding or positioning bags, boxes, or cartons in the distended, opened, or set-up state; Feeding preformed rigid containers, e.g. tins, capsules, glass tubes, glasses, to the packaging position; Locating containers or receptacles at the filling position (by means of filling-nozzles B65B 39/00); Supporting containers or receptacles during the filling operation (by filling-nozzles B65B 39/00)</p> <p>43/44 . . from supply magazines</p> <p>43/46 . . using grippers</p> <p>43/465 . . . {for bags}</p> <p>43/48 . . using reciprocating or oscillating pushers</p> <p>43/50 . . using rotary tables or turrets {(B65B 43/46 takes precedence)}</p> <p>43/52 . . using roller-ways or endless conveyors</p> <p>43/54 . . Means for supporting containers or receptacles during the filling operation</p> <p>43/56 . . . movable stepwise to position container or receptacle for the reception of successive increments of contents</p> <p>43/58 vertically movable</p> <p>43/59 . . . vertically movable (B65B 43/58 takes precedence)</p> <p>43/60 . . . rotatable</p> <p>43/62 about an axis located at the filling position, e.g. the axis of the container or receptacle</p> <p>45/00 Apparatus or devices for supporting or holding wrappers during wrapping operation</p> <p>47/00 Apparatus or devices for forming pockets or receptacles in or from sheets, blanks, or webs, comprising essentially a die into which the material is pressed or a folding die through which the material is moved</p> <p>47/02 . with means for heating the material prior to forming</p> <p>47/04 . by application of mechanical pressure</p> <p>47/06 . . using folding dies</p> <p>47/08 . by application of fluid pressure</p> <p>47/10 . . by vacuum</p> <p>49/00 Devices for folding or bending wrappers around contents</p> <p>49/02 . Fixed or resiliently-mounted folders, e.g. non-driven rollers</p> <p>49/04 . . Ploughs or plates with inclined slots or opposed inclined edges</p> <p>49/06 . Resilient folders, e.g. brushes, diaphragms</p> <p>49/08 . Reciprocating or oscillating folders</p> <p>49/10 . Folders movable in closed non-circular paths</p> <p>49/12 . Rotary folders</p> <p>49/14 . Folders forming part of, or attached to, conveyors for partially-wrapped articles</p> <p>49/16 . Pneumatic means, e.g. air jets</p> |
|--|--|

51/00	Devices for, or methods of, sealing or securing package folds or closures; Devices for gathering or twisting wrappers, or necks of bags	55/00	Preserving, protecting or purifying packages or package contents in association with packaging (by packaging under special atmospheric or gaseous conditions B65B 31/00; devices for placing protecting sheets, plugs, or wads over contents B65B 61/22)
51/02	. Applying adhesives or sealing liquids	55/02	. Sterilising, e.g. of complete packages
51/023	. . {using applicator nozzles}	55/022	. . {of flexible containers having a filling and dispensing spout, e.g. containers of the "bag-in-box"-type (B65B 55/025 , B65B 55/027 take precedence)}
51/026	. . {using rotating applicators}	55/025	. . {Packaging in aseptic tunnels}
51/04	. Applying separate sealing or securing members, e.g. clips, (applying separate lids or covers B65B 7/28)	55/027	. . {Packaging in aseptic chambers}
51/043	. . {Applying springy clips around bag necks}	55/04	. . Sterilising wrappers or receptacles prior to, or during, packaging {(sterilising bottles B67C 7/00)}
51/046	. . {Applying a closure element to the mouths of bags}	55/06	. . . by heat
51/05	. . Stapling	55/08	. . . by irradiation
51/06	. . Applying adhesive tape	55/10	. . . by liquids or gases
51/062	. . . {to the mouths of bags}	55/103 {Sterilising flat or tubular webs}
51/065	. . . {to the necks of bags}	55/106 {Sterilising connected bags}
51/067	. . . {to the closure flaps of boxes}	55/12	. . Sterilising contents prior to, or during, packaging
51/07	. . Sewing or stitching	55/14	. . . by heat
51/08	. . Applying binding material, e.g. to twisted bag necks	55/16	. . . by irradiation
51/10	. Applying or generating heat or pressure or combinations thereof {(welding of plastics per se B29C 65/02 ; closing plastic tube ends in general B29C 57/10)}	55/18	. . . by liquids or gases (B65B 55/14 takes precedence)
2051/105	. . {Heat seal temperature control}	55/19	. . . by adding materials intended to remove free oxygen or to develop inhibitor gases, e.g. vapour phase inhibitors
51/12	. . by resilient means, e.g. brushes	55/20	. Embedding contents in shock-absorbing media, e.g. plastic foam, granular material
51/14	. . by reciprocating or oscillating members (B65B 51/148 takes precedence)	55/22	. Immersing contents in protective liquids
51/142	. . . {Closing bottle necks or tubes}	55/24	. Cleaning of, or removing dust from, containers, wrappers, or packaging {; Preventing of fouling }
51/144	. . . {Closing paperboard containers}	57/00	Automatic control, checking, warning, or safety devices (registering wrapping or container-forming material fed from rolls B65B 41/18)
51/146	. . . {Closing bags}	57/005	. {Safety-devices (B65B 57/18 takes precedence)}
51/148	. . . {Hand-operated members}	57/02	. responsive to absence, presence, abnormal feed, or misplacement of binding or wrapping material, containers, or packages
51/16	. . by rotary members	57/04	. . and operating to control, or to stop, the feed of such material, containers, or packages
51/18	. . by endless bands or chains	57/06	. . and operating to control, or to stop, the feed of articles or material to be packaged
51/20	. . by fluid pressure acting directly on folds or on opposed surfaces, e.g. using hot-air jets (shrinking wrappers by heating B65B 53/02)	57/08	. . and operating to stop, or to control the speed of, the machine as a whole
51/22	. . by friction or ultrasonic or high-frequency electrical means {, i.e. by friction or ultrasonic or induction welding}	57/10	. responsive to absence, presence, abnormal feed, or misplacement of articles or materials to be packaged
51/222	. . . {by friction welding}	57/12	. . and operating to control, or stop, the feed of wrapping materials, containers, or packages
51/225	. . . {by ultrasonic welding}	57/14	. . and operating to control, or stop, the feed of articles or material to be packaged
51/227	. . . {by induction welding}	57/145	. . . {for fluent material}
51/24	. . to produce bead seals (combined with severing by heated wires or rods B65B 61/10)	57/16	. . and operating to stop, or to control the speed of, the machine as a whole
51/26	. . Devices specially adapted for producing transverse or longitudinal seams in webs or tubes	57/18	. causing operation of audible or visible alarm signals
51/28	. . . Rollers for producing longitudinal and transverse seams simultaneously	57/20	. Applications of counting devices for controlling the feed of articles (other applications B65B 65/08)
51/30	. . . Devices, e.g. jaws, for applying pressure and heat, e.g. for subdividing filled tubes		
51/303 {reciprocating along only one axis}		
51/306 {Counter-rotating devices}		
51/32	. Cooling, or cooling and pressing, package closures after heat-sealing		
53/00	Shrinking wrappers, containers, or container covers during or after packaging		
53/02	. by heat		
53/04	. . supplied by liquids		
53/06	. . supplied by gases, e.g. hot-air jets		
53/063	. . . {Tunnels}		
53/066	. . . {Mobile frames, hoods, posts or the like}		

59/00	Arrangements to enable machines to handle articles of different sizes, to produce packages of different sizes, to vary the contents of packages {, to handle different types of packaging material,} or to give access for cleaning or maintenance purposes	63/02	. for compressing or compacting articles or materials prior to wrapping or insertion in containers or receptacles
59/001	. {Arrangements to enable adjustments related to the product to be packaged}	63/022	. . {using compressing chambers or plates moving in an endless path}
59/003	. {Arrangements to enable adjustments related to the packaging material}	63/024	. . {for compressing by winding}
59/005	. {Adjustable conveying means}	63/026	. . {for compressing by feeding articles through a narrowing space}
59/02	. Arrangements to enable adjustments to be made while the machine is running	63/028	. . {by pneumatic means}
59/04	. Machines constructed with readily-detachable units or assemblies, e.g. to facilitate maintenance	63/04	. for folding or winding articles, e.g. gloves or stockings
		63/045	. . {for folding garments, e.g. stockings, shirts}
		63/06	. . Forming elongated hanks, e.g. of shoe laces
		63/08	. for heating or cooling articles or materials to facilitate packaging
61/00	Auxiliary devices, not otherwise provided for, for operating on sheets, blanks, webs, binding material, containers or packages	65/00	Details peculiar to packaging machines and not otherwise provided for; Arrangements of such details
61/002	. {for drying glued or sealed packages}	65/003	. {Packaging lines, e.g. general layout}
61/005	. {for removing material by cutting}	65/006	. . {Multiple parallel packaging lines}
61/007	. {Perforating strips of completed packages}	65/02	. Driving gear
61/02	. for perforating, scoring {, slitting,} or applying code or date marks on material prior to packaging { (scoring ampoules B65B 3/006) }	65/04	. Mechanisms for converting a continuous rotary motion to intermittent rotary motion, e.g. Geneva drives
61/025	. . {for applying, e.g. printing, code or date marks on material prior to packaging}	65/06	. coated or treated with anti-friction or anti-sticking materials, e.g. polytetrafluoroethylene
61/04	. for severing webs, or for separating joined packages	65/08	. Devices for counting or registering the number of articles handled, or the number of packages produced by the machine
61/06	. . by cutting		
61/065	. . . {by punching out}	67/00	Apparatus or devices facilitating manual packaging operations; Sack holders
61/08	. . . using rotary cutters	67/02	. Packaging of articles or materials in containers
61/10	. . . using heated wires or cutters	67/04	. . Devices facilitating the insertion of articles or materials into bags {, e.g. guides or chutes (sack holders B65B 67/12)}
61/12	. . by tearing along perforations or lines of weakness	67/06	. . Manually-operable devices for closing bag necks, by applying and securing lengths of string, wire or tape
61/14	. for incorporating, or forming and incorporating, handles or suspension means in packages (attaching, or forming and attaching, string handles or tags to tea-bags B65B 29/04)	67/08	. Wrapping of articles
61/16	. . Forming suspension apertures in packages	67/085	. . {using hand-held dispensers for stretch films}
61/18	. for making package-opening or unpacking elements	67/10	. . Wrapping-tables
61/182	. . {by applying tear-strips or tear-tapes}	67/12	. Sack holders, i.e. stands or frames with means for supporting sacks in the open condition to facilitate filling with articles or materials {(nozzles, funnels or guides adapted to support sacks B65B 39/06)}
61/184	. . {by applying tabs over discharge openings, e.g. over discharge openings defined by tear or score lines}	67/1205	. . {collapsible or foldable (B65B 67/1216 , B65B 67/1244 , B65B 67/1255 take precedence)}
61/186	. . {by applying or incorporating rigid fittings, e.g. discharge spouts}	67/1211	. . {characterised by mechanisms for moving, e.g. pivoting, lids or frame parts, e.g. pedal-operated (B65B 67/1216 takes precedence; pedal-operated mechanisms for opening or closing container lids B65D 43/26)}
61/188	. . {by applying or incorporating profile-strips, e.g. for reclosable bags}	67/1216	. . {co-operating with the door of a cabinet or the like}
61/20	. for adding cards, coupons or other inserts to package contents (adding unpacking elements B65B 61/18)	67/1222	. . {characterised by means for suspending sacks, e.g. pedal-operated}
61/202	. . {for attaching articles to the outside of a container (B65B 61/205 takes precedence)}	67/1227	. . . {only by a part of the periphery, e.g. by single points or handles, or by one side or two opposite sides only (B65B 67/1244 takes precedence)}
61/205	. . {for adding drinking straws to a container}	67/1233	. . . {Clamping or holding means}
61/207	. . {for inserting partitions between package contents}	67/1238	. . {Inserts or external supports, e.g. baskets, for stiffening sacks in the open condition}
61/22	. . for placing protecting sheets, plugs, or wads over contents, e.g. cotton-wool in bottles of pills		
61/24	. for shaping or reshaping completed packages		
61/26	. for marking or coding completed packages		
61/28	. for discharging completed packages from machines		
63/00	Auxiliary devices, not otherwise provided for, for operating on articles or materials to be packaged		
63/005	. {for marking or coding articles prior to packaging}		

- 67/1244 . . {characterised by mechanisms for temporarily closing the mouth of the sack, e.g. pedal-operated ([B65B 67/1211](#), [B65B 67/1255](#) take precedence; final closing or sealing of sacks [B65B 7/02](#), [B65B 51/00](#))}
- 67/125 . . . {comprising resilient closing elements, e.g. inserts, cooperating with the mouth of the sack}
- 67/1255 . . {characterised by positively acting means for stretching the mouth of the sack into the open condition, e.g. using springs}
- 2067/1261 . . {Holders with lids}
- 67/1266 . . {specially adapted for storing or dispensing sacks from a supply}
- 2067/1272 . . . {the sacks being rolled-up}
- 67/1277 . . . {for dispensing flexible tubular material gathered up in the shape of a ring}
- 2067/1283 . . {Means for gathering, closing or sealing the sacks}
- 2067/1288 . . {Inflatable parts}
- 2067/1294 . . {Holders for multiple sacks}

69/00 Unpacking of articles or materials, not otherwise provided for

- 69/0008 . {Opening and emptying bags}
- 69/0016 . . {for urine bags or medical drainage bags}
- 69/0025 . {Removing or cutting binding material, e.g. straps or bands}
- 69/0033 . {by cutting ([B65B 69/0008-B65B 69/0025](#) take precedence)}
- 69/0041 . . {by puncturing}
- 69/005 . {by expelling contents, e.g. by squeezing the container}
- 69/0058 . . {Solid contents}
- 69/0066 . {Heating materials to facilitate their unpacking}
- 69/0075 . {Emptying systems for flexible intermediate bulk containers [FIBC]}
- 69/0083 . . {using frames whereby the container is only suspended}
- 69/0091 . . {using frames whereby the container is bottom supported}

2210/00 Specific aspects of the packaging machine

- 2210/02 . Plurality of alternative input or output lines or plurality of alternative packaging units on the same packaging line for improving machine flexibility
- 2210/04 . Customised on demand packaging by determining a specific characteristic, e.g. shape or height, of articles or material to be packaged and selecting, creating or adapting a packaging accordingly, e.g. making a carton starting from web material
- 2210/06 . Sterilising or cleaning machinery or conduits ([cleaning machinery in general B08B](#))
- 2210/08 . . Cleaning nozzles, funnels or guides through which articles are introduced into containers or wrappers
- 2210/10 . Means for removing bridges formed by the material or article, e.g. anti-clogging devices
- 2210/12 . Means for automatically detecting and removing jammed straps in strapping machines, e.g. jam clearing devices
- 2210/14 . Details of wrapping machines with web dispensers for application of a continuous web in layers onto the articles

- 2210/16 . . the web dispenser travelling around the article along a non-rotating ring
- 2210/18 . . the web dispenser being mounted on a rotary ring
- 2210/20 . . the web dispenser being mounted on a rotary arm

Details of, auxiliary devices applied to, or auxiliary measures taken in, machines, apparatus, or methods, not otherwise provided for

2220/00 Specific aspects of the packaging operation

- 2220/02 . Erecting a carton by pushing a blank into a form
- 2220/04 . Means for, or method of collapsing containers with walls hinged together or detachably connected ([such containers per se B65D 11/18](#))
- 2220/06 . Cutting webs along their longitudinal direction
- 2220/08 . Creating fin seals as the longitudinal seal on horizontal or vertical form fill seal [FFS] machines
- 2220/10 . Creating an off-center longitudinal seal on horizontal or vertical form fill seal [FFS] machines
- 2220/12 . Creating additional longitudinal welds on horizontal or vertical form fill seal [FFS] machines for stiffening packages or for creating package edges
- 2220/14 . Adding more than one type of material or article to the same package
- 2220/16 . Packaging contents into primary and secondary packaging
- 2220/18 . . the primary packaging being bags the subsequent secondary packaging being rigid containers, e.g. cardboard box
- 2220/20 . . the primary packaging being bags, the secondary packaging being further bags, the primary bags being either finished or formed concurrently with the secondary bags
- 2220/22 . Interconnected packages concurrently produced from the same web, the packages not being separated from one another
- 2220/24 . Cooling filled packages ([cooling articles or materials to be packaged B65B 63/08](#); [cooling package closures after heat sealing B65B 51/32](#))

2230/00 Aspects of the final package

- 2230/02 . Containers having separate compartments isolated from one another ([B65B 29/10](#) and [B65B 2220/16](#) take precedence)
- 2230/04 . Cigarette packages having a hinged lid