

CPC COOPERATIVE PATENT CLASSIFICATION

C CHEMISTRY; METALLURGY

(NOTES omitted)

CHEMISTRY


C07 ORGANIC CHEMISTRY

(NOTES omitted)


C07D HETEROCYCLIC COMPOUNDS (macromolecular compounds C08)

NOTES

1. This subclass does not cover compounds containing saccharide radicals as defined in Note (3) following the title of subclass [C07H](#), which are covered by subclass [C07H](#).
2. In this subclass, in compounds containing a hetero ring covered by group [C07D 295/00](#) and at least one other hetero ring, the hetero ring covered by group [C07D 295/00](#) is considered as an acyclic chain containing nitrogen atoms.
3. In this subclass, the following terms or expressions are used with the meaning indicated:
 - "hetero ring" is a ring having at least one halogen, nitrogen, oxygen, sulfur, selenium or tellurium atom as a ring member;
 - "bridged" means the presence of at least one fusion other than ortho, peri or spiro;
 - two rings are "condensed" if they share at least one ring member, i.e. "spiro" and "bridged" are considered as condensed;
 - "condensed ring system" is a ring system in which all rings are condensed among themselves;
 - "number of relevant rings" in a condensed ring system equals the number of scissions necessary to convert the ring system into one acyclic chain;
 - "relevant rings" in a condensed ring system, i.e. the rings which taken together describe all the links between every atom of the ring system, are chosen according to the following criteria consecutively:
 - a. lowest number of ring members;
 - b. highest number of hetero atoms as ring members;
 - c. lowest number of members shared with other rings;
 - d. last place in the classification scheme.
4. Attention is drawn to Note (3) after class [C07](#), which defines the last place priority rule applied in the range of subclasses [C07C](#) - [C07K](#) and within these subclasses.
5. Therapeutic activity of compounds is further classified in subclass [A61P](#).
6. In this subclass, the last place priority rule is applied, i.e. at each hierarchical level, in the absence of an indication to the contrary:
 - a. compounds having only one hetero ring are classified in the last appropriate place in one of the groups [C07D 203/00](#) - [C07D 347/00](#). The same applies for compounds having more hetero rings covered by the same main group, neither condensed among themselves nor condensed with a common carbocyclic ring system;
 - b. compounds having two or more hetero rings covered by different main groups neither condensed among themselves nor condensed with a common carbocyclic ring system are classified in the last appropriate place in one of the groups [C07D 401/00](#) - [C07D 421/00](#);
 - c. compounds having two or more relevant hetero rings, covered by the same or by different main groups, which are condensed among themselves or condensed with a common carbocyclic ring system, are classified in the last appropriate place in one of the groups [C07D 451/00](#) - [C07D 519/00](#).
7. In this subclass:
 - where a compound may exist in tautomeric forms, it is classified as though existing in the form which is classified last in the system. Therefore, double bonds between ring members and non-ring members and double bonds between ring members themselves are considered equivalent in determining the degree of hydrogenation of the ring. Formulae are considered to be written in Kekule form;
 - hydrocarbon radicals containing a carbocyclic ring and an acyclic chain by which it is linked to the hetero ring and being substituted on both the carbocyclic ring and the acyclic chain by hetero atoms or by carbon atoms having three bonds to hetero atoms with at the most one bond to halogen, are classified according to the substituents on the acyclic chain. For example, the compound



is classified in group [C07D 233/22](#),
and the compound



C07D

(continued)

is classified in groups [C07D 233/24](#) and [C07D 233/26](#), where X —NH₂, —NHCOCH₃, or —COOCH₃.**Heterocyclic compounds having only nitrogen as ring hetero atom****201/00 Preparation, separation, purification or stabilisation of unsubstituted lactams**

- 201/02 . Preparation of lactams
- 201/04 . . from or via oximes by Beckmann rearrangement
- 201/06 . . . from ketones by simultaneous oxime formation and rearrangement
- 201/08 . . from carboxylic acids or derivatives thereof, e.g. hydroxy carboxylic acids, lactones or nitriles
- 201/10 . . from cycloaliphatic compounds by simultaneous nitrosylation and rearrangement
- 201/12 . . by depolymerising polyamides
- 201/14 . Preparation of salts or adducts of lactams
- 201/16 . Separation or purification
- 201/18 . Stabilisation

203/00 Heterocyclic compounds containing three-membered rings with one nitrogen atom as the only ring hetero atom

- 203/02 . Preparation by ring-closure
- 203/04 . not condensed with other rings
- 203/06 . . having no double bonds between ring members or between ring members and non-ring members
- 203/08 . . . with only hydrogen atoms, hydrocarbon or substituted hydrocarbon radicals, directly attached to the ring nitrogen atom
- 203/10 Radicals substituted by singly bound oxygen atoms
- 203/12 Radicals substituted by nitrogen atoms not forming part of a nitro radical
- 203/14 with carbocyclic rings directly attached to the ring nitrogen atom
- 203/16 . . . with acylated ring nitrogen atoms
- 203/18 by carboxylic acids, or by sulfur or nitrogen analogues thereof
- 203/20 by carbonic acid, or by sulfur or nitrogen analogues thereof, e.g. carbamates
- 203/22 . . . with hetero atoms directly attached to the ring nitrogen atom
- 203/24 Sulfur atoms
- 203/26 . condensed with carbocyclic rings or ring systems

205/00 Heterocyclic compounds containing four-membered rings with one nitrogen atom as the only ring hetero atom

- 205/02 . not condensed with other rings
- 205/04 . . having no double bonds between ring members or between ring members and non-ring members
- 205/06 . . having one double bond between ring members or between a ring member and a non-ring member
- 205/08 . . . with one oxygen atom directly attached in position 2, e.g. beta-lactams
- 205/085 with a nitrogen atom directly attached in position 3
- 205/09 with a sulfur atom directly attached in position 4
- 205/095 and with a nitrogen atom directly attached in position 3
- 205/10 . . having two double bonds between ring members or between ring members and non-ring members

205/12

207/00

- . condensed with carbocyclic rings or ring systems

Heterocyclic compounds containing five-membered rings not condensed with other rings, with one nitrogen atom as the only ring hetero atom**NOTE**

Pyrrolidines having only hydrogen atoms attached to the ring carbon atoms are classified in [C07D 295/00](#)

207/02

207/04

207/06

207/08

207/09

207/10

207/12

207/14

207/16

207/18

207/20

207/22

207/24

207/26

207/263

207/267

207/27

207/273

- . with only hydrogen or carbon atoms directly attached to the ring nitrogen atom
- . . having no double bonds between ring members or between ring members and non-ring members
- . . . with radicals, containing only hydrogen and carbon atoms, attached to ring carbon atoms
- . . . with hydrocarbon radicals, substituted by hetero atoms, attached to ring carbon atoms
- Radicals substituted by nitrogen atoms, not forming part of a nitro radical
- . . . with hetero atoms or with carbon atoms having three bonds to hetero atoms with at the most one bond to halogen, e.g. ester or nitrile radicals, directly attached to ring carbon atoms
- Oxygen or sulfur atoms
- Nitrogen atoms not forming part of a nitro radical
- Carbon atoms having three bonds to hetero atoms with at the most one bond to halogen, e.g. ester or nitrile radicals
- . . having one double bond between ring members or between a ring member and a non-ring member
- . . . with only hydrogen atoms, hydrocarbon or substituted hydrocarbon radicals, directly attached to ring carbon atoms
- . . . with hetero atoms or with carbon atoms having three bonds to hetero atoms with at the most one bond to halogen, e.g. ester or nitrile radicals, directly attached to ring carbon atoms
- Oxygen or sulfur atoms
- 2-Pyrrolidones
- with only hydrogen atoms or radicals containing only hydrogen and carbon atoms directly attached to other ring carbon atoms
- with only hydrogen atoms or radicals containing only hydrogen and carbon atoms directly attached to the ring nitrogen atom
- with substituted hydrocarbon radicals directly attached to the ring nitrogen atom
- with hetero atoms or with carbon atoms having three bonds to hetero atoms with at the most one bond to halogen, e.g. ester or nitrile radicals, directly attached to other ring carbon atoms

207/277 Carbon atoms having three bonds to hetero atoms with at the most one bond to halogen, e.g. ester or nitrile radicals	207/456 with hetero atoms or with carbon atoms having three bonds to hetero atoms with at the most one bond to halogen, e.g. ester or nitrile radicals, directly attached to other ring carbon atoms
207/28 2-Pyrrolidone-5- carboxylic acids; Functional derivatives thereof, e.g. esters, nitriles	207/46	. with hetero atoms directly attached to the ring nitrogen atom
207/30	. . having two double bonds between ring members or between ring members and non-ring members	207/48	. . Sulfur atoms
207/32	. . . with only hydrogen atoms, hydrocarbon or substituted hydrocarbon radicals, directly attached to ring carbon atoms	207/50	. . Nitrogen atoms
207/323 with only hydrogen atoms or radicals containing only hydrogen and carbon atoms directly attached to the ring nitrogen atoms	209/00	Heterocyclic compounds containing five-membered rings, condensed with other rings, with one nitrogen atom as the only ring hetero atom
207/325 with substituted hydrocarbon radicals directly attached to the ring nitrogen atom	209/02	. condensed with one carbocyclic ring
207/327 Radicals substituted by carbon atoms having three bonds to hetero atoms with at the most one bond to halogen, e.g. ester or nitrile radicals	209/04	. . Indoles; Hydrogenated indoles
207/33 with substituted hydrocarbon radicals, directly attached to ring carbon atoms	209/06	. . . Preparation of indole from coal-tar
207/333 Radicals substituted by oxygen or sulfur atoms	209/08	. . . with only hydrogen atoms or radicals containing only hydrogen and carbon atoms, directly attached to carbon atoms of the hetero ring
207/335 Radicals substituted by nitrogen atoms not forming part of a nitro radical	209/10	. . . with substituted hydrocarbon radicals attached to carbon atoms of the hetero ring
207/337 Radicals substituted by carbon atoms having three bonds to hetero atoms with at the most one bond to halogen, e.g. ester or nitrile radicals	209/12 Radicals substituted by oxygen atoms
207/34	. . . with hetero atoms or with carbon atoms having three bonds to hetero atoms with at the most one bond to halogen, e.g. ester or nitrile radicals, directly attached to ring carbon atoms	209/14 Radicals substituted by nitrogen atoms, not forming part of a nitro radical
207/36 Oxygen or sulfur atoms	209/16 Tryptamines
207/38 2-Pyrrolones	209/18 Radicals substituted by carbon atoms having three bonds to hetero atoms with at the most one bond to halogen, e.g. ester or nitrile radicals
207/40 2,5-Pyrrolidine-diones	209/20 substituted additionally by nitrogen atoms, e.g. tryptophane
207/404 with only hydrogen atoms or radicals containing only hydrogen and carbon atoms directly attached to other ring carbon atoms, e.g. succinimide	209/22 with an aralkyl radical attached to the ring nitrogen atom
207/408 Radicals containing only hydrogen and carbon atoms attached to ring carbon atoms	209/24 with an alkyl or cycloalkyl radical attached to the ring nitrogen atom
207/412 Acyclic radicals containing more than six carbon atoms	209/26 with an acyl radical attached to the ring nitrogen atom
207/416 with hetero atoms or with carbon atoms having three bonds to hetero atoms with at the most one bond to halogen, e.g. ester or nitrile radicals, directly attached to other ring carbon atoms	209/28 1-(4-Chlorobenzoyl)-2-methyl-indolyl-3-acetic acid, substituted in position 5 by an oxygen or nitrogen atom; Esters thereof
207/42 Nitro radicals	209/30	. . . with hetero atoms or with carbon atoms having three bonds to hetero atoms with at the most one bond to halogen, directly attached to carbon atoms of the hetero ring
207/44	. . having three double bonds between ring members or between ring members and non-ring members	209/32 Oxygen atoms
207/444	. . . having two doubly-bound oxygen atoms directly attached in positions 2 and 5	209/34 in position 2
207/448 with only hydrogen atoms or radicals containing only hydrogen and carbon atoms directly attached to other ring carbon atoms, e.g. maleimide	209/36 in position 3, e.g. adrenochrome
207/452 with hydrocarbon radicals, substituted by hetero atoms, directly attached to the ring nitrogen atom	209/38 in positions 2 and 3, e.g. isatin
		209/40 Nitrogen atoms, not forming part of a nitro radical, e.g. isatin semicarbazone
		209/42 Carbon atoms having three bonds to hetero atoms with at the most one bond to halogen, e.g. ester or nitrile radicals
		209/43	. . . with an —OCH ₂ CH(OH)CH ₂ NH ₂ radical, which may be further substituted, attached in positions 4, 5, 6 or 7
		209/44	. . Iso-indoles; Hydrogenated iso-indoles
		209/46	. . . with an oxygen atom in position 1
		209/48	. . . with oxygen atoms in positions 1 and 3, e.g. phthalimide
		209/49 and having in the molecule an acyl radical containing a saturated three-membered ring, e.g. chrysanthemumic acid esters

209/50	. . . with oxygen and nitrogen atoms in positions 1 and 3	211/14 with hydrocarbon or substituted hydrocarbon radicals attached to the ring nitrogen atom
209/52	. . condensed with a ring other than six-membered	211/16 with acylated ring nitrogen atom
209/54	. . Spiro-condensed	211/18 with substituted hydrocarbon radicals attached to ring carbon atoms
209/56	. Ring systems containing three or more rings	211/20 with hydrocarbon radicals, substituted by singly bound oxygen or sulphur atoms
209/58	. . [b]- or [c]-condensed	211/22 by oxygen atoms
209/60	. . . Naphtho [b] pyrroles; Hydrogenated naphtho [b] pyrroles	211/24 by sulfur atoms to which a second hetero atom is attached
209/62	. . . Naphtho [c] pyrroles; Hydrogenated naphtho [c] pyrroles	211/26 with hydrocarbon radicals, substituted by nitrogen atoms
209/64 with an oxygen atom in position 1	211/28 to which a second hetero atom is attached
209/66 with oxygen atoms in positions 1 and 3	211/30 with hydrocarbon radicals, substituted by doubly bound oxygen or sulfur atoms or by two oxygen or sulfur atoms singly bound to the same carbon atom
209/68 with oxygen and nitrogen atoms in positions 1 and 3	211/32 by oxygen atoms
209/70	. . . containing carbocyclic rings other than six-membered	211/34 with hydrocarbon radicals, substituted by carbon atoms having three bonds to hetero atoms with at the most one bond to halogen, e.g. ester or nitrile radicals
209/72	. . . 4,7-Endo-alkylene-iso-indoles	211/36	. . . with hetero atoms or with carbon atoms having three bonds to hetero atoms with at the most one bond to halogen, e.g. ester or nitrile radicals, directly attached to ring carbon atoms
209/74 with an oxygen atom in position 1	211/38 Halogen atoms or nitro radicals
209/76 with oxygen atoms in positions 1 and 3	211/40 Oxygen atoms
209/78 with oxygen and nitrogen atoms in positions 1 and 3	211/42 attached in position 3 or 5
209/80	. . [b, c]- or [b, d]-condensed	211/44 attached in position 4
209/82	. . . Carbazoles; Hydrogenated carbazoles	211/46 having a hydrogen atom as the second substituent in position 4
209/84 Separation, e.g. from tar; Purification	211/48 having an acyclic carbon atom attached in position 4
209/86 with only hydrogen atoms, hydrocarbon or substituted hydrocarbon radicals, directly attached to carbon atoms of the ring system	211/50 Aroyl radical
209/88 with hetero atoms or with carbon atoms having three bonds to hetero atoms with at the most one bond to halogen, e.g. ester or nitrile radicals, directly attached to carbon atoms of the ring system	211/52 having an aryl radical as the second substituent in position 4
209/90	. . . Benzo [c, d] indoles; Hydrogenated benzo [c, d] indoles	211/54 Sulfur atoms
209/92 Naphthostyryls	211/56 Nitrogen atoms (nitro radicals C07D 211/38)
209/94	. . . containing carbocyclic rings other than six-membered	211/58 attached in position 4
209/96	. . Spiro-condensed ring systems	211/60 Carbon atoms having three bonds to hetero atoms with at the most one bond to halogen, e.g. ester or nitrile radicals
211/00	Heterocyclic compounds containing hydrogenated pyridine rings, not condensed with other rings	211/62 attached in position 4
	NOTES	211/64 having an aryl radical as the second substituent in position 4
	1. In this group, the following term is used with the meaning indicated:	211/66 having a hetero atom as the second substituent in position 4
	• "hydrogenated" means having less than three double bonds between ring members or between ring members and non-ring members.	211/68	. . having one double bond between ring members or between a ring member and a non-ring member
	2. Piperidines having only hydrogen atoms attached to the ring carbon atoms are classified in C07D 295/00	211/70	. . . with only hydrogen atoms, hydrocarbon or substituted hydrocarbon radicals, directly attached to ring carbon atoms
211/02	. Preparation by ring-closure or hydrogenation	211/72	. . . with hetero atoms or with carbon atoms having three bonds to hetero atoms, with at the most one bond to halogen, directly attached to ring carbon atoms
211/04	. with only hydrogen or carbon atoms directly attached to the ring nitrogen atom	211/74 Oxygen atoms
211/06	. . having no double bonds between ring members or between ring members and non-ring members	211/76 attached in position 2 or 6
211/08	. . . with hydrocarbon or substituted hydrocarbon radicals directly attached to ring carbon atoms	211/78 Carbon atoms having three bonds to hetero atoms with at the most one bond to halogen
211/10 with radicals containing only carbon and hydrogen atoms attached to ring carbon atoms		
211/12 with only hydrogen atoms attached to the ring nitrogen atom		

- 211/80 . . having two double bonds between ring members or between ring members and non-ring members
- 211/82 . . . with only hydrogen atoms, hydrocarbon or substituted hydrocarbon radicals, directly attached to ring carbon atoms
- 211/84 . . . with hetero atoms or with carbon atoms having three bonds to hetero atoms, with at the most one bond to halogen directly attached to ring carbon atoms
- 211/86 Oxygen atoms
- 211/88 attached in positions 2 and 6, e.g. glutarimide
- 211/90 Carbon atoms having three bonds to hetero atoms with at the most one bond to halogen
- 211/92 . with a hetero atom directly attached to the ring nitrogen atom
- 211/94 . . Oxygen atom, e.g. piperidine N-oxide
- 211/96 . . Sulfur atom
- 211/98 . . Nitrogen atom
- 213/00 Heterocyclic compounds containing six-membered rings, not condensed with other rings, with one nitrogen atom as the only ring hetero atom and three or more double bonds between ring members or between ring members and non-ring members**
- 213/02 . having three double bonds between ring members or between ring members and non-ring members
- 213/04 . . having no bond between the ring nitrogen atom and a non-ring member or having only hydrogen or carbon atoms directly attached to the ring nitrogen atom
- 213/06 . . . containing only hydrogen and carbon atoms in addition to the ring nitrogen atom
- 213/08 Preparation by ring-closure
- 213/09 involving the use of ammonia, amines, amine salts, or nitriles
- 213/10 from acetaldehyde or cyclic polymers thereof
- 213/12 from unsaturated compounds
- 213/127 Preparation from compounds containing pyridine rings
- 213/133 Preparation by dehydrogenation of hydrogenated pyridine compounds
- 213/14 Preparation from compounds containing heterocyclic oxygen
- 213/16 containing only one pyridine ring
- 213/18 Salts thereof
- 213/20 Quaternary compounds thereof
- 213/22 containing two or more pyridine rings directly linked together, e.g. bipyridyl
- 213/24 . . . with substituted hydrocarbon radicals attached to ring carbon atoms
- 213/26 Radicals substituted by halogen atoms or nitro radicals
- 213/28 Radicals substituted by singly-bound oxygen or sulphur atoms
- 213/30 Oxygen atoms
- 213/32 Sulfur atoms
- 213/34 to which a second hetero atom is attached
- 213/36 Radicals substituted by singly-bound nitrogen atoms ([nitro radicals C07D 213/26](#))
- 213/38 having only hydrogen or hydrocarbon radicals attached to the substituent nitrogen atom
- 213/40 Acylated substituent nitrogen atom
- 213/42 having hetero atoms attached to the substituent nitrogen atom ([nitro radicals C07D 213/26](#))
- 213/44 Radicals substituted by doubly-bound oxygen, sulfur, or nitrogen atoms, or by two such atoms singly-bound to the same carbon atom
- 213/46 Oxygen atoms
- 213/48 Aldehydo radicals
- 213/50 Ketonic radicals
- 213/51 Acetal radicals
- 213/52 Sulfur atoms
- 213/53 Nitrogen atoms
- 213/54 Radicals substituted by carbon atoms having three bonds to hetero atoms with at the most one bond to halogen, e.g. ester or nitrile radicals
- 213/55 Acids; Esters
- 213/56 Amides
- 213/57 Nitriles
- 213/58 Amidines
- 213/59 with at least one of the bonds being to sulfur
- 213/60 . . . with hetero atoms or with carbon atoms having three bonds to hetero atoms with at the most one bond to halogen, e.g. ester or nitrile radicals, directly attached to ring carbon atoms
- 213/61 Halogen atoms or nitro radicals
- 213/62 Oxygen or sulfur atoms
- 213/63 One oxygen atom
- 213/64 attached in position 2 or 6
- 213/643 2-Phenoxypyridines; Derivatives thereof
- 213/647 and having in the molecule an acyl radical containing a saturated three-membered ring, e.g. chrysanthemic acid esters
- 213/65 attached in position 3 or 5
- 213/66 having in position 3 an oxygen atom and in each of the positions 4 and 5 a carbon atom bound to an oxygen, sulphur, or nitrogen atom, e.g. pyridoxal
- 213/67 2-Methyl-3-hydroxy-4,5-bis(hydroxy-methyl)pyridine, i.e. pyridoxine
- 213/68 attached in position 4
- 213/69 Two or more oxygen atoms
- 213/70 Sulfur atoms
- 213/71 to which a second hetero atom is attached
- 213/72 Nitrogen atoms ([nitro radicals C07D 213/61](#))
- 213/73 Unsubstituted amino or imino radicals
- 213/74 Amino or imino radicals substituted by hydrocarbon or substituted hydrocarbon radicals
- 213/75 Amino or imino radicals, acylated by carboxylic or carbonic acids, or by sulfur or nitrogen analogues thereof, e.g. carbamates

- 213/76 to which a second hetero atom is attached
(nitro radicals [C07D 213/61](#))
- 213/77 Hydrazine radicals
- 213/78 Carbon atoms having three bonds to hetero atoms, with at the most one bond to halogen, e.g. ester or nitrile radicals
- 213/79 Acids; Esters
- 213/80 in position 3
- 213/803 Processes of preparation
- 213/807 by oxidation of pyridines or condensed pyridines
- 213/81 Amides; Imides
- 213/82 in position 3
- 213/83 Thioacids; Thioesters; Thioamides; Thioimides
- 213/84 Nitriles
- 213/85 in position 3
- 213/86 Hydrazides; Thio or imino analogues thereof
- 213/87 in position 3
- 213/88 Nicotinoylhydrazones
- 213/89 . . with hetero atoms directly attached to the ring nitrogen atom
- 213/90 . having more than three double bonds between ring members or between ring members and non-ring members
- 215/00 Heterocyclic compounds containing quinoline or hydrogenated quinoline ring systems**
- 215/02 . having no bond between the ring nitrogen atom and a non-ring member or having only hydrogen atoms or carbon atoms directly attached to the ring nitrogen atom
- 215/04 . . with only hydrogen atoms or radicals containing only hydrogen and carbon atoms, directly attached to the ring carbon atoms
- 215/06 . . . having only hydrogen atoms, hydrocarbon or substituted hydrocarbon radicals, attached to the ring nitrogen atom
- 215/08 . . . with acylated ring nitrogen atom
- 215/10 . . . Quaternary compounds
- 215/12 . . with substituted hydrocarbon radicals attached to ring carbon atoms
- 215/14 . . . Radicals substituted by oxygen atoms
- 215/16 . . with hetero atoms or with carbon atoms having three bonds to hetero atoms with at the most one bond to halogen, e.g. ester or nitrile radicals, directly attached to ring carbon atoms
- 215/18 . . . Halogen atoms or nitro radicals
- 215/20 . . . Oxygen atoms
- 215/22 attached in position 2 or 4
- 215/227 only one oxygen atom which is attached in position 2
- 215/233 only one oxygen atom which is attached in position 4
- 215/24 attached in position 8
- 215/26 Alcohols; Ethers thereof
- 215/28 with halogen atoms or nitro radicals in positions 5, 6 or 7
- 215/30 Metal salts; Chelates
- 215/32 Esters
- 215/34 Carbamates
- 215/36 . . . Sulfur atoms ([C07D 215/24 takes precedence](#))
- 215/38 . . . Nitrogen atoms ([nitro radicals C07D 215/18](#))
- 215/40 attached in position 8
- 215/42 attached in position 4
- 215/44 with aryl radicals attached to said nitrogen atoms
- 215/46 with hydrocarbon radicals, substituted by nitrogen atoms, attached to said nitrogen atoms
- 215/48 . . . Carbon atoms having three bonds to hetero atoms with at the most one bond to halogen
- 215/50 attached in position 4
- 215/52 with aryl radicals attached in position 2
- 215/54 attached in position 3
- 215/56 with oxygen atoms in position 4
- 215/58 . with hetero atoms directly attached to the ring nitrogen atom
- 215/60 . . N-oxides
- 217/00 Heterocyclic compounds containing isoquinoline or hydrogenated isoquinoline ring systems**
- 217/02 . with only hydrogen atoms or radicals containing only carbon and hydrogen atoms, directly attached to carbon atoms of the nitrogen-containing ring; Alkylene-bis-isoquinolines
- 217/04 . . with hydrocarbon or substituted hydrocarbon radicals attached to the ring nitrogen atom
- 217/06 . . with the ring nitrogen atom acylated by carboxylic or carbonic acids, or with sulfur or nitrogen analogues thereof, e.g. carbamates
- 217/08 . . with a hetero atom directly attached to the ring nitrogen atom
- 217/10 . . Quaternary compounds
- 217/12 . with radicals, substituted by hetero atoms, attached to carbon atoms of the nitrogen-containing ring
- 217/14 . . other than aralkyl radicals
- 217/16 . . . substituted by oxygen atoms
- 217/18 . . Aralkyl radicals
- 217/20 . . . with oxygen atoms directly attached to the aromatic ring of said aralkyl radical, e.g. papaverine
- 217/22 . with hetero atoms or with carbon atoms having three bonds to hetero atoms with at the most one bond to halogen, e.g. ester or nitrile radicals, directly attached to carbon atoms of the nitrogen-containing ring
- 217/24 . . Oxygen atoms
- 217/26 . . Carbon atoms having three bonds to hetero atoms with at the most one bond to halogen
- 219/00 Heterocyclic compounds containing acridine or hydrogenated acridine ring systems**
- 219/02 . with only hydrogen, hydrocarbon or substituted hydrocarbon radicals, directly attached to carbon atoms of the ring system
- 219/04 . with hetero atoms or with carbon atoms having three bonds to hetero atoms with at the most one bond to halogen, e.g. ester or nitrile radicals, directly attached to carbon atoms of the ring system
- 219/06 . . Oxygen atoms
- 219/08 . . Nitrogen atoms
- 219/10 . . . attached in position 9
- 219/12 Amino-alkylamino radicals attached in position 9
- 219/14 . with hydrocarbon radicals, substituted by nitrogen atoms, attached to the ring nitrogen atom

- 219/16 . with acyl radicals, substituted by nitrogen atoms, attached to the ring nitrogen atom
- 221/00 Heterocyclic compounds containing six-membered rings having one nitrogen atom as the only ring hetero atom, not provided for by groups [C07D 211/00](#) - [C07D 219/00](#)**
- 221/02 . condensed with carbocyclic rings or ring systems
- 221/04 . . Ortho- or peri-condensed ring systems
- 221/06 . . . Ring systems of three rings
- 221/08 Aza-anthracenes
- 221/10 Aza-phenanthrenes
- 221/12 Phenanthridines
- 221/14 Aza-phenalenes, e.g. 1,8-naphthalimide
- 221/16 containing carbocyclic rings other than six-membered
- 221/18 . . . Ring systems of four or more rings
- 221/20 . . Spiro-condensed ring systems
- 221/22 . . Bridged ring systems
- 221/24 . . . Camphidines
- 221/26 . . . Benzomorphans
- 221/28 . . . Morphinans
- 223/00 Heterocyclic compounds containing seven-membered rings having one nitrogen atom as the only ring hetero atom**
- NOTE**
- Hexamethylene imines or 3-azabicyclo [3.2.2] nonanes, having only hydrogen atoms attached to the ring carbon atoms, are classified in group [C07D 295/00](#).
- 223/02 . not condensed with other rings
- 223/04 . . with only hydrogen atoms, halogen atoms, hydrocarbon or substituted hydrocarbon radicals, directly attached to ring carbon atoms
- 223/06 . . with hetero atoms or with carbon atoms having three bonds to hetero atoms with at the most one bond to halogen, e.g. ester or nitrile radicals, directly attached to ring carbon atoms ([halogen atoms \[C07D 223/04\]\(#\)](#))
- 223/08 . . . Oxygen atoms
- 223/10 attached in position 2
- 223/12 . . . Nitrogen atoms not forming part of a nitro radical
- 223/14 . condensed with carbocyclic rings or ring systems
- 223/16 . . Benzazepines; Hydrogenated benzazepines
- 223/18 . . Dibenzazepines; Hydrogenated dibenzazepines
- 223/20 . . . Dibenz [b, e] azepines; Hydrogenated dibenz [b, e] azepines
- 223/22 . . . Dibenz [b, f] azepines; Hydrogenated dibenz [b, f] azepines
- 223/24 with hydrocarbon radicals, substituted by nitrogen atoms, attached to the ring nitrogen atom
- 223/26 having a double bond between positions 10 and 11
- 223/28 having a single bond between positions 10 and 11
- 223/30 with hetero atoms directly attached to the ring nitrogen atom
- 223/32 . . containing carbocyclic rings other than six-membered

225/00 Heterocyclic compounds containing rings of more than seven members having one nitrogen atom as the only ring hetero atom

NOTE

Polymethyleneimines with at least five ring members and having only hydrogen atoms attached to the ring carbon atoms are classified in group [C07D 295/00](#).

- 225/02 . not condensed with other rings
- 225/04 . condensed with carbocyclic rings or ring systems
- 225/06 . . condensed with one six-membered ring
- 225/08 . . condensed with two six-membered rings

227/00 Heterocyclic compounds containing rings having one nitrogen atom as the only ring hetero atom, according to more than one of groups [C07D 203/00](#) - [C07D 225/00](#)

NOTE

Polymethyleneimines with at least five ring members and having only hydrogen atoms attached to the ring carbon atoms are classified in group [C07D 295/00](#).

- 227/02 . with only hydrogen or carbon atoms directly attached to the ring nitrogen atom
- 227/04 . . with only hydrogen atoms, hydrocarbon or substituted hydrocarbon radicals, attached to ring carbon atoms
- 227/06 . . with hetero atoms or with carbon atoms having three bonds to hetero atoms with at the most one bond to halogen, e.g. ester or nitrile radicals, directly attached to ring carbon atoms
- 227/08 . . . Oxygen atoms
- 227/087 One doubly-bound oxygen atom in position 2, e.g. lactams
- 227/093 Two doubly-bound oxygen atoms attached to the carbon atoms adjacent to the ring nitrogen atom, e.g. dicarboxylic acid imides
- 227/10 . . . Nitrogen atoms not forming part of a nitro radical
- 227/12 . with hetero atoms directly attached to the ring nitrogen atom

229/00 Heterocyclic compounds containing rings of less than five members having two nitrogen atoms as the only ring hetero atoms

- . containing three-membered rings

231/00 Heterocyclic compounds containing 1,2-diazole or hydrogenated 1,2-diazole rings

- 231/02 . not condensed with other rings
- 231/04 . . having no double bonds between ring members or between ring members and non-ring members
- 231/06 . . having one double bond between ring members or between a ring member and a non-ring member
- 231/08 . . . with oxygen or sulfur atoms directly attached to ring carbon atoms
- 231/10 . . having two or three double bonds between ring members or between ring members and non-ring members
- 231/12 . . . with only hydrogen atoms, hydrocarbon or substituted hydrocarbon radicals, directly attached to ring carbon atoms

231/14	. . . with hetero atoms or with carbon atoms having three bonds to hetero atoms with at the most one bond to halogen, e.g. ester or nitrile radicals, directly attached to ring carbon atoms	233/20	. . . with substituted hydrocarbon radicals, directly attached to ring carbon atoms
231/16 Halogen atoms or nitro radicals	233/22	. . . Radicals substituted by oxygen atoms
231/18 One oxygen or sulfur atom	233/24	. . . Radicals substituted by nitrogen atoms not forming part of a nitro radical
231/20 One oxygen atom attached in position 3 or 5	233/26	. . . Radicals substituted by carbon atoms having three bonds to hetero atoms
231/22 with aryl radicals attached to ring nitrogen atoms	233/28	. . . with hetero atoms or with carbon atoms having three bonds to hetero atoms with at the most one bond to halogen, e.g. ester or nitrile radicals, directly attached to ring carbon atoms
231/24 having sulfone or sulfonic acid radicals in the molecule	233/30	. . . Oxygen or sulfur atoms
231/26 1-Phenyl-3-methyl-5- pyrazolones, unsubstituted or substituted on the phenyl ring	233/32 One oxygen atom
231/28 Two oxygen or sulfur atoms	233/34 Ethylene-urea
231/30 attached in positions 3 and 5	233/36 with hydrocarbon radicals, substituted by nitrogen atoms, attached to ring nitrogen atoms
231/32 Oxygen atoms	233/38 with acyl radicals or hetero atoms directly attached to ring nitrogen atoms
231/34 with only hydrogen atoms or radicals containing only hydrogen and carbon atoms, attached in position 4	233/40 Two or more oxygen atoms
231/36 with hydrocarbon radicals, substituted by hetero atoms, attached in position 4	233/42 Sulfur atoms
231/38 Nitrogen atoms (nitro radicals C07D 231/16)	233/44	. . . Nitrogen atoms not forming part of a nitro radical
231/40 Acylated on said nitrogen atom	233/46 with only hydrogen atoms attached to said nitrogen atoms
231/42 Benzene-sulfonamido pyrazoles	233/48 with acyclic hydrocarbon or substituted acyclic hydrocarbon radicals, attached to said nitrogen atoms
231/44 Oxygen and nitrogen or sulfur and nitrogen atoms	233/50 with carbocyclic radicals directly attached to said nitrogen atoms
231/46 Oxygen atom in position 3 or 5 and nitrogen atom in position 4	233/52 with hetero atoms directly attached to said nitrogen atoms
231/48 with hydrocarbon radicals attached to said nitrogen atom	233/54	. . . having two double bonds between ring members or between ring members and non-ring members
231/50 Acylated on said nitrogen atom	233/56	. . . with only hydrogen atoms or radicals containing only hydrogen and carbon atoms, attached to ring carbon atoms
231/52 Oxygen atom in position 3 and nitrogen atom in position 5, or <i>vice versa</i>	233/58	. . . with only hydrogen atoms or radicals containing only hydrogen and carbon atoms, attached to ring nitrogen atoms
231/54	. . condensed with carbocyclic rings or ring systems	233/60	. . . with hydrocarbon radicals, substituted by oxygen or sulfur atoms, attached to ring nitrogen atoms
231/56	. . Benzopyrazoles; Hydrogenated benzopyrazoles	233/61	. . . with hydrocarbon radicals, substituted by nitrogen atoms not forming part of a nitro radical, attached to ring nitrogen atoms
233/00	Heterocyclic compounds containing 1,3-diazole or hydrogenated 1,3-diazole rings, not condensed with other rings	233/62	. . . with triarylmethyl radicals attached to ring nitrogen atoms
233/02	. . having no double bonds between ring members or between ring members and non-ring members	233/64	. . . with substituted hydrocarbon radicals attached to ring carbon atoms, e.g. histidine
233/04	. . having one double bond between ring members or between a ring member and a non-ring member	233/66	. . . with hetero atoms or with carbon atoms having three bonds to hetero atoms with at the most one bond to halogen, e.g. ester or nitrile radicals, directly attached to ring carbon atoms
233/06	. . . with only hydrogen atoms or radicals containing only hydrogen and carbon atoms, directly attached to ring carbon atoms	233/68	. . . Halogen atoms
233/08	. . . with alkyl radicals, containing more than four carbon atoms, directly attached to ring carbon atoms	233/70	. . . One oxygen atom
233/10 with only hydrogen atoms or radicals containing only hydrogen and carbon atoms, directly attached to ring nitrogen atoms	233/72	. . . Two oxygen atoms, e.g. hydantoin
233/12 with substituted hydrocarbon radicals attached to ring nitrogen atoms	233/74 with only hydrogen atoms or radicals containing only hydrogen and carbon atoms, attached to other ring members
233/14 Radicals substituted by oxygen atoms	233/76 with substituted hydrocarbon radicals attached to the third ring carbon atom
233/16 Radicals substituted by nitrogen atoms	233/78 Radicals substituted by oxygen atoms
233/18 Radicals substituted by carbon atoms having three bonds to hetero atoms with at the most one bond to halogen, e.g. ester or nitrile radicals		

233/80 with hetero atoms or acyl radicals directly attached to ring nitrogen atoms	237/04	. . having less than three double bonds between ring members or between ring members and non-ring members
233/82 Halogen atoms	237/06	. . having three double bonds between ring members or between ring members and non-ring members
233/84	. . . Sulfur atoms	237/08	. . . with only hydrogen atoms, hydrocarbon or substituted hydrocarbon radicals, directly attached to ring carbon atoms
233/86	. . . Oxygen and sulfur atoms, e.g. thiohydantoin	237/10	. . . with hetero atoms or with carbon atoms having three bonds to hetero atoms with at the most one bond to halogen, e.g. ester or nitrile radicals, directly attached to ring carbon atoms
233/88	. . . Nitrogen atoms, e.g. allantoin	237/12 Halogen atoms or nitro radicals
233/90	. . . Carbon atoms having three bonds to hetero atoms with at the most one bond to halogen, e.g. ester or nitrile radicals	237/14 Oxygen atoms
233/91	. . . Nitro radicals	237/16 Two oxygen atoms
233/92 attached in position 4 or 5	237/18 Sulfur atoms
233/93 with hydrocarbon radicals, substituted by halogen atoms, attached to other ring members	237/20 Nitrogen atoms (nitro radicals C07D 237/12)
233/94 with hydrocarbon radicals, substituted by oxygen or sulfur atoms, attached to other ring members	237/22 Nitrogen and oxygen atoms
233/95 with hydrocarbon radicals, substituted by nitrogen atoms, attached to other ring members	237/24 Carbon atoms having three bonds to hetero atoms with at the most one bond to halogen
233/96	. having three double bonds between ring members or between ring members and non-ring members	237/26	. condensed with carbocyclic rings or ring systems
235/00	Heterocyclic compounds containing 1,3-diazole or hydrogenated 1,3-diazole rings, condensed with other rings	237/28	. . Cinnolines
235/02	. condensed with carbocyclic rings or ring systems	237/30	. . Phthalazines
235/04	. . Benimidazoles; Hydrogenated benimidazoles	237/32	. . . with oxygen atoms directly attached to carbon atoms of the nitrogen-containing ring
235/06	. . . with only hydrogen atoms, hydrocarbon or substituted hydrocarbon radicals, directly attached in position 2	237/34	. . . with nitrogen atoms directly attached to carbon atoms of the nitrogen-containing ring, e.g. hydrazine radicals
235/08 Radicals containing only hydrogen and carbon atoms	237/36	. . Benzo-cinnolines
235/10 Radicals substituted by halogen atoms or nitro radicals	239/00	Heterocyclic compounds containing 1,3-diazine or hydrogenated 1,3-diazine rings
235/12 Radicals substituted by oxygen atoms	239/02	. not condensed with other rings
235/14 Radicals substituted by nitrogen atoms (by nitro radicals C07D 235/10)	239/04	. . having no double bonds between ring members or between ring members and non-ring members
235/16 Radicals substituted by carbon atoms having three bonds to hetero atoms with at the most one bond to halogen, e.g. ester or nitrile radicals	239/06	. . having one double bond between ring members or between a ring member and a non-ring member
235/18	. . . with aryl radicals directly attached in position 2	239/08	. . . with hetero atoms directly attached in position 2
235/20	. . . Two benimidazolyl-2 radicals linked together directly or via a hydrocarbon or substituted hydrocarbon radical	239/10 Oxygen or sulfur atoms
235/22	. . . with hetero atoms directly attached to ring nitrogen atoms (C07D 235/10 takes precedence)	239/12 Nitrogen atoms not forming part of a nitro radical
235/24	. . . with hetero atoms or with carbon atoms having three bonds to hetero atoms with at the most one bond to halogen, e.g. ester or nitrile radicals, directly attached in position 2	239/14 with only hydrogen atoms, hydrocarbon or substituted hydrocarbon radicals, attached to said nitrogen atoms
235/26 Oxygen atoms	239/16 acylated on said nitrogen atoms
235/28 Sulfur atoms	239/18 with hetero atoms attached to said nitrogen atoms, except nitro radicals, e.g. hydrazine radicals
235/30 Nitrogen atoms not forming part of a nitro radical	239/20	. . having two double bonds between ring members or between ring members and non-ring members
235/32 Benimidazole-2-carbamic acids, unsubstituted or substituted; Esters thereof; Thio-analogues thereof	239/22	. . . with hetero atoms directly attached to ring carbon atoms
237/00	Heterocyclic compounds containing 1,2-diazine or hydrogenated 1,2-diazine rings	239/24	. . having three or more double bonds between ring members or between ring members and non-ring members
237/02	. not condensed with other rings	239/26	. . . with only hydrogen atoms, hydrocarbon or substituted hydrocarbon radicals, directly attached to ring carbon atoms
		239/28	. . . with hetero atoms or with carbon atoms having three bonds to hetero atoms with at the most one bond to halogen, directly attached to ring carbon atoms
		239/30 Halogen atoms or nitro radicals

239/32 One oxygen, sulfur or nitrogen atom
239/34 One oxygen atom
239/36 as doubly bound oxygen atom or as unsubstituted hydroxy radical
239/38 One sulfur atom
239/40 as doubly bound sulfur atom or as unsubstituted mercapto radical
239/42 One nitrogen atom (nitro radicals C07D 239/30)
239/46 Two or more oxygen, sulphur or nitrogen atoms
239/47 One nitrogen atom and one oxygen or sulfur atom, e.g. cytosine
239/48 Two nitrogen atoms
239/49 with an aralkyl radical, or substituted aralkyl radical, attached in position 5, e.g. trimethoprim
239/50 Three nitrogen atoms
239/52 Two oxygen atoms
239/54 as doubly bound oxygen atoms or as unsubstituted hydroxy radicals
239/545 with other hetero atoms or with carbon atoms having three bonds to hetero atoms with at the most one bond to halogen, directly attached to ring carbon atoms
239/553 with halogen atoms or nitro radicals directly attached to ring carbon atoms, e.g. fluorouracil
239/557 with carbon atoms having three bonds to hetero atoms with at the most one bond to halogen, directly attached to ring carbon atoms, e.g. orotic acid
239/56 One oxygen atom and one sulfur atom
239/58 Two sulfur atoms
239/60 Three or more oxygen or sulfur atoms
239/62 Barbituric acids
239/64 Salts of organic bases; Organic double compounds
239/66 Thiobarbituric acids
239/68 Salts of organic bases; Organic double compounds
239/69 Benzenesulfonamido-pyrimidines
239/70	. condensed with carbocyclic rings or ring systems
239/72	. . Quinazolines; Hydrogenated quinazolines
239/74	. . . with only hydrogen atoms, hydrocarbon or substituted hydrocarbon radicals, attached to ring carbon atoms of the hetero ring
239/76 N-oxides
239/78	. . . with hetero atoms directly attached in position 2
239/80 Oxygen atoms
239/82 with an aryl radical attached in position 4
239/84 Nitrogen atoms
239/86	. . . with hetero atoms directly attached in position 4
239/88 Oxygen atoms
239/90 with acyclic radicals attached in position 2 or 3
239/91 with aryl or aralkyl radicals attached in position 2 or 3
239/92 with hetero atoms directly attached to nitrogen atoms of the hetero ring

239/93 Sulfur atoms
239/94 Nitrogen atoms
239/95	. . . with hetero atoms directly attached in positions 2 and 4
239/96 Two oxygen atoms
241/00	Heterocyclic compounds containing 1,4-diazine or hydrogenated 1,4-diazine rings
	NOTE
	Piperazines with only hydrogen atoms directly attached to ring carbon atoms are classified in group C07D 295/00 .
241/02	. not condensed with other rings
241/04	. . having no double bonds between ring members or between ring members and non-ring members
241/06	. . having one or two double bonds between ring members or between ring members and non-ring members
241/08	. . . with oxygen atoms directly attached to ring carbon atoms
241/10	. . having three double bonds between ring members or between ring members and non-ring members
241/12	. . . with only hydrogen atoms, hydrocarbon or substituted hydrocarbon radicals, directly attached to ring carbon atoms
241/14	. . . with hetero atoms or with carbon atoms having three bonds to hetero atoms with at the most one bond to halogen, e.g. ester or nitrile radicals, directly attached to ring carbon atoms
241/16 Halogen atoms; Nitro radicals
241/18 Oxygen or sulfur atoms
241/20 Nitrogen atoms (nitro radicals C07D 241/16)
241/22 Benzenesulfonamido pyrazines
241/24 Carbon atoms having three bonds to hetero atoms with at the most one bond to halogen, e.g. ester or nitrile radicals
241/26 with nitrogen atoms directly attached to ring carbon atoms
241/28 in which said hetero-bound carbon atoms have double bonds to oxygen, sulfur or nitrogen atoms
241/30 in which said hetero-bound carbon atoms are part of a substructure — C(=X)—X—C(=X)—X— in which X is an oxygen or sulphur atom or an imino radical, e.g. imidoylguanidines
241/32 (Amino-pyrazinoyl) guanidines
241/34 (Amino-pyrazine carbonamido) guanidines
241/36	. condensed with carbocyclic rings or ring systems
241/38	. . with only hydrogen or carbon atoms directly attached to the ring nitrogen atoms
241/40	. . . Benzopyrazines
241/42	. . . with only hydrogen atoms, hydrocarbon or substituted hydrocarbon radicals, directly attached to carbon atoms of the hetero ring
241/44	. . . with hetero atoms or with carbon atoms having three bonds to hetero atoms with at the most one bond to halogen, e.g. ester or nitrile radicals, directly attached to carbon atoms of the hetero ring
241/46	. . . Phenazines

- 241/48 with hydrocarbon radicals, substituted by nitrogen atoms, directly attached to the ring nitrogen atoms
- 241/50 . . with hetero atoms directly attached to ring nitrogen atoms
- 241/52 . . . Oxygen atoms
- 241/54 . . . Nitrogen atoms
- 243/00 Heterocyclic compounds containing seven-membered rings having two nitrogen atoms as the only ring hetero atoms**
- 243/02 . having the nitrogen atoms in positions 1 and 2
- 243/04 . having the nitrogen atoms in positions 1 and 3
- 243/06 . having the nitrogen atoms in positions 1 and 4
- 243/08 . . not condensed with other rings
- 243/10 . . condensed with carbocyclic rings or ring systems
- 243/12 . . . 1,5-Benzodiazepines; Hydrogenated 1,5-benzodiazepines
- 243/14 . . . 1,4-Benzodiazepines; Hydrogenated 1,4-benzodiazepines
- 243/16 substituted in position 5 by aryl radicals
- 243/18 substituted in position 2 by nitrogen, oxygen or sulfur atoms
- 243/20 Nitrogen atoms
- 243/22 Sulfur atoms
- 243/24 Oxygen atoms
- 243/26 Preparation from compounds already containing the benzodiazepine skeleton
- 243/28 Preparation including building-up the benzodiazepine skeleton from compounds containing no hetero rings
- 243/30 Preparation including building-up the benzodiazepine skeleton from compounds already containing hetero rings
- 243/32 containing a phthalimide or hydrogenated phthalimide ring system
- 243/34 containing a quinazoline or hydrogenated quinazoline ring system
- 243/36 containing an indole or hydrogenated indole ring system
- 243/38 . . . [b, e]- or [b, f]-condensed with six-membered rings
- 245/00 Heterocyclic compounds containing rings of more than seven members having two nitrogen atoms as the only ring hetero atoms**
- 245/02 . not condensed with other rings
- 245/04 . condensed with carbocyclic rings or ring systems
- 245/06 . . condensed with one six-membered ring
- 247/00 Heterocyclic compounds containing rings having two nitrogen atoms as the only ring hetero atoms, according to more than one of groups [C07D 229/00](#) - [C07D 245/00](#)**
- 247/02 . having the nitrogen atoms in positions 1 and 3
- 249/00 Heterocyclic compounds containing five-membered rings having three nitrogen atoms as the only ring hetero atoms**
- 249/02 . not condensed with other rings
- 249/04 . . 1,2,3-Triazoles; Hydrogenated 1,2,3-triazoles
- 249/06 . . . with aryl radicals directly attached to ring atoms
- 249/08 . . 1,2,4-Triazoles; Hydrogenated 1,2,4-triazoles
- 249/10 . . . with hetero atoms or with carbon atoms having three bonds to hetero atoms with at the most one bond to halogen, e.g. ester or nitrile radicals, directly attached to ring carbon atoms
- 249/12 Oxygen or sulfur atoms
- 249/14 Nitrogen atoms
- 249/16 . condensed with carbocyclic rings or ring systems
- 249/18 . . Benzotriazoles
- 249/20 . . . with aryl radicals directly attached in position 2
- 249/22 . . Naphthotriazoles
- 249/24 . . . with stilbene radicals directly attached in position 2
- 251/00 Heterocyclic compounds containing 1,3,5-triazine rings**
- 251/02 . not condensed with other rings
- 251/04 . . having no double bonds between ring members or between ring members and non-ring members
- 251/06 . . . with hetero atoms directly attached to ring nitrogen atoms
- 251/08 . . having one double bond between ring members or between a ring member and a non-ring member
- 251/10 . . having two double bonds between ring members or between ring members and non-ring members
- 251/12 . . having three double bonds between ring members or between ring members and non-ring members
- 251/14 . . . with hydrogen or carbon atoms directly attached to at least one ring carbon atom
- 251/16 to only one ring carbon atom
- 251/18 with nitrogen atoms directly attached to the two other ring carbon atoms, e.g. guanamines
- 251/20 with no nitrogen atoms directly attached to a ring carbon atom
- 251/22 to two ring carbon atoms
- 251/24 to three ring carbon atoms
- 251/26 . . . with only hetero atoms directly attached to ring carbon atoms
- 251/28 Only halogen atoms, e.g. cyanuric chloride
- 251/30 Only oxygen atoms
- 251/32 Cyanuric acid; Isocyanuric acid
- 251/34 Cyanuric or isocyanuric esters
- 251/36 having halogen atoms directly attached to ring nitrogen atoms
- 251/38 Sulfur atoms
- 251/40 Nitrogen atoms
- 251/42 One nitrogen atom
- 251/44 with halogen atoms attached to the two other ring carbon atoms
- 251/46 with oxygen or sulfur atoms attached to the two other ring carbon atoms
- 251/48 Two nitrogen atoms
- 251/50 with a halogen atom attached to the third ring carbon atom
- 251/52 with an oxygen or sulfur atom attached to the third ring carbon atom
- 251/54 Three nitrogen atoms
- 251/56 Preparation of melamine
- 251/58 from cyanamide, dicyanamide or calcium cyanamide

251/60 from urea or from carbon dioxide and ammonia	261/08	. . . with only hydrogen atoms, hydrocarbon or substituted hydrocarbon radicals, directly attached to ring carbon atoms
251/62 Purification of melamine	261/10	. . . with hetero atoms or with carbon atoms having three bonds to hetero atoms with at the most one bond to halogen, e.g. ester or nitrile radicals, directly attached to ring carbon atoms
251/64 Condensation products of melamine with aldehydes; Derivatives thereof (polycondensation products C08G)	261/12 Oxygen atoms
251/66 Derivatives of melamine in which a hetero atom is directly attached to a nitrogen atom of melamine	261/14 Nitrogen atoms
251/68 Triazinylamino stilbenes	261/16 Benzene-sulfonamido isoxazoles
251/70 Other substituted melamines	261/18 Carbon atoms having three bonds to hetero atoms, with at the most one bond to halogen
251/72	. condensed with carbocyclic rings or ring systems	261/20	. condensed with carbocyclic rings or ring systems
253/00	Heterocyclic compounds containing six-membered rings having three nitrogen atoms as the only ring hetero atoms, not provided for by group C07D 251/00	263/00	Heterocyclic compounds containing 1,3-oxazole or hydrogenated 1,3-oxazole rings
253/02	. not condensed with other rings	263/02	. not condensed with other rings
253/04	. . 1,2,3-Triazines	263/04	. . having no double bonds between ring members or between ring members and non-ring members
253/06	. . 1,2,4-Triazines	263/06	. . . with hydrocarbon radicals, substituted by oxygen atoms, attached to ring carbon atoms
253/065	. . . having three double bonds between ring members or between ring members and non-ring members	263/08	. . having one double bond between ring members or between a ring member and a non-ring member
253/07 with hetero atoms, or with carbon atoms having three bonds to hetero atoms with at the most one bond to halogen, e.g. ester or nitrile radicals, directly attached to ring carbon atoms	263/10	. . . with only hydrogen atoms, hydrocarbon or substituted hydrocarbon radicals, directly attached to ring carbon atoms
253/075 Two hetero atoms, in positions 3 and 5	263/12 with radicals containing only hydrogen and carbon atoms
253/08	. condensed with carbocyclic rings or ring systems	263/14 with radicals substituted by oxygen atoms
253/10	. . Condensed 1,2,4-triazines; Hydrogenated condensed 1,2,4-triazines	263/16	. . . with hetero atoms or with carbon atoms having three bonds to hetero atoms with at the most one bond to halogen, e.g. ester or nitrile radicals, directly attached to ring carbon atoms
255/00	Heterocyclic compounds containing rings having three nitrogen atoms as the only ring hetero atoms, not provided for by groups C07D 249/00 - C07D 253/00	263/18 Oxygen atoms
255/02	. not condensed with other rings	263/20 attached in position 2
255/04	. condensed with carbocyclic rings or ring systems	263/22 with only hydrogen atoms or radicals containing only hydrogen and carbon atoms, directly attached to other ring carbon atoms
257/00	Heterocyclic compounds containing rings having four nitrogen atoms as the only ring hetero atoms	263/24 with hydrocarbon radicals, substituted by oxygen atoms, attached to other ring carbon atoms
257/02	. not condensed with other rings	263/26 with hetero atoms or acyl radicals directly attached to the ring nitrogen atom
257/04	. . Five-membered rings	263/28 Nitrogen atoms not forming part of a nitro radical
257/06	. . . with nitrogen atoms directly attached to the ring carbon atom	263/30	. . having two or three double bonds between ring members or between ring members and non-ring members
257/08	. . Six-membered rings	263/32	. . . with only hydrogen atoms, hydrocarbon or substituted hydrocarbon radicals, directly attached to ring carbon atoms
257/10	. condensed with carbocyclic rings or ring systems	263/34	. . . with hetero atoms or with carbon atoms having three bonds to hetero atoms with at the most one bond to halogen, e.g. ester or nitrile radicals, directly attached to ring carbon atoms
257/12	. . Six-membered rings having four nitrogen atoms	263/36 One oxygen atom
259/00	Heterocyclic compounds containing rings having more than four nitrogen atoms as the only ring hetero atoms	263/38 attached in position 2
<u>Heterocyclic compounds having nitrogen and oxygen as the only ring hetero atoms</u>		263/40 attached in position 4
261/00	Heterocyclic compounds containing 1,2-oxazole or hydrogenated 1,2-oxazole rings	263/42 attached in position 5
261/02	. not condensed with other rings	263/44 Two oxygen atoms
261/04	. . having one double bond between ring members or between a ring member and a non-ring member	263/46 Sulfur atoms
261/06	. . having two or more double bonds between ring members or between ring members and non-ring members		


263/48 Nitrogen atoms not forming part of a nitro radical	267/10 not condensed with other rings
263/50 Benzene-sulfonamido oxazoles	267/12 condensed with carbocyclic rings or ring systems
263/52	. . condensed with carbocyclic rings or ring systems	267/14 condensed with one six-membered ring
263/54	. . Benzoxazoles; Hydrogenated benzoxazoles	267/16 condensed with two six-membered rings
263/56	. . . with only hydrogen atoms, hydrocarbon or substituted hydrocarbon radicals, directly attached in position 2	267/18 [b, e]-condensed
263/57 Aryl or substituted aryl radicals	267/20 [b, f]-condensed
263/58	. . . with hetero atoms or with carbon atoms having three bonds to hetero atoms with at the most one bond to halogen, e.g. ester or nitrile radicals, directly attached in position 2	267/22	. . Eight-membered rings
263/60	. . Naphthoxazoles; Hydrogenated naphthoxazoles	269/00	Heterocyclic compounds containing rings having one nitrogen atom and one oxygen atom as the only ring hetero atoms according to more than one of groups C07D 261/00 - C07D 267/00
263/62	. . having two or more ring systems containing condensed 1,3-oxazole rings	269/02	. . having the hetero atoms in positions 1 and 3
263/64	. . . linked in positions 2 and 2' by chains containing six-membered aromatic rings or ring systems containing such rings	271/00	Heterocyclic compounds containing five-membered rings having two nitrogen atoms and one oxygen atom as the only ring hetero atoms
265/00	Heterocyclic compounds containing six-membered rings having one nitrogen atom and one oxygen atom as the only ring hetero atoms	271/02	. . not condensed with other rings
	NOTE	271/04	. . 1,2,3-Oxadiazoles; Hydrogenated 1,2,3-oxadiazoles
	Morpholines having only hydrogen atoms attached to the ring carbon atoms are classified in group C07D 295/00 .	271/06	. . 1,2,4-Oxadiazoles; Hydrogenated 1,2,4-oxadiazoles
265/02	. . 1,2-Oxazines; Hydrogenated 1,2-oxazines	271/07	. . . with oxygen, sulfur or nitrogen atoms, directly attached to ring carbon atoms, the nitrogen atoms not forming part of a nitro radical
265/04	. . 1,3-Oxazines; Hydrogenated 1,3-oxazines	271/08	. . 1,2,5-Oxadiazoles; Hydrogenated 1,2,5-oxadiazoles
265/06	. . not condensed with other rings	271/10	. . 1,3,4-Oxadiazoles; Hydrogenated 1,3,4-oxadiazoles
265/08	. . . having one double bond between ring members or between a ring member and a non-ring member	271/107	. . . with two aryl or substituted aryl radicals attached in positions 2 and 5
265/10 with oxygen atoms directly attached to ring carbon atoms	271/113	. . . with oxygen, sulfur or nitrogen atoms, directly attached to ring carbon atoms, the nitrogen atoms not forming part of a nitro radical
265/12	. . condensed with carbocyclic rings or ring systems	271/12	. . condensed with carbocyclic rings or ring systems
265/14	. . . condensed with one six-membered ring	273/00	Heterocyclic compounds containing rings having nitrogen and oxygen atoms as the only ring hetero atoms, not provided for by groups C07D 261/00 - C07D 271/00
265/16 with only hydrogen or carbon atoms directly attached in positions 2 and 4	273/01	. . having one nitrogen atom
265/18 with hetero atoms directly attached in position 2	273/02	. . having two nitrogen atoms and only one oxygen atom
265/20 with hetero atoms directly attached in position 4	273/04	. . Six-membered rings
265/22 Oxygen atoms	273/06	. . Seven-membered rings
265/24 with hetero atoms directly attached in positions 2 and 4	273/08	. . having two nitrogen atoms and more than one oxygen atom
265/26 Two oxygen atoms, e.g. isatoic anhydride		
265/28	. . 1,4-Oxazines; Hydrogenated 1,4-oxazines		
265/30	. . not condensed with other rings		
265/32	. . . with oxygen atoms directly attached to ring carbon atoms	275/00	Heterocyclic compounds containing 1,2-thiazole or hydrogenated 1,2-thiazole rings
265/33 Two oxygen atoms, in positions 3 and 5	275/02	. . not condensed with other rings
265/34	. . condensed with carbocyclic rings	275/03	. . with hetero atoms or with carbon atoms having three bonds to hetero atoms with at the most one bond to halogen, e.g. ester or nitrile radicals, directly attached to ring carbon atoms
265/36	. . . condensed with one six-membered ring		
265/38	. . . [b, e]-condensed with two six-membered rings	275/04	. . condensed with carbocyclic rings or ring systems
267/00	Heterocyclic compounds containing rings of more than six members having one nitrogen atom and one oxygen atom as the only ring hetero atoms	275/06	. . with hetero atoms directly attached to the ring sulfur atom
267/02	. . Seven-membered rings	277/00	Heterocyclic compounds containing 1,3-thiazole or hydrogenated 1,3-thiazole rings
267/04	. . having the hetero atoms in positions 1 and 2	277/02	. . not condensed with other rings
267/06	. . having the hetero atoms in positions 1 and 3		
267/08	. . having the hetero atoms in positions 1 and 4		

277/04	. . having no double bonds between ring members or between ring members and non-ring members	277/593 Z being doubly bound oxygen or doubly bound nitrogen, which nitrogen is part of a possibly substituted oximino radical
277/06	. . . with carbon atoms having three bonds to hetero atoms with at the most one bond to halogen, e.g. ester or nitrile radicals, directly attached to ring carbon atoms	277/60	. condensed with carbocyclic rings or ring systems
277/08	. . having one double bond between ring members or between a ring member and a non-ring member	277/62	. . Benzothiazoles
277/10	. . . with only hydrogen atoms, hydrocarbon or substituted hydrocarbon radicals, directly attached to ring carbon atoms	277/64	. . . with only hydrocarbon or substituted hydrocarbon radicals attached in position 2
277/12	. . . with hetero atoms or with carbon atoms having three bonds to hetero atoms with at the most one bond to halogen, e.g. ester or nitrile radicals, directly attached to ring carbon atoms	277/66 with aromatic rings or ring systems directly attached in position 2
277/14 Oxygen atoms	277/68	. . . with hetero atoms or with carbon atoms having three bonds to hetero atoms with at the most one bond to halogen, e.g. ester or nitrile radicals, directly attached in position 2
277/16 Sulfur atoms	277/70 Sulfur atoms
277/18 Nitrogen atoms	277/72 2-Mercaptobenzothiazole
277/20	. . having two or three double bonds between ring members or between ring members and non-ring members	277/74 Sulfur atoms substituted by carbon atoms
277/22	. . . with only hydrogen atoms, hydrocarbon or substituted hydrocarbon radicals, directly attached to ring carbon atoms	277/76 Sulfur atoms attached to a second hetero atom
277/24 Radicals substituted by oxygen atoms	277/78 to a second sulphur atom
277/26 Radicals substituted by sulfur atoms	277/80 to a nitrogen atom
277/28 Radicals substituted by nitrogen atoms	277/82 Nitrogen atoms
277/30 Radicals substituted by carbon atoms having three bonds to hetero atoms with at the most one bond to halogen, e.g. ester or nitrile radicals	277/84	. . Naphthothiazoles
277/32	. . . with hetero atoms or with carbon atoms having three bonds to hetero atoms with at the most one bond to halogen, e.g. ester or nitrile radicals, directly attached to ring carbon atoms	279/00	Heterocyclic compounds containing six-membered rings having one nitrogen atom and one sulfur atom as the only ring hetero atoms
277/34 Oxygen atoms		NOTE
277/36 Sulfur atoms		Thiomorpholines having only hydrogen atoms attached to the ring carbon atoms are classified in group C07D 295/00 .
277/38 Nitrogen atoms	279/02	. 1,2-Thiazines; Hydrogenated 1,2-thiazines
277/40 Unsubstituted amino or imino radicals	279/04	. 1,3-Thiazines; Hydrogenated 1,3-thiazines
277/42 Amino or imino radicals substituted by hydrocarbon or substituted hydrocarbon radicals	279/06	. . not condensed with other rings
277/44 Acylated amino or imino radicals	279/08	. . condensed with carbocyclic rings or ring systems
277/46 by carboxylic acids, or sulfur or nitrogen analogues thereof	279/10	. 1,4-Thiazines; Hydrogenated 1,4-thiazines
277/48 by radicals derived from carbonic acid, or sulfur or nitrogen analogues thereof, e.g. carbonylguanidines	279/12	. . not condensed with other rings
277/50 Nitrogen atoms bound to hetero atoms	279/14	. . condensed with carbocyclic rings or ring systems
277/52 to sulfur atoms, e.g. sulfonamides	279/16	. . . condensed with one six-membered ring
277/54 Nitrogen and either oxygen or sulfur atoms	279/18	. . . [b, e]-condensed with two six-membered rings
277/56 Carbon atoms having three bonds to hetero atoms with at the most one bond to halogen	279/20 with hydrogen atoms directly attached to the ring nitrogen atom
277/58 Nitro radicals	279/22 with carbon atoms directly attached to the ring nitrogen atom
277/587	. . . with aliphatic hydrocarbon radicals substituted by carbon atoms having three bonds to hetero atoms with at the most one bond to halogen, e.g. ester or nitrile radicals, directly attached to ring carbon atoms, said aliphatic radicals being substituted in the alpha-position to the ring by a hetero atom, e.g. $\begin{array}{c} \text{---N---} \\ \\ \text{---C---} \\ \\ \text{---S---} \\ \\ \text{---Z---} \end{array} \text{---}(\text{CH}_2)_m\text{---C}\equiv$ with m	279/24 with hydrocarbon radicals, substituted by amino radicals, attached to the ring nitrogen atom
	≥ 0 , Z being a singly or a doubly bound hetero atom	279/26 without other substituents attached to the ring system
		279/28 with other substituents attached to the ring system
		279/30 with acyl radicals attached to the ring nitrogen atom
		279/32 with hetero atoms directly attached to the ring nitrogen atom
		279/34 with hetero atoms directly attached to the ring sulfur atom
		279/36	. . . [b, e]-condensed, at least one with a further condensed benzene ring
		281/00	Heterocyclic compounds containing rings of more than six members having one nitrogen atom and one sulfur atom as the only ring hetero atoms
		281/02	. Seven-membered rings

281/04	. . having the hetero atoms in positions 1 and 4
281/06	. . . not condensed with other rings
281/08	. . . condensed with carbocyclic rings or ring systems
281/10 condensed with one six-membered ring
281/12 condensed with two six-membered rings
281/14 [b, e]-condensed
281/16 [b, f]-condensed
281/18	. Eight-membered rings
283/00	Heterocyclic compounds containing rings having one nitrogen atom and one sulfur atom as the only ring hetero atoms, according to more than one of groups C07D 275/00 - C07D 281/00
283/02	. having the hetero atoms in positions 1 and 3
285/00	Heterocyclic compounds containing rings having nitrogen and sulfur atoms as the only ring hetero atoms, not provided for by groups C07D 275/00 - C07D 283/00
285/01	. Five-membered rings
285/02	. . Thiadiazoles; Hydrogenated thiadiazoles
285/04	. . . not condensed with other rings
285/06 1,2,3-Thiadiazoles; Hydrogenated 1,2,3-thiadiazoles
285/08 1,2,4-Thiadiazoles; Hydrogenated 1,2,4-thiadiazoles
285/10 1,2,5-Thiadiazoles; Hydrogenated 1,2,5-thiadiazoles
285/12 1,3,4-Thiadiazoles; Hydrogenated 1,3,4-thiadiazoles
285/125 with oxygen, sulfur or nitrogen atoms, directly attached to ring carbon atoms, the nitrogen atoms not forming part of a nitro radical
285/13 Oxygen atoms
285/135 Nitrogen atoms
285/14	. . . condensed with carbocyclic rings or ring systems
285/15	. Six-membered rings
285/16	. . Thiadiazines; Hydrogenated thiadiazines
285/18	. . . 1,2,4-Thiadiazines; Hydrogenated 1,2,4-thiadiazines
285/20 condensed with carbocyclic rings or ring systems
285/22 condensed with one six-membered ring
285/24 with oxygen atoms directly attached to the ring sulfur atom
285/26 substituted in position 6 or 7 by sulfamoyl or substituted sulfamoyl radicals
285/28 with only hydrogen atoms or radicals containing only hydrogen and carbon atoms, directly attached in position 3
285/30 with hydrocarbon radicals, substituted by hetero atoms, attached in position 3
285/32 with hetero atoms or with carbon atoms having three bonds to hetero atoms with at the most one bond to halogen, e.g. ester or nitrile radicals, directly attached in position 3

285/34	. . . 1,3,5-Thiadiazines; Hydrogenated 1,3,5-thiadiazines
285/36	. Seven-membered rings
285/38	. Eight-membered rings
291/00	Heterocyclic compounds containing rings having nitrogen, oxygen and sulfur atoms as the only ring hetero atoms
291/02	. not condensed with other rings
291/04	. . Five-membered rings
291/06	. . Six-membered rings
291/08	. condensed with carbocyclic rings or ring systems
293/00	Heterocyclic compounds containing rings having nitrogen and selenium or nitrogen and tellurium, with or without oxygen or sulfur atoms, as the ring hetero atoms
293/02	. not condensed with other rings
293/04	. . Five-membered rings
293/06	. . . Selenazoles; Hydrogenated selenazoles
293/08	. . Six-membered rings
293/10	. condensed with carbocyclic rings or ring systems
293/12	. . Selenazoles; Hydrogenated selenazoles
295/00	Heterocyclic compounds containing polymethylene-imine rings with at least five ring members, 3-azabicyclo [3.2.2] nonane, piperazine, morpholine or thiomorpholine rings, having only hydrogen atoms directly attached to the ring carbon atoms
295/02	. containing only hydrogen and carbon atoms in addition to the ring hetero elements
295/023	. . Preparation; Separation; Stabilisation; Use of additives
295/027	. . containing only one hetero ring
295/03	. . . with the ring nitrogen atoms directly attached to acyclic carbon atoms
295/033	. . . with the ring nitrogen atoms directly attached to carbocyclic rings
295/037	. . with quaternary ring nitrogen atoms
295/04	. with substituted hydrocarbon radicals attached to ring nitrogen atoms
295/06	. . substituted by halogen atoms or nitro radicals
295/067	. . . with the ring nitrogen atoms and the substituents attached to the same carbon chain, which is not interrupted by carbocyclic rings
295/073	. . . with the ring nitrogen atoms and the substituents separated by carbocyclic rings or by carbon chains interrupted by carbocyclic rings
295/08	. . substituted by singly bound oxygen or sulfur atoms
295/084	. . . with the ring nitrogen atoms and the oxygen or sulfur atoms attached to the same carbon chain, which is not interrupted by carbocyclic rings
295/088 to an acyclic saturated chain
295/092 with aromatic radicals attached to the chain
295/096	. . . with the ring nitrogen atoms and the oxygen or sulfur atoms separated by carbocyclic rings or by carbon chains interrupted by carbocyclic rings
295/10	. . substituted by doubly bound oxygen or sulphur atoms

- 295/104 . . . with the ring nitrogen atoms and the doubly bound oxygen or sulfur atoms attached to the same carbon chain, which is not interrupted by carbocyclic rings
- 295/108 to an acyclic saturated chain
- 295/112 . . . with the ring nitrogen atoms and the doubly bound oxygen or sulfur atoms separated by carbocyclic rings or by carbon chains interrupted by carbocyclic rings
- 295/116 with the doubly bound oxygen or sulfur atoms directly attached to a carbocyclic ring
- 295/12 . . substituted by singly or doubly bound nitrogen atoms ([nitro radicals C07D 295/06](#))
- 295/125 . . . with the ring nitrogen atoms and the substituent nitrogen atoms attached to the same carbon chain, which is not interrupted by carbocyclic rings
- 295/13 to an acyclic saturated chain
- 295/135 . . . with the ring nitrogen atoms and the substituent nitrogen atoms separated by carbocyclic rings or by carbon chains interrupted by carbocyclic rings
- 295/14 . . substituted by carbon atoms having three bonds to hetero atoms with at the most one bond to halogen, e.g. ester or nitrile radicals
- 295/145 . . . with the ring nitrogen atoms and the carbon atoms with three bonds to hetero atoms attached to the same carbon chain, which is not interrupted by carbocyclic rings
- 295/15 to an acyclic saturated chain
- 295/155 . . . with the ring nitrogen atoms and the carbon atoms with three bonds to hetero atoms separated by carbocyclic rings or by carbon chains interrupted by carbocyclic rings
- 295/16 . acylated on ring nitrogen atoms
- 295/18 . . by radicals derived from carboxylic acids, or sulfur or nitrogen analogues thereof
- 295/182 . . . Radicals derived from carboxylic acids
- 295/185 from aliphatic carboxylic acids
- 295/192 from aromatic carboxylic acids
- 295/194 . . . Radicals derived from thio- or thiono carboxylic acids
- 295/195 . . . Radicals derived from nitrogen analogues of carboxylic acids
- 295/20 . . by radicals derived from carbonic acid, or sulfur or nitrogen analogues thereof
- 295/205 . . . Radicals derived from carbonic acid
- 295/21 . . . Radicals derived from sulfur analogues of carbonic acid
- 295/215 . . . Radicals derived from nitrogen analogues of carbonic acid
- 295/22 . with hetero atoms directly attached to ring nitrogen atoms
- 295/24 . . Oxygen atoms
- 295/26 . . Sulfur atoms
- 295/28 . . Nitrogen atoms
- 295/30 . . . non-acylated
- 295/32 . . . acylated with carboxylic or carbonic acids, or their nitrogen or sulfur analogues
- 301/03 . . by oxidation of unsaturated compounds, or of mixtures of unsaturated and saturated compounds
- 301/04 . . . with air or molecular oxygen
- 301/06 in the liquid phase
- 301/08 in the gaseous phase
- 301/10 with catalysts containing silver or gold
- 301/12 . . . with hydrogen peroxide or inorganic peroxides or peracids
- 301/14 . . . with organic peracids, or salts, anhydrides or esters thereof
- 301/16 formed *in situ*, e.g. from carboxylic acids and hydrogen peroxide
- 301/18 from polybasic carboxylic acids
- 301/19 . . . with organic hydroperoxides
- 301/22 . . by oxidation of saturated compounds with air or molecular oxygen ([of mixtures of unsaturated and saturated compounds C07D 301/04](#))
- 301/24 . . by splitting off HAL—Y from compounds containing the radical HAL—C—C—OY
- 301/26 . . . Y being hydrogen
- 301/27 . Condensation of epihalohydrins or halohydrins with compounds containing active hydrogen atoms ([macromolecular compounds C08](#))
- 301/28 . . by reaction with hydroxyl radicals
- 301/30 . . by reaction with carboxyl radicals
- 301/32 . Separation; Purification
- 301/36 . Use of additives, e.g. for stabilisation
- 303/00 Compounds containing three-membered rings having one oxygen atom as the only ring hetero atom**
- 303/02 . Compounds containing oxirane rings
- 303/04 . . containing only hydrogen and carbon atoms in addition to the ring oxygen atoms
- 303/06 . . . in which the oxirane rings are condensed with a carbocyclic ring system having three or more relevant rings
- 303/08 . . with hydrocarbon radicals, substituted by halogen atoms, nitro radicals or nitroso radicals
- 303/10 . . . in which the oxirane rings are condensed with a carbocyclic ring system having three or more relevant rings
- 303/12 . . with hydrocarbon radicals, substituted by singly or doubly bound oxygen atoms
- 303/14 . . . by free hydroxyl radicals
- 303/16 . . . by esterified hydroxyl radicals
- 303/17 containing oxirane rings condensed with carbocyclic ring systems having three or more relevant rings
- 303/18 . . . by etherified hydroxyl radicals
- 303/20 Ethers with hydroxy compounds containing no oxirane rings
- 303/22 with monohydroxy compounds
- 303/23 Oxiranylmethyl ethers of compounds having one hydroxy group bound to a six-membered aromatic ring, the oxiranylmethyl radical not being further substituted, i.e.



Heterocyclic compounds having oxygen atoms, with or without sulphur, selenium, or tellurium atoms, as ring hetero atoms

- 301/00 Preparation of oxiranes**
- 301/02 . Synthesis of the oxirane ring

- 303/24 with polyhydroxy compounds
- 303/26 having one or more free hydroxyl radicals

303/27 having all hydroxyl radicals etherified with oxirane containing compounds	307/16 Radicals substituted by carbon atoms having three bonds to hetero atoms with at the most one bond to halogen, e.g. ester or nitrile radicals
303/28 Ethers with hydroxy compounds containing oxirane rings		
303/30 Ethers of oxirane-containing polyhydroxy compounds in which all hydroxyl radicals are etherified with oxirane-containing hydroxy compounds	307/18	. . . with hetero atoms or with carbon atoms having three bonds to hetero atoms with at the most one bond to halogen, e.g. ester or nitrile radicals, directly attached to ring carbon atoms
303/31 in which the oxirane rings are condensed with a carbocyclic ring system having three or more relevant rings	307/20 Oxygen atoms
303/32	. . . by aldehydo- or ketonic radicals	307/22 Nitrogen atoms not forming part of a nitro radical
303/34	. . with hydrocarbon radicals, substituted by sulphur, selenium or tellurium atoms	307/24 Carbon atoms having three bonds to hetero atoms with at the most one bond to halogen
303/36	. . with hydrocarbon radicals, substituted by nitrogen atoms (nitro, nitroso radicals C07D 303/08)	307/26	. . having one double bond between ring members or between a ring member and a non-ring member
303/38	. . with hydrocarbon radicals, substituted by carbon atoms having three bonds to hetero atoms with at the most one bond to halogen, e.g. ester or nitrile radicals	307/28	. . . with only hydrogen atoms, hydrocarbon or substituted hydrocarbon radicals, directly attached to ring carbon atoms
303/40	. . . by ester radicals	307/30	. . . with hetero atoms or with carbon atoms having three bonds to hetero atoms with at the most one bond to halogen, e.g. ester or nitrile radicals, directly attached to ring carbon atoms
303/42 Acyclic compounds having a chain of seven or more carbon atoms, e.g. epoxidised fats	307/32 Oxygen atoms
303/44 Esterified with oxirane-containing hydroxy compounds	307/33 in position 2, the oxygen atom being in its keto or unsubstituted enol form
303/46	. . . by amide or nitrile radicals	307/34	. . having two or three double bonds between ring members or between ring members and non-ring members
303/48	. . with hetero atoms or with carbon atoms having three bonds to hetero atoms with at the most one bond to halogen, directly attached to ring carbon atoms, e.g. ester or nitrile radicals	307/36	. . . with only hydrogen atoms or radicals containing only hydrogen and carbon atoms, directly attached to ring carbon atoms
305/00	Heterocyclic compounds containing four-membered rings having one oxygen atom as the only ring hetero atoms	307/38	. . . with substituted hydrocarbon radicals attached to ring carbon atoms
305/02	. not condensed with other rings	307/40 Radicals substituted by oxygen atoms
305/04	. . having no double bonds between ring members or between ring members and non-ring members	307/42 Singly bound oxygen atoms
305/06	. . . with only hydrogen atoms, hydrocarbon or substituted hydrocarbon radicals, directly attached to the ring atoms	307/44 Furfuryl alcohol
305/08	. . . with hetero atoms or with carbon atoms having three bonds to hetero atoms with at the most one bond to halogen, e.g. ester or nitrile radicals, directly attached to ring atoms	307/45 Oxygen atoms acylated by a cyclopropane containing carboxylic acyl radical, e.g. chrysanthemumates
305/10	. . having one or more double bonds between ring members or between ring members and non-ring members	307/46 Doubly bound oxygen atoms, or two oxygen atoms singly bound to the same carbon atom
305/12	. . . Beta-lactones	307/48 Furfural
305/14	. condensed with carbocyclic rings or ring systems	307/50 Preparation from natural products
307/00	Heterocyclic compounds containing five-membered rings having one oxygen atom as the only ring hetero atom	307/52 Radicals substituted by nitrogen atoms not forming part of a nitro radical
307/02	. not condensed with other rings	307/54 Radicals substituted by carbon atoms having three bonds to hetero atoms with at the most one bond to halogen, e.g. ester or nitrile radicals
307/04	. . having no double bonds between ring members or between ring members and non-ring members	307/56	. . . with hetero atoms or with carbon atoms having three bonds to hetero atoms with at the most one bond to halogen, e.g. ester or nitrile radicals, directly attached to ring carbon atoms
307/06	. . . with only hydrogen atoms or radicals containing only hydrogen and carbon atoms, directly attached to ring carbon atoms	307/58 One oxygen atom, e.g. butenolide
307/08 Preparation of tetrahydrofuran	307/60 Two oxygen atoms, e.g. succinic anhydride
307/10	. . . with substituted hydrocarbon radicals attached to ring carbon atoms	307/62 Three oxygen atoms, e.g. ascorbic acid
307/12 Radicals substituted by oxygen atoms	307/64 Sulfur atoms
307/14 Radicals substituted by nitrogen atoms not forming part of a nitro radical	307/66 Nitrogen atoms
		307/68 Carbon atoms having three bonds to hetero atoms with at the most one bond to halogen
		307/70 Nitro radicals
		307/71 attached in position 5

307/72 with hydrocarbon radicals, substituted by nitrogen-containing radicals, attached in position 2	309/08	. . with hetero atoms or with carbon atoms having three bonds to hetero atoms with at the most one bond to halogen, e.g. ester or nitrile radicals, directly attached to ring carbon atoms
307/73 by amino or imino, or substituted amino or imino radicals	309/10	. . . Oxygen atoms
307/74 by hydrazino or hydrazono or such substituted radicals	309/12 only hydrogen atoms and one oxygen atom directly attached to ring carbon atoms, e.g. tetrahydropyranyl ethers
307/75 having carboxylic acyl radicals or their thio or nitrogen analogues directly attached to the hydrazino or hydrazono radical, e.g. hydrazides	309/14	. . . Nitrogen atoms not forming part of a nitro radical
307/76 having carbonic acyl radicals or their thio or nitrogen analogues directly attached to the hydrazino or hydrazono radical, e.g. semicarbazides	309/16	. having one double bond between ring members or between a ring member and a non-ring member
307/77	. ortho- or peri-condensed with carbocyclic rings or ring systems	309/18	. . containing only hydrogen and carbon atoms in addition to the ring hetero atom
307/78	. . Benzo [b] furans; Hydrogenated benzo [b] furans	309/20	. . with hydrogen atoms and substituted hydrocarbon radicals directly attached to ring carbon atoms
307/79	. . . with only hydrogen atoms, hydrocarbon or substituted hydrocarbon radicals, directly attached to carbon atoms of the hetero ring	309/22	. . . Radicals substituted by oxygen atoms
307/80 Radicals substituted by oxygen atoms	309/24 Methylol radicals
307/81 Radicals substituted by nitrogen atoms not forming part of a nitro radical	309/26 Carboxaldehyde radicals
307/82	. . . with hetero atoms or with carbon atoms having three bonds to hetero atoms with at the most one bond to halogen, e.g. ester or nitrile radicals, directly attached to carbon atoms of the hetero ring	309/28	. . with hetero atoms or with carbon atoms having three bonds to hetero atoms with at the most one bond to halogen, e.g. ester or nitrile radicals, directly attached to ring carbon atoms
307/83 Oxygen atoms	309/30	. . . Oxygen atoms, e.g. delta-lactones
307/84 Carbon atoms having three bonds to hetero atoms with at the most one bond to halogen	309/32	. having two double bonds between ring members or between ring members and non-ring members
307/85 attached in position 2	309/34	. having three or more double bonds between ring members or between ring members and non-ring members
307/86	. . . with an oxygen atom directly attached in position 7	309/36	. . with oxygen atoms directly attached to ring carbon atoms
307/87	. . Benzo [c] furans; Hydrogenated benzo [c] furans	309/38	. . . one oxygen atom in position 2 or 4, e.g. pyrones
307/88	. . . with one oxygen atom directly attached in position 1 or 3	309/40	. . . Oxygen atoms attached in positions 3 and 4, e.g. maltol
307/885 3,3-Diphenylphthalides	311/00	Heterocyclic compounds containing six-membered rings having one oxygen atom as the only hetero atom, condensed with other rings
307/89	. . . with two oxygen atoms directly attached in positions 1 and 3	311/02	. ortho- or peri-condensed with carbocyclic rings or ring systems
307/90	. . . with an oxygen atom in position 1 and a nitrogen atom in position 3, or <u>vice versa</u>	311/04	. . Benzo[b]pyrans, not hydrogenated in the carbocyclic ring
307/91	. . Dibenzofurans; Hydrogenated dibenzofurans	311/06	. . . with oxygen or sulfur atoms directly attached in position 2
307/92	. . Naphthofurans; Hydrogenated naphthofurans	311/08 not hydrogenated in the hetero ring
307/93	. . condensed with a ring other than six-membered	311/10 unsubstituted
307/935	. . . Not further condensed cyclopenta [b] furans or hydrogenated cyclopenta [b] furans	311/12 substituted in position 3 and unsubstituted in position 7
307/937 with hydrocarbon or substituted hydrocarbon radicals directly attached in position 2, e.g. prostacyclins	311/14 substituted in position 6 and unsubstituted in position 7
307/94	. spiro-condensed with carbocyclic rings or ring systems, e.g. griseofulvins	311/16 substituted in position 7
309/00	Heterocyclic compounds containing six-membered rings having one oxygen atom as the only ring hetero atom, not condensed with other rings	311/18 substituted otherwise than in position 3 or 7
309/02	. having no double bonds between ring members or between ring members and non-ring members	311/20 hydrogenated in the hetero ring
309/04	. . with only hydrogen atoms, hydrocarbon or substituted hydrocarbon radicals, directly attached to ring carbon atoms	311/22	. . . with oxygen or sulfur atoms directly attached in position 4
309/06	. . . Radicals substituted by oxygen atoms	311/24 with carbon atoms having three bonds to hetero atoms with at the most one bond to halogen, e.g. ester or nitrile radicals, directly attached in position 2
		311/26 with aromatic rings attached in position 2 or 3

311/28 with aromatic rings attached in position 2 only	311/96 spiro-condensed with carbocyclic rings or ring systems
311/30 not hydrogenated in the hetero ring, e.g. flavones	313/00	Heterocyclic compounds containing rings of more than six members having one oxygen atom as the only ring hetero atom
311/32 2,3-Dihydro derivatives, e.g. flavanones	313/02 Seven-membered rings
311/34 with aromatic rings attached in position 3 only	313/04 not condensed with other rings
311/36 not hydrogenated in the hetero ring, e.g. isoflavones	313/06 condensed with carbocyclic rings or ring systems
311/38 2,3-Dihydro derivatives, e.g. isoflavanones	313/08 condensed with one six-membered ring
311/40 Separation, e.g. from natural material; Purification	313/10 condensed with two six-membered rings
311/42 with oxygen or sulfur atoms in positions 2 and 4	313/12 [b,e]-condensed
311/44 with one hydrogen atom in position 3	313/14 [b,f]-condensed
311/46 unsubstituted in the carbocyclic ring	313/16 Eight-membered rings
311/48 with two such benzopyran radicals linked together by a carbon chain	313/18 not condensed with other rings
311/50 with elements other than carbon and hydrogen in position 3	313/20 condensed with carbocyclic rings or ring systems
311/52 Enol-esters or -ethers, or sulfur analogues thereof	315/00	Heterocyclic compounds containing rings having one oxygen atom as the only ring hetero atom according to more than one of groups C07D 303/00 - C07D 313/00
311/54 substituted in the carbocyclic ring	317/00	Heterocyclic compounds containing five-membered rings having two oxygen atoms as the only ring hetero atoms
311/56 without hydrogen atoms in position 3	317/02 having the hetero atoms in positions 1 and 2
311/58 other than with oxygen or sulphur atoms in position 2 or 4	317/04 not condensed with other rings
311/60 with aryl radicals attached in position 2	317/06 condensed with carbocyclic rings or ring systems
311/62 with oxygen atoms directly attached in position 3, e.g. anthocyanidins	317/08 having the hetero atoms in positions 1 and 3
311/64 with oxygen atoms directly attached in position 8	317/10 not condensed with other rings
311/66 with carbon atoms having three bonds to hetero atoms with at the most one bond to halogen, e.g. ester or nitrile radicals, directly attached in position 2	317/12 with only hydrogen atoms or radicals containing only hydrogen and carbon atoms, directly attached to ring carbon atoms
311/68 with nitrogen atoms directly attached in position 4	317/14 with substituted hydrocarbon radicals attached to ring carbon atoms
311/70 with two hydrocarbon radicals attached in position 2 and elements other than carbon and hydrogen in position 6	317/16 Radicals substituted by halogen atoms or nitro radicals
311/72 3,4-Dihydro derivatives having in position 2 at least one methyl radical and in position 6 one oxygen atom, e.g. tocopherols	317/18 Radicals substituted by singly bound oxygen or sulfur atoms
311/74 Benzo[b]pyrans, hydrogenated in the carbocyclic ring	317/20 Free hydroxyl or mercaptan
311/76 Benzo[c]pyrans	317/22 etherified
311/78 Ring systems having three or more relevant rings	317/24 esterified
311/80 Dibenzopyrans; Hydrogenated dibenzopyrans	317/26 Radicals substituted by doubly bound oxygen or sulfur atoms or by two such atoms singly bound to the same carbon atom
311/82 Xanthenes	317/28 Radicals substituted by nitrogen atoms (nitro radicals C07D 317/16)
311/84 with hetero atoms or with carbon atoms having three bonds to hetero atoms with at the most one bond to halogen, e.g. ester or nitrile radicals, directly attached in position 9	317/30 Radicals substituted by carbon atoms having three bonds to hetero atoms with at the most one bond to halogen, e.g. ester or nitrile radicals
311/86 Oxygen atoms, e.g. xanthenes	317/32 with hetero atoms or with carbon atoms having three bonds to hetero atoms with at the most one bond to halogen, e.g. ester or nitrile radicals, directly attached to ring carbon atoms
311/88 Nitrogen atoms	317/34 Oxygen atoms
311/90 with hydrocarbon radicals, substituted by amino radicals, directly attached in position 9	317/36 Alkylene carbonates; Substituted alkylene carbonates
311/92 Naphthopyrans; Hydrogenated naphthopyrans	317/38 Ethylene carbonate
311/94 condensed with rings other than six-membered or with ring systems containing such rings	317/40 Vinylene carbonate; Substituted vinylene carbonates
		317/42 Halogen atoms or nitro radicals
		317/44 ortho- or peri-condensed with carbocyclic rings or ring systems
		317/46 condensed with one six-membered ring

317/48 Methylenedioxybenzenes or hydrogenated methylenedioxybenzenes, unsubstituted on the hetero ring	323/06	. . Trioxane
317/50 with only hydrogen atoms, hydrocarbon or substituted hydrocarbon radicals, directly attached to atoms of the carbocyclic ring	325/00	Heterocyclic compounds containing rings having oxygen as the only ring hetero atom according to more than one of groups C07D 303/00 - C07D 323/00
317/52 Radicals substituted by halogen atoms or nitro radicals	327/00	Heterocyclic compounds containing rings having oxygen and sulfur atoms as the only ring hetero atoms
317/54 Radicals substituted by oxygen atoms	327/02	. one oxygen atom and one sulfur atom
317/56 Radicals substituted by sulfur atoms	327/04	. . Five-membered rings
317/58 Radicals substituted by nitrogen atoms (nitro radicals C07D 317/52)	327/06	. . Six-membered rings
317/60 Radicals substituted by carbon atoms having three bonds to hetero atoms with at the most one bond to halogen, e.g. ester or nitrile radicals	327/08	. . [b,e]-condensed with two six-membered carbocyclic rings
317/62 with hetero atoms or with carbon atoms having three bonds to hetero atoms with at the most one bond to halogen, e.g. ester or nitrile radicals, directly attached to atoms of the carbocyclic ring	327/10	. two oxygen atoms and one sulfur atom, e.g. cyclic sulfates
317/64 Oxygen atoms	329/00	Heterocyclic compounds containing rings having oxygen and selenium or oxygen and tellurium atoms as the only ring hetero atoms
317/66 Nitrogen atoms not forming part of a nitro radical	<u>Heterocyclic compounds having sulfur, selenium or tellurium atoms as the only ring hetero atoms</u>	
317/68 Carbon atoms having three bonds to hetero atoms with at the most one bond to halogen	331/00	Heterocyclic compounds containing rings of less than five members, having one sulfur atom as the only ring hetero atom
317/70	. . . condensed with ring systems containing two or more relevant rings	331/02	. Three-membered rings
317/72	. . spiro-condensed with carbocyclic rings	331/04	. Four-membered rings
319/00	Heterocyclic compounds containing six-membered rings having two oxygen atoms as the only ring hetero atoms	333/00	Heterocyclic compounds containing five-membered rings having one sulfur atom as the only ring hetero atom
319/02	. 1,2-Dioxanes; Hydrogenated 1,2-dioxanes	333/02	. not condensed with other rings
319/04	. 1,3-Dioxanes; Hydrogenated 1,3-dioxanes	333/04	. . not substituted on the ring sulphur atom
319/06	. . not condensed with other rings	333/06	. . with only hydrogen atoms, hydrocarbon or substituted hydrocarbon radicals, directly attached to the ring carbon atoms
319/08	. . condensed with carbocyclic rings or ring systems	333/08	. . . Hydrogen atoms or radicals containing only hydrogen and carbon atoms
319/10	. 1,4-Dioxanes; Hydrogenated 1,4-dioxanes	333/10 Thiophene
319/12	. . not condensed with other rings	333/12	. . . Radicals substituted by halogen atoms or nitro or nitroso radicals
319/14	. . condensed with carbocyclic rings or ring systems	333/14	. . . Radicals substituted by singly bound hetero atoms other than halogen
319/16	. . . condensed with one six-membered ring	333/16 by oxygen atoms
319/18	. . . Ethylenedioxybenzenes, not substituted on the hetero ring	333/18 by sulfur atoms
319/20	. . . with substituents attached to the hetero ring	333/20 by nitrogen atoms (nitro, nitroso radicals C07D 333/12)
319/22	. . . condensed with one naphthalene or hydrogenated naphthalene ring system	333/22	. . . Radicals substituted by doubly bound hetero atoms, or by two hetero atoms other than halogen singly bound to the same carbon atom
319/24	. . . [b,e]-condensed with two six-membered rings	333/24	. . . Radicals substituted by carbon atoms having three bonds to hetero atoms with at the most one bond to halogen, e.g. ester or nitrile radicals
321/00	Heterocyclic compounds containing rings having two oxygen atoms as the only ring hetero atoms, not provided for by groups C07D 317/00 - C07D 319/00	333/26	. . . with hetero atoms or with carbon atoms having three bonds to hetero atoms with at the most one bond to halogen, e.g. ester or nitrile radicals, directly attached to ring carbon atoms
321/02	. Seven-membered rings	333/28 Halogen atoms
321/04	. . not condensed with other rings	333/30	. . . Hetero atoms other than halogen
321/06	. . . 1,3-Dioxepines; Hydrogenated 1,3-dioxepines	333/32 Oxygen atoms
321/08	. . . 1,4-Dioxepines; Hydrogenated 1,4-dioxepines	333/34 Sulfur atoms
321/10	. . condensed with carbocyclic rings or ring systems		
321/12	. Eight-membered rings		
323/00	Heterocyclic compounds containing more than two oxygen atoms as the only ring hetero atoms		
323/02	. Five-membered rings		
323/04	. Six-membered rings		

- 333/36 Nitrogen atoms
- 333/38 Carbon atoms having three bonds to hetero atoms with at the most one bond to halogen, e.g. ester or nitrile radicals
- 333/40 Thiophene-2-carboxylic acid
- 333/42 with nitro or nitroso radicals directly attached to ring carbon atoms
- 333/44 attached in position 5
- 333/46 . . substituted on the ring sulfur atom
- 333/48 . . . by oxygen atoms
- 333/50 . condensed with carbocyclic rings or ring systems
- 333/52 . . Benzo[b]thiophenes; Hydrogenated benzo[b]thiophenes
- 333/54 . . . with only hydrogen atoms, hydrocarbon or substituted hydrocarbon radicals, directly attached to carbon atoms of the hetero ring
- 333/56 Radicals substituted by oxygen atoms
- 333/58 Radicals substituted by nitrogen atoms
- 333/60 Radicals substituted by carbon atoms having three bonds to hetero atoms with at the most one bond to halogen, e.g. ester or nitrile radicals
- 333/62 . . . with hetero atoms or with carbon atoms having three bonds to hetero atoms with at the most one bond to halogen, e.g. ester or nitrile radicals, directly attached to carbon atoms of the hetero ring
- 333/64 Oxygen atoms
- 333/66 Nitrogen atoms not forming part of a nitro radical
- 333/68 Carbon atoms having three bonds to hetero atoms with at the most one bond to halogen
- 333/70 attached in position 2
- 333/72 . . Benzo[c]thiophenes; Hydrogenated benzo[c]thiophenes
- 333/74 . . Naphthothiophenes
- 333/76 . . Dibenzothiophenes
- 333/78 . . condensed with rings other than six-membered or with ring systems containing such rings
- 333/80 . . . Seven-membered rings
- 335/00 Heterocyclic compounds containing six-membered rings having one sulfur atom as the only ring hetero atom**
- 335/02 . not condensed with other rings
- 335/04 . condensed with carbocyclic rings or ring systems
- 335/06 . . Benzothiopyrans; Hydrogenated benzothiopyrans
- 335/08 . . Naphthothiopyrans; Hydrogenated naphthothiopyrans
- 335/10 . . Dibenzothiopyrans; Hydrogenated dibenzothiopyrans
- 335/12 . . . Thioxanthenes
- 335/14 . . . with hetero atoms or with carbon atoms having three bonds to hetero atoms with at the most one bond to halogen, e.g. ester or nitrile radicals, directly attached in position 9
- 335/16 Oxygen atoms, e.g. thioxanthenes
- 335/18 Nitrogen atoms
- 335/20 with hydrocarbon radicals, substituted by amino radicals, directly attached in position 9
- 337/00 Heterocyclic compounds containing rings of more than six members having one sulfur atom as the only ring hetero atom**
- 337/02 . Seven-membered rings

- 337/04 . . not condensed with other rings
- 337/06 . . condensed with carbocyclic rings or ring systems
- 337/08 . . . condensed with one six-membered ring
- 337/10 . . . condensed with two six-membered rings
- 337/12 [b,e]-condensed
- 337/14 [b,f]-condensed
- 337/16 . Eight-membered rings
- 339/00 Heterocyclic compounds containing rings having two sulfur atoms as the only ring hetero atoms**
- 339/02 . Five-membered rings
- 339/04 . . having the hetero atoms in positions 1 and 2, e.g. lipoic acid
- 339/06 . . having the hetero atoms in positions 1 and 3, e.g. cyclic dithiocarbonates
- 339/08 . Six-membered rings
- 341/00 Heterocyclic compounds containing rings having three or more sulfur atoms as the only ring hetero atoms**
- 343/00 Heterocyclic compounds containing rings having sulfur and selenium or sulfur and tellurium atoms as the only ring hetero atoms**
- 345/00 Heterocyclic compounds containing rings having selenium or tellurium atoms as the only ring hetero atoms**

347/00 Heterocyclic compounds containing rings having halogen atoms as ring hetero atoms

Heterocyclic compounds containing two or more hetero rings

NOTE

Groups [C07D 401/00](#) - [C07D 421/00](#) cover compounds containing two or more relevant hetero rings at least two of which are covered by different main groups of groups [C07D 203/00](#) - [C07D 347/00](#), neither condensed among themselves nor condensed with a common carbocyclic ring or ring system.

- 401/00 Heterocyclic compounds containing two or more hetero rings, having nitrogen atoms as the only ring hetero atoms, at least one ring being a six-membered ring with only one nitrogen atom**
- 401/02 . containing two hetero rings
- 401/04 . . directly linked by a ring-member-to-ring-member bond
- 401/06 . . linked by a carbon chain containing only aliphatic carbon atoms
- 401/08 . . linked by a carbon chain containing alicyclic rings
- 401/10 . . linked by a carbon chain containing aromatic rings
- 401/12 . . linked by a chain containing hetero atoms as chain links
- 401/14 . containing three or more hetero rings
- 403/00 Heterocyclic compounds containing two or more hetero rings, having nitrogen atoms as the only ring hetero atoms, not provided for by group [C07D 401/00](#)**
- 403/02 . containing two hetero rings
- 403/04 . . directly linked by a ring-member-to-ring-member bond

- 403/06 . . linked by a carbon chain containing only aliphatic carbon atoms
- 403/08 . . linked by a carbon chain containing alicyclic rings
- 403/10 . . linked by a carbon chain containing aromatic rings
- 403/12 . . linked by a chain containing hetero atoms as chain links
- 403/14 . containing three or more hetero rings

405/00 Heterocyclic compounds containing both one or more hetero rings having oxygen atoms as the only ring hetero atoms, and one or more rings having nitrogen as the only ring hetero atom

- 405/02 . containing two hetero rings
- 405/04 . . directly linked by a ring-member-to-ring-member bond
- 405/06 . . linked by a carbon chain containing only aliphatic carbon atoms
- 405/08 . . linked by a carbon chain containing alicyclic rings
- 405/10 . . linked by a carbon chain containing aromatic rings
- 405/12 . . linked by a chain containing hetero atoms as chain links
- 405/14 . containing three or more hetero rings

407/00 Heterocyclic compounds containing two or more hetero rings, at least one ring having oxygen atoms as the only ring hetero atoms, not provided for by group [C07D 405/00](#)

- 407/02 . containing two hetero rings
- 407/04 . . directly linked by a ring-member-to-ring-member bond
- 407/06 . . linked by a carbon chain containing only aliphatic carbon atoms
- 407/08 . . linked by a carbon chain containing alicyclic rings
- 407/10 . . linked by a carbon chain containing aromatic rings
- 407/12 . . linked by a chain containing hetero atoms as chain links
- 407/14 . containing three or more hetero rings

409/00 Heterocyclic compounds containing two or more hetero rings, at least one ring having sulfur atoms as the only ring hetero atoms

- 409/02 . containing two hetero rings
- 409/04 . . directly linked by a ring-member-to-ring-member bond
- 409/06 . . linked by a carbon chain containing only aliphatic carbon atoms
- 409/08 . . linked by a carbon chain containing alicyclic rings
- 409/10 . . linked by a carbon chain containing aromatic rings
- 409/12 . . linked by a chain containing hetero atoms as chain links
- 409/14 . containing three or more hetero rings

411/00 Heterocyclic compounds containing two or more hetero rings, at least one ring having oxygen and sulfur atoms as the only ring hetero atoms

- 411/02 . containing two hetero rings
- 411/04 . . directly linked by a ring-member-to-ring-member bond

- 411/06 . . linked by a carbon chain containing only aliphatic carbon atoms
- 411/08 . . linked by a carbon chain containing alicyclic rings
- 411/10 . . linked by a carbon chain containing aromatic rings
- 411/12 . . linked by a chain containing hetero atoms as chain links
- 411/14 . containing three or more hetero rings

413/00 Heterocyclic compounds containing two or more hetero rings, at least one ring having nitrogen and oxygen atoms as the only ring hetero atoms

- 413/02 . containing two hetero rings
- 413/04 . . directly linked by a ring-member-to-ring-member bond
- 413/06 . . linked by a carbon chain containing only aliphatic carbon atoms
- 413/08 . . linked by a carbon chain containing alicyclic rings
- 413/10 . . linked by a carbon chain containing aromatic rings
- 413/12 . . linked by a chain containing hetero atoms as chain links
- 413/14 . containing three or more hetero rings

415/00 Heterocyclic compounds containing the thiamine skeleton

417/00 Heterocyclic compounds containing two or more hetero rings, at least one ring having nitrogen and sulfur atoms as the only ring hetero atoms, not provided for by group [C07D 415/00](#)

- 417/02 . containing two hetero rings
- 417/04 . . directly linked by a ring-member-to-ring-member bond
- 417/06 . . linked by a carbon chain containing only aliphatic carbon atoms
- 417/08 . . linked by a carbon chain containing alicyclic rings
- 417/10 . . linked by a carbon chain containing aromatic rings
- 417/12 . . linked by a chain containing hetero atoms as chain links
- 417/14 . containing three or more hetero rings

419/00 Heterocyclic compounds containing two or more hetero rings, at least one ring having nitrogen, oxygen, and sulfur atoms as the only ring hetero atoms

- 419/02 . containing two hetero rings
- 419/04 . . directly linked by a ring-member-to-ring-member bond
- 419/06 . . linked by a carbon chain containing only aliphatic carbon atoms
- 419/08 . . linked by a carbon chain containing alicyclic rings
- 419/10 . . linked by a carbon chain containing aromatic rings
- 419/12 . . linked by a chain containing hetero atoms as chain links
- 419/14 . containing three or more hetero rings

421/00 Heterocyclic compounds containing two or more hetero rings, at least one ring having selenium, tellurium, or halogen atoms as ring hetero atoms

- 421/02 . containing two hetero rings
- 421/04 . . directly linked by a ring-member-to-ring-member bond
- 421/06 . . linked by a carbon chain containing only aliphatic carbon atoms
- 421/08 . . linked by a carbon chain containing alicyclic rings
- 421/10 . . linked by a carbon chain containing aromatic rings
- 421/12 . . linked by a chain containing hetero atoms as chain links
- 421/14 . containing three or more hetero rings

Heterocyclic compounds containing condensed hetero ring systems

NOTES

- Groups [C07D 451/00](#) - [C07D 517/00](#) cover compounds containing one system of two or more relevant hetero rings condensed among themselves or condensed with a common carbocyclic ring system, with or without other non-condensed hetero rings.
- For the purpose of classification in groups [C07D 451/00](#) - [C07D 519/00](#), the degree of hydrogenation of the ring system is not taken into consideration.
- For the purpose of classification in groups [C07D 451/00](#) - [C07D 463/00](#), [C07D 473/00](#) - [C07D 477/00](#), [C07D 489/00](#), [C07D 499/00](#) - [C07D 507/00](#), the wording of the groups has to be understood, in the absence of an indication to the contrary, as including ring systems further condensed with carbocyclic rings or ring systems, but excluding ring systems further condensed with other hetero rings, either directly or through a common carbocyclic ring system, e.g. sparteine is classified in group [C07D 471/22](#), not in group [C07D 455/02](#).
- In groups [C07D 471/00](#), [C07D 487/00](#), [C07D 491/00](#) - [C07D 498/00](#) or [C07D 513/00](#) - [C07D 517/00](#), the subdivision is based on the number of relevant hetero rings.

451/00 Heterocyclic compounds containing 8-azabicyclo [3.2.1] octane, 9-azabicyclo [3.3.1] nonane, or 3-oxa-9-azatricyclo [3.3.1.0<2,4>] nonane ring systems, e.g. tropane or granatane alkaloids, scopolamine; Cyclic acetals thereof

- 451/02 . containing not further condensed 8-azabicyclo [3.2.1] octane or 3-oxa-9-azatricyclo [3.3.1.0<2,4>] nonane ring systems, e.g. tropane; Cyclic acetals thereof
- 451/04 . . with hetero atoms directly attached in position 3 of the 8-azabicyclo [3.2.1] octane or in position 7 of the 3-oxa-9-azatricyclo [3.3.1.0<2,4>] nonane ring system
- 451/06 . . . Oxygen atoms
- 451/08 Diarylmethoxy radicals
- 451/10 acylated by aliphatic or araliphatic carboxylic acids, e.g. atropine, scopolamine
- 451/12 acylated by aromatic or heteroaromatic carboxylic acids, e.g. cocaine
- 451/14 . containing 9-azabicyclo [3.3.1] nonane ring systems, e.g. granatane, 2-aza-adamantane; Cyclic acetals thereof

453/00 Heterocyclic compounds containing quinuclidine or iso-quinuclidine ring systems, e.g. quinine alkaloids


- 453/02 . containing not further condensed quinuclidine ring systems

- 453/04 . . having a quinolyl-4, a substituted quinolyl-4 or a alkylenedioxy-quinolyl-4 radical linked through only one carbon atom, attached in position 2, e.g. quinine
- 453/06 . containing isoquinuclidine ring systems

455/00 Heterocyclic compounds containing quinolizine ring systems, e.g. emetine alkaloids, protoberberine; Alkylenedioxy derivatives of dibenzo [a, g] quinolizines, e.g. berberine

- 455/02 . containing not further condensed quinolizine ring systems
- 455/03 . containing quinolizine ring systems directly condensed with at least one six-membered carbocyclic ring, e.g. protoberberine; Alkylenedioxy derivatives of dibenzo [a, g] quinolizines, e.g. berberine
- 455/04 . . containing a quinolizine ring system condensed with only one six-membered carbocyclic ring, e.g. julolidine
- 455/06 . . . containing benzo [a] quinolizine ring systems
- 455/08 having an isoquinolyl-1, a substituted isoquinolyl-1 or an alkylenedioxyisoquinolyl-1 radical linked through only one carbon atom, attached in position 2, e.g. emetine

457/00 Heterocyclic compounds containing indolo [4, 3-f, g] quinoline ring systems, e.g. derivatives of ergoline, of the formula:




lysergic acid (compounds of the cyclic peptide type derived from ergotamine [C07D 519/02](#))

- 457/02 . with hydrocarbon or substituted hydrocarbon radicals, attached in position 8
- 457/04 . with carbon atoms having three bonds to hetero atoms with at the most one bond to halogen, e.g. ester or nitrile radicals, directly attached in position 8
- 457/06 . . Lysergic acid amides
- 457/08 . . . in which the amide nitrogen is a member of a heterocyclic ring
- 457/10 . with hetero atoms directly attached in position 8
- 457/12 . . Nitrogen atoms
- 457/14 . containing indolo [4, 3-f, g] quinoline ring systems condensed with carbocyclic rings or ring systems

459/00 Heterocyclic compounds containing benz [g] indolo [2, 3-a] quinolizine ring systems, e.g. yohimbine; 16, 18-lactones thereof, e.g. reserpine lactone

461/00 Heterocyclic compounds containing indolo [3,2,1-d,e] pyrido [3,2,1,j] [1,5]-naphthyridine ring systems, e.g. vincamine (dimeric indolo alkaloids [C07D 519/04](#))

463/00 Heterocyclic compounds containing 1-azabicyclo [4.2.0] octane ring systems, i.e. compounds containing a ring system of the formula:



ring systems being further condensed, e.g. 2,3-condensed with an oxygen-, nitrogen- or sulfur-containing hetero ring

- 463/02 . Preparation (by [microbiological processes C12P 17/18](#))
- 463/04 . . by forming the ring or condensed ring systems
- 463/06 . . from compounds already containing the ring or condensed ring systems, e.g. by dehydrogenation of the ring, by introduction, elimination or modification of substituents
- 463/08 . . . Modification of a carboxyl group directly attached in position 2, e.g. esterification
- 463/10 . with a carbon atom having three bonds to hetero atoms with at the most one bond to halogen, e.g. an ester or nitrile radical, directly attached in position 2
- 463/12 . . with hydrogen atoms, hydrocarbon or substituted hydrocarbon radicals attached in position 7
- 463/14 . . with hetero atoms directly attached in position 7
- 463/16 . . . Nitrogen atoms
- 463/18 further acylated by radicals derived from carboxylic acids or by nitrogen or sulfur analogues thereof
- 463/20 with the acylating radicals further substituted by hetero atoms or by carbon atoms having three bonds to hetero atoms with at the most one bond to halogen
- 463/22 further substituted by nitrogen atoms

471/00 Heterocyclic compounds containing nitrogen atoms as the only ring hetero atoms in the condensed system, at least one ring being a six-membered ring with one nitrogen atom, not provided for by groups [C07D 451/00](#) - [C07D 463/00](#)

- 471/02 . in which the condensed system contains two hetero rings
- 471/04 . . Ortho-condensed systems
- 471/06 . . Peri-condensed systems
- 471/08 . . Bridged systems
- 471/10 . . Spiro-condensed systems
- 471/12 . in which the condensed system contains three hetero rings
- 471/14 . . Ortho-condensed systems
- 471/16 . . Peri-condensed systems
- 471/18 . . Bridged systems
- 471/20 . . Spiro-condensed systems
- 471/22 . in which the condensed systems contains four or more hetero rings

473/00 Heterocyclic compounds containing purine ring systems


- 473/02 . with oxygen, sulphur, or nitrogen atoms directly attached in positions 2 and 6
- 473/04 . . two oxygen atoms
- 473/06 . . . with radicals containing only hydrogen and carbon atoms, attached in position 1 or 3
- 473/08 with methyl radicals in positions 1 and 3, e.g. theophylline

- 473/10 with methyl radicals in positions 3 and 7, e.g. theobromine
- 473/12 with methyl radicals in positions 1, 3, and 7, e.g. caffeine
- 473/14 with two methyl radicals in positions 1 and 3 and two methyl radicals in positions 7, 8, or 9
- 473/16 . . two nitrogen atoms
- 473/18 . . one oxygen and one nitrogen atom, e.g. guanine
- 473/20 . . two sulfur atoms
- 473/22 . . one oxygen and one sulfur atom
- 473/24 . . one nitrogen and one sulfur atom
- 473/26 . with an oxygen, sulphur, or nitrogen atom directly attached in position 2 or 6, but not in both
- 473/28 . . Oxygen atom
- 473/30 . . . attached in position 6, e.g. hypoxanthine
- 473/32 . . Nitrogen atom
- 473/34 . . . attached in position 6, e.g. adenine
- 473/36 . . Sulfur atom
- 473/38 . . . attached in position 6
- 473/40 . with halogen atoms or perhalogeno-alkyl radicals directly attached in position 2 or 6

475/00 Heterocyclic compounds containing pteridine ring systems

- 475/02 . with an oxygen atom directly attached in position 4
- 475/04 . . with a nitrogen atom directly attached in position 2
- 475/06 . with a nitrogen atom directly attached in position 4
- 475/08 . . with a nitrogen atom directly attached in position 2
- 475/10 . . with an aromatic or hetero-aromatic ring directly attached in position 2
- 475/12 . containing pteridine ring systems condensed with carbocyclic rings or ring systems
- 475/14 . . Benz [g] pteridines, e.g. riboflavin

477/00 Heterocyclic compounds containing 1-azabicyclo [3.2.0] heptane ring systems, i.e. compounds containing a ring system of the formula:



Such ring systems being further condensed, e.g. 2,3-condensed with an oxygen-, nitrogen- or sulphur-containing hetero ring


- 477/02 . Preparation (by [microbiological processes C12P 17/18](#))
- 477/04 . . by forming the ring or condensed ring systems
- 477/06 . . from compounds already containing the ring or condensed ring systems, e.g. by dehydrogenation of the ring, by introduction, elimination or modification of substituents
- 477/08 . . . Modification of a carboxyl group directly attached in position 2, e.g. esterification
- 477/10 . with hydrogen atoms, hydrocarbon or substituted hydrocarbon radicals, directly attached in position 4, and with a carbon atom having three bonds to hetero atoms with at the most one bond to halogen, e.g. an ester or nitrile radical, directly attached in position 2
- 477/12 . . with hydrogen atoms, hydrocarbon or substituted hydrocarbon radicals, attached in position 6

- 477/14 . . . with hydrogen atoms, hydrocarbon or substituted hydrocarbon radicals, attached in position 3
- 477/16 . . . with hetero atoms or carbon atoms having three bonds to hetero atoms with at the most one bond to halogen, e.g. an ester or nitrile radical, directly attached in position 3
- 477/18 Oxygen atoms
- 477/20 Sulfur atoms
- 477/22 Nitrogen atoms
- 477/24 . . with hetero atoms or carbon atoms having three bonds to hetero atoms with at the most one bond to halogen, e.g. an ester or nitrile radical, directly attached in position 6
- 477/26 . with hetero atoms or carbon atoms having three bonds to hetero atoms with at the most one bond to halogen, e.g. an ester or nitrile radical, directly attached in position 4

487/00 Heterocyclic compounds containing nitrogen atoms as the only ring hetero atoms in the condensed system, not provided for by groups C07D 451/00 - C07D 477/00

- 487/02 . in which the condensed system contains two hetero rings
- 487/04 . . Ortho-condensed systems
- 487/06 . . Peri-condensed systems
- 487/08 . . Bridged systems
- 487/10 . . Spiro-condensed systems
- 487/12 . in which the condensed system contains three hetero rings
- 487/14 . . Ortho-condensed systems
- 487/16 . . Peri-condensed systems
- 487/18 . . Bridged systems
- 487/20 . . Spiro-condensed systems
- 487/22 . in which the condensed system contains four or more hetero rings

489/00 Heterocyclic compounds containing 4aH-8, 9 c-Iminoethano-phenanthro [4, 5-b, c, d] furan ring systems, e.g. derivatives of [4, 5-epoxy]-morphinan of the formula:



- 489/02 . with oxygen atoms attached in positions 3 and 6, e.g. morphine, morphinone
- 489/04 . . Salts; Organic complexes
- 489/06 . with a hetero atom directly attached in position 14
- 489/08 . . Oxygen atom
- 489/09 . containing 4aH-8, 9 c-Iminoethano- phenanthro [4, 5-b, c, d] furan ring systems condensed with carbocyclic rings or ring systems
- 489/10 . . with a bridge between positions 6 and 14
- 489/12 . . . the bridge containing only two carbon atoms

491/00 Heterocyclic compounds containing in the condensed ring system both one or more rings having oxygen atoms as the only ring hetero atoms and one or more rings having nitrogen atoms as the only ring hetero atoms, not provided for by groups C07D 451/00 - C07D 459/00, C07D 463/00, C07D 477/00 or C07D 489/00

- 491/02 . in which the condensed system contains two hetero rings
- 491/04 . . Ortho-condensed systems
- 491/044 . . . with only one oxygen atom as ring hetero atom in the oxygen-containing ring
- 491/048 the oxygen-containing ring being five-membered
- 491/052 the oxygen-containing ring being six-membered
- 491/056 . . . with two or more oxygen atoms as ring hetero atoms in the oxygen-containing ring
- 491/06 . . Peri-condensed systems
- 491/08 . . Bridged systems
- 491/10 . . Spiro-condensed systems
- 491/107 . . . with only one oxygen atom as ring hetero atom in the oxygen-containing ring
- 491/113 . . . with two or more oxygen atoms as ring hetero atoms in the oxygen-containing ring
- 491/12 . in which the condensed system contains three hetero rings
- 491/14 . . Ortho-condensed systems
- 491/147 . . . the condensed system containing one ring with oxygen as ring hetero atom and two rings with nitrogen as ring hetero atom
- 491/153 . . . the condensed system containing two rings with oxygen as ring hetero atom and one ring with nitrogen as ring hetero atom
- 491/16 . . Peri-condensed systems
- 491/18 . . Bridged systems
- 491/20 . . Spiro-condensed systems
- 491/22 . in which the condensed system contains four or more hetero rings

493/00 Heterocyclic compounds containing oxygen atoms as the only ring hetero atoms in the condensed system

- 493/02 . in which the condensed system contains two hetero rings
- 493/04 . . Ortho-condensed systems
- 493/06 . . Peri-condensed systems
- 493/08 . . Bridged systems
- 493/10 . . Spiro-condensed systems
- 493/12 . in which the condensed system contains three hetero rings
- 493/14 . . Ortho-condensed systems
- 493/16 . . Peri-condensed systems
- 493/18 . . Bridged systems
- 493/20 . . Spiro-condensed systems
- 493/22 . in which the condensed system contains four or more hetero rings

495/00 Heterocyclic compounds containing in the condensed system at least one hetero ring having sulfur atoms as the only ring hetero atoms


- 495/02 . in which the condensed system contains two hetero rings
- 495/04 . . Ortho-condensed systems
- 495/06 . . Peri-condensed systems
- 495/08 . . Bridged systems
- 495/10 . . Spiro-condensed systems
- 495/12 . in which the condensed system contains three hetero rings
- 495/14 . . Ortho-condensed systems
- 495/16 . . Peri-condensed systems

- 495/18 . . Bridged systems
- 495/20 . . Spiro-condensed systems
- 495/22 . in which the condensed system contains four or more hetero rings
- 497/00 Heterocyclic compounds containing in the condensed system at least one hetero ring having oxygen and sulfur atoms as the only ring hetero atoms**
- 497/02 . in which the condensed system contains two hetero rings
- 497/04 . . Ortho-condensed systems
- 497/06 . . Peri-condensed systems
- 497/08 . . Bridged systems
- 497/10 . . Spiro-condensed systems
- 497/12 . in which the condensed system contains three hetero rings
- 497/14 . . Ortho-condensed systems
- 497/16 . . Peri-condensed systems
- 497/18 . . Bridged systems
- 497/20 . . Spiro-condensed systems
- 497/22 . in which the condensed system contains four or more hetero rings
- 498/00 Heterocyclic compounds containing in the condensed system at least one hetero ring having nitrogen and oxygen atoms as the only ring hetero atoms (4-oxa-1-azabicyclo [3.2.0] heptanes, e.g. oxapenicillins C07D 503/00; 5-oxa-1-azabicyclo [4.2.0] octanes, e.g. oxacephalosporins C07D 505/00; analogues thereof having ring oxygen atoms in other position C07D 507/00)**
- 498/02 . in which the condensed system contains two hetero rings
- 498/04 . . Ortho-condensed systems
- 498/06 . . Peri-condensed systems
- 498/08 . . Bridged systems
- 498/10 . . Spiro-condensed systems
- 498/12 . in which the condensed system contains three hetero rings
- 498/14 . . Ortho-condensed systems
- 498/16 . . Peri-condensed systems
- 498/18 . . Bridged systems
- 498/20 . . Spiro-condensed systems
- 498/22 . in which the condensed system contains four or more hetero rings
- 499/00 Heterocyclic compounds containing 4-thia-1-azabicyclo [3.2.0] heptane ring systems, i.e. compounds containing a ring system of the formula:**
-
- , e.g. penicillins, penems;**
- Such ring systems being further condensed, e.g. 2,3-condensed with an oxygen-, nitrogen- or sulfur-containing hetero ring**
- 499/04 . Preparation
- 499/06 . . by forming the ring or condensed ring systems (by microbiological processes C12P 37/00)
- 499/08 . . Modification of a carboxyl radical directly attached in position 2, e.g. esterification
- 499/10 . . Modification of an amino radical directly attached in position 6
- 499/12 . . . Acylation
- 499/14 . . Preparation of salts
- 499/16 . . . of alkali or alkaline earth metals
- 499/18 . . Separation; Purification
- 499/20 . . . via salts with organic bases
- 499/21 . with a nitrogen atom directly attached in position 6 and a carbon atom having three bonds to hetero atoms with at the most one bond to halogen, e.g. an ester or nitrile radical, directly attached in position 2
- 499/22 . . Salts with organic bases; Complexes with organic compounds
- 499/24 . . . with acyclic or carbocyclic compounds containing amino radicals
- 499/26 . . . with heterocyclic compounds
- 499/28 . . with modified 2-carboxyl group
- 499/30 . . . Acid anhydride
- 499/32 . . . Esters
- 499/34 . . . Thio-acid; Esters thereof
- 499/36 O-esters
- 499/38 S-esters
- 499/40 . . . Amides; Hydrazides; Azides
- 499/42 . . Compounds with a free primary amino radical attached in position 6
- 499/44 . . Compounds with an amino radical acylated by carboxylic acids, attached in position 6
- 499/46 . . . with acyclic hydrocarbon radicals or such radicals substituted by carbocyclic or heterocyclic rings, attached to the carboxamido radical
- 499/48 . . . with a carbon chain, substituted by hetero atoms or by carbon atoms having three bonds to hetero atoms with at the most one bond to halogen, e.g. ester or nitrile radicals, attached to the carboxamido radical
- 499/50 substituted in beta-position to the carboxamido radical
- 499/52 by oxygen or sulfur atoms
- 499/54 by nitrogen atoms
- 499/56 by carbon atoms having three bonds to hetero atoms with at the most one bond to halogen
- 499/58 substituted in alpha-position to the carboxamido radical
- 499/60 by oxygen atoms
- 499/62 by sulfur atoms
- 499/64 by nitrogen atoms
- 499/66 with alicyclic rings as additional substituents on the carbon chain
- 499/68 with aromatic rings as additional substituents on the carbon chain
- 499/70 with hetero rings as additional substituents on the carbon chain
- 499/72 by carbon atoms having three bonds to hetero atoms
- 499/74 . . . with carbocyclic rings directly attached to the carboxamido radical
- 499/76 . . . with hetero rings directly attached to the carboxamido radical
- 499/78 . . Compounds with an amino radical, acylated by carbonic acid, or by nitrogen or sulfur analogues thereof, attached in position 6
- 499/80 . . Compounds with a nitrogen-containing hetero ring, attached with the ring nitrogen atom in position 6

- 499/86 . . with only atoms other than nitrogen atoms directly attached in position 6 and a carbon atom having three bonds to hetero atoms with at the most one bond to halogen, e.g. an ester or nitrile radical, directly attached in position 2
- 499/861 . . with a hydrocarbon radical or a substituted hydrocarbon radical, directly attached in position 6
- 499/865 . . with hetero atoms or with carbon atoms having three bonds to hetero atoms with at the most one bond to halogen, e.g. an ester or nitrile radical, directly attached in position 6
- 499/87 . Compounds being unsubstituted in position 3 or with substituents other than only two methyl radicals attached in position 3, and with a carbon atom having three bonds to hetero atoms with at the most one bond to halogen, e.g. an ester or nitrile radical, directly attached in position 2
- 499/88 . Compounds with a double bond between positions 2 and 3 and a carbon atom having three bonds to hetero atoms with at the most one bond to halogen, e.g. an ester or nitrile radical, directly attached in position 2
- 499/881 . . with a hydrogen atom or an unsubstituted hydrocarbon radical, attached in position 3
- 499/883 . . with a substituted hydrocarbon radical attached in position 3
- 499/887 . . with a hetero atom or a carbon atom having three bonds to hetero atoms with at the most one bond to halogen, e.g. an ester or nitrile radical, directly attached in position 3
- 499/893 . . with a hetero ring or a condensed hetero ring system, directly attached in position 3
- 499/897 . Compounds with substituents other than a carbon atom having three bonds to hetero atoms with at the most one bond to halogen, directly attached in position 2
- 499/90 . further condensed with carbocyclic rings or ring systems
- 501/00 Heterocyclic compounds containing 5-thia-1-azabicyclo [4.2.0] octane ring systems, i.e. compounds containing a ring system of the formula:**
-
- , e.g. cephalosporins;**
- Such ring systems being further condensed, e.g. 2,3-condensed with an oxygen-, nitrogen- or sulfur-containing hetero ring**
- 501/02 . Preparation
- 501/04 . . from compounds already containing the ring or condensed ring systems, e.g. by dehydrogenation of the ring, by introduction, elimination or modification of substituents
- 501/06 . . . Acylation of 7-aminocephalosporanic acid
- 501/08 . . by forming the ring or condensed ring systems (by microbiological processes [C12P 35/00](#))
- 501/10 . . . from compounds containing the penicillin ring system
- 501/12 . . Separation; Purification
- 501/14 . Compounds having a nitrogen atom directly attached in position 7
- 501/16 . . with a double bond between positions 2 and 3
- 501/18 . . . 7-Aminocephalosporanic or substituted 7-aminocephalosporanic acids
- 501/20 . . . 7-Acylaminocephalosporanic or substituted 7-acylaminocephalosporanic acids in which the acyl radicals are derived from carboxylic acids
- 501/22 with radicals containing only hydrogen and carbon atoms, attached in position 3
- 501/24 with hydrocarbon radicals, substituted by hetero atoms or hetero rings, attached in position 3
- 501/26 Methylene radicals, substituted by oxygen atoms; Lactones thereof with the 2-carboxyl group
- 501/28 with the 7-amino radical acylated by an aliphatic carboxylic acid, which is substituted by hetero atoms
- 501/30 with the 7-amino-radical acylated by an araliphatic carboxylic acid
- 501/32 with the 7-amino radical acylated by an araliphatic carboxylic acid, which is substituted on the aliphatic radical by hetero atoms
- 501/34 with the 7-amino radical acylated by carboxylic acids containing hetero rings
- 501/36 Methylene radicals, substituted by sulfur atoms
- 501/38 Methylene radicals, substituted by nitrogen atoms; Lactams thereof with the 2-carboxyl group; Methylene radicals substituted by nitrogen-containing hetero rings attached by the ring nitrogen atom; Quaternary compounds thereof
- 501/40 with the 7-amino radical acylated by an aliphatic carboxylic acid, which is substituted by hetero atoms
- 501/42 with the 7-amino radical acylated by an araliphatic carboxylic acid
- 501/44 with the 7-amino radical acylated by an araliphatic carboxylic acid, which is substituted on the aliphatic radical by hetero atoms
- 501/46 with the 7-amino radical acylated by carboxylic acids containing hetero rings
- 501/48 Methylene radicals, substituted by hetero rings ([C07D 501/38](#) - [C07D 501/46](#) take precedence)
- 501/50 with the 7-amino radical acylated by an aliphatic carboxylic acid, which is substituted by hetero atoms
- 501/52 with the 7-amino radical acylated by an araliphatic carboxylic acid
- 501/54 with the 7-amino radical acylated by an araliphatic carboxylic acid, which is substituted on the aliphatic radical by hetero atoms
- 501/56 with the 7-amino radical acylated by carboxylic acids containing hetero rings
- 501/57 with a further substituent in position 7, e.g. cephamycines
- 501/58 . . . with a nitrogen atom, which is a member of a hetero ring, attached in position 7
- 501/59 . . . with hetero atoms directly attached in position 3
- 501/60 . . with a double bond between positions 3 and 4

501/62 Compounds further condensed with a carbocyclic ring or ring system


503/00 Heterocyclic compounds containing 4-oxa-1-azabicyclo [3.2.0] heptane ring systems, i.e. compounds containing a ring system of the formula:



, e.g. oxapenicillins, clavulanic acid derivatives; Such ring systems being further condensed, e.g. 2,3-condensed with an oxygen-, nitrogen- or sulfur-containing hetero ring

- 503/02 . . Preparation (by [microbiological processes C12P 17/18](#))
- 503/04 . . by forming the ring or condensed ring systems
- 503/06 . . from compounds already containing the ring or condensed ring systems, e.g. by dehydrogenation of the ring, by introduction, elimination or modification of substituents
- 503/08 . . . Modification of a carboxyl group directly attached in position 2, e.g. esterification
- 503/10 . . with a carbon atom having three bonds to hetero atoms with at the most one bond to halogen, e.g. an ester or nitrile radical, directly attached in position 2
- 503/12 . . unsubstituted in position 6
- 503/14 . . . with hydrogen atoms, hydrocarbon or substituted hydrocarbon radicals, other than a carbon atom having three bonds to hetero atoms with at the most one bond to halogen, attached in position 3
- 503/16 . . . Radicals substituted by hetero atoms or by carbon atoms having three bonds to hetero atoms with at the most one bond to halogen, e.g. an ester or nitrile radical
- 503/18 by oxygen atoms
- 503/20 by sulfur atoms
- 503/22 by nitrogen atoms

505/00 Heterocyclic compounds containing 5-oxa-1-azabicyclo [4.2.0] octane ring systems, i.e. compounds containing a ring system of the formula:



, e.g. oxacephalosporins; Such ring systems being further condensed, e.g. 2,3-condensed with an oxygen-, nitrogen- or sulfur-containing hetero ring

- 505/02 . . Preparation (by [microbiological processes C12P 17/18](#))
- 505/04 . . by forming the ring or condensed ring systems
- 505/06 . . from compounds already containing the ring or condensed ring systems, e.g. by dehydrogenation of the ring, by introduction, elimination or modification of substituents
- 505/08 . . . Modification of a carboxyl group directly attached in position 2, e.g. esterification
- 505/10 . . with a carbon atom having three bonds to hetero atoms with at the most one bond to halogen, e.g. an ester or nitrile radical, directly attached in position 2
- 505/12 . . substituted in position 7
- 505/14 . . . with hetero atoms directly attached in position 7
- 505/16 Nitrogen atoms

- 505/18 further acylated by radicals derived from carboxylic acids or by nitrogen or sulfur analogues thereof
- 505/20 with the acylating radicals further substituted by hetero atoms or by carbon atoms having three bonds to hetero atoms with at the most one bond to halogen
- 505/22 further substituted by singly-bound nitrogen atoms
- 505/24 further substituted by doubly-bound nitrogen atoms

507/00 Heterocyclic compounds containing a condensed beta-lactam ring system, not provided for by groups [C07D 463/00](#), [C07D 477/00](#) or [C07D 499/00](#) - [C07D 505/00](#); Such ring systems being further condensed

- 507/02 . . containing 3-oxa-1-azabicyclo [3.2.0] heptane ring systems
- 507/04 . . containing 2-oxa-1-azabicyclo [4.2.0] octane ring systems
- 507/06 . . containing 3-oxa-1-azabicyclo [4.2.0] octane ring systems
- 507/08 . . containing 4-oxa-1-azabicyclo [4.2.0] octane ring systems

513/00 Heterocyclic compounds containing in the condensed system at least one hetero ring having nitrogen and sulfur atoms as the only ring hetero atoms, not provided for in groups [C07D 463/00](#), [C07D 477/00](#) or [C07D 499/00](#) - [C07D 507/00](#)

- 513/02 . . in which the condensed system contains two hetero rings
- 513/04 . . Ortho-condensed systems
- 513/06 . . Peri-condensed systems
- 513/08 . . Bridged systems
- 513/10 . . Spiro-condensed systems
- 513/12 . . in which the condensed system contains three hetero rings
- 513/14 . . Ortho-condensed systems
- 513/16 . . Peri-condensed systems
- 513/18 . . Bridged systems
- 513/20 . . Spiro-condensed systems
- 513/22 . . in which the condensed system contains four or more hetero rings

515/00 Heterocyclic compounds containing in the condensed system at least one hetero ring having nitrogen, oxygen, and sulfur atoms as the only ring hetero atoms, not provided for in groups [C07D 463/00](#), [C07D 477/00](#) or [C07D 499/00](#) - [C07D 507/00](#)

- 515/02 . . in which the condensed system contains two hetero rings
- 515/04 . . Ortho-condensed systems
- 515/06 . . Peri-condensed systems
- 515/08 . . Bridged systems
- 515/10 . . Spiro-condensed systems
- 515/12 . . in which the condensed system contains three hetero rings
- 515/14 . . Ortho-condensed systems
- 515/16 . . Peri-condensed systems
- 515/18 . . Bridged systems
- 515/20 . . Spiro-condensed systems

- 515/22 . in which the condensed system contains four or more hetero rings
- 517/00 Heterocyclic compounds containing in the condensed system at least one hetero ring having selenium, tellurium, or halogen atoms as ring hetero atoms**
- 517/02 . in which the condensed system contains two hetero rings
- 517/04 . . Ortho-condensed systems
- 517/06 . . Peri-condensed systems
- 517/08 . . Bridged systems
- 517/10 . . Spiro-condensed systems
- 517/12 . in which the condensed system contains three hetero rings
- 517/14 . . Ortho-condensed systems
- 517/16 . . Peri-condensed systems
- 517/18 . . Bridged systems
- 517/20 . . Spiro-condensed systems
- 517/22 . in which the condensed system contains four or more hetero rings
- 519/00 Heterocyclic compounds containing more than one system of two or more relevant hetero rings condensed among themselves or condensed with a common carbocyclic ring system not provided for in groups [C07D 453/00](#) or [C07D 455/00](#)**
- 519/02 . Ergot alkaloids of the cyclic peptide type
- 519/04 . Dimeric indole alkaloids, e.g. vincalucoblastine
- 519/06 . containing at least one condensed beta-lactam ring system, provided for by groups [C07D 463/00](#), [C07D 477/00](#) or [C07D 499/00](#) - [C07D 507/00](#), e.g. a penem or a cepham system
- 521/00 Heterocyclic compounds containing unspecified hetero rings**

NOTE

This group is only used for the classification of heterocyclic compounds the chemical structure of which are not specified, i.e. only in those cases where the heterocyclic compounds cannot be classified in any of groups [C07D 201/00](#) - [C07D 519/00](#).