

CPC COOPERATIVE PATENT CLASSIFICATION

F MECHANICAL ENGINEERING; LIGHTING; HEATING; WEAPONS; BLASTING (NOTE omitted)

LIGHTING; HEATING

F24 HEATING; RANGES; VENTILATING (NOTE omitted)

F24H FLUID HEATERS, e.g. WATER OR AIR HEATERS, HAVING HEAT-GENERATING MEANS, e.g. HEAT PUMPS, IN GENERAL (steam generation F22)

NOTES

1. The distinguishing feature of the air heaters covered by this subclass is that the heat is predominantly released to the air by convection, mostly by forced circulation of the air. The domestic stoves or ranges covered by subclasses [F24B](#), [F24C](#) may also be fired or electric air heaters but they release their heat to a considerable extent by radiation and only to some extent by natural convection.
2. In this subclass, the following terms are used with the meanings indicated:
 - "water" includes other liquids and means always the liquid to be heated;
 - "air" includes other gases or gas mixtures and means always the gas to be heated;
 - "furnace tubes" means tubes inside the heater wherein combustion is performed;
 - "fire tubes" means tubes inside the heater through which flue-gases flow from a combustion chamber located outside the tubes;
 - "heater" means apparatus including both heat generating means and means for transferring the generated heat to water or air.
3. All storage heaters are classified in group [F24H 7/00](#).

1/00	Water heaters, e.g. boilers, continuous-flow heaters or water-storage heaters (steam boilers F22B)	1/122 {combined with storage tank}
		1/124	. . . {using fluid fuel}
		1/125 {combined with storage tank}
1/0009	. {of the reduced pressure or vacuum steam type}	1/127	. . . {using solid fuel}
1/0018	. {using electric energy supply}	1/128 {combined with storage tank}
1/0027	. {using fluid fuel}	1/14	. . . by tubes, e.g. bent in serpentine form
1/0036	. . {of the sealed type}	1/142 {using electric energy supply}
1/0045	. . {with catalytic combustion}	1/145 {using fluid fuel}
1/0054	. {Gas- or oil-fired immersion heaters for open containers or ponds}	1/147 {using solid fuel}
1/0063	. {using solid fuel}	1/16 helically or spirally coiled
1/0072	. {Special adaptations}	1/162 {using electrical energy supply}
1/009	. . {for vehicle systems}	1/165 {using fluid fuel}
1/06	. Portable or mobile, e.g. collapsible	1/167 {using solid fuel}
1/08	. Packaged or self-contained boilers, i.e. water heaters with control devices and pump in a single unit	1/18	. Water-storage heaters
1/10	. Continuous-flow heaters, i.e. heaters in which heat is generated only while the water is flowing, e.g. with direct contact of the water with the heating medium	1/181	. . {Construction of the tank}
1/101	. . {using electric energy supply}	1/182	. . . {Insulation}
1/102	. . . {with resistance}	1/183	. . . {Inner linings}
1/103 {with bare resistances in direct contact with the fluid}	1/185	. . {using electric energy supply (F24H 1/201 takes precedence)}
1/105 {formed by the tube through which the fluid flows}	1/186	. . {using fluid fuel}
1/106	. . . {with electrodes}	1/187	. . {using solid fuel}
1/107	. . {using fluid fuel}	1/188	. . {with means for compensating water expansion}
1/108	. . {using solid fuel}	1/20	. . with immersed heating elements, e.g. electric elements or furnace tubes
1/12	. . in which the water is kept separate from the heating medium	1/201	. . . {using electric energy supply}
1/121	. . . {using electric energy supply}	1/202 {with resistances}
		1/203 {with electrodes}
		1/205	. . . {with furnace tubes}
		1/206 {with submerged combustion chamber}
		1/207 {with water tubes}
		1/208	. . . {with tubes filled with heat transfer fluid}

- 1/22 . Water heaters other than continuous-flow or water-storage heaters, e.g. water heaters for central heating
- 1/225 . . {electrical central heating boilers}
- 1/24 . . with water mantle surrounding the combustion chamber or chambers
 - 1/26 . . . the water mantle forming an integral body
 - 1/263 {with a dry-wall combustion chamber}
 - 1/28 including one or more furnace or fire tubes
 - 1/282 {with flue gas passages built-up by coaxial water mantles}
 - 1/285 {with the fire tubes arranged alongside the combustion chamber}
 - 1/287 {with the fire tubes arranged in line with the combustion chamber}
- 1/30 . . . the water mantle being built up from sections
- 1/32 with vertical sections arranged side by side
- 1/34 . . with water chamber arranged adjacent to the combustion chamber or chambers, e.g. above or at side
 - 1/36 . . . the water chamber including one or more fire tubes
 - 1/38 . . with water contained in separate elements, e.g. radiator-type element
 - 1/40 . . with water tube or tubes
 - 1/403 . . . {the water tubes being arranged in one or more circles around the burner}
 - 1/406 . . . {the tubes forming a membrane wall}
 - 1/41 . . . in serpentine form
 - 1/43 . . . helically or spirally coiled
 - 1/44 . . with combinations of two or more of the types covered by groups [F24H 1/24](#) - [F24H 1/40](#)
 - 1/445 . . . {with integrated flue gas condenser}
 - 1/46 . Water heaters having plural combustion chambers
 - 1/48 . Water heaters for central heating incorporating heaters for domestic water
 - 1/50 . . incorporating domestic water tanks
 - 1/52 . . incorporating heat exchangers for domestic water ([F24H 1/50](#) takes precedence)
 - 1/523 . . . {Heat exchangers for sanitary water directly heated by the burner}
 - 1/526 . . . {Pipes in pipe heat exchangers for sanitary water}
 - 1/54 . Water heaters for bathtubs or pools; Water heaters for reheating the water in bathtubs or pools
- 3/00 Air heaters**
 - 3/002 . {using electric energy supply}
 - 3/004 . . {with a closed circuit for a heat transfer liquid}
 - 3/006 . {using fluid fuel}
 - 3/008 . {using solid fuel}
 - 3/02 . with forced circulation
 - 3/022 . . {using electric energy supply}
 - 3/025 . . {using fluid fuel}
 - 3/027 . . {using solid fuel}
 - 3/04 . . the air being in direct contact with the heating medium, e.g. electric heating element
 - 3/0405 . . . {using electric energy supply, e.g. the heating medium being a resistive element; Heating by direct contact, i.e. with resistive elements, electrodes and fins being bonded together without additional element in-between ([F24H 3/06](#), [F24H 3/08](#), [F24H 3/10](#) take precedence)}
 - 3/0411 {for domestic or space-heating systems}
- 3/0417 {portable or mobile}
- 3/0423 {hand-held air guns}
- 3/0429 {For vehicles}
- 3/0435 {Structures comprising heat spreading elements in the form of fins}
- 3/0441 {Interfaces between the electrodes of a resistive heating element and the power supply means}
- 3/0447 {Forms of the electrode terminals, e.g. tongues or clips}
- 3/0452 {Frame constructions}
- 3/0458 {One-piece frames}
- 3/0464 {Two-piece frames, e.g. two-shell frames, also including frames as a central body with two covers}
- 3/047 {Multiple-piece frames assembled on their four or more edges}
- 3/0476 {Means for putting the electric heaters in the frame under strain, e.g. with springs}
- 3/0482 {Frames with integrated fan}
- 3/0488 . . . {using fluid fuel}
- 3/0494 . . . {using solid fuel}
- 3/06 . . the air being kept separate from the heating medium, e.g. using forced circulation of air over radiators
 - 3/062 . . . {using electric energy supply; the heating medium being the resistive element ([F24H 3/08](#), [F24H 3/10](#) takes precedence)}
 - 3/065 . . . {using fluid fuel}
 - 3/067 . . . {using solid fuel}
 - 3/08 . . . by tubes
 - 3/081 {using electric energy supply}
 - 3/082 {The tubes being an electrical isolator containing the heater}
 - 3/084 {The tubes being an electrode for the heater}
 - 3/085 {The tubes containing an electrically heated intermediate fluid, e.g. water}
 - 3/087 {using fluid fuel}
 - 3/088 {using solid fuel}
 - 3/10 . . . by plates
 - 3/102 {using electric energy supply}
 - 3/105 {using fluid fuel}
 - 3/107 {using solid fuel}
 - 3/12 . . with additional heating arrangements
- 4/00 Fluid heaters characterised by the use of heat pumps**
 - 4/02 . Water heaters
 - 4/04 . . Storage heaters
 - 4/06 . Air heaters
- 6/00 Combined water and air heaters**
- 7/00 Storage heaters, i.e. heaters in which the energy is stored as heat in masses for subsequent release**
 - 7/002 . {using electrical energy supply}
 - 7/005 . {using fluid fuel}
 - 7/007 . {using solid fuel}
 - 7/02 . the released heat being conveyed to a transfer fluid
 - 7/0208 . . {using electrical energy supply}
 - 7/0216 . . . {the transfer fluid being air}
 - 7/0225 {with supplementary heating means}

7/0233	. . . {the transfer fluid being water}	9/14	. Arrangements for connecting different sections, e.g. in water heaters (arrangements for connecting heaters to circulation pipes F24H 9/12)
7/0241 {with supplementary heating means}	9/142	. . {Connecting hydraulic components}
7/025	. . {using fluid fuel}	9/144	. . . {Valve seats, piping and heat exchanger connections integrated into a one-piece hydraulic unit}
7/0258	. . . {the transfer fluid being air}	9/146	. . {Connecting elements of a heat exchanger}
7/0266	. . . {the transfer fluid being water}	9/148	. . {Arrangements of boiler components on a frame or within a casing to build the fluid heater, e.g. boiler}
7/0275	. . {using solid fuel}	9/16	. Arrangements for water drainage
7/0283	. . . {the transfer fluid being air}	9/17	. . Means for retaining water leaked from heaters
7/0291	. . . {the transfer fluid being water}	9/18	. Arrangement or mounting of grates or heating means
7/04	. . with forced circulation of the transfer fluid	9/1809	. . for water heaters
7/0408	. . . {using electrical energy supply}	9/1818	. . . Arrangement or mounting of electric heating means
7/0416 {the transfer fluid being air}	9/1827 {Positive temperature coefficient [PTC] resistor}
7/0425 {with supplementary heating means}	9/1832	. . . Arrangement or mounting of combustion heating means, e.g. grates or burners
7/0433 {the transfer medium being water}	9/1836 using fluid fuel
7/0441 {with supplementary heating means}	9/1845 using solid fuel
7/045	. . . {using fluid fuel}	9/1854	. . for air heaters
7/0458 {the transfer fluid being air}	9/1863	. . . Arrangement or mounting of electric heating means
7/0466 {the transfer fluid being water}	9/1872 {PTC resistor}
7/0475	. . . {using solid fuel}	9/1877	. . . Arrangement or mounting of combustion heating means, e.g. grates or burners
7/0483 {the transfer fluid being air}	9/1881 using fluid fuel
7/0491 {the transfer fluid being water}	9/189 using solid fuel
7/06	. the released heat being radiated	9/20	. Arrangement or mounting of control or safety devices
7/062	. . {with electrical energy supply}	9/2007	. . {for water heaters}
7/065	. . {with fluid fuel}	9/2014	. . . {using electrical energy supply}
7/067	. . {with solid fuel}	9/2021 {Storage heaters}
8/00	Fluid heaters characterised by means for extracting latent heat from flue gases by means of condensation	9/2028 {Continuous-flow heaters}
8/003	. {having means for moistening the combustion air with condensate from the combustion gases}	9/2035	. . . {using fluid fuel}
8/006	. {Means for removing condensate from the heater}	9/2042 {Preventing or detecting the return of combustion gases}
9/00	Details	9/205 {Closing the energy supply}
9/0005	. {for water heaters}	9/2057	. . . {using solid fuel}
9/001	. . {Guiding means}	9/2064	. . {for air heaters}
9/0015	. . . {in water channels}	9/2071	. . . {using electrical energy supply}
9/0021 {Sleeves surrounding heating elements or heating pipes, e.g. pipes filled with heat transfer fluid, for guiding heated liquid}	9/2078 {Storage heaters}
9/0026	. . . {in combustion gas channels}	9/2085	. . . {using fluid fuel}
9/0031 {with means for changing or adapting the path of the flue gas}	9/2092	. . . {using solid fuel}
9/0036	. . {Dispositions against condensation of combustion products}	9/25	. . of remote control devices or control-panels
9/0042	. . {Cleaning arrangements}	9/28	. . . characterised by the graphical user interface [GUI]
9/0052	. {for air heaters}	9/40	. Arrangements for preventing corrosion
9/0057	. . {Guiding means}	9/45	. . for preventing galvanic corrosion, e.g. cathodic or electrolytic means
9/0063	. . . {in air channels}	9/455	. . . {for water heaters}
9/0068	. . . {in combustion gas channels}	9/457	. . . {for air heaters}
9/0073	. . {Arrangement or mounting of means for forcing the circulation of air}	15/00	Control of fluid heaters
9/0078	. . . {for storage heaters}	15/10	. characterised by the purpose of the control
9/0084	. {Combustion air preheating}	15/104	. . Inspection; Diagnosis; Trial operation
9/0089	. . {by double wall boiler mantle}	15/108	. . Resuming operation, e.g. after power outages
9/0094	. {having means for transporting the boiler}	15/112	. . Preventing or detecting blocked flues
9/02	. Casings; Cover lids; Ornamental panels	15/116	. . . Disabling the heating means in response thereto
9/06	. Arrangement of mountings or supports		
9/12	. Arrangements for connecting heaters to circulation pipes		
9/13	. . for water heaters		
9/133	. . . {Storage heaters}		
9/136 {Arrangement of inlet valves used therewith}		
9/139	. . . {Continuous flow heaters}		

- 15/12 . . Preventing or detecting fluid leakage
- 15/124 . . Preventing or detecting electric faults, e.g. electric leakage
- 15/128 . . Preventing overheating
- 15/132 . . . Preventing the operation of water heaters with low water levels, e.g. dry-firing
- 15/136 . . Defrosting or de-icing; Preventing freezing
- 15/14 . . Cleaning; Sterilising; Preventing contamination by bacteria or microorganisms, e.g. by replacing fluid in tanks or conduits
- 15/144 . . Measuring or calculating energy consumption
- 15/148 . . . Assessing the current energy consumption
- 15/152 . . . Forecasting future energy consumption
- 15/156 . . Reducing the quantity of energy consumed; Increasing efficiency
- 15/16 . . Reducing cost using the price of energy, e.g. choosing or switching between different energy sources
- 15/164 . . . where the price of the electric supply changes with time
- 15/168 . . Reducing the electric power demand peak
- 15/172 . . Scheduling based on user demand, e.g. determining starting point of heating
- 15/174 . . Supplying heated water with desired temperature or desired range of temperature
- 15/175 . . . where the difference between the measured temperature and a set temperature is kept under a predetermined value
- 15/176 . . Improving or maintaining comfort of users
- 15/18 . . . Preventing sudden or unintentional change of fluid temperature
- 15/184 . . Preventing harm to users from exposure to heated water, e.g. scalding
- 15/196 . . Automatically filling bathtubs or pools; Reheating the water in bathtubs or pools
- 15/20 . . characterised by control inputs
- 15/204 . . Temperature of the air before heating
- 15/208 . . Temperature of the air after heating
- 15/212 . . Temperature of the water
- 15/215 . . . before heating
- 15/219 . . . after heating
- 15/223 . . . in the water storage tank
- 15/225 at different heights of the tank
- 15/227 . . Temperature of the refrigerant in heat pump cycles
- 15/231 . . . at the evaporator
- 15/232 . . . at the condenser
- 15/235 . . Temperature of exhaust gases
- 15/238 . . Flow rate
- 15/242 . . Pressure
- 15/246 . . Water level
- 15/248 . . . of water storage tanks
- 15/25 . . Temperature of the heat-generating means in the heater
- 15/254 . . Room temperature
- 15/258 . . Outdoor temperature
- 15/262 . . Weather information or forecast
- 15/265 . . Occupancy
- 15/269 . . Time, e.g. hour or date
- 15/273 . . Address or location
- 15/277 . . Price
- 15/281 . . Input from user
- 15/288 . . Accumulation of deposits, e.g. lime or scale
- 15/292 . . Metering of electricity sold to the grid
- 15/296 . . Information from neighbouring devices
- 15/30 . . characterised by control outputs; characterised by the components to be controlled
- 15/305 . . Control of valves ([of heat pumps F24H 15/385, F24H 15/39](#))
- 15/31 . . . of valves having only one inlet port and one outlet port, e.g. flow rate regulating valves
- 15/315 . . . of mixing valves
- 15/32 . . . of switching valves ([for by-passing F24H 15/325](#))
- 15/325 . . . of by-pass valves
- 15/33 . . Control of dampers
- 15/335 . . Control of pumps, e.g. on-off control ([control of compressors of heat pumps F24H 15/38](#))
- 15/34 . . . Control of the speed of pumps
- 15/345 . . Control of fans, e.g. on-off control ([control of fans of heat pump units F24H 15/375](#))
- 15/35 . . . Control of the speed of fans
- 15/355 . . Control of heat-generating means in heaters
- 15/36 . . . of burners
- 15/365 of two or more burners, e.g. an array of burners
- 15/37 . . . of electric heaters
- 15/375 . . Control of heat pumps
- 15/38 . . . Control of compressors of heat pumps
- 15/385 . . . Control of expansion valves of heat pumps
- 15/39 . . . Control of valves for distributing refrigerant to different evaporators or condensers in heat pumps
- 15/395 . . Information to users, e.g. alarms
- 15/40 . . characterised by the type of controllers
- 15/407 . . using electrical switching, e.g. TRIAC
- 15/414 . . using electronic processing, e.g. computer-based
- 15/421 . . . using pre-stored data
- 15/429 for selecting operation modes
- 15/436 for selecting sleeping modes
- 15/443 . . . using a central controller connected to several sub-controllers
- 15/45 . . . remotely accessible
- 15/457 using telephone networks or Internet communication
- 15/464 using local wireless communication
- 15/479 for programming the system
- 15/486 . . using timers
- 15/493 . . specially adapted for enabling recognition of parts newly installed in the fluid heating system, e.g. for retrofitting or for repairing by replacing parts

Indexing codes related to fluid heaters having heat-generating means

2210/00 Burner and heat exchanger are integrated

2220/00 Measures for environmentally correct disposal

2230/00 Solid fuel fired boiler

2230/02 . Solid and fluid fuel fired boilers

2240/00 Fluid heaters having electrical generators

2240/01 . Batteries, electrical energy storage device

2240/02 . with combustion engines

2240/04 . . External combustion engines

2240/06 . . Internal combustion engines

2240/08 . with peltier elements

- 2240/09 . with photovoltaic cells
- 2240/10 . with fuel cells
- 2240/12 . with thermodynamic cycle for converting thermal energy to mechanical power to produce electrical energy
- 2240/122 . . Stirling cycles
- 2240/125 . . Carnot cycles
- 2240/127 . . Rankine cycles, e.g. steam heat engines
- 2250/00 Electrical heat generating means**
- 2250/02 . Resistances
- 2250/04 . Positive temperature coefficients [PTC]; Negative temperature coefficients [NTC]
- 2250/06 . Peltier
- 2250/08 . Induction
- 2250/10 . Electrodes
- 2250/12 . Microwaves
- 2250/14 . Lamps