

CPC COOPERATIVE PATENT CLASSIFICATION

G PHYSICS (NOTES omitted)

INSTRUMENTS

G03 PHOTOGRAPHY; CINEMATOGRAPHY; ANALOGOUS TECHNIQUES USING WAVES OTHER THAN OPTICAL WAVES; ELECTROGRAPHY; HOLOGRAPHY (NOTES omitted)

G03G ELECTROGRAPHY; ELECTROPHOTOGRAPHY; MAGNETOGRAPHY

NOTES

1. This subclass covers:
 - the production of permanent directly-visible pictures in conformity with an original picture or document, using an intermediate imagewise distribution of an electric or magnetic quantity, such as a charge pattern, an electric conductivity pattern, or a magnetic pattern;
 - the production of permanent directly-visible pictures using an intermediate imagewise distribution of an electric or magnetic quantity, when the origin and the way of generating said intermediate distribution are not relevant.
2. This subclass does not cover:
 - use of electric signals for the transmission of the picture information from the original to the reproduction, i.e. pictorial communication, which is covered by subclass [H04N](#);
 - production of pictures by heat patterns exclusively, not using an electrostatic or magnetic pattern, which is covered by group [B41M 5/00](#);
 - production of prints by transferring ink from a printing form to a printing surface, without physical contact and using the force of an electrostatic field, which is covered by subclass [B41M](#);
 - selective printing mechanisms characterised by the selective supply of electric current, or the selective application of magnetism or radiation, to a printing material or impression-transfer material, which are covered by groups [B41J 2/385](#), [B41J 2/435](#).

5/00	Recording-members for original recording by exposure, e.g. to light, to heat or to electrons; Manufacture thereof; Selection of materials therefor	5/043 Photoconductive layers characterised by having two or more layers or characterised by their composite structure
5/005	. {Materials for treating the recording members, e.g. for cleaning, reactivating, polishing}	5/0433 {all layers being inorganic}
5/02	. Charge-receiving layers (G03G 5/153 takes precedence)	5/0436 {combining organic and inorganic layers}
5/0202	. . {Dielectric layers for electrography}	5/047 characterised by the charge-generation layers or charge transport layers ({ G03G 5/0433 and G03G 5/0436 take precedence)}
5/0205	. . . {Macromolecular components}	5/05	. . . Organic bonding materials; Methods for coating a substrate with a photoconductive layer; Inert supplements for use in photoconductive layers
5/0208 {obtained by reactions only involving carbon-to-carbon unsaturated bonds}	5/0503 {Inert supplements}
5/0211 {obtained otherwise than by reactions only involving carbon-to-carbon unsaturated bonds}	5/0507 {Inorganic compounds}
5/0214	. . . {Organic non-macromolecular components}	5/051 {Organic non-macromolecular compounds}
5/0217	. . . {Inorganic components}	5/0514 {not comprising cyclic groups}
5/022	. . Layers for surface-deformation imaging, e.g. frost imaging	5/0517 {comprising one or more cyclic groups consisting of carbon-atoms only}
5/024	. . Photoelectret layers	5/0521 {comprising one or more heterocyclic groups}
5/026	. . Layers in which during the irradiation a chemical reaction occurs whereby electrically conductive patterns are formed in the layers, e.g. for chemixerography	5/0525 {Coating methods}
5/028	. . Layers in which after being exposed to heat patterns electrically conductive patterns are formed in the layers, e.g. for thermoxerography	5/0528 {Macromolecular bonding materials}
5/04	. . Photoconductive layers; Charge-generation layers or charge-transporting layers; Additives therefor; Binders therefor		

NOTE

{ In groups [G03G 5/0528](#) - [G03G 5/0596](#), in the absence of an indication to the contrary, a polymer is classified in the last appropriate place. }

5/0532	{obtained by reactions only involving carbon-to-carbon unsaturated bonds}	5/061446	{terphenyl-diamine}
5/0535	{Polyolefins; Polystyrenes; Waxes}	5/06145	{triamine or greater}
5/0539	{Halogenated polymers}	5/06147	{alkenylarylamine}
5/0542	{Polyvinylalcohol, polyallyl alcohol; Derivatives thereof, e.g. polyvinylesters, polyvinylethers, polyvinylamines}	5/061473	{plural alkenyl groups linked directly to the same aryl group}
5/0546	{Polymers comprising at least one carboxyl radical, e.g. polyacrylic acid, polycrotonic acid, polymaleic acid; Derivatives thereof, e.g. their esters, salts, anhydrides, nitriles, amides}	5/06149	{enamine}
5/055	{Polymers containing hetero rings in the side chain}	5/0616	{Hydrazines; Hydrazones}
5/0553	{Polymers derived from conjugated double bonds containing monomers, e.g. polybutadiene; Rubbers}	5/0618	{containing oxygen and nitrogen}
5/0557	{obtained otherwise than by reactions only involving carbon-to-carbon unsaturated bonds}	5/062	{containing non-metal elements other than hydrogen, halogen, oxygen or nitrogen}
5/056	{Polyesters}	5/0622	{Heterocyclic compounds}
5/0564	{Polycarbonates}	5/0624	{containing one hetero ring}
5/0567	{Other polycondensates comprising oxygen atoms in the main chain; Phenol resins}	5/0625	{being three- or four-membered}
5/0571	{Polyamides; Polyimides}	5/0627	{being five-membered}
5/0575	{Other polycondensates comprising nitrogen atoms with or without oxygen atoms in the main chain}	5/0629	{containing one hetero atom}
5/0578	{Polycondensates comprising silicon atoms in the main chain}	5/0631	{containing two hetero atoms}
5/0582	{Polycondensates comprising sulfur atoms in the main chain}	5/0633	{containing three hetero atoms}
5/0585	{Cellulose and derivatives}	5/0635	{being six-membered}
5/0589	{Macromolecular compounds characterised by specific side-chain substituents or end groups}	5/0637	{containing one hetero atom}
5/0592	{Macromolecular compounds characterised by their structure or by their chemical properties, e.g. block polymers, reticulated polymers, molecular weight, acidity}	5/0638	{containing two hetero atoms}
5/0596	{Macromolecular compounds characterised by their physical properties}	5/064	{containing three hetero atoms}
5/06	. . .	characterised by the photoconductive material being organic	5/0642	{being more than six-membered}
NOTE			5/0644	{containing two or more hetero rings}
In groups G03G 5/06 - G03G 5/0698 , in the absence of an indication to the contrary, an invention is classified in the last appropriate place			5/0646	{in the same ring system}
5/0601	{Acyclic or carbocyclic compounds}	5/0648	{containing two relevant rings}
5/0603	{containing halogens}	5/065	{containing three relevant rings}
5/0605	{Carbocyclic compounds}	5/0651	{containing four relevant rings}
5/0607	{containing at least one non-six-membered ring}	5/0653	{containing five relevant rings}
5/0609	{containing oxygen}	5/0655	{containing six relevant rings}
5/0611	{Squaric acid}	5/0657	{containing seven relevant rings}
5/0612	{containing nitrogen}	5/0659	{containing more than seven relevant rings}
5/0614	{Amines}	5/0661	{in different ring systems, each system containing at least one hetero ring}
5/06142	{arylamine}	5/0662	{containing metal elements}
5/06144	{diamine}	NOTE		
5/061443	{benzidine}	{Alcoholates, phenates or organic acid salts of alkali or alkaline earth metals are classified as the parent compounds.}		
			5/0664	{Dyes}
			5/0666	{containing a methine or polymethine group}
			5/0668	{containing only one methine or polymethine group}
			5/067	{containing hetero rings}
			5/0672	{containing two or more methine or polymethine groups}
			5/0674	{containing hetero rings}
			5/0675	{Azo dyes}
			5/0677	{Monoazo dyes}
			5/0679	{Disazo dyes}
			5/0681	{containing hetero rings in the part of the molecule between the azo-groups}
			5/0683	{containing polymethine or anthraquinone groups}
			5/0685	{containing hetero rings in the part of the molecule between the azo-groups}
			5/0687	{Trisazo dyes}
			5/0688	{containing hetero rings}

- 5/069 {containing polymethine or anthraquinone groups}
- 5/0692 {containing hetero rings}
- 5/0694 {containing more than three azo groups}
- 5/0696 {Phthalocyanines}
- 5/0698 {Compounds of unspecified structure characterised by a substituent only}
- 5/07 Polymeric photoconductive materials
- 5/071 {obtained by reactions only involving carbon-to-carbon unsaturated bonds (G03G 5/078 takes precedence)}
- 5/072 {comprising pending monoamine groups}
- 5/073 {comprising pending carbazole groups}
- 5/0732 {comprising pending alkenylarylamine}
- 5/074 {comprising pending diamine}
- 5/0745 {comprising pending hydrazone}
- 5/075 {obtained otherwise than by reactions only involving carbon-to-carbon unsaturated bonds (G03G 5/078 takes precedence)}
- 5/076 {having a photoconductive moiety in the polymer backbone}
- 5/0763 {comprising arylamine moiety}
- 5/0764 {triarylamine}
- 5/0765 {alkenylarylamine}
- 5/0766 {benzidine}
- 5/0767 {comprising hydrazone moiety}
- 5/078 {comprising silicon atoms}
- 5/08 . . . characterised by the photoconductive material being inorganic
- 5/082 . . . and not being incorporated in a bonding material, e.g. vacuum deposited
- 5/08207 {Selenium-based}
- 5/08214 {Silicon-based}
- 5/08221 {comprising one or two silicon based layers}
- 5/08228 {at least one with varying composition}
- 5/08235 {comprising three or four silicon-based layers}
- 5/08242 {at least one with varying composition}
- 5/0825 {comprising five or six silicon-based layers}
- 5/08257 {at least one with varying composition}
- 5/08264 {comprising seven or more silicon-based layers}
- 5/08271 {at least one with varying composition}
- 5/08278 {Depositing methods}
- 5/08285 {Carbon-based (in ad mixture with Si G03G 5/08214)}
- 5/08292 {Germanium-based (in ad mixture with Si G03G 5/08214)}
- 5/085 and being incorporated in an inorganic bonding material, e.g. glass-like layers
- 5/087 and being incorporated in an organic bonding material
- 5/09 . . . Sensitisors or activators, e.g. dyestuffs (G03G 5/12 takes precedence)
- 5/10 . . . Bases for charge-receiving or other layers
- 5/101 . . . {Paper bases (G03G 5/102, G03G 5/104, G03G 5/105 take precedence)}
- 5/102 . . . {consisting of or comprising metals}
- 5/104 . . . {comprising inorganic material other than metals, e.g. salts, oxides, carbon}
- 5/105 . . . {comprising electroconductive macromolecular compounds}
- 5/107 . . . {the electroconductive macromolecular compounds being cationic}
- 5/108 . . . {the electroconductive macromolecular compounds being anionic}
- 5/12 . . . Recording members for multicolour processes
- 5/14 . . . Inert intermediate or cover layers for charge-receiving layers (for photoconductive, charge-generation or charge-transporting layers G03G 5/04)
- 5/142 . . . {Inert intermediate layers}
- 5/144 . . . {comprising inorganic material}
- 5/147 . . . Cover layers
- 5/14704 . . . {comprising inorganic material}
- 5/14708 . . . {comprising organic material}
- 5/14713 . . . {Macromolecular material}
- NOTE**
- { In groups G03G 5/14713 - G03G 5/14795, in the absence of an indication to the contrary, a polymer is classified in the last appropriate place. }
- 5/14717 {obtained by reactions only involving carbon-to-carbon unsaturated bonds}
- 5/14721 {Polyolefins; Polystyrenes; Waxes}
- 5/14726 {Halogenated polymers}
- 5/1473 {Polyvinylalcohol, polyallyl alcohol; Derivatives thereof, e.g. polyvinylesters, polyvinylethers, polyvinylamines}
- 5/14734 {Polymers comprising at least one carboxyl radical, e.g. polyacrylic acid, polycrotonic acid, polymaleic acid; Derivatives thereof, e.g. their esters, salts, anhydrides, nitriles, amides}
- 5/14739 {Polymers containing hereto rings in the side chain}
- 5/14743 {Polymers derived from conjugated double bonds containing monomers, e.g. polybutadiene; Rubbers}
- 5/14747 {obtained otherwise than by reactions only involving carbon-to-carbon unsaturated bonds}
- 5/14752 {Polyesters}
- 5/14756 {Polycarbonates}
- 5/1476 {Other polycondensates comprising oxygen atoms in the main chain; Phenol resins}
- 5/14765 {Polyamides; Polyimides}
- 5/14769 {Other polycondensates comprising nitrogen atoms with or without oxygen atoms in the main chain}
- 5/14773 {Polycondensates comprising silicon atoms in the main chain}
- 5/14778 {Polycondensates comprising sulfur atoms in the main chain}
- 5/14782 {Cellulose and derivatives}

- 5/14786 {Macromolecular compounds characterised by specific side-chain substituents or end groups}
- 5/14791 {Macromolecular compounds characterised by their structure, e.g. block polymers, reticulated polymers, or by their chemical properties, e.g. by molecular weight or acidity}
- 5/14795 {Macromolecular compounds characterised by their physical properties}
- 5/153 . Charge-receiving layers combined with additional photo- or thermo-sensitive, but not photoconductive, layers, e.g. silver-salt layers
- 5/16 . Layers for recording by changing the magnetic properties, e.g. for Curie-point-writing
- 7/00 Selection of materials for use in image-receiving members, i.e. for reversal by physical contact; Manufacture thereof**
- 7/0006 . {Cover layers for image-receiving members; Strippable coversheets}
- 7/0013 . . {Inorganic components thereof}
- 7/002 . . {Organic components thereof}
- 7/0026 . . . {being macromolecular}
- 7/0033 {Natural products or derivatives thereof, e.g. cellulose, proteins}
- 7/004 {obtained by reactions only involving carbon-to-carbon unsaturated bonds}
- 7/0046 {obtained otherwise than by reactions only involving carbon-to-carbon unsaturated bonds}
- 7/0053 . {Intermediate layers for image-receiving members}
- 7/006 . {Substrates for image-receiving members; Image-receiving members comprising only one layer}
- 7/0066 . . {Inorganic components thereof}
- 7/0073 . . {Organic components thereof}
- 7/008 . . . {being macromolecular}
- 7/0086 . {Back layers for image-receiving members; Strippable backsheets}
- 7/0093 . {Image-receiving members, based on materials other than paper or plastic sheets, e.g. textiles, metals}
- 8/00 Layers covering the final reproduction, e.g. for protecting, for writing thereon**
- 9/00 Developers**
- 9/06 . the developer being electrolytic
- 9/08 . with toner particles
- NOTES**
1. In the subgroups of {[G03G 9/0802](#) - [G03G 9/1355](#)}, the last place priority rule is applied, i.e. at each hierarchical level, in the absence of an indication to the contrary, classification is made in the last appropriate place.
 2. {In the subgroups of [G03G 9/0835](#) - [G03G 9/0839](#), [G03G 9/08786](#) - [G03G 9/08797](#), [G03G 9/0926](#) - [G03G 9/0928](#) and [G03G 9/10](#) - [G03G 9/10884](#) the common rule is applied.}
- 9/0802 . . {Preparation methods}
- 9/0804 . . . {whereby the components are brought together in a liquid dispersing medium}
- 9/0806 {whereby chemical synthesis of at least one of the toner components takes place}
- 9/0808 . . . {by dry mixing the toner components in solid or softened state}
- 9/081 . . . {by mixing the toner components in a liquefied state; melt kneading; reactive mixing}
- 9/0812 . . . {Pretreatment of components}
- 9/0815 . . . {Post-treatment}
- 9/0817 . . . {Separation; Classifying}
- 9/0819 . . {characterised by the dimensions of the particles}
- 9/0821 . . {characterised by physical parameters ([magnetic parameters G03G 9/083](#))}
- 9/0823 . . . {Electric parameters}
- 9/0825 . . {characterised by their structure; characterised by non-homogeneous distribution of components ([microcapsular toners G03G 9/093](#))}
- 9/0827 . . {characterised by their shape, e.g. degree of sphericity}
- 9/083 . . Magnetic toner particles
- 9/0831 . . . {Chemical composition of the magnetic components}
- 9/0832 {Metals}
- 9/0833 {Oxides}
- 9/0834 {Non-magnetic inorganic compounds chemically incorporated in magnetic components}
- 9/0835 . . . {Magnetic parameters of the magnetic components}
- 9/0836 . . . {Other physical parameters of the magnetic components}
- 9/0837 . . . {Structural characteristics of the magnetic components, e.g. shape, crystallographic structure}
- 9/0838 . . . {Size of magnetic components}
- 9/0839 . . . {Treatment of the magnetic components; Combination of the magnetic components with non-magnetic materials ([G03G 9/0834 takes precedence](#))}
- 9/087 . . Binders for toner particles
- 9/08702 . . . {comprising macromolecular compounds obtained by reactions only involving carbon-to-carbon unsaturated bonds}
- 9/08704 {Polyalkenes}
- 9/08706 {Polymers of alkenyl-aromatic compounds}
- 9/08708 {Copolymers of styrene}
- 9/08711 {with esters of acrylic or methacrylic acid}
- 9/08713 {Polyvinylhalogenides}
- 9/08715 {containing chlorine, bromine or iodine}
- 9/08717 {Polyvinylchloride}
- 9/0872 {containing fluorine}
- 9/08722 {Polyvinylalcohols; Polyallyl alcohols; Polyvinylethers; Polyvinylaldehydes; Polyvinylketones; Polyvinylketals}
- 9/08724 {Polyvinylesters}
- 9/08726 {Polymers of unsaturated acids or derivatives thereof}
- 9/08728 {Polymers of esters}
- 9/08731 {Polymers of nitriles}
- 9/08733 {Polymers of unsaturated polycarboxylic acids}

9/08735 {Polymers of unsaturated cyclic compounds having no unsaturated aliphatic groups in a side-chain, e.g. coumarone-indene resins}	9/092 {Quinacridones}
9/08737 {Polymers derived from conjugated dienes}	9/0922 {Formazane dyes; Nitro and Nitroso dyes; Quinone imides; Azomethine dyes}
9/0874 {Polymers comprising hetero rings in the side chains}	9/0924 {Dyes characterised by specific substituents}
9/08742	. . . {comprising macromolecular compounds obtained otherwise than by reactions only involving carbon-to-carbon unsaturated bonds}	9/0926	. . . {characterised by physical or chemical properties}
9/08744 {Polyacetals}	9/0928	. . . {Compounds capable to generate colouring agents by chemical reaction}
9/08746 {Condensation polymers of aldehydes or ketones}	9/093	. . Encapsulated toner particles
9/08748 {Phenoplasts}	9/09307	. . . {specified by the shell material}
9/08751 {Aminoplasts}	9/09314 {Macromolecular compounds}
9/08753 {Epoxyresins}	9/09321 {obtained by reactions only involving carbon-to-carbon unsaturated bonds}
9/08755 {Polyesters}	9/09328 {obtained otherwise than by reactions only involving carbon-to-carbon unsaturated bonds}
9/08757 {Polycarbonates}	9/09335 {Non-macromolecular organic compounds}
9/08759 {Polyethers}	9/09342 {Inorganic compounds}
9/08762 {Other polymers having oxygen as the only heteroatom in the main chain}	9/0935	. . . {specified by the core material}
9/08764 {Polyureas; Polyurethanes}	9/09357 {Macromolecular compounds}
9/08766 {Polyamides, e.g. polyesteramides}	9/09364 {obtained by reactions only involving carbon-to-carbon unsaturated bonds}
9/08768 {Other polymers having nitrogen in the main chain, with or without oxygen or carbon only}	9/09371 {obtained otherwise than by reactions only involving carbon-to-carbon unsaturated bonds}
9/08771 {Polymers having sulfur in the main chain, with or without oxygen, nitrogen or carbon only}	9/09378 {Non-macromolecular organic compounds}
9/08773 {Polymers having silicon in the main chain, with or without sulfur, oxygen, nitrogen or carbon only}	9/09385 {Inorganic compounds}
9/08775	. . . {Natural macromolecular compounds or derivatives thereof}	9/09392	. . . {Preparation thereof}
9/08777 {Cellulose or derivatives thereof}	9/097	. . Plasticisers; Charge controlling agents
9/08779 {Natural rubber}	9/09708	. . . {Inorganic compounds}
9/08782 {Waxes}	9/09716 {treated with organic compounds}
9/08784	. . . {Macromolecular material not specially provided for in a single one of groups G03G 9/08702 - G03G 9/08775 }	9/09725 {Silicon-oxides; Silicates}
9/08786 {Graft polymers}	9/09733	. . . {Organic compounds (G03G 9/08782 takes precedence)}
9/08788 {Block polymers}	9/09741 {cationic}
9/08791 {characterised by the presence of specified groups or side chains}	9/0975 {anionic}
9/08793 {Crosslinked polymers}	9/09758 {comprising a heterocyclic ring}
9/08795 {characterised by their chemical properties, e.g. acidity, molecular weight, sensitivity to reactants}	9/09766 {comprising fluorine}
9/08797 {characterised by their physical properties, e.g. viscosity, solubility, melting temperature, softening temperature, glass transition temperature}	9/09775 {containing atoms other than carbon, hydrogen or oxygen (G03G 9/09741 - G03G 9/09766 take precedence)}
9/09	. . Colouring agents for toner particles	9/09783	. . . {Organo-metallic compounds}
9/0902	. . . {Inorganic compounds}	9/09791 {Metallic soaps of higher carboxylic acids}
9/0904 {Carbon black}	9/10	. . characterised by carrier particles
9/0906	. . . {Organic dyes}	9/103	. . . {Glass particles}
9/0908 {Anthracene dyes}	9/107	. . . having magnetic components
9/091 {Azo dyes}	9/1075 {Structural characteristics of the carrier particles, e.g. shape or crystallographic structure}
9/0912 {Indigoid; Diaryl and Triaryl methane; Oxyketone dyes}	9/108 {Ferrite carrier, e.g. magnetite}
9/0914 {Acridine; Azine; Oxazine; Thiazine-; (Xanthene-) dyes}	9/1085 {with non-ferrous metal oxide, e.g. MgO-Fe ₂ O ₃ }
9/0916 {Quinoline; Polymethine dyes}	9/1087 {Specified elemental magnetic metal or alloy, e.g. alnico comprising iron, nickel, cobalt, and aluminum, or permalloy comprising iron and nickel}
9/0918 {Phthalocyanine dyes}	9/1088 {Binder-type carrier}
		9/10882 {Binder is obtained by reactions only involving carbon-carbon unsaturated bonds}

- 9/10884 {Binder is obtained other than by reactions only involving carbon-carbon unsaturated bonds}
- 9/113 having coatings applied thereto
- 9/1131 {Coating methods; Structure of coatings}
- 9/1132 {Macromolecular components of coatings}
- 9/1133 {obtained by reactions only involving carbon-to-carbon unsaturated bonds}
- 9/1134 {containing fluorine atoms}
- 9/1135 {obtained otherwise than by reactions only involving carbon-to-carbon unsaturated bonds}
- 9/1136 {containing silicon atoms}
- 9/1137 {being crosslinked}
- 9/1138 {Non-macromolecular organic components of coatings}
- 9/1139 {Inorganic components of coatings}
- 9/12 in liquid developer mixtures
- 9/122 {characterised by the colouring agents}
- 9/125 characterised by the liquid
- 9/13 characterised by polymer components
- 9/131 {obtained by reactions only involving carbon-to-carbon unsaturated bonds}
- 9/132 {obtained otherwise than by reactions only involving carbon-to-carbon unsaturated bonds}
- 9/133 {Graft-or block polymers}
- 9/135 characterised by stabiliser or charge-controlling agents
- 9/1355 {Ionic, organic compounds}
- 9/16 Developers not provided for in groups [G03G 9/06](#) - [G03G 9/135](#), e.g. solutions, aerosols
- 9/18 Differentially wetting liquid developers
- 11/00 Selection of substances for use as fixing agents**
- 13/00 Electrographic processes using a charge pattern**
([G03G 15/00](#), [G03G 16/00](#), [G03G 17/00](#) take precedence)
- NOTE**
- Group [G03G 15/00](#) also deals with processes in so far as they are characterised by the use or manipulation of apparatus classifiable per se in group [G03G 15/00](#) and therefor takes precedence
- 13/01 for multicoloured copies {(colour correction on photography [G03B 27/725](#); picture communication systems [H04N 1/46](#))}
- 13/013 {characterised by the developing step, e.g. the properties of the colour developers}
- 13/0131 {developing using a step for liquid development, e.g. plural liquid color developers}
- 13/0133 {developing using a step for deposition of subtractive colorant developing compositions, e.g. cyan, magenta and yellow}
- 13/0135 {developing using a step for deposition of five or more developing compositions of different colors, excluding black, e.g. pentachrome printing or hexachrome printing}
- 13/0137 {developing using a step for deposition of security developing composition, e.g. fluorescent colorants, decolorizable colorants or magnetic ink character recognition toners [MICR]}
- 13/0139 {developing using a step for clear toner deposition, e.g. for regulating gloss or supplying protective coatings}
- 13/016 {in which the colour powder image is formed directly on the recording material, e.g. DEP methods}
- 13/02 Sensitising, i.e. laying-down a uniform charge
- 13/025 {by contact, friction or induction}
- 13/04 Exposing, i.e. imagewise exposure by optically projecting the original image on a photoconductive recording material
- 13/045 Charging or discharging distinct portions of the charge pattern on the recording material, e.g. discharging non-image areas or contrast enhancement ([G03G 13/34](#), [G03G 21/06](#) take precedence)
- 13/05 Imagewise charging, i.e. laying-down a charge in the configuration of an original image using a modulated stream of charged particles, e.g. of corona ions, modulated by a photoconductive control screen bearing a charge pattern or by optically activated charging means
- 13/054 using X-rays, e.g. electroradiography
- 13/056 using internal polarisation
- 13/06 Developing
- 13/08 using a solid developer, e.g. powder developer
- 13/09 using magnetic brush
- 13/095 Removing excess solid developer
- 13/10 using a liquid developer {, e.g. liquid suspension}
- 13/11 Removing excess liquid developer, e.g. by heat
- 13/14 Transferring a pattern to a second base
- 13/16 of a toner pattern, e.g. a powder pattern
- 13/18 of a charge pattern
- 13/20 Fixing, e.g. by using heat
- 13/22 Processes involving a combination of more than one step according to groups [G03G 13/02](#) - [G03G 13/20](#) ([G03G 13/01](#) takes precedence)
- 13/23 specially adapted for copying both sides of an original or for copying on both sides of a recording or image-receiving material
- 13/24 whereby at least two steps are performed simultaneously
- 13/26 for the production of printing plates for non-xerographic printing processes
- 13/28 Planographic printing plates
- 13/283 {obtained by a process including the transfer of a toned image, i.e. indirect process}
- 13/286 {for dry lithography}
- 13/30 Hectographic masters
- 13/32 Relief printing plates
- 13/34 Editing, i.e. producing a composite image by copying one or more original images or parts thereof
- 15/00 Apparatus for electrographic processes using a charge pattern** ([G03G 16/00](#), [G03G 17/00](#) take precedence)
- 15/01 for producing multicoloured copies
- 15/0105 {Details of unit}

- 15/011 . . . {for exposing}
 - 15/0115 {and forming a half-tone image}
 - 15/0121 . . . {for developing}
 - 15/0126 . . . {using a solid developer}
 - 15/0131 . . . {for transferring a pattern to a second base}
 - 15/0136 {transfer member separable from recording member or vice versa, mode switching}
 - 15/0142 . . {Structure of complete machines}
 - 15/0147 . . . {using a single reusable electrographic recording member}
 - 15/0152 {onto which the monocolour toner images are superposed before common transfer from the recording member}
 - 15/0157 {with special treatment between monocolour image formation}
 - 15/0163 {primary transfer to the final recording medium}
 - 15/0168 {single rotation of recording member to produce multicoloured copy ([G03G 15/0163 takes precedence](#))}
 - 15/0173 {plural rotations of recording member to produce multicoloured copy, e.g. rotating set of developing units ([G03G 15/0163 takes precedence](#))}
 - 15/0178 . . . {using more than one reusable electrographic recording member, e.g. one for every monocolour image}
 - 15/0184 {at least one recording member having plural associated developing units}
 - 15/0189 {primary transfer to an intermediate transfer belt ([G03G 15/0184 takes precedence](#))}
 - 15/0194 {primary transfer to the final recording medium ([G03G 15/0184 takes precedence](#))}
 - 15/02 . . for laying down a uniform charge, e.g. for sensitising; Corona discharge devices ([G03G 15/14 takes precedence](#))
 - 15/0208 . . {by contact, friction or induction, e.g. liquid charging apparatus}
 - 15/0216 . . . {by bringing a charging member into contact with the member to be charged, e.g. roller, brush chargers}
 - 15/0225 {provided with means for cleaning the charging member}
 - 15/0233 {Structure, details of the charging member, e.g. chemical composition, surface properties}
 - 15/0241 . . . {by bringing charging powder particles into contact with the member to be charged, e.g. by means of a magnetic brush}
 - 15/025 . . . {by bringing a charging member in the vicinity with the member to be charged, e.g. proximity charging, forming microgap}
 - 15/0258 . . {provided with means for the maintenance of the charging apparatus, e.g. cleaning devices, ozone removing devices [G03G 15/0225](#), [G03G 15/0291 takes precedence](#)}
 - 15/0266 . . {Arrangements for controlling the amount of charge}
 - 15/0275 . . {Arrangements for controlling the area of the photoconductor to be charged}
 - 15/0283 . . {Arrangements for supplying power to the sensitising device}
 - 15/0291 . . {corona discharge devices, e.g. wires, pointed electrodes, means for cleaning the corona discharge device}
 - 15/04 . . for exposing, i.e. imagewise exposure by optically projecting the original image on a photoconductive recording material
- NOTE**
- The original image is obtained by direct optical projection or received from other sources, e.g. by computer modified or generated image data, by scanning, e.g. digital copiers
- 15/04009 . . {by forming an intermediate temporary image projected one or more times}
 - 15/04018 . . {Image composition, e.g. adding or superposing informations on the original image ([composition of facsimile picture signals H04N 1/387](#))}
 - 15/04027 . . {and forming half-tone image}
 - 15/04036 . . {Details of illuminating systems, e.g. lamps, reflectors (lamp housings for copying cameras, [reflex exposure lighting G03B 27/542](#))}
 - 15/04045 . . . {for exposing image information provided otherwise than by directly projecting the original image onto the photoconductive recording material, e.g. digital copiers ([G03G 15/041](#), [G03G 15/043 take precedence](#))}
 - 15/04054 {by LED arrays}
 - 15/04063 {by EL-bars}
 - 15/04072 {by laser}
 - 15/04081 . . . {Exposure from behind the photoconductive surface}
 - 15/0409 . . {Details of projection optics ([for projection printing apparatus G03B 27/522](#))}
 - 15/041 . . with variable magnification
 - 15/0415 . . . {and means for controlling illumination or exposure}
 - 15/043 . . with means for controlling illumination or exposure ([G03G 15/041 takes precedence](#))
 - 15/0435 . . . {by introducing an optical element in the optical path, e.g. a filter}
 - 15/045 . . with means for charging or discharging distinct portions of the charge pattern on the recording material, e.g. for contrast enhancement or discharging non-image areas ([G03G 15/36](#), [G03G 21/06 take precedence](#))}
 - 15/047 . . . for discharging non-image areas
 - 15/05 . . for imagewise charging, e.g. photoconductive control screen or optically activated charging means
 - 15/051 . . {by modulating an ion flow through a photoconductive screen onto which a charge image has been formed}
 - 15/052 . . . {Details and conditioning means of the screen, e.g. cleaning means, ozone removing means}
 - 15/054 . . using X-rays, e.g. electroradiography
 - 15/0545 . . {Ionography, i.e. X-rays induced liquid or gas discharge}
 - 15/056 . . using internal polarisation
 - 15/06 . . for developing
 - 15/065 . . {Arrangements for controlling the potential of the developing electrode}
 - 15/08 . . using a solid developer, e.g. powder developer
 - 15/0801 . . . {for cascading}
 - 15/0803 . . . {in a powder cloud}

15/0805	. . . {on a brush (G03G 15/09 takes precedence)}	15/087 {Developer cartridges having a longitudinal rotational axis, around which at least one part is rotated when mounting or using the cartridge}
15/0806	. . . {on a donor element, e.g. belt, roller (complete developer unit G03G 15/0896)}	15/0872 {the developer cartridges being generally horizontally mounted parallel to its longitudinal rotational axis}
15/0808 {characterised by the developer supplying means, e.g. structure of developer supply roller}	15/0874 {non-rigid containers, e.g. foldable cartridges, bags}
15/081 {characterised by the developer handling means after the supply and before the regulating, e.g. means for preventing developer blocking}	15/0875 {cartridges having a box like shape}
15/0812 {characterised by the developer regulating means, e.g. structure of doctor blade}	15/0877 {Arrangements for metering and dispensing developer from a developer cartridge into the development unit}
15/0813 {characterised by means in the developing zone having an interaction with the image carrying member, e.g. distance holders}	15/0879 {for dispensing developer from a developer cartridge not directly attached to the development unit}
15/0815 {characterised by the developer handling means after the developing zone and before the supply, e.g. developer recovering roller}	15/0881 {Sealing of developer cartridges}
15/0817 {characterised by the lateral sealing at both sides of the donor member with respect to the developer carrying direction}	15/0882 {by a peelable sealing film (resealing used developer units before refilling: G03G 15/0894)}
15/0818 {characterised by the structure of the donor member, e.g. surface properties}	15/0884 {by a sealing film to be ruptured or cut}
15/082	. . . {for immersion}	15/0886 {by mechanical means, e.g. shutter, plug}
15/0822	. . . {Arrangements for preparing, mixing, supplying or dispensing developer}	15/0887 {Arrangements for conveying and conditioning developer in the developing unit, e.g. agitating, removing impurities or humidity}
15/0844 {Arrangements for purging used developer from the developing unit}	15/0889 {for agitation or stirring}
15/0848 {Arrangements for testing or measuring developer properties or quality, e.g. charge, size, flowability}	15/0891 {for conveying or circulating developer, e.g. augers}
15/0849 {Detection or control means for the developer concentration}	15/0893 {in a closed loop within the sump of the developing device}
15/0851 {the concentration being measured by electrical means}	15/0894	. . . {Reconditioning of the developer unit, i.e. reusing or recycling parts of the unit, e.g. resealing of the unit before refilling with toner}
15/0853 {the concentration being measured by magnetic means}	15/0896	. . . {Arrangements or disposition of the complete developer unit or parts thereof not provided for by groups G03G 15/08 - G03G 15/0894 }
15/0855 {the concentration being measured by optical means}	15/0898 {for preventing toner scattering during operation, e.g. seals (sealing the donor member G03G 15/0817 ; sealing the magnetic brush G03G 15/0942)}
15/0856 {Detection or control means for the developer level}	15/09	. . . using magnetic brush
15/0858 {the level being measured by mechanical means}	15/0907 {with bias voltage (G03G 15/065 takes precedence)}
15/086 {the level being measured by electro-magnetic means}	15/0914 {with a one-component toner}
15/0862 {the level being measured by optical means}	15/0921 {Details concerning the magnetic brush roller structure, e.g. magnet configuration}
15/0863 {provided with identifying means or means for storing process- or use parameters, e.g. an electronic memory}	15/0928 {relating to the shell, e.g. structure, composition}
15/0865 {Arrangements for supplying new developer}	15/0935 {relating to bearings or driving mechanism}
15/0867 {cylindrical developer cartridges, e.g. toner bottles for the developer replenishing opening}	15/0942 {with means for preventing toner scattering from the magnetic brush, e.g. magnetic seals}
15/0868 {Toner cartridges fulfilling a continuous function within the electrographic apparatus during the use of the supplied developer material, e.g. toner discharge on demand, storing residual toner, acting as an active closure for the developer replenishing opening}	15/095	. . . Removing excess solid developer {, e.g. fog preventing}
		15/10	. . . using a liquid developer
		15/101	. . . {for wetting the recording material}
		15/102 {for differentially wetting the recording material (developers for differentially wetting G03G 9/18)}

- 15/104 . . . {Preparing, mixing, transporting or dispensing developer}
- 15/105 {Detection or control means for the toner concentration}
- 15/107 . . . {Condensing developer fumes ([G03G 15/11 takes precedence](#))}
- 15/108 . . . {with which the recording material is brought in contact, e.g. immersion or surface immersion development}
- 15/11 . . . Removing excess liquid developer, e.g. by heat
- 15/14 . for transferring a pattern to a second base
- 15/16 . . of a toner pattern, e.g. a powder pattern {, e.g. magnetic transfer}
- 15/1605 . . . {using at least one intermediate support ([G03G 15/1625 takes precedence](#))}
- 15/161 {with means for handling the intermediate support, e.g. heating, cleaning, coating with a transfer agent}
- 15/1615 {relating to the driving mechanism for the intermediate support, e.g. gears, couplings, belt tensioning}
- 15/162 {details of the the intermediate support, e.g. chemical composition}
- 15/1625 . . . {on a base other than paper}
- 15/163 . . . {using the force produced by an electrostatic transfer field formed between the second base and the electrographic recording member, e.g. transfer through an air gap}
- 15/1635 {the field being produced by laying down an electrostatic charge behind the base or the recording member, e.g. by a corona device}
- 15/164 {the second base being a continuous paper band, e.g. a CFF}
- 15/1645 {Arrangements for controlling the amount of charge}
- 15/165 {Arrangements for supporting or transporting the second base in the transfer area, e.g. guides}
- 15/1655 {comprising a rotatable holding member to which the second base is attached or attracted, e.g. screen transfer holding drum}
- 15/166 {with means for conditioning the holding member, e.g. cleaning}
- 15/1665 . . . {by introducing the second base in the nip formed by the recording member and at least one transfer member, e.g. in combination with bias or heat}
- 15/167 {at least one of the recording member or the transfer member being rotatable during the transfer}
- 15/1675 {with means for controlling the bias applied in the transfer nip}
- 15/168 {with means for conditioning the transfer element, e.g. cleaning}
- 15/1685 {Structure, details of the transfer member, e.g. chemical composition}
- 15/169 . . . {with means for preconditioning the toner image before the transfer ([G03G 15/095 and G03G 15/11 take precedence](#))}
- 15/1695 . . . {with means for preconditioning the paper base before the transfer}
- 15/18 . . of a charge pattern
- 15/20 . for fixing, e.g. by using heat
- 15/2003 . . {using heat}
- 15/2007 . . . {using radiant heat, e.g. infrared lamps, microwave heaters}
- 15/201 {of high intensity and short duration, i.e. flash fusing}
- 15/2014 {using contact heat}
- 15/2017 {Structural details of the fixing unit in general, e.g. cooling means, heat shielding means ([G03G 15/2053 takes precedence](#))}
- 15/2021 {Plurality of separate fixing and/or cooling areas or units, two step fixing}
- 15/2025 {with special means for lubricating and/or cleaning the fixing unit, e.g. applying offset preventing fluid}
- 15/2028 {with means for handling the copy material in the fixing nip, e.g. introduction guides, stripping means}
- 15/2032 {Retractable heating or pressure unit}
- 15/2035 {for maintenance purposes, e.g. for removing a jammed sheet}
- 15/2039 {with means for controlling the fixing temperature}
- 15/2042 {specially for the axial heat partition}
- 15/2046 {specially for the influence of heat loss, e.g. due to the contact with the copy material or other roller}
- 15/205 {specially for the mode of operation, e.g. standby, warming-up, error ([G03G 15/2046 takes precedence](#))}
- 15/2053 {Structural details of heat elements, e.g. structure of roller or belt, eddy current, induction heating}
- 15/2057 {relating to the chemical composition of the heat element and layers thereof}
- 15/206 {Structural details or chemical composition of the pressure elements and layers thereof}
- 15/2064 {combined with pressure}
- 15/2092 . . {using pressure only}
- 15/2096 . . {using a solvent}
- 15/2098 . . {using light, e.g. UV photohardening}
- 15/22 . involving the combination of more than one step according to groups [G03G 13/02](#) - [G03G 13/20](#) ([G03G 15/01 takes precedence](#))
- 15/221 . . {Machines other than electrographic copiers, e.g. electrophotographic cameras, electrostatic typewriters}
- 15/222 . . . {Machines for handling xeroradiographic images, e.g. xeroradiographic processors}
- 15/223 . . . {Machines for handling microimages, e.g. microfilm copiers}
- 15/224 . . . {Machines for forming tactile or three dimensional images by electrographic means, e.g. braille, 3d printing}
- 15/225 . . {using contact-printing}
- 15/226 . . {where the image is formed on a dielectric layer covering the photoconductive layer}
- 15/227 . . . {the length of the inner surface of the dielectric layer being greater than the length of the outer surface of the photoconductive layer}
- 15/228 . . {the process involving the formation of a master, e.g. photocopy-printer machines}
- 15/23 . . specially adapted for copying both sides of an original or for copying on both sides of a recording or image-receiving material

- 15/231 . . . {Arrangements for copying on both sides of a recording or image-receiving material}
- 15/232 {using a single reusable electrographic recording member}
- 15/234 {by inverting and refeeding the image receiving material with an image on one face to the recording member to transfer a second image on its second face, e.g. by using a duplex tray; Details of duplex trays or inverters}
- 15/235 {the image receiving member being preconditioned before transferring the second image, e.g. decurled, or the second image being formed with different operating parameters, e.g. a different fixing temperature}
- 15/237 {the image receiving member being in form of a continuous web ([G03G 15/235 takes precedence](#))}
- 15/238 {using more than one reusable electrographic recording member, e.g. single pass duplex copiers}
- 15/24 . . whereby at least two steps are performed simultaneously
- 15/26 . . in which the charge pattern is obtained by projection of the entire image, i.e. whole-frame projection ([G03G 15/04 takes precedence](#))
- 15/263 . . . {using a reusable recording medium in form of a band}
- 15/266 . . . {using a reusable recording medium in form of a plate or a sheet}
- 15/28 . . in which projection is obtained by line scanning ([G03G 15/04 takes precedence](#))
- 15/283 . . . {using a reusable recording medium in form of a band}
- 15/286 . . . {using a reusable recording medium in form of a plate or a sheet}
- 15/30 . . . in which projection is formed on a drum
- 15/302 {with arrangements for copying different kinds of originals, e.g. sheets, books}
- 15/305 {with special means to synchronize the scanning optic to the operation of other parts of the machine, e.g. photoreceptor, copy paper}
- 15/307 {with more than one photoconductor revolution for each copying cycle}
- 15/32 . . in which the charge pattern is formed dotwise, {e.g. by a thermal head}([G03G 15/04](#), [G03G 15/05](#), [G03G 15/34 take precedence](#))
- 15/321 . . . {by charge transfer onto the recording material in accordance with the image}
- 15/323 {by modulating charged particles through holes or a slit}
- 15/325 {using a stylus or a multi-styli array}
- 15/326 . . . {by application of light, e.g. using a LED array}
- 15/328 {using a CRT}
- 15/34 . . in which the powder image is formed directly on the recording material {, e.g. by using a liquid toner}
- 15/342 . . . {by forming a uniform powder layer and then removing the non-image areas}
- 15/344 . . . {by selectively transferring the powder to the recording medium, e.g. by using a LED array}
- 15/346 {by modulating the powder through holes or a slit}
- 15/348 {using a stylus or a multi-styli array}
- 15/36 . Editing, i.e. producing a composite image by copying one or more original images or parts thereof
- 15/50 . {Machine control of apparatus for electrographic processes using a charge pattern, e.g. regulating different parts of the machine, multimode copiers, microprocessor control ([sequencing control G03G 21/14](#))}
- 15/5004 . . {Power supply control, e.g. power-saving mode, automatic power turn-off}
- 15/5008 . . {Driving control for rotary photosensitive medium, e.g. speed control, stop position control}
- 15/5012 . . {Priority interrupt; Job recovery, e.g. after jamming or malfunction}
- 15/5016 . . {User-machine interface; Display panels; Control console}
- 15/502 . . . {relating to the structure of the control menu, e.g. pop-up menus, help screens}
- 15/5025 . . {by measuring the original characteristics, e.g. contrast, density}
- 15/5029 . . {by measuring the copy material characteristics, e.g. weight, thickness}
- 15/5033 . . {by measuring the photoconductor characteristics, e.g. temperature, or the characteristics of an image on the photoconductor}
- 15/5037 . . . {the characteristics being an electrical parameter, e.g. voltage}
- 15/5041 . . . {Detecting a toner image, e.g. density, toner coverage, using a test patch ([G03G 15/553 takes precedence](#))}
- 15/5045 . . . {Detecting the temperature}
- 15/505 . . . {Detecting the speed, e.g. for continuous control of recording starting time}
- 15/5054 . . {by measuring the characteristics of an intermediate image carrying member or the characteristics of an image on an intermediate image carrying member, e.g. intermediate transfer belt or drum, conveyor belt}
- 15/5058 . . . {using a test patch}
- 15/5062 . . {by measuring the characteristics of an image on the copy material}
- 15/5066 . . {by using information from an external support, e.g. magnetic card}
- 15/507 . . . {being interleaved with the original or directly written on the original, e.g. using a control sheet}
- 15/5075 . . {Remote control machines, e.g. by a host}
- 15/5079 . . . {for maintenance}
- 15/5083 . . . {for scheduling}
- 15/5087 . . . {for receiving image data}
- 15/5091 . . . {for user-identification or authorisation}
- 15/5095 . . {Matching the image with the size of the copy material, e.g. by calculating the magnification or selecting the adequate copy material size}
- 15/55 . {Self-diagnostics; Malfunction or lifetime display}
- 15/553 . . {Monitoring or warning means for exhaustion or lifetime end of consumables, e.g. indication of insufficient copy sheet quantity for a job}
- 15/556 . . . {for toner consumption, e.g. pixel counting, toner coverage detection or toner density measurement}

- 15/60 . {Apparatus which relate to the handling of originals (for photographic purposes in general [G03B](#))}
- 15/602 . . {for transporting}
- 15/605 . . {Holders for originals or exposure platens (for photographic purposes in general [G03B](#))}
- 15/607 . . {for detecting size, presence or position of original}
- 15/65 . {Apparatus which relate to the handling of copy material (handling sheets or webs in general [B65H](#); for photographic purposes in general [G03B](#))}
- 15/6502 . . {Supplying of sheet copy material; Cassettes therefor}
- 15/6505 . . . {for copy sheets in ream}
- 15/6508 . . . {Automatic supply devices interacting with the rest of the apparatus, e.g. selection of a specific cassette (matching the image with the size of the copy material [G03G 15/5095](#))}
- 15/6511 . . . {Feeding devices for picking up or separation of copy sheets}
- 15/6514 . . . {Manual supply devices}
- 15/6517 . . {Apparatus for continuous web copy material of plain paper, e.g. supply rolls; Roll holders therefor}
- 15/652 . . . {Feeding a copy material originating from a continuous web roll}
- 15/6523 . . . {Cutting}
- 15/6526 . . . {Computer form folded [CFF] continuous web, e.g. having sprocket holes or perforations}
- 15/6529 . . {Transporting ([G03G 15/6555](#) takes precedence)}
- 15/6532 . . {Removing a copy sheet from a xerographic drum, band or plate (removing sheets from printing cylinders [B65H 29/02](#))}
- 15/6535 . . . {using electrostatic means, e.g. a separating corona}
- 15/6538 . . {Devices for collating sheet copy material, e.g. sorters, control, copies in staples form}
- 15/6541 . . . {Binding sets of sheets, e.g. by stapling, glueing}
- 15/6544 {Details about the binding means or procedure}
- 15/6547 . . . {Shifting sets of sheets in the discharge tray}
- 15/655 . . . {Placing job divider sheet between set of sheets}
- 15/6552 . . {Means for discharging uncollated sheet copy material, e.g. discharging rollers, exit trays}
- 15/6555 . . {Handling of sheet copy material taking place in a specific part of the copy material feeding path}
- 15/6558 . . . {Feeding path after the copy sheet preparation and up to the transfer point, e.g. registering; Deskewing; Correct timing of sheet feeding to the transfer point}
- 15/6561 {for sheet registration}
- 15/6564 {with correct timing of sheet feeding}
- 15/6567 {for deskewing or aligning}
- 15/657 . . . {Feeding path after the transfer point and up to the fixing point, e.g. guides and feeding means for handling copy material carrying an unfused toner image}
- 15/6573 . . . {Feeding path after the fixing point and up to the discharge tray or the finisher, e.g. special treatment of copy material to compensate for effects from the fixing}
- 15/6576 {Decurling of sheet material}
- 15/6579 . . . {Refeeding path for composite copying}
- 15/6582 . . {Special processing for irreversibly adding or changing the sheet copy material characteristics or its appearance, e.g. stamping, annotation printing, punching}
- 15/6585 . . . {by using non-standard toners, e.g. transparent toner, gloss adding devices}
- 15/6588 . . {characterised by the copy material, e.g. postcards, large copies, multi-layered materials, coloured sheet material}
- 15/6591 . . . {characterised by the recording material, e.g. plastic material, OHP, ceramics, tiles, textiles (details transferring the toner pattern onto particular materials [G03G 15/1625](#))}
- 15/6594 . . . {characterised by the format or the thickness, e.g. endless forms}
- 15/6597 . . {the imaging being conformed directly on the copy material, e.g. using photosensitive copy material, dielectric copy material for electrostatic printing}
- 15/70 . {Detecting malfunctions relating to paper handling, e.g. jams}
- 15/703 . . {Detecting multiple sheets}
- 15/706 . . {Detecting missed stripping from xerographic drum, band or plate}
- 15/75 . {Details relating to xerographic drum, band or plate, e.g. replacing, testing (electrographic recording members per se [G03G 5/00](#))}
- 15/751 . . {relating to drum ([G03G 15/757](#) takes precedence)}
- 15/752 . . . {with renewable photoconductive layer}
- 15/754 . . {relating to band, e.g. tensioning ([G03G 15/757](#) takes precedence)}
- 15/755 . . . {for maintaining the lateral alignment of the band}
- 15/757 . . {Drive mechanisms for photosensitive medium, e.g. gears}
- 15/758 . . {relating to plate or sheet}
- 15/80 . {Details relating to power supplies, circuits boards, electrical connections}
- 16/00 Electrographic processes using deformation of thermoplastic layers (layers for surface-deformation imaging [G03G 5/022](#); Apparatus therefor {(shaping of plastic objects with thermoplastic memory effect [B29C 61/00](#); digital stores using thermoplastic elements [G11C 11/46](#); television signal recording using deformable thermoplastic recording medium [H04N 5/82](#))})**
- 17/00 Electrographic processes using patterns other than charge patterns, e.g. an electric conductivity pattern; Processes involving a migration, e.g. photoelectrophoresis, photoelectrosology; Processes involving a selective transfer, e.g. electrophoto-adhesive processes; Apparatus essentially involving a single such process**
- 17/005 . {Radiation field photography, e.g. Kirlian photography, colour-discharge photography}
- 17/02 . with electrolytic development
- 17/04 . using photoelectrophoresis
- 17/06 . . Apparatus therefor
- 17/08 . using an electrophoto-adhesive process, e.g. manifold imaging

- 17/10 . using migration imaging, e.g. photoelectrosology (G03G 17/04 takes precedence)
- 19/00 Processes using magnetic patterns; Apparatus therefor {, i.e. magnetography}**
- NOTE**
- This group comprises also processes and apparatus wherein magnetography and electrography are combined; magnetographic printing apparatus for data processing machines G06K 15/14; recording members therefor G03G 5/00; magnetic recording members for television G11B; recording of sound G11B; recording of electric measurements G01R 13/00; recording apparatus for measurements in general G01D
- 19/005 . {where the image is formed by selective demagnetizing, e.g. thermomagnetic recording}
- 21/00 Arrangements not provided for by groups G03G 13/00 - G03G 19/00, e.g. cleaning, elimination of residual charge**
- 21/0005 . {for removing solid developer or debris from the electrographic recording medium}
- 21/0011 . . {using a blade; Details of cleaning blades, e.g. blade shape, layer forming}
- 21/0017 . . . {Details relating to the internal structure or chemical composition of the blades}
- 21/0023 . . . {with electric bias}
- 21/0029 . . . {Details relating to the blade support}
- 21/0035 . . {using a brush; Details of cleaning brushes, e.g. fibre density (G03G 21/0064 takes precedence; magnetic brushes G03G 21/0047)}
- 21/0041 . . {using a band; Details of cleaning bands, e.g. band winding}
- 21/0047 . . {using electrostatic or magnetic means; Details thereof, e.g. magnetic pole arrangement of magnetic devices (G03G 21/0064 takes precedence)}
- 21/0052 . . {using an air flow; Details thereof, e.g. nozzle structure}
- 21/0058 . . {using a roller or a polygonal rotating cleaning member; Details thereof, e.g. surface structure (G03G 21/0064 takes precedence)}
- 21/0064 . . {using the developing unit, e.g. cleanerless or multi-cycle apparatus}
- 21/007 . . {Arrangement or disposition of parts of the cleaning unit}
- 21/0076 . . . {Plural or sequential cleaning devices}
- 21/0082 {Separate cleaning member for toner and debris}
- 21/0088 . {removing liquid developer}
- 21/0094 . {fatigue treatment of the photoconductor}
- 21/02 . Counting the number of copies; Billing
- 21/04 . Preventing copies being made of an original
- 21/043 . . {by using an original which is not reproducible or only reproducible with a different appearance, e.g. originals with a photochromic layer or a colour background}
- 21/046 . . {by discriminating a special original, e.g. a bank note}
- 21/06 . Eliminating residual charges from a reusable imaging member
- 21/08 . . using optical radiation
- 21/10 . Collecting or recycling waste developer
- 21/105 . . {Arrangements for conveying toner waste}
- 21/12 . . Toner waste containers
- 21/14 . Electronic sequencing control
- 21/145 . . {wherein control pulses are generated by the mechanical movement of parts of the machine, e.g. the photoconductor}
- 21/16 . Mechanical means for facilitating the maintenance of the apparatus, e.g. modular arrangements
- 21/1604 . . {Arrangement or disposition of the entire apparatus}
- 21/1609 . . . {for space saving, e.g. structural arrangements}
- 21/1614 . . . {Measures for handling of apparatus by disabled persons}
- 21/1619 . . . {Frame structures}
- 21/1623 . . . {Means to access the interior of the apparatus}
- 21/1628 {Clamshell type (G03G 21/1638 takes precedence)}
- 21/1633 {using doors or covers (G03G 21/1638 takes precedence)}
- 21/1638 {directed to paper handling or jam treatment}
- 21/1642 . . {for connecting the different parts of the apparatus}
- 21/1647 . . . {Mechanical connection means}
- 21/1652 . . . {Electrical connection means}
- 21/1657 . . . {Wireless connection means, e.g. RFID}
- 21/1661 . . {means for handling parts of the apparatus in the apparatus (G03G 21/1604, G03G 21/1642 take precedence)}
- 21/1666 . . . {for the exposure unit}
- 21/1671 . . . {for the photosensitive element}
- 21/1676 . . . {for the developer unit}
- 21/168 . . . {for the transfer unit}
- 21/1685 . . . {for the fixing unit}
- 21/169 . . . {for the cleaning unit}
- 21/1695 . . . {for paper transport}
- 21/18 . . using a processing cartridge {, whereby the process cartridge comprises at least two image processing means in a single unit}
- 21/1803 . . . {Arrangements or disposition of the complete process cartridge or parts thereof}
- 21/1807 {colour}
- 21/181 {Manufacturing or assembling, recycling, reuse, transportation, packaging or storage}
- 21/1814 {Details of parts of process cartridge, e.g. for charging, transfer, cleaning, developing (G03G 21/1835 takes precedence)}
- 21/1817 {having a submodular arrangement}
- 21/1821 {means for connecting the different parts of the process cartridge, e.g. attachment, positioning of parts with each other, pressure/distance regulation (G03G 21/1825 takes precedence)}
- 21/1825 {Pivotable subunit connection}
- 21/1828 {Prevention of damage or soiling, e.g. mechanical abrasion (G03G 21/1839 takes precedence)}
- 21/1832 {Shielding members, shutter, e.g. light, heat shielding, prevention of toner scattering}
- 21/1835 {the process cartridge not comprising a photosensitive member}

21/1839	. . . {Means for handling the process cartridge in the apparatus body}	2215/00067	. . . on recording medium
21/1842 {for guiding and mounting the process cartridge, positioning, alignment, locks (G03G 21/1864 and G03G 21/1871 take precedence)}	2215/00071	. . by measuring the photoconductor or its environmental characteristics
21/1846 {using a handle for carrying or pulling out of the main machine, legs of casings}	2215/00075	. . . the characteristic being its speed
21/185 {the process cartridge being mounted parallel to the axis of the photosensitive member}	2215/0008 for continuous control of recording starting time
21/1853 {the process cartridge being mounted perpendicular to the axis of the photosensitive member}	2215/00084	. . . the characteristic being the temperature
21/1857 {for transmitting mechanical drive power to the process cartridge, drive mechanisms, gears, couplings, braking mechanisms}	2215/00088	. . by using information from an external support
21/186 {Axial couplings}	2215/00092	. . . the support being an IC card
21/1864 {associated with a positioning function}	2215/00097	. . . the support being a counter
21/1867 {for electrically connecting the process cartridge to the apparatus, electrical connectors, power supply}	2215/00101	. . . the support being a magnetic card
21/1871 {associated with a positioning function}	2215/00105	. . . the support being a payment means, e.g. a coin
21/1875	. . . {provided with identifying means or means for storing process- or use parameters, e.g. lifetime of the cartridge}	2215/00109	. . Remote control of apparatus, e.g. by a host
21/1878 {Electronically readable memory}	2215/00113	. . . Plurality of apparatus configured in groups each with its own host
21/1882 {details of the communication with memory, e.g. wireless communication, protocols}	2215/00118	. . using fuzzy logic
21/1885 {position of the memory; memory housings; electrodes}	2215/00122	. . using speech synthesis or voice recognition
21/1889 {for auto-setting of process parameters, lifetime, usage}	2215/00126	. . Multi-job machines
21/1892 {for presence detection, authentication}	2215/0013	. . for producing copies with MICR
21/1896 {mechanical or optical identification means, e.g. protrusions, bar codes}	2215/00135	. Handling of parts of the apparatus
21/20	. Humidity or temperature control {also ozone evacuation; Internal apparatus environment control}	2215/00139	. . Belt
21/203	. . {Humidity}	2215/00143	. . . Meandering prevention
21/206	. . {Conducting air through the machine, e.g. for cooling, filtering, removing gases like ozone}	2215/00147 using tractor sprocket holes
2215/00	Apparatus for electrophotographic processes	2215/00151 using edge limitations
2215/00004	. Handling of entire apparatus	2215/00156 by controlling drive mechanism
2215/00008	. . Upright positioning for maintenance or storage	2215/0016 by mark detection, e.g. optical
2215/00012	. . Upright positioning as well as horizontal positioning for image forming	2215/00164 by electronic scan control
2215/00016	. Special arrangement of entire apparatus	2215/00168 by friction
2215/00021	. . Plural substantially independent image forming units in cooperation, e.g. for duplex, colour or high-speed simplex	2215/00172	. relative to the original handling
2215/00025	. Machine control, e.g. regulating different parts of the machine	2215/00177	. . for scanning
2215/00029	. . Image density detection	2215/00181	. . . concerning the original's state of motion
2215/00033	. . . on recording member	2215/00185 original at rest
2215/00037 Toner image detection	2215/00189 original moving
2215/00042 Optical detection	2215/00194 original either moving or at rest
2215/00046 Magnetical detection	2215/00198 where one single scanning surface is used
2215/0005 without production of a specific test patch	2215/00202 where separate scanning surfaces are used
2215/00054 Electrostatic image detection	2215/00206	. . Original medium
2215/00059	. . . on intermediate image carrying member, e.g. transfer belt	2215/0021	. . . Plural types handled
2215/00063	. . . Colour	2215/00215 Mixed types handled
		2215/00219	. . . Paper
		2215/00223 Continuous web, i.e. roll
		2215/00227 Fan fold, e.g. CFF, normally perforated
		2215/00232 Non-standard format
		2215/00236 Large sized, e.g. technical plans
		2215/0024 Small sized, e.g. postcards
		2215/00244 Non-standard property
		2215/00248 Thick
		2215/00253 Thin
		2215/00257 coloured
		2215/00261	. . . Plastic
		2215/00265 Overhead Transparency, i.e. OHP
		2215/0027 Transparent film roll
		2215/00274 Slide
		2215/00278 Microfiche
		2215/00282	. . . Book
		2215/00286	. . . With punch holes or other non-image related artifacts, e.g. staples
		2215/00291	. . . Fragile, e.g. old documents
		2215/00295	. . . Valuable, e.g. cheques, passport
		2215/00299	. . . Confidential, e.g. secret documents
		2215/00303	. . . Control sheet

2215/00308	. . . Object for which a graphic image is not of interest, e.g. medical sample	2215/0051 Microfiche
2215/00312	. . . Other special types	2215/00514	. . . Envelopes
2215/00316	. . . Electronic image supplied to the apparatus	2215/00518	. . . Recording medium, e.g. photosensitive
2215/0032	. . Original binding	2215/00523	. . . Other special types, e.g. tabbed
2215/00324	. . Document property detectors	2215/00527 Fabrics, e.g. textiles
2215/00329	. . . Document size detectors	2215/00531	. . . transported through the apparatus for non-imaging purposes, e.g. cleaning
2215/00333 detecting feeding of documents	2215/00535	. . Stable handling of copy medium
2215/00337	. . Document set detector	2215/0054	. . . Detachable element of feed path
2215/00341	. . Jam handling in document feeder	2215/00544	. . . Openable part of feed path
2215/00345	. . . Copying machine problems	2215/00548	. . . Jam, error detection, e.g. double feeding
2215/0035	. . . Document related problems, e.g. double-fed sheets	2215/00552 Purge of recording medium at jam
2215/00354	. . Specific document handling machines	2215/00556	. . . Control of copy medium feeding
2215/00358	. . . Plural feed trays for document sets, e.g. multi-job	2215/00561 Aligning or deskewing
2215/00362	. relating to the copy medium handling	2215/00565 Mechanical details
2215/00367	. . The feeding path segment where particular handling of the copy medium occurs, segments being adjacent and non-overlapping. Each segment is identified by the most downstream point in the segment, so that for instance the segment labelled "Fixing device" is referring to the path between the "Transfer device" and the "Fixing device"	2215/00569 Calibration, test runs, test prints
2215/00371	. . . General use over the entire feeding path	2215/00573 Recording medium stripping from image forming member
2215/00375	. . . Package, e.g. a ream	2215/00578 Composite print mode
2215/00379	. . . Copy medium holder	2215/00582 Plural adjacent images on one side
2215/00383 Cassette	2215/00586 duplex mode
2215/00388 rotatable	2215/0059 Effect of changed recording medium size, e.g. originating from heating
2215/00392 Manual input tray	2215/00594 Varying registration in order to produce special effect, e.g. binding margin
2215/00396	. . . Pick-up device	2215/00599 Timing, synchronisation
2215/004	. . . Separation device	2215/00603	. . . Control of other part of the apparatus according to the state of copy medium feeding
2215/00405	. . . Registration device	2215/00607	. . . Debris handling means
2215/00409	. . . Transfer device	2215/00611	. . . Detector details, e.g. optical detector
2215/00413	. . . Fixing device	2215/00616 Optical detector
2215/00417	. . . Post-fixing device	2215/0062 infrared
2215/00421 Discharging tray, e.g. devices stabilising the quality of the copy medium, postfixing-treatment, inverting, sorting	2215/00624 Magnetic detector or switch, e.g. reed switch
2215/00426 Post-treatment device adding qualities to the copy medium product (G03G 2215/00421 takes precedence)	2215/00628 Mechanical detector or switch
2215/0043 Refeeding path (G03G 2215/00421 takes precedence)	2215/00632 Electric detector, e.g. of voltage or current
2215/00434 Refeeding tray or cassette	2215/00637 Acoustic detector
2215/00438 Inverter of refeeding path	2215/00641 Pneumatic detector
2215/00443	. . Copy medium	2215/00645 Speedometer
2215/00447	. . . Plural types handled	2215/00649	. . . Electrodes close to the copy feeding path
2215/00451	. . . Paper	2215/00654	. . . Charging device
2215/00455 Continuous web, i.e. roll	2215/00658	. . . Brush (G03G 2215/00654 takes precedence)
2215/00459 Fan fold, e.g. CFF, normally perforated	2215/00662	. . . Decurling device
2215/00464 Non-standard format	2215/00666	. . . Heating or drying device
2215/00468 Large sized, e.g. technical plans	2215/0067	. . . Damping device
2215/00472 Small sized, e.g. postcards	2215/00675	. . . Mechanical copy medium guiding means, e.g. mechanical switch
2215/00476 Non-standard property	2215/00679	. . . Conveying means details, e.g. roller
2215/00481 Thick	2215/00683 Chemical properties
2215/00485 Thin	2215/00687	. . . Handling details
2215/00489 coloured	2215/00691 Shredder
2215/00493	. . . Plastic	2215/00696 Turner acting in plane of recording medium, e.g. A4 to A4R change
2215/00497 Overhead Transparency, i.e. OHP	2215/007 Inverter not for refeeding purposes
2215/00502 Transparent film	2215/00704 Curl adding, bending
2215/00506 Slide	2215/00708 Cleaning of sheet or feeding structures
		2215/00713 Lock related to feeding device
		2215/00717	. . . Detection of physical properties
		2215/00721 of sheet position
		2215/00725 of sheet presence in input tray
		2215/00729 of sheet amount in input tray
		2215/00734 of sheet size
		2215/00738 of sheet thickness or rigidity

2215/00742	of sheet weight	2215/00966	. . .	Sheet type electrographic recording members from which a toner or charge image is transferred
2215/00746	of sheet velocity	2215/0097	Sheet cartridge or tray
2215/00751	of sheet type, e.g. OHP	2215/00974	. . .	Electrographic recording member arranged as a carriage to be movable in a direction perpendicular to the recording sheet transport direction
2215/00755	of sheet toner density	2215/00978	. .	Details relating to power supplies
2215/00759	of sheet image, e.g. presence, type	2215/00983	. .	using batteries
2215/00763	of sheet resistivity	2215/00987	. .	Remanufacturing, i.e. reusing or recycling parts of the image forming apparatus
2215/00767	of sheet potential	2215/00991	. .	Inserting seal through a gap
2215/00772	of temperature influencing copy sheet handling	2215/00995	. . .	Insertion tool used
2215/00776	of humidity or moisture influencing copy sheet handling	2215/01	. .	for producing multicoloured copies
2215/0078	of opening of structural part	2215/0103	. .	Plural electrographic recording members
2215/00784	of connection or pressing of structural part	2215/0106	. . .	At least one recording member having plural associated developing units
2215/00789	. .	Adding properties or qualities to the copy medium	2215/0109	. . .	Single transfer point used by plural recording members
2215/00793	. . .	Stamping device	2215/0112	Linearly moving set of recording members
2215/00797	. . .	Printing device, i.e. annotation	2215/0116	Rotating set of recording members
2215/00801	. . .	Coating device	2215/0119	. . .	Linear arrangement adjacent plural transfer points
2215/00805	. . .	Gloss adding or lowering device	2215/0122	primary transfer to an intermediate transfer belt
2215/0081	Gloss level being selectable	2215/0125	the linear arrangement being horizontal or slanted
2215/00814	. . .	Cutter	2215/0129	horizontal medium transport path at the secondary transfer
2215/00818	. . .	Punch device	2215/0132	vertical medium transport path at the secondary transfer
2215/00822	. . .	Binder, e.g. glueing device	2215/0135	the linear arrangement being vertical
2215/00827	Stapler	2215/0138	primary transfer to a recording medium carried by a transport belt
2215/00831	Stitcher	2215/0141	the linear arrangement being horizontal
2215/00835	Toner binding	2215/0145	the linear arrangement being vertical
2215/00839	Binding tape	2215/0148	the linear arrangement being slanted
2215/00843	Clip	2215/0151	. .	characterised by the technical problem
2215/00848	Details of binding device	2215/0154	. . .	Vibrations and positional disturbances when one member abuts or contacts another member
2215/00852	Temporary binding	2215/0158	. . .	Colour registration
2215/00856	External binding device	2215/0161	Generation of registration marks
2215/0086	Manual activation of binding	2215/0164	. . .	Uniformity control of the toner density at separate colour transfers
2215/00864	Plural selectable binding modes	2215/0167	. .	single electrographic recording member
2215/00869	. . .	Cover sheet adding means	2215/017	. . .	single rotation of recording member to produce multicoloured copy
2215/00873	. . .	Tape adding means	2215/0174	. . .	plural rotations of recording member to produce multicoloured copy
2215/00877	. . .	Folding device	2215/0177	Rotating set of developing units
2215/00881	. . .	Magnetic information	2215/018	Linearly moving set of developing units, one at a time adjacent the recording member
2215/00886	. .	Sorting or discharging	2215/0183	Reciprocal movement of transfer member across transfer point
2215/0089	. . .	Shifting jobs	2215/0187	. . .	Multicoloured toner image formed on the recording member
2215/00894	. . .	Placing job divider sheet	2215/019	. .	Structural features of the multicolour image forming apparatus
2215/00898	. . .	Mechanical separator between jobs	2215/0193	. . .	transfer member separable from recording member
2215/00902	. . .	Sorting marks of jobs, e.g. on the sheet edges	2215/0196	. . .	Recording medium carrying member with speed switching
2215/00907	. . .	Electronically addressable mailing bins			
2215/00911	. . .	Detection of copy amount or presence in discharge tray			
2215/00915	Detection of weight of copies			
2215/00919	. .	Special copy medium handling apparatus			
2215/00924	. . .	two or more parallel feed paths			
2215/00928	. . .	Copies and originals use a common part of the copy medium handling apparatus			
2215/00932	. . .	Security copies			
2215/00936	. . .	Bookbinding			
2215/0094	. . .	Copy produced and used as original			
2215/00945	. . .	Copy material feeding speed varied over the feed path			
2215/00949	. . .	Copy material feeding speed switched according to current mode of the apparatus, e.g. colour mode			
2215/00953	. .	Electrographic recording members			
2215/00957	. .	Compositions			
2215/00962	. .	Electrographic apparatus defined by the electrographic recording member			

2215/02	. Arrangements for laying down a uniform charge	2215/0487 Adapted to post-processing step, e.g. binding
2215/021	. . by contact, friction or induction	2215/049 Hiding of information contained in the image
2215/022	. . . using a magnetic brush	2215/0492 Without changing the charge image
2215/023	. . . using a laterally vibrating brush	2215/0495	. . Plural charge levels of latent image produced, e.g. trilevel
2215/025	. . . using contact charging means having lateral dimensions related to other apparatus means, e.g. photodrum, developing roller	2215/0497	. . Exposure from behind the image carrying surface
2215/026	. . by coronas	2215/06	. Developing structures, details
2215/027	. . . using wires	2215/0602	. . Developer
2215/028	. . . using pointed electrodes	2215/0604	. . . solid type
2215/04	. Arrangements for exposing and producing an image	2215/0607 two-component
2215/0402	. . Exposure devices	2215/0609 magnetic brush
2215/0404	. . . Laser	2215/0612 cascade
2215/0407	. . . Light-emitting array or panel	2215/0614 one-component
2215/0409 Light-emitting diodes, i.e. LED-array	2215/0617 contact development (i.e. the developer layer on the donor member contacts the latent image carrier)
2215/0412 Electroluminescent elements, i.e. EL-array	2215/0619 non-contact (flying development)
2215/0414 Liquid-crystal display elements, i.e. LCD-shutter array	2215/0621 powder cloud
2215/0417	. . . Standard lamp used to produce a reflection or transmission image of an original	2215/0624 plural systems represented (e.g. in a multicolour device or for optimising photo line development)
2215/0419	. . . Device not using light, e.g. ion-writer	2215/0626	. . . liquid type (at developing position)
2215/0421	. . . Plurality of devices for producing the image (excluding dedicated erasing means)	2215/0629 liquid at room temperature
2215/0424	. . . Using contents of CCD array to produce the image	2215/0631 melted, or otherwise made liquid
2215/0426	. . Editing of the image, e.g. adding or deleting	2215/0634	. . Developing device
2215/0429	. . Changing or enhancing the image	2215/0636	. . . Specific type of dry developer device
2215/0431	. . . Producing a clean non-image area, i.e. avoiding show-around effects	2215/0639 Without donor member (i.e. developing housing slides on latent image-carrying member)
2215/0434 Parameters defining the non-image area to be cleaned	2215/0641 Without separate supplying member (i.e. with developing housing sliding on donor member)
2215/0436 Document properties at the scanning position, e.g. position and density	2215/0643 Electrodes in developing area, e.g. wires, not belonging to the main donor part
2215/0439 Automatic detection of properties	2215/0646 Electrodes only acting from one side of the developing area, e.g. plate electrode
2215/0441 Manual input of properties	2215/0648 Two or more donor members
2215/0443 Copy medium outline relative to the charge image	2215/0651 Electrodes in donor member surface
2215/0446 Magnification degree	2215/0653 Microelectrodes in donor member surface, e.g. floating
2215/0448 Charge-erasing means for the non-image area	2215/0656 Fixed electrodes behind moving donor member surface
2215/0451 Light-emitting array or panel	2215/0658	. . . Liquid developer devices
2215/0453 Light-emitting diodes, i.e. LED-array	2215/066	. . Toner cartridge or other attachable and detachable container for supplying developer material to replace the used material
2215/0456 Electroluminescent elements, i.e. EL-array	2215/0663	. . . having a longitudinal rotational axis, around which at least one part is rotated when mounting or using the cartridge
2215/0458 Liquid-crystal display elements, i.e. LCD-shutter array	2215/0665 Generally horizontally mounting of said toner cartridge parallel to its longitudinal rotational axis
2215/046 Charger	2215/0668 Toner discharging opening at one axial end
2215/0463 Exposure lamp used for scanning	2215/067 Toner discharging opening covered by arcuate shutter
2215/0465 Developing conditions changed to produce a clean non-image area	2215/0673 Generally vertically mounting of said toner cartridge parallel to its longitudinal rotational axis
2215/0468	. . . Image area information changed (default is the charge image)	2215/0675 Generally cylindrical container shape having two ends
2215/047 Image corrections		
2215/0473 due to document imperfections, e.g. punchholes, books		
2215/0475 due to cover imperfection, i.e. show-through problem		
2215/0478 due to image carrier variations, e.g. ageing		
2215/048 Technical-purpose-oriented image area changes		
2215/0482 Toner-free areas produced		
2215/0485 Avoiding problems in standard processing steps, such as transfer and fixing		

2215/0678	Bottle shaped container having a bottle neck for toner discharge	2215/0894	through a light transmissive window in the developer container wall
2215/068	. . .	having a box like shape	2215/0897	Cleaning of the light transmissive window
2215/0682	. . .	Bag-type non-rigid container	2215/16	.	Transferring device, details
2215/0685	. . .	fulfilling a continuous function within the electrographic apparatus during the use of the supplied developer material, e.g. toner discharge on demand, storing residual toner, not acting as a passive closure for the developer replenishing opening	2215/1604	. .	Main transfer electrode
2215/0687	. . .	using a peelable sealing film	2215/1609	. . .	Corotron
2215/069	. . .	using a sealing member to be ruptured or cut	2215/1614	. . .	Transfer roll
2215/0692	. . .	using a slidable sealing member, e.g. shutter	2215/1619	. . .	Transfer drum
2215/0695	. . .	using identification means or means for storing process or use parameters	2215/1623	. . .	Transfer belt
2215/0697	being an electronically readable memory	2215/1628	. . .	Blade
2215/08	.	Details of powder developing device not concerning the development directly	2215/1633	. . .	Plate
2215/0802	. .	Arrangements for agitating or circulating developer material	2215/1638	. . .	Wires
2215/0805	. . .	Cleaning blade adjacent to the donor member	2215/1642	. . .	Brush
2215/0808	. . .	Donor member rotation direction	2215/1647	. .	Cleaning of transfer member
2215/0811	Upper part of donor member transports used developer back to the sump	2215/1652	. . .	of transfer roll
2215/0813	Lower part of donor member transports used developer back to the sump	2215/1657	. . .	of transfer drum
2215/0816	. . .	Agitator type	2215/1661	. . .	of transfer belt
2215/0819	two or more agitators	2215/1666	. .	Preconditioning of copy medium before the transfer point
2215/0822	with wall or blade between agitators	2215/1671	. . .	Preheating the copy medium before the transfer point
2215/0825	belt	2215/1676	. .	Simultaneous toner image transfer and fixing
2215/0827	Augers	2215/168	. . .	at the first transfer point
2215/083	with two opposed pitches on one shaft	2215/1685	using heat
2215/0833	with varying pitch on one shaft	2215/169	without heat
2215/0836	. . .	Way of functioning of agitator means	2215/1695	. . .	at the second or higher order transfer point
2215/0838	Circulation of developer in a closed loop within the sump of the developing device	2215/20	.	Details of the fixing device or process
2215/0841	Presentation of developer to donor member	2215/2003	. .	Structural features of the fixing device
2215/0844	by upward movement of agitator member	2215/2006	. . .	Plurality of separate fixing areas
2215/0847	by downward movement of agitator member	2215/2009	. . .	Pressure belt
2215/085	. . .	Stirring member in developer container	2215/2012	having an end
2215/0852	reciprocating	2215/2016	. . .	Heating belt
2215/0855	. .	Materials and manufacturing of the developing device	2215/2019	the belt not heating the toner or medium directly, e.g. heating a heating roller
2215/0858	. . .	Donor member	2215/2022	the fixing nip having both a stationary and a rotating belt support member opposing a pressure member
2215/0861	Particular composition or materials	2215/2025	the fixing nip having a rotating belt support member opposing a pressure member
2215/0863	Manufacturing	2215/2029	the belt further entrained around one or more stationary belt support members, the latter not being a cooling device
2215/0866	. . .	Metering member	2215/2032	the belt further entrained around additional rotating belt support members
2215/0869	. . .	Supplying member	2215/2035	the fixing nip having a stationary belt support member opposing a pressure member
2215/0872	. . .	Housing of developing device	2215/2038	the belt further entrained around one or more rotating belt support members
2215/0875	. .	Arrangements for shipping or transporting of the developing device to or from the user	2215/2041	the fixing nip being formed by tensioning the belt over a surface portion of a pressure member
2215/0877	. . .	Sealing of the developing device opening, facing the image-carrying member	2215/2045	. . .	Variable fixing speed
2215/088	Peelable sealing film	2215/2048	. . .	Surface layer material
2215/0883	Rupturable sealing film, e.g. tearable film	2215/2051	Silicone rubber
2215/0886	. . .	Container for holding the whole developing device when outside the machine, e.g. box, sack	2215/2054	Inorganic filler, e.g. silica powder
2215/0888	. .	Arrangements for detecting toner level or concentration in the developing device	2215/2058	. . .	Shape of roller along rotational axis
2215/0891	. . .	Optical detection	2215/2061	concave
			2215/2064	convex
			2215/2067	Shape of roller core
			2215/207	. .	Type of toner image to be fixed
			2215/2074	. . .	colour
			2215/2077	Fixing between separate colour toner transfers

2215/208	. . . black and white	2221/16	. Mechanical means for facilitating the maintenance of the apparatus, e.g. modular arrangements and complete machine concepts
2215/2083	. . . duplex	2221/1603	. . for multicoloured copies
2215/2087	. . . simplex	2221/1606	. . for the photosensitive element
2215/209	. . . plural types of toner image handled by the fixing device	2221/1609	. . . protective arrangements for preventing damage
2215/2093	. . Release agent handling devices	2221/1612	. . . plural shutters for openings of process cartridge
2215/2096	. . . using porous fluoropolymers for wicking the release agent	2221/1615	. . . being a belt
2217/00	Details of electrographic processes using patterns other than charge patterns	2221/1618	. . for the cleaning unit
2217/0008	. Process where toner image is produced by controlling which part of the toner should move to the image- carrying member	2221/1621	. . . re-use of cleaned toner
2217/0016	. . where the toner is conveyed over the electrode array to get a charging and then being moved	2221/1624	. . . transporting cleaned toner into separate vessels, e.g. photoreceptors, external containers
2217/0025	. . where the toner starts moving from behind the electrode array, e.g. a mask of holes	2221/1627	. . . Details concerning the cleaning process
2217/0033	. . where the toner is held behind a gate electrode array until being released	2221/163	. . for the developer unit
2217/0041	. Process where the image-carrying member is always completely covered by a toner layer	2221/1633	. . . Details concerning the developing process
2217/005	. . where the toner is charged before producing the toner layer on the image-carrying member	2221/1636	. . for the exposure unit
2217/0058	. . where the toner layer is being charged	2221/1639	. . for the fixing unit
2217/0066	. . where no specific pick-up of toner occurs before transfer of the toner image	2221/1642	. . for the transfer unit
2217/0075	. Process using an image-carrying member having an electrode array on its surface	2221/1645	. . for conducting air through the machine, e.g. cooling
2217/0083	. Process using a fixed electrode array behind a moving recording medium	2221/1648	. . using seals, e.g. to prevent scattering of toner
2217/0091	. Process comprising image exposure at the developing area	2221/1651	. . for connecting the different parts
2221/00	Processes not provided for by group G03G 2215/00, e.g. cleaning or residual charge elimination	2221/1654	. . . Locks and means for positioning or alignment
2221/0005	. Cleaning of residual toner	2221/1657	. . . transmitting mechanical drive power
2221/001	. . Plural sequential cleaning devices	2221/166	. . . Electrical connectors
2221/0015	. . Width of cleaning device related to other parts of the apparatus, e.g. transfer belt width	2221/1663	. . having lifetime indicators
2221/0021	. . applying vibrations to the electrographic recording medium for assisting the cleaning, e.g. ultrasonic vibration	2221/1666	. . . integer lifetimes of each other
2221/0026	. Cleaning of foreign matter, e.g. paper powder, from imaging member	2221/1669	. . Details about used materials
2221/0031	. . Type of foreign matter	2221/1672	. . Paper handling
2221/0036	. . . Oil and other liquid matter	2221/1675	. . . jam treatment
2221/0042	. . . Paper powder and other dry foreign matter	2221/1678	. . Frame structures
2221/0047	. . Type of cleaning device	2221/1681	. . . Portable machines
2221/0052	. . . Common container for holding cleaned foreign matter and residual toner	2221/1684	. . . using extractable subframes, e.g. on rails or hinges
2221/0057 Separate cleaning members for foreign matter and residual toner	2221/1687	. . . using opening shell type machines, e.g. pivoting assemblies
2221/0063	. . . Cleaning device for foreign matter separate from residual toner cleaning device	2221/169	. . . Structural door designs
2221/0068	. . Cleaning mechanism	2221/1693	. . for charging
2221/0073	. . . Electrostatic	2221/1696	. . for auxiliary devices, e.g. add-on modules
2221/0078	. . . Magnetic	2221/18	. . Cartridge systems
2221/0084	. . . Liquid	2221/1807	. . . Transport of supply parts, e.g. process cartridges
2221/0089	. . . Mechanical	2221/1815	. . . for cleaning or developing but not being a process cartridge
2221/0094	. . . Suction	2221/1823	. . . Cartridges having electronically readable memory
		2221/183	. . . Process cartridge
		2221/1838 Autosetting of process parameters
		2221/1846 using a handle for carrying or pulling out of the main machine
		2221/1853 having a submodular arrangement
		2221/1861 Rotational subunit connection
		2221/1869 Cartridge holders, e.g. intermediate frames for placing cartridge parts therein
		2221/1876 for production purposes, e.g. manufacture or mass production
		2221/1884 Projections on process cartridge for guiding mounting thereof in main machine
		2221/1892 Presence detection