

## B26D

**CUTTING; DETAILS COMMON TO MACHINES FOR PERFORATING, PUNCHING, CUTTING-OUT, STAMPING-OUT OR SEVERING** (for growing crops or plants [A01D](#), [A01G](#); for fodder or straw [A01F](#); for bulk butter [A01J](#); for dough [A21C](#); slaughtering [A22B](#); for tobacco, cigars or cigarettes [A24](#); marking-out, perforating or making buttonholes [A41H 25/00](#); manufacturing footwear [A43D](#); brushmaking [A46D](#); surgery [A61B](#); disintegrating, mincing or shredding in general [B02C](#); cutting wire, making pins or nails [B21F](#), [B21G](#); of the kind used for metal [B23](#); cutting by abrasive fluid jets [B24C 5/02](#); hand-held cutting tools [B26B](#); perforating, cutting-out, stamping-out or punching, or severing by means other than cutting [B26F](#); for wood [B27](#); for stone [B28D](#); working of plastics or substances in a plastic state [B29](#); making boxes, cartons, envelopes or bags, of paper or similarly worked materials, e.g. metal foil, [B31B](#); article or web delivery apparatus incorporating cutting or line-perforating devices [B65H 35/00](#); for leather or upholstery [B68](#), [C14B](#); for glass [C03B](#); making matches [C06F](#); for peat [C10F](#); for sugar [C13B 45/00](#); for textile materials [D06H](#); civil engineering, building, mining, see Section E; for light guides [G02B 6/25](#); cutting processed photographic material [G03D 15/04](#))

### Definition statement

*This place covers:*

Cutting of non-metallic sheet material or metal foil in general and cutting other forms of non metallic materials not otherwise provided for; apparatus or machines therefor; cutting members therefor. Cutting is defined as a process of severing material with a sharp edge penetrating into material, e.g. a blade as cutting member, without removing material in form of chips.

- Characterised by the nature or movement of a cutting member which does not travel with the work, e.g. stationary or linearly movable cutting members reciprocating or rotating cutting members;
- Characterised by the nature or movement of a cutting member which travels with the work, i.e. flying cutter, e. g. mounted on a movable arm or carriage;
- Characterised by the nature of the cut made, e. g. beveling, grooving, scoring, forming notches, or splitting/separating layers by cutting; Apparatus therefore;

Arrangements for operating and controlling machines or devices for cutting, cutting-out, stamping out, punching, perforating and also for severing by means other than cutting, e. g.

- Means for moving the cutting member into its operative position for cutting, or for actuating the cutting member to effect the cut;
- Arrangements with interrelated action between the cutting member and work feed, or between work feed and clamp, or with means operable by the moving work to initiate the cutting action;
- Details of apparatus for cutting, cutting-out, stamping out, punching, perforating and also for severing by means other than cutting
- Means for holding, positioning, clamping or for removing cut-out material or waste;
- Means for mounting or adjusting the cutting member or the stroke of the cutting member;
- Means for treating work or cutting member to facilitate cutting, e.g. by sharpening the cutting member;
- Means for performing other operations combined with cutting, e. g. counting the number of cuts, conveying, weighting the cut product;
- Cutting beds;
- Safety devices specially adapted for cutting machines;

## Definition statement

- Cutting apparatus combined with punching or perforating apparatus or with dissimilar cutting apparatus or combinations of several similar cutting apparatus

### Relationships with other classification places

With regard to the aspect of cutting itself, irrespective of the material:

- The term cutting as used in groups of subclass [B26D](#) covers severing material with a sharp edge penetrating into the material, e.g. a blade as cutting member, without removing material in the form of chips. Therefore severing otherwise than by cutting, e.g. by shearing or tearing, and cutting whereby chips of material are removed, e.g. working material by turning, boring, milling, sawing is not covered by the subclass [B26D](#).
- Perforating, cutting-out, punching, stamping-out or severing by means other than cutting regardless of the material is covered by other places especially by [B26F](#) or [B21D](#).
- Hand- held cutting tools are covered by subclass [B26B](#), particularly hand- held motor- driven cutting tools.

With regard to the material to be cut:

- For the material aspect, subclass [B26D](#) covers cutting non-metallic sheet material or metal foil in general, whereby metal foils are covered in so far as they are workable in a manner analogous to paper (as typical non-metallic sheet material). Other forms of non-metallic materials not otherwise provided for are also covered by subclass [B26D](#).
- [B26D](#) does not cover cutting metal other than the aforementioned metal foils:
- Cutting by machine tools used for working metal by removing material is covered by class [B23](#), e.g. for turning, boring, milling, planing, slotting, sawing metal.
- Shearing or similarly severing metal is covered by [B23D 15/00](#) - [B23D 35/00](#).
- Cutting of sheet metal or other metal stock material like metal rods, metal tubes or metal profiles, is covered by subclass [B21D](#), e.g. press-cutting in [B21D 28/00](#). Cutting or splitting metal wire is covered by [B21F 11/00](#) and [B21F 13/00](#).
- Particular aspects of cutting other forms of non-metallic materials are covered by places within subclasses of [B27](#) for wood and similar materials and within main group [B28D 1/00](#) for stone or stone-like materials. [B27L](#) covers for example cutting veneer strips from trunks or splitting wood, [B28D 1/22](#) covers working stone by cutting, e.g. by incising with cutting discs.
- Cutting plastic material (or other non-metallic materials) is covered by places within subclasses of [B23](#), where the term 'metal working' covers other materials unless the context requires otherwise.

With regard to details common to machines for severing:

- This subclass also covers features specific to machines for cutting, perforating, punching, cutting-out, stamping-out, or severing by means other than cutting, which relate to a requirement or problem of a nature which is not peculiar to a machine for these purposes, that is, details of or arrangements for operating or controlling such machines, although the realisation of such features may differ according to the kind of machine concerned. This subclass covers such features in general even if the feature, in any particular case, is to some extent peculiar to, or is claimed only for, a machine designed for perforating, punching, cutting-out, stamping-out, or for severing other than by cutting.
- If the details or arrangements have no essential features specific to cutting, perforating, punching, cutting-out, stamping-out or severing machines, the more general classes, e.g. [F16](#), take precedence.

## References

### Limiting references

*This place does not cover:*

Disintegrating by knives or other cutting or tearing members which chop material into fragments	<a href="#">B02C 18/00</a>
Punching or perforating of metal	<a href="#">B21D 28/00</a>
Cutting of the kind used for metal-working	<a href="#">B23</a>
Blast guns generating high velocity abrasive fluid jets for cutting materials	<a href="#">B24C 5/02</a>
Hand-held cutting tools	<a href="#">B26B</a>
Perforating, cutting out, stamping out or punching, or severing by means other than cutting	<a href="#">B26F</a>

### Application-oriented references

*Examples of places where the subject matter of this place is covered when specially adapted, used for a particular purpose, or incorporated in a larger system:*

Soil-working	<a href="#">A01B</a>
Harvesting or mowing	<a href="#">A01D</a>
Hand-operated implements for cutting-up straw, hay or the like	<a href="#">A01F 3/00</a>
Cutting of straw, hay or the like	<a href="#">A01F 29/00</a>
Cutting implements specially adapted for horticulture and forestry	<a href="#">A01G</a>
Cutting of butter during butter manufacturing	<a href="#">A01J 21/02</a> , <a href="#">A01J 23/00</a>
Cutting, stamping, slotting, slitting or perforating of dough and cutting or slicing of baked articles other than bread	<a href="#">A21C</a>
Slaughtering	<a href="#">A22B</a>
Processing meat, poultry, or fish	<a href="#">A22C</a>
Cutting for tobacco, cigars or cigarettes	<a href="#">A24B 7/00</a> , <a href="#">A24C</a> , <a href="#">A24F 13/24</a>
Marking-out, perforating or making buttonholes	<a href="#">A41H 25/00</a>
Manufacturing or repairing footwear	<a href="#">A43D</a>
Brushmaking	<a href="#">A46D</a>
Surgical instruments, devices or methods	<a href="#">A61B 17/32</a>
Devices or methods specially adapted for bringing pharmaceutical products into particular physical or administering forms	<a href="#">A61J 3/00</a>
Cutting of wood or similar material	<a href="#">B27B</a> , <a href="#">B27C</a> , <a href="#">B27D</a> , <a href="#">B27F</a> , <a href="#">B27L</a> , <a href="#">B27M</a>
Cutting shaped articles made of clay or other ceramic compositions	<a href="#">B28B 11/00</a>
Cutting of stone	<a href="#">B28D</a>
Working of plastics or substances in a plastic state	<a href="#">B29C</a>
Making boxes, cartons, envelopes or bags, of paper or similarly worked materials, e.g. metal foil	<a href="#">B31B</a>

Auxiliary cutting of sheets or webs in rotary printing presses	<a href="#">B41F 13/54</a>
Cutting related to typewriters or selective printing mechanisms	<a href="#">B41J 3/24</a> , <a href="#">B41J 11/66</a>
Cutting related to apparatus or devices for manifolding, duplicating, or printing or related to addressing machines or like series-printing machines	<a href="#">B41L</a>
Sharpeners for pencils or leads	<a href="#">B43L 23/00</a>
Devices for opening envelopes	<a href="#">B43M 7/00</a>
Cutting for severing webs for packaging, or for separating joined packages	<a href="#">B65B 61/06</a>
Cutting-off the web from the wound web roll, cutting of the web for changing web rolls	<a href="#">B65H 19/26</a> , <a href="#">B65H 19/20</a>
Article or web delivery apparatus incorporating cutting or line-perforating devices	<a href="#">B65H 35/00</a>
Hand- or power-operated cutting devices for opening closed containers	<a href="#">B67B 7/30</a> - <a href="#">B67B 7/385</a>
Cutting of leather or upholstery	<a href="#">B68F</a> , <a href="#">B68G</a> , <a href="#">C14B</a>
Cutting of glass	<a href="#">C03B</a>
Cutting explosives	<a href="#">C06B 21/00</a>
Making matches	<a href="#">C06F 1/00</a>
Cutting of peat	<a href="#">C10F 7/00</a>
Cutting of soap	<a href="#">C11D 13/22</a>
Reducing the size of material from which sugars are to be extracted	<a href="#">C13B 5/00</a>
Cutting of sugar	<a href="#">C13B 45/00</a>
Cutting of textile material	<a href="#">D06H 7/00</a>
Working rails, sleepers, baseplates, or the like	<a href="#">E01B 31/00</a>
Forming cuts into roads or like surfaces	<a href="#">E01C 23/09</a>
Cutting in connection with devices or accessories for making or mounting lamellar blinds or parts thereof	<a href="#">E06B 9/266</a>
Cutting in earth or rock drilling and mining	<a href="#">E21B</a> , <a href="#">E21C</a> , <a href="#">E21D</a>
Devices for withdrawing samples by cutting	<a href="#">G01N 1/04</a>
Preparing the ends of light guides, e.g. cutting	<a href="#">G02B 6/25</a>
Cutting processed photographic material	<a href="#">G03D 15/04</a>
Cutting for removing insulation or armouring from cables	<a href="#">H02G 1/12</a>
Cutting of a semiconductor body into separate parts	<a href="#">H10P 14/38</a>

**Informative references**

Attention is drawn to the following places, which may be of interest for search:

Crushing, pulverising or disintegrating in general	<a href="#">B02C</a>
Sharpening cutting edges	<a href="#">B24B 3/00</a>
Blasting with jets acting as abrasive jets, but not containing particulate material in the case of jet milling of local recessions like e.g. grooves	<a href="#">B24C 1/04</a>
Blasting with jets acting as abrasive jets, but not containing particulate material in the case of deburring	<a href="#">B24C 1/083</a>

Blasting with jets acting as abrasive jets, but not containing particulate material in the case of removal of extended surface areas	<a href="#">B24C 1/086</a>
--	----------------------------

## Glossary of terms

*In this place, the following terms or expressions are used with the meaning indicated:*

guillotine	a cutter with a knife moving down and guided on both sides
Thin material	material that can be handled similar to paper, e.g. aluminium foils

## B26D 1/00

**Cutting through work characterised by the nature or movement of the cutting member {or particular materials not otherwise provided for}; Apparatus or machines therefor; Cutting members therefor**

### Definition statement

*This place covers:*

Cutting through work characterised by the nature or movement of the cutting member; Apparatus or machines therefor; Cutting members therefor. E.g. cutting blades, linearly moving blades, cutting members rotating about an axis or rotating about a movable axis.


## B26D 1/025

**{for thin material, e.g. for sheets, strips or the like}**

### Definition statement

*This place covers:*

Cutting machines having a stationary cutting member; e.g. trimming the edges of a running web with a stationary cutting member.



**B26D 1/04**

having a linearly-movable cutting member ([B26D 1/46](#), [B26D 1/547](#) take precedence)

**References****Limiting references**

*This place does not cover:*

Cutting by band knives	<a href="#">B26D 1/46</a>
Cutting by wires	<a href="#">B26D 1/547</a>
Involving a cutting member which travels with the work	<a href="#">B26D 1/56</a>

**B26D 1/045**

{for thin material, e.g. for sheets, strips or the like}

**Definition statement**

*This place covers:*

Cutting device having a linearly-movable cutting member, e.g. photo cutter with a cutting member mounted on a carriage and cutting can be performed only in one direction.

**References****Limiting references**

*This place does not cover:*

Paper cutters where the cutting is performed by moving the cutting element back and forth	<a href="#">B26D 1/065</a>
---	----------------------------

**Informative references**

*Attention is drawn to the following places, which may be of interest for search:*

Inserting blades in running web; e.g. for tearing goes to	<a href="#">B26F 3/002</a> or <a href="#">B26F 3/02</a>
---	---

**B26D 1/06**

wherein the cutting member reciprocates (cup or like cutting members [B26D 1/44](#))

**Definition statement**

*This place covers:*

Cutting device having a linearly-movable cutting member wherein the cutting member reciprocates, e.g. mechanics for oscillating cutters, cutting in both directions..

## References

### Informative references

Attention is drawn to the following places, which may be of interest for search:

Cutting by cup or disc cutter on a carriage	<a href="#">B26D 1/185</a>
Cutting by cup or like cutting members	<a href="#">B26D 1/44</a>

## B26D 1/065

{for thin material, e.g. for sheets, strips or the like}

### Definition statement

*This place covers:*

Cutting device having a linearly-movable cutting member wherein the cutting member reciprocates, e.g. paper cutters having a blade suitable for cutting in both directions.


## B26D 1/08

of the guillotine type

### Definition statement

*This place covers:*

guillotines in general



## References

### Limiting references

*This place does not cover:*

Blind cutters for metal	<a href="#">B23D 23/00</a>
-------------------------	----------------------------

**B26D 1/09****with a plurality of cutting members****Definition statement***This place covers:*

Cutting device having a plurality of linearly-movable cutting members wherein the cutting members reciprocate, e.g. so-called three side trimmers for printed products.

**References****Informative references**

*Attention is drawn to the following places, which may be of interest for search:*

Bookbinding in general	<a href="#">B42C</a>
------------------------	----------------------

**B26D 1/10****in, or substantially in, a direction parallel to the cutting edge****Definition statement***This place covers:*

Cutting device having a plurality of linearly-movable cutting members wherein the cutting members reciprocate like a "jig saw".

**B26D 1/12**

**having a cutting member moving about an axis ([B26D 1/547](#) takes precedence; cup or like cutting members [B26D 1/44](#))**

**References****Informative references**

*Attention is drawn to the following places, which may be of interest for search:*

Cutting by cup or like cutting members	<a href="#">B26D 1/44</a>
--	---------------------------




**B26D 1/143**

rotating about a stationary axis ([B26D 1/20](#) - [B26D 1/24](#) take precedence)

**Definition statement**

*This place covers:*

Cutting machines having a cutting member moving about a stationary axis, e.g. a food slicer as shown below.

**B26D 1/185**

{for thin material, e.g. for sheets, strips or the like}

**Definition statement**

*This place covers:*

Cutting machine having a cutting member moving about an axis and mounted on a movable carriage for thin material; e.g. a disc cutter mounted on a carriage and operating on a cutting mat.

**References****Limiting references**

*This place does not cover:*

The disc cutter cooperates with a fixed member	<a href="#">B26D 1/205</a>
--	----------------------------

**B26D 1/205**

**{for thin material, e.g. for sheets, strips or the like}**

**Definition statement**

*This place covers:*

Cutting machine having a cutting member moving about an axis and mounted on a movable carriage for thin material and coacting with a fixed member like a counter blade.

**B26D 1/22**

**coacting with a movable member, e.g. a roller ([B26D 1/24](#) takes precedence)**

**Definition statement**

*This place covers:*

Cutting machine having a cutting member moving about an axis coacting with a movable member, e.g. a slitte with an anvil drum.


**B26D 1/28**

**and rotating continuously in one direction during cutting**

**Definition statement**

*This place covers:*

Cutting machine with a non-circular cutting member and rotating continuously in one direction during cutting; even when the cutting member is rotated manually.




**B26D 1/29**

with cutting member mounted in the plane of a rotating disc, e.g. for slicing beans

**Definition statement**

*This place covers:*

Cutting machine with a non-circular cutting member and rotating continuously in one direction during cutting with cutting member mounted in the plane of a rotating disc.

**References****Informative references**

*Attention is drawn to the following places, which may be of interest for search:*

Miscellaneous implements for preparing or holding food with grating discs or drums.
---

<a href="#">A47J 43/255</a>
-----------------------------

**B26D 1/30**

with limited pivotal movement to effect cut

**Definition statement**

*This place covers:*

Cutting machine with a non-circular cutting member with limited pivotal movement to effect cut, e.g. a paper cutting knife.


**B26D 1/34**

moving about an axis parallel to the line of cut

**Definition statement**

*This place covers:*

Cutting machine with a cutting member moving about an axis parallel to the line of cut.



**B26D 1/36**

and rotating continuously in one direction during cutting, e.g. mounted on a rotary cylinder (for flying cutting [B26D 1/62](#))

**Definition statement**

*This place covers:*

Cutting machine with a cutting member moving about an axis parallel to the line of cut and rotating continuously in one direction during cutting, e.g. mounted on a rotary cylinder.


**References****Limiting references**

*This place does not cover:*

Cutting by flying cutting	<a href="#">B26D 1/62</a>
---------------------------	---------------------------

**B26D 1/40****and coacting with a rotary member****Definition statement***This place covers:*


Cutting machine with a cutting member moving about an axis parallel to the line of cut and rotating continuously in one direction during cutting, and coacting with a rotary member; e.g. a cutter coacting with an anvil drum.

**B26D 1/405****{for thin material, e.g. for sheets, strips or the like}****References****Limiting references***This place does not cover:*

Cutting by two cooperating rotary blades (e.g. flying shears on drums)	<a href="#">B26D 1/626</a>
--	----------------------------

**B26D 1/42****and slidably mounted in a rotary member****Definition statement***This place covers:*

Cutting machine with a cutting member moving about an axis parallel to the line of cut and rotating continuously in one direction during cutting, and slidably mounted in a rotary member, e.g. a drum with a linearly in radial direction moving blade in the drum.




**B26D 1/43**

moving about another axis, e.g. mounted on the surface of a cone or curved body

**Definition statement**

*This place covers:*

Cutting machine with a cutting member moving about another axis, e.g. mounted on the surface of a cone or curved body


**B26D 1/44**

having a cup or like cutting member

**Definition statement**

*This place covers:*

Cutting machines having a cup or like cutting member.

**References****Limiting references**

*This place does not cover:*

cutting out discs	<a href="#">B26F 1/3846</a>
-------------------	-----------------------------

**B26D 1/46**

having an endless band-knife or the like

**References****Informative references**

*Attention is drawn to the following places, which may be of interest for search:*

Strap saw sawing machines	<a href="#">B23D 55/00</a>
---------------------------	----------------------------

**B26D 1/56**

involving a cutting member which travels with the work {otherwise than in the direction of the cut}, i.e. flying cutter (flying shears for metal [B23D 25/00](#); flying saws for metal [B23D 45/18](#))

**Definition statement**

*This place covers:*

Cutting machine involving a cutting member which travels with the work, e.g. flying cutter.

**References****Informative references**

*Attention is drawn to the following places, which may be of interest for search:*

Flying shears for metal	<a href="#">B23D 25/00</a>
Flying saws for metal	<a href="#">B23D 45/18</a>


**B26D 1/62**

and is rotating about an axis parallel to the line of cut, e.g. mounted on a rotary cylinder

**Definition statement**

*This place covers:*

Cutting machine involving a cutting member which travels with the work and is rotating about an axis parallel to the line of cut, e.g. mounted on a rotary cylinder.

**References****Limiting references**

*This place does not cover:*

Rotary cutting cylinders cooperating with an anvil drum	<a href="#">B26D 1/40</a>
---	---------------------------

**B26D 3/00****Cutting work characterised by the nature of the cut made; Apparatus therefor****Definition statement***This place covers:*

Cutting work characterised by the nature of the cut made, apparatus therefore, e.g. cutting tubes, making grooves on surfaces, splitting layers from work, halving devices etc.

**B26D 3/003****{specially adapted for cutting rubber}****Definition statement***This place covers:*

Cutting through work of particular materials not otherwise provided for; cutting rubber strips, e.g. for tyre production or so-called reinforced strips.

**References****Limiting references***This place does not cover:*

Cutting profile in tyres	<a href="#">B29D 30/68</a>
--------------------------	----------------------------

**B26D 3/006****{specially adapted for cutting blocs of plastic material}****Definition statement***This place covers:*

Cutting through work of particular materials not otherwise provided for; cutting of plastic blocks e.g. cutting foam blocs like styropor.

**B26D 3/008****{by sliding}****Definition statement***This place covers:*

Cutting through work of particular materials not otherwise provided for; where the material slides along the cutting member, e.g. cutting of plastic blocks e.g. cutting foam blocs like styropor.




**B26D 3/12**

**Slitting marginal portions of the work, i.e. forming cuts, without removal of material, at an angle, e.g. a right angle, to the edge of the work**

**Definition statement**

*This place covers:*

Cutting machines for slitting marginal portions of the work, i.e. forming cuts, without removal of material, at an angle, e.g. a right angle, to the edge of the work.



**References**

**Limiting references**

*This place does not cover:*


Making a superficial cut in the surface of the work without removal of material, e.g. scoring, incising.	<a href="#">B26D 3/08</a>
--	---------------------------

**B26D 3/14**

**Forming notches in marginal portion of work by cutting (by punching [B26F 1/12](#))**

**Definition statement**

*This place covers:*



## References

### Informative references

Attention is drawn to the following places, which may be of interest for search:

Cutting by punching	<a href="#">B26F 1/12</a>
---------------------	---------------------------

## B26D 3/18

to obtain cubes or the like (ice harvesting [F25C 5/02](#))

### Definition statement

*This place covers:*

Cutting machines to obtain cubes or the like.

## References

### Informative references

Attention is drawn to the following places, which may be of interest for search:

Ice harvesting	<a href="#">F25C 5/02</a>
----------------	---------------------------

## B26D 3/28

Splitting layers from work; Mutually separating layers by cutting ([B26D 3/30](#) takes precedence; Recovery of plastics or other constituents of waste material containing plastics [B29B 17/00](#))

### Definition statement

*This place covers:*

Cutting for splitting layers from work; separating layers by cutting.

## References

### Informative references

Attention is drawn to the following places, which may be of interest for search:

Recovery of plastics or other constituents of waste material containing plastics	<a href="#">B29B 17/00</a>
--	----------------------------

## B26D 5/00

Arrangements for operating and controlling machines or devices for cutting, cutting-out, stamping-out, punching, perforating, or severing by means other than cutting

### Definition statement

*This place covers:*

Arrangements for operating and controlling machines or devices for cutting, cutting-out, stamping-out, punching, perforating, or severing by means other than cutting. This includes all kind of electronic or computer control devices but also mechanical actuating mechanisms to effect the cut.

**B26D 5/42**

with interrelated action between work feed and clamp (work clamping arrangements [B26D 7/02](#))

**Definition statement**

*This place covers:*

Arrangements for operating and controlling machines or devices for cutting, cutting-out, stamping-out, punching, perforating, or severing by means other than cutting with means operable by the moving work to initiate the cutting action with interrelated action between work feed and clamp.

**B26D 7/00**

Details of apparatus for cutting, cutting-out, stamping-out, punching, perforating, or severing by means other than cutting (cutters [B26D 1/00](#); arrangements for guiding hand cutting tools [B26B 29/06](#); punching tools or dies, cutting-out knives or dies [B26F](#))

**Definition statement**

*This place covers:*

Details of apparatus for cutting, cutting-out, stamping-out, punching, perforating, or severing by means other than cutting. All kind of devices dedicated to cutting machines such as hoods, safety devices, feeding arrangements, means for mounting the cutting member.

**References****Limiting references**

*This place does not cover:*

Cutting blades, or cutting elements	<a href="#">B26D 1/0006</a>
-------------------------------------	-----------------------------

**Informative references**

*Attention is drawn to the following places, which may be of interest for search:*

Arrangements for guiding hand cutting tools	<a href="#">B26B 29/06</a>
Punching tools or dies	<a href="#">B26F 1/44</a>

**B26D 7/06**

Arrangements for feeding or delivering work of other than sheet, web, or filamentary form (feeding or discharging sheets, webs, or filaments [B65H](#))

**Definition statement**

*This place covers:*

Arrangements for feeding or delivering work of other than sheet, web, or filamentary form, e.g. pushers, carriages.

## References

### Informative references

Attention is drawn to the following places, which may be of interest for search:

Feeding or discharging sheets, webs, or filaments	<a href="#">B65H</a>
---	----------------------

## B26D 7/08

**Means for treating work or cutting member to facilitate cutting (tensioning band cutters [B26D 1/48](#))**

### Definition statement

*This place covers:*

Means for treating work or cutting member to facilitate cutting, e.g. vibrating the cutting blade ultrasonically.

## References

### Limiting references

*This place does not cover:*

Tensioning band cutters	<a href="#">B26D 1/48</a>
-------------------------	---------------------------

## B26D 7/22

**Safety devices specially adapted for cutting machines (safety devices in general [F16P](#))**

### Definition statement

*This place covers:*

Safety devices specially adapted for cutting machines.

## References

### Informative references

Attention is drawn to the following places, which may be of interest for search:

Safety devices in general	<a href="#">F16P</a>
---------------------------	----------------------

## B26D 9/00

**Cutting apparatus combined with punching or perforating apparatus or with dissimilar cutting apparatus**

### Definition statement

*This place covers:*

Cutting apparatus combined with punching or perforating apparatus or with dissimilar cutting apparatus, e.g. production processes with punching and cutting stations arranged sequentially or in parallel.

## **B26D 11/00**

### **Combinations of several similar cutting apparatus**

#### **Definition statement**

*This place covers:*

Combinations of several similar cutting apparatus, being identical or working with the same cutting principle.

E.g. production processes with similar cutting stations arranged sequentially or in parallel.