

# CPC COOPERATIVE PATENT CLASSIFICATION

## B PERFORMING OPERATIONS; TRANSPORTING

(NOTES omitted)

### SHAPING

#### B21 MECHANICAL METAL-WORKING WITHOUT ESSENTIALLY REMOVING MATERIAL; PUNCHING METAL

(NOTES omitted)

#### B21D WORKING OR PROCESSING OF SHEET METAL OR METAL TUBES, RODS OR PROFILES WITHOUT ESSENTIALLY REMOVING MATERIAL; PUNCHING METAL ([working or processing of wire B21F](#))

##### NOTES

1. This subclass covers cutting or perforating of sheet metal or other stock material
2. This subclass does not cover the working of metal foils in a manner analogous to the working of paper, which is covered by classes [B26](#), [B31](#)

##### WARNING

In this subclass non-limiting references (in the sense of paragraph 39 of the Guide to the IPC) may still be displayed in the scheme.

#### Straightening; Restoring form; Bending; Corrugating; Flanging

- |             |  |   |
|-------------|--|---|
|             | 3/06   | . . arranged inclined to a revolving flier rolling frame  |
| <b>1/00</b> | <b>Straightening, restoring form or removing local distortions of sheet metal or specific articles made therefrom (<a href="#">B21D 3/00</a> takes precedence); Stretching sheet metal combined with rolling (<a href="#">working sheet metal of limited length by stretching B21D 25/00</a>; by localised hammering <a href="#">B21D 31/06</a>)</b> | 3/08 . . which move in an orbit without rotating round the work   |
|             | 3/10   | . between rams and anvils or abutments  |
|             | 3/12   | . by stretching with or without twisting ( <a href="#">by twisting only B21D 11/14</a> )  |
| 1/02        | . by rollers ( <a href="#">B21D 1/06</a> takes precedence)   | 3/14 . Recontouring   |
| 1/05        | . Stretching combined with rolling   | 3/16 . of specific articles made from metal rods, tubes, or profiles, e.g. crankshafts, by specially adapted methods or means   |
| 1/06        | . Removing local distortions   |   |
| 1/065       | . . { <a href="#">by hammering</a> }   |   |
| 1/08        | . . of hollow bodies made from sheet metal (of substantially open bodies <a href="#">B21D 1/10</a> {; flattening hollow objects for transport and reforming <a href="#">B21D 51/14</a> })  | <b>5/00</b>   |
|             |  | <b>Bending sheet metal along straight lines, e.g. to form simple curves (<a href="#">B21D 11/06</a> - <a href="#">B21D 11/18</a> take precedence; corrugating sheet metal <a href="#">B21D 13/00</a>; as edge treatment <a href="#">B21D 19/00</a>)</b> |
| 1/10        | . . of specific articles made from sheet metal, e.g. mudguards   | 5/002 . { <a href="#">Positioning devices</a> }   |
| 1/12        | . Straightening vehicle body parts or bodies ( <a href="#">B21D 1/14</a> takes precedence)   | 5/004 . { <a href="#">with program control</a> }  |
| 1/14        | . Straightening frame structures   | 5/006 . { <a href="#">combined with measuring of bends</a> }  |
| 1/145       | . . { <a href="#">Clamps therefor</a> }  | 5/008 . { <a href="#">combined with heating or cooling of the bends</a> }   |
| <b>3/00</b> | <b>Straightening or restoring form of metal rods, metal tubes, metal profiles, or specific articles made therefrom, whether or not in combination with sheet metal parts (<a href="#">straightening of well casings in situ E21B</a>; {<a href="#">straightening rails or rail joints E01B 31/08</a>})</b>   | 5/01 . between rams and anvils or abutments   |
|             |  | 5/015 . . { <a href="#">for making tubes</a> }  |
| 3/005       | . { <a href="#">by eccentric turning members</a> }   | 5/02 . on press brakes without making use of clamping means   |
| 3/02        | . by rollers   | 5/0209 . . { <a href="#">Tools therefor</a> }   |
| 3/04        | . . arranged on axes skew to the path of the work  | 5/0218 . . . { <a href="#">Length adjustment of the punch</a> }   |
| 3/045       | . . . { <a href="#">Workpiece feed channels therefor</a> }   | 5/0227 . . . { <a href="#">Length adjustment of the die</a> }   |
| 3/05        | . . arranged on axes rectangular to the path of the work   | 5/0236 . . . { <a href="#">Tool clamping</a> }  |
|             |  | 5/0245 . . . . { <a href="#">Fluid operated</a> }   |
|             |  | 5/0254 . . . { <a href="#">Tool exchanging</a> }  |
|             |  | 5/0263 . . . { <a href="#">Die with two oscillating halves</a> }  |
|             |  | 5/0272 . . { <a href="#">Deflection compensating means</a> }  |
|             |  | 5/0281 . . { <a href="#">Workpiece supporting devices</a> }   |
|             |  | 5/029 . . { <a href="#">with shearing devices</a> }   |

- 5/04 . . on brakes making use of clamping means on one side of the work
- 5/042 . . {With a rotational movement of the bending blade}
- 5/045 . . {With a wiping movement of the bending blade}
- 5/047 . . {Length adjustment of the clamping means}
- 5/06 . . by drawing procedure making use of dies or forming-rollers, e.g. making profiles
- 5/08 . . making use of forming-rollers ([B21D 5/12](#) takes precedence)
- 5/083 . . . {for obtaining profiles with changing cross-sectional configuration}
- 5/086 . . . {for obtaining closed hollow profiles}
- 5/10 . . for making tubes
- 5/12 . . . making use of forming-rollers
- 5/14 . . by passing between rollers ([B21D 5/06](#) takes precedence)
- 5/143 . . {making use of a mandrel}
- 5/146 . . {one roll being covered with deformable material}
- 5/16 . . Folding; Pleating
- 7/00 Bending rods, profiles, or tubes**  
([B21D 11/02](#) - [B21D 11/18](#) take precedence; using mandrels or the like [B21D 9/00](#))
- 7/02 . . over a stationary forming member; by use of a swinging forming member or abutment
- 7/021 . . {Construction of forming members having more than one groove}
- 7/022 . . over a stationary forming member only
- 7/0225 . . . {using pulling members}
- 7/024 . . by a swinging forming member
- 7/025 . . . and pulling or pushing the ends of the work
- 7/028 . . . and altering the profile at the same time, e.g. forming bumpers
- 7/03 . . Apparatus with means to keep the profile in shape
- 7/04 . . over a movably-arranged forming member ([B21D 7/02](#) takes precedence)
- 7/06 . . in press brakes or between rams and anvils or abutments; Pliers with forming dies
- 7/063 . . {Pliers with forming dies}
- 7/066 . . {combined with oscillating members}
- 7/08 . . by passing between rollers or through a curved die
- 7/085 . . {by passing through a curved die}
- 7/10 . . by abutting members and flexible bending means, e.g. with chains, ropes
- 7/12 . . with program control
- 7/14 . . combined with measuring of bends or lengths
- 7/16 . . Auxiliary equipment, e.g. for heating or cooling of bends
- 7/162 . . {Heating equipment}
- 7/165 . . {Cooling equipment}
- 7/167 . . {Greasing}
- 9/00 Bending tubes using mandrels or the like**  
([B21D 11/02](#) - [B21D 11/18](#) take precedence)
- 9/01 . . the mandrel being flexible and engaging the entire tube length
- 9/03 . . and built-up from loose elements, e.g. series of balls
- 9/04 . . the mandrel being rigid
- 9/05 . . co-operating with forming members
- 9/055 . . {Construction of forming members having more than one groove}
- 9/07 . . with one or more swinging forming members engaging tube ends only
- 9/073 . . . {with one swinging forming member}
- 9/076 . . . {with more swinging forming members}
- 9/08 . . in press brakes or between rams and anvils or abutments; Pliers with forming dies
- 9/085 . . {Pliers with forming dies}
- 9/10 . . by passing between rollers
- 9/12 . . by pushing over a curved mandrel; by pushing through a curved die
- 9/125 . . {by pushing through a curved die}
- 9/14 . . Wrinkle-bending, i.e. bending by corrugating
- 9/15 . . using filling material of indefinite shape, e.g. sand, plastic material (filling of tubes with such material [B21D 9/16](#))
- 9/16 . . Auxiliary equipment, e.g. machines for filling tubes with sand
- 9/165 . . {Machines for filling tubes with sand}
- 9/18 . . for heating or cooling of bends
- 11/00 Bending not restricted to forms of material mentioned in only one of groups [B21D 5/00](#), [B21D 7/00](#), [B21D 9/00](#); Bending not provided for in groups [B21D 5/00](#) - [B21D 9/00](#) (corrugating or bending into wave form [B21D 13/00](#), [B21D 15/00](#); flanging [B21D 19/00](#)); Twisting**
- 11/02 . . Bending by stretching or pulling over a die (working sheet metal of limited length by stretching [B21D 25/00](#))
- 11/06 . . Bending into helical or spiral form; Forming a succession of return bends, e.g. serpentine form (making helically seamed tubing [B21C 37/12](#))
- 11/07 . . Making serpentine-shaped articles by bending essentially in one plane
- 11/08 . . Bending by altering the thickness of part of the cross-section of the work ([B21D 11/06](#) takes precedence)
- 11/085 . . {by locally stretching or upsetting}
- 11/10 . . Bending specially adapted to produce specific articles, e.g. leaf springs {(making or bending leaf springs [B21D 53/886](#))}
- 11/12 . . the articles being reinforcements for concrete
- 11/125 . . . {Bending wire nets}
- 11/14 . . Twisting
- 11/15 . . Reinforcing rods for concrete
- 11/16 . . Crankshafts
- 11/18 . . Juggling
- 11/20 . . Bending sheet metal, not otherwise provided for
- 11/203 . . {Round bending}
- 11/206 . . {Curving corrugated sheets}
- 11/22 . . Auxiliary equipment, e.g. positioning devices
- 13/00 Corrugating sheet metal, rods or profiles; Bending sheet metal, rods or profiles into wave form (tubes [B21D 15/00](#))**
- 13/02 . . by pressing
- 13/04 . . by rolling
- 13/045 . . {the corrugations being parallel to the feeding movement}
- 13/06 . . by drawing
- 13/08 . . by combined methods
- 13/10 . . into a peculiar profiling shape
- 15/00 Corrugating tubes (wrinkle-bending using mandrels or the like [B21D 9/14](#))**

15/02	. longitudinally	22/201	. . {Work-pieces; preparation of the work-pieces, e.g. lubricating, coating}
15/03	. . by applying fluid pressure	22/203	. . {of compound articles}
15/04	. transversely, e.g. helically	22/205	. . {Hydro-mechanical deep-drawing}
15/06	. . annularly {(with thinning <a href="#">B21C 37/205</a> )}	22/206	. . {articles from a strip in several steps, the articles being coherent with the strip during the operation}
15/10	. . by applying fluid pressure	22/208	. . {by heating the blank or deep-drawing associated with heat treatment ( <a href="#">C21D takes precedence</a> )}
15/105	. . . {by applying elastic material}	22/21	. . without fixing the border of the blank
15/12	. Bending tubes into wave form	22/22	. . with devices for holding the edge of the blanks ( <a href="#">B21D 22/24 - B21D 22/30 take precedence; shaping over a die without external former <a href="#">B21D 11/02</a></a> )
<b>17/00</b>	<b>Forming single grooves in sheet metal or tubular or hollow articles</b>	22/225	. . . {with members for radially pushing the blanks}
17/02	. by pressing (grooving or notching of bolts, studs, or the like <a href="#">B21K 1/54</a> )	22/24	. . involving two drawing operations having effects in opposite directions with respect to the blank
17/025	. . {by pressing tubes axially}	22/26	. . for making peculiarly, e.g. irregularly, shaped articles
17/04	. by rolling	22/28	. . of cylindrical articles using consecutive dies
<b>19/00</b>	<b>Flanging or other edge treatment, e.g. of tubes (connecting by making use of folds <a href="#">B21D 39/00</a>; flaring-out tube ends <a href="#">B21D 41/02</a>)</b>	22/283	. . . {with ram and dies aligning means}
19/005	. {Edge deburring or smoothing}	22/286	. . . {with lubricating or cooling means}
19/02	. by continuously-acting tools moving along the edge (edge-curling <a href="#">B21D 19/12</a> )	22/30	. . to finish articles formed by deep-drawing
19/04	. . shaped as rollers	<b>24/00</b>	<b>Special deep-drawing arrangements in, or in connection with, presses</b>
19/043	. . . {for flanging edges of plates}	24/005	. {Multi-stage presses}
19/046	. . . {for flanging edges of tubular products}	24/02	. Die-cushions
19/06	. . . working inwardly	24/04	. Blank holders; Mounting means therefor
19/08	. by single or successive action of pressing tools, e.g. vice jaws	24/06	. . Mechanically spring-loaded blank holders
19/082	. . {for making negative angles}	24/08	. . Pneumatically or hydraulically loaded blank holders
19/084	. . . {with linear cams, e.g. aerial cams}	24/10	. Devices controlling or operating blank holders independently, or in conjunction with dies
19/086	. . . {with rotary cams}	24/12	. . mechanically
19/088	. . {for flanging holes}	24/14	. . pneumatically or hydraulically
19/10	. . working inwardly	24/16	. Additional equipment in association with the tools, e.g. for shearing, for trimming
19/12	. Edge-curling	<b>25/00</b>	<b>Working sheet metal of limited length by stretching, e.g. for straightening</b>
19/14	. . Reinforcing edges, e.g. armouring same	25/02	. by pulling over a die
19/16	. Reverse flanging of tube ends	25/04	. Clamping arrangements
<b>21/00</b>	<b>Combined processes according to methods covered by groups <a href="#">B21D 1/00 - B21D 19/00</a></b>	<b>26/00</b>	<b>Shaping without cutting otherwise than using rigid devices or tools or yieldable or resilient pads, i.e. applying fluid pressure or magnetic forces (stamping using resilient pads <a href="#">B21D 22/10</a>)</b>
<b>Stamping, Spinning, Deep-drawing; Working sheet metal of limited length by stretching; Punching</b>		26/02	. by applying fluid pressure
<b>22/00</b>	<b>Shaping without cutting, by stamping, spinning, or deep-drawing (otherwise than using rigid devices or tools or yieldable or resilient pads <a href="#">B21D 26/00</a>)</b>	26/021	. . Deforming sheet bodies
22/02	. Stamping using rigid devices or tools	26/023	. . . including an additional treatment performed by fluid pressure, e.g. perforating
22/022	. . {by heating the blank or stamping associated with heat treatment ( <a href="#">C21D takes precedence</a> )}	26/025	. . . Means for controlling the clamping or opening of the moulds
22/025	. . {for tubular articles}	26/027	. . . Means for controlling fluid parameters, e.g. pressure or temperature
22/027	. . {for flattening the ends of corrugated sheets}	26/029	. . . Closing or sealing means
22/04	. . for dimpling (combined with perforating <a href="#">B21D 28/24</a> )	26/031	. . . Mould construction ( <a href="#">B21D 26/025 - B21D 26/029 take precedence</a> )
22/06	. . having relatively-movable die parts	26/033	. . Deforming tubular bodies (corrugating tubes by applying fluid pressure <a href="#">B21D 15/03</a> , <a href="#">B21D 15/10</a> )
22/08	. . with die parts on rotating carriers	26/035	. . . including an additional treatment performed by fluid pressure, e.g. perforating
22/10	. Stamping using yieldable or resilient pads	26/037	. . . Forming branched tubes
22/105	. . {of tubular products}		
22/12	. . using enclosed flexible chambers		
22/125	. . . {of tubular products}		
22/14	. Spinning		
22/16	. . over shaping mandrels or formers		
22/18	. . using tools guided to produce the required profile		
22/185	. . . {making domed objects}		
22/20	. Deep-drawing (special deep-drawing arrangements in, or in connection with, presses <a href="#">B21D 24/00</a> )		

26/039	. . . Means for controlling the clamping or opening of the moulds	28/343	. . . {Draw punches}
26/041	. . . Means for controlling fluid parameters, e.g. pressure or temperature	28/346	. . . {length adjustable perforating tools}
26/043	. . . Means for controlling the axial pusher	28/36	. . using rotatable work or tool holders
26/045	. . . Closing or sealing means		
26/047	. . . Mould construction ( <a href="#">B21D 26/037</a> - <a href="#">B21D 26/045</a> take precedence)	<b>31/00</b>	<b>Other methods for working sheet metal, metal tubes, metal profiles</b> (deforming one surface of tubes helically by rolling <a href="#">B21H 3/00</a> ; upsetting <a href="#">B21J 5/08</a> ; working metal by removing material therefrom <a href="#">B23</a> ; embossing <a href="#">B44B</a> )
26/049	. . . Deforming bodies having a closed end	31/005	. {Incremental shaping or bending, e.g. stepwise moving a shaping tool along the surface of the workpiece ( <a href="#">B21D 22/14</a> takes precedence)}
26/051	. . . Deforming double-walled bodies		
26/053	. . characterised by the material of the blanks	31/02	. Stabbing or piercing, e.g. for making sieves (dimpling <a href="#">B21D 22/04</a> ; perforating by punching <a href="#">B21D 28/24</a> )
26/055	. . . Blanks having super-plastic properties		
26/057	. . . Tailored blanks	31/04	. Expanding other than provided for in groups <a href="#">B21D 1/00</a> - <a href="#">B21D 28/00</a> , e.g. for making expanded metal ( <a href="#">B21D 47/00</a> takes precedence; enlarging tube ends <a href="#">B21D 41/02</a> )
26/059	. . . Layered blanks		
26/06	. . by shock waves	31/043	. . {Making use of slitting discs or punch cutters}
26/08	. . . generated by explosives, e.g. chemical explosives	31/046	. . {making use of rotating cutters}
26/10	. . . generated by evaporation, e.g. of wire, of liquids	31/06	. Deforming sheet metal, tubes or profiles by sequential impacts, e.g. hammering, beating, peen forming ( <a href="#">forging hammers B21J 7/00</a> )
26/12	. . . initiated by spark discharge		
26/14	. applying magnetic forces		
<b>28/00</b>	<b>Shaping by press-cutting; Perforating</b>	<b>33/00</b>	<b>Special measures in connection with working metal foils, e.g. gold foils</b> (cutting or perforating of metal foil analogous to paper <a href="#">B26</a> )
28/002	. {Drive of the tools ( <a href="#">B21D 28/007</a> and <a href="#">B21D 28/20</a> take precedence)}	<b>35/00</b>	<b>Combined processes according to {or processes combined with} methods covered by groups <a href="#">B21D 1/00</a> - <a href="#">B21D 31/00</a></b> ( <a href="#">B21D 21/00</a> takes precedence)
28/005	. . {Adjustment of the punch stroke for compensating wear}	35/001	. {Shaping combined with punching, e.g. stamping and perforating}
28/007	. {Explosive cutting or perforating}	35/002	. {Processes combined with methods covered by groups <a href="#">B21D 1/00</a> - <a href="#">B21D 31/00</a> }
28/02	. Punching blanks or articles with or without obtaining scrap (cutting nails or pins from strips or sheet material <a href="#">B21G 3/26</a> ); Notching	35/003	. . {Simultaneous forming, e.g. making more than one part per stroke ( <a href="#">B21D 26/06</a> takes precedence)}
28/04	. . Centering the work; Positioning the tools	35/005	. . {characterized by the material of the blank or the workpiece ( <a href="#">B21D 26/053</a> takes precedence)}
28/06	. . Making more than one part out of the same blank; Scrapless working	35/006	. . . {Blanks having varying thickness, e.g. tailored blanks}
28/08	. . . Zig-zag sequence working	35/007	. . . {Layered blanks ( <a href="#">B21D 22/203</a> takes precedence; joining superposed plates <a href="#">B21D 39/031</a> , <a href="#">B21D 39/034</a> , <a href="#">B21D 39/035</a> )}
28/10	. . Incompletely punching in such a manner that the parts are still coherent with the work	35/008	. . {involving vibration, e.g. ultrasonic}
28/12	. . Punching using rotatable carriers	<b>37/00</b>	<b>Tools as parts of machines covered by this subclass</b>
28/125	. . . {with multi-tools}	37/01	. Selection of materials
28/14	. . Dies (ejecting or stripping-off devices arranged in punching machines or tools <a href="#">B21D 45/00</a> )	37/02	. Die constructions enabling assembly of the die parts in different ways ( <a href="#">B21D 37/06</a> takes precedence)
28/145	. . . {with means for slug retention, e.g. a groove}	37/04	. Movable or exchangeable mountings for tools
28/16	. . Shoulder or burr prevention {, e.g. fine-blanking}	37/06	. . Pivotaly-arranged tools, e.g. disengageable (die sets with dies pivoted to one another <a href="#">B21D 37/12</a> )
28/18	. . Yieldable, e.g. rubber, punching pads	37/08	. Dies with different parts for several steps in a process
28/20	. . Applications of drives {for reducing noise or wear}	37/10	. Die sets; Pillar guides
28/22	. . Notching the peripheries of circular blanks, e.g. laminations for dynamo-electric machines	37/12	. . Particular guiding equipment, {e.g. pliers}; Special arrangements for interconnection or cooperation of dies
28/24	. Perforating, i.e. punching holes	37/14	. Particular arrangements for handling and holding in place complete dies
28/243	. . {in profiles}	37/142	. . {Spotting presses}
28/246	. . {Selection of punches}	37/145	. . {Die storage magazines}
28/26	. . in sheets or flat parts		
28/265	. . . {with relative movement of sheet and tools enabling the punching of holes in predetermined locations of the sheet, e.g. holes punching with template}		
28/28	. . in tubes or other hollow bodies		
28/285	. . . {punching outwards}		
28/30	. . in annular parts, e.g. rims		
28/32	. . in other articles of special shape		
28/325	. . . {using cam or wedge mechanisms, e.g. aerial cams}		
28/34	. . Perforating tools; Die holders		

37/147	. . {Tool exchange carts}	41/025	. . {by means of impact-type swaging hand tools}
37/16	. Heating or cooling	41/026	. . {by means of mandrels}
37/18	. Lubricating {, e.g. lubricating tool and workpiece simultaneously (lubricating workpieces for deep-drawing <a href="#">B21D 22/201</a> )}	41/028	. . . {expandable mandrels}
		41/04	. Reducing; Closing
37/20	. Making tools by operations not covered by a single other subclass	41/045	. . {Closing}
37/205	. . {Making cutting tools}		
<b>39/00</b>	<b>Application of procedures in order to connect objects or parts, e.g. coating with sheet metal otherwise than by plating</b> ({joining mitred profiles <a href="#">B21D 53/745</a> ; } riveting <a href="#">B21J</a> ; uniting components by forging or pressing to form integral members <a href="#">B21K 25/00</a> ; welding <a href="#">B23K</a> ; press-fitting, force-fitting, or shrinking in general <a href="#">B23P 11/00</a> , <a href="#">B21D 19/00</a> ; by adhesives <a href="#">F16B 11/00</a> {; Connections as such <a href="#">F16L</a> , <a href="#">F16B</a> }); <b>Tube expanders</b>	<b>43/00</b>	<b>Feeding, positioning or storing devices combined with, or arranged in, or specially adapted for use in connection with, apparatus for working or processing sheet metal, metal tubes or metal profiles; Associations therewith of cutting devices</b>
39/02	. of sheet metal by folding, e.g. connecting edges of a sheet to form a cylinder	43/003	. {Positioning devices ( <a href="#">B21D 28/04</a> and <a href="#">B21D 28/265</a> take precedence; stops <a href="#">B21D 43/26</a> ; centering moving strips <a href="#">B21D 43/023</a> )}
39/021	. . {for panels, e.g. vehicle doors}	43/006	. {Feeding elongated articles, such as tubes, bars, or profiles}
39/023	. . . {using rollers}	43/02	. Advancing work in relation to the stroke of the die or tool
39/025	. . {Hand tools}	43/021	. . {Control or correction devices in association with moving strips}
39/026	. . {Reinforcing the connection by locally deforming}	43/022	. . . {Loop-control}
39/028	. . {Reinforcing the connection otherwise than by deforming, e.g. welding}	43/023	. . . {Centering devices, e.g. edge guiding}
39/03	. of sheet metal otherwise than by folding	43/025	. . {Fault detection, e.g. misfeed detection}
39/031	. . {Joining superposed plates by locally deforming without slitting or piercing}	43/026	. . {Combination of two or more feeding devices provided for in <a href="#">B21D 43/04</a> - <a href="#">B21D 43/18</a> }
39/032	. . . {by fitting a projecting part integral with one plate in a hole of the other plate}	43/027	. . {Combined feeding and ejecting devices}
39/034	. . {Joining superposed plates by piercing}	43/028	. . {Tools travelling with material, e.g. flying punching machines}
39/035	. . {Joining superposed plates by slitting}	43/04	. . by means in mechanical engagement with the work
39/037	. . {Interlocking butt joints}	43/05	. . . specially adapted for multi-stage presses {( <a href="#">B21D 43/145</a> takes precedence)}
39/038	. . {Perpendicular plate connections}	43/052	. . . . {Devices having a cross bar}
39/04	. of tubes with tubes; of tubes with rods {(crimped pipe joints as such <a href="#">F16L 13/14</a> )}	43/055	. . . . {Devices comprising a pair of longitudinally and laterally movable parallel transfer bars}
39/042	. . {using explosives (by explosive welding <a href="#">B23K 20/08</a> )}	43/057	. . . . {Devices for exchanging transfer bars or grippers; Idle stages, e.g. exchangeable}
39/044	. . {perpendicular}	43/06	. . . by positive or negative engaging parts co-operating with corresponding parts of the sheet or the like to be processed, e.g. carrier bolts or grooved section in the carriers
39/046	. . {Connecting tubes to tube-like fittings}	43/08	. . . . by rollers {( <a href="#">B21D 43/145</a> takes precedence)}
39/048	. . {using presses for radially crimping tubular elements}	43/09	. . . . by one or more pairs of rollers for feeding sheet or strip material
39/06	. of tubes in openings, e.g. rolling-in	43/10	. . . by grippers {( <a href="#">B21D 43/055</a> , <a href="#">B21D 43/057</a> , <a href="#">B21D 43/145</a> take precedence)}
39/063	. . {for assembling ladders}	43/105	. . . . {Manipulators, i.e. mechanical arms carrying a gripper element having several degrees of freedom}
39/066	. . {using explosives}	43/11	. . . . for feeding sheet or strip material
39/08	. Tube expanders	43/12	. . . . by chains or belts {( <a href="#">B21D 43/145</a> takes precedence)}
39/10	. . with rollers for expanding only	43/13	. . . . by linearly moving tables
39/12	. . with rollers for expanding and flanging	43/14	. . . . by turning devices, e.g. turn-tables
39/14	. . with balls	43/145	. . . . {Turnover devices, i.e. by turning about a substantially horizontal axis}
39/16	. . with torque limiting devices	43/16	. . by gravity, e.g. chutes
39/18	. . Rollers of special shape	43/18	. . by means in pneumatic or magnetic engagement with the work
39/20	. . with mandrels, e.g. expandable	43/20	. Storage arrangements; Piling or unpling (in general <a href="#">B65G</a> , <a href="#">B65H</a> )
39/203	. . . {expandable by fluid or elastic material}	43/22	. . Devices for piling sheets
39/206	. . . . {by axially compressing the elastic material}	43/24	. . Devices for removing sheets from a stack
<b>41/00</b>	<b>Application of procedures in order to alter the diameter of tube ends</b> ( <a href="#">B21D 39/00</a> takes precedence {; plastic tubes <a href="#">B29C 57/08</a> )}	43/26	. Stops
41/02	. Enlarging		
41/021	. . {by means of tube-flaring hand tools}		
41/023	. . . {comprising rolling elements}		

43/28	. Associations of cutting devices therewith	51/2607	. . . {Locally embossing the walls of formed can bodies ( <a href="#">B44B 5/00</a> , <a href="#">B44C 1/24</a> , <a href="#">B44C 3/085</a> take precedence; bulging <a href="#">B21D 51/2646</a> )}
43/282	. . {Discharging crop ends or the like}	51/2615	. . . {Edge treatment of cans or tins}
43/285	. . {Devices for handling elongated articles, e.g. bars, tubes or profiles ( <a href="#">B21D 43/282</a> , <a href="#">B21D 43/287</a> take precedence)}	51/2623	. . . . {Curling}
43/287	. . {Devices for handling sheet or strip material ( <a href="#">B21D 43/282</a> takes precedence)}	51/263	. . . . {Flanging}
<b>45/00</b>	<b>Ejecting or stripping-off devices arranged in machines or tools dealt with in this subclass</b>	51/2638	. . . . {Necking}
45/003	. {in punching machines or punching tools}	51/2646	. . . {Of particular non cylindrical shape, e.g. conical, rectangular, polygonal, bulged}
45/006	. . {Stripping-off devices}	51/2653	. . . {Methods or machines for closing cans by applying caps or bottoms}
45/02	. Ejecting devices	51/2661	. . . . {Sealing or closing means therefor}
45/04	. . interrelated with motion of tool	51/2669	. . . {Transforming the shape of formed can bodies; Forming can bodies from flattened tubular blanks; Flattening can bodies}
45/06	. Stripping-off devices	51/2676	. . . {Cans or tins having longitudinal or helical seams}
45/065	. . {for deep-drawn cans, e.g. using stripping fingers}	51/2684	. . . {Cans or tins having circumferential side seams}
45/08	. . interrelated with motion of tool	51/2692	. . . {Manipulating, e.g. feeding and positioning devices; Control systems}
45/10	. Combined ejecting and stripping-off devices	51/28	. . . Folding the longitudinal seam
<b><u>Processing sheet metal or metal tubes, or processing metal profiles according to any of groups <a href="#">B21D 1/00</a> - <a href="#">B21D 45/00</a>, in the manufacture of finished or semi-finished articles</u></b>			
<b>47/00</b>	<b>Making rigid structural elements or units, e.g. honeycomb structures</b>	51/30	. . . Folding the circumferential seam
47/005	. {Making gratings}	51/32	. . . . by rolling
47/01	. beams or pillars	51/34	. . . . by pressing
47/02	. . by expanding	51/36	. . collapsible or like thin-walled tubes, e.g. for toothpaste
47/04	. composite sheet metal profiles	51/365	. . . {involving fixing closure members to the tubes, e.g. nozzles}
<b>49/00</b>	<b>Sheathing or stiffening objects (by winding wire or tape thereon <a href="#">B65H 54/00</a>, <a href="#">B65H 81/00</a>; specially adapted for manufacturing conductors or cables <a href="#">H01B 13/26</a>)</b>	51/38	. . Making inlet or outlet arrangements of cans, tins, baths, bottles, or other vessels; Making can ends; Making closures
49/005	. {Hollow objects}	51/383	. . . {scoring lines, tear strips or pulling tabs}
<b>51/00</b>	<b>Making hollow objects (from thick-walled or non uniform tubes <a href="#">B21K 21/00</a>)</b>	51/386	. . . . {on the side-wall of containers}
51/02	. characterised by the structure of the objects {( <a href="#">B21D 51/26</a> takes precedence)}	51/40	. . . Making outlet openings, e.g. bung holes
<b>NOTE</b>			
	Making hollow objects characterised both by their structure and by their use is classified only in group <a href="#">B21D 51/16</a>	51/42	. . . . Making or attaching spouts
51/04	. . built-up objects, e.g. objects with rigidly-attached bottom or cover	51/44	. . . Making closures, e.g. caps (folded of thin metal foils in the way of making paper caps <a href="#">B31D 5/00</a> ; making closures in conjunction with applying same <a href="#">B67B</a> )
51/06	. . folded objects	51/443	. . . . {easily removable closures, e.g. by means of tear strips}
51/08	. . ball-shaped objects	51/446	. . . . {Feeding or removal of material}
51/10	. . conically or cylindrically shaped objects	51/46	. . . . Placing sealings or sealing material {( <a href="#">moulding plastic sealing material into closure members <a href="#">B29C 70/80</a></a> )}
51/12	. . objects with corrugated walls	51/48	. . . . Making crown caps
51/14	. . Flattening hollow objects for transport or storage; Re-forming same (making tubes from doubled flat material <a href="#">B21C 37/14</a> )	51/50	. . . . Making screw caps
51/16	. characterised by the use of the objects (making heat exchangers <a href="#">B21D 53/02</a> )	51/52	. . boxes, cigarette cases, or the like
51/18	. . vessels, e.g. tubs, vats, tanks, sinks, or the like	51/54	. . cartridge cases, e.g. for ammunition, for letter carriers in pneumatic-tube plants
51/20	. . . barrels	<b>53/00</b>	<b>Making other particular articles (making wire fabrics <a href="#">B21F</a>; making chains or chain parts <a href="#">B21L</a>)</b>
51/22	. . . pots, e.g. for cooking	53/02	. heat exchangers {or parts thereof}, e.g. radiators, condensers {fins, headers}(making finned or ribbed tubes by fixing strip material or the like to tubes <a href="#">B21C 37/22</a> )
51/24	. . high-pressure containers, e.g. boilers, bottles	53/022	. . {Making the fins}
51/26	. . cans or tins; Closing same in a permanent manner (making outlet arrangements <a href="#">B21D 51/38</a> ; welding or soldering <a href="#">B23K</a> )	53/025	. . . {Louvered fins}
		53/027	. . {by helically or spirally winding elongated elements}
		53/04	. . of sheet metal
		53/045	. . . {by inflating partially united plates}

- |   |  |
|---|--|
| <ul style="list-style-type: none"> <li>53/06 . . of metal tubes</li> <li>53/08 . . of both metal tubes and sheet metal (<a href="#">connecting tubes in openings B21D 39/06</a>)</li> <li>53/085 . . . {with fins places on zig-zag tubes or parallel tubes}</li> <li>53/10 . parts of bearings; sleeves; valve seats or the like</li> <li>53/12 . . cages for bearings</li> <li>53/14 . belts, e.g. machine-gun belts</li> <li>53/16 . rings, e.g. barrel hoops</li> <li>53/18 . . of hollow or C-shaped cross-section, e.g. for curtains, for eyelets</li> <li>53/20 . . washers, e.g. for sealing</li> <li>53/22 . . . with means for preventing rotation</li> <li>53/24 . nuts or like thread-engaging members</li> <li>53/26 . wheels or the like</li> <li>53/261 . . {pulleys}</li> <li>53/262 . . {with inscriptions or the like, e.g. printing wheels}</li> <li>53/264 . . {wheels out of a single piece (<a href="#">B21D 53/261 takes precedence</a>)}</li> <li>53/265 . . {parts of wheels (<a href="#">B21D 53/28</a>, <a href="#">B21D 53/30 take precedence</a>)}</li> <li>53/267 . . {blower wheels, i.e. wheels provided with fan elements}</li> <li>53/268 . . {wheels having spokes}</li> <li>53/28 . . gear wheels</li> <li>53/30 . . wheel rims</li> <li>53/32 . . wheel covers</li> <li>53/34 . . brake drums</li> <li>53/36 . clips, clamps, or like fastening or attaching devices, e.g. for electric installation</li> <li>53/38 . locksmith's goods, e.g. handles</li> <li>53/40 . . hinges, e.g. door hinge plates</li> <li>53/42 . . keys {(making keys by combined operations <a href="#">B23P 15/005</a>)}</li> <li>53/44 . fancy goods, e.g. jewellery products</li> <li>53/46 . haberdashery, e.g. buckles, combs; pronged fasteners, e.g. staples</li> <li>53/48 . . buttons, e.g. press-buttons, snap fasteners</li> <li>53/50 . . metal slide-fastener parts</li> <li>53/52 . . . fastener elements; Attaching such elements so far as this procedure is combined with the process for making the elements</li> <li>53/54 . . . slides</li> <li>53/56 . . . stops</li> <li>53/58 . end-pieces for laces or ropes</li> <li>53/60 . cutlery wares; garden tools or the like</li> <li>53/62 . . spoons; table forks</li> <li>53/64 . . knives; scissors; cutting blades (<a href="#">B21D 53/72 takes precedence</a>; <a href="#">handle portions B21D 53/70</a>)</li> <li>53/642 . . . {scissors}</li> <li>53/645 . . . {safety razor blades}</li> <li>53/647 . . . {mower blades}</li> <li>53/66 . . spades; shovels (<a href="#">handle portions B21D 53/70</a>)</li> <li>53/68 . . rakes, garden forks, or the like (<a href="#">handle portions B21D 53/70</a>)</li> <li>53/70 . . handle portions (<a href="#">B21D 53/72 takes precedence</a>)</li> <li>53/72 . . sickles; scythes</li> <li>53/74 . frames for openings, e.g. for windows, doors, handbags</li> <li>53/745 . . {Joining mitred profiles comprising punching the profiles on a corner-angle connecting piece}</li> </ul> | <ul style="list-style-type: none"> <li>53/76 . . writing or drawing instruments, e.g. writing pens, erasing pens</li> <li>53/78 . . propeller blades; turbine blades</li> <li>53/80 . . dustproof covers; safety covers</li> <li>53/82 . . perforated music sheets; pattern sheets, e.g. for control purposes, stencils</li> <li>53/84 . . other parts for engines, e.g. connecting-rods</li> <li>53/845 . . {Making camshafts}</li> <li>53/86 . . other parts for bicycles or motorcycles</li> <li>53/88 . . other parts for vehicles, e.g. cowlings, mudguards</li> <li>53/883 . . {reflectors}</li> <li>53/886 . . {leaf springs}</li> <li>53/90 . . axle-housings</li> <li>53/92 . . other parts for aircraft</li> </ul> <p><b>55/00</b> <b>Safety devices protecting the machine or the operator, specially adapted for apparatus or machines dealt with in this subclass (for presses in general <a href="#">B30B</a>; safety devices in general <a href="#">F16P</a>)</b></p> |
|---|--|