

CPC COOPERATIVE PATENT CLASSIFICATION

B PERFORMING OPERATIONS; TRANSPORTING

(NOTES omitted)

SHAPING

B25 HAND TOOLS; PORTABLE POWER-DRIVEN TOOLS; MANIPULATORS

(NOTE omitted)

B25G HANDLES FOR HAND IMPLEMENTS (attaching the blades or the like to handles of hand tools for soil working [A01B 1/22](#); handles of hand implements for harvesting [A01D 1/14](#); handles integral with brushware [A46B](#))

NOTES

- This subclass covers:
 - handles for hand implements, in general;
 - handles for hand implements for particular purposes, subject to Note (2) below.
- This subclass does not cover handles provided for elsewhere, e.g. it does not cover those provided for in [A45B 9/02](#), [A45C 13/22](#), [A45C 13/26](#), [A47B 95/02](#), [A47J 45/00](#), [B23D 51/01](#), [B25J 13/02](#), [B26B](#), [B60N 3/02](#), [B62B 5/06](#), [B62B 9/20](#), [B62K 21/26](#), [B62M 3/14](#), [B65D 25/28](#), [E05B](#), [G05G](#).

WARNING

In this subclass non-limiting references (in the sense of paragraph 39 of the Guide to the IPC) may still be displayed in the scheme.

1/00	Handle constructions	3/04	. . with detachable or separate socket pieces (B25G 3/12 takes precedence)
1/002	. {for rotary tools with additional levers, e.g. for increasing torque (B25G 1/005 takes precedence)}	3/06	. . with multiple socket, e.g. T-socket (B25G 3/12 takes precedence)
1/005	. {for screwdrivers, wrenches or spanners with additional levers, e.g. for increasing torque}	3/08	. . with dovetail or other groove (B25G 3/12 takes precedence)
1/007	. . {of crank type}	3/10	. . with elastic, taper, or other self-grip socket or tang (B25G 3/12 takes precedence)
1/01	. Shock-absorbing means (B25G 1/02 takes precedence)	3/12	. . Locking and securing devices
1/02	. flexible (hammers heads having shock-absorbing means B25D 1/12)	3/14	. . . comprising barbs or teeth
1/025	. . {for screwdrivers, wrenches or spanners}	3/16	. . . comprising bayonet joints
1/04	. telescopic; extensible; sectional	3/18	. . . comprising catches or pawls
1/043	. . {for screwdrivers, wrenches or spanners}	3/20	. . . comprising clamping or contracting means acting concentrically on the handle or socket
1/046	. . . {with free-turning section at end of handle remote from tool}	3/22 Chucks
1/06	. reversible or adjustable for position	3/24	. . . comprising clamping or contracting means acting transversely on the handle or socket
1/063	. . {for screwdrivers, wrenches or spanners}	3/26	. . . comprising nails, screws, bolts, or pins traversing or entering the socket
1/066	. . . {the grip itself being angularly adjustable}	3/28	. . . comprising wedges, keys, or like expanding means
1/08	. with provision for storing tool elements	3/30	. . . comprising screwed sockets or tangs
1/085	. . {for screwdrivers, wrenches or spanners}	3/32	. . . in association with, or including, tang, bolt, or other member passing axially through whole length of handle
1/10	. characterised by material or shape (B25G 1/01 , B25G 1/02 take precedence {; for hand tools comprising coating rollers B05C 17/0205 })	3/34	. by pressing the handle on the implements; using cement or molten metal, e.g. casting, moulding, by welding or the like
1/102	. . {the shape being specially adapted to facilitate handling or improve grip}	3/36	. Lap joints; Riveted, screwed, or like joints (socket, tang, or like fixings B25G 3/02)
1/105	. . {for screwdrivers, wrenches or spanners (B25G 1/102 , B25G 1/125 take precedence)}	3/38	. Hinged, pivoted, swivelling, or folding joints
1/107	. . . {of thimble type}		
1/12	. . electrically insulating material		
1/125	. . . {for screwdrivers, wrenches or spanners}		
3/00	Attaching handles to the implements		
3/02	. Socket, tang, or like fixings (B25G 3/34 takes precedence)		