

CPC COOPERATIVE PATENT CLASSIFICATION

E FIXED CONSTRUCTIONS

BUILDING

E04 BUILDING

E04C STRUCTURAL ELEMENTS; BUILDING MATERIALS (for bridges [E01D](#); specially designed for insulation or other protection [E04B](#); elements used as building aids [E04G](#); for mining [E21](#); for tunnels [E21D](#); structural elements with broader range of application than for building engineering [F16](#), particularly [F16S](#))

WARNING

In this subclass non-limiting references (in the sense of paragraph 39 of the Guide to the IPC) may still be displayed in the scheme.

- | | |
|--|--|
| <p>1/00 Building elements of block or other shape for the construction of parts of buildings (of relatively thin form E04C 2/00; structural elongated elements designed for load-supporting E04C 3/00, e.g. columns or pillars E04C 3/30; manufacture or material of building bricks, stones, or the like B28, C03, C04; paving elements E01C; general building constructions E04B, e.g. walls E04B 2/00, floors E04B 5/00, roofs E04B 7/00, ceilings E04B 9/00; {roof coverings E04D; coverings for walls or ceilings E04F 13/00; floorings E04F 15/00;} structural elements specially designed for built-in conduit shafts E04F 17/00; {elements for buildings for particular purposes E04H 7/00}; special elements for building ovens or furnaces F24B, F27D)</p> <p>1/24 . {Elements for building-up floors, ceilings, roofs, arches, or beams (E04C 1/39 - E04C 1/42 take precedence; flooring E04F 15/00)}</p> <p>1/34 . . {designed for use as filling elements}</p> <p>1/36 . . . {between joists or girders}</p> <p>1/38 . . . {in ribbed or cross-ribbed floors, ceilings, or roofs consisting of reinforced concrete}</p> <p>1/39 . characterised by special adaptations, e.g. serving for locating conduits, for forming soffits, cornices, or shelves, for fixing wall-plates or door-frames, for claustra</p> <p>1/392 . . {for ventilating, heating or cooling}</p> <p>1/395 . . {for claustra, fences, planting walls, e.g. sound-absorbing (pots for vertical horticulture A01G 9/022)}</p> <p>1/397 . . {serving for locating conduits (E04C 1/392 takes precedence)}</p> <p>1/40 . built-up from parts of different materials, e.g. composed of layers of different materials or stones with filling material or with insulating inserts</p> <p>1/41 . . composed of insulating material and load-bearing concrete, stone or stone-like material</p> <p>1/42 . of glass or other transparent material {(panels made of glass bricks E04C 2/546)}</p> | <p>2/00 Building elements of relatively thin form for the construction of parts of buildings, e.g. sheet materials, slabs, or panels (materials or manufacture, see the relevant subclasses, e.g. B27N, D21J; made in situ E04B; specially designed for insulation or other protection E04B 1/62; load-carrying floor structures E04B 5/02, E04B 5/16; roofs consisting of self-supporting slabs E04B 7/20; roof or like covering elements E04D 3/00; for lining or finishing E04F 13/00)</p> <p>2002/001 . {Mechanical features of panels}</p> <p>2002/002 . . {Panels with integrated lifting means, e.g. with hoisting lugs}</p> <p>2002/004 . . {Panels with profiled edges, e.g. stepped, serrated}</p> <p>2002/005 . {Appearance of panels}</p> <p>2002/007 . . {Panels with the appearance of a brick wall}</p> <p>2002/008 . . {Panels with the appearance of a natural stone wall}</p> <p>2/02 . characterised by specified materials (translucent E04C 2/54)</p> <p>2/04 . . of concrete or other stone-like material; of asbestos cement; {of cement and other mineral fibres}(E04C 2/26 takes precedence; material or manufacture B28, C04)</p> <p>2/041 . . . {composed of a number of smaller elements, e.g. bricks, also combined with a slab of hardenable material}</p> <p>2/042 {Apparatus for handling the smaller elements or the hardenable material; bricklaying machines for prefabricated panels (bricklaying machines in general E04G 21/22)}</p> <p>2/043 . . . {of plaster (E04C 2/049 takes precedence)}</p> <p>2/044 . . . {of concrete (E04C 2/049 takes precedence)}</p> <p>2002/045 {with two parallel leaves connected by tie anchors}</p> <p>2002/046 {Flat anchors}</p> <p>2002/047 {Pin or rod shaped anchors}</p> <p>2002/048 {Bent wire anchors}</p> <p>2/049 . . . {completely or partially of insulating material, e.g. cellular concrete or foamed plaster}</p> <p>2/06 . . . reinforced</p> |
|--|--|

2/08	. . . of metal, e.g. sheet metal (E04C 2/26 takes precedence)	2002/3438 {with saddle-shaped dimples, e.g. eggcrate type spacer sheets}
2/10	. . . of wood, fibres, chips, vegetable stems, or the like; of plastics; of foamed products (E04C 2/049), E04C 2/26 take precedence; {hydraulic cement and mineral fibres E04C 2/04 }	2002/3444 {Corrugated sheets}
2/12	. . . of solid wood	2002/345 {with triangular corrugations}
2/14 reinforced	2002/3455 {with trapezoidal corrugations}
2/16	. . . of fibres, chips, vegetable stems, or the like	2002/3461 {with rectangular corrugations}
2/18 with binding wires, reinforcing bars, or the like	2002/3466 {with sinusoidal corrugations}
2/20	. . . of plastics	2002/3472 {with multiple layers of profiled spacer sheets}
2/205 {of foamed plastics, or of plastics and foamed plastics, optionally reinforced}	2002/3477	. . . {spaced apart by tubular elements parallel to the sheets}
2/22 reinforced (E04C 2/205 takes precedence)	2002/3483	. . . {spaced apart by spacers stamped from the sheets}
2/24	. . . laminated and composed of materials covered by two or more of groups E04C 2/12 , E04C 2/16 , E04C 2/20	2002/3488	. . . {spaced apart by frame like structures}
2/243 {one at least of the material being insulating}	2002/3494	. . . {Apparatus for making profiled spacer sheets}
2/246 {combinations of materials fully covered by E04C 2/16 and E04C 2/20 }	2/36	. . . spaced apart by transversely-placed strip material, e.g. honeycomb panels (honeycomb or other core members for layered products B32B)
2/26	. . . composed of materials covered by two or more of groups E04C 2/04 , E04C 2/08 , E04C 2/10 or of materials covered by one of these groups with a material not specified in one of the groups {(of cement and mineral fibres E04C 2/04)}	2/365 {by honeycomb structures}
2/28	. . . combinations of materials fully covered by groups E04C 2/04 and E04C 2/08	2/38	. . . with attached ribs, flanges, or the like, e.g. framed panels (concerned with attaching to other panels or elements to form a structure, see the places for the relevant structure , e.g. E04B 2/00)
2/284	. . . at least one of the materials being insulating	2/382	. . . {with a frame of concrete or other stone-like substance}
2/288 composed of insulating material and concrete, stone or stone-like material	2/384	. . . {with a metal frame}
2/2885 {with the insulating material being completely surrounded by, or embedded in, a stone-like material, e.g. the insulating material being discontinuous}	2/386	. . . {with a frame of unreconstituted or laminated wood}
2/292 composed of insulating material and sheet metal	2/388	. . . {with a frame of other materials, e.g. fibres, plastics}
2/296 composed of insulating material and non-metallic or unspecified sheet-material (E04C 2/288 takes precedence)	2/40	. . . composed of a number of smaller components rigidly or movably connected together, e.g. interlocking, hingedly connected {of particular shape, e.g. not rectangular of variable shape or size, e.g. flexible or telescopic panels (E04C 2/041 takes precedence)}
2/30	. . . characterised by the shape or structure (translucent E04C 2/54)	2/405	. . . {composed of two or more hingedly connected parts}
2/32	. . . formed of corrugated or otherwise indented sheet-like material; composed of such layers with or without layers of flat sheet-like material	2/42	. . . Gratings; Grid-like panels (reinforcing elements E04C 5/00 ; built-in gratings E04F 19/10 ; gratings in general F16S 3/00)
2/322	. . . {with parallel corrugations}	2/421	. . . {made of bar-like elements, e.g. bars discontinuous in one direction}
2/324	. . . {with incisions or reliefs in the surface (E04C 2/326 takes precedence)}	2/422 {with continuous bars connecting at crossing points of the grid pattern}
2/326	. . . {with corrugations, incisions or reliefs in more than one direction of the element}	2/423 {with notches}
2/328	. . . {slightly bowed or folded panels not otherwise provided for}	2/425 {made of perforated bars}
2/34	. . . composed of two or more spaced sheet-like parts (E04C 2/32 takes precedence; spacers for cavity walls E04B 2/44)	2/426 {with continuous bars that remain unconnected at crossing points of the grid pattern, e.g. with undulating bars}
2/3405	. . . {spaced apart by profiled spacer sheets}	2/427	. . . {Expanded metal or other monolithic gratings}
2002/3411 {Dimpled spacer sheets}	2/428	. . . {Separate connecting means, e.g. connecting gratings to underlying structure}
2002/3416 {with cylindrical dimples}	2/44	. {characterised by the purpose}
2002/3422 {with polygonal dimples}	2/46	. . . {specially adapted for making walls (E04C 2/52 , E04C 2/54 take precedence; structure of slab-shaped elements E04B 1/02 ; walls of elements of relatively thin form E04B 2/72)}
2002/3427 {with conical dimples}	2/48	. . . {as high as or higher than the room, i.e. having provisions concerning the connection with at least two floors (E04C 2/52 and E04C 2/54 take precedence)}
2002/3433 {with dimples extending from both sides of the spacer sheet}		

- 2/50 . . {Self-supporting slabs specially adapted for making floors ceilings, or roofs, e.g. able to be loaded ([E04C 2/52](#), [E04C 2/54](#) take precedence; structures of slab-shaped elements [E04B 1/02](#); floor structures [E04B 5/00](#); roofs consisting of self-supporting slabs [E04B 7/20](#); ceilings [E04B 9/00](#); roof coverings [E04D](#); floor coverings [E04F 15/00](#)}
- 2/52 . . with special adaptations for auxiliary purposes, e.g. serving for locating conduits ([E04C 2/54](#) takes precedence; block-shaped elements therefor [E04C 1/39](#); floor structures incorporating ducts [E04B 5/48](#))
- 2/521 . . . {serving for locating conduits; for ventilating, heating or cooling}
- 2/523 {for ventilating}
- 2/525 {for heating or cooling (solar heat collectors [F24S 10/00](#); heat storage [F28D 20/00](#))}
- 2/526 . . . {with adaptations not otherwise provided for, for connecting, transport; for making impervious or hermetic, e.g. sealings}
- 2/528 {Impervious or hermetic panels not otherwise provided for}
- 2/54 . . Slab-like translucent elements (floors for transmitting light [E04B 5/46](#); translucent or open-work ceilings [E04B 9/32](#), [E04B 9/34](#); translucent roof coverings [E04D 3/06](#), [E04D 3/28](#))
- 2/543 . . {Hollow multi-walled panels with integrated webs}
- 2/546 . . {made of glass bricks}
- 3/00 Structural elongated elements designed for load-supporting (as building aids [E04G](#))**
- 3/005 . . {Girders or columns that are rollable, collapsible or otherwise adjustable in length or height (girders as supporting members for forms [E04G 11/54](#))}
- 3/02 . . Joists; Girders, trusses, or trusslike structures, e.g. prefabricated; Lintels; Transoms; {Braces} ([E04C 3/38](#) takes precedence; for structures characterised by movable, separable, or collapsible parts [E04B 1/343](#); {braced purlins [E04B 7/024](#)})
- 2003/023 . . {Lintels}
- 2003/026 . . {Braces}
- 3/04 . . of metal ([E04C 3/29](#) takes precedence; as reinforcing elements [E04C 5/06](#); manufacture [B21](#))
- 2003/0404 . . . {beams, girders, or joists characterised by cross-sectional aspects}
- 2003/0408 {characterised by assembly or the cross-section}
- 2003/0413 {being built up from several parts}
- 2003/0417 {demountable}
- 2003/0421 {comprising one single unitary part}
- 2003/0426 {characterised by material distribution in cross section}
- 2003/043 {the hollow cross-section comprising at least one enclosed cavity}
- 2003/0434 {the open cross-section free of enclosed cavities}
- 2003/0439 {the cross-section comprising open parts and hollow parts}
- 2003/0443 {characterised by substantial shape of the cross-section}
- 2003/0447 {circular- or oval-shaped}
- 2003/0452 {H- or I-shaped}
- 2003/0456 {hollow flanged, i.e. "dogbone" metal beams}
- 2003/046 {L- or T-shaped}
- 2003/0465 {square- or rectangular-shaped}
- 2003/0469 {triangular-shaped}
- 2003/0473 {U- or C-shaped}
- 2003/0478 {X-shaped}
- 2003/0482 {Z- or S-shaped}
- 2003/0486 {Truss like structures composed of separate truss elements}
- 2003/0491 {the truss elements being located in one single surface or in several parallel surfaces}
- 2003/0495 {the truss elements being located in several non-parallel surfaces}
- 3/06 . . . with substantially solid, i.e. unapertured, web ([E04C 3/10](#), [E04C 3/11](#) take precedence {honeycomb girders [E04C 3/083](#)})
- 3/065 {with special adaptations for the passage of cables or conduits through the web}
- 3/07 at least partly of bent or otherwise deformed strip- or sheet-like material
- 3/08 . . . with apertured web, e.g. with a web consisting of bar-like components; Honeycomb girders ([E04C 3/10](#), [E04C 3/11](#) take precedence)
- 3/083 {Honeycomb girders; Girders with apertured solid web}
- 3/086 {of the castellated type}
- 3/09 at least partly of bent or otherwise deformed strip- or sheet-like material
- 3/10 . . . prestressed
- 3/11 . . . with non-parallel upper and lower edges, e.g. roof trusses (arched girders, portal frames [E04C 3/38](#))
- 3/12 . . of wood, e.g. with reinforcements, with tensioning members ([E04C 3/292](#) takes precedence)
- 3/122 {Laminated}
- 3/125 {End caps therefor}
- 3/127 {with hollow cross section}
- 3/14 . . . with substantially solid, i.e. unapertured, web (([E04C 3/127](#)), [E04C 3/17](#), [E04C 3/18](#) take precedence)
- 3/145 {with special adaptations for the passage of cables or conduits through the web, e.g. reinforcements}
- 3/16 . . . with apertured web, e.g. trusses ([E04C 3/17](#), [E04C 3/18](#) take precedence)
- 3/17 . . . with non-parallel upper and lower edges, e.g. roof trusses
- 3/18 . . . with metal {or other} reinforcements or tensioning members
- 3/185 {Synthetic reinforcements}
- 3/20 . . of concrete or other stone-like material, e.g. with reinforcements or tensioning members (reinforcing elements [E04C 5/00](#))
- 3/205 . . . {with apertured web, e.g. frameworks, trusses ([E04C 3/26](#) takes precedence)}
- 3/22 . . . built-up by elements jointed in line
- 3/26 . . . prestressed ([E04C 3/22](#), [E04C 3/29](#) take precedence; prestressing members [E04C 5/08](#))
- 3/28 . . of materials not covered by groups [E04C 3/04](#) - [E04C 3/20](#)
- 3/285 . . . {of glass}

- 3/29 . . . built-up from parts of different material, {i.e. composite structures}
- 3/291 . . . {with apertured web}
- 3/292 . . . the materials being wood and metal
- 3/293 . . . the materials being steel and concrete (concrete with internal reinforcements or tensioning members [E04C 3/20](#))
- 3/294 of concrete combined with a girder-like structure extending laterally outside the element (light weight girders used as reinforcement [E04C 5/065](#); as part of a floor structure [E04B 5/23](#))
- 3/30 . Columns; Pillars; Struts (not designed for end loading [E04C 3/02](#); posts, masts, as independent structures [E04H 12/00](#))
- 3/32 . . of metal ([E04C 3/36](#) takes precedence)
- 3/34 . . of concrete other stone-like material, with or without permanent form elements, with or without internal or external reinforcement, e.g. metal coverings ([E04C 3/36](#) takes precedence)
- 3/36 . . of materials not covered by groups [E04C 3/32](#) or [E04C 3/34](#); of a combination of two or more materials
- 3/38 . Arched girders or portal frames (straight girders able to be bent [E04C 3/02](#); inflatable [E04H 15/20](#))
- 3/40 . . of metal ([E04C 3/46](#) takes precedence)
- 3/42 . . of wood, e.g. units for rafter roofs ([E04C 3/46](#) takes precedence)
- 3/44 . . of concrete or other stone-like material, e.g. with reinforcements or tensioning members ([E04C 3/46](#) takes precedence)
- 3/46 . . of materials not covered by groups [E04C 3/40](#) - [E04C 3/44](#); of a combination of two or more materials
- 5/00 Reinforcing elements, e.g. for concrete; Auxiliary elements therefor** ({methods or devices for making reinforcing materials [B21D](#);} material composition {[C04B](#).} [C21](#), [C22](#))
- NOTES**
- In this group, the following terms or expressions are used with the meanings indicated:
 - "reinforcing" means increasing any physical strength characteristic of the end product, e.g. compressive or flexural strength;
 - "elements" includes relatively large bodies, e.g. steel bars, as well as relatively small discrete bodies of any form, e.g. glass fibres.
 - Discrete reinforcing elements, which are small compared with the reinforced building element, only characterised by their composition are classified in [C04B](#), e.g. steel fibres [C04B 14/48](#), plastic elements with a shape other than granular or fibrous [C04B 16/12](#)
- 5/01 . Reinforcing elements of metal, e.g. with non-structural coatings ({[E04C 5/08](#) takes precedence})
- 5/012 . . {Discrete reinforcing elements, e.g. fibres}
- 5/015 . . {Anti-corrosion coatings or treating compositions, e.g. containing waterglass or based on another metal (coating of discrete reinforcing elements [C04B 20/10](#))}
- 5/017 . . . {Anti-corrosion coatings or treating compositions containing cement}
- 5/02 . . of low bending resistance, i.e. of essentially one-dimensional [1D] or two-dimensional [2D] extent
- 5/03 . . . with indentations, projections, ribs, or the like, for augmenting the adherence to the concrete
- 5/04 . . . Mats ({combined with reinforcing elements protruding out of the plane of the mat [E04C 5/0627](#); three-dimensional mats [E04C 5/0636](#)); bases for plaster [E04F 13/04](#))
- 5/06 . . of high bending resistance, i.e. of essentially three-dimensional [3D] extent, e.g. lattice girders ({anchorage devices specially adapted for balconies [E04B 1/0038](#); supporting devices for connector reinforcing rods for concrete walls [E04G 21/125](#))}
- 5/0604 . . . {Prismatic or cylindrical reinforcement cages composed of longitudinal bars and open or closed stirrup rods ([E04C 5/0631](#) takes precedence)}
- 5/0609 {Closed cages composed of two or more coating cage parts, e.g. transversally hinged or nested parts}
- 5/0613 {Closed cages made of one single bent reinforcement mat}
- 5/0618 {Closed cages with spiral- or coil-shaped stirrup rod}
- 5/0622 {Open cages, e.g. connecting stirrup baskets ([E04C 5/0609](#) takes precedence)}
- 5/0627 . . . {Three-dimensional reinforcements composed of a prefabricated reinforcing mat combined with reinforcing elements protruding out of the plane of the mat ([E04C 5/0645](#) takes precedence)}
- 5/0631 {Reinforcing mats combined with separate prefabricated reinforcement cages or girders ([E04C 5/064](#) takes precedence)}
- 5/0636 . . . {Three-dimensional reinforcing mats composed of reinforcing elements laying in two or more parallel planes and connected by separate reinforcing parts ([E04C 5/0645](#) takes precedence)}
- 5/064 {the reinforcing elements in each plane being formed by, or forming a, mat of longitudinal and transverse bars}
- 5/0645 . . . {Shear reinforcements, e.g. shearheads for floor slabs}
- 5/065 . . . Light-weight girders, e.g. with precast parts (light-weight girders in general [E04C 3/08](#), [E04C 3/294](#))
- 5/0653 {with precast parts}
- 5/0656 {with lost formwork}
- 5/07 . Reinforcing elements of material other than metal, e.g. of glass, of plastics, or not exclusively made of metal (metal elements with non-structural coatings [E04C 5/01](#))
- 5/073 . . {Discrete reinforcing elements, e.g. fibres}
- 5/076 . . . {Specially adapted packagings therefor, e.g. for dosing}
- 5/08 . Members specially adapted to be used in prestressed constructions ({production of reinforced objects in general [B28B 23/00](#); prestressed structures produced in situ [E04G 21/12](#))}
- 5/085 . . {Tensile members made of fiber reinforced plastics}
- 5/10 . . Ducts

E04C

- 5/12 . . Anchoring devices (tools or methods for tensioning {in situ} [E04G 21/12](#))
- 5/122 . . . {the tensile members are anchored by wedge-action}
- 5/125 . . . {the tensile members are profiled to ensure the anchorage, e.g. when provided with screw-thread, bulges, corrugations}
- 5/127 . . . {The tensile members being made of fiber reinforced plastics}
- 5/16 . . Auxiliary parts for reinforcements, e.g. connectors, spacers, stirrups (([E04C 5/06](#) takes precedence;) tools connecting reinforcing elements [E04G 21/12](#))
- 5/161 . . {Protective caps for the ends of reinforcing bars}
- 5/162 . . {Connectors or means for connecting parts for reinforcements ([E04C 5/168](#) takes precedence)}
- 5/163 . . . {the reinforcements running in one single direction}
- 5/165 {Coaxial connection by means of sleeves}
- 5/166 . . . {the reinforcements running in different directions}
- 5/167 {Connection by means of clips or other resilient elements}
- 5/168 . . {Spacers connecting parts for reinforcements and spacing the reinforcements from the form}
- 5/18 . . {Spacers} of metal or substantially of metal {([E04C 5/168](#) takes precedence)}
- 5/20 . . of material other than metal or with only additional metal parts, e.g. concrete or plastics spacers with metal binding wires {([E04C 5/168](#) takes precedence)}
- 5/201 . . . {Spacer blocks with embedded separate holding wire or clips}
- 5/203 . . . {Circular and spherical spacers}
- 5/205 . . . {Ladder or strip spacers}
- 5/206 . . . {Spacers having means to adapt the spacing distance}
- 5/208 . . . {Spacers especially adapted for cylindrical reinforcing cages}