EUROPEAN PATENT OFFICE U.S. PATENT AND TRADEMARK OFFICE

CPC NOTICE OF CHANGES 1583

DATE: JANUARY 1, 2024

PROJECT RP12183

The following classification changes will be effected by this Notice of Changes:

Action	Subclass	Group(s)
SCHEME:		
Symbols Deleted:	B60K	37/02,37/04,37/06

DATE: JANUARY 1, 2024

Action	Subclass	Group(s)
	B60K	2370/00, 2370/10, 2370/11, 2370/111, 2370/113, 2370/115, 2370/117, 2370/128, 2370/123, 2370/131, 2370/133, 2370/135, 2370/137, 2370/139, 2370/141, 2370/143, 2370/1434, 2370/1446, 2370/1446, 2370/1446, 2370/146, 2370/1476, 2370/148, 2370/149, 2370/151, 2370/151, 2370/151, 2370/152, 2370/152, 2370/1523, 2370/1515, 2370/152, 2370/1531, 2370/1533, 2370/1534, 2370/1537, 2370/156, 2370/157, 2370/156, 2370/157, 2370/156, 2370/156, 2370/157, 2370/166, 2370/166, 2370/163, 2370/164, 2370/164, 2370/164, 2370/164, 2370/165, 2370/165, 2370/166, 2370/163, 2370/164, 2370/166, 2370/167, 2370/173, 2370/174, 2370/174, 2370/172, 2370/174, 2370/174, 2370/174, 2370/174, 2370/174, 2370/174, 2370/174, 2370/174, 2370/174, 2370/174, 2370/174, 2370/186, 2370/186, 2370/186, 2370/186, 2370/186, 2370/186, 2370/186, 2370/186, 2370/184, 2370/188, 2370/191, 2370/193, 2370/194, 2370/195, 2370/197, 2370/199, 2370/20, 2370/21, 2370/23, 2370/25, 2370/27, 2370/28, 2370/29, 2370/31, 2370/331, 2370/332, 2370/334, 2370/334, 2370/334, 2370/334, 2370/334, 2370/334, 2370/344, 2370/345, 2370/347, 2370/48, 2370/35, 2370/37, 2370/39, 2370/40, 2370/42, 2370/44, 2370/45, 2370/56, 2370/56, 2370/56, 2370/56, 2370/592, 2370/595, 2370/596, 2370/591, 2370/592, 2370/592, 2370/593, 2370/594, 2370/594, 2370/599, 2370/599, 2370/592, 2370/595, 2370/698, 2370/599, 2370/599, 2370/599, 2370/599, 2370/599, 2370/599, 2370/698, 2370/791, 2370/794, 2370/798, 2370/791, 2370/794, 2370/795, 2370/698, 2370/691, 2370/794, 2370/795, 2370/698, 2370/694

DATE: JANUARY 1, 2024

Action	Subclass	Group(s)
Symbols New:	B60K	35/10,35/20,35/21,35/211,35/212, 35/213,35/214,35/215,35/22,35/223, 35/23,35/231,35/232,35/233,35/234, 35/235,35/25,35/26,35/265,35/28, 35/285,35/29,35/40,35/405,35/415, 35/425,35/50,35/53,35/55,35/60,35/65, 35/652,35/654,35/656,35/658,35/70, 35/80,35/81,35/85,35/90 37/10,37/20
	B60K	2360/00, 2360/11, 2360/111, 2360/113, 2360/015, 2360/115, 2360/117, 2360/119, 2360/122, 2360/126, 2360/128, 2360/131, 2360/133, 2360/135, 2360/137, 2360/139, 2360/141, 2360/143, 2360/1434, 2360/1444, 2360/1448, 2360/1442, 2360/1446, 2360/1448, 2360/1472, 2360/1476, 2360/1476, 2360/1478, 2360/1472, 2360/1476, 2360/1515, 2360/1523, 2360/1526, 2360/163, 2360/164, 2360/161, 2360/162, 2360/163, 2360/164, 2360/165, 2360/166, 2360/167, 2360/167, 2360/173, 2360/174, 2360/177, 2360/172, 2360/173, 2360/174, 2360/175, 2360/176, 2360/174, 2360/179, 2360/18, 2360/184, 2360/188, 2360/184, 2360/188, 2360/191, 2360/195, 2360/197, 2360/199, 2360/20, 2360/21, 2360/23, 2360/33, 2360/333, 2360/331, 2360/332, 2360/333, 2360/331, 2360/332, 2360/333, 2360/331, 2360/334, 2360/341, 2360/343, 2360/344, 2360/344, 2360/446, 2360/47, 2360/49, 2360/40, 2360/42, 2360/46, 2360/47, 2360/48, 2360/44, 2360/46, 2360/47, 2360/48, 2360/55, 2360/56, 2360/573, 2360/563, 2360/589, 2360/592, 2360/591, 2360/592, 2360/591, 2360/592, 2360/595, 2360/5915, 2360/592, 2360/595, 2360/688, 2360/688, 2360/688, 2360/688, 2360/688, 2360/692, 2360/693, 2360/692, 2360/693, 2360/692, 2360/71, 2360/771, 2360/774, 2360/777, 2360/779, 2360/782, 2360/785, 2360/698, 2360/698, 2360/6985, 2360/698, 2360/6988, 2360/6988, 2360/6988, 2360/791, 2360/794, 2360/777, 2360/777, 2360/779, 2360/794, 2360/777, 2360/788, 2360/797, 2360/788, 2360/797, 2360/788, 2360/797, 2360/788, 2360/797, 2360/788, 2360/797, 2360/788, 2360/7977, 2360/777, 2360/777, 2360/777, 2360/777, 2360/777, 2360/794, 2360/777, 2360/777, 2360/777, 2360/779, 2360/794, 2360/797, 2360/788, 2360/6988, 2360/6988, 2360/6988, 2360/6988, 2360/6988, 2360/6988, 2360/6988, 2360/791, 2360/794, 2360/797, 2360/788, 2360/794, 2360/797, 2360/788, 2360/794, 2360/797, 2360/788, 2360/6988, 2360/888, 2360/884, 2360/884, 2360/992, 2360/888, 2360/884, 2360/884, 2360/992, 2360/888, 2360/884, 2360/884, 2360/992, 2360/888, 2360/884, 2360/884, 2360/992, 2360/888, 2360/884, 2360/884, 2360/992, 2360/888, 2360/884, 2360/884, 2360/992, 2360/888
Titles Changed:	B60K	2360/96 35/00 37/00
	B60K	37/00

DATE: JANUARY 1, 2024

PROJECT RP12183

Action	Subclass	Group(s)
Warnings New:	B60K	35/00, 35/10, 35/20, 35/23, 35/231, 35/232, 35/233, 35/234, 35/235, 35/40, 35/50, 35/53, 35/55, 35/60, 35/65, 35/70, 35/80, 35/85, 35/90
	B60K	37/00, 37/10, 37/20
	B60K	2360/149, 2360/349, 2360/652
Notes New:	B60K	35/00,35/10,35/20,35/28,35/29,35/50, 35/60,35/65,35/80,35/85
	B60K	37/00
Guidance Headings Deleted:	B60K	2370/00
Guidance Headings New:	B60K	2360/00
	B60K	2700/00
Guidance Headings Modified:	B60K	35/00
DEFINITIONS:		
Definitions Deleted: (no frozen (F) symbol definitions should be deleted)	B60K	37/02,37/06
Definitions New:	B60K	35/10, 35/20, 35/21, 35/215, 35/22, 35/23, 35/235, 35/28, 35/29, 35/40, 35/50, 35/65, 35/70, 35/85, 35/90 2360/149, 2360/40, 2360/583, 2360/586,
		2360/589
Definitions Modified:	B60K	35/00
		37/00

The following subclasses/groups are also impacted by this Notice of Changes (indicate subclasses/groups outside of the project scope, such as those listed in the CRL):

B60H 1/00564, B60K 31/00, B60Q 1/0076, B60Q 3/10, B60W 60/00, B60W 2050/0063, B62J 50/22, B62J 99/00, G01C 21/36, G01D, G01D 7/00, G01D 11/00, G01P, G05G, G05G 1/08, G06F 3/0362, G09G, G09G 3/001

This Notice of Changes includes the following [Check the ones included]:

1. CLASSIFICATION SCHEME CHANGES

- A. New, Modified or Deleted Group(s)
- B. New, Modified or Deleted Warning(s)
- ☐ C. New, Modified or Deleted Note(s)
- D. New, Modified or Deleted Guidance Heading(s)

2. DEFINITIONS

- A. New or Modified Definitions (Full definition template)
- B. Modified or Deleted Definitions (Definitions Quick Fix)
- 3. X REVISION CONCORDANCE LIST (RCL)

DATE: JANUARY 1, 2024

- 4. \boxtimes CHANGES TO THE CPC-TO-IPC CONCORDANCE LIST (CICL)
- 5. X CHANGES TO THE CROSS-REFERENCE LIST (CRL)

DATE: JANUARY 1, 2024

PROJECT RP12183

1. CLASSIFICATION SCHEME CHANGES

A. New, Modified or Deleted Group(s)

SUBCLASS B60K - ARRANGEMENT OR MOUNTING OF PROPULSION UNITS OR OF TRANSMISSIONS IN VEHICLES; ARRANGEMENT OR MOUNTING OF PLURAL DIVERSE PRIME-MOVERS IN VEHICLES; AUXILIARY DRIVES FOR VEHICLES; INSTRUMENTATION OR DASHBOARDS FOR VEHICLES; ARRANGEMENTS IN CONNECTION WITH COOLING, AIR INTAKE, GAS EXHAUST OR FUEL SUPPLY OF PROPULSION UNITS IN VEHICLES

Type*	Symbol	Indent Level	<u>Title</u>	Transferred to#
	· —	Number of dots	"CPC only" text should normally be	
		(e.g. 0, 1, 2)	enclosed in {curly brackets}**	
C	B60K35/00	0	Instruments specially adapted for vehicles; Arrangement of instruments in or on vehicles	B60K35/00, B60K35/10, B60K35/20, B60K35/21, B60K35/211 B60K35/212 B60K35/213 B60K35/214 B60K35/214, B60K35/22, B60K35/223, B60K35/233, B60K35/233, B60K35/234, B60K35/234, B60K35/235, B60K35/234, B60K35/235, B60K35/265, B60K35/265, B60K35/265, B60K35/265, B60K35/285, B60K35/405, B60K35/405 B60K35/405 B60K35/405 B60K35/405 B60K35/50, B60K35/53, B60K35/55, B60K35/654, B60K35/654, B60K35/656, B60K35/656, B60K35/658, B60K35/70, B60K35/80, B60K35/81, B60K35/70, B60K35/90
N	B60K35/10	1	Input arrangements, i.e. from user to vehicle, associated with vehicle functions or specially adapted therefor	
N	B60K35/20	1	Output arrangements, i.e. from vehicle to user, associated with vehicle functions or specially adapted therefor	
N	B60K35/21	2	using visual output, e.g. blinking lights or matrix displays	
N	B60K35/21 1	3	{producing three-dimensional [3D] effects, e.g. stereoscopic images}	
N	B60K35/21 2	3	{displaying on manual operation elements, e.g. on a knob}	

DATE: JANUARY 1, 2024

	I			1
N	B60K35/21 3	3	{Virtualinstruments}	
N	B60K35/21 4	3	{Variable gauge scales, e.g. scale enlargement to adapt to maximum driving speed}	
N	B60K35/21 5	3	characterised by the combination of multiple visual outputs, e.g. combined instruments with a nalogue meters and additional displays	
N	B60K35/22	3	Display screens	
N	B60K35/22	4	{Flexible displays}	
Q	B60K35/23	3	Head-up displays [HUD] (optical a spects of head-up displays G02B27/01)	B60K35/23, B60K35/231, B60K35/232, B60K35/233, B60K35/234, B60K35/235
N	B60K35/23 1	4	characterised by their arrangement or structure for integration into vehicles	
N	B60K35/23 2	4	controlling the projection distance of virtual images depending on the condition of the vehicle or the driver	
N	B60K35/23 3	4	controlling the size or position in display areas of virtual images depending on the condition of the vehicle or the driver	
N	B60K35/23 4	4	controlling the brightness, colour or contrast of virtual images depending on the driving conditions or on the condition of the vehicle or the driver	
N	B60K35/23 5	4	with means for detecting the driver's gaze direction or eye points	
N	B60K35/25	2	using haptic output	
N	B60K35/26	2	using a coustic output	
N	B60K35/26 5	3	{Voice}	
N	B60K35/28	2	characterised by the type of the output information, e.g. video entertainment or vehicle dynamics information; characterised by the purpose of the output information, e.g. for attracting the attention of the driver	
N	B60K35/28 5		{for improving awareness by directing driver's gaze direction or eye points}	
N	B60K35/29	2	Instruments characterised by the way in which information is handled, e.g. showing information on plural displays or prioritising information according to driving conditions	

DATE: JANUARY 1, 2024

N	B60K35/40	1	Instruments specially adapted for improving the visibility thereof to the user, e.g. fogging prevention or anti-reflection arrangements	
N	B60K35/40 5	2	{Fogging prevention}	
N	B60K35/41 5	2	{Glare prevention}	
N	B60K35/42 5	2	{Anti-reflection arrangements}	
Q	B60K35/50	1	Instruments characterised by their means of attachment to or integration in the vehicle (B60K35/231 takes precedence)	B60K35/50, B60K37/00, B60K37/10, B60K37/20
Q	B60K35/53	2	Movable instruments, e.g. slidable	B60K35/53, B60K35/55
N	B60K35/55	1	Instruments with parts that can change their shape or position to configure an active screen, e.g. by folding or by rolling	
Q	B60K35/60	1	Instruments characterised by their location or relative disposition in or on vehicles (arrangements of lighting devices on dashboards B60Q3/10)	B60K35/60, B60K35/50, B60K37/00, B60K37/10, B60K37/20
N	B60K35/65	1	Instruments specially adapted for specific vehicle types or users, e.g. for left- or right-hand drive	
N	B60K35/65 2	2	{for left- or right-hand drive}	
N	B60K35/65 4	2	{the user being the driver}	
N	B60K35/65 6	2	{the user being a passenger}	
N	B60K35/65 8	2	{the instruments being ergonomically adjustable to the user}	
N	B60K35/70	1	Instrument provisions for avoiding injuries to vehicle occupants in case of accidents	
N	B60K35/80	1	Arrangements for controlling instruments	
N	B60K35/81	2	for controlling displays	
N	B60K35/85	1	Arrangements for transferring vehicle- or driver-related data	
N	B60K35/90		Calibration of instruments, e.g. setting initial or reference parameters; Testing of instruments, e.g. detecting malfunction	
С	B60K37/00	0	Dashboards (as road-vehicle superstructure sub-units B62D25/14)	B60K37/00, B60K37/10, B60K37/20

DATE: JANUARY 1, 2024

D	B60K37/02	1	Arrangement of instruments (arrangement of lighting devices for dashboards B60Q3/10)	<a 60="" b60k35="" dministrative="" to="" transfer="">
D	B60K37/04	1	Arrangement of fittings on dashboard (of instruments B60K37/02)	<administrative 50="" b60k35="" to="" transfer=""></administrative>
D	B60K37/06	2	of controls, e.g. controls knobs	<administrative 10="" b60k35="" to="" transfer=""></administrative>
N	B60K37/10	1	Arrangements for attaching the dashboard to the vehicle	
N	B60K37/20	1	Da shboard panels	
N	B60K2360/ 00	0	Indexing scheme associated with groups B60K35/00 or B60K37/00 relating to details of instruments or dashboards	
N	B60K2360/ 11	1	Instrument graphical user interfaces or menu aspects	
N	B60K2360/ 111	2	for controlling multiple devices	
N	B60K2360/ 113	2	Scrolling through menu items	
N	B60K2360/ 115	2	Selection of menuitems	
N	B60K2360/ 117	2	Cursors	
N	B60K2360/ 119	2	Icons	
N	B60K2360/ 122	1	Instrument input devices with reconfigurable control functions, e.g. reconfigurable menus	
N	B60K2360/ 126	1	Rotatable input devices for instruments	
N	B60K2360/ 128	1	Axially displaceable input devices for instruments	
N	B60K2360/ 131	1	Pivotable input devices for instruments	
N	B60K2360/ 133	1	Multidirectional input devices for instruments	
N	B60K2360/ 135	2	Joysticks	
N	B60K2360/ 137	2	Jog-dials	
N	B60K2360/ 139	1	Clusters of instrument input devices	
N	B60K2360/ 141	1	Activation of instrument input devices by a pproaching fingers or pens	
N	B60K2360/ 143	1	Touch sensitive instrument input devices	

DATE: JANUARY 1, 2024

N	B60K2360/ 1434	2	Touch panels	
N	B60K2360/ 1438	2	Touch screens	
N	B60K2360/ 1442	3	Emulation of input devices	
N	B60K2360/ 1446	2	Touch switches	
N	B60K2360/ 145	1	Instrument input by combination of touch screen and hardware input devices	
N	B60K2360/ 146	1	Instrument input by gesture	
N	B60K2360/ 1464	2	3D-gesture	
N	B60K2360/ 1468	2	Touch gesture	
N	B60K2360/ 1472	3	Multi-touch gesture	
N	B60K2360/ 1476	3	Handwriting	
N	B60K2360/ 148	1	Instrument input by voice	
Q	B60K2360/ 149	1	Instrument input by detecting viewing direction not otherwise provided for	B60K35/235, B60K2360/149
N	B60K2360/ 151	1	Instrument output devices for configurable output	
N	B60K2360/ 1515	2	Reconfigurable dials	
N	B60K2360/ 1523	1	Matrix displays	
N	B60K2360/ 1526	1	Dual-view displays	
N	B60K2360/ 16	1	Type of output information	
N	B60K2360/ 161	2	Explanation of functions, e.g. instructions	
N	B60K2360/ 162	2	Visual feedback on control action	
N	B60K2360/ 163	2	Language	
N	B60K2360/ 164	2	Infotainment	
N	B60K2360/ 165	2	Videos and animations	
N	B60K2360/ 166	2	Navigation	
N	B60K2360/ 167	2	Vehicle dynamics information	

DATE: JANUARY 1, 2024

N	B60K2360/ 168	2	Target or limit values	
N	B60K2360/ 169	2	Remaining operating distance or charge	
N	B60K2360/ 171	2	Vehicle or relevant part thereof displayed	
N	B60K2360/ 172	2	Driving mode indication	
N	B60K2360/ 173	2	Reversing a ssist	
N	B60K2360/ 174	2	Economic driving	
N	B60K2360/ 175	2	Autonomous driving	
N	B60K2360/ 176	2	Camera images	
N	B60K2360/ 177	2	Augmented reality	
N	B60K2360/ 178	2	Warnings	
N	B60K2360/ 179	2	Distances to obstacles or vehicles	
N	B60K2360/ 18	1	Information management	
N	B60K2360/ 182	2	Distributing information between displays	
N	B60K2360/ 184	2	Displaying the same information on different displays	
N	B60K2360/ 186	2	Displaying information according to relevancy	
N	B60K2360/ 1868	3	according to driving situations	
N	B60K2360/ 1876	3	according to vehicle situations	
N	B60K2360/ 188	2	Displaying information using colour changes	
N	B60K2360/ 191	2	Highlight information	
N	B60K2360/ 195	2	Blocking or enabling display functions	
N	B60K2360/ 197	2	Blocking or enabling of input functions	
N	B60K2360/ 199	2	for a voiding maloperation	
N	B60K2360/ 20	1	Optical features of instruments	
N	B60K2360/ 21	2	using cameras	

DATE: JANUARY 1, 2024

N	B60K2360/ 23	2	using reflectors	
N	B60K2360/ 25	2	using filters	
N	B60K2360/ 27	2	using semi-transparent optical elements	
N	B60K2360/ 28	3	for instruments which are not visible when inactive	
N	B60K2360/ 29	2	Holographic features	
N	B60K2360/ 31	2	Virtualimages	
N	B60K2360/ 33	2	Illumination features	
N	B60K2360/ 331	3	Electroluminescent elements	
N	B60K2360/ 332	3	Light emitting diodes	
N	B60K2360/ 333	3	Lasers	
N	B60K2360/ 334	3	Projection means	
N	B60K2360/ 336	3	Light guides	
N	B60K2360/ 338	3	Light strips	
N	B60K2360/ 339	3	Translucent dashboard skins	
N	B60K2360/ 34	3	Backlit symbols	
N	B60K2360/ 341	3	Illumination of dials	
N	B60K2360/ 343	3	Illumination of matrix displays	
N	B60K2360/ 344	4	for additionally illuminating mechanical elements, e.g. pointers or control knobs	
N	B60K2360/ 345	3	Illumination of controls	
N	B60K2360/ 347	3	Optical elements for superposition of display information	
Q	B60K2360/ 349	3	Adjustment of brightness	B60K35/234, B60K2360/349
N	B60K2360/ 40	1	Hardware a daptations for dashboards or instruments	
N	B60K2360/ 42	2	Circuit board features	
N	B60K2360/ 46	2	Electrical connections	

DATE: JANUARY 1, 2024

	T T			
N	B60K2360/ 47	3	using wireless power transfer or transmission.	
N	B60K2360/ 48	2	Sensors	
N	B60K2360/	1	Remote control arrangements	
N	B60K2360/ 56	2	using mobile devices	
N	B60K2360/ 563	3	Vehicle displaying mobile device information	
N	B60K2360/ 566	3	Mobile devices displaying vehicle information	
N	B60K2360/ 569	3	Vehicle controlling mobile device functions	
N	B60K2360/ 573	3	Mobile devices controlling vehicle functions	
N	B60K2360/ 577	3	Mirror link with mobile devices	
N	B60K2360/ 583	1	Data transfer between instruments	
N	B60K2360/ 586	1	Wired data transfers	
N	B60K2360/ 589	1	Wireless data transfers	
N	B60K2360/ 5894	2	SIM cards	
N	B60K2360/ 5899	2	Internet	
N	B60K2360/ 5905	2	Wi-fi	
N	B60K2360/ 5911	2	Bluetooth	
N	B60K2360/ 5915	2	Intervehicle communication	
N	B60K2360/ 592	1	Data transfer involving external databases	
N	B60K2360/ 595	1	Data transfer involving internal databases	
N	B60K2360/ 60	1	Structural details of dashboards or instruments	
N	B60K2360/ 61	2	Specially adapted for utility vehicles	
N	B60K2360/ 62	2	Anti-theftarrangements	
N	B60K2360/ 65	2	Features of dashboards	
Q	B60K2360/ 652	3	Crash protection features	B60K35/70, B60K2360/652

DATE: JANUARY 1, 2024

N	B60K2360/ 658	3	Da shboard parts used as air ducts	
N	B60K2360/	2	Projection screens or combiners	
N	B60K2360/ 68	2	Features of instruments	
N	B60K2360/ 682	3	Arrangements to cover or hide instruments	
N	B60K2360/ 685	3	Instruments movable with steering column	
N	B60K2360/ 688	3	Frames or decorative parts	
N	B60K2360/ 691	3	Housings	
N	B60K2360/ 692	3	Sealings	
N	B60K2360/ 693	3	Cover plate features	
N	B60K2360/ 695	3	Dial features	
N	B60K2360/ 698	3	Pointers of combined instruments	
N	B60K2360/ 6985	4	with only part of pointer being visible	
N	B60K2360/ 6992	4	Light conducting pointers	
N	B60K2360/ 731	1	Instruments a daptations for specific vehicle types or users by comprising user programmable systems	
N	B60K2360/ 741	1	Instruments a dapted for user detection	
N	B60K2360/ 77	1	Instrument locations other than the dashboard	
N	B60K2360/ 771	2	on the ceiling	
N	B60K2360/ 774	2	on or in the centre console	
N	B60K2360/ 777	2	on or in sun visors	
N	B60K2360/ 779	2	on or in rear view mirrors	
N	B60K2360/ 782	2	on the steering wheel	
N	B60K2360/ 785	2	on or in relation to the windshield or windows	
N	B60K2360/ 788	2	on or in side pillars	
N	B60K2360/ 791	2	on or in the transmission tunnel or parking brake lever	

DATE: JANUARY 1, 2024

N	B60K2360/ 794	2	on or in doors	
N	B60K2360/ 797	2	at the vehicle exterior	
N	B60K2360/ 816	1	Fastening of displays or touch screens	
N	B60K2360/ 822	1	Adjustment of instruments during mounting	
N	B60K2360/ 828	1	Mounting or fastening exchangeable modules	
N	B60K2360/ 834	2	Docking arrangements	
N	B60K2360/ 84	1	Mounting of dashboard components	
N	B60K2360/ 92	1	Ma nufacturing of instruments	
N	B60K2360/ 96	2	by assembling	
D	B60K2370/ 00	0	Details of arrangements or adaptations of instruments specially adapted for vehicles, not covered by groups B60K35/00, B60K37/00	<administrative to<br="" transfer="">B60K2360/00></administrative>
D	B60K2370/ 10	1	Input devices or features thereof	<administrative 10="" 35="" b60k="" inv="" to="" transfer=""></administrative>
D	B60K2370/ 11	2	Graphical user interfaces or menu aspects	<administrative b60k<br="" to="" transfer="">35/10 INV and B60K2360/11 simulta neously></administrative>
D	B60K2370/ 111	3	for controlling multiple devices	<administrative b60k<br="" to="" transfer="">35/10 INV and B60K2360/111 simulta neously></administrative>
D	B60K2370/ 113	3	Scrolling through menu items	<administrative b60k<br="" to="" transfer="">35/10 INV and B60K2360/113 simulta neously></administrative>
D	B60K2370/ 115	3	Selection of menuitems	<administrative b60k<br="" to="" transfer="">35/10 INV and B60K2360/115 simulta neously></administrative>
D	B60K2370/ 117	3	Cursors	<administrative b60k<br="" to="" transfer="">35/10 INV and B60K2360/117 simulta neously></administrative>
D	B60K2370/ 119	3	Icons	<administrative b60k<br="" to="" transfer="">35/10 INV and B60K2360/119 simulta neously></administrative>
D	B60K2370/ 12	2	Input devices or input features	<administrative 10="" 35="" b60k="" inv="" to="" transfer=""></administrative>
D	B60K2370/ 122	3	with reconfigurable control functions, e.g. reconfigurable menus	<administrative b60k<br="" to="" transfer="">35/10 INV and B60K2360/122 simultaneously></administrative>

DATE: JANUARY 1, 2024

D	B60K2370/ 126	3	Rotatable input devices	<administrative b60k<br="" to="" transfer="">35/10 INV and B60K2360/126 simulta neously></administrative>
D	B60K2370/ 128	3	Axially displaceable input devices	<administrative b60k<br="" to="" transfer="">35/10 INV and B60K2360/128 simultaneously></administrative>
D	B60K2370/ 131	3	Pivotable input devices	<administrative b60k<br="" to="" transfer="">35/10 INV and B60K2360/131 simultaneously></administrative>
D	B60K2370/ 133	3	Multidirectional input devices	<administrative b60k<br="" to="" transfer="">35/10 INV and B60K2360/133 simultaneously></administrative>
D	B60K2370/ 135	4	Joysticks	<administrative b60k<br="" to="" transfer="">35/10 INV and B60K2360/135 simultaneously></administrative>
D	B60K2370/ 137	4	Jog-dials	<administrative b60k<br="" to="" transfer="">35/10 INV and B60K2360/137 simultaneously></administrative>
D	B60K2370/ 139	3	Clusters of input devices	<administrative b60k<br="" to="" transfer="">35/10 INV and B60K2360/139 simultaneously></administrative>
D	B60K2370/ 141	3	Activation by approaching fingers or pens	<administrative b60k<br="" to="" transfer="">35/10 INV and B60K2360/141 simultaneously></administrative>
D	B60K2370/ 143	3	Touch sensitive input devices	<administrative b60k<br="" to="" transfer="">35/10 INV and B60K2360/143 simultaneously></administrative>
D	B60K2370/ 1434	4	Touch panels	<administrative b60k<br="" to="" transfer="">35/10 INV and B60K2360/1434 simultaneously></administrative>
D	B60K2370/ 1438	4	Touch screens	<administrative b60k<br="" to="" transfer="">35/10 INV and B60K2360/1438 simultaneously></administrative>
D	B60K2370/ 1442	5	Emulation of input devices	<administrative b60k<br="" to="" transfer="">35/10 INV and B60K2360/1442 simultaneously></administrative>
D	B60K2370/ 1446	4	Touch switches	<administrative b60k<br="" to="" transfer="">35/10 INV and B60K2360/1446 simultaneously></administrative>
D	B60K2370/ 145	3	Input by combination of touch screen and hardware input devices	<administrative b60k<br="" to="" transfer="">35/10 INV and B60K2360/145 simultaneously></administrative>
D	B60K2370/ 146	3	Input by gesture	<administrative b60k<br="" to="" transfer="">35/10 INV and B60K2360/146 simultaneously></administrative>
D	B60K2370/ 1464	4	3D-gesture	<administrative b60k<br="" to="" transfer="">35/10 INV and B60K2360/1464 simultaneously></administrative>

DATE: JANUARY 1, 2024

D	B60K2370/ 1468	4	Touch gesture	<administrative b60k<br="" to="" transfer="">35/10 INV and B60K2360/1468 simultaneously></administrative>
D	B60K2370/ 1472	5	Multi-touch gesture	<administrative b60k<br="" to="" transfer="">35/10 INV and B60K2360/1472 simultaneously></administrative>
D	B60K2370/ 1476	5	Handwriting	<administrative b60k<br="" to="" transfer="">35/10 INV and B60K2360/1476 simultaneously></administrative>
D	B60K2370/ 148	3	Input by voice	<administrative b60k<br="" to="" transfer="">35/10 INV and B60K2360/148 simultaneously></administrative>
D	B60K2370/ 149	3	Input by detecting viewing direction	<administrative b60k<br="" to="" transfer="">35/10 INV and B60K2360/149 simultaneously></administrative>
D	B60K2370/ 15	1	Output devices or features thereof	<administrative 20="" 35="" b60k="" inv="" to="" transfer=""></administrative>
D	B60K2370/ 151	2	Reconfigurable output	<administrative b60k<br="" to="" transfer="">35/20 INV and B60K2360/151 simultaneously></administrative>
D	B60K2370/ 1515	3	Reconfigurable dials	<administrative b60k<br="" to="" transfer="">35/20 INV and B60K2360/1515 simulta neously></administrative>
D	B60K2370/ 152	2	Displays	<administrative 22="" 35="" b60k="" inv="" to="" transfer=""></administrative>
D	B60K2370/ 1523	3	Matrix displays	<administrative b60k<br="" to="" transfer="">35/22 INV and B60K2360/1523 simultaneously></administrative>
D	B60K2370/ 1526	3	Dual-view displays	<administrative b60k<br="" to="" transfer="">35/22 INV and B60K2360/1526 simultaneously></administrative>
D	B60K2370/ 1529	3	Head-up displays	<administrative 23="" 35="" b60k="" inv="" to="" transfer=""></administrative>
D	B60K2370/ 1531	3	Three-dimensional displays	<administrative 211="" 35="" b60k="" inv="" to="" transfer=""></administrative>
D	B60K2370/ 1533	3	Flexible displays	<administrative 223="" 35="" b60k="" inv="" to="" transfer=""></administrative>
D	B60K2370/ 1534	3	Simultaneous multiple use of display matrix, e.g. to display information and to illuminate pointer	<administrative 2360="" 344="" b60k="" to="" transfer=""></administrative>
D	B60K2370/ 1537	3	Displays on a manual operation element	<administrative b60k<br="" to="" transfer="">35/212 INV></administrative>
D	B60K2370/ 154	2	Combined instruments with analogue meters and additional displays	<administrative b60k<br="" to="" transfer="">35/215 INV></administrative>
D	B60K2370/ 155	2	Virtualinstruments	<administrative 213="" 35="" b60k="" inv="" to="" transfer=""></administrative>
D	B60K2370/ 156	2	Variable gauge scales	<administrative 214="" 35="" b60k="" inv="" to="" transfer=""></administrative>

DATE: JANUARY 1, 2024

D	B60K2370/ 157	2	Acoustic output	<administrative 26="" 35="" b60k="" inv="" to="" transfer=""></administrative>
D	B60K2370/ 1575	3	Voice	<administrative 265="" 35="" b60k="" inv="" to="" transfer=""></administrative>
D	B60K2370/ 158	2	Haptic output	<administrative b60k<br="" to="" transfer="">35/25 INV></administrative>
D	B60K2370/ 16	1	Type of information	<administrative b60k<br="" to="" transfer="">35/28 INV and B60K2360/16 simultaneously></administrative>
D	B60K2370/ 161	2	Explanation of functions, e.g. instructions	<administrative b60k<br="" to="" transfer="">35/28 INV and B60K2360/161 simultaneously></administrative>
D	B60K2370/ 162	2	Visual feedback on control action	<a b60k<br="" dministrative="" to="" transfer="">35/28 INV and B60K2360/162 simultaneously>
D	B60K2370/ 163	2	Language	<a b60k<br="" dministrative="" to="" transfer="">35/28 INV and B60K2360/163 simultaneously>
D	B60K2370/ 164	2	Infotainment	<a b60k<br="" dministrative="" to="" transfer="">35/28 INV and B60K2360/164 simultaneously>
D	B60K2370/ 165	2	Videos and animations	<a b60k<br="" dministrative="" to="" transfer="">35/28 INV and B60K2360/165 simultaneously>
D	B60K2370/ 166	2	Navigation	<administrative b60k<br="" to="" transfer="">35/28 INV and B60K2360/166 simultaneously></administrative>
D	B60K2370/ 167	2	Vehicle dynamics information	<administrative b60k<br="" to="" transfer="">35/28 INV and B60K2360/167 simultaneously></administrative>
D	B60K2370/ 168	2	Target or limit values	<administrative b60k<br="" to="" transfer="">35/28 INV and B60K2360/168 simultaneously></administrative>
D	B60K2370/ 169	2	Remaining operating distance or charge	<administrative b60k<br="" to="" transfer="">35/28 INV and B60K2360/169 simultaneously></administrative>
D	B60K2370/ 171	2	Vehicle or relevant part thereof displayed	<administrative b60k<br="" to="" transfer="">35/28 INV and B60K2360/171 simultaneously></administrative>
D	B60K2370/ 172	2	Driving mode indication	<administrative b60k<br="" to="" transfer="">35/28 INV and B60K2360/172 simultaneously></administrative>
D	B60K2370/ 173	2	Reversing assist	<administrative b60k<br="" to="" transfer="">35/28 INV and B60K2360/173 simultaneously></administrative>
D	B60K2370/ 174	2	Economic driving	<administrative b60k<br="" to="" transfer="">35/28 INV and B60K2360/174 simultaneously></administrative>

DATE: JANUARY 1, 2024

D	B60K2370/ 175	2	Autonomous driving	<administrative b60k<br="" to="" transfer="">35/28 INV and B60K2360/175 simultaneously></administrative>
D	B60K2370/ 176	2	Camera images	<administrative b60k<br="" to="" transfer="">35/28 INV and B60K2360/176 simultaneously></administrative>
D	B60K2370/ 177	2	Augmented reality	<administrative b60k<br="" to="" transfer="">35/28 INV and B60K2360/177 simultaneously></administrative>
D	B60K2370/ 178	2	Warnings	<administrative b60k<br="" to="" transfer="">35/28 INV and B60K2360/178 simultaneously></administrative>
D	B60K2370/ 179	2	Distances to obstacles or vehicles	<administrative b60k<br="" to="" transfer="">35/28 INV and B60K2360/179 simultaneously></administrative>
D	B60K2370/ 18	1	Information management	<administrative b60k<br="" to="" transfer="">35/29 INV and B60K2360/18 simultaneously></administrative>
D	B60K2370/ 182	2	Distributing information between displays	<administrative b60k<br="" to="" transfer="">35/29 INV and B60K2360/182 simultaneously></administrative>
D	B60K2370/ 184	2	Displaying the same information on different displays	<administrative b60k<br="" to="" transfer="">35/29 INV and B60K2360/184 simultaneously></administrative>
D	B60K2370/ 186	2	Displaying Information according to relevancy	<administrative b60k<br="" to="" transfer="">35/29 INV and B60K2360/186 simultaneously></administrative>
D	B60K2370/ 1868	3	according to driving situations	<administrative b60k<br="" to="" transfer="">35/29 INV and B60K2360/1868 simultaneously></administrative>
D	B60K2370/ 1876	3	according to vehicle situations	<administrative b60k<br="" to="" transfer="">35/29 INV and B60K2360/1876 simultaneously></administrative>
D	B60K2370/ 188	2	Displaying information using colour changes	<administrative b60k<br="" to="" transfer="">35/29 INV and B60K2360/188 simultaneously></administrative>
D	B60K2370/ 191	2	Highlight information	<administrative b60k<br="" to="" transfer="">35/29 INV and B60K2360/191 simultaneously></administrative>
D	B60K2370/ 193	2	for improving awareness	<administrative b60k<br="" to="" transfer="">35/28 INV ></administrative>
D	B60K2370/ 194	3	by directing line of sight	<administrative b60k<br="" to="" transfer="">35/285 INV ></administrative>
D	B60K2370/ 195	2	Blocking or enabling display functions	<administrative b60k<br="" to="" transfer="">35/29 INV and B60K2360/195 simultaneously></administrative>
D	B60K2370/ 197	2	Blocking or enabling of input functions	<administrative b60k<br="" to="" transfer="">35/29 INV and B60K2360/197 simultaneously></administrative>

DATE: JANUARY 1, 2024

D	B60K2370/	2		<administrative b60k<="" th="" to="" transfer=""></administrative>
	199	2	for a voiding maloperation	35/29 INV and B60K2360/199
				simulta neously>
D	B60K2370/ 20	1	Optical features of instruments	<administrative 20="" b60k2360="" to="" transfer=""></administrative>
D	B60K2370/	2		<administrative td="" to<="" transfer=""></administrative>
	21		using cameras	B60K2360/21>
D	B60K2370/	2		<administrative td="" to<="" transfer=""></administrative>
	23		using reflectors	B60K2360/23>
D	B60K2370/	2		<administrative td="" to<="" transfer=""></administrative>
	25		using filters	B60K2360/25>
D	B60K2370/	2	using semi-transparent optical	<administrative td="" to<="" transfer=""></administrative>
	27	_	elements	B60K2360/27>
D	B60K2370/	3	for instruments which are not visible	<administrative td="" to<="" transfer=""></administrative>
	28	3	when inactive	B60K2360/28>
D	B60K2370/	2		<administrative td="" to<="" transfer=""></administrative>
D	29	2	Holographic features	<a 29="" b60k2360="" dm="" mistrative="" to="" transfer="">
D	B60K2370/	2		<administrative td="" to<="" transfer=""></administrative>
	31	_	Virtualimages	B60K2360/31>
D	B60K2370/	2		<administrative td="" to<="" transfer=""></administrative>
	33	2	Illumination features	B60K2360/33>
D	B60K2370/	3		<administrative td="" to<="" transfer=""></administrative>
	331	3	Electroluminescent elements	B60K2360/331>
D	B60K2370/	3		<administrative td="" to<="" transfer=""></administrative>
	332	3	Light emitting diodes	B60K2360/332>
		2		
D	B60K2370/	3	Lasers	<administrative td="" to<="" transfer=""></administrative>
	333	2		B60K2360/333>
D	B60K2370/	3	Projection means	<administrative td="" to<="" transfer=""></administrative>
	334		3	B60K2360/334>
D	B60K2370/	3	Light guides	<administrative td="" to<="" transfer=""></administrative>
	336			B60K2360/336>
D	B60K2370/	3	Light strips	<administrative td="" to<="" transfer=""></administrative>
	338		6	B60K2360/338>
D	B60K2370/	3		<administrative td="" to<="" transfer=""></administrative>
	339		Translucent dashboard skins	B60K37/20INV and B60K2360/339
				simultaneously>
D	B60K2370/	3	Backlit symbols	<administrative td="" to<="" transfer=""></administrative>
	34		Dackin Symbols	B60K2360/34>
D	B60K2370/	3	Illumination of die 1-	<administrative td="" to<="" transfer=""></administrative>
	341		Illumination of dials	B60K2360/341>
D	B60K2370/	3	Y 11	<administrative td="" to<="" transfer=""></administrative>
-	343	-	Illumination of matrix displays	B60K2360/343>
D	B60K2370/	3		<administrative td="" to<="" transfer=""></administrative>
	345	3	Illumination of controls	B60K2360/345>
D	B60K2370/	3	Optical elements for superposition of	<administrative td="" to<="" transfer=""></administrative>
"	347	5	display information	B60K2360/347>
		2	dispia y iiiTorinauoii	
D	B60K2370/	3	Adjustment of brightness	<administrative td="" to<="" transfer=""></administrative>
	349		-	B60K2360/349>

DATE: JANUARY 1, 2024

D	B60K2370/	2		<administrative th="" to<="" transfer=""></administrative>
	35		Fogging prevention	B60K35/405 INV>
D	B60K2370/ 37	2	Glare prevention	<administrative to<br="" transfer="">B60K35/415 INV></administrative>
D	B60K2370/ 39	2	Anti-reflection arrangements	<administrative 425="" b60k35="" inv="" to="" transfer=""></administrative>
D	B60K2370/ 40	1	Hardware a daptations for dashboards or instruments	<administrative 40="" b60k2360="" to="" transfer=""></administrative>
D	B60K2370/ 42	2	Circuit board features	<administrative 42="" b60k2360="" to="" transfer=""></administrative>
D	B60K2370/ 44	2	Wiring harness	<no transfer=""></no>
D	B60K2370/ 46	2	Electrical connections	<administrative 46="" b60k2360="" to="" transfer=""></administrative>
D	B60K2370/ 47	3	using wireless power transfer or transmission.	<administrative to<br="" transfer="">B60K2360/47></administrative>
D	B60K2370/ 48	2	Sensors	<administrative to<br="" transfer="">B60K2360/48></administrative>
D	B60K2370/ 50	1	Control arrangements; Data network features	<administrative b60k<br="" to="" transfer="">35/80 INV></administrative>
D	B60K2370/ 52	2	Control of displays	<administrative to<br="" transfer="">B60K35/81 INV></administrative>
D	B60K2370/ 55	2	Remote controls	<administrative b60k<br="" to="" transfer="">35/80 INV and B60K2360/55 simulta neously></administrative>
D	B60K2370/ 56	3	using mobile devices	<administrative b60k<br="" to="" transfer="">35/80 INV and B60K2360/56 simulta neously></administrative>
D	B60K2370/ 563	4	Vehicle displaying mobile device information	<administrative b60k<br="" to="" transfer="">35/80 INV and B60K2360/563 simulta neously></administrative>
D	B60K2370/ 566	4	Mobile devices displaying vehicle information	<administrative b60k<br="" to="" transfer="">35/80 INV and B60K2360/566 simulta neously></administrative>
D	B60K2370/ 569	4	Vehicle controlling mobile device functions	<administrative b60k<br="" to="" transfer="">35/80 INV and B60K2360/569 simulta neously></administrative>
D	B60K2370/ 573	4	Mobile devices controlling vehicle functions	<administrative b60k<br="" to="" transfer="">35/80 INV and B60K2360/573 simulta neously></administrative>
D	B60K2370/ 577	4	Mirror link with mobile devices	<administrative b60k<br="" to="" transfer="">35/80 INV and B60K2360/577 simulta neously></administrative>
D	B60K2370/ 58	2	Data transfers	<administrative b60k<br="" to="" transfer="">35/85 INV></administrative>
D	B60K2370/ 583	3	between instruments	<administrative b60k<br="" to="" transfer="">35/85 INV and B60K2360/583 simulta neously></administrative>
	l			J

DATE: JANUARY 1, 2024

		•		
D	B60K2370/ 586	3	Wired data transfers	<administrative b60k<br="" to="" transfer="">35/85 INV and B60K2360/586 simultaneously></administrative>
D	B60K2370/ 589	3	Wireless	<administrative b60k<br="" to="" transfer="">35/85 INV and B60K2360/589 simultaneously></administrative>
D	B60K2370/ 5894	4	SIM cards	<administrative b60k<br="" to="" transfer="">35/85 INV and B60K2360/5894 simultaneously></administrative>
D	B60K2370/ 5899	4	Internet	<administrative b60k<br="" to="" transfer="">35/85 INV and B60K2360/5899 simultaneously></administrative>
D	B60K2370/ 5905	4	Wi-fi	<administrative b60k<br="" to="" transfer="">35/85 INV and B60K2360/5905 simultaneously></administrative>
D	B60K2370/ 5911	4	Bluetooth	<administrative b60k<br="" to="" transfer="">35/85 INV and B60K2360/5911 simultaneously></administrative>
D	B60K2370/ 5915	4	Inter vehicle communication	<administrative b60k<br="" to="" transfer="">35/85 INV and B60K2360/5915 simultaneously></administrative>
D	B60K2370/ 592	3	External database involved	<administrative b60k<br="" to="" transfer="">35/85 INV and B60K2360/592 simultaneously></administrative>
D	B60K2370/ 595	3	Internal database involved	<administrative b60k<br="" to="" transfer="">35/85 INV and B60K2360/595 simultaneously></administrative>
D	B60K2370/ 60	1	Structural details of dashboards or instruments	<administrative 60="" b60k2360="" to="" transfer=""></administrative>
D	B60K2370/ 61	2	Specially adapted for utility vehicles	<administrative 61="" b60k2360="" to="" transfer=""></administrative>
D	B60K2370/ 62	2	Anti-theft arrangements	<administrative 62="" b60k2360="" to="" transfer=""></administrative>
D	B60K2370/ 63	2	Crash protection features	<administrative to<br="" transfer="">B60K2360/652></administrative>
D	B60K2370/ 65	2	Features of dashboards	<administrative 65="" b60k2360="" to="" transfer=""></administrative>
D	B60K2370/ 654	3	Da shboard panels	<administrative to<br="" transfer="">B60K37/20INV></administrative>
D	B60K2370/ 658	3	Da shboard parts used as air ducts	<administrative 658="" b60k2360="" to="" transfer=""></administrative>
D	B60K2370/ 66	2	Projection screens or combiners	<administrative to<br="" transfer="">B60K2360/66></administrative>
D	B60K2370/ 67	2	Foldable or movable displays	<administrative b60k<br="" to="" transfer="">35/22 INV and B60K 35/53 INV simultaneously></administrative>
D	B60K2370/ 68	2	Features of instruments	<administrative 68="" b60k2360="" to="" transfer=""></administrative>

DATE: JANUARY 1, 2024

D	B60K2370/ 682	3	Arrangements to cover or hide instruments	<administrative 682="" b60k2360="" to="" transfer=""></administrative>
D	B60K2370/ 685	3	Instruments movable with steering column	<administrative b60k<br="" to="" transfer="">35/53 INV and B60K2360/685 simulta neously></administrative>
D	B60K2370/ 688	3	Frames or decorative parts	<administrative 688="" b60k2360="" to="" transfer=""></administrative>
D	B60K2370/ 691	3	Housings	<administrative to<br="" transfer="">B60K2360/691></administrative>
D	B60K2370/ 692	3	Sealings	<a 692="" b60k2360="" dm="" inistrative="" to="" transfer="">
D	B60K2370/ 693	3	Cover plate features	<administrative to<br="" transfer="">B60K2360/693></administrative>
D	B60K2370/ 695	3	Dia1 features	<administrative to<br="" transfer="">B60K2360/695></administrative>
D	B60K2370/ 698	3	Pointers of combined instruments	<administrative to<br="" transfer="">B60K2360/698></administrative>
D	B60K2370/ 6985	4	with only part of pointer being visible	<administrative 6985="" b60k2360="" to="" transfer=""></administrative>
D	B60K2370/ 6992	4	Light conducting pointers	<administrative 6992="" b60k2360="" to="" transfer=""></administrative>
D	B60K2370/ 70	1	Arrangements of instruments in the vehicle	<no transfer=""></no>
D	B60K2370/ 73	2	with special adaptation to the user or to the vehicle	<administrative b60k<br="" to="" transfer="">35/65 INV></administrative>
D	B60K2370/ 731	3	user programmable systems	<administrative b60k<br="" to="" transfer="">35/65 INV and B60K2360/731 simultaneously></administrative>
D	B60K2370/ 733	3	Left or right steering	<administrative 35="" 652="" b60k="" inv="" to="" transfer=""></administrative>
D	B60K2370/ 736	3	the user being the driver	<administrative 35="" 654="" b60k="" inv="" to="" transfer=""></administrative>
D	B60K2370/ 739	3	the user being the passenger	<administrative 35="" 656="" b60k="" inv="" to="" transfer=""></administrative>
D	B60K2370/ 741	3	User detection	<administrative b60k<br="" to="" transfer="">35/65 INV and B60K2360/741 simultaneously></administrative>
D	B60K2370/ 744	3	Position adjustable by user	<administrative b60k<br="" to="" transfer="">35/658 INV></administrative>
D	B60K2370/ 77	2	characterised by locations other than the dashboard	<administrative b60k<br="" to="" transfer="">35/60 INV and B60K2360/77 simultaneously></administrative>
D	B60K2370/ 771	3	on the ceiling	<administrative b60k<br="" to="" transfer="">35/60 INV and B60K2360/771 simultaneously></administrative>
D	B60K2370/ 774	3	on or in the centre console	<administrative b60k<br="" to="" transfer="">35/60 INV and B60K2360/774 simultaneously></administrative>

DATE: JANUARY 1, 2024

D	B60K2370/	3		<administrative b60k<="" th="" to="" transfer=""></administrative>
ש	777	3	on or in sun visors	<administrative book<br="" to="" transfer="">35/60 INV and B60K2360/777 simulta neously></administrative>
D	B60K2370/ 779	3	on or in rear view mirrors	<administrative b60k<br="" to="" transfer="">35/60 INV and B60K2360/779 simultaneously></administrative>
D	B60K2370/ 782	3	on the steering wheel	<administrative b60k<br="" to="" transfer="">35/60 INV and B60K2360/782 simultaneously></administrative>
D	B60K2370/ 785	3	on or in relation to the windshield or windows	<administrative b60k<br="" to="" transfer="">35/60 INV and B60K2360/785 simultaneously></administrative>
D	B60K2370/ 788	3	on or in side pillars	<administrative b60k<br="" to="" transfer="">35/60 INV and B60K2360/788 simultaneously></administrative>
D	B60K2370/ 791	3	on or in the transmission tunnel or parking brake lever	<administrative b60k<br="" to="" transfer="">35/60 INV and B60K2360/791 simultaneously></administrative>
D	B60K2370/ 794	3	on or in doors	<administrative b60k<br="" to="" transfer="">35/60 INV and B60K2360/794 simultaneously></administrative>
D	B60K2370/ 797	3	At the vehicle exterior	<administrative b60k<br="" to="" transfer="">35/60 INV and B60K2360/797 simulta neously></administrative>
D	B60K2370/ 80	1	Mounting or fastening arrangements; Mounting or fastening processes	<no transfer=""></no>
D	B60K2370/ 81	2	Fastening of instruments, e.g. to dashboard	<administrative 35="" 50="" b60k="" inv="" to="" transfer=""></administrative>
D	B60K2370/ 816	3	Fastening of displays or touch screens	<administrative b60k<br="" to="" transfer="">35/50 INV and B60K2360/816 simulta neously></administrative>
D	B60K2370/ 822	3	Adjustment of instruments during mounting	<administrative b60k<br="" to="" transfer="">35/50 INV and B60K2360/822 simulta neously></administrative>
D	B60K2370/ 828	3	Exchangeable modules	<administrative b60k<br="" to="" transfer="">35/50 INV and B60K2360/828 simulta neously></administrative>
D	B60K2370/ 834	3	Docking	<administrative b60k<br="" to="" transfer="">35/50 INV and B60K2360/834 simulta neously></administrative>
D	B60K2370/ 84	2	Mounting of dashboard components	<administrative 84="" b60k2360="" to="" transfer=""></administrative>
D	B60K2370/ 87	2	Fixation of dashboard to vehicle structure	<administrative 10="" 37="" b60k="" inv="" to="" transfer=""></administrative>
D	B60K2370/ 90	1	Calibration, testing or manufacturing aspects	<no transfer=""></no>
D	B60K2370/ 91	2	Assembly of instruments	<administrative 96="" b60k2360="" to="" transfer=""></administrative>
D	B60K2370/ 92	2	Calibration of instruments	<administrative 35="" 90="" b60k="" inv="" to="" transfer=""></administrative>

DATE: JANUARY 1, 2024

PROJECT RP12183

D	B60K2370/ 95	2	Testing of instruments	<administrative 35="" 90="" b60k="" inv="" to="" transfer=""></administrative>
D	B60K2370/ 98	2	Manufacturing of instruments	<administrative to<br="" transfer="">B60K2360/92></administrative>

*N = new entries where reclassification into entries is involved; C = entries with modified file scope where reclassification of documents from the entries is involved; Q = new entries which are firstly populated with documents via administrative transfers from deleted (D) entries. Afterwards, the transferred documents into the Q entry will either stay or be moved to more appropriate entries, as determined by intellectual reclassification; T = existing entries with enlarged file scope, which receive documents from C or D entries, e.g. when a limiting reference is removed from the entry title; M = entries with no change to the file scope (no reclassification); D = deleted entries; F = frozen entries will be deleted once reclassification of documents from the entries is completed; U = entries that are unchanged.

NOTES:

- **No {curly brackets} are used for titles in CPC only <u>subclasses</u>, e.g. C12Y, A23Y; 2000 series symbol titles of groups found at the end of schemes (orthogonal codes); or the Y section titles. The {curly brackets} <u>are</u> used for 2000 series symbol titles found interspersed throughout the main trunk schemes (breakdown codes).
- U groups: it is obligatory to display the required "anchor" symbol (U group), i.e. the entry immediately preceding a new group or an array of new groups to be created (in case new groups are not clearly subgroups of C-type groups). Always include the symbol, indent level and title of the U group in the table above.
- All entry types should be included in the scheme changes table above for better understanding of the overall scheme change picture. Symbol, indent level, and title are required for all types.
- "Transferred to" column <u>must</u> be completed for all C, D, F, and Q type entries. F groups will be deleted once reclassification is completed.
- When multiple symbols are included in the "Transferred to" column, avoid using ranges of symbols in order to be as precise as possible.
- For administrative transfer of documents, the following text should be used: "<administrative transfer to XX>", "<administrative transfer to XX and YY simultaneously>", or "<administrative transfer to XX, YY, ...and ZZ simultaneously>" when administrative transfer of the same documents is to more than one place.
- Administrative transfer to main trunk groups is assumed to be the source allocation type, unless otherwise indicated.
- Administrative transfer to 2000/Y series groups is assumed to be "additional information".
- If needed, instructions for allocation type should be indicated within the angle brackets using the abbreviations "ADD" or "INV": <administrative transfer to XX ADD>, <administrative transfer to XX INV>, or <administrative transfer to XX ADD, YY INV, ... and ZZ ADD simultaneously>.
- In certain situations, the "D" entries of 2000-series or Y-series groups may not require a destination ("Transferred to") symbol, however it is required to specify "<no transfer>" in the "Transferred to" column for such cases.
- For finalization projects, the deleted "F" symbols should have <no transfer> in the "Transferred to" column.
- For more details about the types of scheme change, see CPC Guide.

DATE: JANUARY 1, 2024

PROJECT RP12183

B. New, Modified or Deleted Warning notice(s)

SUBCLASS B60K - ARRANGEMENT OR MOUNTING OF PROPULSION UNITS OR OF TRANSMISSIONS IN VEHICLES; ARRANGEMENT OR MOUNTING OF PLURAL DIVERSE PRIME-MOVERS IN VEHICLES; AUXILIARY DRIVES FOR VEHICLES; INSTRUMENTATION OR DASHBOARDS FOR VEHICLES; ARRANGEMENTS IN CONNECTION WITH COOLING, AIR INTAKE, GAS EXHAUST OR FUEL SUPPLY OF PROPULSION UNITS IN VEHICLES

Type*	Location	Old Warning notice	New/Modified Warning
N	B60K35/00		Group B60K 35/00 is impacted by reclassification into groups B60K 35/10, B60K 35/20-B60K 35/29, B60K 35/40-B60K 35/425, B60K 35/50-B60K 35/53, B60K 35/55, B60K 35/60, B60K 35/65-B60K 35/658, B60K 35/70, B60K 35/80-B60K 35/81, B60K 35/85 and B60K 35/90. All groups listed in this Warning should be considered in order to perform a complete search.
N	B60K35/10		Group B60K 35/10 is incomplete pending reclassification of documents from group B60K 35/00. Groups B60K 35/00 and B60K 35/10 should be considered in order to perform a complete search.
N	B60K35/20		Groups B60K 35/20, B60K 35/21, B60K 35/211, B60K 35/212, B60K 35/213, B60K 35/214, B60K 35/215, B60K 35/223, B60K 35/223, B60K 35/25, B60K 35/26, B60K 35/265, B60K 35/28, B60K 35/285 and B60K 35/29 are incomplete pending reclassification of documents from group B60K 35/00. All groups listed in this Warning should be considered in order to perform a complete search.
N	B60K35/23		Group B60K 35/23 is incomplete pending reclassification of documents from group B60K 35/00. Group B60K 35/23 is also impacted by reclassification into groups B60K 35/231, B60K 35/232, B60K 35/233, B60K 35/234 and B60K 35/235. All groups listed in this Warning should be considered in order to perform a complete search.
N	B60K35/231		Group B60K 35/231 is incomplete pending reclassification of documents from groups B60K 35/00 and B60K 35/23. Groups B60K 35/00, B60K 35/23 and B60K 35/231 should be considered in order to perform a complete search.
N	B60K35/232		Group B60K 35/232 is incomplete pending reclassification of documents from groups B60K 35/00 and B60K 35/23. Groups B60K 35/00, B60K 35/23 and B60K 35/232 should be

DATE: JANUARY 1, 2024

		considered in order to perform a complete
		search.
N	B60K35/233	Group B60K 35/233 is incomplete pending reclassification of documents from groups B60K 35/00 and B60K 35/23. Groups B60K 35/00, B60K 35/23 and B60K 35/233 should be considered in order to perform a complete search.
N	B60K35/234	Group B60K 35/234 is incomplete pending reclassification of documents from groups B60I 35/00, B60K 35/23 and B60K 2360/349. All groups listed in this Warning should be considered in order to perform a complete search.
N	B60K35/235	Group B60K 35/235 is incomplete pending reclassification of documents from groups B60I 35/00, B60K 35/23 and B60K 2360/149. All groups listed in this Warning should be considered in order to perform a complete search.
N	B60K35/40	Groups B60K 35/40-B60K 35/425 are incomplete pending reclassification of documents from group B60K 35/00. All groups listed in this Warning should be considered in order to perform a complete search.
N	B60K35/50	Group B60K 35/50 is incomplete pending reclassification of documents from groups B60K 35/00 and B60K 35/60. Group B60K 35/50 is also impacted by reclassification into groups B60K 37/00, B60K 37/10 and B60K 37/20. All groups listed in this Warning should be considered in order to perform a complete search.
N	B60K35/53	Group B60K 35/53 is incomplete pending reclassification of documents from group B60K 35/00. Group B60K 35/53 is also impacted by reclassification into group B60K 35/55. Groups B60K 35/00, B60K 35/53 and B60K 35/55 should be considered in order to perform a complete search.
N	B60K35/55	Group B60K 35/55 is incomplete pending reclassification of documents from groups B60F 35/00 and B60K 35/53. Groups B60K 35/00, B60K 35/53 and B60K 35/55 should be considered in order to perform a complete search.
N	B60K35/60	Group B60K 35/60 is incomplete pending reclassification of documents from group B60K 35/00. Group B60K 35/60 is also impacted by reclassification into groups B60K 35/50 and B60K 37/00-B60K 37/20. All groups listed in

DATE: JANUARY 1, 2024

		this Warning should be considered in order to
		perform a complete search.
N	B60K35/65	Groups B60K 35/65, B60K 35/652, B60K 35/654, B60K 35/656 and B60K 35/658 are incomplete pending reclassification of documents from group B60K 35/00. All groups listed in this Warning should be considered in order to perform a complete search.
N	B60K35/70	Group B60K 35/70 is incomplete pending reclassification of documents from groups B60K 35/00 and B60K 2360/652. Groups B60K 35/00, B60K 2360/652 and B60K 35/70 should be considered in order to perform a complete search.
N	B60K35/80	Groups B60K 35/80 and B60K 35/81 are incomplete pending reclassification of documents from group B60K 35/00. Groups B60K 35/00, B60K 35/80 and B60K 35/81 should be considered in order to perform a complete search.
N	B60K35/85	Group B60K 35/85 is incomplete pending reclassification of documents from group B60K 35/00. Groups B60K 35/00 and B60K 35/85 should be considered in order to perform a complete search.
N	B60K35/90	Group B60K 35/90 is incomplete pending reclassification of documents from group B60K 35/00. Groups B60K 35/00 and B60K 35/90 should be considered in order to perform a complete search.
N	B60K37/00	Group B60K 37/00 is incomplete pending reclassification of documents from groups B60K 35/50 and B60K 35/60. Group B60K 37/00 is also impacted by reclassification into groups B60K 37/10 and B60K 37/20. All groups listed in this Warning should be considered in order to perform a complete search.
N	B60K37/10	Group B60K 37/10 is incomplete pending reclassification of documents from groups B60K 35/50, B60K 35/60 and B60K 37/00. All groups listed in this Warning should be considered in order to perform a complete search.
N	B60K37/20	Group B60K 37/20 is incomplete pending reclassification of documents from groups B60K 35/50, B60K 35/60 and B60K 37/00. All groups listed in this Warning should be considered in order to perform a complete search.
N	B60K 2360/149	Group B60K 2360/149 is impacted by reclassification into group B60K 35/235. Groups B60K 2360/149 and B60K 35/235 should be considered in order to perform a complete search.

DATE: JANUARY 1, 2024

PROJECT RP12183

N	B60K 2360/349	Group B60K 2360/349 is impacted by reclassification into group B60K 35/234. Groups B60K 2360/349 and B60K 35/234 should be considered in order to perform a complete search.
N	B60K 2360/652	Group B60K 2360/652 is impacted by reclassification into group B60K 35/70. Groups B60K 2360/652 and B60K 35/70 should be considered in order to perform a complete search.

^{*}N = new warning, M = modified warning, D = deleted warning

NOTE: The "Location" column only requires the symbol PRIOR to the location of the warning. No further directions such as "before" or "after" are required.

DATE: JANUARY 1, 2024

PROJECT RP12183

C. New, Modified or Deleted Note(s)

SUBCLASS B60K - ARRANGEMENT OR MOUNTING OF PROPULSION UNITS OR OF TRANSMISSIONS IN VEHICLES; ARRANGEMENT OR MOUNTING OF PLURAL DIVERSE PRIME-MOVERS IN VEHICLES; AUXILIARY DRIVES FOR VEHICLES; INSTRUMENTATION OR DASHBOARDS FOR VEHICLES; ARRANGEMENTS IN CONNECTION WITH COOLING, AIR INTAKE, GAS EXHAUST OR FUEL SUPPLY OF PROPULSION UNITS IN VEHICLES

Type*	Location	<u>Old Note</u>	<u>New/Modified Note</u>
N	B60K35/00		{In this group, it is desirable to add the indexing codes of B60K2360/20 - B60K2360/48, B60K2360/60 - B60K2360/62 and B60K2360/92 - B60K2360/96}
N	B60K35/10		{In this group, it is desirable to add the indexing codes of B60K2360/11 - B60K2360/149}
N	B60K35/20		{In the groups B60K35/20 – B60K35/22 and B60K35/26, it is desirable to add the indexing codes of B60K2360/151 - B60K2360/1526}
N	B60K35/28		{In this group, it is desirable to add the indexing codes of B60K2360/16 - B60K2360/179}
N	B60K35/29		{In this group, it is desirable to add the indexing codes of B60K2360/18 - B60K2360/199}
N	B60K35/50		{In this group, it is desirable to add the indexing codes of B60K2360/816 - B60K2360/834}
N	B60K35/60		{In this group, it is desirable to add the indexing codes of B60K2360/77 - B60K2360/797}
N	B60K35/65		{In the groups B60K35/65 - B60K35/658, it is desirable to add the indexing codes of B60K2360/731 - B60K2360/741}
N	B60K35/80		{In this group, it is desirable to add the indexing codes of B60K2360/55 - B60K2360/577}
N	B60K35/85		{In this group, it is desirable to add the indexing codes of B60K2360/583 – B60K2360/595}
N	B60K37/00		{In this group, it is desirable to add the indexing codes of B60K2360/40 - B60K2360/48, B60K2360/65 - B60K2360/6992 and B60K2360/84}

^{*}N = new note, M = modified note, D = deleted note

NOTE: The "Location" column only requires the symbol PRIOR to the location of the note. No further directions such as "before" or "after" are required.

DATE: JANUARY 1, 2024

PROJECT RP12183

D. New, Modified or Deleted Guidance Heading(s)

SUBCLASS B60K - ARRANGEMENT OR MOUNTING OF PROPULSION UNITS OR OF TRANSMISSIONS IN VEHICLES; ARRANGEMENT OR MOUNTING OF PLURAL DIVERSE PRIME-MOVERS IN VEHICLES; AUXILIARY DRIVES FOR VEHICLES; INSTRUMENTATION OR DASHBOARDS FOR VEHICLES; ARRANGEMENTS IN CONNECTION WITH COOLING, AIR INTAKE, GAS EX HAUST OR FUEL SUPPLY OF PROPULSION UNITS IN VEHICLES.

INTAKE, GAST	TARE, GAS EXHAUST OR FUEL SUFFET OF FROM ULSION UNITS IN VEHICLES		
Type*	Location	Old Guidance Heading	<u>New/Modified Guidance</u> <u>Heading</u>
M	B60K35/00 - B60K37/00	Arrangement of adaptations of instruments specially for vehicles; Dashboards	Instruments specially adapted for vehicles or dashboards; Arrangement of instruments or dashboards in or on vehicles
N	B60K2360/00 - B60K2360/00		Details of instruments or dashboards
D	B60K2370/00- B60K2704/00	Arrangement or mounting of propulsion units in vehicles	
N	B60K2700/00- B60K2704/00		Control mechanisms or devices

^{*}N = new guidance heading, M =modified guidance heading, D = deleted guidance heading

NOTES:

• The "Location" column requires the symbol AFTER the guidance heading location. No further directions such as "before" or "after" are required.

In cases where there may be confusion as to whether a new group falls within the scope of a guidance heading, indicate the guidance heading and whether the group does or does not go with the guidance heading. This can be included in the "Location" column. For example, the guidance heading "Compounds containing carbon together with sulfur, selenium or tellurium with or without hydrogen, halogens, oxygen or nitrogen" encompasses groups C07C 301/00-395/00 only. If a new group C07C 398/00 is proposed and is included in the guidance heading scope, indicate this in the "Location" column as follows: 398/00 to be included under the guidance heading: "Compounds containing carbon together with sulfur, selenium or tellurium with or without hydrogen, halogens, oxygen or nitrogen.

DATE: JANUARY 1, 2024

PROJECT RP12183

2. A. DEFINITIONS (new)

B60K 35/10

References

Application-oriented references

Examples of places where the subject matter of this place is covered when specially adapted, used for a particular purpose, or incorporated in a larger system:

I input arrangements specially adapted for route havigation 0010 21/30	Input arrangements specially adapted for route navigation	G01C 21/36
--	---	------------

Informative references

Attention is drawn to the following places, which may be of interest for search:

Control levers on arm rests	B60N 2/797
Arrangements of elements of electric circuits for voice	B60R16/0373
control in vehicles	
Controlling members, e.g. knobs or handles, in general	G05G 1/00
Input arrangements or combined input and output	G06F 3/01
arrangements for interaction between user and computer in	
general	
Touch screens	G06F 3/0488
User interface programs, e.g. command shells, help	G06F 9/451
systems or user interface management systems [UIMS]	

Special rules of classification

In this group it is desirable to add the Orthogonal Indexing Codes of B60K2360/11 - B60K2360/149.

DATE: JANUARY 1, 2024

PROJECT RP12183

B60K 35/20

References

Application-oriented references

Examples of places where the subject matter of this place is covered when specially adapted, used for a particular purpose, or incorporated in a larger system:

Output arrangements specially adapted for route	G01C 21/36
navigation	

Informative references

Attention is drawn to the following places, which may be of interest for search:

Means for informing the driver, warning the driver or	B60W 50/14
prompting a driver intervention as part of control systems	
for road vehicle drive control not related to the control of a	
particular sub-unit	

Special rules of classification

In this group it is desirable to add the Orthogonal Indexing Codes of B60K2360/151 - B60K2360/1526.

B60K 35/21

References

Informative references

Attention is drawn to the following places, which may be of interest for search:

Control arrangements for varying the light intensity for dashboards	B60Q 3/16
Projection devices for colour picture display in television	H04N 9/31
systems	

DATE: JANUARY 1, 2024

PROJECT RP12183

B60K 35/215

References

Informative references

Attention is drawn to the following places, which may be of interest for search:

Combined instruments indicating more than one	G01C 23/00
navigational value, e.g. for aircraft	

B60K 35/22

References

Informative references

Attention is drawn to the following places, which may be of interest for search:

Indicating arrangements for variable information in which	G09F 9/00
the information is built-up on a support by selection or	
combination of individual elements in general	

Glossary of terms

In this place, the following terms or expressions are used with the meaning indicated:

Display screens	Integrated or non-integrated screens on which
	information is displayed

DATE: JANUARY 1, 2024

PROJECT RP12183

B60K 35/23

Relationships with other classification places

G02B 27/01 covers head-up displays as optical elements or optical systems as such.

Contrary thereto, this subgroup relates to head-up displays as vehicle instruments.

Classification of technical characteristics of the head-up display relating to the vehicle instrument function is therefore classified in this subgroup. Technical characteristics of subject-matter referring to both optical aspects as well as to a vehicle instrument function is classified in G02B 27/01 as well as in this subgroup.

References

Limiting references

This place does not cover:

Optical aspects of head-up displays	G02B 27/01
-------------------------------------	------------

Glossary of terms

In this place, the following terms or expressions are used with the meaning indicated:

Head-up displays [HUD]	Substantially transparent displays that present	
	information in one of the drivers' lines of sight to	
	the outside of the vehicle	

DATE: JANUARY 1, 2024

PROJECT RP12183

B60K 35/235

References

Informative references

Attention is drawn to the following places, which may be of interest for search:

Instrument input by detecting viewing direction not	B60K 2360/149
otherwise provided for	

B60K 35/28

References

Informative references

Attention is drawn to the following places, which may be of interest for search:

Selective content distribution in pictorial communication,	H04N 21/00
e.g. interactive television or video on demand in general	

Special rules of classification

In this group it is desirable to add the Orthogonal Indexing Codes of B60K2360/16 - B60K2360/179.

B60K 35/29

References

Informative references

Attention is drawn to the following places, which may be of interest for search:

Optical viewing arrangements in vehicles not otherwise	B60R 1/00
provided for	

DATE: JANUARY 1, 2024

PROJECT RP12183

Special rules of classification

In this group it is desirable to add the Orthogonal Indexing Codes of B60K2360/18 - B60K2360/199.

B60K 35/40

References

Informative references

Attention is drawn to the following places, which may be of interest for search:

Antiglare equipment associated with windows or windscreens	B60J 3/00
Optical viewing arrangements in vehicles not otherwise provided for	B60R 1/00
Cleaning windscreens, vehicle windows or optical devices of vehicles	B60S 1/02

B60K 35/50

References

Limiting references

This place does not cover:

Head-up displays characterised by their arrangement or	B60K 35/231
structure for integration into vehicles	

Informative references

Arrangements for attaching the dashboard to the vehicle	B60K 37/10
structure	
Arrangements for holding or mounting radio sets, television	B60R 11/02
sets or telephones	

DATE: JANUARY 1, 2024

PROJECT RP12183

Devices for fastening or securing constructional elements	F16B
or machine parts together	
Arrangements of scales, pointers, lamps or acoustic	G01P 1/07
indicators in automobile speedometers	

Special rules of classification

In this group it is desirable to add the Orthogonal Indexing Codes of B60K2360/816 - B60K2360/834.

B60K 35/60

Limiting references

This place does not cover:

Arrangements of lighting devices on dashboards	B60Q 3/10
Arrangements of lighting devices on dashboards	D00Q 3/10

Special rules of classification

In this group it is desirable to add the Orthogonal Indexing Codes of B60K2360/77 - B60K2360/797.

B60K 35/65

Special rules of classification

In this group it is desirable to add the Orthogonal Indexing Codes of B60K2360/731 - B60K2360/741.

B60K 35/70

References

Informative references

DATE: JANUARY 1, 2024

PROJECT RP12183

Linings associated with the instrument panel or dashboard	B60R 21/045
as occupant safety arrangement	
Steering columns incorporating energy-absorbing	B62D 1/19
arrangements, e.g. by being yieldable or collapsible	
Shock-absorbers using plastic deformation of members in	F16F 7/12
general	

B60K 35/85

References

Informative references

Attention is drawn to the following places, which may be of interest for search:

Electric circuits for transmission of signals between vehicle	B60R 16/023
parts or subsystems	
Network arrangements or protocols for supporting network services specially for special-purpose networking	H04L 67/12
environments, e.g. networks in vehicles	
User interfaces specially adapted for cordless or mobile	H04M 1/724
telephones	
Wireless communication networks for vehicles	H04W 4/40

Special rules of classification

In this group it is desirable to add the Orthogonal Indexing Codes of B60K2360/583 - B60K2360/595.

B60K 35/90

References

Informative references

DATE: JANUARY 1, 2024

PROJECT RP12183

Testing static or dynamic balance of machines or structures in general	G01M
Arrangements for locating electric faults	G01R 31/00
Camera calibration by analysis of captured images in	G06T 7/80
general	

B60K 2360/149

Special rules of classification

This indexing code covers all vehicle instruments input devices by detecting viewing direction excluding means for detecting the driver's gaze direction or eye points in head-up displays for which the main trunk symbol B60K 35/235 is provided.

References

Informative references

Attention is drawn to the following places, which may be of interest for search:

Head-up displays with means for detecting the driver's	B60K 35/235
gaze direction or eye points	

B60K 2360/40

References

Informative references

Electric circuits specially adapted for vehicles and not	B60R 16/00
otherwise provided for; Arrangement of elements of electric	
circuits specially adapted for vehicles and not otherwise	
provided for	
Electric constitutive elements, e.g. wire harnesses or	B60R 16/02
grommets	

DATE: JANUARY 1, 2024

PROJECT RP12183

B60K 2360/583

References

Informative references

Attention is drawn to the following places, which may be of interest for search:

Electric circuits for transmission of signals between vehicle	B60R 16/023
parts or subsystems	

B60K 2360/586

References

Informative references

Attention is drawn to the following places, which may be of interest for search:

Electric circuits for transmission of signals between vehicle	B60R 16/023
parts or subsystems	

B60K 2360/589

References

Informative references

Electric circuits for transmission of signals between vehicle	B60R 16/023
parts or subsystems	

DATE: JANUARY 1, 2024

PROJECT RP12183

2. A. DEFINITIONS (modified)

B60K 35/00

Replace: The existing Relationships text with the following updated text.

Relationships with other classification places

This group covers vehicle instruments, as well as their details or auxiliary aspects such as controlling, data transfer or information handling concerning vehicle functions.

This group does not cover details or auxiliary aspects relating to non-vehicle functions, unless the instruments are specially adapted for their use in a vehicle.

B60K 37/00 is directed to dashboards as such.

Whilst B60K 35/00 is directed to the adaptation of instruments in a dashboard, B62D 25/14 is related to the (internal) structure of the dashboard itself and to dashboards as superstructure sub units (e.g. dashboard structure, fixation).

Whilst B60K 35/00 is directed to the adaptation of vehicle instruments to the dashboard, B60R 11/00 is directed to mounting of electronic devices to dashboard (see in particular B60R 2011/0005).

References

Delete: The entire Limiting references section.

Replace: The existing Informative references table text with the following updated text.

Informative references

Indicating over speed	B60K 31/00
Monitoring tyres	B60C 23/00
Display devices for vehicle air conditioning	B60H 1/00985
Arrangements or adaptations of lighting devices for vehicle interior	B60Q 3/00
Lighting for dashboard	B60Q 3/10

DATE: JANUARY 1, 2024

Arrangements for holding or mounting of radio sets, television sets, telephones or the like; Arrangement of controls thereof	B60R 11/02
Adaptations on rotatable parts of the steering wheel for accommodation of switches	B62D 1/046
Dashboard as superstructure	B62D 25/14
Arrangements or adaptations of instruments in aircraft	B64D 43/00
Measuring distances	G01C
Navigation	G01C 21/00
Devices specially adapted for navigation in a road network	G01C 21/26
Measuring combinations of speed and distance	G01C 23/00
Indicating measures values (analogue or digital)	G01D 7/00
Components of measuring arrangements	G01D 11/00
Components of indicators	G01D 13/00
Engine indicators	G01L
Measuring speed or acceleration	G01P
Head-up displays [HUD]	G02B 27/01
Input of data to computer	G06F 3/00
User interface programs, e.g. command shells, help systems or UIMS (interface arrangement)	G06F 9/451
Remote windowing systems, e.g. X-windows, or window cell phone displayed in vehicle display	G06F 9/452
Taximeters	G07B 13/00
Toll collection	G07B 15/00
Registering or indicating the working of vehicles	G07C 5/00
Traffic control systems for vehicles	G08G 1/00
Indicating arrangements for variable information in which the information is built-up on a support by selection or combination of individual elements	G09F 9/00
Mobile visual advertising	G09F 21/00

DATE: JANUARY 1, 2024

PROJECT RP12183

Accumulators combined with arrangements for measuring, testing or indicating the condition of cells, e.g. batteries with indicators	H01M 10/48
(Radio) receivers to be used in vehicles	H04B 1/082
Arrangements for broadcast, e.g. digital radio	H04H 20/00
Details of television systems	H04N 5/00

Replace: The existing Special rules text with the following updated text.

Special rules of classification

In this group it is desirable to add the Orthogonal Indexing Codes of B60K2360/00 – B60K2360/96.

B60K 37/00

Replace: The existing Relationships text with the following updated text.

Relationships with other classification places

B60K 35/00 is the general home for documents comprising vehicle related aspects of indication devices.

B60K 37/00 is directed to dashboards and their adaptation in relation to instruments.

B62D 25/14 is related to the (internal) structure of the dashboard itself and to dashboards as superstructure sub units (e.g. dashboard structure, fixation).

B60R 11/00 is directed to mounting of electronic devices to dashboard (see in particular B60R 2011/0005).

References

Replace: The existing Limiting references table text with the following updated text.

Limiting references

This place does not cover:

Dashboard as road vehicle superstructure subunits	B62D 25/14
---	------------

DATE: JANUARY 1, 2024

PROJECT RP12183

Replace: The existing Informative references table text with the following updated text.

Informative references

Attention is drawn to the following places, which may be of interest for search:

Arrangements or adaptations of lighting devices for vehicle interior	B60Q 3/00
Lighting for dashboard	B60Q 3/10
Arrangements for holding or mounting of radio sets, television sets, telephones or the like; Arrangement of controls thereof	B60R 11/02
Clips for joining vehicle mouldings or liners	B60R 13/0206
Instruments in airplanes	B64D 43/00
Navigation	G01C 21/00
Components of measuring arrangements	G01D 11/00
Head-up displays [HUD]	G02B 27/01
Input of data to computer	G06F 3/00
Taximeters	G07B 13/00
Toll collection	G07B 15/00
Connectors	H01R
Electronic switching	H03K
Touch switches	H03K 17/96
(Radio) receivers to be used in vehicles	H04B 1/082

Replace: The existing Special rules text with the following updated text.

Special rules of classification

In this main group it is desirable to add the Orthogonal Indexing Codes of B60K2360/40 - B60K2360/48, B60K2360/65 - B60K2360/6992 and B60K2360/84.

DATE: JANUARY 1, 2024

PROJECT RP12183

2. B. DEFINITIONS QUICK FIX

Symbol	Location of change	Existing reference symbol or text	Action; New symbol; New text
	(e.g., section title)		
B60K			Delete the entire Definition.
37/02			
B60K			Delete the entire Definition.
37/06			

Notes:

Use this Definitions Quick Fix (DQF) table to:

- Delete an entire definition
- Delete an entire section
- Change a reference symbol
- Delete a reference symbol
- Delete text in a References section
- Correct one error in spelling, article use, or verb tense

Otherwise, use the standard template.

Reminder: Never delete F symbol definitions.

DATE: JANUARY 1, 2024

PROJECT RP12183

3. REVISION CONCORDANCE LIST (RCL)

Type*	From CPC Symbol	To CPC Symbol(s)
С	(existing) B60K35/00	B60K 35/00, B60K 35/10, B60K 35/20, B60K 35/21, B60K 35/211,
C	B00K33/00	B60K 35/212, B60K 35/213, B60K 35/214, B60K 35/215,
		B60K 35/22, B60K 35/223, B60K 35/23, B60K 35/231, B60K 35/232,
		B60K 35/233, B60K 35/234, B60K 35/235, B60K 35/25, B60K 35/26,
		B60K 35/265, B60K 35/28, B60K 35/285, B60K 35/29, B60K 35/40,
		B60K 35/405, B60K 35/415, B60K 35/425, B60K 35/50, B60K 35/53,
		B60K 35/55, B60K 35/60, B60K 35/65, B60K 35/652, B60K 35/654,
		B60K 35/656, B60K 35/658, B60K 35/70, B60K 35/80, B60K 35/81,
		B60K35/85, B60K35/90
Q	B60K35/23	B60K 35/23, B60K 35/231, B60K 35/232, B60K 35/233, B60K 35/234,
		B60K35/235
Q	B60K35/50	B60K 35/50, B60K 37/00, B60K 37/10, B60K 37/20
Q	B60K35/53	B60K 35/53, B60K 35/55
Q	B60K35/60	B60K 35/60, B60K 35/50, B60K 37/00, B60K 37/10, B60K 37/20
С	B60K37/00	B60K 37/00, B60K 37/10, B60K 37/20
D	B60K37/02	<administrative 35="" 60="" b60k="" to="" transfer=""></administrative>
D	B60K37/04	<administrative 35="" 50="" b60k="" to="" transfer=""></administrative>
D	B60K37/06	<a 10="" 35="" b60k="" dministrative="" to="" transfer="">
Q	B60K2360/149	B60K 35/235, B60K 2360/149
Q	B60K2360/349	B60K 35/234, B60K 2360/349
Q	B60K2360/652	B60K35/70, B60K2360/652
D	B60K2370/00	<a 00="" 2360="" b60k="" dministrative="" to="" transfer="">
D	B60K2370/10	<a 10="" 35="" b60k="" dministrative="" inv="" to="" transfer="">
D	B60K2370/11	<a 10="" 11="" 2360="" 35="" and="" b60k="" dministrative="" inv="" simultaneously="" to="" transfer="">
D	B60K2370/111	<a 10="" 111="" 2360="" 35="" and="" b60k="" dministrative="" inv="" simultaneously="" to="" transfer="">
D	B60K2370/113	<administrative 10="" 113<="" 2360="" 35="" and="" b60k="" inv="" p="" to="" transfer=""></administrative>
		simultaneously>
D	B60K 2370/115	<a 10="" 115="" 2360="" 35="" and="" b60k="" dministrative="" inv="" simultaneously="" to="" transfer="">
D	B60K 2370/117	<a 10="" 117<="" 2360="" 35="" and="" b60k="" dministrative="" inv="" td="" to="" transfer="">
		simultaneously>
D	B60K2370/119	<a 10="" 119<="" 2360="" 35="" and="" b60k="" dministrative="" inv="" td="" to="" transfer="">
		simultaneously>
D	B60K2370/12	<a 10="" 35="" b60k="" dministrative="" inv="" to="" transfer="">
D	B60K 2370/122	<a 10="" 122="" 2360="" 35="" and="" b60k="" dministrative="" inv="" simultaneously="" to="" transfer="">
D	B60K2370/126	sintukaneously> <a 10="" 126<="" 2360="" 35="" and="" b60k="" dministrative="" inv="" p="" to="" transfer="">
	D00K2370/120	simultaneously>
D	B60K2370/128	<a 10="" 128<="" 2360="" 35="" and="" b60k="" dministrative="" inv="" td="" to="" transfer="">
D	D COV 2270/121	simultaneously>
D	B60K2370/131	<administrative 10="" 131="" 2360="" 35="" and="" b60k="" inv="" simultaneously="" to="" transfer=""></administrative>
D	B60K2370/133	<a 10="" 133<="" 2360="" 35="" and="" b60k="" dministrative="" inv="" td="" to="" transfer="">
<u> </u>	D CON 0070407	simultaneously>
D	B60K2370/135	<a 10="" 135<="" 2360="" 35="" and="" b60k="" dministrative="" inv="" td="" to="" transfer="">
		simultaneously>

DATE: JANUARY 1, 2024

Type* From CPC Symbol To CPC Symbol(s)	
(existing)	
D B60K 2370/137 <a 10="" 35="" b60k="" dministrative="" inv<="" td="" to="" transfer=""><td>V and B60K 2360/137</td>	V and B60K 2360/137
simulta neously>	
D B60K 2370/139 <a 10="" 35="" b60k="" dministrative="" inv<="" td="" to="" transfer=""><td>V and B60K 2360/139</td>	V and B60K 2360/139
simulta neously>	
D B60K 2370/141 <a 10="" 35="" b60k="" dministrative="" inv<="" td="" to="" transfer=""><td>V and B60K 2360/141</td>	V and B60K 2360/141
simultaneously>	
D B60K 2370/143 <a 10="" 35="" b60k="" dministrative="" inv<="" td="" to="" transfer=""><td>V and B60K 2360/143</td>	V and B60K 2360/143
simultaneously>	
D B60K 2370/1434 <a 10="" 35="" b60k="" dministrative="" inv<="" td="" to="" transfer=""><td>V and B60K 2360/1434</td>	V and B60K 2360/1434
simultaneously>	
D B60K 2370/1438 <a 10="" 35="" b60k="" dministrative="" inv<="" td="" to="" transfer=""><td>V and B60K 2360/1438</td>	V and B60K 2360/1438
simultaneously>	
D B60K 2370/1442 <a 10="" 35="" b60k="" dministrative="" inv<="" td="" to="" transfer=""><td>V and B60K 2360/1442</td>	V and B60K 2360/1442
simultaneously>	
D B60K 2370/1446 <a 10="" 35="" b60k="" dministrative="" inv<="" td="" to="" transfer=""><td>V and B60K 2360/1446</td>	V and B60K 2360/1446
simultaneously>	
D B60K 2370/145 <a 10inv<="" 35="" b60k="" dministrative="" td="" to="" transfer=""><td>/ and B60K 2360/145</td>	/ and B60K 2360/145
simultaneously>	10.011.00(0.11.46
D B60K 2370/146 <a 10="" 35="" b60k="" dministrative="" inv<="" td="" to="" transfer=""><td>and B60K 2360/146</td>	and B60K 2360/146
simultaneously>	1. 10.001.00.001.464
D B60K 2370/1464 <a 10="" 35="" b60k="" dministrative="" inv<="" td="" to="" transfer=""><td>/ and B60K 2360/1464</td>	/ and B60K 2360/1464
simultaneously>	I ID COV 22CO/1 4CO
D B60K 2370/1468 <a 10="" 35="" b60k="" dministrative="" inv<="" td="" to="" transfer=""><td>and Book 2360/1468</td>	and Book 2360/1468
simultaneously>	1 10 (01/ 22 (0/1 472
D B60K 2370/1472 <a 10inv="" 35="" b60k="" dministrative="" simultaneously="" to="" transfer="">	and Book 2360/14/2
D B60K 2370/1476 <a 10="" 35="" b60k="" dministrative="" inv<="" td="" to="" transfer=""><td>I and D 60V 2260/1476</td>	I and D 60V 2260/1476
simultaneously>	v and Book 2300/14/0
D B60K 2370/148 <a 10="" 35="" b60k="" dministrative="" inv<="" td="" to="" transfer=""><td>Jand B60K 2360/148</td>	Jand B60K 2360/148
simultaneously>	and Book 2300/140
D B60K 2370/149 <a 10="" 35="" b60k="" dministrative="" inv<="" td="" to="" transfer=""><td>Jand B60K 2360/149</td>	Jand B60K 2360/149
simultaneously>	und Book 2300/149
D B60K 2370/15 <a 20="" 35="" b60k="" dministrative="" inv<="" td="" to="" transfer=""><td><i>I</i> ></td>	<i>I</i> >
D B60K 2370/151 <a 20="" 35="" b60k="" dministrative="" inv<="" td="" to="" transfer=""><td></td>	
simultaneously>	.
D B60K 2370/1515 <administrative 20="" 35="" b60k="" inv<="" td="" to="" transfer=""><td>V and B60K 2360/1515</td></administrative>	V and B60K 2360/1515
simulta neously>	
D B60K 2370/152 <a 22="" 35="" b60k="" dministrative="" inv<="" td="" to="" transfer=""><td>V></td>	V>
D B60K 2370/1523 <a 22="" 35="" b60k="" dministrative="" inv<="" td="" to="" transfer=""><td></td>	
simulta neously>	
D B60K 2370/1526 <a 22="" 35="" b60k="" dministrative="" inv<="" td="" to="" transfer=""><td>V and B60K 2360/1526</td>	V and B60K 2360/1526
simultaneously>	
D B60K 2370/1529 <a 23="" 35="" b60k="" dministrative="" inv<="" td="" to="" transfer=""><td>V></td>	V>
D B60K2370/1531 <a 211="" b60k35="" dministrative="" in<="" td="" to="" transfer=""><td>IV></td>	IV>
D B60K 2370/1533 <a 223="" 35="" b60k="" dministrative="" in<="" td="" to="" transfer=""><td>IV></td>	IV>
D B60K 2370/1534 <a 2360="" 344.<="" b60k="" dministrative="" td="" to="" transfer=""><td>></td>	>
D B60K 2370/1537 <a 212="" 35="" b60k="" dministrative="" in<="" td="" to="" transfer=""><td>IV></td>	IV>
D B60K2370/154 <a 215="" b60k35="" dministrative="" in<="" td="" to="" transfer=""><td>IV></td>	IV>
D B60K2370/155 <a 213="" b60k35="" dministrative="" in<="" td="" to="" transfer=""><td>IV></td>	IV>
D B60K 2370/156 <a 214="" 35="" b60k="" dministrative="" in<="" td="" to="" transfer=""><td>TX 7</td>	TX 7

DATE: JANUARY 1, 2024

Type*	From CPC Symbol (existing)	To CPC Symbol(s)
D	B60K2370/157	<administrative 26="" 35="" b60k="" inv="" to="" transfer=""></administrative>
D	B60K2370/1575	<administrative 265="" 35="" b60k="" inv="" to="" transfer=""></administrative>
D	B60K2370/158	<administrative 25="" 35="" b60k="" inv="" to="" transfer=""></administrative>
D	B60K2370/16	<administrative 16<="" 2360="" 28="" 35="" and="" b60k="" inv="" td="" to="" transfer=""></administrative>
		simultaneously>
D	B60K2370/161	<administrative 161<="" 2360="" 28="" 35="" and="" b60k="" inv="" td="" to="" transfer=""></administrative>
		simultaneously>
D	B60K2370/162	<administrative 162<="" 2360="" 28="" 35="" and="" b60k="" inv="" td="" to="" transfer=""></administrative>
		simultaneously>
D	B60K2370/163	<administrative 163<="" 2360="" 28="" 35="" and="" b60k="" inv="" td="" to="" transfer=""></administrative>
		simultaneously>
D	B60K 2370/164	<administrative 164<="" 2360="" 28="" 35="" and="" b60k="" inv="" td="" to="" transfer=""></administrative>
		simultaneously>
D	B60K2370/165	<a 165<="" 2360="" 28="" 35="" and="" b60k="" dministrative="" inv="" td="" to="" transfer="">
		simultaneously>
D	B60K2370/166	<a 166<="" 2360="" 28="" 35="" and="" b60k="" dministrative="" inv="" td="" to="" transfer="">
-	2001120 / 0/100	simultaneously>
D	B60K2370/167	<administrative 167<="" 2360="" 28="" 35="" and="" b60k="" inv="" td="" to="" transfer=""></administrative>
Ъ	B00K2370/107	simultaneously>
D	B60K2370/168	<administrative 168<="" 2360="" 28="" 35="" and="" b60k="" inv="" td="" to="" transfer=""></administrative>
D	B00K2370/100	simultaneously>
D	B60K2370/169	<a drawn="" of="" stat<="" state="" statistics="" td="" the="">
Ъ	B00K2370/109	simultaneously>
D	B60K2370/171	<administrative 171<="" 2360="" 28="" 35="" and="" b60k="" inv="" td="" to="" transfer=""></administrative>
D	B00K2370/171	simultaneously>
D	B60K 2370/172	INV and B60K 2360/172
D	B00K2370/172	simultaneously>
D	B60K 2370/173	<a 173"="" 2360="" 28="" 35="" and="" b60k="" dministrative="" inv="" to="" transfer=""><a 173<="" 2360="" 28="" 35="" a="" and="" b60k="" dministrative="" inv="" to="" transfer="">
D	B00K2370/173	simultaneously>
D	B60K2370/174	<administrative 174<="" 2360="" 28="" 35="" and="" b60k="" inv="" td="" to="" transfer=""></administrative>
D	B00K2370/174	simultaneously>
D	B60K2370/175	INV and B60K 2360/175
D	B00K2370/173	simultaneously>
D	B60K 2370/176	<a <a="" countr<="" country="" drawn="" shirt="" td="" ="">
D	B00K2370/170	simultaneously>
D	B60K2370/177	<administrative 177<="" 2360="" 28="" 35="" and="" b60k="" inv="" td="" to="" transfer=""></administrative>
D	B00K2370/177	simultaneously>
D	B60K2370/178	<a 178<="" 2360="" 28="" 35="" and="" b60k="" drawn="" inv="" strative="" td="" to="" transfer="">
D	B00K2370/170	simultaneously>
D	B60K 2370/179	<a 179"="" 2360="" 28="" 35="" and="" b60k="" dministrative="" inv="" to="" transfer=""><a 179<="" 2360="" 28="" 35="" a="" and="" b60k="" dministrative="" inv="" to="" transfer="">
D	B00K2370/177	simultaneously>
D	B60K2370/18	<a 18<="" 2360="" 29="" 35="" a="" and="" b60k="" dministrative="" inv="" to="" transfer="">
ט	D001X 23 / 0/10	simultaneously>
D	B60K 2370/182	<a 182<="" 2360="" 29="" 35="" and="" b60k="" dministrative="" inv="" td="" to="" transfer="">
D	D001X 23 / 0/102	simultaneously>
D	B60K2370/184	<a 184"="" 2360="" 29="" 35="" and="" b60k="" dministrative="" inv="" to="" transfer=""><a 184<="" 2360="" 29="" 35="" a="" and="" b60k="" dministrative="" inv="" to="" transfer="">
ט	DUUIX 23 / U/104	simultaneously>
D	B60K2370/186	<a a="" draw="" leading="" of="" same="" simulation="" stat<="" state="" td="" the="" to="">
ט	DUUIX 23 / U/ 100	simultaneously>
D	B60K2370/1868	<a 1868<="" 2360="" 29="" 35="" and="" b60k="" dministrative="" inv="" td="" to="" transfer="">
ט	DUUK 43 / U/1 000	simultaneously>
		Silituitaticousty/

DATE: JANUARY 1, 2024

Type*	From CPC Symbol (existing)	To CPC Symbol(s)
D	B60K2370/1876	<administrative 1876<="" 2360="" 29="" 35="" and="" b60k="" inv="" td="" to="" transfer=""></administrative>
		simultaneously>
D	B60K2370/188	<a 188<="" 2360="" 29="" 35="" and="" b60k="" dministrative="" inv="" td="" to="" transfer="">
		simultaneously>
D	B60K2370/191	<a 191<="" 2360="" 29="" 35="" and="" b60k="" dministrative="" inv="" td="" to="" transfer="">
		simultaneously>
D	B60K2370/193	<administrative 28="" 35="" b60k="" inv="" to="" transfer=""></administrative>
D	B60K2370/194	<administrative 285="" 35="" b60k="" inv="" to="" transfer=""></administrative>
D	B60K2370/195	<administrative 195<="" 2360="" 29="" 35="" and="" b60k="" inv="" td="" to="" transfer=""></administrative>
		simultaneously>
D	B60K2370/197	<administrative 197<="" 2360="" 29="" 35="" and="" b60k="" inv="" td="" to="" transfer=""></administrative>
,	D 4044 00 00 00	simultaneously>
D	B60K2370/199	<administrative 199<="" 2360="" 29="" 35="" and="" b60k="" inv="" td="" to="" transfer=""></administrative>
D	D (01/2270/00	simultaneously>
D	B60K2370/20 B60K2370/21	<administrative 20="" 2360="" b60k="" to="" transfer=""></administrative>
D	B60K 2370/21 B60K 2370/23	<administrative 21="" 2360="" b60k="" to="" transfer=""></administrative>
D D	B60K 2370/23 B60K 2370/25	<administrative 23="" 2360="" b60k="" to="" transfer=""> <administrative 2360="" 25="" b60k="" to="" transfer=""></administrative></administrative>
D D	B60K 2370/25 B60K 2370/27	<administrative 2360="" 25="" b60k="" to="" transfer=""> <administrative 2360="" 27="" b60k="" to="" transfer=""></administrative></administrative>
D D	B60K 2370/27 B60K 2370/28	
D	B60K 2370/28 B60K 2370/29	<administrative 2360="" 28="" b60k="" to="" transfer=""> <administrative 2360="" 29="" b60k="" to="" transfer=""></administrative></administrative>
D	B60K 2370/29	<administrative 2360="" 29="" b60k="" to="" transfer=""> <administrative 2360="" 31="" b60k="" to="" transfer=""></administrative></administrative>
D	B60K 2370/31 B60K 2370/33	<administrative 2360="" 31="" b60k="" to="" transfer=""> <administrative 2360="" 33="" b60k="" to="" transfer=""></administrative></administrative>
D	B60K 2370/331	<administrative 2360="" 331="" b60k="" to="" transfer=""></administrative>
D	B60K 2370/331	<administrative 2360="" 331="" b60k="" to="" transfer=""> <administrative 2360="" 332="" b60k="" to="" transfer=""></administrative></administrative>
D	B60K2370/332	<administrative 2360="" 333="" b60k="" to="" transfer=""></administrative>
D	B60K2370/334	<administrative 2360="" 334="" b60k="" to="" transfer=""></administrative>
D	B60K2370/334 B60K2370/336	<administrative 2360="" 336="" b60k="" to="" transfer=""></administrative>
D	B60K2370/338	<administrative 2360="" 338="" b60k="" to="" transfer=""></administrative>
D	B60K2370/339	<administrative 20="" 2360="" 339="" 339<="" 37="" <administrative="" and="" b60k="" inv="" td="" to="" transfer=""></administrative>
Ъ	B001(2370/33)	simultaneously>
D	B60K2370/34	<administrative 2360="" 34="" b60k="" to="" transfer=""></administrative>
D	B60K2370/341	<administrative 2360="" 341="" b60k="" to="" transfer=""></administrative>
D	B60K2370/343	<administrative 2360="" 343="" b60k="" to="" transfer=""></administrative>
D	B60K2370/345	<administrative 2360="" 345="" b60k="" to="" transfer=""></administrative>
D	B60K2370/347	<administrative 2360="" 347="" b60k="" to="" transfer=""></administrative>
D	B60K2370/349	<administrative 2360="" 349="" b60k="" to="" transfer=""></administrative>
D	B60K2370/35	<administrative 35="" 405="" b60k="" inv="" to="" transfer=""></administrative>
D	B60K2370/37	<administrative 35="" 415="" b60k="" inv="" to="" transfer=""></administrative>
D	B60K2370/39	<administrative 35="" 425="" b60k="" inv="" to="" transfer=""></administrative>
D	B60K2370/40	<administrative 2360="" 40="" b60k="" to="" transfer=""></administrative>
D	B60K2370/42	<administrative 2360="" 42="" b60k="" to="" transfer=""></administrative>
D	B60K2370/44	<no transfer=""></no>
D	B60K2370/46	<administrative 2360="" 46="" b60k="" to="" transfer=""></administrative>
D	B60K2370/47	<administrative 2360="" 47="" b60k="" to="" transfer=""></administrative>
D	B60K2370/48	<administrative 2360="" 48="" b60k="" to="" transfer=""></administrative>
D	B60K2370/50	<administrative 35="" 80="" b60k="" inv="" to="" transfer=""></administrative>
D	B60K2370/52	<a 35="" 81="" b60k="" dministrative="" inv="" to="" transfer="">
D	B60K2370/55	<a 2360="" 35="" 55<="" 80="" and="" b60k="" dministrative="" inv="" td="" to="" transfer="">
		simultaneously>

DATE: JANUARY 1, 2024

Tvpe*	From CPC Symbol	To CPC Symbol(s)
	(existing)	
D	B60K2370/56	<administrative 2360="" 35="" 56<="" 80="" and="" b60k="" inv="" td="" to="" transfer=""></administrative>
		simultaneously>
D	B60K2370/563	<administrative 2360="" 35="" 563<="" 80="" and="" b60k="" inv="" td="" to="" transfer=""></administrative>
		simultaneously>
D	B60K2370/566	<administrative 2360="" 35="" 566<="" 80="" and="" b60k="" inv="" td="" to="" transfer=""></administrative>
		simultaneously>
D	B60K2370/569	<administrative 2360="" 35="" 569<="" 80="" and="" b60k="" inv="" td="" to="" transfer=""></administrative>
		simultaneously>
D	B60K2370/573	<administrative 2360="" 35="" 573<="" 80="" and="" b60k="" inv="" td="" to="" transfer=""></administrative>
		simultaneously>
D	B60K2370/577	<administrative 2360="" 35="" 577<="" 80="" and="" b60k="" inv="" td="" to="" transfer=""></administrative>
		simultaneously>
D	B60K2370/58	<administrative 35="" 85="" b60k="" inv="" to="" transfer=""></administrative>
D	B60K2370/583	<administrative 2360="" 35="" 583<="" 85="" and="" b60k="" inv="" td="" to="" transfer=""></administrative>
		simultaneously>
D	B60K2370/586	<administrative 2360="" 35="" 586<="" 85="" and="" b60k="" inv="" td="" to="" transfer=""></administrative>
_	D 4044 00 00 00 00	simultaneously>
D	B60K2370/589	<administrative 2360="" 35="" 589<="" 85="" and="" b60k="" inv="" td="" to="" transfer=""></administrative>
D	D COV 2270/5004	simultaneously>
D	B60K2370/5894	<administrative 2360="" 35="" 5894<="" 85="" and="" b60k="" inv="" p="" to="" transfer=""></administrative>
D	D COM 2270/5000	simultaneously>
D	B60K2370/5899	<a 2360="" 35="" 5899<="" 85="" and="" b60k="" dministrative="" inv="" td="" to="" transfer="">
D	B60K2370/5905	simultaneously> <administrative 2360="" 35="" 5905<="" 85="" a="" and="" b60k="" inv="" to="" transfer=""></administrative>
ען	B00K2370/3903	simultaneously>
D	B60K2370/5911	Simultaneously > <administrative 2360="" 35="" 5911<="" 85="" and="" b60k="" inv="" p="" to="" transfer=""></administrative>
שו	B00K2370/3911	simultaneously>
D	B60K2370/5915	<administrative 2360="" 35="" 5915<="" 85="" and="" b60k="" inv="" p="" to="" transfer=""></administrative>
	Book 23 / 0/3 / 13	simultaneously>
D	B60K2370/592	<administrative 2360="" 35="" 592<="" 85="" and="" b60k="" inv="" td="" to="" transfer=""></administrative>
		simultaneously>
D	B60K2370/595	<administrative 2360="" 35="" 595<="" 85="" and="" b60k="" inv="" td="" to="" transfer=""></administrative>
		simulta neously>
D	B60K2370/60	<administrative 2360="" 60="" b60k="" to="" transfer=""></administrative>
D	B60K2370/61	<administrative 2360="" 61="" b60k="" to="" transfer=""></administrative>
D	B60K2370/62	<administrative 2360="" 62="" b60k="" to="" transfer=""></administrative>
D	B60K2370/63	<administrative 2360="" 652="" b60k="" to="" transfer=""></administrative>
D	B60K2370/65	<administrative 2360="" 65="" b60k="" to="" transfer=""></administrative>
D	B60K2370/654	<administrative 20="" 37="" b60k="" inv="" to="" transfer=""></administrative>
D	B60K2370/658	<administrative 2360="" 658="" b60k="" to="" transfer=""></administrative>
D	B60K2370/66	<administrative 2360="" 66="" b60k="" to="" transfer=""></administrative>
D	B60K2370/67	<administrative 22="" 35="" 53="" and="" b60k="" inv="" inv<="" td="" to="" transfer=""></administrative>
		simultaneously>
D	B60K2370/68	<administrative 2360="" 68="" b60k="" to="" transfer=""></administrative>
D	B60K2370/682	<administrative 2360="" 682="" b60k="" to="" transfer=""></administrative>
D	B60K2370/685	<administrative 2360="" 35="" 53="" 685<="" and="" b60k="" inv="" td="" to="" transfer=""></administrative>
		simultaneously>
D	B60K2370/688	<administrative 2360="" 688="" b60k="" to="" transfer=""></administrative>
D	B60K2370/691	<administrative 2360="" 691="" b60k="" to="" transfer=""></administrative>
D	B60K2370/692	<administrative 2360="" 692="" b60k="" to="" transfer=""></administrative>

DATE: JANUARY 1, 2024

Type*	From CPC Symbol (existing)	To CPC Symbol(s)	
D	B60K2370/693	<administrative 2360="" 693="" b60k="" to="" transfer=""></administrative>	
D	B60K2370/695	<administrative 2360="" 695="" b60k="" to="" transfer=""></administrative>	
D	B60K2370/698	<administrative 2360="" 698="" b60k="" to="" transfer=""></administrative>	
D	B60K2370/6985	<administrative 2360="" 6985="" b60k="" to="" transfer=""></administrative>	
D	B60K2370/6992	<administrative 2360="" 6992="" b60k="" to="" transfer=""></administrative>	
D	B60K2370/70	<no transfer=""></no>	
D	B60K2370/73	<administrative 35="" 65="" b60k="" inv="" to="" transfer=""></administrative>	
D	B60K2370/731	<administrative 2360="" 35="" 65="" 731<="" and="" b60k="" inv="" td="" to="" transfer=""></administrative>	
		simultaneously>	
D	B60K2370/733	<a 35="" 652="" b60k="" dministrative="" inv="" to="" transfer="">	
D	B60K2370/736	<administrative 35="" 654="" b60k="" inv="" to="" transfer=""></administrative>	
D	B60K2370/739	<a 35="" 656="" b60k="" dministrative="" inv="" to="" transfer="">	
D	B60K2370/741	<a 2360="" 35="" 65="" 741<="" and="" b60k="" dministrative="" inv="" td="" to="" transfer="">	
		simultaneously>	
D	B60K2370/744	<a 35="" 658="" b60k="" dministrative="" inv="" to="" transfer="">	
D	B60K2370/77	<a 2360="" 35="" 60="" 77<="" and="" b60k="" dministrative="" inv="" td="" to="" transfer="">	
		simultaneously>	
D	B60K2370/771	<a 2360="" 35="" 60="" 771<="" and="" b60k="" dministrative="" inv="" td="" to="" transfer="">	
		simultaneously>	
D	B60K2370/774	<a 2360="" 35="" 60="" 774<="" and="" b60k="" dministrative="" inv="" td="" to="" transfer="">	
		simultaneously>	
D	B60K2370/777	<a 2360="" 35="" 60="" 777<="" and="" b60k="" dministrative="" inv="" td="" to="" transfer="">	
		simultaneously>	
D	B60K2370/779	<administrative 2360="" 35="" 60="" 779<="" and="" b60k="" inv="" td="" to="" transfer=""></administrative>	
	D COVI 2070 FOR	simultaneously>	
D	B60K 2370/782	<a 2360="" 35="" 60="" 782<="" and="" b60k="" dministrative="" inv="" td="" to="" transfer="">	
D	B60K2370/785	simultaneously> <administrative 2360="" 35="" 60="" 785<="" and="" b60k="" inv="" td="" to="" transfer=""></administrative>	
D	B00K 23 / 0/ / 83	simultaneously>	
D	B60K2370/788	<a 2360="" 35="" 60="" 788<="" and="" b60k="" dministrative="" inv="" td="" to="" transfer="">	
D	B00K2370/788	simultaneously>	
D	B60K2370/791	<a 2360="" 35="" 60="" 791<="" and="" b60k="" dministrative="" inv="" td="" to="" transfer="">	
	B00K2370/771	simultaneously>	
D	B60K2370/794	<a 2360="" 35="" 60="" 794<="" and="" b60k="" dministrative="" inv="" td="" to="" transfer="">	
	B 001125 / 0// / 5 !	simultaneously>	
D	B60K2370/797	<a 2360="" 35="" 60="" 797<="" and="" b60k="" dministrative="" inv="" td="" to="" transfer="">	
	2 001120 / 0/ / / /	simultaneously>	
D	B60K2370/80	<no transfer=""></no>	
D	B60K2370/81	<administrative 35="" 50="" b60k="" inv="" to="" transfer=""></administrative>	
D	B60K2370/816	<administrative 2360="" 35="" 50="" 816<="" and="" b60k="" inv="" td="" to="" transfer=""></administrative>	
		simultaneously>	
D	B60K2370/822	<administrative 2360="" 35="" 50="" 822<="" and="" b60k="" inv="" td="" to="" transfer=""></administrative>	
<u> </u>		simultaneously>	
D	B60K2370/828	<a 2360="" 35="" 50="" 828<="" and="" b60k="" dministrative="" inv="" td="" to="" transfer="">	
		simultaneously>	
D	B60K2370/834	<a 2360="" 35="" 50="" 834<="" and="" b60k="" dministrative="" inv="" td="" to="" transfer="">	
		simultaneously>	
D	B60K2370/84	<administrative 2360="" 84="" b60k="" to="" transfer=""></administrative>	
D	B60K2370/87	<administrative 10="" 37="" b60k="" inv="" to="" transfer=""></administrative>	
D	B60K2370/90	<no transfer=""></no>	

DATE: JANUARY 1, 2024

PROJECT RP12183

Type*	From CPC Symbol (existing)	To CPC Symbol(s)
D	B60K2370/91	<a 2360="" 96="" b60k="" dministrative="" to="" transfer="">
D	B60K2370/92	<a 35="" 90="" b60k="" dministrative="" inv="" to="" transfer="">
D	B60K2370/95	<a 35="" 90="" b60k="" dministrative="" inv="" to="" transfer="">
D	B60K2370/98	<administrative 2360="" 92="" b60k="" to="" transfer=""></administrative>

^{*} C = entries with modified file scope where reclassification of documents from the entries is involved; Q = new entries which are firstly populated with documents via administrative transfers from deleted (D) entries. Afterwards, the transferred documents into the Q entry will either stay or be moved to more appropriate entries, as determined by intellectual reclassification; D = deleted entries; F = frozen entries will be deleted once reclassification of documents from the entries is completed.

NOTES:

- Only C, D, F, and Q type entries are included in the table above.
- When multiple symbols are included in the "To" column, do not use ranges of symbols.
- For administrative transfer of documents, the following text should be used: "< administrative transfer to XX>", "<administrative transfer to XX and YY simultaneously>", or "<administrative transfer to XX, YY, ...and ZZ simultaneously>" when administrative transfer of the same documents is to more than one place.
- · Administrative transfer to main trunk groups is assumed to be the source allocation type, unless otherwise indicated.
- Administrative transfer to 2000/Y series groups is assumed to be "additional information".
- If needed, instructions for allocation type should be indicated within the angle brackets using the abbreviations "ADD" or "INV": <administrative transfer to XX ADD>, <administrative transfer to XX INV>, or < administrative transfer to XX ADD, YY INV, ... and ZZ ADD simultaneously>.
- In certain situations, the "D" entries of 2000-series or Y-series groups may not require a destination ("To") symbol, however it is required to specify "<no transfer>" in the "To" column for such cases.
- RCL is not needed for finalisation projects.

DATE: JANUARY 1, 2024

PROJECT RP12183

$4.\,CHANGES\,TO\,THE\,CPC-TO-IPC\,CONCORDANCE\,LIST\,(CICL)$

CPC	<u>IPC</u>	Action*
B60K35/10	B60K35/10	NEW
B60K35/20	B60K35/20	NEW
B60K35/21	B60K35/21	NEW
B60K35/211	B60K35/21	NEW
B60K35/212	B60K35/21	NEW
B60K 35/213	B60K35/21	NEW
B60K 35/214	B60K35/21	NEW
B60K 35/215	B60K35/215	NEW
B60K 35/22	B60K35/22	NEW
B60K 35/223	B60K35/22	NEW
B60K 35/23	B60K35/23	NEW
B60K 35/231	B60K35/231	NEW
B60K35/232	B60K35/232	NEW
B60K 35/233	B60K35/233	NEW
B60K35/234	B60K35/234	NEW
B60K 35/235	B60K35/235	NEW
B60K35/25	B60K35/25	NEW
B60K35/26	B60K35/26	NEW
B60K 35/265	B60K35/26	NEW
B60K35/28	B60K35/28	NEW
B60K35/285	B60K35/28	NEW
B60K35/29	B60K35/29	NEW
B60K35/40	B60K35/40	NEW
B60K35/405	B60K35/40	NEW
B60K35/415	B60K35/40	NEW
B60K35/425	B60K35/40	NEW
B60K35/50	B60K35/50	NEW
B60K35/53	B60K35/53	NEW
B60K35/55	B60K35/55	NEW
B60K35/60	B60K35/60	NEW
B60K35/65	B60K35/65	NEW
B60K35/652	B60K35/65	NEW
B60K35/654	B60K35/65	NEW
B60K35/656	B60K35/65	NEW
B60K35/658	B60K35/65	NEW
B60K35/70	B60K35/70	NEW
B60K35/80	B60K35/80	NEW
B60K35/81	B60K35/81	NEW
B60K35/85	B60K35/85	NEW
B60K35/90	B60K35/90	NEW
B60K37/02		DELETE

DATE: JANUARY 1, 2024

CPC	IPC	Action*
B60K37/04		DELETE
B60K37/06		DELETE
B60K37/10	B60K37/10	NEW
B60K37/20	B60K37/20	NEW
B60K2360/00	CPCONLY	NEW
B60K2360/11	CPCONLY	NEW
B60K2360/111	CPCONLY	NEW
B60K2360/113	CPCONLY	NEW
B60K2360/115	CPCONLY	NEW
B60K2360/117	CPCONLY	NEW
B60K2360/119	CPCONLY	NEW
B60K2360/122	CPCONLY	NEW
B60K2360/126	CPCONLY	NEW
B60K2360/128	CPCONLY	NEW
B60K2360/131	CPCONLY	NEW
B60K2360/133	CPCONLY	NEW
B60K2360/135	CPCONLY	NEW
B60K2360/137	CPCONLY	NEW
B60K2360/139	CPCONLY	NEW
B60K2360/141	CPCONLY	NEW
B60K2360/143	CPCONLY	NEW
B60K2360/1434	CPCONLY	NEW
B60K2360/1438	CPCONLY	NEW
B60K2360/1442	CPCONLY	NEW
B60K2360/1446	CPCONLY	NEW
B60K 2360/145	CPCONLY	NEW
B60K2360/146	CPCONLY	NEW
B60K2360/1464	CPCONLY	NEW
B60K 2360/1468	CPCONLY	NEW
B60K 2360/1472	CPCONLY	NEW
B60K 2360/1476	CPCONLY	NEW
B60K 2360/148	CPCONLY	NEW
B60K2360/149	CPCONLY	NEW
B60K2360/151	CPCONLY	NEW
B60K 2360/1515	CPCONLY	NEW
B60K2360/1523	CPCONLY	NEW
B60K2360/1526	CPCONLY	NEW
B60K2360/16	CPCONLY	NEW
B60K2360/161	CPCONLY	NEW
B60K2360/162	CPCONLY	NEW
B60K2360/163	CPCONLY	NEW
B60K2360/164	CPCONLY	NEW
B60K 2360/165	CPCONLY	NEW
B60K2360/166	CPCONLY	NEW
B60K2360/167	CPCONLY	NEW

DATE: JANUARY 1, 2024

CPC	<u>IPC</u>	Action*
B60K2360/168	CPCONLY	NEW
B60K2360/169	CPCONLY	NEW
B60K2360/171	CPCONLY	NEW
B60K2360/172	CPCONLY	NEW
B60K2360/173	CPCONLY	NEW
B60K2360/174	CPCONLY	NEW
B60K2360/175	CPCONLY	NEW
B60K2360/176	CPCONLY	NEW
B60K 2360/177	CPCONLY	NEW
B60K2360/178	CPCONLY	NEW
B60K2360/179	CPCONLY	NEW
B60K2360/18	CPCONLY	NEW
B60K2360/182	CPCONLY	NEW
B60K2360/184	CPCONLY	NEW
B60K 2360/186	CPCONLY	NEW
B60K2360/1868	CPCONLY	NEW
B60K2360/1876	CPCONLY	NEW
B60K2360/188	CPCONLY	NEW
B60K2360/191	CPCONLY	NEW
B60K 2360/195	CPCONLY	NEW
B60K2360/197	CPCONLY	NEW
B60K2360/199	CPCONLY	NEW
B60K 2360/20	CPCONLY	NEW
B60K2360/21	CPCONLY	NEW
B60K2360/23	CPCONLY	NEW
B60K2360/25	CPCONLY	NEW
B60K2360/27	CPCONLY	NEW
B60K2360/28	CPCONLY	NEW
B60K2360/29	CPCONLY	NEW
B60K2360/31	CPCONLY	NEW
B60K2360/33	CPCONLY	NEW
B60K2360/331	CPCONLY	NEW
B60K2360/332	CPCONLY	NEW
B60K2360/333	CPCONLY	NEW
B60K2360/334	CPCONLY	NEW
B60K2360/336	CPCONLY	NEW
B60K2360/338	CPCONLY	NEW
B60K2360/339	CPCONLY	NEW
B60K2360/34	CPCONLY	NEW
B60K2360/341	CPCONLY	NEW
B60K2360/343	CPCONLY	NEW
B60K2360/344	CPCONLY	NEW
B60K2360/345	CPCONLY	NEW
B60K2360/347	CPCONLY	NEW
B60K2360/349	CPCONLY	NEW

DATE: JANUARY 1, 2024

CPC	<u>IPC</u>	Action*
B60K2360/40	CPCONLY	NEW
B60K2360/42	CPCONLY	NEW
B60K2360/46	CPCONLY	NEW
B60K2360/47	CPCONLY	NEW
B60K2360/48	CPCONLY	NEW
B60K2360/55	CPCONLY	NEW
B60K2360/56	CPCONLY	NEW
B60K2360/563	CPCONLY	NEW
B60K2360/566	CPCONLY	NEW
B60K2360/569	CPCONLY	NEW
B60K2360/573	CPCONLY	NEW
B60K2360/577	CPCONLY	NEW
B60K2360/583	CPCONLY	NEW
B60K2360/586	CPCONLY	NEW
B60K 2360/589	CPCONLY	NEW
B60K2360/5894	CPCONLY	NEW
B60K 2360/5899	CPCONLY	NEW
B60K2360/5905	CPCONLY	NEW
B60K 2360/5911	CPCONLY	NEW
B60K 2360/5915	CPCONLY	NEW
B60K2360/592	CPCONLY	NEW
B60K2360/595	CPCONLY	NEW
B60K2360/60	CPCONLY	NEW
B60K2360/61	CPCONLY	NEW
B60K2360/62	CPCONLY	NEW
B60K2360/65	CPCONLY	NEW
B60K2360/652	CPCONLY	NEW
B60K2360/658	CPCONLY	NEW
B60K2360/66	CPCONLY	NEW
B60K2360/68	CPCONLY	NEW
B60K2360/682	CPCONLY	NEW
B60K2360/685	CPCONLY	NEW
B60K 2360/688	CPCONLY	NEW
B60K2360/691	CPCONLY	NEW
B60K2360/692	CPCONLY	NEW
B60K2360/693	CPCONLY	NEW
B60K2360/695	CPCONLY	NEW
B60K2360/698	CPCONLY	NEW
B60K2360/6985	CPCONLY	NEW
B60K2360/6992	CPCONLY	NEW
B60K2360/731	CPCONLY	NEW
B60K2360/741	CPCONLY	NEW
B60K2360/77	CPCONLY	NEW
B60K2360/771	CPCONLY	NEW
B60K2360/774	CPCONLY	NEW

DATE: JANUARY 1, 2024

CPC	<u>IPC</u>	Action*
B60K2360/777	CPCONLY	NEW
B60K2360/779	CPCONLY	NEW
B60K 2360/782	CPCONLY	NEW
B60K 2360/785	CPCONLY	NEW
B60K2360/788	CPCONLY	NEW
B60K2360/791	CPCONLY	NEW
B60K2360/794	CPCONLY	NEW
B60K2360/797	CPCONLY	NEW
B60K2360/816	CPCONLY	NEW
B60K2360/822	CPCONLY	NEW
B60K2360/828	CPCONLY	NEW
B60K2360/834	CPCONLY	NEW
B60K2360/84	CPCONLY	NEW
B60K2360/92	CPCONLY	NEW
B60K2360/96	CPCONLY	NEW
B60K2370/00		DELETE
B60K2370/10		DELETE
B60K2370/11		DELETE
B60K2370/111		DELETE
B60K2370/113		DELETE
B60K2370/115		DELETE
B60K2370/117		DELETE
B60K2370/119		DELETE
B60K2370/12		DELETE
B60K2370/122		DELETE
B60K2370/126		DELETE
B60K2370/128		DELETE
B60K2370/131		DELETE
B60K2370/133		DELETE
B60K2370/135		DELETE
B60K2370/137		DELETE
B60K2370/139		DELETE
B60K2370/141		DELETE
B60K2370/143		DELETE
B60K2370/1434		DELETE
B60K2370/1438		DELETE
B60K2370/1442		DELETE
B60K2370/1446		DELETE
B60K2370/145		DELETE
B60K2370/146		DELETE
B60K2370/1464		DELETE
B60K2370/1468		DELETE
B60K2370/1472		DELETE
B60K2370/1476		DELETE
B60K2370/148		DELETE

DATE: JANUARY 1, 2024

<u>CPC</u>	<u>IPC</u>	Action*
B60K 2370/149		DELETE
B60K2370/15		DELETE
B60K2370/151		DELETE
B60K2370/1515		DELETE
B60K2370/152		DELETE
B60K2370/1523		DELETE
B60K2370/1526		DELETE
B60K 2370/1529		DELETE
B60K2370/1531		DELETE
B60K2370/1533		DELETE
B60K2370/1534		DELETE
B60K2370/1537		DELETE
B60K2370/154		DELETE
B60K2370/155		DELETE
B60K2370/156		DELETE
B60K2370/157		DELETE
B60K2370/1575		DELETE
B60K2370/158		DELETE
B60K2370/16		DELETE
B60K2370/161		DELETE
B60K2370/162		DELETE
B60K2370/163		DELETE
B60K2370/164		DELETE
B60K2370/165		DELETE
B60K2370/166		DELETE
B60K2370/167		DELETE
B60K2370/168		DELETE
B60K2370/169		DELETE
B60K2370/171		DELETE
B60K2370/172		DELETE
B60K2370/173		DELETE
B60K2370/174		DELETE
B60K2370/175		DELETE
B60K2370/176		DELETE
B60K2370/177		DELETE
B60K2370/178		DELETE
B60K2370/179		DELETE
B60K2370/18		DELETE
B60K2370/182		DELETE
B60K 2370/184		DELETE
B60K 2370/186		DELETE
B60K2370/1868		DELETE
B60K2370/1876		DELETE
B60K 2370/188		DELETE
B60K2370/191		DELETE

DATE: JANUARY 1, 2024

<u>CPC</u>	<u>IPC</u>	Action*
B60K 2370/193		DELETE
B60K2370/194		DELETE
B60K2370/195	†	DELETE
B60K2370/197		DELETE
B60K 2370/199		DELETE
B60K2370/20		DELETE
B60K2370/21		DELETE
B60K2370/23		DELETE
B60K2370/25		DELETE
B60K2370/27		DELETE
B60K2370/28		DELETE
B60K2370/29		DELETE
B60K2370/31		DELETE
B60K2370/33		DELETE
B60K2370/331		DELETE
B60K2370/332		DELETE
B60K2370/333		DELETE
B60K2370/334		DELETE
B60K2370/336		DELETE
B60K2370/338		DELETE
B60K2370/339		DELETE
B60K2370/34		DELETE
B60K2370/341		DELETE
B60K2370/343		DELETE
B60K2370/345		DELETE
B60K2370/347		DELETE
B60K2370/349		DELETE
B60K2370/35		DELETE
B60K2370/37		DELETE
B60K2370/39		DELETE
B60K2370/40		DELETE
B60K2370/42		DELETE
B60K2370/44		DELETE
B60K2370/46		DELETE
B60K2370/47		DELETE
B60K2370/48		DELETE
B60K2370/50		DELETE
B60K2370/52		DELETE
B60K2370/55		DELETE
B60K2370/56		DELETE
B60K2370/563		DELETE
B60K2370/566		DELETE
B60K2370/569		DELETE
B60K2370/573		DELETE
B60K2370/577		DELETE

DATE: JANUARY 1, 2024

<u>CPC</u>	<u>IPC</u>	Action*
B60K2370/58		DELETE
B60K2370/583		DELETE
B60K2370/586		DELETE
B60K2370/589		DELETE
B60K2370/5894		DELETE
B60K2370/5899		DELETE
B60K2370/5905		DELETE
B60K2370/5911		DELETE
B60K2370/5915		DELETE
B60K2370/592		DELETE
B60K2370/595		DELETE
B60K2370/60		DELETE
B60K2370/61		DELETE
B60K2370/62		DELETE
B60K2370/63		DELETE
B60K2370/65		DELETE
B60K2370/654		DELETE
B60K2370/658		DELETE
B60K2370/66		DELETE
B60K2370/67		DELETE
B60K2370/68		DELETE
B60K2370/682		DELETE
B60K2370/685		DELETE
B60K2370/688		DELETE
B60K2370/691		DELETE
B60K2370/692		DELETE
B60K2370/693		DELETE
B60K2370/695		DELETE
B60K2370/698		DELETE
B60K2370/6985		DELETE
B60K2370/6992		DELETE
B60K2370/70		DELETE
B60K2370/73		DELETE
B60K2370/731		DELETE
B60K2370/733		DELETE
B60K2370/736		DELETE
B60K2370/739		DELETE
B60K2370/741		DELETE
B60K2370/744		DELETE
B60K2370/77		DELETE
B60K2370/771		DELETE
B60K2370/774	1	DELETE
B60K2370/777		DELETE
B60K2370/779		DELETE
B60K2370/782		DELETE

DATE: JANUARY 1, 2024

PROJECT RP12183

CPC	<u>IPC</u>	Action*
B60K2370/785		DELETE
B60K2370/788		DELETE
B60K2370/791		DELETE
B60K2370/794		DELETE
B60K2370/797		DELETE
B60K2370/80		DELETE
B60K2370/81		DELETE
B60K2370/816		DELETE
B60K2370/822		DELETE
B60K2370/828		DELETE
B60K2370/834		DELETE
B60K2370/84		DELETE
B60K2370/87		DELETE
B60K2370/90		DELETE
B60K2370/91		DELETE
B60K2370/92		DELETE
B60K2370/95		DELETE
B60K2370/98		DELETE

*Action column:

- For an (N) or (Q) entry, provide an IPC symbol and complete the Action column with "NEW."
- For an existing CPC main trunk entry or indexing entry where the existing IPC symbol needs to be changed, provide an updated IPC symbol and complete the Action column with "UPDATED."
- For a (D) CPC entry or indexing entry complete the Action column with "DELETE." IPC symbol does not need to be included in the IPC column.
- For an (N) 2000 series CPC entry which is positioned within the main trunk scheme (breakdown code) provide an IPC symbol and complete the action column with "NEW".
- For an (N) 2000 series CPC entry positioned at the end of the CPC scheme (orthogonal code), with no IPC equivalent, complete the IPC column with "CPCONLY" and complete the action column with "NEW".

NOTES:

- F symbols are <u>not</u> included in the CICL table above.
- T and M symbols are not included in the CICL table above unless a change to the existing IPC is desired.

DATE: JANUARY 1, 2024

PROJECT RP12183

5. CROSS-REFERENCE LIST (CRL)

Scheme references impacted by this revision project

Location of reference to be changed	Referenced subclass or group to be changed	Action; New reference symbol; New text
B60W 2050/0063	B60K37/00	Replace B60K 37/00 with B60K35/10

<u>Definitions references impacted by this revision project</u>

Location of reference	Referenced subclass or	Section of	Action; New
to be changed	group to be changed	<u>definition</u>	reference symbol;
			New text
B60H 1/00564	B60K35/00	Informative	<u>Delete</u> B60K35/00
		references	
B60H 1/00564	B60K37/00	Informative references	Replace reference text with the following:
			Dashboards, e.g. with integrated air ducts B60K 37/00
B60K31/00	B60K35/00	Relationships with other classification places	Replace B60K 35/00 with B60K 35/22
B60Q 1/0076	B60K37/06	Informative	Replace reference text
		references	with the following:
			Input arrangements for vehicle instruments B60K35/10
B60Q3/10	B60K35/00	Informative references	Replace reference text with the following:
			Instruments specially adapted for vehicles; Arrangement of instruments in or on vehicles B60K35/00
B60Q3/10	B60K37/00	Informative references	Replace reference text with the following:
			Dashboards B60K 37/00

DATE: JANUARY 1, 2024

Location of reference to be changed	Referenced subclass or group to be changed	Section of definition	Action; New reference symbol; New text
B60W60/00	B60K35/00	Informative references	Replace reference text with the following.
			Instruments specially adapted for vehicles; Arrangement of instruments in or on vehicles B60K35/00
B62J50/22	B60K35/00	Informative references	Replace reference text with the following. Instruments specially adapted for vehicles;
			Arrangement of instruments in or on vehicles B60K35/00
B62J99/00	B60K35/00	Informative references	Replace reference text with the following. Instruments specially adapted for vehicles; Arrangement of instruments in or on vehicles B60K35/00
G01C 21/36	B60K35/00	Informative references	Replace reference text with the following. Instruments specially adapted for vehicles; Arrangement of instruments in or on vehicles B60K35/00
G01C 21/36	B60K37/02	Informative references	Delete B60K37/02. Insert the following new reference. Instruments characterised by their location or relative disposition in or on vehicles B60K35/60

DATE: JANUARY 1, 2024

Location of reference to be changed	Referenced subclass or group to be changed	Section of definition	Action; New reference symbol; New text
G01D	B60K35/00	Informative references	Replace reference text with the following.
			Instruments specially adapted for vehicles; Arrangement of instruments in or on vehicles B60K35/00
G01D	B60K37/00	Informative references	<u>Delete</u> B60K 37/00
G01D7/00	B60K35/00	Informative references	Replace reference text with the following.
			Instruments specially adapted for vehicles; Arrangement of instruments in or on vehicles B60K35/00
G01D7/00	B60K37/00	Informative references	<u>Delete</u> B60K 37/00
G01D7/00	B60K35/00	Special rules of classification	Replace "B60K 35/00," with "B60K 35/00."
G01D7/00	B60K37/00	Special rules of classification	<u>Delete</u> B60K 37/00
G01D11/00	B60K35/00	Definition statement	<u>Delete</u> B60K 35/00
G01D11/00	B60K35/00	Informative references	<u>Delete</u> B60K 35/00
G01P	B60K35/00	Informative references	Replace reference text with the following.
			Instruments specially adapted for vehicles; Arrangement of instruments in or on vehicles B60K35/00
G05G	B60K37/00	Definition statement	Replace with B60K 35/00

DATE: JANUARY 1, 2024

PROJECT RP12183

Location of reference to be changed	Referenced subclass or group to be changed	Section of definition	Action; New reference symbol; New text
G05G 1/08	B60K37/06	Informative references	Replace reference text with the following. Input arrangements for vehicle instruments B60K35/10
G06F3/0362	B60K 37/06	Informative references	Replace reference text with the following. Input arrangements for vehicle instruments B60K35/10
G09G	B60K35/00	Informative references	Replace reference text with the following. Instruments specially adapted for vehicles; Arrangement of instruments in or on vehicles B60K35/00
G09G3/001	B60K37/00	Informative references	Replace B 60 K 37/00 with B 60 K 35/23

NOTES:

- The CRL tables above are used for changes to locations <u>outside</u> of the project scope. Changes to references in scheme titles or definitions <u>inside</u> the project scope will be reflected in the "scheme change" template or one of the "definition" templates.
- In addition to other changes proposed in the tables above, in the column titled "Referenced subclass or group to be changed," <u>referenced</u> D symbols should indicate an action of "delete" or should indicate a replacement symbol and <u>referenced</u> F symbols should indicate a replacement symbol.
- When a reference is deleted, text related to that reference will also be deleted unless other references or a range of references associated with the same text remain.