

CPC**COOPERATIVE PATENT CLASSIFICATION****F23N**

REGULATING OR CONTROLLING COMBUSTION ([control devices specially adapted for fluidised-bed combustion apparatus F23C 10/28](#) ; condition reponsive controls for regulating combustion in domestic stoves with open fires for solid fuel [F24B 1/187](#))

F23N 1/00**Regulating fuel supply**

- F23N 1/002 . { [using electronic means \(F23N 1/04 to F23N 1/10 take precedence \)](#) }
- F23N 1/005 . { [using electrical or electromechanical means \(F23N 1/04 to F23N 1/10 take precedence \)](#) }
- F23N 1/007 . { [using mechanical means \(F23N 1/04 to F23N 1/10 take precedence \)](#) }
- F23N 1/02 . conjointly with air supply
- F23N 1/022 .. { [using electronic means](#) }
- F23N 1/025 .. { [using electrical or electromechanical means](#) }
- F23N 1/027 .. { [using mechanical means](#) }
- F23N 1/04 . conjointly with air supply and with draught
- F23N 1/042 .. { [using electronic means](#) }
- F23N 1/045 .. { [using electrical or electromechanical means](#) }
- F23N 1/047 .. { [using mechanical means](#) }
- F23N 1/06 . conjointly with draught
- F23N 1/062 .. { [using electronic means](#) }
- F23N 1/065 .. { [using electrical or electromechanical means](#) }
- F23N 1/067 .. { [using mechanical means](#) }
- F23N 1/08 . conjointly with another medium, e.g. boiler water
- F23N 1/082 .. { [using electronic means](#) }
- F23N 1/085 .. { [using electrical or electromechanical means](#) }
- F23N 1/087 .. { [using mechanical means](#) }
- F23N 1/10 .. and with air supply or draught
- F23N 1/102 ... { [using electronic means](#) }
- F23N 1/105 ... { [using electrical or electromechanical means](#) }
- F23N 1/107 ... { [using mechanical means](#) }

F23N 3/00**Regulating air supply or draught** ([conjointly with fuel supply F23N 1/00](#))

- F23N 3/002 . { [using electronic means \(F23N 3/02 to F23N 3/08 take precedence \)](#) }
- F23N 3/005 . { [using electrical or electromechanical means \(F23N 3/02 to F23N 3/08 take precedence \)](#) }

- F23N 3/007 . { using mechanical means ([F23N 3/02](#) to [F23N 3/08](#) take precedence) }
- F23N 3/02 . Regulating draught by direct pressure operation of single valves or dampers
- F23N 3/04 . by operation of single valves or dampers by temperature sensitive elements
- F23N 3/042 .. { using electronic means }
- F23N 3/045 .. { using electrical or electromechanical means }
- F23N 3/047 .. { using mechanical means }
- F23N 3/06 . by conjoint operation of two or more valves or dampers ([F23N 3/08](#) takes precedence)
- F23N 3/065 .. { using mechanical means }
- F23N 3/08 . by power-assisted systems
- F23N 3/082 .. { using electronic means }
- F23N 3/085 .. { using electrical or electromechanical means }
- F23N 3/087 .. { using mechanical means }

F23N 5/00 Systems for controlling combustion ([F23N 1/00](#) , [F23N 3/00](#) take precedence)

- F23N 5/003 . { using detectors sensitive to combustion gas properties ([F23N 5/02](#) , [F23N 5/18](#) to [F23N 5/26](#) take precedence) }
- F23N 5/006 .. { the detector being sensitive to oxygen }
- F23N 5/02 . using devices responsive to thermal changes or to thermal expansion of a medium
- F23N 5/022 .. { using electronic means ([F23N 5/04](#) to [F23N 5/14](#) take precedence) }
- F23N 5/025 .. { using electrical or electromechanical means ([F23N 5/04](#) to [F23N 5/14](#) take precedence) }
- F23N 5/027 .. { using mechanical means ([F23N 5/04](#) to [F23N 5/14](#) take precedence) }
- F23N 5/04 .. using bimetallic elements
- F23N 5/042 ... { using electronic means }
- F23N 5/045 ... { using electrical or electromechanical means }
- F23N 5/047 ... { using mechanical means }
- F23N 5/06 .. using bellows ; using diaphragms
- F23N 5/062 ... { using electronic means }
- F23N 5/065 ... { using electrical or electromechanical means }
- F23N 5/067 ... { using mechanical means }
- F23N 5/08 .. using light-sensitive elements
- F23N 5/082 ... { using electronic means }
- F23N 5/085 ... { using electrical or electromechanical means }
- F23N 5/087 ... { using mechanical means }
- F23N 5/10 .. using thermocouples
- F23N 5/102 ... { using electronic means }
- F23N 5/105 ... { using electrical or electromechanical means }

| | |
|---------------------|--|
| F23N 5/107 | ... { using mechanical means e.g. safety valves } |
| F23N 5/12 | .. using ionisation-sensitive elements, i.e. flame rods { (testing of other ignition means, e.g. flame F02P 17/12 ; analysing gases by investigating the ionisation by using heat G01N 27/626) } |
| F23N 5/123 | ... { using electronic means } |
| F23N 5/126 | ... { using electrical or electromechanical means } |
| F23N 5/14 | .. using thermo-sensitive resistors |
| F23N 5/143 | ... { using electronic means } |
| F23N 5/146 | ... { using electrical or electromechanical means } |
| F23N 5/16 | . using noise-sensitive detectors |
| F23N 2005/165 | .. with ultrasonic means |
| F23N 5/18 | . using detectors sensitive to rate of flow of air or fuel |
| F23N 2005/181 | .. using detectors sensitive to rate of flow of air |
| F23N 2005/182 | ... Air flow switch |
| F23N 5/184 | .. { using electronic means } |
| F23N 2005/185 | .. using detectors sensitive to rate of flow of fuel |
| F23N 5/187 | .. { using electrical or electromechanical means } |
| F23N 5/188 | .. { using mechanical means } |
| F23N 5/20 | . with a time programme acting through electrical means, e.g. using time-delay relays |
| F23N 5/203 | .. { using electronic means } |
| F23N 5/206 | .. { using electrical or electromechanical means } |
| F23N 5/22 | . with a time programme acting through mechanical means, e.g. using cams |
| F23N 5/24 | . Preventing development of abnormal or undesired conditions, i.e. safety arrangements (F23N 5/02 to F23N 5/18 take precedence) |
| F23N 5/242 | .. { using electronic means } |
| F23N 5/245 | .. { using electrical or electromechanical means } |
| F23N 5/247 | .. { using mechanical means } |
| F23N 5/26 | . Details |
| F23N 5/265 | .. { using electronic means } |
| F23N 2021/00 | Pretreatment or prehandling |
| F23N 2021/02 | . using belt conveyers |
| F23N 2021/04 | . Preheating liquid fuel |
| F23N 2021/06 | . Preheating gaseous fuel |
| F23N 2021/08 | . Preheating the air |
| F23N 2021/10 | . Analysing fuel properties, e.g. density, calorific |

| | |
|---------------------|--|
| F23N 2021/12 | . Recycling exhaust gases |
| F23N 2023/00 | Signal processing ; Details thereof |
| F23N 2023/02 | . Multiplex transmission |
| F23N 2023/04 | . Memory |
| F23N 2023/06 | . Sampling |
| F23N 2023/08 | . Microprocessor ; Microcomputer |
| F23N 2023/10 | . Correlation |
| F23N 2023/12 | . Integration |
| F23N 2023/14 | . Differentiation |
| F23N 2023/16 | . Measuring bridge |
| F23N 2023/18 | . Chopper |
| F23N 2023/20 | . Opto-coupler |
| F23N 2023/22 | . Timing network |
| F23N 2023/24 | . . with bimetallic elements |
| F23N 2023/26 | . . with capacitors |
| F23N 2023/28 | . . with more than one timing element |
| F23N 2023/30 | . Switches |
| F23N 2023/32 | . . Reed switches |
| F23N 2023/34 | . with feedforward processing |
| F23N 2023/36 | . PID signal processing |
| F23N 2023/38 | . Remote control |
| F23N 2023/40 | . Simulation |
| F23N 2023/42 | . Function generator |
| F23N 2023/44 | . Optimum control |
| F23N 2023/46 | . Identification |
| F23N 2023/48 | . Learning / Adaptive control |
| F23N 2023/50 | . Human control |

F23N 2023/52 . Fuzzy logic

F23N 2023/54 . Recording

F23N 2025/00 Measuring

F23N 2025/02 . filling height in burners

F23N 2025/04 . pressure

F23N 2025/06 . . for determining flow

F23N 2025/08 . temperature

F23N 2025/10 . . stack temperature

F23N 2025/12 . . room temperature

F23N 2025/13 . . outdoor temperature

F23N 2025/14 . . Ambient temperature around burners

F23N 2025/16 . . burner temperature

F23N 2025/18 . . feedwater temperature

F23N 2025/19 . . outlet temperature water heat-exchanger

F23N 2025/20 . . entrant temperature

F23N 2025/21 . . outlet temperature

F23N 2025/22 . heat losses

F23N 2025/24 . . indicated in an amount of money

F23N 2025/26 . humidity

F23N 2025/30 . . measuring lambda

F23N 2027/00 Ignition or checking

F23N 2027/02 . Starting or ignition cycles

F23N 2027/04 . Prepurge

F23N 2027/06 . Postpurge

F23N 2027/08 . Hold fire apparatus

F23N 2027/10 . Sequential burner running

F23N 2027/12 . Burner simulation or checking

F23N 2027/14 . . Flame simulation

F23N 2027/16 . . Checking components, e.g. electronic

F23N 2027/18 . Applying test signals, e.g. periodic

F23N 2027/20 . Calibrating devices

- F23N 2027/22 . Pilot burners ([ignition circuits therefor F23N 2027/32](#))
- F23N 2027/24 . . the pilot burner not burning continuously
- F23N 2027/26 . . comprising two or more distinct pilot burners
- F23N 2027/28 . Ignition circuits
- F23N 2027/30 . . for pilot burners
- F23N 2027/32 . Igniting for a predetermined number of cycles
- F23N 2027/34 . Continuously applied ignition cycles
- F23N 2027/36 . Spark ignition, e.g. by means of a high voltage
- F23N 2027/38 . Electrical resistance ignition
- F23N 2027/40 . Catalytic ignition
- F23N 2027/42 . Ceramic glow ignition

F23N 2029/00 Flame sensors

- F23N 2029/02 . Pilot flame sensors
- F23N 2029/04 . sensitive to the colour of flames
- F23N 2029/06 . with periodical shutters ; Modulation signals
- F23N 2029/08 . detecting flame flicker
- F23N 2029/10 . comprising application of periodical fuel flow fluctuations
- F23N 2029/12 . with flame rectification current detecting means
- F23N 2029/14 . using two or more different types of flame sensor
- F23N 2029/16 . using two or more of the same types of flame sensor
- F23N 2029/18 . Flame sensor cooling means
- F23N 2029/20 . Camera viewing
- F23N 2029/22 . the sensor`s sensivity being variable

F23N 2031/00 Fail safe

- F23N 2031/02 . using electric energy accumulators
- F23N 2031/04 . for electrical power failures
- F23N 2031/06 . for flame failures

- F23N 2031/08 . . for pilot flame failures
- F23N 2031/10 . for component failures
- F23N 2031/12 . for ignition failures
- F23N 2031/14 . for earthquakes
- F23N 2031/16 . using melting materials or shape memory alloys
- F23N 2031/18 . Detecting fluid leaks
- F23N 2031/20 . Warning devices
- F23N 2031/22 . . using warning lamps
- F23N 2031/24 . Freezing
- F23N 2031/26 . for clogging air inlet
- F23N 2031/28 . preventing flash-back or blow-back
- F23N 2031/30 . Representation of working time

F23N 2033/00 Ventilators

- F23N 2033/02 . in stacks
- F23N 2033/04 . . with variable speed
- F23N 2033/06 . at the air intake
- F23N 2033/08 . . with variable speed
- F23N 2033/10 . forcing air through heat exchangers

F23N 2035/00 Valves, nozzles or pumps

- F23N 2035/02 . Air or combustion gas valves or dampers
- F23N 2035/04 . . in stacks
- F23N 2035/06 . . at the air intake
- F23N 2035/08 . . used with heat exchanges
- F23N 2035/10 . . power assisted, e.g. using electric motors
- F23N 2035/12 . Fuel valves
- F23N 2035/14 . . electromagnetically operated
- F23N 2035/16 . . variable flow or proportional valves
- F23N 2035/18 . . Groups of two or more valves
- F23N 2035/20 . . Membrane valves
- F23N 2035/22 . . cooperating with magnets

| | |
|---------------------|---|
| F23N 2035/24 | . . Valve details |
| F23N 2035/26 | . Fuel nozzles |
| F23N 2035/28 | . . Spray fuel nozzles |
| F23N 2035/30 | . Pumps |
| F23N 2037/00 | Controlling (F23N 5/00 takes precedence) |
| F23N 2037/02 | . two or more burners |
| F23N 2037/04 | . at two or more different localities |
| F23N 2037/06 | . two predetermining temperatures, e.g. day-night |
| F23N 2037/08 | . two or more different types of fuel simultaneously |
| F23N 2037/10 | . High or low fire |
| F23N 2037/12 | . catalytic burners |
| F23N 2037/14 | . burners with gasification or vaporizer elements |
| F23N 2037/16 | . secondary air |
| F23N 2037/18 | . fluidized bed burners |
| F23N 2037/20 | . one or more bypass conduits |
| F23N 2037/22 | . water injection |
| F23N 2037/24 | . height of burner |
| F23N 2037/26 | . . oxygen-air ratio |
| F23N 2037/28 | . . oxygen as pure oxydant |
| F23N 2037/30 | . . matrix burners |
| F23N 2037/32 | . . Nox |
| F23N 2039/00 | Fuels |
| F23N 2039/02 | . Solid fuels |
| F23N 2039/04 | . Gaseous fuels |
| F23N 2039/06 | . Liquid fuels |
| F23N 2041/00 | Applications |
| F23N 2041/02 | . Space-heating |

| | |
|---------------------|---|
| F23N 2041/04 | . Heating water |
| F23N 2041/06 | . Space-heating and heating water |
| F23N 2041/08 | . Household apparatus |
| F23N 2041/10 | . Generating vapour |
| F23N 2041/11 | . Torches |
| F23N 2041/12 | . Stack-torches |
| F23N 2041/14 | . Vehicle heating, the heat being derived otherwise than from the propulsion plant |
| F23N 2041/16 | . Spectrometer burners |
| F23N 2041/18 | . Incinerating apparatus |
| F23N 2041/20 | . Gas turbines |
| F23N 2041/22 | . Absorption refrigerator |
| F23N 2900/00 | Special features of, or arrangements for controlling combustion |
| F23N 2900/01001 | . Micro Electro Mechanical Systems (MEMS) for controlling fuel supply to burners |
| F23N 2900/01002 | . Electromagnetically operated fuel valves with a single solenoid controlling two or more cores |
| F23N 2900/05001 | . Measuring CO content in flue gas |
| F23N 2900/05002 | . Measuring CO ₂ content in flue gas |
| F23N 2900/05003 | . Measuring NO _x content in flue gas |
| F23N 2900/05004 | . Details of components, e.g. connecting adaptors |
| F23N 2900/05005 | . Mounting arrangements for sensing, detecting or measuring devices |
| F23N 2900/05006 | . Controlling systems using neuronal networks |
| F23N 2900/05101 | . Connections between thermocouple and magnetic valves, e.g. by plug and socket connectors |
| F23N 2900/05181 | . Controlling air to fuel ratio by using a single differential pressure detector |