

**CPC****COOPERATIVE PATENT CLASSIFICATION****G03C**

**PHOTOSENSITIVE MATERIALS FOR PHOTOGRAPHIC PURPOSES** (for photomechanical purposes [G03F](#)); **PHOTOGRAPHIC PROCESSES**, e.g. CINE, X-RAY, COLOUR, STEREO-**PHOTOGRAPHIC PROCESSES**; **AUXILIARY PROCESSES IN PHOTOGRAPHY** (photographic processes characterised by the use or manipulation of apparatus classifiable per se in subclass [G03B](#), see [G03B](#); photomechanical production of textured or patterned surfaces [G03F](#); electrophotography, magnetography [G03G](#))

**NOTE**

In this subclass, the following expressions are used with the meanings indicated :

- "photosensitive compositions" covers photosensitive substances, e.g. silverhalides, and, if applicable, binders or additives;
- "photosensitive materials" covers the photosensitive compositions, e.g. emulsions, the bases carrying them, and, if applicable, auxiliary layers.

**WARNING**

The following IPC group is not used in the CPC scheme.

Subject matter covered by this group is classified in the following CPC group:

- [G03C 9/08](#) covered by [G03F 7/0037](#)

**G03C 1/00**

**Photosensitive materials** (photosensitive materials for multicolour processes [G03C 7/00](#); for diffusion transfer processes [G03C 8/00](#); photosensitive glass [C03C 4/04](#))

[G03C 1/002](#)

- {containing microcapsules (with photopolymerisable compositions [G03F 7/002](#))}

[G03C 1/005](#)

- Silver halide emulsions; Preparation thereof; Physical treatment thereof; Incorporation of additives therein (catalytic amounts of silver halide in dry silver systems {or thermographic systems using noble metal compounds} [G03C 1/494](#))

[G03C 1/0051](#)

- • {Tabular grain emulsions}

[G03C 1/0053](#)

- • • {with high content of silver chloride}

[G03C 2001/0055](#)

- • • {Aspect ratio of tabular grains in general; High aspect ratio; Intermediate aspect ratio; Low aspect ratio}

[G03C 2001/0056](#)

- • • {Dislocations}

[G03C 2001/0058](#)

- • • {Twinned crystal}

[G03C 1/015](#)

- • Apparatus or processes for the preparation of emulsions (coating, drying [G03C 1/74](#) {; [G03C 1/07](#) takes precedence; special processes for tabular grains [G03C 1/0051](#)})

[G03C 2001/0151](#)

- • • {Double jet precipitation}

[G03C 2001/0152](#)

- • • {Desalting}

[G03C 2001/0153](#)

- • • {Fine grain feeding method}

[G03C 2001/0155](#)

- • • {Flocculation}

[G03C 2001/0156](#)

- • • {pAg value; pBr value; pCl value; pI value}

G03C 2001/0157	. . .	{Ultrafiltration}
G03C 2001/0158	. . .	{Washing of emulsions}
G03C 1/025	. .	Physical treatment of emulsions, e.g. by ultrasonics, refrigeration, pressure (coating, drying <a href="#">G03C 1/74</a> )
G03C 2001/0252	. . .	{Electric power or field}
G03C 2001/0255	. . .	{Refrigeration}
G03C 2001/0257	. . .	{Ultrasonic}
G03C 1/035	. .	characterised by the crystal form or composition, e.g. mixed grain
G03C 2001/03505	. . .	{Shape of the grains}
G03C 2001/03511	. . .	{Bromide content}
G03C 2001/03517	. . .	{Chloride content}
G03C 2001/03523	. . .	{Converted grains}
G03C 2001/03529	. . .	{Coefficient of variation}
G03C 2001/03535	. . .	{Core-shell grains}
G03C 2001/03541	. . .	{Cubic grains}
G03C 2001/03547	. . .	{Cubooctahedral grains}
G03C 2001/03552	. . .	{Epitaxial junction grains; Protrusions or protruded grains}
G03C 2001/03558	. . .	{Iodide content}
G03C 2001/03564	. . .	{Mixed grains or mixture of emulsions}
G03C 2001/0357	. . .	{Monodisperse emulsion}
G03C 2001/03576	. . .	{Containing no iodide}
G03C 2001/03582	. . .	{Octahedral grains}
G03C 2001/03588	. . .	{Polydisperse emulsion}
G03C 2001/03594	. . .	{Size of the grains}
G03C 1/04	. .	with macromolecular additives; with layer-forming substances
G03C 2001/041	. . .	{Binder}
G03C 2001/042	. . .	{Natural polymer}
G03C 1/043	. . .	Polyalkylene oxides; Polyalkylene sulfides; Polyalkylene selenides; Polyalkylene tellurides
G03C 1/047	. . .	Proteins, e.g. gelatine derivatives; Hydrolysis or extraction products of proteins
G03C 2001/0471	. . . .	{Isoelectric point of gelatine}
G03C 2001/0473	. . . .	{Low molecular weight gelatine}
G03C 2001/0475	. . . .	{Gelatine characteristics}
G03C 2001/0476	. . . .	{Swelling of gelatine}
G03C 2001/0478	. . . .	{Oxidising agent}
G03C 1/053	. . .	Polymers obtained by reactions involving only carbon-to-carbon unsaturated bonds, e.g. vinyl polymers
G03C 1/06	. .	with non-macromolecular additives ( <a href="#">G03C 1/047</a> takes precedence; {combination of dyes <a href="#">G03C 1/29</a> })
G03C 1/061	. . .	{Hydrazine compounds}

G03C 2001/062	. . . .	{Hydrazine derivative}
G03C 2001/064	. . . .	{Nitro compounds}
G03C 2001/065	. . . .	{Quaternary ammonium compound-substituent}
G03C 1/067	. . .	{Additives for high contrast images, other than hydrazine compounds}
G03C 2001/068	. . . .	{Onium compounds}
G03C 1/07	. . .	Substances influencing grain growth during silver salt formation
G03C 2001/073	. . . .	{Grain growth modifier}
G03C 2001/076	. . . .	{Silver halide solvent}
G03C 1/08	. . .	Sensitivity-increasing substances
G03C 2001/0809	. . . .	{Chemical sensitiser}
G03C 2001/0818	. . . .	{Calcium ion content or calcium compound}
G03C 2001/0827	. . . .	{Cobalt}
G03C 2001/0836	. . . .	{Copper compounds}
G03C 2001/0845	. . . .	{Iron compounds}
G03C 2001/0854	. . . .	{Indium}
G03C 2001/0863	. . . .	{Group VIII metal compound}
G03C 2001/0872	. . . .	{Metal dopant -added during precipitation}
G03C 2001/0881	. . . .	{Metal complex}
G03C 2001/089	. . . .	{Cyano complexes or compounds}
G03C 1/09	. . . .	Noble metals or mercury; Salts or compounds thereof; Sulfur, selenium or tellurium, or compounds thereof, e.g. for chemical sensitising ( <a href="#">G03C 1/34</a> , <a href="#">G03C 1/35</a> take precedence)
G03C 2001/091	. . . . .	{Gold}
G03C 2001/092	. . . . .	{Mercury}
G03C 2001/093	. . . . .	{Iridium}
G03C 2001/094	. . . . .	{Rhodium}
G03C 2001/095	. . . . .	{Disulfide or dichalcogenide compound}
G03C 2001/096	. . . . .	{Sulphur sensitiser}
G03C 2001/097	. . . . .	{Selenium}
G03C 2001/098	. . . . .	{Tellurium}
G03C 1/10	. . . .	Organic substances {( <a href="#">G03C 1/061</a> , <a href="#">G03C 1/067</a> take precedence)}
G03C 1/102	. . . . .	{dyes other than methine dyes}
G03C 2001/104	. . . . .	{Fogging agent or process}
G03C 2001/106	. . . . .	{Reduction sensitisation or reduction sensitiser}
G03C 2001/108	. . . . .	{Nucleation accelerating compound}
G03C 1/12	. . . . .	Methine and polymethine dyes
G03C 1/122	. . . . .	{Azacyanines}
G03C 1/125	. . . . .	{Phosphocyanines}
G03C 1/127	. . . . .	{the polymethine chain forming part of a carbocyclic ring}
G03C 1/14	. . . . .	with an odd number of CH groups

G03C 1/16	. . . . . with one CH group
G03C 1/18	. . . . . with three CH groups
G03C 1/20	. . . . . with more than three CH groups
G03C 1/22	. . . . . with an even number of CH groups
G03C 1/24	. . . . . Styryl dyes
G03C 1/26	. . . . . Polymethine chain forming part of a heterocyclic ring
G03C 1/28	. . . . . together with supersensitising substances
G03C 1/29	. . . . . the supersensitising mixture being solely composed of dyes; {Combination of dyes, even if the supersensitising effect is not explicitly disclosed}
G03C 1/295	. . . Development accelerators
G03C 1/30	. . . Hardeners
G03C 1/301	. . . . {Aldehydes or derivatives thereof, e.g. bisulfite addition products}
G03C 1/302	. . . . {containing an aziridine ring}
G03C 1/303	. . . . {Di- or polysaccharides}
G03C 1/305	. . . . {containing a diazine or triazine ring}
G03C 1/306	. . . . {containing an oxirane ring}
G03C 1/307	. . . . {Macromolecular substances (polysaccharides <a href="#">G03C 1/303</a> )}
G03C 2001/308	. . . . {Vinyl sulfone hardener}
G03C 1/31	. . . Plasticisers
G03C 1/32	. . . Matting agents {(see also <a href="#">G03C 1/95</a> )}
G03C 1/33	. . . Spot-preventing agents
G03C 1/34	. . . Fog-inhibitors; Stabilisers; Agents inhibiting latent image regression
G03C 2001/341	. . . . {Antifoggant}
G03C 2001/343	. . . . {Benzotriazole}
G03C 2001/345	. . . . {Stabiliser}
G03C 1/346	. . . . {Organic derivatives of bivalent sulfur, selenium or tellurium}
G03C 2001/348	. . . . {Tetrazaindene}
G03C 1/35	. . . Antiplumming agents, i.e. antibronzing agents; Toners
G03C 1/355	. . . . {Organic derivatives of bivalent sulfur, selenium or tellurium}
G03C 1/36	. . . Desensitisers (direct positive emulsions <a href="#">G03C 1/485</a> )
G03C 1/37	. . . Antiseptic agents
G03C 1/38	. . . Dispersants; Agents facilitating spreading
G03C 1/385	. . . . {containing fluorine}
G03C 1/40	. . . Dyestuffs not covered by the groups <a href="#">G03C 1/08</a> to <a href="#">G03C 1/38</a> or <a href="#">G03C 1/42</a>
G03C 1/42	. . . Developers or their precursors
G03C 2001/425	. . . . {Incorporated developer}
G03C 1/43	. . . Processing agents or their precursors, not covered by groups <a href="#">G03C 1/07</a> to <a href="#">G03C 1/42</a>

- G03C 1/46
  - • having more than one photosensitive layer {(G03F 7/0952 takes precedence)}
- G03C 1/485
  - • Direct positive emulsions
- G03C 2001/48507
  - • • {Internal latent image}
- G03C 1/48515
  - • • {prefogged}
- G03C 1/48523
  - • • • {characterised by the desensitiser}
- G03C 1/4853
  - • • • • {polymethine dyes}
- G03C 1/48538
  - • • {non-prefogged, i.e. fogged after imagewise exposure}
- G03C 1/48546
  - • • • {characterised by the nucleating/fogging agent}
- G03C 1/48553
  - • • • • {the fogging agent only present in the developer}
- G03C 1/48561
  - • • • • {hydrazine compounds}
- G03C 1/48569
  - • • • {characterised by the emulsion type/grain forms, e.g. tabular grain emulsions}
- G03C 1/48576
  - • • • • {core-shell grain emulsions}
- G03C 1/48584
  - • • • {spectrally sensitised}
- G03C 1/48592
  - • • {Positive image obtained by various effects other than photohole bleaching or internal image desensitisation, e.g. Sabatier, Clayden effect}
- G03C 1/49
  - • Print-out and photodevelopable emulsions
- G03C 1/492
  - • Photosoluble emulsions
- G03C 1/494
  - Silver salt compositions other than silver halide emulsions; Photothermographic systems {Thermographic systems using noble metal compounds}
- G03C 1/496
  - • Binder-free compositions, e.g. evaporated
- G03C 1/4965
  - • • {evaporated}
- G03C 1/498
  - • Photothermographic systems, e.g. dry silver
- G03C 1/49809
  - • • {Organic silver compounds}
- G03C 1/49818
  - • • {Silver halides}
- G03C 1/49827
  - • • {Reducing agents}
- G03C 1/49836
  - • • {Additives}
- G03C 1/49845
  - • • • {Active additives, e.g. toners, stabilisers, sensitisers}
- G03C 1/49854
  - • • • • {Dyes or precursors of dyes (for diffusion-transfer G03C 8/10, G03C 8/4013)}
- G03C 1/49863
  - • • • {Inert additives, e.g. surfactants, binders}
- G03C 1/49872
  - • • {Aspects relating to non-photosensitive layers, e.g. intermediate protective layers}
- G03C 1/49881
  - • • {characterised by the process or the apparatus}
- G03C 1/4989
  - • • {characterised by a thermal imaging step, with or without exposure to light, e.g. with a thermal head, using a laser}
- G03C 1/50
  - Compositions containing noble metal salts other than silver salts, as photosensitive substances {(thermographic systems using noble metal compounds G03C 1/494)}
- G03C 1/52
  - Composition containing diazo compounds as photosensitive substances (G03C 1/64 takes precedence)
- G03C 1/54
  - • Diazonium salts or diazo anhydrides

- G03C 1/56 . . Diazo sulfonates
- G03C 1/58 . . Coupling substances therefor
- G03C 1/585 . . . {Precursors}
- G03C 1/60 . . with macromolecular additives
- G03C 1/61 . . with non-macromolecular additives
- G03C 1/615 . . . {Substances generating bases}
- G03C 1/62 . . Metal compounds reducible to metal
- G03C 1/64 . Compositions containing iron compounds as photosensitive substances
- G03C 1/66 . Compositions containing chromates as photosensitive substances
- G03C 1/67 . Compositions containing cobalt salts or cobalt compounds as photosensitive substances
- G03C 1/675 . Compositions containing polyhalogenated compounds as photosensitive substances (for photopolymerisable or photocrosslinkable compositions [G03F 7/028](#), covered by [G03C 1/72](#))
- G03C 1/685 . Compositions containing spiro-condensed pyran compounds or derivatives thereof, as photosensitive substances
- G03C 1/695 . Compositions containing azides as the photosensitive substances (for photopolymerisable or photocrosslinkable compositions [G03F 7/008](#))
- G03C 1/705 . Compositions containing chalcogenides, metals or alloys thereof, as photosensitive substances, e.g. photodope systems (used as photoresist [G03F 7/004](#))
- G03C 1/72 . Photosensitive compositions not covered by the groups [G03C 1/005](#) to [G03C 1/705](#)
- G03C 1/725 . . containing inorganic compounds
- G03C 1/7253 . . . {Lead salts}
- G03C 1/7256 . . . {Mercury salts}
- G03C 1/73 . . containing organic compounds
- G03C 1/731 . . . {Biological compounds}
- G03C 1/732 . . . {Leuco dyes}
- G03C 1/733 . . . {with macromolecular compounds as photosensitive substances, e.g. photochromic (photodegradable or photocrosslinkable compositions [G03F 7/004](#))}
- G03C 1/734 . . . {Tellurium or selenium compounds}
- G03C 1/735 . . . Organo-metallic compounds
- G03C 1/74 . Applying photosensitive compositions to the base; Drying processes therefor ([G03C 1/496](#) takes precedence)
- G03C 2001/7403 . . {Air jets}
- G03C 2001/7407 . . {Specific angles in extrusion head-slide hopper}
- G03C 2001/7411 . . {Beads or bead coating}
- G03C 2001/7414 . . {Bending support to prevent coating of borders}
- G03C 2001/7418 . . {Backup roll}
- G03C 2001/7422 . . {Blowing means}
- G03C 2001/7425 . . {Coating on both sides}

- G03C 2001/7429 . . {Cleaning means}
- G03C 2001/7433 . . {Curtain coating}
- G03C 2001/7437 . . {Degassing means}
- G03C 2001/744 . . {Delivering means for slide hopper}
- G03C 2001/7444 . . {Dip coating}
- G03C 2001/7448 . . {Dispersion}
- G03C 2001/7451 . . {Drying conditions}
- G03C 2001/7455 . . {Edge bead nonuniformity coated at the border}
- G03C 2001/7459 . . {Extrusion coating}
- G03C 2001/7462 . . {Flowing conditions in slots prior to coating}
- G03C 2001/7466 . . {Geometry and shape of application devices}
- G03C 2001/747 . . {Lateral edge guiding means for curtain coating}
- G03C 2001/7474 . . {Impingement conditions curtain onto support}
- G03C 2001/7477 . . {Lip detail or shape in hopper or extrusion head}
- G03C 2001/7481 . . {Coating simultaneously multiple layers}
- G03C 2001/7485 . . {Shielding means against air disturbances}
- G03C 2001/7488 . . {Sliding layers or means}
- G03C 2001/7492 . . {Slide hopper for head or curtain coating}
- G03C 2001/7496 . . {Viscosity range}
- G03C 1/76 . . Photosensitive materials characterised by the base or auxiliary layers
- G03C 2001/7607 . . {Support or base}
- G03C 1/7614 . . {Cover layers; Backing layers; Base or auxiliary layers characterised by means for lubricating, for rendering anti-abrasive or for preventing adhesion (characterised by the inert particulate additive [G03C 1/95](#))}
- G03C 2001/7621 . . . {Antiabrasion}
- G03C 2001/7628 . . . {Back layer}
- G03C 2001/7635 . . . {Protective layer}
- G03C 1/7642 . . {the base being of textile or leather ([G03C 11/12](#) takes precedence)}
- G03C 1/765 . . characterised by the shape of the base, e.g. arrangement of perforations, jags
- G03C 1/77 . . the base being of metal
- G03C 1/775 . . the base being of paper
- G03C 1/785 . . . translucent
- G03C 1/79 . . . Macromolecular coatings or impregnations therefor, e.g. varnishes
- G03C 1/795 . . the base being of macromolecular substances ([G03C 1/775](#) takes precedence)
- G03C 2001/7952 . . . {Cellulose ester}
- G03C 1/7954 . . . {Polyesters}
- G03C 2001/7956 . . . . {Polyethylene naphthalate}
- G03C 2001/7958 . . . . {Polyethylene terephthalate}
- G03C 1/805 . . characterised by stripping layers or stripping means



- G03C 1/81
  - . characterised by anticoiling means
- G03C 1/815
  - . characterised by means for filtering or absorbing ultraviolet light, e.g. optical bleaching (for photoprinting [G03C 5/10](#); for intensifying X-ray images [G03C 5/17](#))
- G03C 1/8155
  - . . {Organic compounds therefor}
- G03C 1/825
  - . characterised by antireflection means or visible-light filtering means, e.g. antihalation
- G03C 1/8255
  - . . {Silver or silver compounds therefor}
- G03C 1/83
  - . . Organic dyestuffs therefor {(polymeric dyes [G03C 1/835](#))}
- G03C 1/831
  - . . . {Azo dyes}
- G03C 1/832
  - . . . {Methine or polymethine dyes}
- G03C 1/833
  - . . . {Dyes containing a metal atom}
- G03C 1/835
  - . . Macromolecular substances therefor, e.g. mordants
- G03C 1/85
  - . characterised by antistatic additives or coatings
- G03C 1/853
  - . . {Inorganic compounds, e.g. metals}
- G03C 1/856
  - . . {Phosphorus compounds}
- G03C 1/89
  - . . Macromolecular substances therefor
- G03C 1/895
  - . . . {Polyalkylene oxides}
- G03C 1/91
  - . characterised by subbing layers or subbing means
- G03C 1/915
  - . . {using mechanical or physical means therefor, e.g. corona}
- G03C 1/93
  - . . Macromolecular substances therefor
- G03C 1/95
  - . rendered opaque or writable, e.g. with inert particulate additives ([G03C 1/775](#) takes precedence)
  
- G03C 3/00**

**Packages of films for inserting into cameras, e.g. roll-films, film-packs; Wrapping materials for light-sensitive plates, films or papers, e.g. materials characterised by the use of special dyes, printing inks, adhesives (wrapping materials in general [B65D](#))**
- G03C 3/003
  - {Individual packages for X-ray film, e.g. for dental applications}
- G03C 2003/006
  - {Film with lens-disposable camera}
- G03C 3/02
  - Photographic roll-films with paper strips
  
- G03C 5/00**

**Photographic processes or agents therefor; Regeneration of such processing agents (multicolour processes or agents therefor [G03C 7/00](#); diffusion-transfer processes or agents therefor [G03C 8/00](#); stereo-photographic processes [G03C 9/00](#); photomechanical processes [G03F](#))**
- G03C 5/02
  - Sensitometric processes, e.g. determining sensitivity, colour sensitivity, gradation, graininess, density; Making sensitometric wedges
- G03C 5/04
  - Photo-taking processes
- G03C 2005/045
  - . {Scanning exposure}
- G03C 5/06
  - . Travelling-mask processes
- G03C 5/08
  - Photoprinting ([G03C 5/18](#) takes precedence); Processes and means for preventing photoprinting
- G03C 5/10
  - . Reflex-printing; Photoprinting using fluorescent or phosphorescent means



- G03C 5/12 . Cinematographic processes of taking pictures or printing
- G03C 5/14 . . combined with sound-recording ([sound-recording in general G11B](#))
- G03C 5/16 . X-ray, infra-red, or ultra-violet ray processes
- G03C 2005/162 . . {Roomlight material-bright room type material}
- G03C 5/164 . . {Infra-red processes}
- G03C 2005/166 . . {Ultraviolet sensitive material or UV exposure}
- G03C 2005/168 . . {X-ray material or process}
- G03C 5/17 . . using screens to intensify X-ray images ([X-ray conversion screens G21K 4/00](#))
- G03C 5/18 . Diazo-type processes, e.g. thermal development, or agents therefor
- G03C 5/20 . . Reflex-printing
- G03C 5/22 . Direct chromate processes, i.e. without preceding silver picture, or agents therefor
- G03C 5/26 . Processes using silver-salt-containing photosensitive materials or agents therefor ([physical development G03C 5/58](#))
- G03C 5/261 . . {Non-bath processes, e.g. using pastes, webs, viscous compositions}
- G03C 5/262 . . {using materials covered by groups [G03C 1/42](#) and [G03C 1/43](#)}
- G03C 5/263 . . {with an exterior influence, e.g. ultrasonics, electrical or thermal means ([G03C 5/262](#) takes precedence; dry silver systems [G03C 1/498](#))}
- G03C 5/264 . . {Supplying of photographic processing chemicals; Preparation or packaging thereof}
- G03C 5/265 . . . {of powders, granulates, tablets ([G03C 5/267](#) takes precedence)}
- G03C 5/266 . . . {of solutions or concentrates ([G03C 5/267](#) takes precedence)}
- G03C 5/267 . . . {Packaging; Storage}
- G03C 5/268 . . {Processing baths not provided for elsewhere, e.g. pre-treatment, stop, intermediate or rinse baths ([colour processing G03C 7/3046](#))}
- G03C 5/28 . . Cinematographic-film processes
- G03C 5/29 . . Development processes or agents therefor ([G03C 5/38](#), [G03C 5/50](#) take precedence)
- G03C 5/30 . . . Developers
- G03C 2005/3007 . . . . {Ascorbic acid}
- G03C 5/3014 . . . . {Hydrazine; Hydroxylamine; Urea; Derivatives thereof}
- G03C 5/3021 . . . . {with oxydisable hydroxyl or amine groups linked to an aromatic ring}
- G03C 5/3028 . . . . {Heterocyclic compounds ([G03C 5/3021](#) takes precedence)}
- G03C 5/3035 . . . . . {containing a diazole ring}
- G03C 2005/3042 . . . . . {Phenidone and analogues}
- G03C 5/305 . . . Additives other than developers {([G03C 5/264](#) takes precedence)}
- G03C 5/3053 . . . . {Tensio-active agents or sequestering agents, e.g. water-softening or wetting agents}
- G03C 5/3056 . . . . {Macromolecular additives ([G03C 5/261](#) takes precedence)}
- G03C 5/31 . . . Regeneration; Replenishers
- G03C 5/315 . . . Tanning development

- G03C 5/32 . . Latensification; Densensitisation
- G03C 5/38 . . Fixing; Developing-fixing; Hardening-fixing ([bleach-fixing G03C 5/44](#))
- G03C 5/383 . . . {[Developing-fixing, i.e. mono-baths](#)}
- G03C 5/386 . . . {[Hardening-fixing](#)}
- G03C 5/39 . . . Stabilising, i.e. fixing without washing out
- G03C 5/395 . . Regeneration of photographic processing agents other than developers; Replenishers therefor
- G03C 5/3952 . . . {[Chemical, mechanical or thermal methods, e.g. oxidation, precipitation, centrifugation \(microseparation techniques using membranes G03C 5/3956\)](#)}
- G03C 5/3954 . . . {[Electrical methods, e.g. electrolytic silver recovery, electrodialysis](#)}
- G03C 5/3956 . . . {[Microseparation techniques using membranes, e.g. reverse osmosis, ion exchange, resins, active charcoal \(G03C 5/3954 takes precedence\)](#)}
- G03C 5/3958 . . . {[Replenishment processes or compositions, i.e. addition of useful photographic processing agents](#)}
- G03C 5/40 . . Chemically transforming developed images ([G03C 5/50 takes precedence](#))
- G03C 5/42 . . . Reducing; Intensifying {(using couplers [G03C 7/30](#))}
- G03C 5/44 . . . Bleaching; Bleach-fixing
- G03C 5/46 . . . Toning
- G03C 5/48 . . . Mordanting
- G03C 5/50 . . Reversal development; Contact processes ([G03C 5/315](#), [G03C 8/00 take precedence](#))
- G03C 5/56 . Processes using photosensitive compositions covered by the groups [G03C 1/64](#) to [G03C 1/72](#) or agents therefor ([G03C 5/58 takes precedence](#))
- G03C 5/58 . Processes for obtaining metallic images by vapor deposition or physical development ([images obtained by photomechanical means, e.g. by etching G03F](#))
- G03C 5/60 . Processes for obtaining vesicular images
- G03C 7/00** **Multicolour photographic processes or agents therefor; Regeneration of such processing agents; Photosensitive materials for multicolour processes (diffusion transfer processes [G03C 8/00](#))**
- G03C 7/02 . Direct bleach-out processes; Materials therefor; Preparing or processing such materials
- G03C 7/04 . Additive processes using colour screens; Materials therefor; Preparing or processing such materials
- G03C 7/06 . . Manufacture of colour screens
- G03C 7/08 . . . from diversely-coloured grains irregularly distributed
- G03C 7/10 . . . with regular areas of colour, e.g. bands, lines, dots
- G03C 7/12 . . . . by photo-exposure {(photomechanical production of optical colour artifacts such as colour screens, for purposes other than for additive colour photography [G03F 7/0007](#))}
- G03C 7/14 . Additive processes using lenticular screens; Materials therefor; Preparing or processing such materials

- G03C 7/18 . Processes for the correction of the colour image in subtractive colour photography ([using coloured couplers G03C 7/333](#))
- G03C 7/20 . Subtractive colour processes using differently sensitised films, each coated on its own base, e.g. bipacks, tripacks
- G03C 7/22 . Subtractive cinematographic processes; Materials therefor; Preparing or processing such materials
- G03C 7/24 . . combined with sound-recording ([sound recording in general G11B](#))
- G03C 7/25 . . Dye-imbibition processes; Materials therefor; Preparing or processing such materials
- G03C 7/26 . Silver halide emulsions for subtractive colour processes ([G03C 7/28 to G03C 7/30 take precedence](#))
- G03C 7/28 . Silver dye bleach processes; Materials therefor; Preparing or processing such materials
- G03C 7/29 . . Azo dyes therefor
- G03C 7/30 . Colour processes using colour-coupling substances; Materials therefor; Preparing or processing such materials
- G03C 2007/3001 . . {Panchromatic}
- G03C 7/3003 . . {Materials characterised by the use of combinations of photographic compounds known as such, or by a particular location in the photographic element}
- G03C 7/3005 . . . {Combinations of couplers and photographic additives}
- G03C 7/3006 . . . . {Combinations of phenolic or naphtholic couplers and photographic additives}
- G03C 7/3008 . . . . {Combinations of couplers having the coupling site in rings of cyclic compounds and photographic additives}
- G03C 7/301 . . . . . {Combinations of couplers having the coupling site in pyrazoloazole rings and photographic additives}
- G03C 7/3012 . . . . . {Combinations of couplers having the coupling site in pyrazolone rings and photographic additives}
- G03C 7/3013 . . . . . {Combinations of couplers with active methylene groups and photographic additives}
- G03C 2007/3015 . . . {False colour system}
- G03C 7/3017 . . {with intensification of the image by oxido-reduction}
- G03C 7/3018 . . . {using cobalt compounds}
- G03C 7/302 . . . {using peroxides}
- G03C 7/3022 . . {Materials with specific emulsion characteristics, e.g. thickness of the layers, silver content, shape of AgX grains}
- G03C 2007/3024 . . . {Ratio silver to coupler}
- G03C 2007/3025 . . . {Silver content}
- G03C 2007/3027 . . . {Thickness of a layer}
- G03C 7/3029 . . {Materials characterised by a specific arrangement of layers, e.g. unit layers, or layers having a specific function}
- G03C 2007/3031 . . . {Interimage effect}
- G03C 2007/3032 . . . {Non-sensitive AgX or layer containing it}
- G03C 2007/3034 . . . {Unit layer}

G03C 2007/3036	. . .	{Single layer constitution}
G03C 2007/3037	. . .	{At least three unit layers}
G03C 2007/3039	. . .	{Yellow filter}
G03C 7/3041	. .	{Materials with specific sensitometric characteristics, e.g. gamma, density}
G03C 2007/3043	. . .	{Original suitable to be scanned}
G03C 2007/3044	. . .	{Density}
G03C 7/3046	. .	{Processing baths not provided for elsewhere, e.g. final or intermediate washings}
G03C 2007/3048	. . .	{Stabilisation}
G03C 7/305	. .	Substances liberating photographically active agents, e.g. development-inhibiting releasing couplers ( <a href="#">G03C 7/388</a> takes precedence; {in combination with other additives or included in a specific colour photographic material <a href="#">G03C 7/3003</a> ; in combination with other couplers <a href="#">G03C 7/3225</a> })
G03C 2007/30505	. . .	{Photographic useful group}
G03C 7/30511	. . .	{characterised by the releasing group}
G03C 7/30517	. . . .	{2-equivalent couplers, i.e. with a substitution on the coupling site being compulsory with the exception of halogen-substitution}
G03C 7/30523	. . . . .	{Phenols or naphthols couplers}
G03C 7/30529	. . . . .	{having the coupling site in rings of cyclic compounds}
G03C 7/30535	. . . . .	{having the coupling site not in rings of cyclic compounds}
G03C 7/30541	. . .	{characterised by the released group}
G03C 7/30547	. . . .	{Dyes}
G03C 7/30552	. . . .	{Mercapto}
G03C 7/30558	. . . .	{Heterocyclic group ( <a href="#">G03C 7/30552</a> takes precedence)}
G03C 2007/30564	. . . .	{Development inhibitor releasing}
G03C 2007/3057	. . . .	{Developing agent releasing compound}
G03C 7/30576	. . .	{characterised by the linking group between the releasing and the released groups, e.g. time-groups}
G03C 2007/30582	. . . .	{Linking group}
G03C 2007/30588	. . . .	{Timing group}
G03C 7/30594	. . .	{Combination of substances liberating photographically active agents}
G03C 7/32	. .	Colour coupling substances ( <a href="#">G03C 7/305</a> , <a href="#">G03C 7/388</a> take precedence; {in combination with other additives or included in a specific colour photographic material <a href="#">G03C 7/3003</a> ; two-equivalent couplers <a href="#">G03C 7/30517</a> })
G03C 2007/3206	. . .	{Concurrent coupler}
G03C 7/3212	. . .	{Couplers characterised by a group not in coupling site, e.g. ballast group, as far as the coupling rest is not specific}
G03C 2007/3219	. . . .	{Ballast group}
G03C 7/3225	. . .	{Combination of couplers of different kinds, e.g. yellow and magenta couplers in a same layer or in different layers of the photographic material}
G03C 7/3231	. . .	{Couplers containing an indazolone ring}
G03C 2007/3238	. . .	{Coupler activity}

G03C 7/3244	. . .	{Couplers forming azinic dyes; Specific developers therefor}
G03C 2007/325	. . .	{One-equivalent coupler}
G03C 2007/3257	. . .	{Two-equivalent coupler}
G03C 2007/3263	. . .	{Four-equivalent coupler}
G03C 7/327	. . .	Macromolecular coupling substances
G03C 7/3275	. . . .	{Polymers obtained by reactions involving only carbon-to-carbon unsaturated bonds, e.g. vinyl polymers}
G03C 7/333	. . .	Coloured coupling substances, e.g. for the correction of the coloured image
G03C 7/3335	. . . .	{containing an azo chromophore}
G03C 7/34	. . .	Couplers containing phenols ( <a href="#">G03C 7/327</a> , <a href="#">G03C 7/333</a> take precedence)
G03C 7/342	. . . .	{Combination of phenolic or naphtholic couplers}
G03C 7/344	. . . .	{Naphtholic couplers}
G03C 7/346	. . . .	{Phenolic couplers}
G03C 2007/348	. . . . .	{Ureido coupler}
G03C 7/36	. . .	Couplers containing compounds with active methylene groups ( <a href="#">G03C 7/327</a> , <a href="#">G03C 7/333</a> take precedence)
G03C 7/362	. . . .	{Benzoyl-acetanilide couplers}
G03C 7/365	. . . .	{Combination of couplers}
G03C 7/367	. . . .	{Pyvaloyl-acetanilide couplers}
G03C 7/38	. . . .	in rings
G03C 7/3805	. . . . .	{Combination of couplers}
G03C 7/381	. . . . .	{Heterocyclic compounds ( <a href="#">G03C 7/384</a> takes precedence)}
G03C 7/3815	. . . . .	{with one heterocyclic ring}
G03C 7/382	. . . . .	{with two heterocyclic rings}
G03C 7/3825	. . . . .	{the nuclei containing only nitrogen as hetero atoms}
G03C 7/383	. . . . .	{three nitrogen atoms}
G03C 7/3835	. . . . .	{four nitrogen atoms}
G03C 7/384	. . . . .	in pyrazolone rings
G03C 7/388	. .	Processes for the incorporation in the emulsion of substances liberating photographically active agents or colour-coupling substances; Solvents therefor {(incorporation of additives other than couplers <a href="#">G03C 1/005</a> )}
G03C 7/3882	. . .	{characterised by the use of a specific polymer or latex}
G03C 7/3885	. . .	{characterised by the use of a specific solvent}
G03C 2007/3887	. . . .	{High-boiling solvent}
G03C 7/392	. .	Additives ( <a href="#">G03C 7/30</a> to <a href="#">G03C 7/32</a> take precedence)
G03C 7/39204	. . .	{Inorganic compounds}
G03C 7/39208	. . .	{Organic compounds (macromolecular additives <a href="#">G03C 7/396</a> )}
G03C 7/39212	. . . .	{Carbocyclic}
G03C 7/39216	. . . . .	{with OH groups}
G03C 2007/3922	. . . . .	{Bisphenol compound}

- G03C 7/39224 . . . . {with a nitrogen-containing function}
- G03C 7/39228 . . . . {with a sulfur-containing function}
- G03C 7/39232 . . . . {with an oxygen-containing function ([G03C 7/39216](#) takes precedence)}
- G03C 7/39236 . . . . {with a function having at least two elements among nitrogen, sulfur or oxygen ([G03C 7/39216](#) takes precedence)}
- G03C 7/3924 . . . . {Heterocyclic}
- G03C 7/39244 . . . . . {the nucleus containing only nitrogen as hetero atoms}
- G03C 7/39248 . . . . . . {one nitrogen atom}
- G03C 7/39252 . . . . . . {two nitrogen atoms}
- G03C 7/39256 . . . . . . {three nitrogen atoms}
- G03C 7/3926 . . . . . . {four or more nitrogen atoms}
- G03C 7/39264 . . . . . {the nucleus containing only sulfur as hetero atoms}
- G03C 7/39268 . . . . . {the nucleus containing only oxygen as hetero atoms}
- G03C 7/39272 . . . . . {the nucleus containing nitrogen and oxygen}
- G03C 7/39276 . . . . . {the nucleus containing nitrogen and sulfur}
- G03C 7/3928 . . . . {Spiro-condensed}
- G03C 7/39284 . . . . {Metallic complexes}
- G03C 7/39288 . . . . {containing phosphorus or silicon}
- G03C 7/39292 . . . . {Dyes ([G03C 1/12](#), [G03C 1/83](#) take precedence)}
- G03C 7/39296 . . . . {Combination of additives (combination with couplers [G03C 7/3003](#))}
- G03C 7/396 . . . . Macromolecular additives {([G03C 7/388](#) takes precedence)}
- G03C 7/407 . . . Development processes or agents therefor {([G03C 7/3244](#) takes precedence)}
- G03C 7/413 . . . . Developers
- G03C 2007/4133 . . . . . {No benzyl alcohol}
- G03C 7/4136 . . . . . {p-Phenylenediamine or derivatives thereof}
- G03C 7/42 . . . Bleach-fixing or agents therefor {Desilvering processes}
- G03C 7/421 . . . . {Additives other than bleaching or fixing agents}
- G03C 2007/422 . . . . . {Bleach accelerator}
- G03C 2007/424 . . . . . {Chelating agent}
- G03C 2007/425 . . . . {Bleach-fixing}
- G03C 2007/427 . . . . {Bleaching}
- G03C 2007/428 . . . . {Fixing}
- G03C 7/44 . . . . Regeneration; Replenishers
- G03C 7/46 . . . Subtractive processes not covered by the group [G03C 7/26](#); Materials therefor; Preparing or processing such materials
- G03C 8/00** **Diffusion transfer processes or agents therefor; Photosensitive materials for such processes**
- G03C 8/02 . . . Photosensitive materials characterised by the image-forming section

- G03C 8/04 . . the substances transferred by diffusion consisting of inorganic or organo-metallic compounds derived from photosensitive noble metals
- G03C 8/045 . . . {with the formation of a subtractive dye image}
- G03C 8/06 . . . Silver salt diffusion transfer
- G03C 8/08 . . the substances transferred by diffusion consisting of organic compounds ([G03C 8/04 takes precedence](#))
- G03C 8/10 . . . of dyes or their precursors
- G03C 8/12 . . . . characterised by the releasing mechanism
- G03C 8/14 . . . . . oxidation of the chromogenic substances
- G03C 8/16 . . . . . initially diffusible in alkaline environment
- G03C 8/18 . . . . . Dye developers
- G03C 8/20 . . . . . initially non-diffusible in alkaline environment
- G03C 8/22 . . . . . Reduction of the chromogenic substance
- G03C 8/24 . Photosensitive materials characterised by the image-receiving section
- G03C 8/243 . . {Toners for the silver image}
- G03C 8/246 . . {Non-macromolecular agents inhibiting image regression or formation of ghost images}
- G03C 8/26 . . Image-receiving layers ([G03C 8/52 takes precedence](#))
- G03C 8/28 . . . containing development nuclei or compounds forming such nuclei
- G03C 8/30 . Additive processes using colour screens; Materials therefor; Preparing or processing such materials
- G03C 8/32 . Development processes or agents therefor ([G03C 8/18 takes precedence](#))
- G03C 8/34 . . Containers for the agents ([G03C 8/48](#), [G03B 17/50 take precedence](#))
- G03C 8/36 . . Developers
- G03C 8/365 . . . {containing silver-halide solvents}
- G03C 8/38 . . . containing viscosity increasing substances
- G03C 8/40 . Development by heat {Photo-thermographic processes}
- G03C 8/4006 . . {using materials covered by the groups [G03C 8/04](#) to [G03C 8/06](#)}
- G03C 8/4013 . . {using photothermographic silver salt systems, e.g. dry silver ([G03C 1/4989 takes precedence](#))}
- G03C 8/402 . . . {Transfer solvents therefor}
- G03C 2008/4026 . . . . {Heat solvent; Thermal solvent}
- G03C 8/4033 . . . {Transferable dyes or precursors}
- G03C 8/404 . . . {Photosensitive layers ([G03C 1/498 takes precedence](#))}
- G03C 8/4046 . . . {Non-photosensitive layers}
- G03C 8/4053 . . . . {Intermediate layers}
- G03C 8/406 . . . . {Covering or backing layers}
- G03C 8/4066 . . . . {Receiving layers}
- G03C 8/4073 . . . . {Supports}
- G03C 8/408 . . . {Additives or processing agents not provided for in groups [G03C 8/402](#) to [G03C 8/4046](#)}
- G03C 8/4086 . . . . {Base precursors}



G03C 8/4093	<ul style="list-style-type: none"> <li> <ul style="list-style-type: none"> <li> <ul style="list-style-type: none"> <li>{characterised by the apparatus used}</li> </ul> </li> </ul> </li> </ul>
G03C 8/42	<ul style="list-style-type: none"> <li>Structural details</li> </ul>
G03C 8/423	<ul style="list-style-type: none"> <li> <ul style="list-style-type: none"> <li>{for obtaining security documents, e.g. identification cards}</li> </ul> </li> </ul>
G03C 8/426	<ul style="list-style-type: none"> <li> <ul style="list-style-type: none"> <li>{Structures with micro-capsules}</li> </ul> </li> </ul>
G03C 8/44	<ul style="list-style-type: none"> <li> <ul style="list-style-type: none"> <li>Integral units, i.e. the image-forming section not being separated from the image-receiving section</li> </ul> </li> </ul>
G03C 8/46	<ul style="list-style-type: none"> <li> <ul style="list-style-type: none"> <li> <ul style="list-style-type: none"> <li>characterised by the trapping means or gas releasing means</li> </ul> </li> </ul> </li> </ul>
G03C 8/48	<ul style="list-style-type: none"> <li> <ul style="list-style-type: none"> <li> <ul style="list-style-type: none"> <li>characterised by substances used for masking the image-forming section</li> </ul> </li> </ul> </li> </ul>
G03C 8/50	<ul style="list-style-type: none"> <li> <ul style="list-style-type: none"> <li>Peel-apart units, i.e. the image-forming section being separated from the image-receiving section</li> </ul> </li> </ul>
G03C 8/52	<ul style="list-style-type: none"> <li> <ul style="list-style-type: none"> <li>Bases or auxiliary layers; Substances therefor</li> </ul> </li> </ul>
G03C 2008/525	<ul style="list-style-type: none"> <li> <ul style="list-style-type: none"> <li> <ul style="list-style-type: none"> <li>{Neutralisation solution or means}</li> </ul> </li> </ul> </li> </ul>
G03C 8/54	<ul style="list-style-type: none"> <li> <ul style="list-style-type: none"> <li> <ul style="list-style-type: none"> <li>Timing layers</li> </ul> </li> </ul> </li> </ul>
G03C 8/56	<ul style="list-style-type: none"> <li> <ul style="list-style-type: none"> <li> <ul style="list-style-type: none"> <li>Mordant layers</li> </ul> </li> </ul> </li> </ul>
<b>G03C 9/00</b>	<b>Stereo-photographic or similar processes</b>
G03C 9/02	<ul style="list-style-type: none"> <li>parallax-stereogram</li> </ul>
G03C 9/04	<ul style="list-style-type: none"> <li>vectographic-image</li> </ul>
G03C 9/06	<ul style="list-style-type: none"> <li>Anaglyph</li> </ul>
G03C 2009/08	<ul style="list-style-type: none"> <li>{Producing three-dimensional images}</li> </ul>
<b>G03C 11/00</b>	<b>Auxiliary processes in photography (characterised by the apparatus used <a href="#">G03D 15/00</a>)</b>
G03C 11/005	<ul style="list-style-type: none"> <li>{Cleaning photographic processing and manufacturing apparatus}</li> </ul>
G03C 11/02	<ul style="list-style-type: none"> <li>Marking or applying text</li> </ul>
G03C 11/04	<ul style="list-style-type: none"> <li>Retouching</li> </ul>
G03C 11/06	<ul style="list-style-type: none"> <li>Smoothing; Renovating; Roughening; Matting; Cleaning; Lubricating; Flame-retardant treatments</li> </ul>
G03C 11/08	<ul style="list-style-type: none"> <li>Varnishing, e.g. application of protective layers on finished photographic prints</li> </ul>
G03C 11/10	<ul style="list-style-type: none"> <li> <ul style="list-style-type: none"> <li>for protection from ultra-violet light</li> </ul> </li> </ul>
G03C 11/12	<ul style="list-style-type: none"> <li>Stripping or transferring intact photographic layers</li> </ul>
G03C 11/14	<ul style="list-style-type: none"> <li>Pasting; Mounting</li> </ul>
G03C 11/16	<ul style="list-style-type: none"> <li>Drying</li> </ul>
G03C 11/18	<ul style="list-style-type: none"> <li>Colouring</li> </ul>
G03C 11/20	<ul style="list-style-type: none"> <li> <ul style="list-style-type: none"> <li>with powdered or molten colours</li> </ul> </li> </ul>
G03C 11/22	<ul style="list-style-type: none"> <li>Preparing plates or films for the manufacture of photographic negatives by non-photographic processes</li> </ul>
G03C 11/24	<ul style="list-style-type: none"> <li>Removing emulsion from waste photographic material; Recovery of photosensitive {or other} substances (<a href="#">electrolytic recovery of metals C25C 1/00</a>)</li> </ul>
<b>G03C 2200/00</b>	<b>Details (not used)</b>
G03C 2200/01	<ul style="list-style-type: none"> <li>100 crystal face</li> </ul>
G03C 2200/02	<ul style="list-style-type: none"> <li>110 crystal face</li> </ul>

G03C 2200/03	. 111 crystal face
G03C 2200/04	. Adsorbent
G03C 2200/05	. Auxiliary or superadditive developer
G03C 2200/06	. Additive
G03C 2200/07	. Anti-fading
G03C 2200/08	. Anti-sticking
G03C 2200/09	. Apparatus
G03C 2200/10	. Advanced photographic system
G03C 2200/11	. Blue-sensitive layer
G03C 2200/12	. Blue high-sensitive layer
G03C 2200/13	. Blue low-sensitive layer
G03C 2200/14	. Blue medium-sensitive layer
G03C 2200/15	. Buffer
G03C 2200/16	. Black-and-white material
G03C 2200/17	. Cellulose acetate
G03C 2200/18	. Conditioning
G03C 2200/19	. Colour negative
G03C 2200/20	. Colour paper
G03C 2200/21	. Developer or developing
G03C 2200/22	. Dye or dye precursor
G03C 2200/23	. Filter dye
G03C 2200/24	. Fragmentable electron donating sensitiser
G03C 2200/25	. Filter layer
G03C 2200/26	. Gamma
G03C 2200/27	. Gelatine content
G03C 2200/28	. Gelatine-silver ratio
G03C 2200/29	. Green-sensitive layer
G03C 2200/30	. Green high-sensitive layer
G03C 2200/31	. Green low-sensitive layer
G03C 2200/32	. Green medium-sensitive layer
G03C 2200/33	. Heterocyclic
G03C 2200/34	. Hydroquinone
G03C 2200/35	. Intermediate layer
G03C 2200/36	. Latex
G03C 2200/37	. Leuco dye
G03C 2200/38	. Lippmann (fine grain) emulsion
G03C 2200/39	. Laser exposure
G03C 2200/40	. Mercapto compound
G03C 2200/41	. Movie
G03C 2200/42	. Mixtures in general

G03C 2200/43	. Process
G03C 2200/44	. pH value
G03C 2200/45	. Polyhydroxybenzene
G03C 2200/46	. pKa value
G03C 2200/47	. Polymer
G03C 2200/48	. Polyoxyethylene
G03C 2200/49	. Pressure means or conditions
G03C 2200/50	. Polyvinyl alcohol
G03C 2200/51	. Polyvinyl chloride
G03C 2200/52	. Rapid processing
G03C 2200/53	. Red-sensitive layer
G03C 2200/54	. Red high-sensitive layer
G03C 2200/55	. Red low-sensitive layer
G03C 2200/56	. Red medium-sensitive layer
G03C 2200/57	. Replenishment rate or conditions
G03C 2200/58	. Sensitometric characteristics
G03C 2200/59	. R-SO <sub>2</sub> SM compound
G03C 2200/60	. Temperature