

**CPC****COOPERATIVE PATENT CLASSIFICATION****F23D****BURNERS** (generating combustion products of high pressure or high velocity [F23R](#))**F23D 1/00****Burners for combustion of pulverulent fuel** (disposition of burners [F23C](#))[F23D 1/005](#)

- . {burning a mixture of pulverulent fuel delivered as a slurry, i.e. comprising a carrying liquid (preparing slurries [F23K 1/02](#))}

[F23D 1/02](#)

- . Vortex burners, e.g. for cyclone-type combustion apparatus

[F23D 1/04](#)

- . Burners producing cylindrical flames without centrifugal action

[F23D 1/06](#)

- . Burners producing sheet flames

**Guidance heading: Combustion of a liquid****F23D 3/00****Burner using capillary action**[F23D 3/02](#)

- . Wick burners

[F23D 3/04](#)

- .. with flame spreaders ([F23D 3/12](#) takes precedence)

[F23D 3/06](#)

- .. Inverted wick burners, e.g. for illumination

[F23D 3/08](#)

- .. characterised by shape, construction, or material, of wick

[F23D 3/10](#)

- .. Blue-flame burners

[F23D 3/12](#)

- ... with flame spreaders

[F23D 3/14](#)

- ... with mixing of air and fuel vapour in a chamber before the flame

[F23D 3/16](#)

- .. using candles ([candles per se C11C](#))

[F23D 3/18](#)

- .. Details of wick burners

[F23D 3/20](#)

- ... Flame spreaders

[F23D 3/22](#)

- ... Devices for mixing evaporated fuel with air

[F23D 3/24](#)

- ... Carriers for wicks

[F23D 3/26](#)

- .... Safety devices thereon

[F23D 3/28](#)

- ... Wick-adjusting devices

[F23D 3/30](#)

- .... directly engaging with the wick

[F23D 3/32](#)

- .... engaging with a tube carrying the wick

[F23D 3/34](#)

- .... Wick stop devices; Wick-fixing devices

[F23D 3/36](#)

- ... Devices for trimming wicks

[F23D 3/38](#)

- ... Devices for replacement of wicks

[F23D 3/40](#)

- . the capillary action taking place in one or more rigid porous bodies

**F23D 5/00****Burners in which liquid fuel evaporates in the combustion space, with or without chemical conversion of evaporated fuel**[F23D 5/02](#)

- . the liquid forming a pool, e.g. bowl-type evaporators, dish-type evaporators

[F23D 5/04](#)

- .. Pot-type evaporators, i.e. using a partially-enclosed combustion space

[F23D 5/045](#)

- ... {with forced draft}

[F23D 5/06](#)

- . the liquid forming a film on one or more plane or convex surfaces

- F23D 5/08 . . on cascaded surfaces
- F23D 5/10 . . on grids
- F23D 5/12 . Details
- F23D 5/123 . . {Inserts promoting evaporation}
- F23D 5/126 . . {Catalytic elements}
- F23D 5/14 . . Maintaining predetermined amount of fuel in evaporator
- F23D 5/16 . . Safety devices
- F23D 5/18 . . Preheating devices

## **F23D 7/00 Burners in which drops of liquid fuel impinge on a surface**

## **F23D 9/00 Burners in which a stream of liquid fuel impinges intermittently on a hot surface**

## **F23D 11/00 Burners using a direct spraying action of liquid droplets or vaporised liquid into the combustion space (spraying in general [B05B](#), [B05D](#))**

- F23D 11/001 . {spraying nozzle combined with forced draft fan in one unit (nozzles per se [F23D 11/38](#))}
- F23D 11/002 . {spraying nozzle arranged within furnace openings (refractory bricks or blocks specially shaped for burner openings [F23M 5/025](#))}
- F23D 11/004 . . {for producing radiant heat}
- F23D 11/005 . {with combinations of different spraying or vaporising means}
- F23D 11/007 . . {combination of means covered by sub-groups [F23D 11/10](#) and [F23D 11/24](#)}
- F23D 11/008 . . {combination of means covered by sub-groups [F23D 5/00](#) and [F23D 11/00](#)}
- F23D 11/02 . the combustion space being a chamber substantially at atmospheric pressure
- F23D 11/04 . the spraying action being obtained by centrifugal action
- F23D 11/06 . . using a horizontal shaft
- F23D 11/08 . . using a vertical shaft
- F23D 11/10 . the spraying being induced by a gaseous medium, e.g. water vapour
- F23D 11/101 . . {medium and fuel meeting before the burner outlet}
- F23D 11/102 . . . {in an internal mixing chamber}
- F23D 11/103 . . . . {with means creating a swirl inside the mixing chamber}
- F23D 11/104 . . . {intersecting at a sharp angle, e.g. Y-jet atomiser}
- F23D 11/105 . . . {at least one of the fluids being submitted to a swirling motion}
- F23D 11/106 . . {medium and fuel meeting at the burner outlet}
- F23D 11/107 . . . {at least one of both being subjected to a swirling motion}
- F23D 11/108 . . {medium and fuel intersecting downstream of the burner outlet}
- F23D 11/12 . . characterised by the shape or arrangement of the outlets from the nozzle
- F23D 11/14 . . . with a single outlet, e.g. slit
- F23D 11/16 . . in which an emulsion of water and fuel is sprayed
- F23D 11/18 . . the gaseous medium being water vapour generated at the nozzle
- F23D 11/20 . . . the water vapour being superheated

- F23D 11/22 .. the gaseous medium being vaporised fuel, e.g. for a soldering lamp, {or other gaseous fuel}
  - F23D 11/24 . by pressurisation of the fuel before a nozzle through which it is sprayed by a substantial pressure reduction into a space
  - F23D 11/26 .. with provision for varying the rate at which the fuel is sprayed
  - F23D 11/28 ... with flow-back of fuel at the burner, e.g. using by-pass
  - F23D 11/30 ... with return feed of uncombusted sprayed fuel to reservoir
  - F23D 11/32 . by electrostatic means
  - F23D 11/34 . by ultrasonic means {or other kinds of vibrations}
  - F23D 11/345 .. {with vibrating atomiser surfaces}
  - F23D 11/36 . Details {e.g. burner cooling means, noise reduction means}
  - F23D 11/38 .. Nozzles (nozzles in general [B05B](#)); Cleaning devices therefor
  - F23D 11/383 ... {with swirl means}
  - F23D 11/386 ... {Nozzle cleaning}
  - F23D 11/40 .. Mixing tubes [or chambers]; Burner heads
  - F23D 11/402 ... {Mixing chambers downstream of the nozzle}
  - F23D 11/404 ... {Flame tubes (not forming part of the burner [F23M 9/06](#))}
  - F23D 11/406 ... {Flame stabilising means, e.g. flame holders}
  - F23D 11/408 ... {Flow influencing devices in the air tube}
  - F23D 11/42 .. Starting devices ([igniting F23Q](#))
  - F23D 11/44 .. Preheating devices; Vaporising devices ([vaporising devices per se F23K 5/22](#))
  - F23D 11/441 ... { Vaporizing devices incorporated with burners}
  - F23D 11/443 .... {heated by the main burner flame}
  - F23D 11/445 ..... {the flame and the vaporiser not coming into direct contact}
  - F23D 11/446 .... {heated by an auxiliary flame}
  - F23D 11/448 .... {heated by electrical means}
  - F23D 11/46 .. Devices on the vaporiser for controlling the feeding of the fuel
- F23D 14/00 Burners for combustion of a gas, e.g. of a gas stored under pressure as a liquid**
- F23D 14/02 . Premix gas burners, i.e. in which gaseous fuel is mixed with combustion air upstream of the combustion zone
  - F23D 14/04 .. induction type, e.g. Bunsen burner, ({[atmospheric or aerated gas burner](#)})
  - F23D 14/045 ... {with a plurality of burner bars assembled together, e.g. in a grid-like arrangement}
  - F23D 14/06 ... with radial outlets at the burner head
  - F23D 14/065 .... {with injector axis inclined to the burner head axis}
  - F23D 14/08 ... with axial outlets at the burner head
  - F23D 14/085 .... {with injector axis inclined to the burner head axis}
  - F23D 14/10 ... with elongated tubular burner head
  - F23D 14/105 .... [N. with injector axis parallel to the burner head axis]
  - F23D 14/12 . Radiant burners

- F23D 14/125 .. {heating a wall surface to incandescence}
- F23D 14/14 .. using screens or perforated plates
- F23D 14/145 ... {the burner plate being a screen}
- F23D 14/16 .. using permeable blocks
- F23D 14/18 .. using catalysis for flameless combustion
- F23D 14/20 . Non-premix gas burners, i.e. in which gaseous fuel is mixed with combustion air on arrival at the combustion zone ([F23D 14/30 to F23D 14/44 take precedence](#))
- F23D 14/22 .. with separate air and gas feed ducts, e.g. with ducts running parallel or crossing each other
- F23D 14/24 ... at least one of the fluids being submitted to a swirling motion
- F23D 14/26 . with provision for a retention flame ([pilot flame igniters F23Q 9/00](#))
- F23D 14/28 . in association with a gaseous fuel source, e.g. acetylene generator, or a container for liquefied gas
- F23D 14/30 . Inverted burners, e.g. for illumination
- F23D 14/32 . using a mixture of gaseous fuel and pure oxygen or oxygen-enriched air ([F23D 14/38 takes precedence](#))
- F23D 14/34 . Burners specially adapted for use with means for pressurising the gaseous fuel or the combustion air ([F23D 14/38 takes precedence](#))
- F23D 14/36 .. in which the compressor and burner form a single unit
- F23D 14/38 . Torches, e.g. for cutting, brazing, welding or heating ({ [nozzles for torches F23D 14/52](#)})
- F23D 14/40 .. for welding ([F23D 14/44 takes precedence](#))
- F23D 14/42 .. for cutting ([F23D 14/44 takes precedence](#))
- F23D 14/44 .. for use under water
- F23D 14/46 . Details {e.g. noise reduction means}
- F23D 14/465 .. {for torches ([F23D 14/52 takes precedence](#))}
- F23D 14/48 .. Nozzles ({[injectors for mixing devices F23D 14/64](#)}; for spraying or coating [B05B](#))
- F23D 14/50 ... Cleaning devices therefor
- F23D 14/52 ... for torches; for blow-pipes
- F23D 14/54 .... for cutting or welding metal
- F23D 14/56 ... for spreading the flame over an area, e.g. for desurfacing of solid material, for surface hardening, for heating workpieces, ([scarfing by applying flames B23K 7/00](#))
- F23D 14/58 ... characterised by the shape or arrangement of the outlet or outlets from the nozzle, e.g. of annular configuration
- F23D 14/583 .... {of elongated shape, e.g. slits}
- F23D 14/586 ..... {formed by a set of sheets, strips, ribbons or the like}
- F23D 14/60 .. Devices for simultaneous control of gas and combustion air ([regulation of combustion in general F23N](#))
- F23D 14/62 .. Mixing devices; Mixing tubes
- F23D 14/64 ... with injectors
- F23D 14/66 .. Preheating the combustion air or gas
- F23D 14/68 .. Treating the combustion air or gas, e.g. by filtering, by moistening ([in general B01](#))

F23D 14/70	..	Baffles or like flow-disturbing devices
F23D 14/72	..	Safety devices, e.g. operative in case of failure of gas supply ( <a href="#">protection or supervision of pipe-line systems F17D 5/00</a> )
F23D 14/725	...	{ <a href="#">Protection against flame failure by using flame detection devices (pilot flame igniters with interlock with main fuel supply F23Q 9/08)</a> }
F23D 14/74	...	Preventing flame lift-off ( <a href="#">F23D 14/70 takes precedence</a> )
F23D 14/76	...	Protecting flame and burner parts
F23D 14/78	...	Cooling burner parts
F23D 14/80	...	Selection of a non-toxic gas
F23D 14/82	...	Preventing flashback or blowback ( <a href="#">F23D 14/70 takes precedence</a> ; {by use of a retention flame <a href="#">F23D 14/26</a> }; in gas feed lines <a href="#">A62C 4/02</a> )
F23D 14/825	....	{ <a href="#">using valves</a> }
F23D 14/84	..	Flame spreading or otherwise shaping ( <a href="#">F23D 14/70 takes precedence</a> )

**Guidance heading: Other burners**

**F23D 17/00 Burners for combustion conjointly or alternatively of gaseous or liquid or pulverulent fuel**

F23D 17/002	.	{ <a href="#">gaseous or liquid fuel</a> }
F23D 17/005	.	{ <a href="#">gaseous or pulverulent fuel</a> }
F23D 17/007	.	{ <a href="#">liquid or pulverulent fuel</a> }

**F23D 21/00 Burners not otherwise provided for**

**NOTE**

{ combinations of spraying or vaporising means covered by sub-groups [F23D 5/00](#) and [F23D 21/00](#) are classified in [F23D 11/008](#)}

F23D 21/005	.	{ <a href="#">specially adapted for use in particular heating operations</a> }
-------------	---	--

**F23D 23/00 Assemblies of two or more burners** ([gas burners with provision for a retention flame F23D 14/26](#); [disposition of burners F23C](#); for industrial furnaces [F27](#))

**F23D 99/00 Subject matter not provided for in other groups of this subclass**

F23D 99/003	.	{ <a href="#">specially adapted for use in particular heating operations</a> }
F23D 99/006	..	{ <a href="#">for heating liquids, e.g. for vaporising, for concentrating</a> }

**F23D 2200/00 Burners for fluid fuel**

**F23D 2201/00 Burners adapted for particulate solid or pulverulent fuels**

F23D 2201/10	.	Nozzle tips
F23D 2201/101	..	tiltable
F23D 2201/20	.	Fuel flow guiding devices
F23D 2201/30	.	Wear protection

**F23D 2202/00****Liquid fuel burners****F23D 2203/00****Gaseous fuel burners**

F23D 2203/002

- . Radiant burner mixing tubes

F23D 2203/005

- . Radiant burner heads

F23D 2203/007

- . Mixing tubes, air supply regulation

F23D 2203/10

- . Flame diffusing means

F23D 2203/101

- .. characterised by surface shape

F23D 2203/1012

- ... tubular

F23D 2203/1015

- ... spherical

F23D 2203/1017

- ... curved

F23D 2203/102

- .. using perforated plates

F23D 2203/1023

- ... with specific free passage areas

F23D 2203/1026

- ... with slotshaped openings

F23D 2203/103

- .. using screens

F23D 2203/104

- .. Grids, e.g. honeycomb grids

F23D 2203/105

- .. Porous plates

F23D 2203/1055

- ... with a specific void range

F23D 2203/106

- .. Assemblies of different layers

F23D 2203/107

- .. coated with catalysts

F23D 2203/108

- .. with stacked sheets or strips forming the outlets

**F23D 2204/00****Burners adapted for simultaneous or alternative combustion having more than one fuel supply**

F23D 2204/10

- . gaseous and liquid fuel

F23D 2204/20

- . gaseous and pulverulent fuel

F23D 2204/30

- . liquid and pulverulent fuel

**F23D 2205/00****Assemblies of two or more burners, irrespective of fuel type****F23D 2206/00****Burners for specific applications**

F23D 2206/0005

- . Liquid fuel burners adapted for use in locomotives

F23D 2206/001

- . Liquid fuel burners adapted for use in automobile steam boilers

F23D 2206/0015

- . Gas burners for use in retort furnaces

F23D 2206/0021

- . Gas burners for use in furnaces of the reverberatory, muffle or crucible type

F23D 2206/0026

- . Vapour burners adapted for use in illumination devices

F23D 2206/0031

- . Liquid fuel burners adapted for use in welding lamps

F23D 2206/0036

- .. Liquid fuel burners adapted for use in welding and cutting metals

F23D 2206/0042

- . Vapour burners for illumination by radiation, with vaporiser heated by an auxiliary flame

F23D 2206/0047

- . Vapour burners for illumination by radiation, with vaporiser heated by the main flame

F23D 2206/0052	. Vapour burners for illumination by radiation, with vaporiser heated by conduction
F23D 2206/0057	. Liquid fuel burners adapted for use in illumination and heating
F23D 2206/0063	. . Catalytic burners adapted for use in illumination and heating
F23D 2206/0068	. Gas burners for illumination with slot type nozzles
F23D 2206/0073	. Gas burners for illumination with Argand nozzles
F23D 2206/0078	. Gas burners adapted for use in lamps with preheated air
F23D 2206/0084	. Gas burners adapted for use in ceiling and wagon lamps
F23D 2206/0089	. Gas burners for illumination using acetylene as a fuel
F23D 2206/0094	. Gas burners adapted for use in illumination and heating
F23D 2206/10	. Turbines
<b>F23D 2207/00</b>	<b>Ignition devices associated with burner</b>
<b>F23D 2208/00</b>	<b>Control devices associated with burners</b>
F23D 2208/005	. Controlling air supply in radiant gas burners
F23D 2208/10	. Sensing devices
<b>F23D 2209/00</b>	<b>Safety arrangements</b>
F23D 2209/10	. Flame flashback
F23D 2209/20	. Flame lift-off / stability
F23D 2209/30	. Purging
<b>F23D 2210/00</b>	<b>Noise abatement</b>
F23D 2210/101	. using noise dampening material
<b>F23D 2211/00</b>	<b>Thermal dilatation prevention or compensation</b>
<b>F23D 2212/00</b>	<b>Burner material specifications</b>
F23D 2212/005	. Radiant gas burners made of specific materials, e.g. rare earths
F23D 2212/10	. ceramic
F23D 2212/101	. . Foam, e.g. reticulated
F23D 2212/103	. . Fibres
F23D 2212/105	. . Particles
F23D 2212/20	. metallic
F23D 2212/201	. . Fibres
F23D 2212/203	. . Particles
<b>F23D 2213/00</b>	<b>Burner manufacture specifications</b>
<b>F23D 2214/00</b>	<b>Cooling</b>
<b>F23D 2700/00</b>	<b>TBD</b>
F23D 2700/001	. Air supply for wick burners
F23D 2700/002	. Wick burners without flame spreaders or burner hood

F23D 2700/003	. Wick burners with flame spreaders or burner hood
F23D 2700/004	. Inverted wick burners, wick burners using preheated air
F23D 2700/005	. Wick burners using alcohol as a fuel
F23D 2700/006	. Wick burners using oil as a fuel
F23D 2700/009	. Details of blue flame wick burners
F23D 2700/01	. Blue flame burners without flame spreader or burner hood
F23D 2700/011	. Blue flame burners with flame spreader or burner hood without a bead at the wick carrying tube
F23D 2700/012	. Blue flame burners with flame spreader or burner hood with a bead at the wick carrying tube
F23D 2700/013	. Blue flame burners with flame on one side only without a bead at the wick carrying tube
F23D 2700/014	. Blue flame burners with flame on one side only and a bead at the wick carrying tube
F23D 2700/015	. Tubes carrying the wick
F23D 2700/016	. Safety devices for wick carrying tubes
F23D 2700/017	. Wick adjusting devices directly engaging the wick
F23D 2700/018	. Wick adjusting devices engaging the tube carrying the wick
F23D 2700/019	. Wick stop devices and wick fixing devices
F23D 2700/02	. Devices for mounting the wick to the carrier
F23D 2700/021	. Burners in which the gas produced in the wick is not burned instantaneously
F23D 2700/022	. Burners using carburetted gas
F23D 2700/023	. Gasifying and evaporating devices
F23D 2700/024	. Nozzles and cleaning devices therefor
F23D 2700/025	. Mixing tubes and burner heads
F23D 2700/026	. Preheating devices, starting devices
F23D 2700/027	. Vaporisers with devices for controlling the feeding of the fuel
F23D 2700/03	. Alcohol vapour burners
F23D 2700/031	. Vapour burners where the vaporiser is heated by an auxiliary flame
F23D 2700/032	. Vapour burners where the vaporiser is heated by the main flame itself
F23D 2700/033	. Vapour burners where the vaporiser is heated by conduction
<b>F23D 2900/00</b>	<b>Special features of, or arrangements for burners using fluid fuels or solid fuels suspended in a carrier gas</b>
F23D 2900/00001	. local catalytic coatings applied to burner surfaces
F23D 2900/00002	. Cleaning burner parts, e.g. burner tips
F23D 2900/00003	. Fuel or fuel-air mixtures flow distribution devices upstream of the outlet
F23D 2900/00004	. Burners specially adapted for generating high luminous flames, e.g. yellow for fuel-rich mixtures
F23D 2900/00006	. Liquid fuel burners using pure oxygen or O <sub>2</sub> -enriched air as oxidant ( <a href="#">for gaseous fuels F23D 14/32</a> )
F23D 2900/00008	. Burner assemblies with diffusion and premix modes, i.e. dual mode burners
F23D 2900/00011	. Burner with means for propagating the flames along a wall surface



- F23D 2900/00012 . Liquid or gas fuel burners with flames spread over a flat surface, either premix or non-premix type, e.g. "Flächenbrenner"
- F23D 2900/00013 . . with means for spreading the flame in a fan or fishtail shape over a melting bath
- F23D 2900/00014 . Pilot burners specially adapted for ignition of main burners in furnaces or gas turbines
- F23D 2900/00015 . Pilot burners specially adapted for low load or transient conditions, e.g. for increasing stability
- F23D 2900/00016 . Preventing or reducing deposit build-up on burner parts, e.g. from carbon
- F23D 2900/00017 . Assembled burner modules
- F23D 2900/00018 . Means for protecting parts of the burner, e.g. ceramic lining outside of the flame tube
- F23D 2900/00019 . Outlet manufactured from knitted fibres
- F23D 2900/01001 . Pulverised solid fuel burner with means for swirling the fuel-air mixture
- F23D 2900/03081 . Catalytic wick burners
- F23D 2900/03082 . Wick made of specific material, e.g. ceramic
- F23D 2900/05001 . Burner using gel type fuel
- F23D 2900/05002 . Use of porous members to convert liquid fuel into vapor
- F23D 2900/11001 . Impinging-jet injectors or jet impinging on a surface
- F23D 2900/11002 . Liquid fuel burners with more than one nozzle
- F23D 2900/11101 . Pulverising gas flow impinging on fuel from pre-filming surface, e.g. lip atomizers
- F23D 2900/11401 . Flame intercepting baffles forming part of burner head
- F23D 2900/11402 . Airflow diaphragms at burner nozzle
- F23D 2900/11403 . Flame surrounding tubes in front of burner nozzle
- F23D 2900/14 . Special features of gas burners
- F23D 2900/14001 . . Sealing or support of burner plate borders
- F23D 2900/14002 . . of premix or non premix types, specially adapted for the combustion of low heating value (LHV) gas
- F23D 2900/14003 . . with more than one nozzle
- F23D 2900/14004 . . with radially extending gas distribution spokes
- F23D 2900/14005 . . Rotary gas burner
- F23D 2900/14021 . . Premixing burners with swirling or vortices creating means for fuel or air
- F23D 2900/14041 . . Segmented or straight line assembly of burner bars
- F23D 2900/14042 . . Star shaped assembly of burner bars or arms
- F23D 2900/14061 . . for cooking ranges having a coated burner cap
- F23D 2900/14062 . . for cooking ranges having multiple flame rings
- F23D 2900/14063 . . for cooking ranges having one flame ring fed by multiple venturis
- F23D 2900/14064 . . Burner heads of non circular shape
- F23D 2900/1412 . . for radiant burners
- F23D 2900/14121 . . . with radiation intensifying means
- F23D 2900/14122 . . . with extra radiation grids, e.g. strips or rods
- F23D 2900/14123 . . . with radiation intensifying perforated plates
- F23D 2900/14124 . . . cooperating with refractory wall surfaces
- F23D 2900/14125 . . . with extra radiation screens, e.g. wires, threads or gauzes

- F23D 2900/14181 . . . Catalytic type with carbon containing radiating surface
- F23D 2900/14241 . . Post-mixing with swirling means
- F23D 2900/14381 . . Single operating member opening and closing fuel and oxidant supply valves in torches
- F23D 2900/14481 . . Burner nozzles incorporating flow adjusting means
- F23D 2900/14482 . . Burner nozzles incorporating a fluidic oscillator
- F23D 2900/14581 . . with outlets consisting of a bed of irregular particles, e.g. glass
- F23D 2900/14582 . . with outlets consisting of layers of spherical particles
- F23D 2900/14641 . . with gas distribution manifolds or bars provided with a plurality of nozzles
- F23D 2900/14642 . . with jet mixers with more than one gas injection nozzles or orifices for a single mixing tube
- F23D 2900/14681 . . Adding steam or water vapor to primary or secondary combustion air
- F23D 2900/14701 . . Swirling means inside the mixing tube or chamber to improve premixing
- F23D 2900/21 . Burners specially adapted for a particular use
  - F23D 2900/21001 . . for use in blast furnaces
  - F23D 2900/21002 . . for use in car heating systems
  - F23D 2900/21003 . . for heating or re-burning air or gas in a duct
  - F23D 2900/21004 . . for use in gas fed fireplaces
  - F23D 2900/21005 . . for flame deposition, e.g. FHD, flame hydrolysis deposition
  - F23D 2900/21006 . . for heating a catalyst in a car
  - F23D 2900/21007 . . for producing soot, e.g. nano particle soot