

**CPC****COOPERATIVE PATENT CLASSIFICATION****F23N**

**REGULATING OR CONTROLLING COMBUSTION**( [control devices specially adapted for fluidised-bed combustion apparatus F23C 10/28](#) ; [condition reponsive controls for regulating combustion in domestic stoves with open fires for solid fuel F24B 1/187](#) )

**F23N 1/00****Regulating fuel supply**

- F23N 1/002 . {using electronic means( [F23N 1/04](#) to [F23N 1/10](#) take precedence )}
- F23N 1/005 . {using electrical or electromechanical means( [F23N 1/04](#) to [F23N 1/10](#) take precedence )}
- F23N 1/007 . {using mechanical means( [F23N 1/04](#) to [F23N 1/10](#) take precedence )}
- F23N 1/02 . conjointly with air supply
- F23N 1/022 .. {using electronic means}
- F23N 1/025 .. {using electrical or electromechanical means}
- F23N 1/027 .. {using mechanical means}
- F23N 1/04 . conjointly with air supply and with draught
- F23N 1/042 .. {using electronic means}
- F23N 1/045 .. {using electrical or electromechanical means}
- F23N 1/047 .. {using mechanical means}
- F23N 1/06 . conjointly with draught
- F23N 1/062 .. {using electronic means}
- F23N 1/065 .. {using electrical or electromechanical means}
- F23N 1/067 .. {using mechanical means}
- F23N 1/08 . conjointly with another medium, e.g. boiler water
- F23N 1/082 .. {using electronic means}
- F23N 1/085 .. {using electrical or electromechanical means}
- F23N 1/087 .. {using mechanical means}
- F23N 1/10 .. and with air supply or draught
- F23N 1/102 ... {using electronic means}
- F23N 1/105 ... {using electrical or electromechanical means}
- F23N 1/107 ... {using mechanical means}

**F23N 3/00****Regulating air supply or draught**( [conjointly with fuel supply F23N 1/00](#) )

- F23N 3/002 . {using electronic means( [F23N 3/02](#) to [F23N 3/08](#) take precedence )}
- F23N 3/005 . {using electrical or electromechanical means( [F23N 3/02](#) to [F23N 3/08](#) take precedence )}
- F23N 3/007 . {using mechanical means( [F23N 3/02](#) to [F23N 3/08](#) take precedence )}
- F23N 3/02 . Regulating draught by direct pressure operation of single valves or dampers
- F23N 3/04 . by operation of single valves or dampers by temperature sensitive elements
- F23N 3/042 .. {using electronic means}

|                  |  |
|------------------|--|
| F23N 3/045       | .. {using electrical or electromechanical means}   |
| F23N 3/047       | .. {using mechanical means}  |
| F23N 3/06        | . by conjoint operation of two or more valves or dampers( <a href="#">F23N 3/08</a> takes precedence )   |
| F23N 3/065       | .. {using mechanical means}  |
| F23N 3/08        | . by power-assisted systems  |
| F23N 3/082       | .. {using electronic means}  |
| F23N 3/085       | .. {using electrical or electromechanical means}   |
| F23N 3/087       | .. {using mechanical means}  |
| <b>F23N 5/00</b> | <b>Systems for controlling combustion( <a href="#">F23N 1/00</a> , <a href="#">F23N 3/00</a> take precedence )</b>   |
| F23N 5/003       | . {using detectors sensitive to combustion gas properties( <a href="#">F23N 5/02</a> , <a href="#">F23N 5/18</a> to <a href="#">F23N 5/26</a> take precedence )}   |
| F23N 5/006       | .. {the detector being sensitive to oxygen}  |
| F23N 5/02        | . using devices responsive to thermal changes or to thermal expansion of a medium  |
| F23N 5/022       | .. {using electronic means( <a href="#">F23N 5/04</a> to <a href="#">F23N 5/14</a> take precedence )}  |
| F23N 5/025       | .. {using electrical or electromechanical means( <a href="#">F23N 5/04</a> to <a href="#">F23N 5/14</a> take precedence )}   |
| F23N 5/027       | .. {using mechanical means( <a href="#">F23N 5/04</a> to <a href="#">F23N 5/14</a> take precedence )}  |
| F23N 5/04        | .. using bimetallic elements   |
| F23N 5/042       | ... {using electronic means}   |
| F23N 5/045       | ... {using electrical or electromechanical means}  |
| F23N 5/047       | ... {using mechanical means}   |
| F23N 5/06        | .. using bellows; using diaphragms   |
| F23N 5/062       | ... {using electronic means}   |
| F23N 5/065       | ... {using electrical or electromechanical means}  |
| F23N 5/067       | ... {using mechanical means}   |
| F23N 5/08        | .. using light-sensitive elements  |
| F23N 5/082       | ... {using electronic means}   |
| F23N 5/085       | ... {using electrical or electromechanical means}  |
| F23N 5/087       | ... {using mechanical means}   |
| F23N 5/10        | .. using thermocouples   |
| F23N 5/102       | ... {using electronic means}   |
| F23N 5/105       | ... {using electrical or electromechanical means}  |
| F23N 5/107       | ... {using mechanical means e.g. safety valves}  |
| F23N 5/12        | .. using ionisation-sensitive elements, i.e. flame rods{( <a href="#">testing of other ignition means</a> , e.g. flame <a href="#">F02P 17/12</a> ; analysing gases by investigating the ionisation by using heat <a href="#">G01N 27/626</a> )} |
| F23N 5/123       | ... {using electronic means}   |
| F23N 5/126       | ... {using electrical or electromechanical means}  |
| F23N 5/14        | .. using thermo-sensitive resistors  |
| F23N 5/143       | ... {using electronic means}   |

|                     |  |
|---------------------|--|
| F23N 5/146          | ... {using electrical or electromechanical means}  |
| F23N 5/16           | . using noise-sensitive detectors  |
| F23N 2005/165       | .. {with ultrasonic means}   |
| F23N 5/18           | . using detectors sensitive to rate of flow of air or fuel   |
| F23N 2005/181       | .. {using detectors sensitive to rate of flow of air}  |
| F23N 2005/182       | ... {Air flow switch}  |
| F23N 5/184          | .. {using electronic means}  |
| F23N 2005/185       | .. {using detectors sensitive to rate of flow of fuel}   |
| F23N 5/187          | .. {using electrical or electromechanical means}   |
| F23N 5/188          | .. {using mechanical means}  |
| F23N 5/20           | . with a time programme acting through electrical means, e.g. using time-delay relays  |
| F23N 5/203          | .. {using electronic means}  |
| F23N 5/206          | .. {using electrical or electromechanical means}   |
| F23N 5/22           | . with a time programme acting through mechanical means, e.g. using cams   |
| F23N 5/24           | . Preventing development of abnormal or undesired conditions, i.e. safety arrangements( <a href="#">F23N 5/02</a> to <a href="#">F23N 5/18</a> take precedence ) |
| F23N 5/242          | .. {using electronic means}  |
| F23N 5/245          | .. {using electrical or electromechanical means}   |
| F23N 5/247          | .. {using mechanical means}  |
| F23N 5/26           | . Details  |
| F23N 5/265          | .. {using electronic means}  |
| <b>F23N 2021/00</b> | <b>Pretreatment or prehandling</b>   |
| F23N 2021/02        | . using belt conveyers   |
| F23N 2021/04        | . Preheating liquid fuel   |
| F23N 2021/06        | . Preheating gaseous fuel  |
| F23N 2021/08        | . Preheating the air   |
| F23N 2021/10        | . Analysing fuel properties, e.g. density, calorific   |
| F23N 2021/12        | . Recycling exhaust gases  |
| <b>F23N 2023/00</b> | <b>Signal processing; Details thereof</b>  |
| F23N 2023/02        | . Multiplex transmission   |
| F23N 2023/04        | . Memory   |
| F23N 2023/06        | . Sampling   |
| F23N 2023/08        | . Microprocessor; Microcomputer  |
| F23N 2023/10        | . Correlation  |
| F23N 2023/12        | . Integration  |
| F23N 2023/14        | . Differentiation  |
| F23N 2023/16        | . Measuring bridge   |
| F23N 2023/18        | . Chopper  |
| F23N 2023/20        | . Opto-coupler   |

|                     |  |
|---------------------|--|
| F23N 2023/22        | . Timing network                           |
| F23N 2023/24        | .. with bimetallic elements                |
| F23N 2023/26        | .. with capacitors                         |
| F23N 2023/28        | .. with more than one timing element       |
| F23N 2023/30        | . Switches                                 |
| F23N 2023/32        | .. Reed switches                           |
| F23N 2023/34        | . with feedforward processing              |
| F23N 2023/36        | . PID signal processing                    |
| F23N 2023/38        | . Remote control                           |
| F23N 2023/40        | . Simulation                               |
| F23N 2023/42        | . Function generator                       |
| F23N 2023/44        | . Optimum control                          |
| F23N 2023/46        | . Identification                           |
| F23N 2023/48        | . Learning / Adaptive control              |
| F23N 2023/50        | . Human control                            |
| F23N 2023/52        | . Fuzzy logic                              |
| F23N 2023/54        | . Recording                                |
| <b>F23N 2025/00</b> | <b>Measuring</b>                           |
| F23N 2025/02        | . filling height in burners                |
| F23N 2025/04        | . pressure                                 |
| F23N 2025/06        | .. for determining flow                    |
| F23N 2025/08        | . temperature                              |
| F23N 2025/10        | .. stack temperature                       |
| F23N 2025/12        | .. room temperature                        |
| F23N 2025/13        | .. outdoor temperature                     |
| F23N 2025/14        | .. Ambient temperature around burners      |
| F23N 2025/16        | .. burner temperature                      |
| F23N 2025/18        | .. feedwater temperature                   |
| F23N 2025/19        | .. outlet temperature water heat-exchanger |
| F23N 2025/20        | .. entrant temperature                     |
| F23N 2025/21        | .. outlet temperature                      |
| F23N 2025/22        | . heat losses                              |
| F23N 2025/24        | .. indicated in an amount of money         |
| F23N 2025/26        | . humidity                                 |
| F23N 2025/30        | .. measuring lambda                        |
| <b>F23N 2027/00</b> | <b>Ignition or checking</b>                |
| F23N 2027/02        | . Starting or ignition cycles              |
| F23N 2027/04        | . Prepurge                                 |
| F23N 2027/06        | . Postpurge                                |

- F23N 2027/08 . Hold fire apparatus
- F23N 2027/10 . Sequential burner running
- F23N 2027/12 . Burner simulation or checking
- F23N 2027/14 . . Flame simulation
- F23N 2027/16 . . Checking components, e.g. electronic
- F23N 2027/18 . Applying test signals, e.g. periodic
- F23N 2027/20 . Calibrating devices
- F23N 2027/22 . Pilot burners( [ignition circuits therefor F23N 2027/32](#) )
- F23N 2027/24 . . the pilot burner not burning continuously
- F23N 2027/26 . . comprising two or more distinct pilot burners
- F23N 2027/28 . Ignition circuits
- F23N 2027/30 . . for pilot burners
- F23N 2027/32 . Igniting for a predetermined number of cycles
- F23N 2027/34 . Continuously applied ignition cycles
- F23N 2027/36 . Spark ignition, e.g. by means of a high voltage
- F23N 2027/38 . Electrical resistance ignition
- F23N 2027/40 . Catalytic ignition
- F23N 2027/42 . Ceramic glow ignition

**F23N 2029/00****Flame sensors**

- F23N 2029/02 . Pilot flame sensors
- F23N 2029/04 . sensitive to the colour of flames
- F23N 2029/06 . with periodical shutters; Modulation signals
- F23N 2029/08 . detecting flame flicker
- F23N 2029/10 . comprising application of periodical fuel flow fluctuations
- F23N 2029/12 . with flame rectification current detecting means
- F23N 2029/14 . using two or more different types of flame sensor
- F23N 2029/16 . using two or more of the same types of flame sensor
- F23N 2029/18 . Flame sensor cooling means
- F23N 2029/20 . Camera viewing
- F23N 2029/22 . the sensor`s sensivity being variable

**F23N 2031/00****Fail safe**

- F23N 2031/02 . using electric energy accumulators
- F23N 2031/04 . for electrical power failures
- F23N 2031/06 . for flame failures
- F23N 2031/08 . . for pilot flame failures
- F23N 2031/10 . for component failures
- F23N 2031/12 . for ignition failures
- F23N 2031/14 . for earthquakes
- F23N 2031/16 . using melting materials or shape memory alloys

- F23N 2031/18 . Detecting fluid leaks
- F23N 2031/20 . Warning devices
- F23N 2031/22 . . using warning lamps
- F23N 2031/24 . Freezing
- F23N 2031/26 . for clogging air inlet
- F23N 2031/28 . preventing flash-back or blow-back
- F23N 2031/30 . Representation of working time

**F23N 2033/00****Ventilators**

- F23N 2033/02 . in stacks
- F23N 2033/04 . . with variable speed
- F23N 2033/06 . at the air intake
- F23N 2033/08 . . with variable speed
- F23N 2033/10 . forcing air through heat exchangers

**F23N 2035/00****Valves, nozzles or pumps**

- F23N 2035/02 . Air or combustion gas valves or dampers
- F23N 2035/04 . . in stacks
- F23N 2035/06 . . at the air intake
- F23N 2035/08 . . used with heat exchanges
- F23N 2035/10 . . power assisted, e.g. using electric motors
- F23N 2035/12 . Fuel valves
- F23N 2035/14 . . electromagnetically operated
- F23N 2035/16 . . variable flow or proportional valves
- F23N 2035/18 . . Groups of two or more valves
- F23N 2035/20 . . Membrane valves
- F23N 2035/22 . . cooperating with magnets
- F23N 2035/24 . . Valve details
- F23N 2035/26 . Fuel nozzles
- F23N 2035/28 . . Spray fuel nozzles
- F23N 2035/30 . Pumps

**F23N 2037/00****Controlling( [F23N 5/00](#) takes precedence )**

- F23N 2037/02 . two or more burners
- F23N 2037/04 . at two or more different localities
- F23N 2037/06 . two predetermining temperatures, e.g. day-night
- F23N 2037/08 . two or more different types of fuel simultaneously
- F23N 2037/10 . High or low fire
- F23N 2037/12 . catalytic burners
- F23N 2037/14 . burners with gasification or vaporizer elements
- F23N 2037/16 . secondary air

- F23N 2037/18 . fluidized bed burners
- F23N 2037/20 . one or more bypass conduits
- F23N 2037/22 . water injection
- F23N 2037/24 . height of burner
- F23N 2037/26 . . oxygen-air ratio
- F23N 2037/28 . . oxygen as pure oxydant
- F23N 2037/30 . . matrix burners
- F23N 2037/32 . . Nox

**F23N 2039/00****Fuels**

- F23N 2039/02 . Solid fuels
- F23N 2039/04 . Gaseous fuels
- F23N 2039/06 . Liquid fuels

**F23N 2041/00****Applications**

- F23N 2041/02 . Space-heating
- F23N 2041/04 . Heating water
- F23N 2041/06 . Space-heating and heating water
- F23N 2041/08 . Household apparatus
- F23N 2041/10 . Generating vapour
- F23N 2041/11 . Torches
- F23N 2041/12 . Stack-torches
- F23N 2041/14 . Vehicle heating, the heat being derived otherwise than from the propulsion plant
- F23N 2041/16 . Spectrometer burners
- F23N 2041/18 . Incinerating apparatus
- F23N 2041/20 . Gas turbines
- F23N 2041/22 . Absorption refrigerator

**F23N 2900/00****Special features of, or arrangements for controlling combustion**

- F23N 2900/01001 . Micro Electro Mechanical Systems (MEMS) for controlling fuel supply to burners
- F23N 2900/01002 . Electromagnetically operated fuel valves with a single solenoid controlling two or more cores
- F23N 2900/05001 . Measuring CO content in flue gas
- F23N 2900/05002 . Measuring CO<sub>2</sub> content in flue gas
- F23N 2900/05003 . Measuring NOx content in flue gas
- F23N 2900/05004 . Details of components, e.g. connecting adaptors
- F23N 2900/05005 . Mounting arrangements for sensing, detecting or measuring devices
- F23N 2900/05006 . Controlling systems using neuronal networks
- F23N 2900/05101 . Connections between thermocouple and magnetic valves, e.g. by plug and socket connectors
- F23N 2900/05181 . Controlling air to fuel ratio by using a single differential pressure detector