

CPC**COOPERATIVE PATENT CLASSIFICATION****A61F**

FILTERS IMPLANTABLE INTO BLOOD VESSELS; PROSTHESES; DEVICES PROVIDING PATENCY TO, OR PREVENTING COLLAPSING OF, TUBULAR STRUCTURES OF THE BODY, E.G. STENTS; ORTHOPAEDIC, NURSING OR CONTRACEPTIVE DEVICES; FOMENTATION; TREATMENT OR PROTECTION OF EYES OR EARS; BANDAGES, DRESSINGS OR ABSORBENT PADS; FIRST-AID KITS ([dental prosthetics A61C](#))

WARNING

The following IPC groups are not used in the CPC scheme. Subject matter covered by these groups is classified in the following CPC groups:

[A61F 2/48](#) covered by [A61F 2/02](#)
[A61F 2/56](#) covered by [A61F 2/54](#)
[A61F 2/62](#) covered by [A61F 2/60](#)
[A61F 2/70](#) covered by [A61F 2/68](#), [A61F 2/72](#)
[A61F 2/74](#) covered by [A61F 2/68](#)
[A61F 5/045](#) covered by [A61G 13/12](#)
[A61F 5/052](#) covered by [A61F 5/05](#)
[A61F 5/447](#) covered by [A61F 5/445](#)
[A61F 5/452](#) covered by [A61F 5/451](#)
[A61F 5/457](#) covered by [A61F 5/451](#)
[A61F 5/458](#) covered by [A61F 5/451](#)
[A61F 6/10](#) covered by [A61F 6/08](#)
[A61F 9/01](#) covered by [A61F 9/00802-A61F 9/00825](#)
[A61F 9/011](#) covered by [A61F 9/00802-A61F 9/00825](#)
[A61F 13/22](#) covered by [A61F 13/206](#)
[A61F 13/24](#) covered by [A61F 13/2037](#)
[A61F 13/30](#) covered by [A61F 13/26](#)
[A61F 13/32](#) covered by [A61F 13/26](#)
[A61F 13/40](#) covered by [A61M 35/006](#)

Filters; Devices providing patency to tubular structures; Prostheses; Accessories

A61F 2/00

Filters implantable into blood vessels; Prostheses, i.e. artificial substitutes or replacements for parts of the body; Appliances for connecting them with the body; Devices providing patency to, or preventing collapsing of, tubular structures of the body, e.g. stents ([as cosmetic articles, see the relevant subclasses, e.g. wigs, hair pieces, A41G 3/00, A41G 5/00, artificial nails A45D 31/00; dental prostheses A61C 13/00; materials for prostheses A61L 27/00; artificial hearts A61M 1/10; artificial kidneys A61M 1/14](#))

WARNING

A61F 2/00
(continued)

Groups [A61F 2/07](#), [A61F 2/844](#) - [A61F 2/97](#) correspond to IPC2013.01

- A61F 2/0004 . {Closure means for urethra or rectum, i.e. anti-incontinence devices or support slings against pelvic prolapse}
- A61F 2/0009 . . {placed in or outside the body opening close to the surface of the body (plugging an opening in the wall of a hollow or tubular organ [A61B 17/0057](#))}
- A61F 2/0013 . . . {inflatable}
- A61F 2/0018 . . . {magnetic}
- A61F 2/0022 . . {placed deep in the body opening (occluding blood vessels by internal devices [A61B 17/12022](#))}
- A61F 2/0027 . . . {inflatable}
- A61F 2/0031 . . {for constricting the lumen; Support slings for the urethra}
- A61F 2/0036 . . . {implantable ([A61F 2/0018](#) takes precedence)}
- A61F 2/004 {inflatable}
- A61F 2/0045 {Support slings}
- A61F 2/005 . . . {with pressure applied to urethra by an element placed in the vagina}
- A61F 2/0054 . . . {with pressure applied to urethra by an element placed around the penis, e.g. penis clamp}
- A61F 2/0059 . {Cosmetic or alloplastic implants ([A61F 2/10](#) to [A61F 2/16](#), [A61F 2/28](#) take precedence)}
- A61F 2/0063 . {Implantable repair or support meshes, e.g. hernia meshes}
- A61F 2002/0068 . . {having a special mesh pattern}
- A61F 2002/0072 . . {Delivery tools therefor}
- A61F 2/0077 . {Special surfaces of prostheses, e.g. for improving ingrowth ([A61F 2/30767](#) takes precedence)}
- A61F 2002/0081 . . {directly machined on the prosthetic surface, e.g. holes, grooves ([A61F 2/30771](#) takes precedence)}
- A61F 2002/0086 . . {for preferentially controlling or promoting the growth of specific types of cells or tissues (of bone tissue onto implantable joints [A61F 2002/3093](#))}
- A61F 2002/009 . . {for hindering or preventing attachment of biological tissue (of bone tissue onto implantable joints [A61F 2002/30932](#))}
- A61F 2002/0091 . . . {Having cellular growth inhibitors}

WARNING

Group [A61F 2002/0091](#) is incomplete pending reclassification of documents from groups [A61F 2002/009](#).

Groups [A61F 2002/009](#) and [A61F 2002/0091](#) should be considered in order to perform a complete search.

- A61F 2/0095 . {Packages or dispensers for prostheses or other implants (for intraocular lenses [A61F 2/1691](#); for dental surgery [A61C 19/02](#))}
- A61F 2/01 . {Filters implantable into blood vessels {(filters used as gripping instruments [A61B 17/22031](#))}}
- A61F 2002/011 . . {Instruments for their placement or removal}

A61F 2/013	..	{Distal protection devices, i.e. devices placed distally in combination with another endovascular procedure, e.g. angioplasty or stenting}
A61F 2002/015	...	{Stop means therefor}
A61F 2002/016	..	{made from wire-like elements}
A61F 2002/018	..	{made from tubes or sheets of material, e.g. by etching or laser-cutting}
A61F 2/02	.	Prostheses implantable into the body {(closure means for urethra or rectum or for artificial body openings therefor A61F 2/0004)}
A61F 2/022	..	{Artificial gland structures using bioreactors (hemodialysis A61M 1/16 ; hemofiltration A61M 1/34 ; other extracorporeal blood treatment A61M 1/36)}
A61F 2/04	..	Hollow or tubular parts of organs, e.g. bladders, tracheae, bronchi or bile ducts (A61F 2/18 , A61F 2/20 take precedence; devices, other than stent-grafts, providing patency to, or preventing collapsing of, tubular structures of the body other than stent-grafts, e.g. stents A61F 2/82 ; instruments specially adapted for placement or removal of stents or stent-grafts A61F 2/95)
A61F 2002/041	...	{Bile ducts}
A61F 2/042	...	{Urinary bladders}
A61F 2002/043	...	{Bronchi}
A61F 2002/044	...	{Oesophagi or esophagi or gullets}
A61F 2002/045	...	{Stomach, intestines}
A61F 2002/046	...	{Tracheae}
A61F 2002/047	...	{Urethrae}
A61F 2002/048	...	{Ureters}
A61F 2/06	...	Blood vessels
A61F 2002/061	{provided with means for allowing access to secondary lumens}
A61F 2/062	{Apparatus for the production of blood vessels made from natural tissue or with layers of living cells (prostheses made from natural tissue or living cells A61L27/5007)}
A61F 2/064	{with special features to facilitate anastomotic coupling (anastomosis of natural blood vessels A61B 17/11)}
A61F 2002/065	{Y-shaped blood vessels}
A61F 2002/067	{modular}
A61F 2002/068	{Modifying the blood flow model, e.g. by diffuser or deflector}
A61F 2/07	Stent-grafts
A61F 2002/072	{Encapsulated stents, e.g. wire or whole stent embedded in lining}
A61F 2002/075	{the stent being loosely attached to the graft material, e.g. by stitching}
A61F 2002/077	{having means to fill the space between stent-graft and aneurysm wall, e.g. a sleeve}
A61F 2/08	..	Muscles; Tendons; Ligaments {(sutures A61B 17/04)}
A61F 2/0805	...	{Implements for inserting tendons or ligaments}
A61F 2/0811	...	{Fixation devices for tendons or ligaments}
A61F 2002/0817	{Structure of the anchor}
A61F 2002/0823	{Modular anchors comprising a plurality of separate parts}

A61F 2002/0829	{without deformation of anchor parts, e.g. fixation screws on bone surface, extending barbs, cams, butterflies, spring-loaded pins}
A61F 2002/0835	{with deformation of anchor parts, e.g. expansion of dowel by set screw}
A61F 2002/0841	{Longitudinal channel for insertion tool running through the whole tendon anchor, e.g. for accommodating bone drill, guidewire}
A61F 2002/0847	{Mode of fixation of anchor to tendon or ligament}
A61F 2002/0852	{Fixation of a loop or U-turn, e.g. eyelets, anchor having multiple holes}
A61F 2002/0858	{Fixation of tendon or ligament between anchor and bone, e.g. interference screws, wedges}
A61F 2002/0864	{Fixation of tendon or ligament between anchor elements, e.g. by additional screws in the anchor, anchor crimped around tendon}
A61F 2002/087	{Anchor integrated into tendons, e.g. bone blocks, integrated rings}
A61F 2002/0876	{Position of anchor in respect to the bone}
A61F 2002/0882	{Anchor in or on top of a bone tunnel, i.e. a hole running through the entire bone}
A61F 2002/0888	{Anchor in or on a blind hole or on the bone surface without formation of a tunnel}
A61F 2002/0894	...	{Muscles (non-implantable A61F 2002/5066)}
A61F 2/10	..	Hair or skin implants
A61F 2/105	...	{Skin implants, e.g. artificial skin}
A61F 2/12	..	Mammary prostheses and implants
A61F 2/14	..	Eye parts, e.g. lenses, corneal implants; { Implanting instruments specially adapted therefor}; Artificial eyes
A61F 2/141	...	{Artificial eyes}
A61F 2/142	...	{Cornea, e.g. artificial corneae, keratoprotheses or corneal implants for repair of defective corneal tissue}
A61F 2/145	...	{Corneal inlays, onlays, or lenses for refractive correction}

WARNING

Group [A61F 2/145](#) is impacted by reclassification into groups [A61F 2/1451](#) and [A61F 2/1453](#).

Groups [A61F 2/145](#), [A61F 2/1451](#), and [A61F 2/1453](#) should be considered in order to perform a complete search.

A61F 2/1451	{Inlays or onlays}
A61F 2/1453	{Corneal lenses connected to distinct attachment means}
A61F 2/147	...	{Implants to be inserted in the stroma for refractive correction, e.g. ring-like implants}
A61F 2/148	...	{Implantation instruments specially adapted therefor}
A61F 2/15	...	{Implant having one or more holes, e.g. for nutrient transport, for facilitating handling}

WARNING

A61F 2/15
(continued)

Group [A61F 2/15](#) is incomplete pending reclassification of documents from group [A61F 2/14](#).

Groups [A61F 2/14](#) and [A61F 2/15](#) should be considered in order to perform a complete search.

A61F 2/16 . . . Intraocular lenses

WARNING

Group [A61F 2/16](#) is impacted by reclassification into groups [A61F 2/1601](#), [A61F 2/16015](#), [A61F 2002/1696](#), and [A61F 2002/16965](#).

All groups listed should be considered in order to perform a complete search.

A61F 2/1601	{Lens body having features to facilitate aqueous fluid flow across the intraocular lens, e.g. for pressure equalization or nutrient delivery}
A61F 2/16015	{Lens having spacers for providing a gap between the posterior capsule and a posterior surface of the intraocular lens}
A61F 2/1602	{Corrective lenses for use in addition to the natural lenses of the eyes or for pseudo-phakic eyes}
A61F 2/1605	{Anterior chamber lenses for use in addition to the natural lenses of the eyes, e.g. iris fixated, iris floating}
A61F 2/1608	{Iris fixated, e.g. by clamping iris tissue, by suturing to the iris}
A61F 2/161	{Posterior chamber lenses for use in addition to the natural lenses of the eyes}
A61F 2/1613	{having special lens configurations, e.g. multipart lenses; having particular optical properties, e.g. pseudo-accommodative lenses, lenses having aberration corrections, diffractive lenses, lenses for variably absorbing electromagnetic radiation, lenses having variable focus}
A61F 2/1616	{Pseudo-accommodative, e.g. multifocal or enabling monovision}
A61F 2/1618	{Multifocal lenses}
A61F 2/1621	{enabling correction for monovision}
A61F 2/1624	{having adjustable focus; power activated variable focus means, e.g. mechanically or electrically by the ciliary muscle or from the outside}
A61F 2/1627	{for changing index of refraction e.g. by external means or by tilting}
A61F 2/1629	{for changing longitudinal position, i.e. along the visual axis when implanted}
A61F 2/1632	{for changing radial position, i.e. perpendicularly to the visual axis when implanted}
A61F 2/1635	{for changing shape}
A61F 2/1637	{Correcting aberrations caused by inhomogeneities; correcting intrinsic aberrations, e.g. of the cornea, of the surface of the natural lens, aspheric, cylindrical, toric lenses}
A61F 2/164	{Aspheric lenses}
A61F 2/1643	{Cylindrical lenses}
A61F 2/1645	{Toric lenses}
A61F 2/1648	{Multipart lenses}

A61F 2/1651	{Multipart lenses comprising a telescope}
A61F 2/1654	{Diffractive lenses}
A61F 2/1656	{Fresnel lenses, prisms or plates}
A61F 2/1659	{having variable absorption coefficient for electromagnetic radiation, e.g. photochromic lenses}
A61F 2/1662	{Instruments for inserting intraocular lenses into the eye}
A61F 2/1664	{for manual insertion during surgery, e.g. forceps-like instruments}
A61F 2/1667	{with rotatable plungers}
A61F 2/167	{with pushable plungers}
A61F 2/1672	{with a two-stage plunger, e.g. rotatable and pushable or rotatable at different speeds}
A61F 2/1675	{with a lubricated inner surface, e.g. the lubricant being coated on the inner surface or being injected through a port}
A61F 2/1678	{with a separate cartridge or other lens setting part for storage of a lens, e.g. preloadable for shipping}
A61F 2002/1681	{having supporting structure for lens, e.g. haptics}

WARNING

Group [A61F 2002/1681](#) is impacted by reclassification into groups [A61F 2002/1682](#), [A61F 2002/169](#), [A61F 2002/16901](#), [A61F 2002/16902](#), [A61F 2002/16903](#), [A61F 2002/16905](#), [A61F 2002/169051](#), [A61F 2002/169052](#), and [A61F 2002/169053](#).

All groups listed should be considered in order to perform a complete search.

A61F 2002/1682	{having mechanical force transfer mechanism to the lens, e.g. for accommodating lenses}
A61F 2002/1683	{having filiform haptics}
A61F 2002/1686	{Securing a filiform haptic to a lens body}
A61F 2002/1689	{having plate-haptics}
A61F 2002/169	{Surrounding optic}
A61F 2002/16901	{Supporting structure conforms to shape of capsular bag}
A61F 2002/16902	{Separable from intraocular lens}
A61F 2002/16903	{Having means to temporarily stabilize haptic}
A61F 2002/16905	{Having means on lens to reduce overall dimension of lens for insertion into small incision}
A61F 2002/169051	{Segmented zones}
A61F 2002/169052	{Segments slide}
A61F 2002/169053	{Segments fold}
A61F 2/1691	{Packages or dispensers for intraocular lenses (for contact lenses A45C 11/005)}
A61F 2/1694	{Capsular bag spreaders therefor}
A61F 2002/1696	{Having structure for blocking or reducing amount of light transmitted, e.g. glare reduction}

A61F 2002/16965	{Lens includes ultraviolet absorber}
A61F 2002/1699	{Additional features not otherwise provided for}
A61F 2/18	..	Internal ear or nose parts, e.g. ear-drums {(implants for middle ear ventilation or drainage A61F 11/002)}
A61F 2002/183	...	{Ear parts}
A61F 2/186	...	{Nose parts}
A61F 2/20	..	{Epiglottis}; Larynxes; Tracheae combined with larynxes or for use therewith (tracheae, bronchi per se A61F 2/04 ; {tracheostomy tubes A61M 16/0465 })
A61F 2/203	...	{comprising an air passage from trachea to oesophagus or to pharynx; Artificial epiglottis}
A61F 2002/206	...	{Speech aids with external actuators, e.g. electrical larynxes}
A61F 2/24	..	Heart valves {; Vascular valves, e.g. venous valves; Heart implants, e.g. passive devices for improving the function of the native valve or the heart muscle; Transmyocardial revascularisation [TMR] devices}
A61F 2/2403	...	{with pivoting rigid closure members (check valves with hinged closure members in general F16K 15/03)}
A61F 2/2406	{without fixed axis}
A61F 2/2409	...	{Support rings therefor, e.g. for connecting valves to tissue (annuloplasty rings A61F 2/2442)}
A61F 2/2412	...	{with soft flexible valve members, e.g. tissue valves shaped like natural valves (check valves with flexible valve members in general F16K 15/14)}
A61F 2/2415	{Manufacturing methods}
A61F 2/2418	{Scaffolds therefor, e.g. support stents}
A61F 2/2421	...	{with non-pivoting rigid closure members}
A61F 2/2424	{Ball valves}
A61F 2/2427	...	{Devices for manipulating or deploying heart valves during implantation}
A61F 2/243	{Deployment by mechanical expansion}
A61F 2/2433	{using balloon catheter}
A61F 2/2436	{Deployment by retracting a sheath}
A61F 2/2439	{Expansion controlled by filaments}
A61F 2/2442	...	{Annuloplasty rings or inserts for correcting the valve shape; Implants for improving the function of a native heart valve}
A61F 2/2445	{Annuloplasty rings in direct contact with the valve annulus}
A61F 2/2448	{D-shaped rings}
A61F 2/2451	{Inserts in the coronary sinus for correcting the valve shape}
A61F 2/2454	{Means for preventing inversion of the valve leaflets, e.g. chordae tendineae prostheses}
A61F 2/2457	{Chordae tendineae prostheses}
A61F 2/246	{Devices for obstructing a leak through a native valve in a closed condition}
A61F 2/2463	{Implants forming part of the valve leaflets}
A61F 2/2466	{Delivery devices therefor}
A61F 2/2469	...	{with resilient valve members, e.g. conical spiral}
A61F 2/2472	...	{Devices for testing}

A61F 2/2475	...	{Venous valves}
A61F 2/2478	...	{Passive devices for improving the function of the heart muscle, i.e. devices for reshaping the external surface of the heart, e.g. bags, strips or bands}
A61F 2/2481	{Devices outside the heart wall, e.g. bags, strips or bands}
A61F 2002/2484	{Delivery devices therefor}
A61F 2/2487	{Devices within the heart chamber, e.g. splints}
A61F 2002/249	{Device completely embedded in the heart wall}
A61F 2/2493	...	{Transmyocardial revascularisation [TMR] devices}
A61F 2/2496	...	{Devices for determining the dimensions of the prosthetic valve to be implanted, e.g. templates, sizers}
A61F 2/26	..	Penis implants
A61F 2/28	..	Bones ({ A61F 2/42 takes precedence}; joints A61F 2/30 ; {means for introducing bone substitute or for implanting bone graft implants A61F 2/4601 ; devices for grinding or milling bone material A61F 2/4644 })
A61F 2/2803	...	{for mandibular reconstruction (temporo-mandibular joints A61F 2/3099 ; bone plates for the jaw A61B 17/8071)}
A61F 2002/2807	{Chin implants}
A61F 2002/281	{Gonial implants}
A61F 2/2814	...	{Bone stump caps}
A61F 2002/2817	...	{Bone stimulation by chemical reactions or by osteogenic or biological products for enhancing ossification, e.g. by bone morphogenetic or morphogenic proteins (BMP) or by transforming growth factors (TGF)}
A61F 2002/2821	...	{Bone stimulation by electromagnetic fields or electric current for enhancing ossification}
A61F 2002/2825	...	{Femur}
A61F 2002/2828	{Femoral head}
A61F 2002/2832	{Femoral neck}
A61F 2002/2835	...	{Bone graft implants for filling a bony defect or an endoprosthesis cavity}
A61F 2002/2839	{Bone plugs or bone graft dowels}
A61F 2002/2842	{Bone marrow grafts}
A61F 2/2846	...	{Support means for bone substitute or for bone graft implants, e.g. membranes or plates for covering bone defects (nets or sleeves applied to surface of endoprostheses A61F 2/30907 ; bone plates A61B 17/80 ; bone regeneration in dental surgery A61C 8/0006)}
A61F 2002/285	{Fixation appliances for attaching bone substitute support means to underlying bone}
A61F 2002/2853	...	{Humerus}
A61F 2/2857	...	{for cadavers (devices for autopsy A61B 16/00)}
A61F 2002/286	...	{Bone stimulation by mechanical vibrations for enhancing ossification}
A61F 2002/2864	{by ultrasonic or acoustic vibrations}
A61F 2002/2867	...	{Bone marrow}
A61F 2002/2871	...	{Radius}
A61F 2/2875	...	{Skull or cranium (A61F 2/2803 and A61F 2/3099 take precedence)}

A61F 2002/2878	{for orbital repair}
A61F 2002/2882	{Malar or zygomatic implants}
A61F 2002/2885	{Paranasal implants}
A61F 2002/2889	{Maxillary, premaxillary or molar implants}
A61F 2002/2892	...	{Tibia}
A61F 2002/2896	...	{Ulna}
A61F 2/30	..	Joints
A61F 2002/30001	...	{Additional features of subject-matter classified in A61F 2/28 , A61F 2/30 and subgroups thereof}
A61F 2002/30003	{Material related properties of the prosthesis or of a coating on the prosthesis}
A61F 2002/30004	{The prosthesis made from materials having different values of a given property at different locations within the same prosthesis}
A61F 2002/30006	{differing in density or specific weight}
A61F 2002/30008	{differing in yarn density}
A61F 2002/30009	{differing in fibre orientations}
A61F 2002/30011	{differing in porosity}
A61F 2002/30013	{made from both porous and non-porous parts, e.g. adjacent parts}
A61F 2002/30014	{differing in elasticity, stiffness or compressibility}
A61F 2002/30016	{differing in hardness, e.g. Vickers, Shore, Brinell}
A61F 2002/30018	{differing in bending or flexure capacity}
A61F 2002/30019	{differing in mechanical expandability, e.g. in mechanical, self- or balloon expandability}
A61F 2002/30021	{differing in brittleness}
A61F 2002/30023	{differing in viscosity}
A61F 2002/30024	{differing in coefficient of friction}
A61F 2002/30026	{differing in wear resistance}
A61F 2002/30028	{differing in tissue ingrowth capacity, e.g. made from both ingrowth-promoting and ingrowth-preventing parts}
A61F 2002/30029	{differing in bone ingrowth capacity}
A61F 2002/30031	{differing in wettability, e.g. in hydrophilic or hydrophobic behaviours}
A61F 2002/30032	{differing in absorbability or resorbability, i.e. in absorption or resorption time}
A61F 2002/30034	{made from both resorbable and non-resorbable prosthetic parts, e.g. adjacent parts}
A61F 2002/30036	{differing in release or diffusion time}
A61F 2002/30037	{differing in coefficient of thermal expansion or dila(ta)tion}
A61F 2002/30039	{differing in shape-memory transition temperatures, e.g. in martensitic transition temperature or in austenitic transition temperature}
A61F 2002/30041	{differing in hardening time}
A61F 2002/30042	{made from both cured and uncured parts}
A61F 2002/30044	{differing in melting temperature}

A61F 2002/30046	{differing in thermal conductivity}
A61F 2002/30047	{differing in colour}
A61F 2002/30049	{differing in optical properties}
A61F 2002/30051	{differing in corrosion resistance}
A61F 2002/30052	{differing in electric properties}
A61F 2002/30054	{differing in electromagnetical properties}
A61F 2002/30056	{differing in radiographic density}
A61F 2002/30057	{made from both cortical and cancellous adjacent parts}
A61F 2002/30059	{differing in bone mineralization, e.g. made from both mineralized and demineralized adjacent parts}
A61F 2002/3006	{Properties of materials and coating materials}
A61F 2002/30062	{(bio)absorbable, biodegradable, bioerodable, (bio)resorbable, resorptive}
A61F 2002/30064	{Coating or prosthesis-covering structure made of biodegradable material}
A61F 2002/30065	{thermoplastic, i.e. softening or fusing when heated, and hardening and becoming rigid again when cooled}
A61F 2002/30067	{Coating or prosthesis-covering structure made of thermoplastic material}
A61F 2002/30069	{elastomeric}
A61F 2002/3007	{Coating or prosthesis-covering structure made of elastic material, e.g. of elastomer}
A61F 2002/30072	{Coating made of plastically deformable or self-moulding material}
A61F 2002/30074	{stretchable}
A61F 2002/30075	{swellable, e.g. when wetted}
A61F 2002/30077	{shrinkable}
A61F 2002/30079	{magnetic}
A61F 2002/3008	{radio-opaque, e.g. radio-opaque markers}
A61F 2002/30082	{radioactive}
A61F 2002/30084	{Materials having a crystalline structure}
A61F 2002/30085	{anisotropic}
A61F 2002/30087	{piezoelectric}
A61F 2002/30088	{Phase change materials (PCM), e.g. for storing latent heat}
A61F 2002/3009	{Transparent or translucent}
A61F 2002/30092	{using shape memory or superelastic materials, e.g. nitinol}
A61F 2002/30093	{operated at only one temperature whilst inside or touching the human body, e.g. constrained in a non-operative shape during surgery, another temperature only occurring before the operation}
A61F 2002/30095	{operated at different temperatures whilst inside or touching the human body, heated or cooled by external energy source or cold supply}
A61F 2002/30097	{cooled}
A61F 2002/30098	{electrically, e.g. heated by resistor}

A61F 2002/301	{electromagnetically}
A61F 2002/30102	{using a fluid, e.g. circulating}
A61F 2002/30103	{heated by light}
A61F 2002/30105	{ultrasonically}
A61F 2002/30107	{using materials or accessories for preventing galvanic or electrolytic corrosion}
A61F 2002/30108	{Shapes}
A61F 2002/3011	{Cross-sections or two-dimensional shapes}
A61F 2002/30112	{Rounded shapes, e.g. with rounded corners}
A61F 2002/30113	{circular}
A61F 2002/30115	{circular-O-shaped}
A61F 2002/30116	{partial circles, i.e. circular segments}
A61F 2002/30118	{concentric circles}
A61F 2002/3012	{intersecting circles}
A61F 2002/30121	{with lobes}
A61F 2002/30123	{with two diametrically opposed lobes}
A61F 2002/30125	{elliptical or oval}
A61F 2002/30126	{oval-O-shaped}
A61F 2002/30128	{concentric ellipses}
A61F 2002/3013	{figure-"8"- or hourglass-shaped}
A61F 2002/30131	{horseshoe- or crescent- or C-shaped or U-shaped}
A61F 2002/30133	{kidney-shaped or bean-shaped}
A61F 2002/30135	{S-shaped or Z-shaped}
A61F 2002/30136	{undulated or wavy, e.g. serpentine-shaped or zigzag-shaped}
A61F 2002/30138	{Convex polygonal shapes}
A61F 2002/3014	{decagonal}
A61F 2002/30141	{dodecagonal}
A61F 2002/30143	{hexagonal}
A61F 2002/30144	{Honeycomb pattern}
A61F 2002/30146	{octagonal}
A61F 2002/30148	{lozenge- or diamond-shaped}
A61F 2002/30149	{pentagonal}
A61F 2002/30151	{rhomboidal or parallelogram-shaped}
A61F 2002/30153	{rectangular}
A61F 2002/30154	{square}
A61F 2002/30156	{triangular}
A61F 2002/30158	{trapezoidal}
A61F 2002/30159	{Concave polygonal shapes}
A61F 2002/30161	{arrow-shaped}
A61F 2002/30163	{cruciform, different from X-shaped}

A61F 2002/30164	{dovetail-shaped}
A61F 2002/30166	{H-shaped or I-shaped}
A61F 2002/30168	{L-shaped}
A61F 2002/30169	{Pi-shaped}
A61F 2002/30171	{rosette- or star-shaped}
A61F 2002/30172	{T-shaped}
A61F 2002/30174	{the upper branch of the T being inclined with respect to its main branch}
A61F 2002/30176	{V-shaped}
A61F 2002/30177	{W-shaped, M-shaped or sigma shaped}
A61F 2002/30179	{X-shaped}
A61F 2002/30181	{Y-shaped}
A61F 2002/30182	{Other shapes}
A61F 2002/30184	{Alpha-shaped}
A61F 2002/30186	{B-shaped}
A61F 2002/30187	{D-shaped or half-disc-shaped}
A61F 2002/30189	{E-shaped or epsilon-shaped}
A61F 2002/30191	{heart-shaped}
A61F 2002/30192	{J-shaped}
A61F 2002/30194	{quarter-disc-shaped}
A61F 2002/30196	{Psi-shaped or fork-shaped}
A61F 2002/30197	{Omega-shaped}
A61F 2002/30199	{Three-dimensional shapes}
A61F 2002/302	{toroidal, e.g. rings}
A61F 2002/30202	{half-tores}
A61F 2002/30204	{toric}
A61F 2002/30205	{conical}
A61F 2002/30207	{Double convex cones, i.e. element having two convex cones, one at each of its opposite ends}
A61F 2002/30209	{Cones of elliptical or oval basis}
A61F 2002/3021	{frustoconical}
A61F 2002/30212	{Half-cones}
A61F 2002/30214	{having tapered sections of different conicities}
A61F 2002/30215	{Stepped cones, i.e. having discrete diameter changes}
A61F 2002/30217	{hollow cones, e.g. tubular-like cones}
A61F 2002/30219	{the inner and outer surfaces having different conicities}
A61F 2002/3022	{Half tubular-like cones}
A61F 2002/30222	{concentric tubular-like cones}
A61F 2002/30224	{cylindrical}
A61F 2002/30225	{Flat cylinders, i.e. discs}

A61F 2002/30227	{arched, domed or vaulted}
A61F 2002/30228	{Cylinders of elliptical or oval basis}
A61F 2002/3023	{wedge-shaped cylinders}
A61F 2002/30232	{Half-cylinders}
A61F 2002/30233	{Stepped cylinders, i.e. having discrete diameter changes}
A61F 2002/30235	{tubular, e.g. sleeves}
A61F 2002/30237	{partial tubes}
A61F 2002/30238	{half tubes}
A61F 2002/3024	{concentric tubes}
A61F 2002/30242	{spherical}
A61F 2002/30243	{the overall spherical surface being composed of a plurality of adjacent circular or polygonal segments, e.g. football-like shaped}
A61F 2002/30245	{Partial spheres}
A61F 2002/30247	{Hemispheres or half-spheres}
A61F 2002/30248	{Quarter-spheres}
A61F 2002/3025	{hollow spheres}
A61F 2002/30252	{quadric-shaped}
A61F 2002/30253	{ellipsoidal or ovoid}
A61F 2002/30255	{hyperboloidal}
A61F 2002/30257	{paraboloidal}
A61F 2002/30258	{elliptic paraboloid}
A61F 2002/3026	{hyperbolic paraboloid}
A61F 2002/30261	{parallelepipedal}
A61F 2002/30263	{cubical}
A61F 2002/30265	{Flat parallelepipeds}
A61F 2002/30266	{wedge-shaped parallelepipeds}
A61F 2002/30268	{Partial parallelepipeds}
A61F 2002/3027	{Stepped parallelepipeds}
A61F 2002/30271	{hollow parallelepipeds}
A61F 2002/30273	{pyramidal}
A61F 2002/30275	{tetrahedral, i.e. having a triangular basis}
A61F 2002/30276	{frustopyramidal}
A61F 2002/30278	{hollow pyramids}
A61F 2002/3028	{polyhedral different from parallelepipedal and pyramidal}
A61F 2002/30281	{wedge-shaped}
A61F 2002/30283	{hollow}
A61F 2002/30285	{rugby-ball-shaped}
A61F 2002/30286	{barrel-shaped}
A61F 2002/30288	{bottle-shaped}
A61F 2002/30289	{helically-coiled}

A61F 2002/30291	{spirally-coiled, i.e. having a 2-D spiral cross-section}
A61F 2002/30293	{Cylindrical body made by spirally rolling up a sheet or a strip around itself}
A61F 2002/30294	{Conical or frustoconical body made by spirally rolling up a sheet or a strip around itself}
A61F 2002/30296	{logarithmic spiral}
A61F 2002/30298	{Parallelepipedal body made by spirally rolling up a sheet or a strip around itself}
A61F 2002/30299	{umbrella-shaped or mushroom-shaped}
A61F 2002/30301	{saddle-shaped}
A61F 2002/30303	{polypod-shaped}
A61F 2002/30304	{nose-shaped}
A61F 2002/30306	{harpoon-shaped}
A61F 2002/30308	{banana-shaped}
A61F 2002/30309	{hat-shaped}
A61F 2002/30311	{doughnut-shaped}
A61F 2002/30313	{pear-shaped}
A61F 2002/30314	{bell-shaped}
A61F 2002/30316	{The prosthesis having different structural features at different locations within the same prosthesis; Connections between prosthetic parts; Special structural features of bone or joint prostheses not otherwise provided for}
A61F 2002/30317	{The prosthesis having different structural features at different locations within the same prosthesis}
A61F 2002/30319	{differing in moment of inertia}
A61F 2002/30321	{differing in roughness}
A61F 2002/30322	{differing in surface structures}
A61F 2002/30324	{differing in thickness}
A61F 2002/30326	{differing in height or in length}
A61F 2002/30327	{differing in diameter}
A61F 2002/30329	{Connections or couplings between prosthetic parts, e.g. between modular parts; Connecting elements}
A61F 2002/30331	{made by longitudinally pushing a protrusion into a complementarily-shaped recess, e.g. held by friction fit}
A61F 2002/30332	{Conically- or frustoconically-shaped protrusion and recess}
A61F 2002/30334	{Cone of elliptical or oval basis}
A61F 2002/30336	{Stepped cones, i.e. having discrete diameter changes}
A61F 2002/30337	{Inverted concave conical connections, e.g. for opposing disconnection}
A61F 2002/30339	{Double cones, i.e. connecting element having two conical connections, one at each of its opposite ends}
A61F 2002/30341	{both cones being convex, i.e. male tapers}
A61F 2002/30342	{both cones being concave, i.e. female tapers}
A61F 2002/30344	{one cone being convex and the other being concave}

A61F 2002/30345	{Multiple conical connection, i.e. the protrusion and recess having several tapered sections of different complementary conicities}
A61F 2002/30347	{Protrusion and recess of complementarily-tapered undulated or serrated cross-section}
A61F 2002/30349	{the male and female complementary cones being of different conicities, i.e. for reducing the contact area}
A61F 2002/3035	{the male convex cone having an inner female concave taper}
A61F 2002/30352	{Protrusion and recess of D-shaped cross-section}
A61F 2002/30354	{Cylindrically-shaped protrusion and recess, e.g. cylinder of circular basis}
A61F 2002/30355	{Cylinder of elliptical or oval basis}
A61F 2002/30357	{Stepped cylinders, i.e. having discrete diameter changes}
A61F 2002/30359	{Pyramidally- or frustopyramidally-shaped protrusion and recess}
A61F 2002/3036	{Protrusion and recess of kidney-shaped cross-section}
A61F 2002/30362	{with possibility of relative movement between the protrusion and the recess}
A61F 2002/30364	{Rotation about the common longitudinal axis}
A61F 2002/30365	{with additional means for limiting said rotation}
A61F 2002/30367	{with additional means for preventing said rotation}
A61F 2002/30369	{Limited lateral translation of the protrusion within a larger recess}
A61F 2002/3037	{Translation along the common longitudinal axis, e.g. piston}
A61F 2002/30372	{with additional means for limiting said translation}
A61F 2002/30373	{with additional means for preventing said translation}
A61F 2002/30375	{with an intermediate bushing or sleeve between the moving parts}
A61F 2002/30377	{Protrusion and recess of constant polygonal, serrated or undulated cross-section}
A61F 2002/30378	{Spherically-shaped protrusion and recess}
A61F 2002/3038	{made by pushing a key or a peg into a mating slot or hole}
A61F 2002/30382	{made by pushing lateral pegs into mating lateral slots or bores}
A61F 2002/30383	{made by laterally inserting a protrusion, e.g. a rib into a complementarily-shaped groove}
A61F 2002/30385	{the rib and groove having non-parallel, e.g. conically-tapered, cooperating sides, e.g. having a trapezoidal front cross-section}
A61F 2002/30387	{Dovetail connection}
A61F 2002/30388	{Half-dovetail}
A61F 2002/3039	{with possibility of relative movement of the rib within the groove}
A61F 2002/30392	{Rotation}
A61F 2002/30393	{with additional means for limiting said rotation}
A61F 2002/30395	{with additional means for preventing or locking said rotation}

A61F 2002/30397	{Limited lateral translation of the rib within a larger groove}
A61F 2002/30398	{Sliding}
A61F 2002/304	{with additional means for limiting said sliding}
A61F 2002/30401	{with additional means for preventing or locking said sliding}
A61F 2002/30403	{Longitudinally-oriented cooperating ribs and grooves on mating lateral surfaces of a mainly longitudinal connection}
A61F 2002/30405	{made by screwing complementary threads machined on the parts themselves}
A61F 2002/30406	{Threads machined on spherical, e.g. hemispherical, surfaces}
A61F 2002/30408	{Conical threadings}
A61F 2002/3041	{having threaded portions of different pitches}
A61F 2002/30411	{having two threaded end parts connected by a threaded central part with opposite threads at its opposite ends, i.e. for adjusting the distance between both end parts by rotating the central part}
A61F 2002/30413	{having threads of increasing height or depth}
A61F 2002/30415	{with additional means for limiting the length of the movement of the male threads within the female threads}
A61F 2002/30416	{Microthreads}
A61F 2002/30418	{Double or multiple threadings}
A61F 2002/3042	{with a pin cooperating with a helical groove}
A61F 2002/30421	{Rounded threads}
A61F 2002/30423	{Stepped cylindrical threads, i.e. having discrete diameter changes}
A61F 2002/30425	{Square threads}
A61F 2002/30426	{Bayonet coupling}
A61F 2002/30428	{made by inserting a protrusion into a slot}
A61F 2002/30429	{made by inserting a hook into a cooperating slot}
A61F 2002/30431	{made by first pushing a necked button longitudinally and then sliding it laterally within a keyhole slot}
A61F 2002/30433	{using additional screws, bolts, dowels or rivets, e.g. connecting screws}
A61F 2002/30434	{using bolts}
A61F 2002/30436	{using dowels}
A61F 2002/30438	{using nuts}
A61F 2002/30439	{Screw head protectors}
A61F 2002/30441	{using rivets or directly riveted}
A61F 2002/30443	{using washers}
A61F 2002/30444	{Split washers}
A61F 2002/30446	{Spring washers, e.g. Belleville washers}
A61F 2002/30448	{using adhesives}
A61F 2002/30449	{the adhesive being cement}
A61F 2002/30451	{soldered or brazed or welded}

A61F 2002/30453	{brazed}
A61F 2002/30454	{by high energy welding, e.g. laser beam welding, electron beam welding, plasma welding}
A61F 2002/30456	{by spot welding}
A61F 2002/30457	{by ultrasonic or sonic welding}
A61F 2002/30459	{stapled}
A61F 2002/30461	{sutured, ligatured or stitched}
A61F 2002/30462	{retained or tied with a rope, string, thread, wire or cable}
A61F 2002/30464	{using bands, belts or straps}
A61F 2002/30466	{being elastic}
A61F 2002/30467	{using hook and loop-type fasteners}
A61F 2002/30469	{using band clamps}
A61F 2002/30471	{connected by a hinged linkage mechanism, e.g. of the single-bar or multi-bar linkage type}
A61F 2002/30472	{using connecting nails or pins}
A61F 2002/30474	{using an intermediate sleeve interposed between both prosthetic parts to be coupled}
A61F 2002/30476	{locked by an additional locking mechanism}
A61F 2002/30477	{using sharp protrusions, e.g. spikes, for anchoring into connecting prosthetic part}
A61F 2002/30479	{using a locking ball}
A61F 2002/30481	{using a locking clip}
A61F 2002/30482	{using a locking cam}
A61F 2002/30484	{Mechanically expandable devices located on the first prosthetic part for locking into or onto the second prosthetic part}
A61F 2002/30485	{plastically deformable}
A61F 2002/30487	{Circumferential cooperating grooves and beads on cooperating lateral surfaces of a mainly longitudinal connection}
A61F 2002/30489	{Circumferential cooperating serrations}
A61F 2002/3049	{using a slidable sleeve covering the connection}
A61F 2002/30492	{using a locking pin}
A61F 2002/30494	{Cooperating protrusions and recesses, e.g. radial serrations, located on abutting end surfaces of a longitudinal connection}
A61F 2002/30495	{using a locking ring}
A61F 2002/30497	{Split ring, e.g. circlip}
A61F 2002/30499	{Wire ring}
A61F 2002/305	{Snap connection}
A61F 2002/30502	{Press-buttons}
A61F 2002/30504	{made by laterally snapping a peg or a like protrusion into a mating detent, hole or slot}
A61F 2002/30505	{spring biased}

A61F 2002/30507	{using a threaded locking member, e.g. a locking screw or a set screw}
A61F 2002/30509	{using a traction locking screw}
A61F 2002/3051	{using a locking bolt or a set bolt}
A61F 2002/30512	{using a locking nut or a set nut}
A61F 2002/30514	{using a locking washer}
A61F 2002/30515	{using a locking wedge or block}
A61F 2002/30517	{using a locking plate}
A61F 2002/30518	{with possibility of relative movement between the prosthetic parts}
A61F 2002/3052	{unrestrained in only one direction, e.g. moving unidirectionally}
A61F 2002/30522	{releasable, e.g. using a releasable ratchet}
A61F 2002/30523	{by means of meshing gear teeth}
A61F 2002/30525	{Worm gears}
A61F 2002/30527	{using a gear box}
A61F 2002/30528	{Means for limiting said movement}
A61F 2002/3053	{having additional means for preventing unwanted connections}
A61F 2002/30532	{for preventing connection between parts of wrong sizes or orientations}
A61F 2002/30533	{for preventing permanent connection between prosthetic parts and trial parts}
A61F 2002/30535	{Special structural features of bone or joint prostheses not otherwise provided for}
A61F 2002/30537	{adjustable}
A61F 2002/30538	{for adjusting angular orientation}
A61F 2002/3054	{about a connection axis or implantation axis for selecting any one of a plurality of radial orientations between two modular parts, e.g. at discrete positions}
A61F 2002/30542	{at continuous positions}
A61F 2002/30543	{at only two discrete angular positions, e.g. located at 180 degrees intervals}
A61F 2002/30545	{for adjusting a diameter}
A61F 2002/30546	{for adjusting elasticity, flexibility, spring rate or mechanical tension}
A61F 2002/30548	{for adjusting fluid pressure}
A61F 2002/3055	{for adjusting length}
A61F 2002/30551	{at different discrete positions, e.g. at equidistant intervals}
A61F 2002/30553	{for adjusting a position by translation along an axis}
A61F 2002/30555	{along two perpendicular axes}
A61F 2002/30556	{for adjusting thickness}
A61F 2002/30558	{Force-limiting means}
A61F 2002/3056	{Torque-limiting means}
A61F 2002/30561	{breakable or frangible}

A61F 2002/30563	{having elastic means or damping means, different from springs, e.g. including an elastomeric core or shock absorbers}
A61F 2002/30565	{having spring elements}
A61F 2002/30566	{Helical springs}
A61F 2002/30568	{Multiple spring systems including two or more helical springs}
A61F 2002/3057	{Concentric outer and inner helical springs}
A61F 2002/30571	{Leaf springs}
A61F 2002/30573	{2-D spiral springs}
A61F 2002/30574	{with an integral complete or partial collar or flange}
A61F 2002/30576	{with extending fixation tabs}
A61F 2002/30578	{having apertures, e.g. for receiving fixation screws}
A61F 2002/30579	{with mechanically expandable devices, e.g. fixation devices}
A61F 2002/30581	{having a pocket filled with fluid, e.g. liquid}
A61F 2002/30583	{filled with hardenable fluid, e.g. curable in-situ}
A61F 2002/30584	{filled with gas}
A61F 2002/30586	{having two or more inflatable pockets or chambers}
A61F 2002/30588	{filled with solid particles}
A61F 2002/30589	{Sealing means}
A61F 2002/30591	{O-rings}
A61F 2002/30593	{hollow}
A61F 2002/30594	{slotted}
A61F 2002/30596	{slots ending in apertures, e.g. for avoiding stress concentration at the ends of the slots}
A61F 2002/30598	{Plurality of slots}
A61F 2002/30599	{stackable}
A61F 2002/30601	{telescopic}
A61F 2002/30602	{Shaft made of a bundle of anchoring rods or bristles, e.g. fasciculate shaft}
A61F 2002/30604	{modular}
A61F 2002/30606	{Sets comprising both cemented and non-cemented endoprostheses}
A61F 2002/30607	{Kits of prosthetic parts to be assembled in various combinations for forming different prostheses}
A61F 2002/30609	{Sets comprising both coated and non-coated endoprostheses}
A61F 2002/30611	{Nested prosthetic parts}
A61F 2002/30612	{Pre-assembled implant modules}
A61F 2002/30614	{Sets comprising both primary and revision endoprostheses}
A61F 2002/30616	{Sets comprising a plurality of prosthetic parts of different sizes or orientations}
A61F 2002/30617	{Visible markings for adjusting, locating or measuring}
A61F 2002/30619	{Wire rings}

A61F 2002/30621	{Features concerning the anatomical functioning or articulation of the prosthetic joint}
A61F 2002/30622	{Implant for fusing a joint or bone material}
A61F 2002/30624	{Hinged joint, e.g. with transverse axle restricting the movement}
A61F 2002/30626	{allowing only for single rotation}
A61F 2002/30627	{by means of cooperating stepped cylindrical surfaces}
A61F 2002/30629	{of the pin-guiding groove linkage type}
A61F 2002/3063	{having bearing bushes between the rotating parts}
A61F 2002/30632	{with rotation-limiting stops, e.g. projections or recesses}
A61F 2002/30634	{biaxial}
A61F 2002/30635	{Cardan or gimbal joints}
A61F 2002/30637	{Dual arrangement of two adjacent hinged joints}
A61F 2002/30639	{having rolling elements between both articulating surfaces}
A61F 2002/3064	{Ball bearings}
A61F 2002/30642	{having a single rolling (or sliding) ball articulating between two cups}
A61F 2002/30644	{Roller bearings}
A61F 2002/30645	{Needle bearings}
A61F 2002/30647	{Joints made of two toroidal rings engaged together}
A61F 2002/30649	{Ball-and-socket joints}
A61F 2002/3065	{Details of the ball-shaped head}
A61F 2002/30652	{Special cut-outs, e.g. flat or grooved cut-outs}
A61F 2002/30654	{Details of the concave socket}
A61F 2002/30655	{Non-spherical concave inner surface}
A61F 2002/30657	{made of different partially-spherical concave portions}
A61F 2002/30658	{having a central conforming area surrounded by a peripheral annular non-conforming area}
A61F 2002/3066	{having a central non-conforming area surrounded by a peripheral annular conforming area}
A61F 2002/30662	{with rotation-limiting means}
A61F 2002/30663	{multiaxial, e.g. biaxial; multipolar, e.g. bipolar or having an intermediate shell articulating between the ball and the socket}
A61F 2002/30665	{Dual arrangement of two adjacent ball-and-socket joints}
A61F 2002/30667	{Features concerning an interaction with the environment or a particular use of the prosthesis}
A61F 2002/30668	{Means for transferring electromagnetic energy to implants}
A61F 2002/3067	{for data transfer}
A61F 2002/30672	{temporary}
A61F 2002/30673	{Lubricating means, e.g. synovial pocket}
A61F 2002/30675	{Means for regulating synovial fluid pressure}
A61F 2002/30677	{Means for introducing or releasing pharmaceutical products, e.g. antibiotics, into the body}
A61F 2002/30678	{Gene therapy}

A61F 2002/3068	{the pharmaceutical product being in a reservoir}
A61F 2002/30682	{Means for preventing migration of particles released by the joint, e.g. wear debris or cement particles}
A61F 2002/30683	{Means for collecting wear particles in a hollow cavity inside the prosthesis}
A61F 2002/30685	{Means for reducing or preventing the generation of wear particulates}
A61F 2002/30686	{Devices for removing particulate debris from prosthetic joints}
A61F 2002/30688	{Means for allowing passage or sliding of tendons or ligaments}
A61F 2002/3069	{Revision endoprostheses}
A61F 2002/30691	{Drainage means, e.g. for evacuating blood or other fluids}
A61F 2002/30693	{Air venting means}
A61F 2002/30695	{Sound-damping or noise-reducing means}
A61F 2002/30696	{Means for preventing the accidental forgetting of prosthetic parts inside the body during operation}
A61F 2002/30698	{Alarm means}
A61F 2002/307	{Prostheses for animals}
A61F 2002/30701	{for cats}
A61F 2002/30703	{for dogs}
A61F 2002/30705	{for horses}
A61F 2002/30706	{specially designed for children, e.g. having means for adjusting to their growth}
A61F 2002/30708	{Means for distinguishing between left-sided and right-sided devices, Sets comprising both left-sided and right-sided prosthetic parts}
A61F 2002/3071	{Identification means; Administration of patients}
A61F 2002/30711	{with bar code}
A61F 2002/30713	{colour-coded}
A61F 2002/30714	{coded with symbols, e.g. dots, numbers, letters, words}
A61F 2002/30716	{for single use, e.g. having means for preventing re-use}
A61F 2002/30718	{Means for protecting prosthetic parts, e.g. during operation}
A61F 2002/30719	{Means for cleaning prostheses}
A61F 2/30721	...	{Accessories}
A61F 2/30723	{Plugs or restrictors for sealing a cement-receiving space (tools for inserting plugs A61F 2/4614 ; sealing collars for use during cementing A61B 17/8808)}
A61F 2/30724	{Spacers for centering an implant in a bone cavity, e.g. in a cement-receiving cavity}
A61F 2002/30726	{Centering or guiding rods, e.g. for insertion of femoral shafts}
A61F 2/30728	{Collars; Bone edge protectors (A61F 2/30734 takes precedence; sealing collars for use during cementing A61B 17/8808)}
A61F 2002/30729	{Separate collars}
A61F 2002/30731	{Bone edge protectors}
A61F 2002/30733	{Inserts placed into an endoprosthetic cavity, e.g. for modifying a material property}

A61F 2/30734	{Modular inserts, sleeves or augments, e.g. placed on proximal part of stem for fixation purposes or wedges for bridging a bone defect}
A61F 2002/30736	{Augments or augmentation pieces, e.g. wedges or blocks for bridging a bone defect}
A61F 2002/30738	{Sleeves}
A61F 2/30739	{Devices connected to the proximal part of an endoprosthetic femoral shaft for reinforcing or replacing the trochanters, e.g. the greater trochanter (proximal parts of endoprosthetic femoral shafts A61F 2/367 ; non-prosthetic trochanteric devices A61B 17/74)}
A61F 2002/30741	{for the lesser trochanter}
A61F 2/30742	{Bellows or hose-like seals; Sealing membranes (A61B 17/8808 takes precedence; sealing membranes for retaining bone substitute A61F 2/2846)}
A61F 2/30744	{End caps, e.g. for closing an endoprosthetic cavity}
A61F 2002/30746	{closable by a rotation different from screwing or bayonet coupling, e.g. about the cap central longitudinal axis}
A61F 2002/30747	{closable by translation}
A61F 2/30749	{Fixation appliances for connecting prostheses to the body}
A61F 2002/30751	{for attaching cartilage scaffolds to underlying bone}
A61F 2002/30752	{by means of a bed of granular material}
A61F 2002/30754	{Implants for interposition between two natural articular surfaces}
A61F 2/30756	...	{Cartilage endoprostheses (A61F 2/3603 takes precedence)}
A61F 2002/30757	{made of a sheet covering the natural articular surface, e.g. cap}
A61F 2002/30759	{Mosaicplasty, i.e. using a plurality of individual cartilage plugs for filling a substantial cartilage defect}
A61F 2002/30761	{Support means for artificial cartilage, e.g. cartilage defect covering membranes}
A61F 2002/30762	{Means for culturing cartilage}
A61F 2002/30764	{Cartilage harvest sites}
A61F 2002/30766	{Scaffolds for cartilage ingrowth and regeneration}
A61F 2/30767	...	{Special external and/or bone-contacting surfaces, e.g. coating for improving bone ingrowth (materials for coating prostheses A61L 27/28)}
A61F 2002/30769	{madreporic}
A61F 2/30771	{applied in original prostheses, e.g. holes, grooves (etching the surface A61F 2/30767)}
A61F 2002/30772	{Apertures or holes, e.g. of circular cross section}
A61F 2002/30774	{internally-threaded}
A61F 2002/30775	{with two portions of opposite threads, i.e. a right-hand thread and a left-hand thread}
A61F 2002/30777	{Oblong apertures}
A61F 2002/30779	{arcuate}
A61F 2002/3078	{having an undulated contour, e.g. made of intercommunicating circular holes}
A61F 2002/30782	{inclined obliquely}
A61F 2002/30784	{Plurality of holes}

A61F 2002/30785	{parallel}
A61F 2002/30787	{inclined obliquely w.r.t. each other}
A61F 2002/30789	{perpendicular w.r.t. each other}
A61F 2002/3079	{Stepped or enlarged apertures, e.g. having discrete diameter changes}
A61F 2002/30792	{Dual tapered apertures}
A61F 2002/30794	{the enlarged portion being used for receiving and hiding a screw head, a nut or a closing cap}
A61F 2002/30795	{Blind bores, e.g. of circular cross-section}
A61F 2002/30797	{internally-threaded}
A61F 2002/30799	{with two portions of opposite threads, i.e. a right-hand thread and a left-hand thread}
A61F 2002/308	{oblong}
A61F 2002/30802	{arcuate}
A61F 2002/30803	{inclined obliquely}
A61F 2002/30805	{Recesses of comparatively large area w.r.t. their low depth}
A61F 2002/30807	{Plurality of blind bores}
A61F 2002/30808	{parallel}
A61F 2002/3081	{inclined obliquely w.r.t. each other}
A61F 2002/30812	{perpendicular w.r.t. each other}
A61F 2002/30813	{Stepped or enlarged blind bores, e.g. having discrete diameter changes}
A61F 2002/30815	{the enlarged portion being used for receiving and hiding a screw head, a nut or a closing cap}
A61F 2002/30817	{Intersecting or overlapping blind bores}
A61F 2002/30818	{castellated or crenellated}
A61F 2002/3082	{Grooves}
A61F 2002/30822	{Circumferential grooves}
A61F 2002/30823	{having the shape of a reverse dovetail}
A61F 2002/30825	{arcuate}
A61F 2002/30827	{Plurality of grooves}
A61F 2002/30828	{parallel}
A61F 2002/3083	{inclined obliquely with respect to each other}
A61F 2002/30831	{perpendicular with respect to each other}
A61F 2002/30833	{with enlarged portion}
A61F 2002/30835	{for receiving and hiding a screw head or a nut}
A61F 2002/30836	{knurled}
A61F 2002/30838	{Microstructures}
A61F 2002/3084	{Nanostructures}
A61F 2002/30841	{Sharp anchoring protrusions for impaction into the bone, e.g. sharp pins, spikes}
A61F 2002/30843	{Pyramidally-shaped}

A61F 2002/30845	{with cutting edges}
A61F 2002/30846	{circular}
A61F 2002/30848	{straight}
A61F 2002/3085	{with a threaded, e.g. self-tapping, bone-engaging surface, e.g. external surface}
A61F 2002/30851	{Multiple threadings}
A61F 2002/30853	{Double threadings}
A61F 2002/30855	{Quadruple or higher rank multiple threadings}
A61F 2002/30856	{Triple threadings}
A61F 2002/30858	{Threads interrupted by grooves or sidewalls, e.g. flat sidewalls}
A61F 2002/30859	{having threaded portions of different pitches}
A61F 2002/30861	{having threads of increasing or decreasing height}
A61F 2002/30863	{the entry end surface having flutes, relief grooves, starter notches or beveled indentations}
A61F 2002/30864	{Microthreads}
A61F 2002/30866	{Rounded threads}
A61F 2002/30868	{Square, rectangular or rhomboidal threads}
A61F 2002/30869	{Dovetail-shaped}
A61F 2002/30871	{Trapezoidal threads}
A61F 2002/30873	{Threadings machined on non-cylindrical external surfaces}
A61F 2002/30874	{on conical, e.g. frustoconical, surfaces}
A61F 2002/30876	{on spherical, e.g. hemispherical, surfaces}
A61F 2002/30878	{with non-sharp protrusions, for instance contacting the bone for anchoring, e.g. keels, pegs, pins, posts, shanks, stems, struts}
A61F 2002/30879	{Ribs}
A61F 2002/30881	{Circumferential ribs}
A61F 2002/30883	{dovetail-shaped}
A61F 2002/30884	{Fins or wings, e.g. longitudinal wings for preventing rotation within the bone cavity}
A61F 2002/30886	{externally-threaded}
A61F 2002/30887	{with two portions of opposite threads, i.e. a right-hand thread and a left-hand thread}
A61F 2002/30889	{Arcuate pegs}
A61F 2002/30891	{Plurality of protrusions}
A61F 2002/30892	{parallel}
A61F 2002/30894	{inclined obliquely w.r.t. each other}
A61F 2002/30896	{perpendicular w.r.t. each other}
A61F 2002/30897	{Stepped protrusions, i.e. having discrete diameter changes}
A61F 2002/30899	{Protrusions pierced with apertures}
A61F 2002/30901	{longitudinally}
A61F 2002/30902	{laterally or radially}

A61F 2002/30904	{serrated profile, i.e. saw-toothed}
A61F 2002/30906	{shot- sand- or grit-blasted}
A61F 2/30907	{Nets or sleeves applied to surface of prostheses or in cement}
A61F 2002/30909	{Nets}
A61F 2002/30911	{having a honeycomb structure}
A61F 2002/30912	{made of expanded metal, e.g. diamond mesh or metal nets having lozenge-shaped apertures}
A61F 2002/30914	{Details of the mesh structure, e.g. disposition of the woven warp and weft wires}
A61F 2002/30915	{made of a stack of bonded perforated sheets, grids or wire meshes}
A61F 2002/30917	{for avoiding direct contact between bone and implant, e.g. extensible membrane for preventing contamination or for easy removal}
A61F 2002/30919	{Sleeves}
A61F 2002/3092	{having an open-celled or open-pored structure}
A61F 2002/30922	{Hardened surfaces}
A61F 2002/30924	{by shot peening}
A61F 2002/30925	{etched}
A61F 2002/30927	{Electrolytic etching}
A61F 2002/30929	{having at least two superposed coatings}
A61F 2002/3093	{for promoting ingrowth of bone tissue}
A61F 2002/30932	{for retarding or preventing ingrowth of bone tissue}
A61F 2002/30934	{Special articulating surfaces}
A61F 2002/30935	{Concave articulating surface composed of a central conforming area surrounded by a peripheral annular non-conforming area}
A61F 2002/30937	{with cut-outs}
A61F 2002/30939	{Means for modifying the geometry of articulating surfaces, e.g. for compensating excessive clearance caused by wear}
A61F 2/3094	...	{Designing or manufacturing processes (not used, see subgroups)}
A61F 2/30942	{for designing or making customized prostheses, e.g. using templates, CT or NMR scans, finite-element analysis or CAD-CAM techniques (computer-assisted sizing or machining of dental prostheses A61C 13/0004 ; CAD-CAM techniques per se G05B 19/4202)}
A61F 2002/30943	{using mathematical models}
A61F 2002/30945	{using geometrical models}
A61F 2002/30947	{Fractal geometry}
A61F 2002/30948	{using computerized tomography, i.e. CT scans}
A61F 2002/3095	{using computerized axial tomography, i.e. CAT scans}
A61F 2002/30952	{using CAD-CAM techniques or NC-techniques}
A61F 2002/30953	{using a remote computer network, e.g. Internet}
A61F 2002/30955	{using finite-element analysis}
A61F 2002/30957	{using a positive or a negative model, e.g. moulds}
A61F 2002/30958	{using lost patterns, e.g. lost wax}

A61F 2002/3096	{trimmed or cut to a customised size}
A61F 2002/30962	{using stereolithography}
A61F 2002/30963	{using templates, e.g. grid charts}
A61F 2/30965	{Reinforcing the prosthesis by embedding particles or fibres during moulding or dipping}
A61F 2002/30967	{Diffusion bonding}
A61F 2002/30968	{Sintering}
A61F 2002/3097	{using laser}
A61F 2002/30971	{Laminates, i.e. layered products}
A61F 2002/30973	{Two joined adjacent layers having complementary interlocking protrusions and recesses}
A61F 2002/30975	{made of two halves}
A61F 2002/30976	{using hydrojet}
A61F 2002/30978	{using electrical discharge machining (EDM)}
A61F 2002/3098	{using physical vapour deposition (PVD)}
A61F 2002/30981	{using chemical vapour deposition (CVD)}
A61F 2002/30983	{using electrostatic spray deposition (ESD)}
A61F 2002/30985	{using three dimensional printing (3DP)}
A61F 2002/30986	{using hot isostatic pressing (HIP)}
A61F 2/30988	...	{Other joints not covered by any of the groups A61F 2/32 to A61F 2/4425 }
A61F 2/3099	{for temporo-mandibular [TM, TMJ] joints (endoprostheses for mandibular reconstruction A61F 2/2803)}
A61F 2002/30991	{Mandibular components}
A61F 2002/30993	{Temporal components}
A61F 2002/30995	{for sacro-iliac joints}
A61F 2002/30996	{for sterno-clavicular joints}
A61F 2002/30998	{for acromio-clavicular joints}
A61F 2/32	...	for the hip

NOTE

Documents, which are of interest for more than one of the following subgroups, are classified in the hierarchically higher group only

A61F 2002/3208	{Bipolar or multipolar joints, e.g. having a femoral head articulating within an intermediate acetabular shell whilst said shell articulates within the natural acetabular socket or within an artificial outer shell}
A61F 2002/3216	{tripolar}
A61F 2002/3225	{the diameter of the inner concave femoral head-receiving cavity of the inner acetabular shell being essentially greater than the diameter of the convex femoral head}
A61F 2002/3233	{having anti-luxation means for preventing complete dislocation of the femoral head from the acetabular cup}
A61F 2002/3241	{having a ring, e.g. for locking the femoral head into the acetabular cup}

A61F 2002/325	{Split ring}
A61F 2002/3258	{Elastic or split ring, slidable from a first insertion position to a second locked position}
A61F 2002/3266	{Wire ring}
A61F 2002/3275	{Partial ring, i.e. not extending along the entire equatorial circumference}
A61F 2002/3283	{having two rings}
A61F 2002/3291	{for locking two concentric acetabular shells}
A61F 2/34	Acetabular cups
A61F 2002/3401	{with radial apertures, e.g. radial bores for receiving fixation screws}
A61F 2002/3403	{Polar aperture}
A61F 2002/3404	{internally-threaded}
A61F 2002/3406	{Oblong apertures}
A61F 2002/3408	{Shells having at least two sets of different apertures, e.g. one set located in the equatorial zone and another set located in the polar zone}
A61F 2002/3409	{having a bayonet coupling between an outer shell and a bearing insert}
A61F 2002/3411	{having a snap connection between two concentric shells}
A61F 2002/3412	{with pins or protrusions, e.g. non-sharp pins or protrusions projecting from a shell surface}
A61F 2002/3414	{Polar protrusion, e.g. for centering two concentric shells}
A61F 2002/3416	{externally-threaded}
A61F 2002/3417	{the outer shell having protrusions on meridian lines, e.g. equidistant fins or wings around the equatorial zone}
A61F 2002/3419	{Meridian ribs}
A61F 2002/342	{the outer shell having circumferential protrusions parallel to the equatorial plane, e.g. circumferential fins or wings}
A61F 2002/3422	{Circumferential ribs}
A61F 2002/3424	{arranged in rows, the circumferential ribs covering only partially the outer shell surface, e.g. located in the equatorial zone}
A61F 2002/3425	{the outer shell having non-meridian protrusions, e.g. fins or wings, located in planes inclined or perpendicular w.r.t. the equatorial plane}
A61F 2002/3427	{Non-meridian ribs, e.g. parallel ribs, inclined or perpendicular w.r.t. the equatorial plane}
A61F 2002/3429	{with an integral peripheral collar or flange, e.g. oriented away from the shell centre line}
A61F 2002/343	{partial, i.e. not extending along the entire equatorial circumference}
A61F 2002/3432	{having apertures for receiving fixation screws}
A61F 2002/3433	{with cut-outs, e.g. for allowing escape of excess bone cement}
A61F 2002/3435	{peripheral lip, e.g. elastic lip}
A61F 2002/3437	{oriented inwardly towards the shell centre line}
A61F 2002/3438	{hollow, e.g. clearance between inner and outer shells}
A61F 2002/344	{the inner shell having an inner hip femoral head-receiving cavity offset from its centre line}

A61F 2002/3441	{the outer shell having an outer surface and an inner insert receiving cavity being angularly inclined w.r.t. the longitudinal axis of the outer surface}
A61F 2002/3443	{with an anti-luxation elevated rim portion, e.g. on the inner shell}
A61F 2002/3445	{having a number of shells different from two}
A61F 2002/3446	{Single cups}
A61F 2002/3448	{Multiple cups made of three or more concentric shells fitted or nested into one another}
A61F 2002/345	{the inner and outer (hemi)spherical surfaces of a shell, e.g. an intermediate shell, having distinct centres of rotation, both located on the centre line of the shell}
A61F 2002/3451	{with angular positioning means for selecting any one of a plurality of radial orientations between two concentric shells, e.g. at discrete positions}
A61F 2002/3453	{having a non-hemispherical convex outer surface, e.g. quadric-shaped}
A61F 2002/3454	{having an oblong, oval or elliptical cross-section in the equatorial plane}
A61F 2002/3456	{ellipsoidal or having a flattened polar region}
A61F 2002/3458	{having a flattened polar plane}
A61F 2002/3459	{made of different partially-spherical portions}
A61F 2002/3461	{having a lower equatorial peripheral spherical portion and an upper polar spherical portion, e.g. of differing radii or centres of rotation}
A61F 2002/3462	{having a frustoconical external shape, e.g. entirely frustoconical}
A61F 2002/3464	{partially frustoconical}
A61F 2002/3466	{having a cylindrical external shape, e.g. entirely cylindrical}
A61F 2002/3467	{partially cylindrical}
A61F 2002/3469	{with non-radial inner bores or canals}
A61F 2002/347	{with a slotted shell, e.g. outer shell having radial or meridian slots}
A61F 2002/3472	{with one radial or meridian slot ending in a polar aperture}
A61F 2002/3474	{slots ending in non-polar apertures}
A61F 2002/3475	{horizontal slots, i.e. parallel to the equatorial plane}
A61F 2002/3477	{arcuate slots}
A61F 2002/3479	{Cage-like shells, e.g. hemispherical outer shells made of meridian strips or wires connected to an equatorial strip, rim or wire}
A61F 2002/348	{Additional features}
A61F 2002/3482	{Two hemispherical halves having completely different structures}
A61F 2002/3483	{having a convex shape, e.g. hemispherical heads}
A61F 2002/3485	{Shells made of block segments linked by thin connecting strips}
A61F 2002/3487	{Partial acetabular cups, e.g. strips replacing only partially the natural acetabular cartilage}
A61F 2002/3488	{for allowing sliding or for preventing hurting of the psoas muscle}
A61F 2002/349	{Shell having a wavy or undulated peripheral rim}

A61F 2002/3491	{partial, i.e. not extending along the entire equatorial circumference}
A61F 2002/3493	{Spherical shell significantly greater than a hemisphere, e.g. extending over more than 200 degrees}
A61F 2002/3495	{Spherical shell significantly smaller than a hemisphere, e.g. extending over less than 160 degrees}
A61F 2002/3496	{having a non-spherical concave inner surface}
A61F 2002/3498	{made of different partially-spherical concave portions}
A61F 2/36	Femoral heads; {Femoral endoprostheses}
A61F 2/3601	{for replacing only the epiphyseal or metaphyseal parts of the femur, e.g. endoprosthetic femoral heads or necks directly fixed to the natural femur by internal fixation devices (non-prosthetic internal fixation devices for the femoral head or neck A61B 17/74)}
A61F 2/3603	{implanted without ablation of the whole natural femoral head (endoprosthetic cartilage A61F 2/30756)}
A61F 2002/3605	{made of two or more concentric caps fitted onto one another}
A61F 2/3607	{including proximal or total replacement of the femur}
A61F 2/3609	{Femoral heads or necks; Connections of endoprosthetic heads or necks to endoprosthetic femoral shafts (A61F 2/3601 takes precedence)}
A61F 2002/3611	{Heads or epiphyseal parts of femur}
A61F 2002/3613	{with lateral or oblique apertures, holes or openings}
A61F 2002/3615	{having a concave shape, e.g. hemispherical cups}
A61F 2002/3617	{with special cut-outs, e.g. flat cut-outs for inserting the head into a cooperating shell, in a given insertion position}
A61F 2002/3619	{hollow}
A61F 2002/3621	{pierced with a longitudinal bore}
A61F 2002/3623	{Non-spherical heads}
A61F 2002/3625	{Necks}
A61F 2002/3627	{with lateral apertures, holes or openings}
A61F 2002/3629	{inclined obliquely}
A61F 2002/3631	{with an integral complete or partial peripheral collar or bearing shoulder at its base}
A61F 2002/3633	{with an integral protrusion extending distally under the collar}
A61F 2002/3635	{having a separate element placed under the collar}
A61F 2002/3637	{with an angled portion, e.g. oriented towards the lesser trochanter}
A61F 2002/3639	{with cut-outs}
A61F 2002/3641	{pierced with apertures perpendicular to the collar longitudinal axis}
A61F 2002/3643	{pierced with apertures parallel or oblique w.r.t. the collar longitudinal axis}
A61F 2002/3645	{hollow}
A61F 2002/3647	{pierced with a longitudinal bore}
A61F 2002/3649	{offset from the neck central longitudinal axis}

A61F 2002/365	{Connections of heads to necks}
A61F 2002/3652	{Connections of necks to shafts}
A61F 2002/3654	{Connections of heads directly to shafts}
A61F 2002/3656	{with angular positioning means for selecting any one of a plurality of radial orientations, e.g. at discrete positions}
A61F 2002/3658	{Two angular positions, e.g. located at 180 degrees intervals}
A61F 2002/366	{at continuous positions}
A61F 2/3662	{Femoral shafts}
A61F 2002/3664	{with non-sharp protrusions}
A61F 2002/3666	{Circumferential flanges or fins}
A61F 2002/3668	{Longitudinal fins or wings, e.g. for preventing rotation within the intramedullary bone cavity}
A61F 2/367	{Proximal or metaphyseal parts of shafts (trochanteric devices connected to said proximal parts A61F 2/30739)}
A61F 2/3672	{Intermediate parts of shafts}
A61F 2002/3674	{Connections of proximal parts to distal parts}
A61F 2/3676	{Distal or diaphyseal parts of shafts}
A61F 2002/3678	{Geometrical features}
A61F 2002/368	{with lateral apertures, bores, holes or openings, e.g. for reducing the mass, for receiving fixation screws or for communicating with the inside of a hollow shaft}
A61F 2002/3682	{Oblong apertures}
A61F 2002/3684	{inclined obliquely w.r.t. the shaft longitudinal axis, e.g. along the neck axis}
A61F 2002/3686	{bent}
A61F 2002/3688	{with opposite proximal and distal curvatures, i.e. S-shaped shaft}
A61F 2002/369	{Stepped shaft, i.e. having discrete diameter changes}
A61F 2002/3692	{hollow}
A61F 2002/3694	{with longitudinal bores}
A61F 2002/3696	{slotted}
A61F 2002/3698	{twisted about the longitudinal axis of the shaft}
A61F 2/38	...	for elbows or knees

NOTE

Documents, which are of interest for more than one of the following subgroups, are classified in the hierarchically higher group only

A61F 2/3804	{for elbows}
A61F 2002/3809	{for radio-humeral joints}
A61F 2002/3813	{for ulno-humeral joints}
A61F 2002/3818	{for proximal radio-ulnar joints, i.e. PRU joints}
A61F 2002/3822	{Humeral components}

A61F 2002/3827	{Radial components}
A61F 2002/3831	{Ulnar components}
A61F 2/3836	{Special connection between upper and lower leg, e.g. constrained}
A61F 2/384	{hinged, i.e. with transverse axle restricting the movement}
A61F 2/3845	{allowing only for single rotation}
A61F 2/385	{also provided with condylar bearing surfaces}
A61F 2/3854	{with ball and socket joint}
A61F 2/3859	{Femoral components}
A61F 2002/3863	{Condyles fitted on an anchored base}
A61F 2/3868	{with sliding tibial bearing}
A61F 2/3872	{Meniscus for implantation between the natural bone surfaces}
A61F 2/3877	{Patellae or trochleae}
A61F 2002/3881	{with moving parts}
A61F 2/3886	{for stabilising knees against anterior or lateral dislocations}
A61F 2/389	{Tibial components (A61F 2/3868 takes precedence)}
A61F 2002/3895	{unicompartmental}
A61F 2/40	...	for shoulders

NOTE

Documents, which are of interest for more than one of the following subgroups, are classified in the hierarchically higher group only

A61F 2/4003	{Replacing only the epiphyseal or metaphyseal parts of the humerus, i.e. endoprosthesis not comprising an entire humeral shaft (replacing only the epiphyseal or metaphyseal parts of the femur A61F 2/3601)}
A61F 2002/4007	{implanted without ablation of the whole natural humeral head}
A61F 2002/4011	{including proximal or total replacement of the humerus}
A61F 2/4014	{Humeral heads or necks; Connections of endoprosthetic heads or necks to endoprosthetic humeral shafts}
A61F 2002/4018	{Heads or epiphyseal parts of humerus}
A61F 2002/4022	{having a concave shape, e.g. hemispherical cups}
A61F 2002/4025	{hollow}
A61F 2002/4029	{Necks}
A61F 2002/4033	{with an integral complete or partial peripheral collar at its base}
A61F 2002/4037	{Connections of heads to necks}
A61F 2002/404	{with a clearance between proximal end of neck and inner end of head}
A61F 2002/4044	{Connections of necks to shafts}
A61F 2002/4048	{with an inner clearance between both parts}
A61F 2002/4051	{Connections of heads directly to shafts}
A61F 2002/4055	{with an inner clearance between both parts}
A61F 2/4059	{Humeral shafts}

A61F 2002/4062	{Proximal or metaphyseal parts of shafts}
A61F 2002/4066	{for replacement or reinforcement of the greater tubercle}
A61F 2002/407	{Intermediate parts of shafts}
A61F 2002/4074	{Connections of proximal or metaphyseal parts to distal or diaphyseal parts}
A61F 2002/4077	{Distal or diaphyseal parts of shafts}
A61F 2/4081	{Glenoid components, e.g. cups}
A61F 2002/4085	{having a convex shape, e.g. hemispherical heads}
A61F 2002/4088	{Acromial components}
A61F 2002/4092	{Clavicular components}
A61F 2002/4096	{Coracoid process components}
A61F 2/42	...	for wrists or ankles; for hands, e.g. fingers; for feet, e.g. toes
A61F 2/4202	{for ankles}
A61F 2002/4205	{Tibial components}
A61F 2002/4207	{Talar components}
A61F 2002/421	{Fibular components, e.g. fibular-malleolar shields}
A61F 2002/4212	{Tarsal bones}
A61F 2002/4215	{Lateral row of tarsal bones}
A61F 2002/4217	{Calcaneum or calcaneus or heel bone}
A61F 2002/422	{Medial row of tarsal bones}
A61F 2002/4223	{Implants for correcting a flat foot}
A61F 2/4225	{for feet, e.g. toes}
A61F 2002/4228	{for interphalangeal joints, i.e. IP joints}
A61F 2002/423	{for big or great toes}
A61F 2002/4233	{for metatarso-phalangeal joints, i.e. MTP joints}
A61F 2002/4235	{for big or great toes}
A61F 2002/4238	{for tarso-metatarsal joints, i.e. TMT joints}
A61F 2/4241	{for hands, e.g. fingers}
A61F 2002/4243	{for interphalangeal joints, i.e. IP joints}
A61F 2002/4246	{for distal interphalangeal joints, i.e. DIP joints}
A61F 2002/4248	{for proximal interphalangeal joints, i.e. PIP joints}
A61F 2002/4251	{for metacarpo-phalangeal joints, i.e. MCP or MP joints, e.g. knuckle joints}
A61F 2002/4253	{for thumbs}
A61F 2002/4256	{for carpo-metacarpal joints, i.e. CMC joints}
A61F 2002/4258	{for trapezo-metacarpal joints of thumbs}
A61F 2/4261	{for wrists}
A61F 2002/4264	{for radio-carpal joints}
A61F 2002/4266	{for ulno-carpal joints}
A61F 2002/4269	{for distal radio-ulnar joints, i.e. DRU joints}

A61F 2002/4271	{Carpal bones}
A61F 2002/4274	{Distal carpal row, i.e. bones adjacent the metacarpal bones}
A61F 2002/4276	{Trapezium}
A61F 2002/4279	{Trapezoid}
A61F 2002/4282	{Capitate}
A61F 2002/4284	{Hamate}
A61F 2002/4287	{Proximal carpal row, i.e. bones adjacent the radius and the ulna}
A61F 2002/4289	{Scaphoid or navicular bone}
A61F 2002/4292	{Lunate}
A61F 2002/4294	{Triquetrum}
A61F 2002/4297	{Pisiform bone}
A61F 2/44	...	for the spine, e.g. vertebrae, spinal discs
A61F 2/4405	{for apophyseal or facet joints, i.e. between adjacent spinous or transverse processes (devices implanted between spinous or transverse processes A61B 17/7062)}
A61F 2/441	{made of inflatable pockets or chambers filled with fluid, e.g. with hydrogel}
A61F 2002/4415	{elements of the prosthesis being arranged in a chain like manner}
A61F 2/442	{Intervertebral or spinal discs, e.g. resilient (non-disc-shaped intervertebral inflatable pockets A61F 2/441 ; non-disc-shaped intervertebral fusion implants A61F 2/4455)}
A61F 2/4425	{made of articulated components}
A61F 2002/443	{having two transversal endplates and at least one intermediate component}
A61F 2002/4435	{Support means or repair of the natural disc wall, i.e. annulus, e.g. using plates, membranes or meshes}
A61F 2002/444	{for replacing the nucleus pulposus}
A61F 2002/4445	{Means for culturing intervertebral disc tissue}
A61F 2002/445	{Intervertebral disc tissue harvest sites}
A61F 2/4455	{for the fusion of spinal bodies, e.g. intervertebral fusion of adjacent spinal bodies, e.g. fusion cages (intervertebral discs A61F 2/442)}
A61F 2/446	{having a circular or elliptical cross-section substantially parallel to the axis of the spine, e.g. cylinders or frustocones}
A61F 2/4465	{having a circular or kidney shaped cross-section substantially perpendicular to the axis of the spine}
A61F 2/447	{substantially parallelepipedal, e.g. having a rectangular or trapezoidal cross-section}
A61F 2002/4475	{hollow}
A61F 2002/448	{comprising multiple adjacent spinal implants within the same intervertebral space or within the same vertebra, e.g. comprising two adjacent spinal implants}
A61F 2002/4485	{comprising three or more adjacent spinal implants}
A61F 2002/449	{comprising multiple spinal implants located in different intervertebral spaces or in different vertebrae}
A61F 2002/4495	{having a fabric structure e.g. made from wires or fibres}

A61F 2/46	...	Special tools or methods for implanting or extracting artificial joints, accessories, bone grafts or substitutes, or particular adaptations therefor
A61F 2/4601	{for introducing bone substitute, for implanting bone graft implants or for compacting them in the bone cavity (for introducing bone cement A61B 17/8805)}
A61F 2002/4602	{for compacting}
A61F 2/4603	{for insertion or extraction of endoprosthetic joints or of accessories thereof}
A61F 2/4605	{of elbows}
A61F 2/4606	{of wrists or ankles; of hands, e.g. fingers; of feet, e.g. toes}
A61F 2/4607	{of hip femoral endoprostheses}
A61F 2/4609	{of acetabular cups}
A61F 2/461	{of knees}
A61F 2/4611	{of spinal prostheses}
A61F 2/4612	{of shoulders}
A61F 2/4614	{of plugs for sealing a cement-receiving space}
A61F 2002/4615	{of spacers}
A61F 2002/4616	{of temporo-mandibular joints}
A61F 2/4618	{of cartilage}
A61F 2002/4619	{for extraction}
A61F 2002/462	{of broken endoprosthetic joint parts}
A61F 2002/4622	{having the shape of a forceps or a clamp}
A61F 2002/4623	{having a handle portion, e.g. integral with the implanting tool}
A61F 2002/4624	{releasable from the implanting tool}
A61F 2002/4625	{with relative movement between parts of the instrument during use}
A61F 2002/4627	{with linear motion along or rotating motion about the instrument axis or the implantation direction, e.g. telescopic, along a guiding rod, screwing inside the instrument}
A61F 2002/4628	{with linear motion along or rotating motion about an axis transverse to the instrument axis or to the implantation direction, e.g. clamping}
A61F 2002/4629	{connected to the endoprosthesis or implant via a threaded connection}
A61F 2002/4631	{the prosthesis being specially adapted for being cemented}
A61F 2002/4632	{using computer-controlled surgery, e.g. robotic surgery}
A61F 2002/4633	{for selection of endoprosthetic joints or for pre-operative planning}
A61F 2002/4635	{using minimally invasive surgery}
A61F 2002/4636	{through the hip femoral neck}
A61F 2/4637	{for connecting or disconnecting two parts of a prosthesis}
A61F 2002/4638	{Tools for performing screwing, e.g. nut or screwdrivers, or particular adaptations therefor}
A61F 2002/464	{of end caps for closing a prosthetic cavity}
A61F 2002/4641	{for disconnecting}
A61F 2002/4642	{for inserting or connecting a locking mechanism}

A61F 2/4644	{Preparation of bone graft, bone plugs or bone dowels, e.g. grinding or milling bone material (bone material A61F 2/28 ; disintegrating or milling devices B02C)}
A61F 2002/4645	{Devices for grinding or milling bone material}
A61F 2002/4646	{Devices for cleaning bone graft}
A61F 2002/4648	{Means for culturing bone graft}
A61F 2002/4649	{Bone graft or bone dowel harvest sites}
A61F 2002/465	{using heating means}
A61F 2002/4651	{Electric or electromagnetic heating}
A61F 2002/4653	{using cooling means}
A61F 2002/4654	{Cryogenic cooling}
A61F 2002/4655	{for introducing lubricating fluid}
A61F 2/4657	{Measuring instruments used for implanting artificial joints (for surgical instruments A61B 19/46)}
A61F 2002/4658	{for measuring dimensions, e.g. length}
A61F 2002/4659	{for measuring a diameter}
A61F 2002/4661	{for measuring thickness}
A61F 2002/4662	{for measuring penetration depth}
A61F 2002/4663	{for measuring volumes or other three-dimensional shapes}
A61F 2002/4664	{for measuring conicities}
A61F 2002/4666	{for measuring force, pressure or mechanical tension}
A61F 2002/4667	{for measuring torque}
A61F 2002/4668	{for measuring angles}
A61F 2002/467	{for measuring fluid pressure}
A61F 2002/4671	{for measuring resonant frequency}
A61F 2002/4672	{for measuring temperature}
A61F 2002/4674	{for measuring the pH}
A61F 2/4675	{for cleaning or coating bones, e.g. bone cavities, prior to endoprosthesis implantation or bone cement introduction (for cleaning teeth cavities A61C 17/00 ; irrigators A61M 3/02)}
A61F 2002/4676	{for coating the bony surface}
A61F 2002/4677	{using a guide wire}
A61F 2002/4679	{having quick release means}
A61F 2/468	{Testing instruments for artificial joints (for testing non-implantable prostheses A61F 2/76)}
A61F 2002/4681	{by applying mechanical shocks, e.g. by hammering}
A61F 2002/4683	{by applying ultrasonic vibrations}
A61F 2/4684	{Trial or dummy prostheses}
A61F 2002/4685	{by means of vacuum}
A61F 2002/4687	{Mechanical guides for implantation instruments}
A61F 2002/4688	{having operating or control means}
A61F 2002/4689	{acoustic}

A61F 2002/469	{electrical}
A61F 2002/4692	{fluid}
A61F 2002/4693	{hydraulic}
A61F 2002/4694	{pneumatic}
A61F 2002/4696	{optical}
A61F 2002/4697	{visual}
A61F 2002/4698	{magnetic}
A61F 2002/48	..	{Operating or control means}
A61F 2002/481	...	{acoustic or audible}
A61F 2002/482	...	{electrical}
A61F 2002/484	...	{fluid}
A61F 2002/485	{hydraulic}
A61F 2002/487	{pneumatic}
A61F 2002/488	...	{Means for detecting or monitoring wear}
A61F 2/50	.	Prostheses not implantable in the body {(closure means for urethra or rectum or for artificial body openings therefor A61F 2/0004)}
A61F 2002/5001	..	{Cosmetic coverings}
A61F 2002/5003	..	{having damping means, e.g. shock absorbers (for implantable joints A61F 2002/30563)}
A61F 2002/5004	...	{operated by electro- or magnetorheological fluids}
A61F 2002/5006	...	{Dampers, e.g. hydraulic damper}
A61F 2002/5007	..	{having elastic means different from springs, e.g. including an elastomeric insert (elastic coating A61F 2002/3007 ; springs A61F 2002/5072 ; plate-like springs for feet A61F 2002/6657)}
A61F 2002/5009	...	{having two or more elastomeric blocks}
A61F 2002/501	..	{having an inflatable pocket filled with fluid, i.e. liquid or gas (A61F 2/602 , A61F 2002/74 , A61F 2/7843 take precedence; for lubrication A61F 2002/5086)}
A61F 2002/5012	...	{having two or more inflatable pockets}
A61F 2002/5013	...	{filled with particles (for joints A61F 2002/30588)}
A61F 2002/5015	...	{hardenable fluid, e.g. curable in-situ or cold-hardening casting substance}
A61F 2002/5016	..	{adjustable (for implantable prostheses A61F 2002/30537)}
A61F 2002/5018	...	{for adjusting angular orientation}
A61F 2002/502	...	{for adjusting length (for implantable joints A61F 2002/3055)}
A61F 2002/5021	...	{for adjusting a position by translation along an axis}
A61F 2002/5023	{along two perpendicular axes}
A61F 2002/5024	...	{for adjusting thickness}
A61F 2002/5026	...	{for adjusting a diameter}
A61F 2002/5027	...	{for adjusting cross-section}
A61F 2002/5029	...	{for adjusting weight or mass}
A61F 2002/503	...	{for adjusting elasticity, flexibility, spring rate or mechanical tension}
A61F 2002/5032	...	{for adjusting fluid pressure (inflatable pockets A61F 2002/501 , A61F 2/602 , A61F 2/7843 ; fluid operating or control means A61F 2002/74)}

A61F 2002/5033	...	{for adjusting damping (damping means A61F 2002/5003)}
A61F 2002/5035	...	{for adjusting volume flow}
A61F 2002/5036	...	{self-adjustable, e.g. self-learning}
A61F 2002/5038	..	{Hinged joint, e.g. with transverse axle restricting the movement (for implantable joints A61F 2002/30624)}
A61F 2002/5039	...	{allowing only for single rotation}
A61F 2002/5041	...	{having bearing bushes between the rotating parts}
A61F 2002/5043	...	{with rotation-limiting stops, e.g. projections or recesses}
A61F 2/5044	..	{Designing or manufacturing processes (not used, see subgroup)}
A61F 2/5046	...	{for designing or making customized prostheses, e.g. using templates, finite-element analysis or CAD-CAM techniques}
A61F 2002/5047	{using mathematical models (A61F 2002/505 takes precedence)}
A61F 2002/5049	{Computer aided shaping, e.g. rapid prototyping}
A61F 2002/505	{using CAD-CAM techniques or NC-techniques}
A61F 2002/5052	{Direct moulding or reforming to the stump}
A61F 2002/5053	{using a positive or a negative model, e.g. casting model or mould}
A61F 2002/5055	...	{Reinforcing prostheses by embedding particles or fibres during moulding or dipping, e.g. carbon fibre composites}
A61F 2002/5056	...	{Laminates, i.e. layered products}
A61F 2002/5058	..	{having means for restoring the perception of senses}
A61F 2002/5059	...	{the feeling of position}
A61F 2002/5061	...	{the sense of touch}
A61F 2002/5063	...	{the feeling of temperature, i.e. of warmth or cold}
A61F 2002/5064	...	{for reducing pain from phantom limbs}
A61F 2002/5066	..	{Muscles (implantable A61F 2002/0894)}
A61F 2002/5067	..	{having rolling elements between articulating surfaces (for implantable joints A61F 2002/30639)}
A61F 2002/5069	...	{Ball bearings}
A61F 2002/507	...	{Roller bearings}
A61F 2002/5072	..	{having spring elements (spring-biased locking means A61F 2002/30505 ; for implantable joints A61F 2002/30565 ; other elastic means A61F 2002/5007)}
A61F 2002/5073	...	{Helical springs, e.g. having at least one helical spring}
A61F 2002/5075	{Multiple spring systems including two or more helical springs}
A61F 2002/5076	{Concentric outer and inner helical springs}
A61F 2002/5078	...	{2-D spiral springs}
A61F 2002/5079	...	{Leaf springs (A61F 2002/6657 takes precedence)}
A61F 2002/5081	..	{Additional features (for implantable joints A61F 2002/30535)}
A61F 2002/5083	...	{modular}
A61F 2002/5084	...	{telescopic (adjusting length A61F 2002/502)}
A61F 2002/5086	...	{Lubricating means}
A61F 2002/5087	...	{Sound-damping or noise-reducing means}

A61F 2002/5089	...	{waterproof}
A61F 2002/509	...	{specially designed for children, e.g. having means for adjusting to their growth (implantable A61F 2250/0082)}
A61F 2002/5092	...	{Identification means (for implantable prostheses A61F 2250/0085)}
A61F 2002/5093	..	{Tendon- or ligament-replacing cables (implantable A61F 2/08)}
A61F 2002/5095	...	{for Achilles tendons}
A61F 2002/5096	..	{Ball-and-socket joints (for implantable joints A61F 2002/30649)}
A61F 2002/5098	...	{with rotation-limiting means}
A61F 2/52	..	Mammary prostheses (brassieres A41C 3/00)
A61F 2002/523	...	{Multiple breast forms made of several concentric breast-shaped layers nested into one another}
A61F 2002/526	...	{Nipples}
A61F 2/54	..	Artificial arms or hands or parts thereof
A61F 2002/543	...	{Lower arms or forearms}
A61F 2002/546	...	{Upper arms}
A61F 2/58	...	Elbows; Wrists; {Other joints; Hands}
A61F 2/581	{Shoulder joints}
A61F 2/582	{Elbow joints}
A61F 2/583	{Hands; Wrist joints}
A61F 2/585	{Wrist joints}
A61F 2/586	{Fingers}
A61F 2002/587	{Thumbs}
A61F 2/588	{Hands having holding devices shaped differently from human fingers, e.g. claws, hooks, tubes}
A61F 2/60	..	Artificial legs or feet or parts thereof
A61F 2/601	...	{Peg legs, e.g. wooden legs}
A61F 2/602	...	{with air cushions (A61F 2/7843 takes precedence)}
A61F 2/604	...	{Joints for artificial legs (A61F 2/605 , A61F 2/64 , A61F 2/6607 take precedence)}
A61F 2/605	...	{Hip joints}
A61F 2002/607	...	{Lower legs}
A61F 2002/608	...	{Upper legs}
A61F 2/64	...	Knee joints
A61F 2/642	{Polycentric joints, without longitudinal rotation}
A61F 2/644	{of the single-bar or multi-bar linkage type}
A61F 2/646	{of the pin-guiding groove linkage type}
A61F 2002/648	{Patellae}
A61F 2/66	...	Feet; Ankle joints
A61F 2/6607	{Ankle joints}
A61F 2002/6614	{Feet}
A61F 2002/6621	{Toes}

A61F 2002/6628	{Big toes}
A61F 2002/6635	{Metatarsals}
A61F 2002/6642	{Heels}
A61F 2002/665	{Soles}
A61F 2002/6657	{having a plate-like or strip-like spring element, e.g. an energy-storing cantilever spring keel}
A61F 2002/6664	{Dual structures made of two connected cantilevered leaf springs}
A61F 2002/6671	{C-shaped}
A61F 2002/6678	{L-shaped}
A61F 2002/6685	{S-shaped}
A61F 2002/6692	{circular or loop-shaped}
A61F 2/68	..	Operating or control means
A61F 2002/6809	...	{acoustic}
A61F 2002/6818	...	{for braking}
A61F 2002/6827	...	{Feedback system for providing user sensation, e.g. by force, contact or position}
A61F 2002/6836	...	{Gears specially adapted therefor, e.g. reduction gears}
A61F 2002/6845	...	{Clutches}
A61F 2002/6854	...	{for locking or unlocking a joint}
A61F 2002/6863	...	{magnetic (magnetic prosthetic parts A61F 2002/30079)}
A61F 2002/6872	...	{attached and mechanically operated by remaining muscle (bioelectrical control A61F 2/72)}
A61F 2002/6881	...	{optical}
A61F 2002/689	...	{Alarm means, e.g. acoustic}
A61F 2/70	...	electrical {(not used, see A61F 2/68 and A61F 2/72)}
A61F 2002/701	{operated by electrically controlled means, e.g. solenoids or torque motors}
A61F 2002/702	{Battery-charging stations}
A61F 2002/704	{computer-controlled, e.g. robotic control}
A61F 2002/705	{Electromagnetic data transfer (for implantable prostheses A61F 2250/0002)}
A61F 2002/707	{Remote control}
A61F 2002/708	{electrically self charging}
A61F 2/72	Bioelectrical control, e.g. myoelectric
A61F 2002/74	...	{fluid, i.e. hydraulic or pneumatic (inflatable pocket filled with fluid A61F 2002/501)}
A61F 2002/741	{using powered actuators, e.g. stepper motors or solenoids}
A61F 2002/742	{Low pressure systems, e.g. vacuum pump}
A61F 2002/744	{Vane- or curved-cylinder type actuators, e.g. actuators using rotary pistons}
A61F 2002/745	{hydraulic}
A61F 2002/747	{pneumatic}
A61F 2002/748	{Valve systems}

A61F 2/76	..	Means for assembling, fitting or testing prostheses, e.g. for measuring or balancing, {e.g. alignment means}
A61F 2002/7605	...	{for assembling by heating (for implanting artificial joints A61F 2002/465)}
A61F 2002/761	...	{for assembling by cooling (for implanting artificial joints A61F 2002/4653)}
A61F 2002/7615	...	{Measuring means (for implanting artificial joints A61F 2/4657)}
A61F 2002/762	{for measuring dimensions, e.g. a distance}
A61F 2002/7625	{for measuring angular position}
A61F 2002/763	{for measuring spatial position, e.g. global positioning system (GPS)}
A61F 2002/7635	{for measuring force, pressure or mechanical tension}
A61F 2002/764	{for measuring acceleration}
A61F 2002/7645	{for measuring torque, e.g. hinge or turning moment, moment of force}
A61F 2002/765	{for measuring time or frequency}
A61F 2002/7655	{for measuring fluid pressure}
A61F 2002/766	{for measuring moisture}
A61F 2002/7665	{for measuring temperatures}
A61F 2002/767	{for measuring blood pressure}
A61F 2002/7675	{for measuring oxygen content}
A61F 2002/768	{for measuring battery status}
A61F 2002/7685	{located on natural or sound-site limbs, e.g. comparison measuring means}
A61F 2002/769	{Displaying measured values}
A61F 2002/7695	...	{Means for testing non-implantable prostheses (for testing implantable prostheses A61F 2240/008 ; for implanting artificial joints A61F 2/468)}
A61F 2/78	..	Means for protecting prostheses or for attaching them to the body, e.g. bandages, harnesses, straps, or stockings for the limb stump
A61F 2002/7806	...	{using adhesive means (for connecting prosthetic parts A61F 2002/30448)}
A61F 2/7812	...	{Interface cushioning members placed between the limb stump and the socket, e.g. bandages or stockings for the limb stump}
A61F 2002/7818	{Stockings or socks for the limb stump (cosmetic coverings A61F 2/0059)}
A61F 2002/7825	{Devices for putting-on or pulling-off stockings}
A61F 2002/7831	{with a rope for pulling the sock inside the socket}
A61F 2002/7837	{Sleeves for attaching or protecting, i.e. open ended hoses}
A61F 2/7843	{Inflatable bladders}
A61F 2002/785	{Pads, e.g. relief pads}
A61F 2002/7856	...	{having finger loops or grips}
A61F 2002/7862	...	{Harnesses, straps (for connecting prosthetic parts A61F 2002/30464)}
A61F 2002/7868	...	{Means for putting-on or pulling-off prostheses}
A61F 2002/7875	...	{with releasable ratchets or pegs (snap connections A61F 2002/305 ; pushing a peg into a hole A61F 2002/3038)}
A61F 2002/7881	...	{using hook and loop-type fasteners (for connecting prosthetic parts A61F 2002/30467)}
A61F 2002/7887	...	{for connecting limb exoprostheses to the stump bone}
A61F 2002/7893	...	{using slide fasteners, e.g. zippers}

A61F 2/80	...	Sockets, e.g. of suction type
A61F 2002/802	{Suction sockets, i.e. utilizing differential air pressure to retain the prosthesis on the stump}
A61F 2002/805	{having an air valve}
A61F 2002/807	{having a vacuum reservoir chamber}
A61F 2/82	.	Devices providing patency to, or preventing collapsing of, tubular structures of the body, e.g. stents (stent-grafts for tubular structures of the body other than blood vessels A61F 2/04; stent-grafts for blood vessels A61F 2/07; instruments specially adapted for placement or removal of stents or stent-grafts A61F 2/95; for closing wounds, or holding wounds closed A61B17/03; dilators A61M 29/00)
A61F 2002/821	..	{Ostial stents}
A61F 2002/823	..	{Stents, different from stent-grafts, adapted to cover an aneurysm}
A61F 2002/825	..	{having longitudinal struts}
A61F 2002/826	..	{more than one stent being applied sequentially}
A61F 2002/828	..	{Means for connecting a plurality of stents allowing flexibility of the whole structure}
A61F 2/844	..	folded prior to deployment
A61F 2/848	..	having means for fixation to the vessel wall, e.g. barbs
A61F 2002/8483	...	{Barbs}
A61F 2002/8486	...	{provided on at least one of the ends}
A61F 2/852	..	Two or more distinct overlapping stents
A61F 2/856	..	Single tubular stent with a side portal passage
A61F 2/86	..	Stents in a form characterised by the wire-like elements; Stents in the form characterised by a net-like or mesh-like structure
A61F 2/88	...	the wire-like elements formed as helical or spiral coils (forming a net-like or mesh-like structure A61F 2/90)
A61F 2/885	{comprising a coil including a plurality of spiral or helical sections with alternate directions around a central axis}
A61F 2/89	...	the wire-like elements comprising two or more adjacent rings flexibly connected by separate members
A61F 2/90	...	characterised by a net-like or mesh-like structure
A61F 2/91	made from perforated sheet material or tubes, e.g. perforated by laser cuts or etched holes
A61F 2/915	with bands having a meander structure, adjacent bands being connected to each other
A61F 2002/91508	{the meander having a difference in amplitude along the band}
A61F 2002/91516	{the meander having a change in frequency along the band}
A61F 2002/91525	{within the whole structure different bands showing different meander characteristics, e.g. frequency or amplitude}
A61F 2002/91533	{characterised by the phase between adjacent bands}
A61F 2002/91541	{Adjacent bands are arranged out of phase}
A61F 2002/9155	{Adjacent bands being connected to each other}
A61F 2002/91558	{connected peak to peak}
A61F 2002/91566	{connected trough to trough}

A61F 2002/91575	{connected peak to trough}
A61F 2002/91583	{by a bridge, whereby at least one of its ends is connected along the length of a strut between two consecutive apices within a band}
A61F 2002/91591	{Locking connectors, e.g. using male-female connections}
A61F 2/92	..	Stents in the form of a rolled-up sheet expanding after insertion into the vessel, {e.g. with a spiral shape in cross-section}
A61F 2/93	...	circumferentially expandable by using ratcheting locks
A61F 2/94	..	Stents retaining their form, i.e. not being deformable, after placement in the predetermined place
A61F 2/945	...	hardenable, e.g. stents formed in situ
A61F 2/95	.	Instruments specially adapted for placement or removal of stents or stent-grafts
A61F 2002/9505	..	{having retaining means other than an outer sleeve, e.g. male-female connector between stent and instrument}
A61F 2002/9511	...	{the retaining means being filaments or wires}
A61F 2002/9517	..	{handle assemblies therefor}
A61F 2002/9522	..	{Means for mounting a stent onto the placement instrument}
A61F 2002/9528	..	{for retrieval of stents}
A61F 2002/9534	..	{for repositioning of stents}
A61F 2/954	..	for placing stents or stent-grafts in a bifurcation
A61F 2/958	..	Inflatable balloons for placing stents or stent-grafts
A61F 2002/9583	...	{Means for holding the stent on the balloon, e.g. using protrusions, adhesives or an outer sleeve}
A61F 2002/9586	{the means being inside the balloon}
A61F 2/962	..	having an outer sleeve
A61F 2/966	...	with relative longitudinal movement between outer sleeve and prosthesis, e.g. using a push rod
A61F 2002/9665	{with additional retaining means}
A61F 2/97	...	the outer sleeve being splittable

A61F 3/00 **Lengthening pieces for natural legs**

A61F 4/00 **Methods or devices enabling invalids to operate an apparatus or a device not forming part of the body (operating or control means for prostheses [A61F 2/68](#); {serving devices for one-handed persons [A47G 21/08](#)})**

A61F 5/00	Orthopaedic methods or devices for non-surgical treatment of bones or joints (surgical instruments or methods for treatment of bones or joints, devices specially adapted therefor A61B 17/56); Nursing devices; {Anti-rape devices} (bandages, dressings or absorbent pads A61F 13/00)
A61F 5/0003	. {Apparatus for the treatment of obesity; Anti-eating devices (surgical instruments or methods for treatment of obesity, devices specially adapted therefor A61B 17/00 ; hollow or tubular parts of organs A61F 2/04)}
A61F 5/0006	.. {Diet or mouth appliances}
A61F 5/0009	.. {External belts}
A61F 5/0013	.. {Implantable devices or invasive measures}

A61F 2005/0016	...	{comprising measuring means}
A61F 2005/002	{for sensing mechanical parameters}
A61F 2005/0023	{for sensing chemical parameters}
A61F 5/0026	...	{Anti-eating devices using electrical stimulation}
A61F 5/003	...	{inflatable}
A61F 5/0033	{with more than one chamber}
A61F 5/0036	...	{Intragastrical devices}
A61F 5/004	{remotely adjustable}
A61F 5/0043	{using injection ports}
A61F 5/0046	{with wireless means}
A61F 5/005	...	{Gastric bands}
A61F 5/0053	{remotely adjustable}
A61F 5/0056	{using injection ports}
A61F 5/0059	{with wireless means}
A61F 5/0063	{wrapping the stomach}
A61F 5/0066	{Closing devices for gastric bands}
A61F 5/0069	...	{in the wall of the stomach}
A61F 5/0073	...	{in the abdominal cavity, e.g. not attached to the stomach}
A61F 5/0076	...	{preventing normal digestion, e.g. Bariatric or gastric sleeves}
A61F 5/0079	{Pyloric or esophageal obstructions}
A61F 5/0083	...	{Reducing the size of the stomach, e.g. gastropasty} (surgical interventions A61B 17/00)
A61F 5/0086	{using clamps, folding means or the like}
A61F 5/0089	..	{Instruments for placement or removal}
A61F 5/0093	.	{Rectal devices, e.g. for the treatment of haemorrhoids}
A61F 5/0096	.	{Anti-rape devices}
A61F 5/01	.	Orthopaedic devices, e.g. splints, casts or braces
A61F 5/0102	..	{specially adapted for correcting deformities of the limbs or for supporting them; Ortheses, e.g. with articulations}
A61F 5/0104	...	{without articulation}
A61F 5/0106	{for the knees}
A61F 5/0109	{Sleeve-like structures}
A61F 5/0111	{for the feet or ankles}
A61F 5/0113	{Drop-foot appliances}
A61F 5/0116	{for connecting the feet to each other or to fixed surroundings (A61F 5/0193 takes precedence)}
A61F 5/0118	{for the arms, hands or fingers}
A61F 5/012	...	{inflatable}
A61F 5/0123	...	{for the knees (A61F 5/0106 takes precedence)}
A61F 5/0125	{the device articulating around a single pivot-point}
A61F 5/0127	...	{for the feet (A61F 5/0111 takes precedence)}

A61F 5/013	...	{for the arms, hands or fingers (A61F 5/0118 takes precedence)}
A61F 2005/0132	...	{Additional features of the articulation}
A61F 2005/0134	{with two orthogonal pivots}
A61F 2005/0137	{with two parallel pivots}
A61F 2005/0139	{geared}
A61F 2005/0141	{with more than two parallel pivots}
A61F 2005/0144	{Multibar}
A61F 2005/0146	{combining rotational and sliding movements, e.g. simulating movements of a natural joint}
A61F 2005/0148	{Floating pivotal axis}
A61F 2005/0151	{combining rotational and torsional movements}
A61F 2005/0153	{combining rotational and stretching movements}
A61F 2005/0155	{with actuating means}
A61F 2005/0158	{with locking means}
A61F 2005/016	{in standing position}
A61F 2005/0162	{when weight is applied}
A61F 2005/0165	{with limits of movement}
A61F 2005/0167	{adjustable}
A61F 2005/0169	{with damping means}
A61F 2005/0172	{with cushions}
A61F 2005/0174	{laterally placed}
A61F 2005/0176	{supporting the patella}
A61F 2005/0179	{with spring means}
A61F 2005/0181	...	{Protectors for articulations}
A61F 2005/0183	{Hip protectors, e.g. for elderly people}
A61F 2005/0186	{Thumb protectors}
A61F 2005/0188	...	{having pressure sensors}
A61F 5/019	..	{Toe correcting or spreading devices}
A61F 5/0193	..	{Apparatus specially adapted for treating hip dislocation; Abduction splints}
A61F 5/0195	..	{Shoe-like orthopaedic devices for protecting the feet against injuries after operations}
A61F 2005/0197	..	{with spring means}
A61F 5/02	..	Orthopaedic corsets (arm-rests for use as writing aids B43L 15/00)
A61F 5/022	...	{consisting of one or more shells}
A61F 5/024	...	{having pressure pads connected in a frame for reduction or correction of the curvature of the spine}
A61F 5/026	...	{Back straightening devices with shoulder braces to force back the shoulder to obtain a correct curvature of the spine (for clavicle fractures A61F 5/05808 ; restraining devices A61F 5/37)}
A61F 5/028	...	{Braces for providing support to the lower back, e.g. lumbo sacral supports}

- A61F 5/03 .. Corsets or bandages for abdomen, teat or breast support, with or without pads ({trusses [A61F 5/24](#), pressure-pads [A61F 5/30](#)}; brassieres [A41C 3/00](#))
- NOTE**
- Bandages for support of breasts or abdomen are classified in group [A61F 13/14](#)
- A61F 5/04 .. Devices for stretching or reducing fractured limbs; Devices for distractions; Splints ({plaster of Paris bandages [A61F 13/04](#); with surgery [A61B 17/60](#))
- A61F 5/042 ... for extension or stretching
- A61F 5/048 Traction splints
- A61F 5/05 ... for immobilising ([A61F 5/0102](#) takes precedence)
- A61F 5/055 Cervical collars
- A61F 5/058 Splints
- A61F 5/05808 {Splints for clavicle fractures}
- A61F 5/05816 {Inflatable splints}
- A61F 5/05825 {Strips of substantially planar form}
- A61F 5/05833 {Splints rigidified by vacuum evacuation}
- A61F 5/05841 {for the limbs ([A61F 5/05816](#), [A61F 5/05833](#) take precedence)}
- A61F 5/0585 {for the legs (toe correcting devices [A61F 5/019](#))}
- A61F 5/05858 {for the arms (restraining devices, e.g. slings [A61F 5/37](#))}
- A61F 5/05866 {for wrists, hands, fingers or thumbs}
- A61F 5/05875 {for fingers}
- A61F 5/05883 {for the neck or head ([A61F 5/05816](#), [A61F 5/05833](#) take precedence; cervical supports [A61F 5/055](#))}
- A61F 5/05891 {for the head, e.g. jaws, nose (nose correcting [A61F 5/08](#))}
- A61F 5/08 .. Devices for correcting deformities of the nose; {Devices for enlarging the nostril, e.g. for breathing improvement}
- A61F 5/10 .. Devices for correcting deformities of the fingers
- A61F 5/11 .. Devices for correcting deformities of the nails
- A61F 5/14 .. Special medical insertions for shoes for flat-feet, club-feet, or the like (ordinary arch supports [A43B 7/14](#))
- A61F 5/24 .. Trusses
- A61F 5/26 ... with belt springs
- A61F 5/28 ... Supports for trusses
- A61F 5/30 .. Pressure-pads (corn-pads, corn-rings [A61F 13/06](#); {tourniquets [A61B 17/132](#)})
- A61F 5/32 ... Adjustable pressure pads
- A61F 5/34 ... Pressure pads filled with air or liquid (valves specially adapted for medical use [A61M 39/00](#); connection of valves to inflatable elastic bodies [B60C 29/00](#); {valves per se [F16K](#)})
- A61F 5/37 . Restraining devices for the body or for body parts, {e.g. slings}; Restraining shirts ({handcuffs [E05B 75/00](#)})
- A61F 5/3707 .. {for the head (cervical supports [A61F 5/055](#); splints [A61F 5/05883](#))}

- A61F 5/3715 .. {for attaching the limbs to other parts of the body}
- A61F 5/3723 ... {for the arms}
- A61F 5/373 {for restricting the movement of the arm at the elbow}
- A61F 5/3738 {Slings}
- A61F 5/3746 {Jacket-like sling}
- A61F 5/3753 {Abduction support}
- A61F 5/3761 .. {for attaching the limbs to other objects ([A61F 5/3769](#) takes precedence)}
- A61F 5/3769 .. {for attaching the body to beds, wheel-chairs or the like}
- A61F 5/3776 ... {by means of a blanket or belts (to chairs only [A61F 5/3792](#))}
- A61F 5/3784 {directly connected to the trunk, e.g. with jacket}
- A61F 5/3792 ... {to chairs, e.g. wheelchairs ([A61F 5/3784](#) takes precedence)}
- A61F 5/40 . Suspensory bandages
- A61F 5/41 . Devices for promoting penis erection ([penis implants A61F 2/26](#); [massage of the genitals A61H 19/00](#))
- A61F 2005/411 .. {Penile supports}
- A61F 2005/412 .. {by vacuum means}
- A61F 2005/414 .. {by constricting means}
- A61F 2005/415 .. {by inflatable means}
- A61F 2005/417 .. {by vibrating means}
- A61F 2005/418 .. {by electrical stimulation}
- A61F 5/44 . Devices worn by the patient for reception of urine, faeces, catamenial or other discharge; {[Portable urination aids](#)} ([absorbent pads, e.g. sanitary towels, A61F 13/15](#); [drainage appliances for wounds A61M 27/00](#); {[emptying devices for urine bags B65B 69/0016](#)}); [Colostomy devices](#) ([adhesives for colostomy devices A61L 24/00](#); [materials for colostomy devices A61L 28/00](#))
- A61F 5/4401 .. {with absorbent pads ([diapers A61F 13/49](#))}
- A61F 2005/4402 .. {disposable}
- A61F 5/4404 .. {Details or parts}
- A61F 5/4405 ... {[Valves or valve arrangements specially adapted therefor \(A61F 5/441 takes precedence\)](#); [Fluid inlets or outlets \(A61F 5/4407 takes precedence\)](#)}
- A61F 5/4407 ... {Closure means other than valves}
- A61F 5/4408 ... {[Means for securing receptacles or bags to the body otherwise than by adhesives, e.g. belts, straps or harnesses \(A61F 5/449 takes precedence\)](#)}
- A61F 5/441 .. having {venting or} deodorant means, e.g. filters; {[having antiseptic means, e.g. bacterial barriers](#)}
- A61F 2005/4415 .. {venting by manual operation}
- A61F 5/442 .. having irrigation ports or means ([irrigators A61M 3/02](#))
- A61F 5/443 .. having {[adhesive seals for securing to the body, e.g. of](#)}hydrocolloid type, e.g. gels, starches, karaya gums {([adhesives or sealing pads therefor A61L 24/00](#))}
- A61F 5/445 .. Colostomy, {[ileostomy or urethrostomy](#)} devices ([A61F 5/441](#), [A61F 5/442](#), [A61F 5/443](#) take precedence)
- A61F 2005/4455 ... {Implantable}
- A61F 5/448 ... Means for attaching bag to seal ring

- A61F 2005/4483 . . . {Convex pressure ring}
- A61F 2005/4486 . . . {with operable locking ring}
- A61F 5/449 . . . Body securing means, e.g. belts, garments
- A61F 2005/4495 . . . {with floating-belt attaching ring}
- A61F 5/451 . . Genital {or anal} receptacles ([A61F 5/441](#), [A61F 5/442](#), [A61F 5/443](#) take precedence; {other body securing means [A61F 5/4408](#); devices for taking faeces samples [A61B 10/0038](#); devices for taking urine samples [A61B 10/007](#)})
- A61F 5/453 . . . for collecting urine or other discharge from male member ([A61F 6/04](#) takes precedence; {devices for taking sperm samples [A61B 10/0058](#)})
- A61F 5/455 . . . for collecting urine or discharge from female member
- A61F 5/4553 {placed in the vagina, e.g. for catamenial use (pessaries [A61F 6/08](#); absorbent cups **A61F13/24**)}
- A61F 5/4556 {Portable urination aids, e.g. to allow females to urinate from a standing position}
- A61F 5/48 . . Devices for preventing wetting or pollution of the bed
- A61F 5/485 . . {Absorbent protective pads (mattress underlays [A47C 21/06](#); bed linen [A47G 9/02](#))}
- A61F 5/50 . . Devices for preventing finger-sucking
- A61F 5/56 . . Devices for preventing snoring {(by influencing the respiratory system by gas treatment [A61M 16/00](#))}
- A61F 2005/563 . . {Anti-bruxisme}
- A61F 5/566 . . {Intra-oral devices}
- A61F 5/58 . . Apparatus for correcting stammering or stuttering
- A61F 6/00** **Contraceptive devices; Pessaries; Applicators therefor** (chemical aspects of contraception [A61K](#))
- A61F 6/005 . . {Packages or dispensers for contraceptive devices}
- A61F 6/02 . . for use by males ([A61F 6/20](#) takes precedence)
- A61F 6/04 . . Condoms, sheaths or the like, {e.g. combined with devices protecting against contagion}
- A61F 2006/041 . . . {combined with a protective garment, e.g. underpants or mask}
- A61F 2006/042 {covering the mouth , e.g. oral condom}
- A61F 2006/043 . . . {with more than one barrier}
- A61F 2006/044 . . . {with absorbent material}
- A61F 2006/045 . . . {with closing devices at the open end}
- A61F 2006/046 {for closing after use}
- A61F 2006/047 . . . {with holding means}
- A61F 2006/048 . . . {with surface protuberances}
- A61F 2006/049 . . . {with strips to apply the condom}
- A61F 6/06 . . for use by females ([A61F 6/20](#) takes precedence)
- A61F 6/065 . . {Condom-like devices worn by females}

- A61F 6/08 .. Pessaries, i.e. devices worn in the vagina to support the uterus, remedy a malposition or prevent conception, {e.g. combined with devices protecting against contagion}
- A61F 6/12 ... Inserters or removers
- A61F 6/14 .. intra-uterine type
- A61F 6/142 ... {Wirelike structures, e.g. loops, rings, spirals}
- A61F 6/144 {with T-configuration}
- A61F 6/146 ... {Occluders for the cervical canal (occluding by internal devices [A61B 17/12022](#); dilators [A61M 29/00](#))}
- A61F 6/148 ... {with sheet-like structure}
- A61F 6/16 ... inflatable
- A61F 6/18 ... Inserters or removers; {Apparatus for loading an intra-uterine device into an insertion tube}
- A61F 6/20 . Vas deferens occluders; Fallopian occluders
- A61F 6/202 .. {Means specially adapted for ligaturing, compressing or clamping of oviduct or vas deferens (of tubular organs in general [A61B 17/12](#))}
- A61F 6/204 ... {Clamp applying devices}
- A61F 6/206 .. {Clamps (ligaturing clamps or clips [A61B 17/122](#))}
- A61F 6/208 .. {Implements for ligaturing}
- A61F 6/22 .. implantable in tubes {(occluding by internal devices [A61B 17/12022](#))}
- A61F 6/225 ... {transcervical}
- A61F 6/24 ... characterised by valve means

A61F 7/00 Heating or cooling appliances for medical or therapeutic treatment of the human body (heating or cooling means in connection with bedsteads or mattresses [A47C 21/00](#); {massage, therapeutic baths [A61H](#)}; hyperthermia using electric or magnetic fields or ultrasound [A61N](#); electric heating elements [H05B](#))

- A61F 2007/0001 . {Body part}
- A61F 2007/0002 .. {Head or parts thereof}
- A61F 2007/0003 ... {Face}
- A61F 2007/0004 ... {Eyes or part of the face surrounding the eyes}
- A61F 2007/0005 ... {Ears}
- A61F 2007/0006 ... {Nose}
- A61F 2007/0007 ... {Forehead, e.g. headbands}
- A61F 2007/0008 ... {Scalp}
- A61F 2007/0009 ... {Throat or neck}
- A61F 2007/001 {Throat only}
- A61F 2007/0011 {Neck only}
- A61F 2007/0012 {with means for support of the head}
- A61F 2007/0013 ... {Jaw}
- A61F 2007/0014 ... {Chin}
- A61F 2007/0015 ... {Cheeks}
- A61F 2007/0017 ... {Mouth}

A61F 2007/0018	..	{Trunk or parts thereof}
A61F 2007/0019	...	{Breast}
A61F 2007/002	{Heart}
A61F 2007/0021	...	{Female breast}
A61F 2007/0022	...	{Abdomen}
A61F 2007/0023	...	{Waist}
A61F 2007/0024	...	{Back}
A61F 2007/0025	...	{Higher part of back}
A61F 2007/0026	...	{Middle part of back}
A61F 2007/0027	...	{Lower part of back}
A61F 2007/0028	...	{Rectum}
A61F 2007/0029	..	{Arm or parts thereof}
A61F 2007/003	...	{Shoulder}
A61F 2007/0031	...	{Upper arm}
A61F 2007/0032	...	{Elbow}
A61F 2007/0034	...	{Lower arm}
A61F 2007/0035	...	{Wrist}
A61F 2007/0036	...	{Hand}
A61F 2007/0037	...	{Finger}
A61F 2007/0038	...	{Thumb}
A61F 2007/0039	..	{Leg or parts thereof}
A61F 2007/004	...	{Hip}
A61F 2007/0041	...	{Upper leg}
A61F 2007/0042	...	{Knee}
A61F 2007/0043	...	{Lower leg, calf}
A61F 2007/0044	...	{Ankle}
A61F 2007/0045	...	{Foot}
A61F 2007/0046	...	{Toe}
A61F 2007/0047	...	{Sole}
A61F 2007/0048	..	{Genitals}
A61F 2007/005	...	{female}
A61F 2007/0051	..	{Stumps after amputation}
A61F 2007/0052	..	{for treatment of skin or hair}
A61F 7/0053	.	{Cabins, rooms, chairs or units for treatment with a hot or cold circulating fluid}
A61F 2007/0054	.	{with a closed fluid circuit, e.g. hot water}
A61F 2007/0055	..	{of gas, e.g. hot air or steam}
A61F 2007/0056	..	{for cooling}
A61F 2007/0057	...	{of gas, e.g. air or carbon dioxide}
A61F 2007/0058	...	{evaporating on or near the spot to be cooled}
A61F 2007/0059	.	{with an open fluid circuit}

A61F 2007/006	..	{of gas}
A61F 2007/0061	...	{Using breath}
A61F 2007/0062	...	{the gas being steam or water vapour}
A61F 2007/0063	..	{for cooling}
A61F 2007/0064	...	{of gas}
A61F 2007/0065	{Causing evaporation}
A61F 2007/0067	{of sweat}
A61F 2007/0068	...	{evaporating on the spot to be cooled}
A61F 2007/0069	..	{with return means}
A61F 7/007	.	{characterised by electric heating}
A61F 2007/0071	..	{using a resistor, e.g. near the spot to be heated}
A61F 2007/0072	...	{remote from the spot to be heated}
A61F 2007/0073	...	{thermistor}
A61F 2007/0074	{PTC}
A61F 2007/0075	..	{using a Peltier element, e.g. near the spot to be heated or cooled}
A61F 2007/0076	...	{remote from the spot to be heated or cooled}
A61F 2007/0077	..	{Details of power supply}
A61F 2007/0078	...	{with a battery}
A61F 2007/0079	{connectable to car battery}
A61F 2007/008	{with a separate, portable battery pack}
A61F 2007/0081	...	{Low voltage, e.g. using transformer}
A61F 2007/0082	{D.C. (A61F 2007/0078 takes precedence)}
A61F 2007/0084	...	{using a solar cell}
A61F 7/0085	.	{Devices for generating hot or cold treatment fluids}
A61F 2007/0086	.	{with a thermostat}
A61F 2007/0087	.	{Hand-held applicators}
A61F 2007/0088	.	{Radiating heat}
A61F 2007/0089	.	{Chemotherapy developing heat}
A61F 2007/009	.	{with a varying magnetic field acting upon the human body, e.g. an implant therein}
A61F 2007/0091	.	{inflatable}
A61F 2007/0092	..	{with, or also with, a substance other than air}
A61F 2007/0093	.	{programmed}
A61F 2007/0094	.	{using a remote control}
A61F 2007/0095	.	{with a temperature indicator}
A61F 2007/0096	..	{with a thermometer}
A61F 7/0097	.	{Blankets with active heating or cooling sources (warming mats A61F 7/08)}
A61F 2007/0098	.	{ways of manufacturing heating or cooling devices for therapy}
A61F 7/02	.	Compresses or poultices for effecting heating or cooling
A61F 2007/0201	..	{shaped as a doll}

A61F 2007/0203	..	{Cataplasms, poultices or compresses, characterised by their contents; Bags therefor}
A61F 2007/0204	...	{containing clay, mud, fango, sand, kaolin clay, volcanic or other inorganic granular solids}
A61F 2007/0206	...	{containing organic solids or fibres}
A61F 2007/0207	{Plants, dried plants, seeds or fruits}
A61F 2007/0209	{Synthetics, e.g. plastics}
A61F 2007/0211	{Granulars}
A61F 2007/0212	{Foams}
A61F 2007/0214	{Polymers, e.g. water absorbing}
A61F 2007/0215	...	{containing liquids other than water}
A61F 2007/0217	{Oils}
A61F 2007/0219	{Gels}
A61F 2007/022	...	{Bags therefor}
A61F 2007/0222	{made of synthetics, e.g. plastics}
A61F 2007/0223	{made of textiles}
A61F 2007/0225	..	{connected to the body or a part thereof}
A61F 2007/0226	...	{adhesive, self-sticking}
A61F 2007/0228	...	{with belt or strap, e.g. with buckle}
A61F 2007/023	{with pockets for receiving packs or pouches}
A61F 2007/0231	...	{hook and loop-type fastener}
A61F 2007/0233	...	{connected to or incorporated in clothing or garments (A61F 2007/023 takes precedence)}
A61F 2007/0234	{for the upper part of the trunk, eg. bodice}
A61F 2007/0236	{for the lower part of the trunk, e.g. panty}
A61F 2007/0238	{in a pocket (A61F 2007/023 takes precedence)}
A61F 2007/0239	...	{using vacuum}
A61F 7/0241	..	{Apparatus for the preparation of hot packs, hot compresses, cooling pads, e.g. heaters or refrigerators}
A61F 2007/0242	..	{heated by microwaves}
A61F 2007/0244	..	{with layers}
A61F 2007/0246	...	{with a layer having high heat transfer capability}
A61F 2007/0247	{Using a substance with high conductivity}
A61F 2007/0249	...	{with a layer having low heat transfer capability}
A61F 2007/025	{retaining air or other gas}
A61F 2007/0252	{in closed compartments}
A61F 2007/0253	{using a substance with low conductivity (A61F 2007/025 takes precedence)}
A61F 2007/0255	{with a reflective layer}
A61F 2007/0257	...	{with a fluid impermeable layer}
A61F 2007/0258	...	{with a fluid permeable layer}

- A61F 2007/026 ... {with a fluid absorbing layer}
- A61F 2007/0261 .. {medicated}
- A61F 2007/0263 ... {made of a substance with therapeutic action, e.g. copper or silver}
- A61F 2007/0265 ... {antiallergic}
- A61F 2007/0266 .. {without external heat source, i.e. using one's own body heat ([A61F 2007/0061](#) takes precedence)}
- A61F 2007/0268 .. {having a plurality of compartments being filled with a heat carrier (heat packs stored in pockets [A61F 2007/023](#), [A61F 2007/0238](#))}
- A61F 2007/0269 ... {with separable compartments, e.g. reconnectable}
- A61F 2007/0271 {Permanently separable compartments, e.g. with rupturable portions}
- A61F 2007/0273 ... {with openings in the walls between the compartments serving as passageways for the filler (flowing in circuits [A61F 2007/0054](#), [A61F 2007/0059](#))}
- A61F 2007/0274 {the walls being reduced to spot connections, e.g. spot welds}
- A61F 2007/0276 ... {with separate compartments connectable by rupturing a wall or membrane}
- A61F 2007/0277 .. {Other details of hot water bottles, heat packs or cold packs}
- A61F 2007/0279 ... {Removable covers or sleeves (pockets connected to the body or parts thereof [A61F 2007/023](#), [A61F 2007/0238](#))}
- A61F 2007/028 ... {Devices for wringing}
- A61F 2007/0282 .. {for particular medical treatments or effects}
- A61F 2007/0284 ... {Treatment of stings or bites}
- A61F 2007/0285 ... {Local anaesthetic effect}
- A61F 2007/0287 ... {Preventing negative effects of chemotherapy}
- A61F 2007/0288 ... {during operations}
- A61F 2007/029 ... {Fat cell removal or destruction by non-ablative heat treatment}
- A61F 2007/0292 .. {using latent heat produced or absorbed during phase change of materials, e.g. of super-cooled solutions}
- A61F 2007/0293 ... {Triggers, activators or catalysts therefor}
- A61F 2007/0295 .. {for heating or cooling or use at more than one temperature}
- A61F 2007/0296 ... {Intervals of heating alternated with intervals of cooling}
- A61F 2007/0298 ... {with a section for heating and a section for cooling}
- A61F 7/03 .. Thermophore, i.e. self-heating, { e.g. using a chemical reaction}
- A61F 7/032 ... {using oxygen from the air, e.g. pocket-stoves}
- A61F 7/034 {Flameless}
- A61F 2007/036 {Fuels}
- A61F 2007/038 {Carbon or charcoal, e.g. active}
- A61F 7/08 . Warming pads, pans or mats ([A61F 7/02](#) takes precedence); Hot-water bottles

WARNING

Not complete, see also [A61F 7/02](#)

- A61F 2007/083 .. {with an outlets tube, e.g. for enema or irrigation}
- A61F 7/086 .. {Closures; Filling openings}

- A61F 7/10 . Cooling bags, e.g. ice-bags
- A61F 2007/101 . . {for cooling organs in the body before or during surgery}
- A61F 7/103 . . {refillable}
- A61F 2007/105 . . . {Closures specially adapted for icebags or packs}
- A61F 7/106 . . {self-cooling, e.g. using a chemical reaction}
- A61F 2007/108 . . {Cold packs, i.e. devices to be cooled or frozen in refrigerator or freezing compartment}
- A61F 7/12 . Devices for heating or cooling internal body cavities
- A61F 7/123 . . {using a flexible balloon containing the thermal element}
- A61F 2007/126 . . {for invasive application, e.g. for introducing into blood vessels}

Treatment or protection of the eyes or ears; Substitution by other senses

- A61F 9/00** **Method or devices for treatment of the eyes; Devices for putting-in contact lenses; Devices to correct squinting; Apparatus to guide the blind; Protective devices for the eyes, carried on the body or in the hand (caps with means for protecting the eyes [A42B 1/06](#); visors for helmets [A42B 3/22](#); {retractors [A61B 17/02](#); manipulators specially adapted for use in surgery [A61B 19/22](#)}; appliances to aid invalids to move about [A61H 3/00](#); {exercisers for the eyes [A61H 5/00](#)}; eye baths [A61H 35/02](#); sunglasses or goggles having the same features as spectacles [G02C](#))**
- A61F 9/0008 . {Introducing ophthalmic products into the ocular cavity or retaining products therein (putting in contact lenses [A61F 9/0061](#); introducing or retaining media in cavities of the body in general [A61M 31/00](#))}
 - A61F 9/0017 . . {implantable in, or in contact with, the eye, e.g. ocular inserts}
 - A61F 9/0026 . . {Ophthalmic product dispenser attachments to facilitate positioning near the eye}
 - A61F 2009/0035 . {Devices for immobilising a patient`s head with respect to the instrument}
 - A61F 2009/0043 . . {by supporting the instrument on the patient`s head, e.g. head bands}
 - A61F 2009/0052 . . . {the instrument being supported on the patient`s eye}
 - A61F 9/0061 . {Devices for putting-in contact lenses}
 - A61F 9/007 . Methods or devices for eye surgery
 - A61F 9/00709 . . {Instruments for removing foreign bodies (for removal of intra-ocular material [A61F 9/00736](#))}
 - A61F 9/00718 . . {Restoration of lid function}
 - A61F 9/00727 . . {Apparatus for retinal reattachment}
 - A61F 9/00736 . . {Instruments for removal of intra-ocular material or intra-ocular injection, e.g. cataract instruments ([A61F 9/008](#) takes precedence)}
 - A61F 9/00745 . . . {using mechanical vibrations, e.g. ultrasonic}
 - A61F 9/00754 . . . {for cutting or perforating the anterior lens capsule, e.g. capsulotomes}
 - A61F 9/00763 . . . {with rotating or reciprocating cutting elements, e.g. concentric cutting needles (atherectomy cutting instruments [A61B 17/3207](#); endoscopic cutting instruments [A61B 17/320016](#))}
 - A61F 9/00772 . . {Apparatus for restoration of tear ducts}

A61F 9/00781	..	{Apparatus for modifying intraocular pressure, e.g. for glaucoma treatment (drainage implants in general A61M 27/002)}
A61F 9/0079	..	{using non-laser electromagnetic radiation, e.g. non-coherent light or microwaves}
A61F 9/008	..	using laser
A61F 9/00802	...	{for photoablation}
A61F 9/00804	{Refractive treatments}
A61F 9/00806	{Correction of higher orders}
A61F 9/00808	{Inducing higher orders, e.g. for correction of presbyopia}
A61F 9/0081	{Transplantation}
A61F 9/00812	{Inlays; Onlays; Intraocular lenses (IOL)}
A61F 9/00814	{Laser features or special beam parameters therefor}
A61F 9/00817	{Beam shaping with masks}
A61F 9/00819	{with photoablatable masks}
A61F 9/00821	...	{for coagulation}
A61F 9/00823	{Laser features or special beam parameters therefor}
A61F 9/00825	...	{for photodisruption}
A61F 9/00827	{Refractive correction, e.g. lenticle}
A61F 9/00829	{Correction of higher orders}
A61F 9/00831	{Transplantation}
A61F 9/00834	{Inlays; Onlays; Intraocular lenses (IOL)}
A61F 9/00836	{Flap cutting}
A61F 9/00838	{Correction of presbyopia}
A61F 9/0084	{Laser features or special beam parameters therefor}
A61F 2009/00842	...	{Permanent Structural Change (PSC) in index of refraction; Limit between ablation and plasma ignition}
A61F 2009/00844	...	{Feedback systems}
A61F 2009/00846	{Eyetracking}
A61F 2009/00848	{based on wavefront}
A61F 2009/00851	{Optical coherence topography (OCT)}
A61F 2009/00853	...	{Laser thermal keratoplasty or radial keratotomy}
A61F 2009/00855	...	{Calibration of the laser system}
A61F 2009/00857	{considering biodynamics}
A61F 2009/00859	{considering nomograms}
A61F 2009/00861	...	{adapted for treatment at a particular location}
A61F 2009/00863	{Retina}
A61F 2009/00865	{Sclera}
A61F 2009/00868	{Ciliary muscles or trabecular meshwork}
A61F 2009/0087	{Lens}
A61F 2009/00872	{Cornea}
A61F 2009/00874	{Vitreous}

A61F 2009/00876	{Iris}
A61F 2009/00878	...	{Planning}
A61F 2009/0088	{based on wavefront}
A61F 2009/00882	{based on topography}
A61F 2009/00885	...	{for treating a particular disease}
A61F 2009/00887	{Cataract}
A61F 2009/00889	{Capsulotomy}
A61F 2009/00891	{Glaucoma}
A61F 2009/00893	{Keratoconus}
A61F 2009/00895	{Presbyopia}
A61F 2009/00897	...	{Scanning mechanisms or algorithms}
A61F 9/009	...	Auxiliary devices making contact with the eye-ball and coupling in laser light, {e.g. gonioscopes apparatus for eye examination A61B 3/0008 }
A61F 9/013	..	{Instruments} for compensation of ocular refraction (A61F 9/008 takes precedence); {Instruments for use in cornea removal, for reshaping or performing incisions in the cornea}
A61F 9/0133	...	{Knives or scalpels specially adapted therefor}
A61F 9/0136	...	{Mechanical markers}
A61F 9/02	.	Goggles {(breathing masks A62B 18/00 ; swimming goggles A63B 33/002 ; diving masks B63C 11/12)}
A61F 2009/021	..	{Goggles with prescription spectacle lenses}
A61F 9/022	..	{Use of special optical filters, e.g. multiple layers, filters for protection against laser light or light from nuclear explosions, screens with different filter properties on different parts of the screen; Rotating slit-discs (optical filters per se G02B 5/20)}
A61F 9/023	...	{with variable transmission, e.g. photochromic (for welding A61F 9/067)}
A61F 9/024	...	{Rotating discs with slits, e.g. stroboscopes}
A61F 9/025	..	{Special attachment of screens, e.g. hinged, removable; Roll-up protective layers}
A61F 9/026	..	{Paddings; Cushions; Fittings to the face}
A61F 9/027	..	{Straps; Buckles; Attachment of headbands}
A61F 9/028	..	{Ventilation means}
A61F 9/029	..	{Additional functions or features, e.g. protection for other parts of the face such as ears, nose or mouth; Screen wipers or cleaning devices}
A61F 9/04	.	Eye-masks; {Devices to be worn on the face, not intended for looking through; Eye-pads for sunbathing (eye-bandages A61F 13/12 ; protective face-masks A41D 13/11 ; protectors for shampooing A45D)}
A61F 9/045	..	{Eye-shades or visors; Shields beside, between or below the eyes (caps with means for protecting the eyes A42B 1/06)}
A61F 9/06	..	Masks, shields or hoods for welders (safety devices for welding in general F16P 1/00)
A61F 9/061	...	{with movable shutters, e.g. filter discs; Actuating means therefor}
A61F 9/062	{with movable polarising filter discs}
A61F 9/064	...	{with two windows, one for viewing and one for use during the welding process}
A61F 9/065	...	{use of particular optical filters (A61F 9/022 , A61F 9/062 take precedence)}

- A61F 9/067 {with variable transmission}
- A61F 9/068 . . . {with supply or suction of gas, air or smoke inside or outside the welding hood}
- A61F 9/08 . Devices or methods enabling eye-patients to replace direct visual perception by another kind of perception {(walking or guiding aids for blinds [A61H 3/06](#); teaching or communicating with blinds [G09B 21/00](#) promoting of eye function by stimulation with electric currents using contact electrodes [A61N 1/36046](#))}

- A61F 11/00** **Methods or devices for treatment of the ears, e.g. surgical; Protective devices for the ears, carried on the body or in the hand; {Non-electric hearing aids}**
- A61F 11/002 . {Surgical middle ear ventilation or drainage, e.g. permanent; Implants therefor (drainage implants in general [A61M 27/002](#))}
- A61F 11/004 . {Ear surgery ([A61F 11/002](#) takes precedence)}
- A61F 11/006 . {Ear cleaners, e.g. curettes (cotton tips [A61F 13/38](#); cleaning by suction [A61M 1/0023](#), by irrigation [A61M 3/02](#))}
- A61F 11/008 . {Non-electric hearing aids, e.g. ear trumpets, sound amplifiers, ear-shells (non-electric sound-amplifying devices in general [G10K 11/08](#); sound-focusing or directing using reflection in general [G10K 11/28](#))}
- A61F 11/04 . Devices or methods enabling ear patients to replace direct auditory perception by another kind of perception {(electronic stimulation of auditory nerves [A61N 1/36032](#))}
- A61F 11/045 . . {using mechanical stimulation of nerves (acting directly on the ear [H04R 25/00](#))}
- A61F 11/06 . Protective devices for the ears
- A61F 11/08 . . internal, e.g. earplugs
- A61F 2011/085 . . . {including an inner channel}
- A61F 11/10 . . . inflatable or expandable
- A61F 11/12 . . . External mounting means
- A61F 11/14 . . external, e.g. earcaps or earmuffs (headwear, e.g. caps or helmets, with means for protecting the ears [A42B 1/06](#), [A42B 3/16](#), {for hairdresser's rooms [A45D 44/12](#); for sports [A63B 71/10](#); headphones [H04R 1/10](#))}

NOTE

Group [A61F 11/14](#) contains only acoustic protection (other external protectors, see [A61F 11/06](#))

- A61F 2011/145 . . . {electric, e.g. for active noise reduction}

Bandages, dressings or absorbent pads; First-aid kits

- A61F 13/00** **Bandages or dressings** (suspensory bandages [A61F 5/40](#); { contact-avoiding wound protectors [A61F 15/008](#); bandages or dressings with incorporated medicaments [A61L 15/44](#), [A61M 35/006](#); radioactive dressings [A61N 5/1029](#)}); **Absorbent pads** (chemical aspects of, or use of materials for, bandages, dressings or absorbent pads [A61L 15/00](#); { absorbent pads for tracheostomy [A61M 16/047](#)})
- A61F 13/00004 . {Non-adhesive dressings}
- A61F 13/00008 . . {characterized by the material}

- A61F 13/00012 ... {being made of natural material e.g. cellulose-, protein-, collagen-based}
- A61F 13/00017 ... {synthetic e.g. polymer based}
- A61F 13/00021 .. {characterized by the structure of the dressing}
- A61F 13/00025 ... {made of a single layer}
- A61F 13/00029 ... {made of multiple layers}
- A61F 13/00034 .. {characterized by a property}
- A61F 13/00038 ... {Flexibility, stretchability or elasticity}
- A61F 13/00042 ... {Absorbency}
- A61F 13/00046 ... {Air-vapor permeability}
- A61F 13/00051 . {Accessories for dressings}
- A61F 13/00055 .. {Saturation indicators}
- A61F 13/00059 .. {provided with visual effects e.g. printed or colored}
- A61F 13/00063 .. {comprising medicaments or additives e.g. odor control, PH control, debriding, antimicrobial (drug delivery dressings [A61K 9/70](#); chemical aspect of the additives [A61L 15/00](#))}
- A61F 13/00068 .. {specially adapted for application or removal of fluid e.g. irrigation or drainage of wounds, under-pressure wound-therapy ([A61F 13/0216](#) takes precedence; Drainage appliances for wounds in general [A61M 27/00](#))}
- A61F 13/00072 .. {Packaging of dressings}
- A61F 13/00076 ... {Packaging of adhesive dressings}
- A61F 13/0008 {having means for facilitating the removal of the packaging and release liner}
- A61F 13/00085 .. {having means for facilitating the application on the skin, e.g. single hand handling facilities ([A61F 13/0259](#) takes precedence; bandage applicators separate from the bandage or the packaging [A61F 15/005](#))}
- A61F 2013/00089 . {Wound bandages ([A61F 2013/00361](#) takes precedence;)}
 - A61F 2013/00093 .. {tubular}
 - A61F 2013/00097 ... {net structure}
 - A61F 2013/00102 .. {oblong}
 - A61F 2013/00106 .. {emergency bandages, e.g. for first aid}
 - A61F 2013/0011 ... {spray}
 - A61F 2013/00114 ... {with check valve, e.g. for traumatic pneumothorax}
 - A61F 2013/00119 .. {elastic}
 - A61F 2013/00123 ... {with elastic indicator}
 - A61F 2013/00127 ... {fixation means}
 - A61F 2013/00131 ... {elasticity distribution}
 - A61F 2013/00136 {anisotropy}
 - A61F 2013/0014 {non-linearity}
 - A61F 2013/00144 {transversal distribution}
 - A61F 2013/00148 {longitudinal distribution}
 - A61F 2013/00153 .. {coloured or with decoration pattern or printing}
 - A61F 2013/00157 .. {for burns or skin transplants ([A61F 2013/00187](#) takes precedence; not adhering to the wound [A61F 2013/00217](#))}

A61F 2013/00161	...	{with wax, e.g. petroleum or bees- (; treated with lubricants A61F 2013/00331)}
A61F 2013/00165	..	{not touching the wound}
A61F 2013/0017	..	{possibility of applying fluid}
A61F 2013/00174	...	{possibility of applying pressure}
A61F 2013/00178	{hand-held C02 cylinder, e.g. sparklet}
A61F 2013/00182	..	{with transparent part}
A61F 2013/00187	..	{insulating; warmth or cold applying}
A61F 2013/00191	...	{cooled by evaporation}
A61F 2013/00195	...	{electric warmer}
A61F 2013/002	...	{with temperature control}
A61F 2013/00204	...	{insulating}
A61F 2013/00208	{by a high viscosity, low conductivity liquid}
A61F 2013/00212	{infra-red absorbing or reflecting}
A61F 2013/00217	..	{not adhering to the wound (with wax A61F 2013/00161)}
A61F 2013/00221	...	{biodegradable, non-irritating}
A61F 2013/00225	{with non-degradable reinforcing layer, net or mesh (absorbent core with a reinforcing structure, e.g. net A61F 2013/53463)}
A61F 2013/00229	...	{with alginate (absorbent structures with superabsorbent materials, e.g. SAM K61F13/15D7)}
A61F 2013/00234	...	{metallic layer (metallic underlayers K61F13/15E2)}
A61F 2013/00238	..	{characterised by way of knitting or weaving}
A61F 2013/00242	...	{to avoiding fraying or pilling (lint-free, i.e. non-linting or frying A61F 2013/00348)}
A61F 2013/00246	..	{in a special way pervious to air or vapours (air permeability of absorbent structures K61F13/15D10T ; underlayers impervious to fluids but not for air or vapours K61F13/15E1A ; fibrous underlayers impervious to fluids end open for air K61F13/15E3A)}
A61F 2013/00251	...	{with macroscopic openings}
A61F 2013/00255	...	{with pores}
A61F 2013/00259	...	{thin film}
A61F 2013/00263	...	{vapour permeability >500 g/m2/24h}
A61F 2013/00268	...	{impervious, i.e. occlusive bandage}
A61F 2013/00272	..	{protection of the body or articulation (safety barrier for protection of the operator A61F 2013/00297 ; protecting the body against ulcers A61F 2013/15024 ; protection in contaminated, e.g. NBC or industrial toxic ambience A61F 2013/15065)}
A61F 2013/00276	...	{for itching skin}
A61F 2013/0028	..	{applying of mechanical pressure; passive massage}
A61F 2013/00285	..	{medication confinement}
A61F 2013/00289	..	{easy removing of the protection sheet}
A61F 2013/00293	..	{anallergic or hypoallergic material}

A61F 2013/00297	..	{safety barrier for protection of the operator (protection of the body or articulation A61F 2013/00272 ; protecting the body against ulcers A61F 2013/15024 ; protection in contaminated, e.g. NBC or industrial toxic ambience A61F 2013/15065 ; prophylaxis A61F 2013/15081)}
A61F 2013/00302	...	{devices for handling dressings}
A61F 2013/00306	...	{dressing for protection of the operator during surgical procedure}
A61F 2013/0031	...	{for handling common life objects, e.g. telephone (prophylaxis A61F 2013/15081)}
A61F 2013/00314	..	{with surface treatments}
A61F 2013/00319	...	{to make surface hydrophobic}
A61F 2013/00323	...	{to make surface hydrophilic}
A61F 2013/00327	...	{to create projections or depressions in surface}
A61F 2013/00331	...	{lubricants (with wax, e.g. petroleum or bees- A61F 2013/00161 ; not adhering to the wound A61F 2013/00217 ; lubricant top layers A61F 2013/51073)}
A61F 2013/00336	...	{polymeric resins}
A61F 2013/0034	..	{with triboelectric materials}
A61F 2013/00344	...	{for increasing oxygen partial pressure}
A61F 2013/00348	..	{lint-free, i.e. non-linting or frying (A61F 2013/00242 takes precedence)}
A61F 2013/00353	..	{for red nails, in-grown nails or felons (inflamed digits)}
A61F 2013/00357	..	{implanted wound fillings or covers (membranes for covering bone defects A61F 2/2846)}
A61F 2013/00361	.	{Plasters}
A61F 2013/00365	..	{use}
A61F 2013/0037	...	{for cosmesis}
A61F 2013/00374	{against wrinkles, e.g. face lift}
A61F 2013/00378	{coloured as the skin (coloured black or yellow, or with pattern or printing A61F 2013/00153)}
A61F 2013/00382	{reconstructing the body shape (prosthetic device A61F 2013/00574)}
A61F 2013/00387	...	{skin protection (protection of the body or articulation A61F 2013/00272 ; safety barrier for protection of the operator A61F 2013/00297 ; for protection of suture stitches A61F 2013/00455 ; protection of wound surround A61F 2013/00825)}
A61F 2013/00391	{from irradiation, e.g. sun}
A61F 2013/00395	{from skin abrasion}
A61F 2013/004	{from liquid water}
A61F 2013/00404	{against blisters or bed sores}
A61F 2013/00408	{shield for protection against hypodermic needles}
A61F 2013/00412	...	{for use with needles, tubes or catheters}
A61F 2013/00417	{pierced by needle}
A61F 2013/00421	{with double adhesive layer (with cyano-acrylic adhesive A61F 2013/00459 ; with adhesive connecting means A61F 2013/00561 ; adhesives for plasters A61F 2013/00655 ; with absorbent adhesives A61F 2013/00757 ; with permeable adhesive layers A61F 2013/00761 ; different adhesion of different adhesive layers A61F 2013/00804 ; changing the adhesion force with strain value A61F 2013/00838)}

A61F 2013/00425	...	{for removing of external skin layer, e.g. prepping}
A61F 2013/00429	...	{for conducting tests}
A61F 2013/00434	{Epicutaneous test}
A61F 2013/00438	{blood tests}
A61F 2013/00442	{using electrodes}
A61F 2013/00446	...	{for oriental medicine}
A61F 2013/00451	...	{for surgical sutures, e.g. butterfly type}
A61F 2013/00455	{for protection of suture stitches (protection of the body or articulation A61F 2013/00272 ; safety barrier for protection of the operator A61F 2013/00297 ; skin protection A61F 2013/00387 ; protection of wound surround A61F 2013/00825)}
A61F 2013/00459	{with cyano-acrylic adhesive (adhesives for mucosae A61F 2013/00714 or for use on wounds A61F 2013/00719)}
A61F 2013/00463	...	{haemostatic}
A61F 2013/00468	{applying local pressure}
A61F 2013/00472	{with chemical means}
A61F 2013/00476	...	{for nose}
A61F 2013/0048	...	{for toes (for red nails, in-grown nails or felons A61F 2013/00353)}
A61F 2013/00485	{treating of athlete`s foot}
A61F 2013/00489	...	{for bracing or strapping}
A61F 2013/00493	{torso}
A61F 2013/00497	...	{eye patch}
A61F 2013/00502	{for eyelids}
A61F 2013/00506	...	{for treating warts}
A61F 2013/0051	...	{for treating insect bite}
A61F 2013/00514	{ticks}
A61F 2013/00519	...	{for treating burn (bandages for burns or skin transplants A61F 2013/00157)}
A61F 2013/00523	{with hydrogel (wound bandages with alginate A61F 2013/00229 ; adhesive for plasters; with hydrogel A61F 2013/00676 ; water-based A61F 2013/00689 ; for use on mucosae A61F 2013/00714 ; for use on wounds A61F 2013/00719 ; wound humidity control with hydrocolloids or superabsorbers A61F 2013/00748 ; with absorbent adhesives A61F 2013/00757 ; with fumed silica A61F 2013/00787 ; with viscoelastic oil-elastomer gel A61F 2013/00893)}
A61F 2013/00527	{artificial skin}
A61F 2013/00531	...	{for exfoliation (enzymes therefor A61F 2013/00927)}
A61F 2013/00536	...	{for draining or irrigating wounds}
A61F 2013/0054	...	{for deep wounds}
A61F 2013/00544	..	{form or structure}
A61F 2013/00548	...	{net (wound bandages with net structure A61F 2013/00097)}
A61F 2013/00553	...	{with detachable parts}
A61F 2013/00557	{detachable absorbent pad}

A61F 2013/00561	{with adhesive connecting means (plasters with a double adhesive layer A61F 2013/00421 ; with cyano-acrylic adhesive A61F 2013/00459 ; adhesives for plasters A61F 2013/00655 ; with absorbent adhesives A61F 2013/00757 ; with permeable adhesive layers A61F 2013/00761 ; different adhesion of different adhesive layers A61F 2013/00804 ; changing the adhesion force with strain value A61F 2013/00838)}
A61F 2013/00565	{with hook and loop-type fastener connecting means}
A61F 2013/0057	...	{with openable cover}
A61F 2013/00574	...	{shaped as a body part (A61F 2013/00187 take precedence; use of plasters A61F 2013/00365 ; containing means for different purposes A61F 2013/00902)}
A61F 2013/00578	{conformable; soft or flexible, e.g. elastomeric}
A61F 2013/00582	...	{Properties of backing}
A61F 2013/00587	{Thickness}
A61F 2013/00591	{breaking stress or force}
A61F 2013/00595	{breaking strain or extension}
A61F 2013/006	{Elastic modulus}
A61F 2013/00604	...	{Multilayer}
A61F 2013/00608	{with reinforcing layers}
A61F 2013/00612	{with different thickness}
A61F 2013/00617	{with different hardness}
A61F 2013/00621	...	{cast}
A61F 2013/00625	{in situ}
A61F 2013/00629	{on a model}
A61F 2013/00634	{foam}
A61F 2013/00638	{Gel}
A61F 2013/00642	...	{soluble, e.g. in water}
A61F 2013/00646	...	{Medication patches, e.g. transcutaneous}
A61F 2013/00651	{tapered, bevelled or chamfered}
A61F 2013/00655	..	{adhesive (wound bandages with alginate A61F 2013/00229 ; plasters with a double adhesive layer A61F 2013/00421 ; with cyano-acrylic adhesive A61F 2013/00459 ; plasters for treating burn with hydrogel A61F 2013/00523 ; with adhesive connecting means A61F 2013/00561 ; adhesive for plasters, with hydrogel A61F 2013/00676 ; for use on mucosae A61F 2013/00714 ; for use on wounds A61F 2013/00719 ; wound humidity control with hydrocolloids or superabsorbers A61F 2013/00748 ; with absorbent adhesives A61F 2013/00757 ; with fumed silica A61F 2013/00787 ; with viscoelastic oil-elastomer gel A61F 2013/00893 ; with permeable adhesive layers A61F 2013/00761 ; different adhesion of different adhesive layers A61F 2013/00804 ; changing the adhesion force with strain value A61F 2013/00838)}
A61F 2013/00659	...	{polymeric base}
A61F 2013/00663	{acrylic}
A61F 2013/00668	{Ether}
A61F 2013/00672	{cyano-acrylic}
A61F 2013/00676	...	{hydrogel}
A61F 2013/0068	{cross-linked by radiations, e.g. electron beam}

A61F 2013/00685	...	{soluble in liquid, e.g. of particular pH}
A61F 2013/00689	...	{water-based}
A61F 2013/00693	...	{oil-based}
A61F 2013/00697	...	{elastomer-, e.g. rubber- based}
A61F 2013/00702	{silicon-based}
A61F 2013/00706	...	{basis weight}
A61F 2013/0071	...	{containing active agent}
A61F 2013/00714	...	{adhesives for mucosae}
A61F 2013/00719	...	{adhesives for use on wounds}
A61F 2013/00723	...	{non-adhesive skin fixation}
A61F 2013/00727	..	{means for wound humidity control}
A61F 2013/00731	...	{with absorbing pads}
A61F 2013/00736	{containing zeolites}
A61F 2013/0074	{containing foams}
A61F 2013/00744	{containing non-woven}
A61F 2013/00748	...	{with hydrocolloids or superabsorbers (wound bandages with alginate A61F 2013/00229 ; plasters with cyano-acrylic adhesive A61F 2013/00459 ; plasters for treating burn with hydrogel A61F 2013/00523 ; adhesive for plasters, with hydrogel A61F 2013/00676 ; water-based A61F 2013/00689 ; for use on mucosae A61F 2013/00714 ; for use on wounds A61F 2013/00719 ; with absorbent adhesives A61F 2013/00757 ; with fumed silica A61F 2013/00787 ; with viscoelastic oil-elastomer gel A61F 2013/00893)}
A61F 2013/00753	{superabsorbent fabric of cloth}
A61F 2013/00757	...	{with absorbent adhesives}
A61F 2013/00761	...	{with permeable adhesive layers}
A61F 2013/00765	{continuous layer}
A61F 2013/0077	{arranged in lines}
A61F 2013/00774	{arranged in discrete dots}
A61F 2013/00778	{porous layers}
A61F 2013/00782	{with macroscopic openings}
A61F 2013/00787	...	{fumed silica}
A61F 2013/00791	...	{device for evaporation of essudates}
A61F 2013/00795	..	{special helping devices}
A61F 2013/008	...	{easy removing of the protection sheet}
A61F 2013/00804	{different adhesion of different adhesive layers (plasters with a double adhesive layer A61F 2013/00421 ; with cyano-acrylic adhesive A61F 2013/00459 ; with adhesive connecting means A61F 2013/00561 ; adhesives for plasters A61F 2013/00655 ; with absorbent adhesives A61F 2013/00757 ; with permeable adhesive layers A61F 2013/00761 ; changing the adhesion force with strain value A61F 2013/00838)}
A61F 2013/00808	{force step in removing the protection layer}
A61F 2013/00812	{perforate or breakable zones}
A61F 2013/00817	...	{handles or handling tabs}

A61F 2013/00821	{with hinge means}
A61F 2013/00825	...	{protection of wound surround (protecting the body against ulcers A61F 2013/15024 ; protection in contaminated, e.g. NBC or industrial toxic ambience A61F 2013/15065 ; prophylaxis A61F 2013/15081 ; protection of the body or articulation A61F 2013/00272 ; safety barrier for protection of the operator A61F 2013/00297 ; skin protection A61F 2013/00387 ; for protection of suture stitches A61F 2013/00455)}
A61F 2013/00829	...	{rigid or semi-rigid backing}
A61F 2013/00834	{as a frame}
A61F 2013/00838	...	{changing the adhesion force with strain value (plasters with a double adhesive layer A61F 2013/00421 ; with cyano-acrylic adhesive A61F 2013/00459 ; with adhesive connecting means A61F 2013/00561 ; adhesives for plasters A61F 2013/00655 ; with absorbent adhesives A61F 2013/00757 ; with permeable adhesive layers A61F 2013/00761 ; different adhesion of different adhesive layers A61F 2013/00804)}
A61F 2013/00842	...	{for tearing off dressing of desired size}
A61F 2013/00846	..	{with transparent or translucent part}
A61F 2013/00851	...	{with grid or reference marks}
A61F 2013/00855	..	{pervious to air or vapours (wound bandages in a special way pervious to air or vapour A61F 2013/00246)}
A61F 2013/00859	...	{with macroscopic openings}
A61F 2013/00863	...	{with pores}
A61F 2013/00868	...	{thin film}
A61F 2013/00872	...	{with controlled oxygen permeability}
A61F 2013/00876	...	{vapour permeability >500 g/mg/24h}
A61F 2013/0088	{adjustable to a predetermined value}
A61F 2013/00885	...	{impervious, i.e. occlusive bandage}
A61F 2013/00889	{waterproof}
A61F 2013/00893	{viscoelastic oil-elastomer gel (adhesives based on oil A61F 2013/00693 ; on rubber A61F 2013/00697 ; hydrogel-based adhesives for plasters A61F 2013/00676)}
A61F 2013/00897	..	{package for individual plaster}
A61F 2013/00902	..	{containing means}
A61F 2013/00906	...	{for transcutaneous or transdermal drugs application}
A61F 2013/0091	...	{with disinfecting or anaesthetics means, e.g. anti-mycrobic}
A61F 2013/00914	...	{with deodorising or perfuming means}
A61F 2013/00919	...	{for physical therapy, e.g. cold or magnetic}
A61F 2013/00923	{triboelectricity (wound bandages with triboelectric materials A61F 2013/0034)}
A61F 2013/00927	...	{with biological activity, e.g. enzymes for debriding wounds or others, collagen or growth factors}
A61F 2013/00931	{chitin}
A61F 2013/00936	...	{metal (wound bandages with a metallic layer A61F 2013/00234)}
A61F 2013/0094	...	{for sensing physical parameters (plasters for conducting test A61F 2013/00429)}

A61F 2013/00944	{humidity; moisture}
A61F 2013/00948	{Ph, e.g. acid}
A61F 2013/00953	{temperature}
A61F 2013/00957	{pressure}
A61F 2013/00961	{electrical conductivity}
A61F 2013/00965	{microbiological activity}
A61F 2013/0097	{oxygen content}
A61F 2013/00974	...	{for writing or drawing, e.g. labels}
A61F 2013/00978	..	{attachments assembly for prosthesis; pouch, e.g. ostomy}
A61F 2013/00982	..	{anallergic or hypoallergic material}
A61F 13/00987	.	{Apparatus or processes for manufacturing non-adhesive dressings or bandages}
A61F 13/00991	..	{for treating webs, e.g. for moisturising, coating, impregnating or applying powder}
A61F 13/00995	...	{for mechanical treatments}
A61F 13/02	.	Adhesive plasters or dressings (A61F 13/06 to A61F 13/15 take precedence; { for diagnosis, e.g. allergy test patches, A61B 10/0035 ; surgical adhesives or cements A61L 24/00 ; { for transdermal drug administration A61M 35/00 })
A61F 13/0203	..	{having a fluid handling member}
A61F 13/0206	...	{the fluid handling member being absorbent fibrous layer , e.g. woven or nonwoven absorbent pad, island dressings}
A61F 13/0209	{comprising superabsorbent material}
A61F 13/0213	...	{the fluid handling member being a layer of hydrocolloid, gel forming material}
A61F 13/0216	...	{the fluid handling member being non absorbent, e.g. for use with sub- or over-pressure therapy, wound drainage or wound irrigation systems}
A61F 13/022	...	{having more than one layer with different fluid handling characteristics}
A61F 13/0223	...	{characterized by parametric properties of the fluid handling layer e.g. absorbency, wicking capacity, liquid distribution}
A61F 13/0226	...	{characterised by the support layer}
A61F 13/023	..	{wound covering film layers without a fluid handling layer}
A61F 13/0233	...	{characterised by the occlusive layer skin contacting layer}
A61F 13/0236	...	{characterised by the application/handling support layer}
A61F 13/024	{the application or handling support layer being removable}
A61F 13/0243	...	{characterised by the properties of the skin contacting layer, e.g. air-vapor permeability}
A61F 13/0246	..	{characterised by the skin adhering layer}
A61F 13/025	...	{having a special distribution arrangement of the adhesive}
A61F 13/0253	...	{characterized by the adhesive material}
A61F 13/0256	...	{characterized by the parametric properties of the adhesive}
A61F 13/0259	..	{characterised by the release liner covering the skin adhering layer}
A61F 13/0263	...	{especially adapted for island dressings}
A61F 13/0266	...	{especially adapted for wound covering/occlusive dressings}

- A61F 13/0269 .. {Tapes for dressing attachment (for stoma bags [A61F 5/443](#); for nappies or sanitary towels [A61F 13/58](#); wound closure tapes [A61B 17/085](#); for surgical drapes [A61B 19/08](#); attaching catheters [A61M 25/02](#))}
- A61F 13/0273 .. {Adhesive bandages for winding around limb, trunk or head, e.g. cohesive}
- A61F 13/0276 .. {Apparatus or processes for manufacturing adhesive dressings or bandages}
- A61F 13/0279 ... {by attaching individual patches on moving webs}
- A61F 13/0283 ... {for making adhesive or cohesive tape or fabrics therefor, e.g. coating or mechanical treatments}
- A61F 13/0286 ... {manufacturing of non adhesive dressings}
- A61F 13/0289 ... {manufacturing of adhesive dressings}
- A61F 13/0293 ... {manufacturing of plaster of Paris}
- A61F 2013/0296 ... {for making transdermal patches (chemical processes excluded)}
- A61F 13/04 . Plaster of Paris bandages; Other stiffening bandages ([A61F 13/06](#) to [A61F 13/15](#) take precedence)
- A61F 13/041 .. {Accessories for stiffening bandages, e.g. cast liners, heel-pieces}
- A61F 13/043 ... {Shoe-like cast covers; Cast socks ([A61F 15/004](#) takes precedence; shoe-like orthopaedic devices for protecting the feet against injuries after operations [A61F 5/0195](#); walking soles [A61F 13/045](#))}
- A61F 13/045 ... {Walking soles or heels}
- A61F 13/046 ... {Incorporated ventilation or cooling devices}
- A61F 13/048 ... {Braces for connecting two cast parts, e.g. hinged cast braces (orthoses [A61F 5/0102](#))}
- A61F 13/06 . specially adapted for feet or legs; Corn-pads; Corn-rings
- A61F 13/061 .. {for knees (incorporating non-textile reinforcing elements, e.g. springs or stays, [A61F 5/0111](#); Patella supports)}
- A61F 13/062 ... {Openable readjustable}
- A61F 13/063 .. {Corn-pads; Corn-rings}
- A61F 13/064 .. {for feet (incorporating non-textile reinforcing elements, e.g. springs or stays [A61F 5/0111](#); corn-pads, corn-rings [A61F 13/063](#))}
- A61F 13/065 ... {Looped bandages around the forefoot ([A61F 13/068](#) takes precedence)}
- A61F 13/066 ... {for the ankle}
- A61F 13/067 ... {for the sole of the foot (rigid shoe insertions for supporting the sole [A61F 5/14](#))}
- A61F 13/068 ... {for the toes (toe correcting or spreading devices [A61F 5/019](#))}
- A61F 13/069 ... {Decubitus ulcer bandages}
- A61F 13/08 .. Elastic stockings; for contracting aneurisms
- A61F 13/085 ... {Openable readjustable}
- A61F 13/10 . specially adapted for fingers, hands, or arms; Finger-stalls; Nail-protectors {(restraining devices for arms [A61F 5/37](#); shoulder bandages [A61F 13/14](#))}
- A61F 13/101 .. {for the elbow, e.g. decubitus ulcer bandages ([A61F 13/107](#) takes precedence)}
- A61F 13/102 ... {Openable readjustable}
- A61F 13/104 .. {for the hands or fingers ([A61F 13/107](#) takes precedence)}
- A61F 13/105 ... {for the fingers; Finger-stalls; Nail-protectors (devices for correcting deformities of the nails [A61F 5/11](#))}

- A61F 13/107 .. {for wrist support (incorporating non-textile reinforcing elements, e.g. springs or metal braces [A61F 5/0118](#)); Compression devices for tennis elbow (epicondylitis)}
- A61F 13/108 ... {Openable readjustable}
- A61F 13/12 . specially adapted for the head or neck
- A61F 13/122 .. {specially adapted for the face}
- A61F 13/124 ... {specially adapted for the eyes}
- A61F 13/126 ... {specially adapted for the nose}
- A61F 13/128 .. {specially adapted for the neck}
- A61F 13/14 . specially adapted for the breast or abdomen (corsets or bandages for support of breast or abdomen [A61F 5/03](#))
- A61F 13/141 .. {Milk breast pads}
- A61F 13/143 .. {Thorax bandages or bandaging garments}
- A61F 13/145 ... {specially adapted for the female anatomy}
- A61F 13/146 .. {Shoulder bandages or bandaging garments}
- A61F 13/148 .. {Abdomen bandages or bandaging garments}
- A61F 13/15 . Absorbent pads, e.g. sanitary towels, swabs or tampons for external or internal application to the body (non-absorbent catamenial receptacles [A61F](#)); Supporting or fastening means therefor; Tampon applicators
- A61F 2013/15008 .. {characterized by the use}
- A61F 2013/15016 ... {for breast; pads for bras}
- A61F 2013/15024 ... {for protecting the body against ulcers}
- A61F 2013/15032 ... {as umbilical bandage}
- A61F 2013/1504 {for avoiding contact with umbilical region}
- A61F 2013/15048 ... {for protection against contamination, or protection in using body disinfecting wipes}
- A61F 2013/15056 {for the protection for furniture, e.g. car seats, chairs, beds}
- A61F 2013/15065 {for protecting in contaminated ambience, e.g. NBC or industrial chemicals}
- A61F 2013/15073 ... {as drapes}
- A61F 2013/15081 ... {as prophylaxis}
- A61F 2013/15089 {as facial prophylaxis}
- A61F 2013/15097 {as genital prophylaxis}
- A61F 2013/15105 {as contraceptive, e.g. condom}
- A61F 2013/15113 ... {for haemorrhoids}
- A61F 2013/15121 ... {for mild incontinence}
- A61F 2013/1513 ... {for anal discharge}
- A61F 2013/15138 {for flatus, i.e. gas}
- A61F 2013/15146 ... {for urine collection}
- A61F 2013/15154 ... {for hospitalised patients}
- A61F 2013/15162 ... {for jaundice phototherapy, i.e. UV light-permeable or transparent materials}
- A61F 2013/1517 ... {for puerperae, i.e. after childbirth}
- A61F 2013/15178 ... {for prevention and therapy of hip dysplasia or subluxation}

A61F 2013/15186	...	{for animals}
A61F 2013/15195	...	{as swimwear}
A61F 13/15203	..	{Properties of the article, e.g. stiffness or absorbency (chemical aspects A61L 15/00)}
A61F 13/15211	...	{soluble or disintegratable in liquid}
A61F 2013/15219	{by mechanical separation of water resistant parts}
A61F 2013/15227	{by its solubility in particular Ph solution}
A61F 2013/15235	{by its solubility in water}
A61F 2013/15243	...	{printed or coloured, e.g. to match skin}
A61F 13/15252	...	{compostable or biodegradable}
A61F 2013/1526	{compostable}
A61F 13/15268	...	{reusable (with separable parts A61F 13/505)}
A61F 2013/15276	...	{washable}
A61F 2013/15284	...	{characterized by quantifiable properties}
A61F 2013/15292	{Resistance, i.e. modulus or strength}
A61F 2013/153	{in dry conditions}
A61F 2013/15308	{in wet conditions, i.e. wet strength}
A61F 2013/15317	{Wet compressibility, i.e. void volume/gr}
A61F 2013/15325	{Stress relaxation or compression recovery}
A61F 2013/15333	{to hot, e.g. 90 decC washing procedures}
A61F 2013/15341	{to fire or flame}
A61F 2013/15349	{with controlled smoke emission}
A61F 2013/15357	{Stiffness, e.g. Taber rigidity}
A61F 2013/15365	{Dimensions}
A61F 2013/15373	{Calliper, i.e. thickness}
A61F 2013/15382	{Reduced thickness}
A61F 2013/1539	{being expandable}
A61F 2013/15398	{for giving the illusion of a thick absorbent pad}
A61F 2013/15406	{Basis weight}
A61F 2013/15414	{Bulk thickness}
A61F 2013/15422	{Density}
A61F 2013/1543	{with a density gradient in the horizontal plane}
A61F 2013/15439	{with a density gradient in the vertical plane}
A61F 2013/15447	{Fibre dimension, e.g. denier or tex}
A61F 2013/15455	{Volume-to-fibre surface area ratio}
A61F 2013/15463	{Absorbency}
A61F 2013/15471	{Total capacity}
A61F 2013/15479	{Drip capacity}
A61F 2013/15487	{Capillary properties, e.g. wicking}
A61F 2013/15495	{pore dimension}

A61F 2013/15504	{with a porosity gradient in the vertical or horizontal plane}
A61F 2013/15512	{with specific hydrophilicity}
A61F 2013/1552	{with specific diffusion velocity}
A61F 2013/15528	{with specific capillary or osmotic pressure}
A61F 2013/15536	{with a capillarity gradient in the vertical or horizontal plane}
A61F 2013/15544	{Permeability}
A61F 2013/15552	{Air permeability}
A61F 2013/1556	{Water permeability}
A61F 2013/15569	{Adhesivity}
A61F 13/15577	..	{Apparatus or processes for manufacturing}
A61F 13/15585	...	{of babies` napkins, e.g. diapers (A61F 13/15617 to A61F 13/15804 take precedence)}
A61F 13/15593	{having elastic ribbons fixed thereto; Devices for applying the ribbons}
A61F 13/15601	{the ribbons being applied transversely to the direction of the movement of the webs the diapers are being made of}
A61F 13/15609	{the ribbons being applied in an irregular path}
A61F 13/15617	...	{Making absorbent pads from fibres or pulverulent material with or without treatment of the fibres}
A61F 13/15626	{Making fibrous pads without outer layers}
A61F 13/15634	{Making fibrous pads between sheets or webs}
A61F 13/15642	{by depositing continuous layers or pads of fibrous material on single sheets or webs}
A61F 13/1565	{by depositing continuous layers of fibrous material between webs, e.g. wrapping layers of fibrous material}
A61F 13/15658	{Forming continuous, e.g. composite, fibrous webs, e.g. involving the application of pulverulent material on parts thereof}
A61F 13/15666	...	{Wrapping formed fibrous webs or pads, e.g. the pads being formed by uniting pad pieces cut from fibrous webs}
A61F 13/15674	{by wrapping webs or pads between webs moving in their longitudinal direction}
A61F 13/15682	{by folding webs, moving in their longitudinal direction, around webs or pads}
A61F 13/15691	{by inserting webs or pads in a tube or a netting, e.g. involving forming of the tube or netting}
A61F 13/15699	...	{Forming webs by bringing together several webs, e.g. by laminating or folding several webs, with or without additional treatment of the webs}
A61F 13/15707	...	{Mechanical treatment, e.g. notching, twisting, compressing, shaping}
A61F 2013/15715	{Shaping or making outer layers}
A61F 13/15723	{Partitioning batts; Cutting}
A61F 13/15731	{Treating webs, e.g. for giving them a fibre-like appearance, e.g. by embossing}
A61F 13/15739	{Sealing, e.g. involving cutting}
A61F 13/15747	{Folding; Pleating; Coiling; Stacking; Packaging}
A61F 13/15756	...	{Applying tabs, strips, tapes, loops; Knotting the ends of pads}

A61F 13/15764	...	{Transferring, feeding or handling devices; Drives}
A61F 13/15772	...	{Control}
A61F 2013/1578	{via optical means associated to computer coordinator}
A61F 2013/15788	{of the presence of the article or components}
A61F 2013/15796	{of the alignment or position of article or components}
A61F 13/15804	...	{Plant, e.g. involving several steps}
A61F 2013/15813	{with modular lines}
A61F 2013/15821	...	{characterized by the apparatus for manufacturing}
A61F 2013/15829	{using pressure liquid jet}
A61F 2013/15837	{using solvent}
A61F 2013/15845	{using a specific cam for programming the apparatus}
A61F 2013/15853	{using a specific computer algorithm for programming the apparatus}
A61F 2013/15861	{for bonding}
A61F 2013/15869	{with ultrasonic energy}
A61F 2013/15878	{by thermal bonding}
A61F 2013/15886	{by spot bonding}
A61F 2013/15894	{by infra-red radiation}
A61F 2013/15902	{with specific parameters, e.g. temperature, pressure}
A61F 2013/1591	{via adhesive}
A61F 2013/15918	{for die cutting}
A61F 2013/15926	{for vacuum forming}
A61F 2013/15934	{for making non-woven}
A61F 2013/15943	{by air-laid technique}
A61F 2013/15951	{by wet-laid technique}
A61F 2013/15959	{by spunbond technique}
A61F 2013/15967	{by meltblown technique}
A61F 2013/15975	{by non-bonded and deformable technique}
A61F 2013/15983	{by hydroentangled technique}
A61F 2013/15991	{in making composite multi-layered product}
A61F 2013/16	..	{Sanitary towels; Means for supporting or fastening them}

WARNING

For group **A61F13/16** and subgroups see warning after [A61F 13/00](#)

A61F 13/20	..	Tampons, e.g. catamenial tampons; Accessories therefor
------------	----	--

WARNING

For group [A61F 13/20](#) and subgroups see warning after [A61F 13/00](#)

A61F 13/2002	...	{characterised by the use}
A61F 13/2005	{specially adapted for the nose cavity}

A61F 13/2008	{specially adapted for the oral cavity}
A61F 13/2011	{specially adapted for anal cavity}
A61F 2013/2014	{for endoscopic procedures}
A61F 13/2017	{specially adapted for the ear cavity}
A61F 13/202	{Catamenial tampons (A61F 13/2022-A61F 13/34 take precedence)}
A61F 13/2022	...	{characterised by the shape}
A61F 13/2025	{adapted to change of shape once expelled of the applicator}
A61F 13/2028	{adapted to change of shape after absorption of liquid}
A61F 13/2031	{having depressions or elevations, e.g. dots, lines}
A61F 13/2034	{having grooves or ribs, having a main axis in the longitudinal direction}
A61F 13/2037	{having grooves or ribs, having a main axis in the radial direction}
A61F 13/204	{having an external member remaining outside the body cavity e.g. for form fitting or leakage prevention (withdrawal strings persee A61F 13/34)}
A61F 13/2042	{having a central tubular opening}
A61F 13/2045	{Cup-shaped type tampons (non-absorbent catamenial cups A61F 5/4553)}
A61F 13/2048	{Ball-shaped tampons}
A61F 13/2051	...	{characterised by the material or the structure of the inner absorbing core}
A61F 13/2054	{made by compressing a not-rolled web or pledged}
A61F 13/2057	{made of foam}
A61F 13/206	{Tampons made of rolled-up material}
A61F 13/2062	{Tampons made from folded lengths of material, e.g. of string}
A61F 13/2065	{Tampons folded from sheets of material (A61F13/22 takes precedence)}
A61F 13/2068	{Tampons made from several layers (A61F 13/2065 , A61F13/22 take precedence)}
A61F 13/2071	...	{characterised by the material or the structure of the outer layer}
A61F 13/2074	...	{impregnated with hydrophobic, hydrophilic, skin enhancers, medicinal etc. substances}
A61F 13/2077	...	{having a visual effect e.g. printed or embossed}
A61F 13/208	...	{having means for avoiding leakage e.g. liquid impermeable withdrawal end (A61F 13/204 takes precedence)}
A61F 13/2082	...	{Apparatus or processes of manufacturing}
A61F 13/2085	{Catamenial tampons}
A61F 13/2088	{shaping the tampon by compressing}
A61F 13/2091	{providing grooves on the tampon}
A61F 13/2094	{rolling a web material to form a tampon}
A61F 13/2097	{method of manufacturing tampon applicators}
A61F 13/26	...	Means for inserting tampons, {i.e. applicators}
A61F 13/263	{with reduced length before use, e.g. with folding rod}
A61F 13/266	{Insertion devices, e.g. rods or plungers, separate from the tampon}
A61F 13/28	with lubricating means
A61F 13/34	...	Means for withdrawing tampons { , e.g. withdrawal strings}

- A61F 13/36 .. Surgical swabs, e.g. for absorbency or packing body cavities during surgery
([A61F 13/38](#) takes precedence)

WARNING

See warning after [A61F 13/00](#)

- A61F 13/38 .. Swabs having a stick-type handle, {e.g. cotton tips (ear cleaners other than cotton tips [A61F 11/006](#); swabs containing a liquid, e.g. in a rupturable reservoir, [A61M 35/006](#))}

- A61F 13/385 ... {Apparatus or processes of manufacturing}

- A61F 13/42 .. with wetness indicator or alarm

WARNING

See warning after [A61F 13/00](#)

- A61F 2013/421 ... {the alarm being a temperature change}
 A61F 2013/422 ... {the alarm being a colour change}
 A61F 2013/423 ... {the alarm being a volume change or a movement of a component}
 A61F 2013/424 ... {having an electronic device}
 A61F 2013/425 ... {being also a toilet training aid}
 A61F 2013/426 ... {Moisture sensitive polymers}
 A61F 2013/427 ... {pH indicator}
 A61F 2013/428 ... {for articles with superabsorbent materials}
 A61F 2013/429 ... {Thermochromic materials, e.g. ink or dye}
 A61F 13/44 .. with radio-opaque material or signalling means for residual material

WARNING

See warning after [A61F 13/00](#)

- A61F 13/45 .. characterised by the shape (cup-shaped type tampons [A61F13/24](#))
 A61F 2013/4506 ... {special configurations using catheter or tube}
 A61F 2013/4512 ... {folded in special shape during use ([A61F 13/534](#) , [A61F 13/551](#), [A61F 13/56](#), [A61F 13/15747](#) take precedence)}
 A61F 2013/4518 {formed from two separated panels}
 A61F 2013/4525 {by front and rear joined laterally at the crotch}
 A61F 2013/4531 {by lateral panels joined at the centreline, i.e. along the longitudinal axis}
 A61F 2013/4537 {with aeration ducts (with hose-like, tubular sealing barriers [A61F 13/49473](#))}
 A61F 2013/4543 {with a special transverse section ([A61F 13/534](#) takes precedence)}
 A61F 2013/455 {having a "W" shape}
 A61F 2013/4556 {having a "M" shape}
 A61F 2013/4562 {cup-shaped}
 A61F 2013/4568 {three-dimensional; with split absorbent core}
 A61F 2013/4575 {connected by elastic means}

A61F 2013/4581	{with absorbent core in separated pieces}
A61F 2013/4587	...	{with channels or deep spot depressions on the upper surface (A61F 13/4704 and A61F 13/49001 take precedence)}
A61F 2013/4593	...	{allowing introduction of medical instruments without removing the absorbent article}
A61F 13/47	...	Sanitary towels, incontinence pads or napkins (A61F 13/49 takes precedence)
A61F 13/4702	{having a reinforcing member}
A61F 13/4704	{having preferential bending zones, e.g. fold lines or grooves}
A61F 2013/4706	{enlarged in the anal area}
A61F 2013/4708	{Panty-liner}
A61F 13/471	specially adapted for male use
A61F 13/472	specially adapted for female use {(A61F 13/474 , A61F 13/475 , A61F 13/476 take precedence)}
A61F 13/47209	{having only interlabial part, i.e. with no extralabial parts}
A61F 13/47218	{with a raised crotch region, e.g. hump}
A61F 13/47227	{for interlabial use}
A61F 13/47236	{characterised by an unusual contour}
A61F 13/47245	{with asymmetry around the x or y axis}
A61F 13/47254	{with a tanga shape}
A61F 13/47263	{with activating means, e.g. elastic, heat or chemical activatable means}
A61F 13/47272	{with a longitudinal raised end, e.g. cup-shaped gluteal groove (for edge leakage prevention A61F 13/494)}
A61F 2013/47281	{with internal collecting device}
A61F 2013/4729	{combining catamenial pad and tampon}
A61F 13/474	adjustable
A61F 13/475	characterised by edge leakage prevention means
A61F 13/4751	{the means preventing fluid flow in a transversal direction}
A61F 13/4752	{the means being an upstanding barrier}
A61F 13/4753	{the barrier being not integral with the topsheet or backsheet}
A61F 13/4755	{the means being a flat barrier on or inside the absorbent article, e.g. backsheet wrapped around the edges}
A61F 13/4756	{the means consisting of grooves, e.g. channels, depressions or embossments, resulting in a heterogeneous surface level}
A61F 13/4757	{the means being located outside the perimeter of the absorbent core (A61F 13/4752 takes precedence)}
A61F 13/4758	{the means preventing fluid flow in a longitudinal direction}
A61F 13/476	characterised by encircling the crotch region of the undergarment
A61F 13/49	...	Absorbent articles specially adapted to be worn around the waist, e.g. diapers
A61F 13/49001	{having preferential bending zones, e.g. fold lines or grooves}
A61F 13/49003	{Reusable, washable fabric diapers}
A61F 13/49004	{with fastening means}

A61F 13/49006	{the reusable article being in the form of pants or briefs, e.g. slip or panty for light incontinence}
A61F 13/49007	{Form-fitting, self-adjusting disposable diapers}
A61F 13/49009	{with elastic means}
A61F 13/49011	{the elastic means is located at the waist region}
A61F 13/49012	{the elastic means being elastic panels}
A61F 13/49014	{the elastic means is located at the side panels}
A61F 13/49015	{the elastic means being elastic panels}
A61F 13/49017	{the elastic means being located at the crotch region}
A61F 13/49019	{the elastic means being placed longitudinally, transversely or diagonally over the article}
A61F 13/4902	{characterised by the elastic material}
A61F 2013/49022	{being elastomeric sheet}
A61F 2013/49023	{being textured, e.g. corrugated}
A61F 2013/49025	{having multiple elastic strands}
A61F 2013/49026	{with variable spacing}
A61F 2013/49028	{with different tensile stress}
A61F 2013/4903	{being a net}
A61F 2013/49031	{being elastic in longitudinal direction}
A61F 2013/49033	{being elastic in transversal direction}
A61F 2013/49034	{being elastic in both the transversal and longitudinal direction}
A61F 2013/49036	{having a inelastic zone by deactivating the elastic property}
A61F 2013/49038	{the elastic means is located all around the absorbent article's perimeter}
A61F 2013/49039	{the elastic means is located around the target zone}
A61F 2013/49041	{having a specific location other than covered by groups A61F 13/49011 - A61F 13/49019 }
A61F 2013/49042	{with only stretchable part , i.e. part being not elastic but only extensible with not a full recovery of its original length}
A61F 2013/49044	{being stretchable non-elastic panels, (A61F 13/4902 takes precedence)}
A61F 2013/49046	{at the crotch}
A61F 2013/49047	{at the ears}
A61F 2013/49049	{on the hips}
A61F 2013/4905	{at the waist}
A61F 2013/49052	{having a specific direction of stretchability}
A61F 2013/49053	{being stretchable in the longitudinal direction or machine direction, i.e. longitudinal}
A61F 2013/49055	{being stretchable in transversal direction or cross machine direction}
A61F 2013/49057	{being stretchable in both longitudinal and transversal direction}
A61F 13/49058	{characterised by the modular concept of constructing the diaper}

A61F 13/4906	{the diaper having an outer chassis forming the diaper and an independent absorbent structure attached to the chassis}
A61F 13/49061	{the diaper having one or two waist members forming the diaper waist region and an independent absorbent structure attached to the one or two waist members forming the crotch region}
A61F 2013/49063	{the diaper having decoupled components}
A61F 2013/49065	{being joined by a transverse line}
A61F 2013/49066	{being joined by an area of low stiffness}
A61F 2013/49068	{characterized by the shape of the outline}
A61F 2013/49069	{being rectangular, i.e. parallelepiped}
A61F 2013/49071	{being triangular}
A61F 2013/49073	{being trapezoidal}
A61F 2013/49074	{hourglass; dog bone-shaped}
A61F 2013/49076	{as "I"-shaped}
A61F 2013/49077	{as "T"-shaped}
A61F 2013/49079	{as backbone-shape}
A61F 2013/4908	{concave}
A61F 2013/49082	{being a complex shape not covered by the other groups A61F 2013/49068-A61F 2013/4908 }
A61F 2013/49084	{conformable}
A61F 2013/49085	{with a multiplicity of rounded, i.e. spherical elements}
A61F 2013/49087	{having breakable lateral stitches or panels}
A61F 2013/49088	{characterized by the leg opening}
A61F 2013/4909	{being asymmetric leg openings}
A61F 2013/49092	{comprising leg cuffs}
A61F 2013/49093	{having multiple barriers}
A61F 2013/49095	{Being formed by lateral sleets}
A61F 2013/49096	{with braces}
A61F 2013/49098	{Other Details not otherwise provided of the absorbent articles specially adapted to be worn around the waist}
A61F 13/491	specially adapted for gender distinct urine discharge pattern
A61F 13/4915	{specially adapted for male use}
A61F 13/493	adjustable { by adding or removing material e.g. umbilical cord arrangements (adjustable by the fastening A61F 13/5638 , A61F 13/5655)}
A61F 13/494	characterised by edge leakage prevention means
A61F 13/49406	{the edge leakage prevention means being at the crotch region}
A61F 13/49413	{the edge leakage prevention means being an upstanding barrier}
A61F 13/4942	{the barrier not being integral with the top- or back-sheet}
A61F 13/49426	{the barrier having an absorbent medium}
A61F 2013/49433	{the barrier having variable heights}
A61F 2013/4944	{having multiple barriers}

A61F 13/49446	{the edge leakage prevention means being an impermeable sheet or impermeable part of a sheet placed on or under the top sheet (A61F 13/49413 takes precedence)}
A61F 13/49453	{the edge leakage prevention sheet being combined with the impermeable backing sheet, e.g. integral with the backing sheet}
A61F 13/4946	{the edge leakage prevention means being an absorbent medium (A61F 13/49426 takes precedence)}
A61F 13/49466	{the edge leakage prevention means being at the waist region}
A61F 13/49473	{the edge leakage prevention means having a continuous closed form, e.g. circle, ellipse, rectangle}
A61F 2013/4948	{the edge leakage prevention means being elastic}
A61F 2013/49486	{the edge leakage prevention means being padded}
A61F 2013/49493	{the edge leakage prevention means being or forming three-dimensional barrier with raised lateral side-or end-wall}
A61F 13/495	with faecal cavity
A61F 2013/4951	{with internal barriers}
A61F 2013/4953	{with rear faecal part separate from front urinary part}
A61F 2013/4955	{with separable, disposable upper body layer}
A61F 2013/4956	{with vertical spacer or separator keeping other components out of contact}
A61F 2013/4958	{with a faecal management layer}
A61F 13/496	in the form of pants or briefs
A61F 13/4963	{characterized by the seam}
A61F 2013/4966	{with intentionally damp topsheet}
A61F 13/505	..	with separable parts, e.g. combination of disposable and reusable parts, (A61F 13/20, {A61F 13/49003} take precedence; supporting or fastening means A61F 13/56; { belts or the like A61F 13/64})
A61F 2013/5055	...	{Possibility of doubling or putting in new pieces}
A61F 13/51	..	characterised by the outer layers {(wicking or transfer layers A61F 13/537)}
A61F 2013/51002	...	{with special fibres}
A61F 2013/51004	{characterized by the length of the fibres}
A61F 2013/51007	{characterized by the orientation of fibres}
A61F 2013/51009	{characterized by the shape of the fibres}
A61F 2013/51011	{characterized by the count of the fibres, e.g. denier or tex}
A61F 2013/51014	{characterized by the connection between the fibres}
A61F 2013/51016	{followed by a distension heat treatment}
A61F 2013/51019	{being cellulosic material}
A61F 2013/51021	{being chemically modified}
A61F 2013/51023	{being polymeric fibres}
A61F 2013/51026	{being in thermoplastic material}
A61F 2013/51028	{being bicomponent}
A61F 2013/5103	{being hydrophobic}

A61F 2013/51033	{being hydrophilic}
A61F 2013/51035	{being biodegradable, e.g. Rayon, polylactate, dioxanone}
A61F 2013/51038	{being a mixture of fibres}
A61F 2013/5104	{with pulp and polymeric fibres}
A61F 2013/51042	{with hydrophobic and hydrophilic fibres}
A61F 2013/51045	{with thermoplastic binder}
A61F 2013/51047	{with antibacterial agents}
A61F 2013/5105	{with mineral or inert material}
A61F 2013/51052	{having different diameters}
A61F 2013/51054	{having different densities}
A61F 2013/51057	{having different ratio of fibres}
A61F 2013/51059	...	{being sprayed with chemicals}
A61F 2013/51061	{for rendering the surface hydrophobic}
A61F 2013/51064	{in the legs area}
A61F 2013/51066	{for rendering the surface hydrophilic}
A61F 2013/51069	{by hydrophilisation with plasma or corona discharge}
A61F 2013/51071	{with anti-static agents}
A61F 2013/51073	{with lubricants}
A61F 2013/51076	{with perfumes or odour-masking agents}
A61F 2013/51078	...	{being embossed}
A61F 2013/5108	{in grids}
A61F 2013/51083	{in point}
A61F 2013/51085	{in diamonds}
A61F 2013/51088	{in very fine micro-texture}
A61F 2013/5109	...	{with odour control}
A61F 2013/51092	...	{characterized by the dimensions}
A61F 2013/51095	...	{being metallic}
A61F 2013/51097	...	{with high friction coefficient for fixation of the bandage}
A61F 13/511	...	Topsheet, i.e. the permeable cover or layer facing the skin
A61F 13/51104	{the top sheet having a three-dimensional cross-section e.g. corrugations, embossments, recesses or projections}
A61F 13/51108	{the top sheet having corrugations or embossments having one axis relatively longer than the other axis e.g. forming channels or grooves in a longitudinal direction}
A61F 13/51113	{comprising an additive e.g. lotion or odour control A61F 13/51108 takes precedence}
A61F 2013/51117	{the lotion having skin care properties}
A61F 13/51121	{characterised by the material}
A61F 2013/51126	{being nets}
A61F 2013/5113	{being foams}

A61F 2013/51134	{the foam being compressed and expandable, e.g. a cellulosic sponge}
A61F 2013/51139	{being woven or knitted fabrics}
A61F 2013/51143	{being papers}
A61F 2013/51147	{being polymeric films}
A61F 2013/51152	{having specific distance between the fibres}
A61F 2013/51156	{having integrally attached}
A61F 13/5116	{being formed of multiple layers (A61F 13/5123 takes precedence)}
A61F 2013/51165	{with the combination of films and nonwovens}
A61F 2013/51169	{the nonwoven being hydroentangled or needlingentangled to the film}
A61F 2013/51173	{with the combination of polymeric films}
A61F 2013/51178	{with the combination of nonwoven webs}
A61F 2013/51182	{with non-continuous bonding}
A61F 2013/51186	{specially shaped topsheets}
A61F 2013/51191	{Self-sealing top layers}
A61F 2013/51195	{not contacting the absorber}
A61F 13/512	characterised by its apertures, e.g. perforations
A61F 13/5121	{characterised by the vertical shape of the apertures e.g. three dimensional apertures , e.g. macro-apertures}
A61F 13/5122	{and comprising secondary apertures e.g. macro-apertures in combination with micro-apertures}
A61F 13/5123	{the apertures being formed on a multilayer top sheet}
A61F 13/5125	{the apertures not being formed through the complete thickness of the topsheet e.g. blind holes (blind holes in a single layered topsheet A61F 13/51104)}
A61F 13/5126	{characterised by the planar distribution of the apertures, e.g. in a predefined pattern}
A61F 2013/5127	{characterized by the dimension of apertures}
A61F 2013/5128	{characterized by open targets or acquisitions or vulnerability zones}
A61F 13/513	{characterised by its function or properties, e.g. stretchability, breathability, rewet, visual effect;} having areas of different permeability
A61F 13/51305	{having areas of different permeability}
A61F 13/51311	{the permeability gradient being in the vertical direction}
A61F 2013/51316	{with low friction coefficient}
A61F 2013/51322	{being elastomeric or stretchable}
A61F 2013/51327	{in only one specific direction}
A61F 2013/51333	{in only specific parts or sections of the top layer}
A61F 2013/51338	{having improved touch or feeling, e.g. smooth film}
A61F 2013/51344	{with pile webs or velvet-like tissues}
A61F 2013/5135	{with flame retardant agents or fire extinguishing agents}
A61F 2013/51355	{for improving fluid flow}
A61F 2013/51361	{with pleats or folds}

A61F 2013/51366	{with hydrophilic lower face}
A61F 2013/51372	{with valve or valve-like upper layer; Tapered capillary structures}
A61F 2013/51377	{having decoration properties}
A61F 2013/51383	{being adapted for female properties}
A61F 2013/51388	{being adapted to male properties}
A61F 13/51394	{creating a visual effect, e.g. having a printed or coloured topsheet, printed or coloured sub-layer but being visible from the topsheet, other than embossing for purposes of bonding, wicking, acquisition, leakage-prevention}
A61F 13/514	...	backsheet, i.e. the impermeable cover or layer furthest from the skin {(A61F 13/15211, A61F 13/15252 take precedence)}
A61F 13/51401	{characterised by the material}
A61F 13/51403	{with activating means, e.g. for closing apertures upon contact with water}
A61F 13/51405	{treated or coated, e.g. with moisture repellent agent}
A61F 2013/51407	{being flexible}
A61F 2013/51409	{being a film}
A61F 2013/51411	{being impervious to fluids but not for air or vapours}
A61F 2013/51413	{with macroscopic openings}
A61F 2013/51415	{with pores}
A61F 2013/51417	{with thin films}
A61F 2013/51419	{with stretched areas}
A61F 2013/51421	{only in special places}
A61F 2013/51423	{the vapour permeability being less than 500g/m/24h}
A61F 2013/51425	{being impervious, i.e. occlusive}
A61F 2013/51427	{having valves}
A61F 2013/51429	{being elastomeric or stretchable sheet}
A61F 2013/51431	{in the composition of the elastomer}
A61F 2013/51433	{being biodegradable}
A61F 2013/51435	{having flame retardant agent or fire extinguishing agent}
A61F 2013/51437	{being integral with absorbent core}
A61F 2013/51439	{being foams}
A61F 2013/51441	{being a fibrous material}
A61F 2013/51443	{being impervious to fluids and being air permeable}
A61F 2013/51445	{comprising microfibres, e.g. Gore-Tex}
A61F 2013/51447	{being air permeable}
A61F 2013/51449	{being knitted or woven fabrics}
A61F 2013/5145	{being treated materials}
A61F 2013/51452	{being nonwovens}
A61F 2013/51454	{being papers}
A61F 13/51456	{characterised by its properties}
A61F 13/51458	{being air-pervious or breathable}

A61F 13/5146	{having apertures or perforations}
A61F 13/51462	{being defined by a value or parameter}
A61F 13/51464	{being stretchable or elastomeric}
A61F 13/51466	{providing stretchability without the use of elastic material}
A61F 2013/51468	{being removable}
A61F 2013/5147	{the outer layer being adhesive itself}
A61F 2013/51472	{for reducing noise}
A61F 13/51474	{characterised by its structure}
A61F 13/51476	{being three-dimensional, e.g. embossed, textured, pleated, or with three-dimensional features, like gathers or loops}
A61F 13/51478	{being a laminate, e.g. multi-layered or with several layers}
A61F 13/5148	{having an impervious inner layer and a cloth-like outer layer}
A61F 2013/51482	{being laminated on paper}
A61F 13/51484	{being inhomogeneous in the plane of the sheet, i.e. having zones of different properties or structures}
A61F 2013/51486	{with specially shaped backsheets}
A61F 2013/51488	{for napkins}
A61F 2013/5149	{being embossed}
A61F 2013/51492	{having specially shaped gas or air bubbles or bag-like structure}
A61F 2013/51494	{having underlayer extending around the longitudinal edges of the absorbent core}
A61F 13/51496	{having visual effects}
A61F 13/51498	{Details not otherwise provided for}
A61F 13/515	...	characterised by the interconnection of the topsheet and the backsheet
A61F 13/52	...	Layers coated or treated to decrease absorbency
A61F 13/53	..	characterised by the absorbing medium (A61F 13/20 takes precedence)
A61F 2013/530007	...	{being made from pulp}
A61F 2013/530014	{being made in hard wood pulp}
A61F 2013/530021	{being made in soft wood pulp}
A61F 2013/530029	{being made from cotton}
A61F 2013/530036	{being made in chemically-modified cellulosic material, e.g. Rayon}
A61F 2013/530043	{being made in oxidized cellulose}
A61F 2013/530051	{being made in cross-linked cellulosic fibres}
A61F 2013/530058	{with specific method of producing wood pulp fibres}
A61F 2013/530065	{with chemical pulp}
A61F 2013/530072	{with sulphate pulp, e.g. Kraft}
A61F 2013/53008	{being unbleached}
A61F 2013/530087	{with debonding agents}
A61F 2013/530094	{with mechanical pulp}
A61F 2013/530102	{with thermomechanical pulp}
A61F 2013/530109	{with chemithermomechanical pulp}

A61F 2013/530116	{with recycled material, e.g. paper}
A61F 2013/530124	{with compressed and delaminated material}
A61F 2013/530131	...	{being made in fibre but being not pulp}
A61F 2013/530138	{characterized by the fibre length}
A61F 2013/530145	{being short}
A61F 2013/530153	{being long}
A61F 2013/53016	{having special shape}
A61F 2013/530167	{being crimped}
A61F 2013/530175	{with capillary channel}
A61F 2013/530182	{characterized by the connection between the fibres}
A61F 2013/530189	{with thermoplastic adhesive}
A61F 2013/530197	{with water-soluble binder}
A61F 2013/530204	{being alcohol-based binder}
A61F 2013/530211	{with water-insoluble binder}
A61F 2013/530218	{followed by heat treatment}
A61F 2013/530226	{with polymeric fibres}
A61F 2013/530233	{being thermoplastic fibres}
A61F 2013/53024	{being bicomponent fibres}
A61F 2013/530248	{being thermosetting fibres}
A61F 2013/530255	{being hydrophobic fibres}
A61F 2013/530262	{only in particular parts or specially arranged}
A61F 2013/53027	{the maximum being at the crotch}
A61F 2013/530277	{the maximum being at front or rear}
A61F 2013/530284	{the maximum being at a certain depth in the thickness}
A61F 2013/530291	{the maximum being along the sides}
A61F 2013/530299	{being hydrophilic fibres}
A61F 2013/530306	{coated with superabsorbent polymer}
A61F 2013/530313	{being biodegradable}
A61F 2013/530321	{in biopolymer, e.g. PHA}
A61F 2013/530328	{being mineral fibres, e.g. glass}
A61F 2013/530335	{being in peat moss}
A61F 2013/530343	{being natural fibres}
A61F 2013/53035	{of cotton}
A61F 2013/530357	{of wool}
A61F 2013/530364	{of bamboo}
A61F 2013/530372	{of ramie or jute or linen}
A61F 2013/530379	{comprising mixtures of fibres}
A61F 2013/530386	{with pulp and polymeric}
A61F 2013/530394	{in coform}
A61F 2013/530401	{with hydrophobic and hydrophilic fibres}

A61F 2013/530408	{with thermoplastic binder}
A61F 2013/530416	{having different count e.g. denier or tex}
A61F 2013/530423	{having different densities}
A61F 2013/53043	{with different ratio of components}
A61F 2013/530437	...	{having a part with elevated absorption means}
A61F 2013/530445	{by defining a target or acquisition or vulnerability zone}
A61F 2013/530452	{having chemically-stiffened fibres}
A61F 2013/530459	{being curled}
A61F 2013/530467	{being twisted}
A61F 2013/530474	{being cross-linked}
A61F 2013/530481	...	{having superabsorbent materials, i.e. highly absorbent polymer gel materials}
A61F 2013/530489	{being randomly mixed in with other material}
A61F 2013/530496	{being fixed to fibres}
A61F 2013/530503	{comprising poly-aluminium-chloride}
A61F 2013/53051	{being only in particular parts or specially arranged}
A61F 2013/530518	{the maximum being at the crotch}
A61F 2013/530525	{the maximum being at front or rear}
A61F 2013/530532	{the maximum being at certain depth in the thickness}
A61F 2013/53054	{the maximum being along the side edges}
A61F 2013/530547	{positioned in a separate layer or layers}
A61F 2013/530554	{and being fixed to a web}
A61F 2013/530562	{being arranged in discontinuous pattern}
A61F 2013/530569	{characterized by the particle size}
A61F 2013/530576	{having different size in different parts}
A61F 2013/530583	{characterized by the form}
A61F 2013/530591	{in granules or particles}
A61F 2013/530598	{in aggregates}
A61F 2013/530605	{in sheet}
A61F 2013/530613	{in fibres}
A61F 2013/53062	{being made into a paper or non-woven}
A61F 2013/530627	{in flakes}
A61F 2013/530635	{in thin film}
A61F 2013/530642	{being cross-linked or polymerised in situ}
A61F 2013/530649	{in sponge or foam}
A61F 2013/530656	{being cut into pieces}
A61F 2013/530664	{being a knitted or woven fabric}
A61F 2013/530671	{being mixed with mineral or inert material, e.g. "introfying particles"}
A61F 2013/530678	{with citric acid}
A61F 2013/530686	{with metallic soluble salts, e.g. Na, K, Mg chloride}
A61F 2013/530693	{with polymeric material}

A61F 2013/5307	{characterized by the quantity or ratio of superabsorbent material}
A61F 2013/530708	{characterized by the absorbency properties}
A61F 2013/530715	{by the acquisition rate}
A61F 2013/530722	{by the delayed absorbency}
A61F 2013/530729	{by the swelling rate}
A61F 2013/530737	{by the absorbent capacity}
A61F 2013/530744	{by the absorbency under load}
A61F 2013/530751	{by the centrifugal load}
A61F 2013/530759	{by the osmotic feature}
A61F 2013/530766	{by the cross-link factor}
A61F 2013/530773	{by the inverse temperature transition}
A61F 2013/530781	{by the ionic surfactant, e.g. salt resistant}
A61F 2013/530788	{characterized by the gel layer permeability}
A61F 2013/530795	{being biodegradable}
A61F 2013/530802	...	{characterized by the foam or sponge other than superabsorbent (A61F 2013/530649 takes precedence)}
A61F 2013/53081	{with special pore dimension or arrangement}
A61F 2013/530817	{being open cells}
A61F 2013/530824	{the cells being opened by mechanical or physical treatment}
A61F 2013/530832	{being closed cells}
A61F 2013/530839	{being hydrophilic}
A61F 2013/530846	{being hydrophobic}
A61F 2013/530854	{being collapsed or collapsible foam}
A61F 2013/530861	{having slit regions}
A61F 2013/530868	...	{characterized by the liquid distribution or transport means other than wicking layer (A61F 13/537 takes precedence)}
A61F 2013/530875	{having holes}
A61F 2013/530883	{having folds}
A61F 2013/53089	{having impervious part}
A61F 2013/530897	{having capillary means, e.g. pore or fibre size gradient}
A61F 2013/530905	{being hydrophilic}
A61F 2013/530912	{being hydrophobic}
A61F 2013/530919	{being hydroneutral}
A61F 2013/530927	{having longitudinal barriers}
A61F 2013/530934	{having a density gradient}
A61F 2013/530941	{through the thickness}
A61F 2013/530948	{along the length}
A61F 2013/530956	{being only in particular parts or specially arranged}
A61F 2013/530963	{being maximum at the crotch}
A61F 2013/53097	{being at front or rear region}

A61F 2013/530978	{being at a particular depth in the thickness}
A61F 2013/530985	{being along the side edges}
A61F 2013/530992	...	{in the form of string or ball instead of sheets}
A61F 13/531	...	having a homogeneous composition through the thickness of the pad (A61F 13/538 , A61F 13/539 take precedence)
A61F 2013/5312	{with structure resisting compression}
A61F 2013/5315	{with a tissue-wrapped core}
A61F 2013/5317	{with integral impervious bottom surface}
A61F 13/532	inhomogeneous in the plane of the pad
A61F 13/5323	{having absorbent material located in discrete regions, e.g. pockets}
A61F 2013/5326	{being a flanged fibrous pad}
A61F 13/533	having discontinuous areas of compression
A61F 13/534	...	having an inhomogeneous composition through the thickness of the pad (A61F 13/538 , A61F 13/539 take precedence; homogeneous cores with tissue wrapping A61F 13/53)
A61F 13/53409	{having a folded core}
A61F 13/53418	{having a C-folded cross-section}
A61F 13/53427	{having an e-folded cross-section}
A61F 13/53436	{having an undulated or corrugated cross-section}
A61F 2013/53445	{from several sheets}
A61F 2013/53454	{with mirror-like structure}
A61F 2013/53463	{with a reinforcing structure, e.g. net}
A61F 2013/53472	{being a non-woven tissue wrapping the core}
A61F 2013/53481	{being biodegradable}
A61F 2013/5349	{being a tissue-wrapped core}
A61F 13/535	inhomogeneous in the plane of the pad, e.g. core absorbent layers being of different sizes {(A61F 13/5323 , A61F 13/537 take precedence)}
A61F 2013/5355	{with terraced core}
A61F 13/536	having discontinuous areas of compression
A61F 13/537	characterised by a layer facilitating or inhibiting flow in one direction or plane, e.g. a wicking layer {(A61F 13/538 takes precedence)}
A61F 13/53704	{the layer having an inhibiting function on liquid propagation}
A61F 13/53708	{the layer having a promotional function on liquid propagation in at least one direction}
A61F 13/53713	{the layer having a promotional function on liquid propagation in the vertical direction}
A61F 13/53717	{the layer having a promotional function on liquid propagation in the horizontal direction}
A61F 2013/53721	{with capillary means}
A61F 2013/53726	{on the top layer}
A61F 2013/5373	{on the bottom layer}
A61F 2013/53734	{with compressed lines}

A61F 2013/53739	{with compressed points}
A61F 13/53743	{characterised by the position of the layer relative to the other layers}
A61F 13/53747	{the layer is facing the topsheet} (layer is part of the topsheet A61F 13/511)
A61F 13/53752	{the layer is embedded in the absorbent core}
A61F 13/53756	{the layer facing the back-sheet}
A61F 13/5376	{characterised by the performance of the layer, e.g. acquisition rate, distribution time, transfer time}
A61F 2013/53765	{characterized by its geometry}
A61F 2013/53769	{with the wicking layer not contacting the absorbent core}
A61F 2013/53773	{with a deformable spacing structure}
A61F 2013/53778	{with grooves}
A61F 2013/53782	{with holes}
A61F 2013/53786	{with folds}
A61F 2013/53791	{being resilient or elastic}
A61F 2013/53795	{being a surge management layer}
A61F 13/538	...	characterised by specific fibre orientation or weave
A61F 2013/5383	{by the fibre orientation in the x-y plane}
A61F 2013/5386	{by the fibre orientation in the z plane or vertical direction}
A61F 13/539	...	characterised by the connection of the absorbent layers with each other or with the outer layers
A61F 2013/53908	{with adhesive}
A61F 2013/53916	{with epicyclical pattern}
A61F 2013/53925	{with intermittent pattern, e.g. spots}
A61F 2013/53933	{with water-soluble binder}
A61F 2013/53941	{being alcohol-based binder}
A61F 2013/5395	{with thermoplastic agent, i.e. softened by heat}
A61F 2013/53958	{with separate adhesive layer}
A61F 2013/53966	{by needling, sewing, blow-needling}
A61F 2013/53975	{by Hydraulic entanglement}
A61F 2013/53983	{with hook and loop-type fastener or the like}
A61F 2013/53991	{by ultrasonic method}
A61F 13/551	..	Packaging before or after use {(general packaging of absorbent pads B65D 85/00)}
A61F 13/55105	...	{packaging of diapers}
A61F 13/5511	{characterized by the container (A61F 15/00 takes precedence)}
A61F 13/55115	{characterized by the features before use e.g. how are the diapers folded or arranged in a package}
A61F 13/5512	{after use}
A61F 2013/55125	{the disposal system being a bag or a pocket integral with or attached to the diaper}
A61F 13/5513	...	{packaging of feminine sanitary napkins}

A61F 13/55135	{before use}
A61F 13/5514	{each item packaged single}
A61F 13/55145	{multiple packaged items}
A61F 13/5515	{after use}
A61F 2013/55155	{the disposal system being a bag or pocket integral with or attached to the sanitary napkin}
A61F 13/5516	...	{packaging of interlabial absorbing articles}
A61F 13/55165	{before use}
A61F 13/5517	{after use}
A61F 13/55175	...	{packaging of tampons}
A61F 13/5518	{after use}
A61F 13/55185	{in combination with the applicator}
A61F 13/5519	...	{packages containing more than one kind of item e.g. tampon and napkin, or diaper and an exchangeable insert}
A61F 2013/55195	...	{Packaging for dispensing and disposing}
A61F 13/56	..	Supporting or fastening means
A61F 13/5605	...	{specially adapted for sanitary napkins or the like}
A61F 13/5611	{using fastening strips, e.g. adhesive, on the undergarment-facing side}
A61F 13/5616	{using flaps, e.g. adhesive, for attachment to the undergarment (leakage prevention means encircling the crotch portion A61F 13/476)}
A61F 13/5622	...	{specially adapted for diapers or the like}
A61F 2013/5627	{comprising a zip fastener}
A61F 13/5633	{open type diaper}
A61F 13/5638	{adjustable open type diapers (adjustable otherwise than by the fasteners A61F 13/493)}
A61F 13/5644	{having more than one pair of fasteners}
A61F 13/565	{pants type diaper}
A61F 13/5655	{adjustable pants type diapers (adjustable otherwise than by the fasteners A61F 13/493)}
A61F 2013/5661	...	{in special holders for beds, chairs or seats}
A61F 2013/5666	...	{connected to itself (A61F 13/58 and A61F 13/62 take precedence)}
A61F 2013/5672	{with buttons or the like (A61F 13/78 takes precedence)}
A61F 2013/5677	{refastenable}
A61F 2013/5683	...	{Disposition or arrangement}
A61F 2013/5688	{inclined at an oblique angle to the longitudinal axis}
A61F 2013/5694	...	{Other non adhesive means than hook and loop-type fastener or belts (A61F 13/62 , A61F 13/64 and A61F 13/66 take precedence)}
A61F 13/58	...	Adhesive tab fastener elements ({ A61F 13/5611 , A61F 13/5616 }, A61F 13/66 take precedence)
A61F 13/581	{Tab fastener elements combining adhesive and mechanical fastening (fabric strip fastener elements A61F 13/62)}
A61F 2013/582	{with one strip on one place}

A61F 2013/583	{with strips on several places}
A61F 2013/585	{being spot like}
A61F 2013/586	{on lateral flaps}
A61F 2013/587	{on rear or front tabs}
A61F 2013/588	{on waist panels}
A61F 13/60	with release means associated with tab fasteners

WARNING

See warning after [A61F 13/00](#)

A61F 13/62	...	{Mechanical fastening means, (A61F 13/5611 , A61F 13/5616 , A61F 13/581 , A61F 13/66 take precedence);} Fabric strip fastener elements, e.g. hook and loop
------------	-----	---

WARNING

See warning after [A61F 13/00](#)

A61F 13/622	{Fabric strip fastener elements, e.g. hook and loop}
A61F 13/625	{characterised by the hook}
A61F 13/627	{characterised by the loop}
A61F 13/64	...	Straps, belts, ties or endless bands (A61F 13/5605 , A61F 13/5622), A61F 13/66 take precedence)
A61F 13/66	...	Garments, holders or supports not integral with absorbent pads

WARNING

For group [A61F 13/66](#) and subgroups see warning after [A61F 13/00](#)

A61F 13/665	{Means specific for supporting or fastening sanitary towels; and sanitary towels}
A61F 13/68	abdominal enclosing type
A61F 13/70	with openable or removable crotch portion
A61F 13/72	with endless waist encircling band, e.g. panty type
A61F 13/74	having means to retain absorbent pads
A61F 13/76	transverse to width of the pads or fastener elements, e.g. straps, end flaps or tucks
A61F 13/78	Button or snap fastener elements
A61F 13/80	adjustable relative to body crotch area
A61F 13/82	with means for attaching to the body
A61F 13/84	..	Accessories, not otherwise provided for, for absorbent pads
A61F 2013/8402	...	{including disposal means (A61F 13/5512 , A61F 13/5515 , A61F 13/5517 , A61F 13/5518 take precedence)}
A61F 13/8405	...	{Additives, e.g. for odour, disinfectant or pH control}
A61F 2013/8408	{with odour control}

A61F 2013/8411	{in controlling solution Ph}
A61F 2013/8414	{with anti-microbic}
A61F 2013/8417	{being anti-mycosis}
A61F 2013/842	{with active charcoal}
A61F 2013/8423	{with molecular sieves; zeolites}
A61F 2013/8426	{with metallic salts}
A61F 2013/8429	{with ion exchange resins}
A61F 2013/8432	{with glycerine polyol}
A61F 2013/8435	{with plant derivatives}
A61F 2013/8438	{being enzymes, e.g. proteolysis, cellulase}
A61F 2013/8441	{being cultures}
A61F 2013/8444	{being microbial, e.g. bulgaricus}
A61F 2013/8447	{in using different incompatible substances}
A61F 2013/845	{being powder embodied in a polymeric matrix}
A61F 2013/8452	{being contained in microcapsules}
A61F 2013/8455	{being lubricants}
A61F 2013/8458	{having bees-wax}
A61F 2013/8461	{having petroleum derivative}
A61F 2013/8464	{having plant derivative}
A61F 2013/8467	{being antistatic agents}
A61F 2013/847	{being infrared absorbing agent}
A61F 2013/8473	...	{for diagnostic purposes}
A61F 2013/8476	...	{with various devices or method}
A61F 2013/8479	{including electric or magnetic devices}
A61F 2013/8482	{including numeric control, e.g. using computer}
A61F 2013/8485	{including optical filtering devices}
A61F 2013/8488	...	{including testing apparatus}
A61F 2013/8491	{including test methods}
A61F 2013/8494	...	{including pumping devices}
A61F 2013/8497	...	{having decorations or indicia means}

A61F 15/00

Auxiliary appliances for wound dressings; Dispensing containers for dressings or bandages {(packaging of absorbent articles such as diapers, feminine hygiene absorbing pads or tampons [A61F 13/551](#); packaging of wound dressings [A61F 13/00072](#))}

A61F 15/001	.	{Packages or dispensers for bandages, cotton balls, drapes, dressings, gauze, gowns, sheets, sponges, swabsticks or towels (A61F 15/007 takes precedence)}
A61F 15/002	..	{dispensers for web or tape like bandages}
A61F 15/003	..	{dispensers for catamenial tampons}
A61F 15/004	.	{Bandage protectors}
A61F 15/005	.	{Bandage applicators}

- A61F 15/006 . {Bandage fasteners}
- A61F 15/007 . {Bandage winders}
- A61F 15/008 . {Appliances for wound protecting, e.g. avoiding contact between wound and bandage (corn plasters [A61F 13/063](#))}
- A61F 15/02 . Devices for cutting bandages of any kind, e.g. shears, cast-cutting saws

A61F 17/00 First-aid kits

A61F 2210/00 Particular material properties of prostheses classified in groups [A61F 2/00](#) to [A61F 2/26](#) or [A61F 2/82](#) or [A61F 9/00](#) or [A61F 11/00](#) or subgroups thereof

- A61F 2210/0004 . bioabsorbable
- A61F 2210/0009 . using materials or accessories for preventing galvanic or electrolytic corrosion
- A61F 2210/0014 . using shape memory or superelastic materials, e.g. nitinol
- A61F 2210/0019 operated at only one temperature whilst inside or touching the human body, e.g. constrained in a non-operative shape during surgery, another temperature only occurring before the operation
- A61F 2210/0023 operated at different temperatures whilst inside or touching the human body, heated or cooled by external energy source or cold supply
- A61F 2210/0028 cooled
- A61F 2210/0033 electrically, e.g. heated by resistor
- A61F 2210/0038 electromagnetically
- A61F 2210/0042 using a fluid, e.g. circulating
- A61F 2210/0047 heated by light
- A61F 2210/0052 ultrasonically
- A61F 2210/0057 . stretchable
- A61F 2210/0061 . swellable
- A61F 2210/0066 . shrinkable
- A61F 2210/0071 . thermoplastic
- A61F 2210/0076 . multilayered, e.g. laminated structures
- A61F 2210/008 . Phase change materials (PCM), e.g. for storing latent heat
- A61F 2210/0085 . hardenable in situ, e.g. epoxy resins
- A61F 2210/009 . magnetic
- A61F 2210/0095 . radioactive

Filters; Devices providing patency to tubular structures; Prostheses; Accessories

A61F 2220/00 Fixations or connections for prostheses classified in groups [A61F 2/00](#) to [A61F 2/26](#) or [A61F 2/82](#) or [A61F 9/00](#) or [A61F 11/00](#) or subgroups thereof

- A61F 2220/0008 . Fixation appliances for connecting prostheses to the body
- A61F 2220/0016 with sharp anchoring protrusions, e.g. barbs, pins, spikes
- A61F 2220/0025 . Connections or couplings between prosthetic parts, e.g. between modular parts; Connecting elements

- A61F 2220/0033 . . made by longitudinally pushing a protrusion into a complementary-shaped recess, e.g. held by friction fit
- A61F 2220/0041 . . using additional screws, bolts, dowels or rivets, e.g. connecting screws
- A61F 2220/005 . . using adhesives
- A61F 2220/0058 . . soldered or brazed or welded
- A61F 2220/0066 . . stapled
- A61F 2220/0075 . . sutured, ligatured or stitched, retained or tied with a rope, string, thread, wire or cable
- A61F 2220/0083 . . using hook and loop-type fasteners
- A61F 2220/0091 . . connected by a hinged linkage mechanism, e.g. of the single-bar or multi-bar linkage type

A61F 2230/00 **Geometry of prostheses classified in groups [A61F 2/00](#) to [A61F 2/26](#) or [A61F 2/82](#) or [A61F 9/00](#) or [A61F 11/00](#) or subgroups thereof**

- A61F 2230/0002 . Two-dimensional shapes, e.g. cross-sections
- A61F 2230/0004 . . Rounded shapes, e.g. with rounded corners
 - A61F 2230/0006 . . . circular
 - A61F 2230/0008 . . . elliptical or oval
 - A61F 2230/001 . . . Figure-8-shaped, e.g. hourglass-shaped
 - A61F 2230/0013 . . . Horseshoe-shaped, e.g. crescent-shaped, C-shaped, U-shaped
 - A61F 2230/0015 . . . Kidney-shaped, e.g. bean-shaped
- A61F 2230/0017 . . Angular shapes
 - A61F 2230/0019 . . . rectangular
 - A61F 2230/0021 . . . square
 - A61F 2230/0023 . . . triangular
 - A61F 2230/0026 . . . trapezoidal
- A61F 2230/0028 . . Shapes in the form of latin or greek characters
 - A61F 2230/003 . . . Alpha-shaped
 - A61F 2230/0032 . . . B-shaped
 - A61F 2230/0034 . . . D-shaped
 - A61F 2230/0036 . . . E-shaped, e.g. epsilon-shaped
 - A61F 2230/0039 . . . H-shaped
 - A61F 2230/0041 . . . J-shaped
 - A61F 2230/0043 . . . L-shaped
 - A61F 2230/0045 . . . Omega-shaped
 - A61F 2230/0047 . . . Pi-shaped
 - A61F 2230/005 . . . Rosette-shaped, e.g. star-shaped
 - A61F 2230/0052 . . . T-shaped
 - A61F 2230/0054 . . . V-shaped
 - A61F 2230/0056 . . . W-shaped, e.g. M-shaped, sigma-shaped
 - A61F 2230/0058 . . . X-shaped

- A61F 2230/006 . . . Y-shaped
- A61F 2230/0063 . Three-dimensional shapes
- A61F 2230/0065 .. toroidal, e.g. ring-shaped, doughnut-shaped
- A61F 2230/0067 .. conical
- A61F 2230/0069 .. cylindrical
- A61F 2230/0071 .. spherical
- A61F 2230/0073 .. Quadric-shaped
 - A61F 2230/0076 . . . ellipsoidal or ovoid
 - A61F 2230/0078 . . . hyperboloidal
 - A61F 2230/008 . . . paraboloidal
- A61F 2230/0082 .. parallelepipedal
 - A61F 2230/0084 . . . cubical
- A61F 2230/0086 .. Pyramidal, tetrahedral, or wedge-shaped
 - A61F 2230/0089 . . . tetrahedral, i.e. having a triangular basis
- A61F 2230/0091 .. helically-coiled or spirally-coiled, i.e. having a 2-D spiral cross-section
- A61F 2230/0093 .. Umbrella-shaped, e.g. mushroom-shaped
- A61F 2230/0095 .. Saddle-shaped
- A61F 2230/0097 .. Harpoon-shaped

A61F 2240/00 **Manufacturing or designing of prostheses classified in groups [A61F 2/00](#) to [A61F 2/26](#) or [A61F 2/82](#) or [A61F 9/00](#) or [A61F 11/00](#) or subgroups thereof**

- A61F 2240/001 . Designing or manufacturing processes
- A61F 2240/002 .. Designing or making customized prostheses
 - A61F 2240/004 . . . Using a positive or negative model, e.g. moulds
- A61F 2240/005 .. Templates
- A61F 2240/007 .. Dummy prostheses
- A61F 2240/008 .. Means for testing implantable prostheses

A61F 2250/00 **Special features of prostheses classified in groups [A61F 2/00](#) to [A61F 2/26](#) or [A61F 2/82](#) or [A61F 9/00](#) or [A61F 11/00](#) or subgroups thereof**

- A61F 2250/0001 . Means for transferring electromagnetic energy to implants
- A61F 2250/0002 .. for data transfer
- A61F 2250/0003 . having an inflatable pocket filled with fluid, e.g. liquid or gas
- A61F 2250/0004 . adjustable
 - A61F 2250/0006 .. for adjusting angular orientation
 - A61F 2250/0007 .. for adjusting length
 - A61F 2250/0008 .. for adjusting a position by translation along an axis or two perpendicular axes
 - A61F 2250/0009 .. for adjusting thickness
 - A61F 2250/001 .. for adjusting a diameter
 - A61F 2250/0012 .. for adjusting elasticity, flexibility, spring rate or mechanical tension
 - A61F 2250/0013 .. for adjusting fluid pressure

- A61F 2250/0014 . . having different values of a given property or geometrical feature, e.g. mechanical property or material property, at different locations within the same prosthesis
- A61F 2250/0015 . . . differing in density or specific weight
- A61F 2250/0017 differing in yarn density
- A61F 2250/0018 . . . differing in elasticity, stiffness or compressibility
- A61F 2250/0019 . . . differing in hardness, e.g. Vickers, Shore, Brinell
- A61F 2250/002 . . . differing in moment of inertia
- A61F 2250/0021 . . . differing in coefficient of friction
- A61F 2250/0023 . . . differing in porosity
- A61F 2250/0024 made from both porous and non-porous parts, e.g. adjacent parts
- A61F 2250/0025 . . . differing in roughness
- A61F 2250/0026 . . . differing in surface structures
- A61F 2250/0028 . . . differing in fibre orientations
- A61F 2250/0029 . . . differing in bending or flexure capacity
- A61F 2250/003 . . . differing in adsorbability or resorbability, i.e. in adsorption or resorption time
- A61F 2250/0031 made from both resorbable and non-resorbable prosthetic parts, e.g. adjacent parts
- A61F 2250/0032 . . . differing in radiographic density
- A61F 2250/0034 . . . differing in viscosity
- A61F 2250/0035 . . . differing in release or diffusion time
- A61F 2250/0036 . . . differing in thickness
- A61F 2250/0037 . . . differing in height or in length
- A61F 2250/0039 . . . differing in diameter
- A61F 2250/004 . . . differing in coefficient of thermal expansion, e.g. dilation, dilatation
- A61F 2250/0041 . . . differing in wear resistance
- A61F 2250/0042 . . . differing in shape-memory transition temperatures, e.g. in martensitic transition temperature, in austenitic transition temperature
- A61F 2250/0043 . . . differing in electric properties, e.g. in electrical conductivity, in galvanic properties
- A61F 2250/0045 differing in electromagnetical properties
- A61F 2250/0046 . . . differing in melting temperature
- A61F 2250/0047 . . . differing in thermal conductivity
- A61F 2250/0048 . . . differing in mechanical expandability, e.g. in mechanical, self- or balloon expandability
- A61F 2250/005 . . . differing in colour
- A61F 2250/0051 . . . differing in tissue ingrowth capacity, e.g. made from both ingrowth-promoting and ingrowth-preventing parts
- A61F 2250/0052 differing in bone ingrowth capacity
- A61F 2250/0053 . . . differing in optical properties
- A61F 2250/0054 . . . differing in corrosion resistance
- A61F 2250/0056 . . . differing in wettability, e.g. in hydrophilic or hydrophobic behaviours
- A61F 2250/0057 . . . made from both cured and uncured parts

- A61F 2250/0058 . Additional features; Implant or prostheses properties not otherwise provided for
- A61F 2250/0059 .. temporary
- A61F 2250/006 .. modular
- A61F 2250/0062 ... Kits of prosthetic parts to be assembled in various combinations for forming different prostheses
- A61F 2250/0063 ... Nested prosthetic parts
- A61F 2250/0064 ... Sets comprising a plurality of prosthetic parts of different sizes
- A61F 2250/0065 .. telescopic
- A61F 2250/0067 .. Means for introducing or releasing pharmaceutical products into the body
- A61F 2250/0068 ... the pharmaceutical product being in a reservoir
- A61F 2250/0069 .. Sealing means
- A61F 2250/007 ... O-rings
- A61F 2250/0071 .. breakable or frangible
- A61F 2250/0073 .. Force-limiting means
- A61F 2250/0074 ... Torque-limiting means
- A61F 2250/0075 .. Sound-damping or noise-reducing means
- A61F 2250/0076 .. waterproof
- A61F 2250/0078 .. Gender-specific, e.g. different for male and female patients
- A61F 2250/0079 .. Means for preventing the accidental forgetting of prosthetic parts inside the body during operation
- A61F 2250/008 .. Alarm means
- A61F 2250/0081 .. Prosthesis for animals
- A61F 2250/0082 .. specially designed for children, e.g. having means for adjusting to their growth
- A61F 2250/0084 .. Means for distinguishing between left-sided and right-sided devices; Sets comprising both left-sided and right-sided prosthetic parts
- A61F 2250/0085 .. Identification means; Administration of patients
- A61F 2250/0086 ... with bar code
- A61F 2250/0087 ... colour-coded
- A61F 2250/0089 ... coded with symbols, e.g. dots, numbers, letters, words
- A61F 2250/009 .. for single use, e.g. having means for preventing re-use
- A61F 2250/0091 .. transparent or translucent
- A61F 2250/0092 .. Means for cleaning prostheses
- A61F 2250/0093 .. Ultrasound system, e.g. for inducing coagulation during eye surgery
- A61F 2250/0095 ... with high intensity focused ultrasound
- A61F 2250/0096 .. Markers and sensors for detecting a position or changes of a position of an implant, e.g. RF sensors, ultrasound markers
- A61F 2250/0097 ... Visible markings, e.g. indicia
- A61F 2250/0098 ... radio-opaque, e.g. radio-opaque markers
- A61F 2310/00** **Prostheses classified in [A61F 2/28](#) or [A61F30/00](#) to [A61F 2/44](#) being constructed from or coated with a particular material**
- A61F 2310/00005 . The prosthesis being constructed from a particular material

A61F 2310/00011	..	Metals or alloys
A61F 2310/00017	...	Iron- or Fe-based alloys, e.g. stainless steel
A61F 2310/00023	...	Titanium or titanium-based alloys, e.g. Ti-Ni alloys
A61F 2310/00029	...	Cobalt-based alloys, e.g. Co-Cr alloys or Vitallium
A61F 2310/00035	...	Other metals or alloys
A61F 2310/00041	Magnesium or Mg-based alloys
A61F 2310/00047	Aluminium or Al-based alloys
A61F 2310/00053	Vanadium or V-based alloys
A61F 2310/00059	Chromium or Cr-based alloys
A61F 2310/00065	Manganese or Mn-based alloys
A61F 2310/00071	Nickel or Ni-based alloys
A61F 2310/00077	Copper or Cu-based alloys
A61F 2310/00083	Zinc or Zn-based alloys
A61F 2310/00089	Zirconium or Zr-based alloys
A61F 2310/00095	Niobium or Nb-based alloys
A61F 2310/00101	Molybdenum or Mo-based alloys
A61F 2310/00107	Palladium or Pd-based alloys
A61F 2310/00113	Silver or Ag-based alloys
A61F 2310/00119	Tin or Sn-based alloys
A61F 2310/00125	Hafnium or Hf-based alloys
A61F 2310/00131	Tantalum or Ta-based alloys
A61F 2310/00137	Tungsten or W-based alloys
A61F 2310/00143	Iridium or Ir-based alloys
A61F 2310/00149	Platinum or Pt-based alloys
A61F 2310/00155	Gold or Au-based alloys
A61F 2310/00161	..	Carbon; Graphite
A61F 2310/00167	...	Diamond or diamond-like carbon
A61F 2310/00173	...	Graphite
A61F 2310/00179	..	Ceramics or ceramic-like structures
A61F 2310/00185	...	based on metal oxides
A61F 2310/00191	containing beryllium oxide
A61F 2310/00197	containing magnesia or magnesium oxide
A61F 2310/00203	containing alumina or aluminium oxide
A61F 2310/00209	Corundum or Sapphire
A61F 2310/00215	containing silica or silicon oxide
A61F 2310/00221	containing calcia or calcium oxide
A61F 2310/00227	containing titania or titanium oxide
A61F 2310/00233	containing chromia or chromium oxides CrO, CrO ₂ or CrO ₃
A61F 2310/00239	containing zirconia or zirconium oxide ZrO ₂
A61F 2310/00245	containing niobium oxide

A61F 2310/00251	containing hafnia or hafnium oxide
A61F 2310/00257	containing tantalum oxide
A61F 2310/00263	...	based on metal borides
A61F 2310/00269	...	based on metal carbides
A61F 2310/00275	containing boron carbide
A61F 2310/00281	containing silicon carbide
A61F 2310/00287	containing titanium carbide
A61F 2310/00293	...	containing a phosphorus-containing compound, e.g. apatite
A61F 2310/00299	...	based on metal nitrides
A61F 2310/00305	containing boron nitride
A61F 2310/00311	containing aluminium nitride
A61F 2310/00317	containing silicon nitride
A61F 2310/00323	containing titanium nitride
A61F 2310/00329	..	Glasses, e.g. bioglass
A61F 2310/00335	...	Porcelain
A61F 2310/00341	..	Coral, e.g. aragonite, porite
A61F 2310/00347	..	Nacre or mother-of-pearl
A61F 2310/00353	..	Bone cement, e.g. polymethylmethacrylate or PMMA
A61F 2310/00359	..	Bone or bony tissue
A61F 2310/00365	..	Proteins; Polypeptides; Degradation products thereof
A61F 2310/00371	...	Collagen
A61F 2310/00377	...	Fibrin
A61F 2310/00383	...	Gelatin
A61F 2310/00389	.	The prosthesis being coated or covered with a particular material
A61F 2310/00395	..	Coating or prosthesis-covering structure made of metals or of alloys
A61F 2310/00401	...	Coating made of iron, of stainless steel or of other Fe-based alloys
A61F 2310/00407	...	Coating made of titanium or of Ti-based alloys
A61F 2310/00413	...	Coating made of cobalt or of Co-based alloys
A61F 2310/00419	...	Other metals
A61F 2310/00425	Coating made of magnesium or of Mg-based alloys
A61F 2310/00431	Coating made of aluminium or of Al-based alloys
A61F 2310/00437	Coating made of silicon or Si-based alloys
A61F 2310/00443	Coating made of vanadium or of V-based alloys
A61F 2310/00449	Coating made of chromium or Cr-based alloys
A61F 2310/00455	Coating made of manganese Mn-based alloys
A61F 2310/00461	Coating made of nickel or Ni-based alloys
A61F 2310/00467	Coating made of copper or Cu-based alloys
A61F 2310/00473	Coating made of zinc or Zn-based alloys
A61F 2310/00479	Coating made of germanium or Ge-based alloys
A61F 2310/00485	Coating made of zirconium or Zr-based alloys

A61F 2310/00491	Coating made of niobium or Nb-based alloys
A61F 2310/00497	Coating made of molybdenum or Mo-based alloys
A61F 2310/00502	Coating made of ruthenium or Ru-based alloys
A61F 2310/00508	Coating made of rhodium or Rh-based alloys
A61F 2310/00514	Coating made of palladium or Pd-based alloys
A61F 2310/0052	Coating made of silver or Ag-based alloys
A61F 2310/00526	Coating made of indium or In-based alloys
A61F 2310/00532	Coating made of tin or Sn-based alloys
A61F 2310/00538	Coating made of hafnium or Hf-based alloys
A61F 2310/00544	Coating made of tantalum or Ta-based alloys
A61F 2310/0055	Coating made of tungsten or W-based alloys
A61F 2310/00556	Coating made of iridium or Ir-based alloys
A61F 2310/00562	Coating made of platinum or Pt-based alloys
A61F 2310/00568	Coating made of gold or Au-based alloys
A61F 2310/00574	..	Coating or prosthesis-covering structure made of carbon, e.g. of pyrocarbon
A61F 2310/0058	...	Coating made of diamond or of diamond-like carbon DLC
A61F 2310/00586	...	Coating made of graphite
A61F 2310/00592	..	Coating or prosthesis-covering structure made of ceramics or of ceramic-like compounds
A61F 2310/00598	...	Coating or prosthesis-covering structure made of compounds based on metal oxides or hydroxides
A61F 2310/00604	Coating made of aluminium oxide or hydroxides
A61F 2310/0061	Coating made of silicon oxide or hydroxides
A61F 2310/00616	Coating made of titanium oxide or hydroxides
A61F 2310/00622	Coating made of chromium oxide or hydroxides
A61F 2310/00628	Coating made of cobalt oxide or hydroxides
A61F 2310/00634	Coating made of zirconium oxide or hydroxides
A61F 2310/0064	Coating made of niobium oxide or hydroxides
A61F 2310/00646	Coating made of molybdenum oxide or hydroxides
A61F 2310/00652	Coating made of hafnium oxide or hydroxides
A61F 2310/00658	Coating made of tantalum oxide or hydroxides
A61F 2310/00664	Coating made of tungsten oxide or hydroxides
A61F 2310/0067	...	Coating or prosthesis-covering structure made of compounds based on metal borides
A61F 2310/00676	Coating made of aluminium boride
A61F 2310/00682	Coating made of titanium boride
A61F 2310/00688	Coating made of vanadium boride
A61F 2310/00694	Coating made of chromium boride
A61F 2310/007	Coating made of cobalt boride
A61F 2310/00706	Coating made of zirconium boride
A61F 2310/00712	Coating made of molybdenum boride

A61F 2310/00718	Coating made of lanthanum boride
A61F 2310/00724	Coating made of tungsten boride
A61F 2310/0073	...	Coating or prosthesis-covering structure made of compounds based on metal carbides
A61F 2310/00736	Coating made of boron carbide
A61F 2310/00742	Coating made of silicon carbide
A61F 2310/00748	Coating made of titanium carbide
A61F 2310/00754	Coating made of chromium carbide
A61F 2310/0076	Coating made of nickel carbide
A61F 2310/00766	Coating made of zirconium carbide
A61F 2310/00772	Coating made of niobium carbide
A61F 2310/00778	Coating made of hafnium carbide
A61F 2310/00784	Coating made of tantalum carbide
A61F 2310/0079	Coating made of tungsten carbide
A61F 2310/00796	...	Coating or prosthesis-covering structure made of a phosphorus-containing compound, e.g. hydroxy(l)apatite
A61F 2310/00802	...	Coating or prosthesis-covering structure made of compounds based on metal hydrides
A61F 2310/00808	Coating made of titanium hydride
A61F 2310/00814	Coating made of vanadium hydride
A61F 2310/0082	Coating made of chromium hydride
A61F 2310/00826	Coating made of zirconium hydride
A61F 2310/00832	Coating made of niobium hydride
A61F 2310/00838	Coating made of hafnium hydride
A61F 2310/00844	Coating made of tantalum hydride
A61F 2310/0085	...	Coating or prosthesis-covering structure made of compounds based on metal chlorides
A61F 2310/00856	...	Coating or prosthesis-covering structure made of compounds based on metal nitrides
A61F 2310/00862	Coating made of boron nitride
A61F 2310/00868	Coating made of aluminium nitride
A61F 2310/00874	Coating made of silicon nitride
A61F 2310/0088	Coating made of titanium nitride
A61F 2310/00886	Coating made of chromium nitride
A61F 2310/00892	Coating made of zirconium nitride
A61F 2310/00898	Coating made of niobium nitride
A61F 2310/00904	Coating made of hafnium nitride
A61F 2310/0091	Coating made of tantalum nitride
A61F 2310/00916	...	Coating or prosthesis-covering structure made of compounds based on metal sulfides
A61F 2310/00922	Coating made of molybdenum sulfide

A61F 2310/00928	..	Coating or prosthesis-covering structure made of glass or of glass-containing compounds, e.g. of bioglass
A61F 2310/00934	...	Coating made of enamel
A61F 2310/0094	...	Coating made of porcelain
A61F 2310/00946	..	Coating or prosthesis-covering structure made of nacre or mother-of-pearl
A61F 2310/00952	..	Coating, pre-coating or prosthesis-covering structure made of bone cement, e.g. pre-applied PMMA cement mantle
A61F 2310/00958	..	Coating or prosthesis-covering structure made of bone or of bony tissue
A61F 2310/00964	..	Coating or prosthesis-covering structure made of cartilage
A61F 2310/0097	..	Coating or prosthesis-covering structure made of pharmaceutical products, e.g. antibiotics
A61F 2310/00976	..	Coating or prosthesis-covering structure made of proteins or of polypeptides, e.g. of bone morphogenic proteins BMP or of transforming growth factors TGF
A61F 2310/00982	...	Coating made of collagen
A61F 2310/00988	...	Coating made of fibrin
A61F 2310/00994	...	Coating made of gelatin