

CPC**COOPERATIVE PATENT CLASSIFICATION****F23M**

CASINGS, LININGS, WALLS OR DOORS SPECIALLY ADAPTED FOR COMBUSTION CHAMBERS, e.g. FIREBRIDGES; DEVICES FOR DEFLECTING AIR, FLAMES OR COMBUSTION PRODUCTS IN COMBUSTION CHAMBERS; SAFETY ARRANGEMENTS SPECIALLY ADAPTED FOR COMBUSTION APPARATUS; DETAILS OF COMBUSTION CHAMBERS, NOT OTHERWISE PROVIDED FOR

F23M 3/00**Firebridges**

F23M 3/02

- . modified for circulation of fluids, e.g. air, steam, water

F23M 3/04

- . . for delivery of gas, e.g. air, steam

F23M 3/06

- . . . into or towards fire

F23M 3/08

- . . . away from fire, e.g. towards smoke outlet

F23M 3/10

- . . . transversely

F23M 3/12

- . characterised by shape or construction ([F23M 3/02](#) takes precedence)

F23M 3/14

- . . with apertures for passage of combustion products

F23M 3/16

- . . built-up in sections, e.g. using bars or blocks

F23M 3/18

- . . double; multiple

F23M 3/20

- . . comprising loose refractory material, wholly or in part

F23M 3/22

- . movable; adjustable

F23M 5/00**Casings; Linings; Walls** ([construction or support of tube walls for steam boilers F22B](#))

F23M 5/02

- . characterised by the shape of the bricks or blocks used ([ceramic materials C04B 33/00](#), [C04B 35/00](#))

F23M 5/025

- . . {[specially adapted for burner openings](#)}

F23M 5/04

- . Supports for linings

F23M 5/06

- . Crowns or roofs for combustion chambers ([F23M 5/02](#), [F23M 5/04](#) take precedence)

F23M 5/08

- . Cooling thereof; Tube walls

F23M 5/085

- . . {[using air or other gas as the cooling medium](#)}

F23M 7/00**Doors**

F23M 7/02

- . Frames therefor

F23M 7/04

- . Cooling doors or door frames

F23M 9/00**Baffles or deflectors for air or combustion products** ([structurally associated with burners F23D](#)); **Flame shields**

F23M 9/003

- . {[in flue gas ducts](#)}

F23M 9/006

- . . {[Backflow diverters](#)}

F23M 9/02

- . in air inlets

F23M 9/04

- . with air supply passages in the baffle or shield

F23M 9/06	<ul style="list-style-type: none"> in fire-boxes
F23M 9/08	<ul style="list-style-type: none"> Helical or twisted baffles or deflectors
F23M 9/10	<ul style="list-style-type: none"> Baffles or deflectors formed as tubes, e.g. in water-tube boilers (interconnection of such tubes in boilers for fluid flow F22)
F23M 11/00	Safety arrangements (structurally associated with burners F23D ; for liquid fuel feeding F23K 5/16 ; involving control of combustion F23N 5/24 ; structurally associated with igniters F23Q)
F23M 11/02	<ul style="list-style-type: none"> Preventing emission of flames or hot gases, or admission of air, through working or charging apertures
F23M 11/04	<ul style="list-style-type: none"> Means for supervising combustion, e.g. window (alarm systems G08B)
F23M 11/042	<ul style="list-style-type: none"> <ul style="list-style-type: none"> {Viewing ports of windows}
F23M 11/045	<ul style="list-style-type: none"> <ul style="list-style-type: none"> {by observing the flame}
F23M 11/047	<ul style="list-style-type: none"> <ul style="list-style-type: none"> {by observing the flue gas (controlling combustion using gas detectors F23N 5/003)}
F23M 20/00	Details of combustion chambers, not otherwise provided for {, e.g. means for storing heat from flames}
F23M 20/005	<ul style="list-style-type: none"> {Noise absorbing means}
F23M 2700/00	Constructional details of combustion chambers
F23M 2700/005	<ul style="list-style-type: none"> Structures of combustion chambers or smoke ducts
F23M 2700/0053	<ul style="list-style-type: none"> <ul style="list-style-type: none"> Bricks for combustion chamber walls
F23M 2700/0056	<ul style="list-style-type: none"> <ul style="list-style-type: none"> Bricks for water tube combustion chamber walls
F23M 2700/007	<ul style="list-style-type: none"> Automatic fire extinguishing devices
F23M 2700/008	<ul style="list-style-type: none"> Preventing outwards emission of flames or hot gases
F23M 2900/00	Special features of, or arrangements for combustion chambers
F23M 2900/05001	<ul style="list-style-type: none"> Preventing corrosion by using special lining materials or other techniques
F23M 2900/05002	<ul style="list-style-type: none"> Means for accommodate thermal expansion of the wall liner
F23M 2900/05003	<ul style="list-style-type: none"> Details of manufacturing specially adapted for combustion chambers
F23M 2900/05004	<ul style="list-style-type: none"> Special materials for walls or lining
F23M 2900/05005	<ul style="list-style-type: none"> Sealing means between wall tiles or panels
F23M 2900/05021	<ul style="list-style-type: none"> Wall blocks adapted for burner openings
F23M 2900/09061	<ul style="list-style-type: none"> Moving baffles, e.g. rotating baffles, for creating vortices
F23M 2900/09062	<ul style="list-style-type: none"> Tube-shaped baffles confining the flame (flame tubes forming part of the burner head F23D 2900/11403)
F23M 2900/11021	<ul style="list-style-type: none"> Means for avoiding accidental fires in rooms where the combustion device is located
F23M 2900/11041	<ul style="list-style-type: none"> Means for observing or monitoring flames using photoelectric devices, e.g. phototransistors
F23M 2900/13001	<ul style="list-style-type: none"> Energy recovery by fuel cells arranged in the combustion plant
F23M 2900/13002	<ul style="list-style-type: none"> Energy recovery by heat storage elements arranged in the combustion chamber
F23M 2900/13003	<ul style="list-style-type: none"> Energy recovery by thermoelectric elements, e.g. by Peltier/Seebeck effect, arranged in the combustion plant

- F23M 2900/13004 . Energy recovery by thermo-photo-voltaic [TPV] elements arranged in the combustion plant