

CPC COOPERATIVE PATENT CLASSIFICATION

C10G CRACKING HYDROCARBON OILS; PRODUCTION OF LIQUID HYDROCARBON MIXTURES, e.g. BY DESTRUCTIVE HYDROGENATION, OLIGOMERISATION, POLYMERISATION (cracking to hydrogen or synthesis gas [C01B](#); cracking or pyrolysis of hydrocarbon gases to individual hydrocarbons or mixtures thereof of definite or specific constitution [C07C](#); cracking to cokes [C10B](#)); **RECOVERY OF HYDROCARBON OILS FROM OIL-SHALE, OIL-SAND, OR GASES; REFINING MIXTURES MAINLY CONSISTING OF HYDROCARBONS; REFORMING OF NAPHTHA; MINERAL WAXES** (inhibiting corrosion or incrustation in general [C23F](#))

NOTES

1. In this subclass,
 - groups [C10G 9/00](#) - [C10G 49/00](#) are limited to one-step processes;
 - combined or multi-step processes are covered by groups [C10G 51/00](#) - [C10G 69/00](#);
 - refining or recovery of mineral waxes is covered by group [C10G 73/00](#)
2. In this subclass, the following terms or expressions are used with the meanings indicated:
 - "in the presence of hydrogen" or "in the absence of hydrogen" mean treatments in which hydrogen, in free form or as hydrogen generating compounds, is added, or not added, respectively;
 - "hydrotreatment" is used for conversion processes as defined in group [C10G 45/00](#) or group [C10G 47/00](#);
 - "hydrocarbon oils" covers mixtures of hydrocarbons such as tar oils or mineral oils.
3. In this subclass, in the absence of an indication to the contrary, classification is made in the last appropriate place.

WARNING

The following IPC groups are not used in the CPC system. Subject matter covered by these groups is classified in the following CPC groups:

[C10G 73/23](#)

covered by

[C10G 73/06](#)

1/00	Production of liquid hydrocarbon mixtures from oil-shale, oil-sand, or non-melting solid carbonaceous or similar materials, e.g. wood, coal (mechanical winning of oil from oil-shales, oil-sand, or the like B03B)	2/331 {containing group VIII-metals}
		2/332 {of the iron-group}
		2/333 {of the platinum-group}
		2/334 {containing molecular sieve catalysts}
		2/34	. . . {Apparatus, reactors}
1/002	. {in combination with oil conversion- or refining processes}	2/341 {with stationary catalyst bed}
1/004	. {Inhibiting of corrosion}	2/342 {with moving solid catalysts}
1/006	. {Combinations of processes provided in groups C10G 1/02 - C10G 1/08 }	2/343 {according to the "moving-bed" method}
		2/344 {according to the "fluidised-bed" technique}
1/008	. {Controlling or regulating of liquefaction processes (controlling or regulation in general G05)}	2/35	. . {with the use of another activation, e.g. radiation, vibration, electrical or electromagnetic means}
1/02	. by distillation (destructive distillation of oil-shale C10B 53/06)	2/40	. {from carbon monoxide with water vapor}
		2/50	. {from carbon dioxide with hydrogen}
1/04	. by extraction		
1/042	. . {by the use of hydrogen-donor solvents}	3/00	Production of liquid hydrocarbon mixtures from oxygen-containing or organic materials, e.g. fatty oils, fatty acids (production from non-melting solid oxygen-containing carbonaceous materials C10G 1/00 ; preparation of individual hydrocarbons or mixtures thereof of definite or specified contribution C07C)
1/045	. . {Separation of insoluble materials}		
1/047	. . {Hot water or cold water extraction processes}		
1/06	. by destructive hydrogenation		
1/065	. . {in the presence of a solvent}		
1/08	. with moving catalysts		
1/083	. . {in the presence of a solvent}		
1/086	. . {Characterised by the catalyst used}		
1/10	. from rubber or rubber waste		
2/00	Production of liquid hydrocarbon mixtures of undefined composition from oxides of carbon		
2/30	. {from carbon monoxide with hydrogen}		
2/31	. . {thermal, non catalytic conversion}		
2/32	. . {with the use of catalysts}		
2/33	. . . {characterised by the catalyst used}		

WARNING

Groups [C10G 3/40](#)-[C10G 3/62](#) are incomplete pending reclassification of documents from group [C10G 3/00](#).

Groups [C10G 3/40](#)-[C10G 3/62](#) and [C10G 3/00](#) should be considered in order to perform a complete search.

3/40	. {Thermal non-catalytic treatment}	9/18	. . Apparatus
3/42	. {Catalytic treatment}	9/20	. . . Tube furnaces
3/44	. . {characterised by the catalyst used}	9/203 {chemical composition of the tubes}
3/45	. . . {containing iron group metals or compounds thereof}	9/206 {controlling or regulating the tube furnaces}
3/46 {in combination with chromium, molybdenum, tungsten metals or compounds thereof}	9/24	. by heating with electrical means
3/47	. . . {containing platinum group metals or compounds thereof}	9/26	. with discontinuously preheated non-moving solid material, e.g. blast and run
3/48	. . . {further characterised by the catalyst support}	9/28	. with preheated moving solid material
3/49 {containing crystalline aluminosilicates, e.g. molecular sieves}	9/30	. . according to the "moving bed" method
3/50	. {in the presence of hydrogen, hydrogen donors or hydrogen generating compounds}	9/32	. . according to the "fluidised-bed" technique
3/52	. . {Hydrogen in a special composition or from a special source}	9/34	. by direct contact with inert preheated fluids, e.g. with molten metals or salts
3/54	. {characterised by the catalytic bed}	9/36	. . with heated gases or vapours
3/55	. . {with moving solid particles, e.g. moving beds}	9/38	. . . produced by partial combustion of the material to be cracked or by combustion of another hydrocarbon
3/56	. . . {suspended in the oil, e.g. slurries, ebullated beds}	9/40	. by indirect contact with preheated fluid other than hot combustion gases
3/57	. . . {according to the fluidised bed technique}	9/42	. by passing the material to be cracked in thin streams or as spray on or near continuously heated surfaces
3/60	. {Controlling or regulating the process (controlling or regulating in general G05)}	11/00	Catalytic cracking, in the absence of hydrogen, of hydrocarbon oils (cracking in direct contact with molten metals or salts C10G 9/34)
3/62	. {Catalyst regeneration (regeneration or reactivation of catalysts in general B01J 38/00)}	11/02	. characterised by the catalyst used
5/00	Recovery of liquid hydrocarbon mixtures from gases, e.g. natural gas	11/04	. . Oxides
5/02	. with solid adsorbents	11/05	. . . Crystalline alumino-silicates, e.g. molecular sieves
5/04	. with liquid absorbents	11/06	. . Sulfides
5/06	. by cooling or compressing	11/08	. . Halides
7/00	Distillation of hydrocarbon oils (distillation in general B01D)	11/10	. with stationary catalyst bed
7/003	. {distillation of lubricating oils}	11/12	. with discontinuously preheated non-moving solid catalysts, e.g. blast and run
7/006	. {of waste oils other than lubricating oils, e.g. PCB's containing oils}	11/14	. with preheated moving solid catalysts
7/02	. Stabilising gasoline by removing gases by fractioning	11/16	. . according to the "moving bed" method
7/04	. Dewatering	11/18	. . according to the "fluidised-bed" technique
7/06	. Vacuum distillation	11/182	. . . {Regeneration}
7/08	. Azeotropic or extractive distillation (refining of hydrocarbon oils, in the absence of hydrogen, by extraction with selective solvents C10G 21/00)	11/185	. . . {Energy recovery from regenerator effluent gases (using steam turbines, see F01K 23/064; using gas turbines, see F01K 25/14; the combined use of gas and steam turbines, see F01K 3/185)}
7/10	. Inhibiting corrosion during distillation	11/187	. . . {Controlling or regulating (controlling or regulating in general G05)}
7/12	. Controlling or regulating (controlling or regulating in general G05)	11/20	. by direct contact with inert heated gases or vapours
		11/22	. . produced by partial combustion of the material to be cracked
Cracking in the absence of hydrogen		15/00	Cracking of hydrocarbon oils by electric means, electromagnetic or mechanical vibrations, by particle radiation or with gases superheated in electric arcs
9/00	Thermal non-catalytic cracking, in the absence of hydrogen, of hydrocarbon oils	15/08	. by electric means or by electromagnetic or mechanical vibrations
9/002	. {Cooling of cracked gases}	15/10	. by particle radiation
9/005	. {Coking (in order to produce liquid products mainly)}	15/12	. with gases superheated in an electric arc, e.g. plasma
9/007	. {Visbreaking}		
9/02	. in retorts		
9/04	. . Retorts		
9/06	. by pressure distillation		
9/08	. . Apparatus therefor		
9/12	. . . Removing incrustation		
9/14	. in pipes or coils with or without auxiliary means, e.g. digesters, soaking drums, expansion means		
9/16	. . Preventing or removing incrustation		
		Refining in the absence of hydrogen	
		17/00	Refining of hydrocarbon oils in the absence of hydrogen, with acids, acid-forming compounds or acid-containing liquids, e.g. acid sludge
		17/02	. with acids or acid-containing liquids, e.g. acid sludge

17/04	. . Liquid-liquid treatment forming two immiscible phases	25/03	. . with crystalline alumino-silicates, e.g. molecular sieves
17/06	. . . using acids derived from sulfur or acid sludge thereof	25/05	. . . Removal of non-hydrocarbon compounds, e.g. sulfur compounds
17/07	. . . using halogen acids or oxyacids of halogen (acids generating halogen C10G 27/02)	25/06	. with moving sorbents or sorbents dispersed in the oil
17/08	. with acid-forming oxides (refining with CO ₂ or SO ₂ as a selective solvent C10G 21/06)	25/08	. . according to the "moving bed" method
17/085	. . with oleum	25/09	. . according to the "fluidised bed" technique
17/09	. with acid salts	25/11	. . Distillation in the presence of moving sorbents
17/095	. with "solid acids", e.g. phosphoric acid deposited on a carrier	25/12	. Recovery of used adsorbent
17/10	. recovery of used refining agents	27/00	Refining of hydrocarbon oils in the absence of hydrogen, by oxidation
19/00	Refining hydrocarbon oils in the absence of hydrogen, by alkaline treatment	27/02	. with halogen or compounds generating halogen; hypochlorous acid or salts thereof
19/02	. with aqueous alkaline solutions	27/04	. with oxygen or compounds generating oxygen
19/04	. . containing solubilisers, e.g. solutisers	27/06	. . in the presence of alkaline solutions
19/06	. . with plumbites or plumbates	27/08	. . in the presence of copper chloride
19/067	. with molten alkaline material	27/10	. . in the presence of metal-containing organic complexes, e.g. chelates, or cationic ion-exchange resins
19/073	. with solid alkaline material	27/12	. . with oxygen-generating compounds, e.g. per-compounds, chromic acid, chromates (plumbites or plumbates C10G 19/06)
19/08	. Recovery of used refining agents	27/14	. . with ozone-containing gases
21/00	Refining of hydrocarbon oils in the absence of hydrogen, by extraction with selective solvents (C10G 17/00, C10G 19/00 take precedence; dewaxing oils C10G 73/02)	29/00	Refining of hydrocarbon oils in the absence of hydrogen, with other chemicals
21/003	. {Solvent de-asphalting}	29/02	. Non-metals
21/006	. {of waste oils, e.g. PCB's containing oils}	29/04	. Metals, or metals deposited on a carrier
21/02	. with two or more solvents, which are introduced or withdrawn separately	29/06	. Metal salts, or metal salts deposited on a carrier
21/04	. . by introducing simultaneously at least two immiscible solvents counter-current to each other	29/08	. . containing the metal in the lower valency
21/06	. characterised by the solvent used	29/10	. . Sulfides
21/08	. . Inorganic compounds only	29/12	. . Halides
21/10	. . . Sulfur dioxide	29/16	. Metal oxides
21/12	. . Organic compounds only	29/20	. Organic compounds not containing metal atoms
21/14	. . . Hydrocarbons	29/205	. . {by reaction with hydrocarbons added to the hydrocarbon oil}
21/16	. . . Oxygen-containing compounds	29/22	. . containing oxygen as the only hetero atom
21/18	. . . Halogen-containing compounds	29/24	. . . aldehydes or ketones
21/20	. . . Nitrogen-containing compounds	29/26	. . halogenated hydrocarbons
21/22	. . . Compounds containing sulfur, selenium, or tellurium	29/28	. . containing sulfur as the only hetero atom, e.g. mercaptans, or sulfur and oxygen as the only hetero atoms
21/24	. . . Phosphorus-containing compounds	31/00	Refining of hydrocarbon oils in the absence of hydrogen, by methods not otherwise provided for (by distillation C10G 7/00)
21/26	. . . Silicon-containing compounds	31/06	. by heating, cooling, or pressure treatment
21/27	. . . Organic compounds not provided for in a single one of groups C10G 21/14 - C10G 21/26	31/08	. by treating with water
21/28	. Recovery of used solvent	31/09	. by filtration
21/30	. Controlling or regulating (controlling or regulating in general G05)	31/10	. with the aid of centrifugal force
25/00	Refining of hydrocarbon oils in the absence of hydrogen, with solid sorbents	31/11	. by dialysis
	NOTE	32/00	Refining of hydrocarbons oils by electric or magnetic means, by irradiation or by using microorganisms
	When classifying in this group, classification is also made in group B01D 15/08 insofar as subject matter of general interest relating to chromatography is concerned.	32/02	. by electric or magnetic means
25/003	. {Specific sorbent material, not covered by C10G 25/02 or C10G 25/03 }	32/04	. by particle radiation
25/006	. {of waste oils, e.g. PCB's containing oils}	33/00	Dewatering or demulsification of hydrocarbon oils (by distillation C10G 7/04)
25/02	. with ion-exchange material	33/02	. with electrical or magnetic means
		33/04	. with chemical means
		33/06	. with mechanical means, e.g. by filtration

33/08	• Controlling or regulating (controlling or regulating in general G05)	45/32	• Selective hydrogenation of the diolefin or acetylene compounds
35/00	Reforming naphtha	45/34	• • characterised by the catalyst used
	NOTE	45/36	• • • containing nickel or cobalt metal, or compounds thereof
	By reforming is meant the treatment of naphtha, in order to improve the octane number or its aromatic content.	45/38	• • • • in combination with chromium, molybdenum or tungsten metals, or compounds thereof
35/02	• Thermal reforming	45/40	• • • containing platinum group metals or compounds thereof
35/04	• Catalytic reforming	45/42	• • with moving solid particles
35/06	• • characterised by the catalyst used	45/44	• Hydrogenation of the aromatic hydrocarbons
35/065	• • • {containing crystalline zeolitic molecular sieves, other than aluminosilicates}	45/46	• • characterised by the catalyst used
35/085	• • • containing platinum group metals or compounds thereof	45/48	• • • containing nickel or cobalt metal, or compounds thereof
35/09	• • • • bimetallic catalysts in which at least one of the metals is a platinum group metal	45/50	• • • • in combination with chromium, molybdenum or tungsten metal, or compounds thereof
35/095	• • • containing crystalline alumino-silicates, e.g. molecular sieves { C10G 35/065 takes precedence }	45/52	• • • containing platinum group metals or compounds thereof
35/10	• • with moving catalysts	45/54	• • • containing crystalline alumino-silicates, e.g. molecular sieves
35/12	• • • according to the "moving-bed" method	45/56	• • with moving solid particles
35/14	• • • according to the "fluidised-bed" technique	45/58	• to change the structural skeleton of some of the hydrocarbon content without cracking the other hydrocarbons present, e.g. lowering pour point; Selective hydrocracking of normal paraffins (C10G 32/00 takes precedence; improving or increasing the octane number or aromatic content of naphtha C10G 35/00)
35/16	• with electric, electromagnetic, or mechanical vibrations; by particle radiation	45/60	• • characterised by the catalyst used
35/22	• Starting-up reforming operations	45/62	• • • containing platinum group metals or compounds thereof
35/24	• Controlling or regulating of reforming operations (controlling or regulating in general G05)	45/64	• • • containing crystalline alumino-silicates, e.g. molecular sieves
Hydrotreatment processes (reforming of naphtha C10G 35/00)		45/66	• • with moving solid particles
45/00	Refining of hydrocarbon oils using hydrogen or hydrogen-generating compounds	45/68	• • Aromatisation of hydrocarbon oil fractions (of naphtha C10G 35/00)
	NOTE	45/70	• • • with catalysts containing platinum group metals or compounds thereof
	Treatment of hydrocarbon oils in the presence of hydrogen-generating compounds not provided for in a single one of groups C10G 45/02 , C10G 45/32 , C10G 45/44 or C10G 45/58 is provided for in group C10G 49/00 .	45/72	• Controlling or regulating (controlling or regulating in general G05)
45/02	• to eliminate hetero atoms without changing the skeleton of the hydrocarbon involved and without cracking into lower boiling hydrocarbons; Hydrofinishing	47/00	Cracking of hydrocarbon oils in the presence of hydrogen or hydrogen generating compounds, to obtain lower boiling fractions, (C10G 15/00 takes precedence; destructive hydrogenation of non-melting solid carbonaceous or similar materials C10G 1/06)
45/04	• • characterised by the catalyst used	47/02	• characterised by the catalyst used
45/06	• • • containing nickel or cobalt metal, or compounds thereof	47/04	• • Oxides
45/08	• • • • in combination with chromium, molybdenum, or tungsten metals, or compounds thereof	47/06	• • Sulfides
45/10	• • • containing platinum group metals or compounds thereof	47/08	• • Halides
45/12	• • • containing crystalline alumino-silicates, e.g. molecular sieves	47/10	• • with catalysts deposited on a carrier
45/14	• • with moving solid particles	47/12	• • • Inorganic carriers
45/16	• • • suspended in the oil, e.g. slurries	47/14	• • • • the catalyst containing platinum group metals or compounds thereof
45/18	• • • according to the "moving-bed" technique	47/16	• • • • Crystalline alumino-silicate carriers
45/20	• • • according to the "fluidised-bed" technique	47/18	• • • • the catalyst containing platinum group metals or compounds thereof
45/22	• • with hydrogen dissolved or suspended in the oil	47/20	• • • • the catalyst containing other metals or compounds thereof
45/24	• • with hydrogen-generating compounds	47/22	• Non-catalytic cracking in the presence of hydrogen
45/26	• • • Steam or water	47/24	• with moving solid particles
45/28	• • • Organic compounds; Autofining	47/26	• • suspended in the oil, e.g. slurries
45/30	• • • • characterised by the catalyst used	47/28	• • according to the "moving-bed" technique
		47/30	• • according to the "fluidised-bed" technique

47/32	• in the presence of hydrogen-generating compounds	53/06	• • • including only extraction steps, e.g. deasphalting by solvent treatment followed by extraction of aromatics (refining in one step with two or more solvents which are introduced or withdrawn separately C10G 21/02)
47/34	• • Organic compounds, e.g. hydrogenated hydrocarbons		
47/36	• Controlling or regulating (controlling or regulating in general G05)		
49/00	Treatment of hydrocarbon oils in the presence of hydrogen or hydrogen-generating compounds, not provided for in a single one of the groups C10G 45/02, C10G 45/32, C10G 45/44, C10G 45/58 or C10G 47/00	53/08	• • including at least one sorption step
49/002	• {Apparatus for fixed bed hydrotreatment processes}	53/10	• • including at least one acid-treatment step
49/005	• {Inhibiting corrosion in hydrotreatment processes}	53/12	• • including at least one alkaline treatment step
49/007	• {in the presence of hydrogen from a special source or of a special composition or having been purified by a special treatment}	53/14	• • including at least one oxidation step
49/02	• characterised by the catalyst used	53/16	• plural parallel stages only
49/04	• • containing nickel, cobalt, chromium, molybdenum, or tungsten metals, or compounds thereof	55/00	Treatment of hydrocarbon oils in the absence of hydrogen, by at least one refining process and at least one cracking process
49/06	• • containing platinum group metals or compounds thereof	55/02	• plural serial stages only
49/08	• • containing crystalline alumino-silicates, e.g. molecular sieves	55/04	• • including at least one thermal cracking step
49/10	• with moving solid particles	55/06	• • including at least one catalytic cracking step
49/12	• • suspended in the oil, e.g. slurries	55/08	• plural parallel stages only
49/14	• • according to the "moving-bed" technique	57/00	Treatment of hydrocarbon oils in the absence of the hydrogen, by at least one cracking process or refining process and at least one other conversion process
49/16	• • according to the "fluidised-bed" technique	57/005	• {with alkylation}
49/18	• in the presence of hydrogen-generating compounds, e.g. ammonia, water, hydrogen sulfide	57/02	• with polymerisation
49/20	• • Organic compounds	59/00	Treatment of naphtha by two or more reforming processes only or by at least one reforming process and at least one process which does not substantially change the boiling range of the naphtha
49/22	• Separation of effluents	59/02	• plural serial stages only
49/24	• Starting-up hydrotreatment operations	59/04	• • including at least one catalytic and at least one non-catalytic reforming step
49/26	• Controlling or regulating (controlling or regulating in general G05)	59/06	• plural parallel stages only
50/00	Production of liquid hydrocarbon mixtures from lower carbon number hydrocarbons, e.g. by oligomerisation (preparation of individual hydrocarbons or mixtures thereof of definite or specified constitution C07C)	61/00	Treatment of naphtha by at least one reforming process and at least one process of refining in the absence of hydrogen
50/02	• of hydrocarbon oils for lubricating purposes	61/02	• plural serial stages only
Multi-step processes		61/04	• • the refining step being an extraction
NOTE		61/06	• • the refining step being a sorption process
Groups C10G 51/00 - C10G 69/00 cover only those combined treating operations where the interest is directed to the relationship between the steps.		61/08	• plural parallel stages only
		61/10	• processes also including other conversion steps
51/00	Treatment of hydrocarbon oils in the absence of hydrogen, by two or more cracking processes only	63/00	Treatment of naphtha by at least one reforming process and at least one other conversion process (C10G 59/00, C10G 61/00 take precedence)
51/02	• plural serial stages only	63/02	• plural serial stages only
51/023	• • {only thermal cracking steps}	63/04	• • including at least one cracking step
51/026	• • {only catalytic cracking steps}	63/06	• plural parallel stages only
51/04	• • including only thermal and catalytic cracking steps	63/08	• • including at least one cracking step
51/06	• plural parallel stages only	65/00	Treatment of hydrocarbon oils by two or more hydrotreatment processes only
53/00	Treatment of hydrocarbon oils in the absence of hydrogen, by two or more refining processes	65/02	• plural serial stages only
53/02	• plural serial stages only	65/04	• • including only refining steps
53/04	• • including at least one extraction step	65/043	• • • {at least one step being a change in the structural skeleton}
		65/046	• • • {at least one step being an aromatisation step}
		65/06	• • • at least one step being a selective hydrogenation of the diolefins
		65/08	• • • at least one step being a hydrogenation of the aromatic hydrocarbons
		65/10	• • including only cracking steps

65/12	. . including cracking steps and other hydrotreatment steps	70/041	. . {by distillation}
65/14	. plural parallel stages only	70/042	. . . {with the use of auxiliary compounds}
65/16	. . including only refining steps	70/043	. . {by fractional condensation}
65/18	. . including only cracking steps	70/044	. . {by crystallisation}
67/00	Treatment of hydrocarbon oils by at least one hydrotreatment process and at least one process for refining in the absence of hydrogen only	70/045	. . {using membranes, e.g. selective permeation}
67/02	. plural serial stages only	70/046	. . {by adsorption, i.e. with the use of solids}
67/04	. . including solvent extraction as the refining step in the absence of hydrogen	70/047	. . . {by molecular sieve technique}
67/0409	. . . {Extraction of unsaturated hydrocarbons}	70/048	. . {by liquid-liquid extraction}
67/0418 {The hydrotreatment being a hydrotreatment}	70/06	. . by gas-liquid contact
67/0427 {The hydrotreatment being a selective hydrogenation of diolefins or acetylenes}	71/00	Treatment by methods not otherwise provided for of hydrocarbon oils or fatty oils for lubricating purposes (by Fischer-Tropsch C07C 1/00; lubricating compositions C10M)
67/0436 {The hydrotreatment being an aromatic saturation}	71/02	. Thickening by voltolising (chemical modification of drying oils by voltolising C09F 7/04)
67/0445 {The hydrotreatment being a hydrocracking}	73/00	Recovery or refining of mineral waxes, e.g. montan wax (compositions essentially based on waxes C08L 91/00)
67/0454	. . . {Solvent desasphalting}	73/02	. Recovery of petroleum waxes from hydrocarbon oils; Dewaxing of hydrocarbon oils
67/0463 {The hydrotreatment being a hydrotreatment}	73/025	. . {by filtration}
67/0472 {The hydrotreatment being a selective hydrogenation of diolefins or acetylenes}	73/04	. . with the use of filter aids
67/0481 {The hydrotreatment being an aromatics saturation}	73/06	. . with the use of solvents
67/049 {The hydrotreatment being a hydrocracking}	73/08	. . . Organic compounds
67/06	. . including a sorption process as the refining step in the absence of hydrogen	73/10 Hydrocarbons
67/08	. . including acid treatment as the refining step in the absence of hydrogen	73/12 Oxygen-containing compounds
67/10	. . including alkaline treatment as the refining step in the absence of hydrogen	73/14 Halogen-containing compounds
67/12	. . including oxidation as the refining step in the absence of hydrogen	73/16 Nitrogen-containing compounds
67/14	. . including at least two different refining steps in the absence of hydrogen	73/18 containing sulfur, selenium or tellurium
67/16	. plural parallel stages only	73/20 containing phosphorus
69/00	Treatment of hydrocarbon oils by at least one hydrotreatment process and at least one other conversion process (C10G 67/00 takes precedence)	73/22 Mixtures or organic compounds
69/02	. plural serial stages only	73/24	. . by formation of adducts
69/04	. . including at least one step of catalytic cracking in the absence of hydrogen	73/26	. . by flotation
69/06	. . including at least one step of thermal cracking in the absence of hydrogen	73/28	. . by centrifugal force
69/08	. . including at least one step of reforming naphtha	73/30	. . with electric means
69/10	. . . hydrocracking of higher boiling fractions into naphtha and reforming the naphtha obtained	73/32	. . Methods of cooling during dewaxing
69/12	. . including at least one polymerisation or alkylation step	73/34	. . Controlling or regulating (controlling or regulating in general G05)
69/123	. . . {alkylation}	73/36	. Recovery of petroleum waxes from other compositions containing oil in minor proportions, from concentrates or from residues; De-oiling, sweating
69/126	. . . {polymerisation, e.g. oligomerisation}	73/38	. Chemical modification of petroleum
69/14	. plural parallel stages only	73/40	. Physical treatment of waxes or modified waxes, e.g. granulation, dispersion, emulsion, irradiation
70/00	Working-up undefined normally gaseous mixtures obtained by processes covered by groups C10G 9/00, C10G 11/00, C10G 15/00, C10G 47/00, C10G 51/00	73/42	. Refining of petroleum waxes
70/002	. {by forming adducts or complexes}	73/44	. . in the presence of hydrogen or hydrogen-generating compounds
70/004	. . {with solutions of copper salts}	75/00	Inhibiting corrosion or fouling in apparatus for treatment or conversion of hydrocarbon oils, in general (C10G 7/10, C10G 9/16 take precedence; protection of pipes against corrosion or incrustation F16L 58/00)
70/006	. {with the use of acids or sulfur oxides}	75/02	. by addition of corrosion inhibitors
70/008	. {with the use of organometallic compounds}	75/04	. by addition of antifouling agents
70/02	. by hydrogenation	99/00	Subject matter not provided for in other groups of this subclass
70/04	. by physical processes		

2300/00 Aspects relating to hydrocarbon processing covered by groups [C10G 1/00](#) - [C10G 99/00](#)

- 2300/10 . Feedstock materials
- 2300/1003 . . Waste materials
- 2300/1007 . . . Used oils
- 2300/1011 . . Biomass
- 2300/1014 . . . of vegetal origin
- 2300/1018 . . . of animal origin
- 2300/1022 . . Fischer-Tropsch products
- 2300/1025 . . Natural gas
- 2300/1029 . . Gas hydrates
- 2300/1033 . . Oil well production fluids
- 2300/1037 . . Hydrocarbon fractions
- 2300/104 . . . Light gasoline having a boiling range of about 20 - 100 °C
- 2300/1044 . . . Heavy gasoline or naphtha having a boiling range of about 100 - 180 °C
- 2300/1048 . . . Middle distillates
- 2300/1051 Kerosene having a boiling range of about 180 - 230 °C
- 2300/1055 Diesel having a boiling range of about 230 - 330 °C
- 2300/1059 Gasoil having a boiling range of about 330 - 427 °C
- 2300/1062 . . . Lubricating oils
- 2300/1066 Special oils
- 2300/107 . . Atmospheric residues having a boiling point of at least about 538 °C
- 2300/1074 . . Vacuum distillates
- 2300/1077 . . Vacuum residues
- 2300/1081 . . Alkanes
- 2300/1085 . . . Solid paraffins
- 2300/1088 . . Olefins
- 2300/1092 . . . C2-C4 olefins
- 2300/1096 . . Aromatics or polyaromatics
- 2300/20 . Characteristics of the feedstock or the products
- 2300/201 . . Impurities
- 2300/202 . . . Heteroatoms content, i.e. S, N, O, P
- 2300/203 Naphthenic acids, TAN
- 2300/205 . . . Metal content
- 2300/206 Asphaltenes
- 2300/207 . . . Acid gases, e.g. H₂S, COS, SO₂, HCN
- 2300/208 . . . Sediments, e.g. bottom sediment and water or BSW
- 2300/30 . . Physical properties of feedstocks or products
- 2300/301 . . . Boiling range
- 2300/302 . . . Viscosity
- 2300/304 . . . Pour point, cloud point, cold flow properties
- 2300/305 . . . Octane number, e.g. motor octane number [MON], research octane number [RON]
- 2300/307 . . . Cetane number, cetane index
- 2300/308 . . . Gravity, density, e.g. API
- 2300/40 . Characteristics of the process deviating from typical ways of processing
- 2300/4006 . . Temperature
- 2300/4012 . . Pressure
- 2300/4018 . . Spatial velocity, e.g. LHSV, WHSV
- 2300/4025 . . Yield
- 2300/4031 . . Start up or shut down operations
- 2300/4037 . . In-situ processes
- 2300/4043 . . Limiting CO₂ emissions
- 2300/405 . . Limiting CO, NO_x or SO_x emissions

- 2300/4056 . . Retrofitting operations
- 2300/4062 . . Geographical aspects, e.g. different process units form a combination process at different geographical locations
- 2300/4068 . . Moveable devices or units, e.g. on trucks, barges
- 2300/4075 . . Limiting deterioration of equipment
- 2300/4081 . . Recycling aspects
- 2300/4087 . . Catalytic distillation
- 2300/4093 . . Catalytic stripping
- 2300/42 . . Hydrogen of special source or of special composition
- 2300/44 . . Solvents
- 2300/70 . Catalyst aspects
- 2300/701 . . Use of spent catalysts
- 2300/703 . . Activation
- 2300/705 . . Passivation
- 2300/706 . . Catalytic metal recovery
- 2300/708 . . Coking aspect, coke content and composition of deposits
- 2300/80 . Additives
- 2300/802 . . Diluents
- 2300/805 . . Water
- 2300/807 . . . Steam

2400/00 Products obtained by processes covered by groups [C10G 9/00](#) - [C10G 69/14](#)

- 2400/02 . Gasoline
- 2400/04 . Diesel oil
- 2400/06 . Gasoil
- 2400/08 . Jet fuel
- 2400/10 . Lubricating oil
- 2400/12 . Electrical isolation oil
- 2400/14 . White oil, eating oil
- 2400/16 . Residues
- 2400/18 . Solvents
- 2400/20 . C2-C4 olefins
- 2400/22 . Higher olefins
- 2400/24 . Acetylene and homologues
- 2400/26 . Fuel gas
- 2400/28 . Propane and butane
- 2400/30 . Aromatics