

CPC COOPERATIVE PATENT CLASSIFICATION

B PERFORMING OPERATIONS; TRANSPORTING (NOTES omitted)

SHAPING

B32 LAYERED PRODUCTS

B32B LAYERED PRODUCTS, i.e. PRODUCTS BUILT-UP OF STRATA OF FLAT OR NON-FLAT, e.g. CELLULAR OR HONEYCOMB, FORM

NOTES

1. This subclass covers:
 - layered products comprising different kinds of material or layered products not characterised by the particular kind of material used;
 - a product similar to a layered product but comprising only material in the form of a sheet or network embedded in a mass of plastics or of physically-similar substances which mass penetrates the said sheet or network and lies on both sides of the latter (e.g. so that the sheet or network reinforces the plastics substance) PROVIDED THAT the embedded sheet or network extends coherently or connectedly over substantially the whole area of the product; thus the embedded sheet or network may be a fabric or a series of rods connected by cross wires. The manner of making such a product is, however, classified in this subclass only if it is essentially a process of building-up an assembly of layers of which at least one outer layer is preformed. If the embedded material comprises only a series of unconnected rods, the product is not classified in this subclass.
2. This subclass does not cover:
 - processes or apparatus used in, or in connection with, the production or treatment of any product, if the process or apparatus is fully classifiable in a single other class or subclass for processes or apparatus, e.g. [B05](#), [B29](#), [B44D](#), [C08J](#), [C09J](#), [C23](#);
 - compositions or preparation or treatment thereof, unless they are essentially restricted to layered products and cannot be fully classified in another class without ignoring this restriction;
 - etched metallic pattern on the surface of a printed circuit board.
3. In this subclass:
 - a film formed on a layer by spreading a substance thereon is not considered to constitute a layer itself if it serves only as an adhesive or its purpose is merely to finish a surface of a product
 - {with exclusion to [B32B 15/01](#) - [B32B 15/018](#), a coating formed directly onto a substrate layer is not considered to constitute a layer when at the moment of its contact with the substrate it does not have the form of a layer with the exception of layers that come under the meaning of Note (4).}
 - {groups designating products cover also methods or apparatus specially adapted for producing such products.}
4. In this subclass, the following terms or expressions are used with the meanings indicated:
 - "layer" is a sheet or strip or anything else having a small thickness relatively to its other dimensions which, together with at least one other layer, exists in a product, whether it pre-existed, e.g. as a separate sheet or strip, or was formed during the production of the layered product{, e.g. formed in-situ as with casting, extrusion or moulding. It may be deformed out of the flat plane to form a three-dimensional shape}. It may or may not be homogeneous or cohesive; it may be an assembly of fibres or pieces of material. It may be discontinuous, e.g. in the form of a grating, honeycomb, or frame. It may or may not be in complete contact with the next layer, e.g. a corrugated layer against a flat layer;
 - "layered product" comprises at least two layers secured together. The term "secured" includes any method of uniting layers, e.g. needling, stitching, gluing, nailing, dovetailing or the interposition of an adhesive or adhesive impregnated support. It may also be an intermediate stage in the production of an article which is not layered in its final form, e.g. a panel with a protective layer {that} is stripped off when the panel is placed in its position of use. The layers are preformed layers or layers formed IN SITU on a preformed layer and may consist of coherent solid materials, including honeycombs and other cellular materials or of non-coherent solid materials composed of assemblies of strands, strips, fibres, tiles or the like;
 - "filamentary layer" means a layer of threads or filaments of any substance (e.g. wires) of more or less unlimited length placed in an orderly arrangement and secured together; it may be woven, knitted, braided, or netted, or formed of threads crossed or laid side by side and bonded together;
 - "fibrous layer" means a random assembly of fibres or filaments, usually of limited length, e.g. felt, fleece; the fibres {being} interengaged or connected, e.g. by adhesive.
5. If a layered product is characterised by the way it is produced and not by its structure or composition, the production method should be classified in groups [B32B 37/00](#) or [B32B 38/00](#), or in subclass [B29C](#), for example in groups [B29C 45/16](#) or [B29C 48/18](#).
6. {In this subclass,}

B32B

B32B

(continued)

- The classification of layered products is provided for in many classes, most of which are confined to a particular kind of material. However, in order that this subclass may provide a basis for making a complete search with respect to layered products, all relevant subject matter is classified in this subclass even though it may also be classified in other classes.
- 7. {In groups [B32B 37/00](#), [B32B 38/00](#), [B32B 41/00](#) and [B32B 39/00](#), the following expressions are used with the meaning indicated:
 - "lay-up" is considered to be the action of combining separate layers, one on top of the other, in order to form a half-product for entering the laminating process
 - "laminating" means the action of combining previously unconnected but possibly laid up layers to become one product whose layers will remain together;
 - "partial laminating" occurs when one layer does not fully cover a surface of another layer, whereby the layer with the greater surface area is laminated on only part of its surface or when two coextensive layers are bonded on only part of their facing surfaces;
 - "adhesive" means a substance applied in any state or in any manner, which has bonding properties.}
- 8. {In this subclass, combination sets [C-Sets] are used. The detailed information about the C-Sets construction and the associated syntax rules are found in the definitions of [B32B](#).}

WARNING

The following IPC groups are not in the CPC scheme. The subject matter for these IPC groups is classified in the following CPC groups:

B32B 3/24	covered by	B32B 3/266
B32B 17/12	covered by	B32B 17/067

1/00	Layered products having a general shape other than plane	3/10	• characterised by a discontinuous layer, i.e. formed of separate pieces of material
	NOTE		NOTE
	For classification of a product in this group, surface unevennesses or non-uniformities and the shape of individual layers are ignored.		In this group, a series of spaced separate elements forming in effect a broken surface should {not} be regarded as a layer.
1/02	• Receptacles {, i.e. rigid containers}, e.g. tanks	3/12	• • characterised by a layer of regularly- arranged cells, e.g. a honeycomb structure
1/04	• characterised by feature of form at particular places, e.g. in edge regions {(not used)}	3/14	• • characterised by a face layer formed of separate pieces of material {which are juxtaposed side-by-side (B32B 5/02 takes precedence)}
1/06	• characterised by fillings or added members in hollow portions {(not used)}	3/16	• • • secured to a flexible backing
1/08	• Tubular products	3/18	• • characterised by an internal layer formed of separate pieces of material {which are juxtaposed side-by-side (B32B 5/02 takes precedence)}
3/00	Layered products comprising a layer with external or internal discontinuities or unevennesses, or a layer of non-planar form (fibrous or filamentary layer B32B 5/02; particulate layer B32B 5/16; foamed layer B32B 5/18); Layered products having particular features of form (receptacles or tubular products B32B 1/00)	3/20	• • • of hollow pieces, e.g. tubes; of pieces with channels or cavities
3/02	• characterised by features of form at particular places, e.g. in edge regions {(non-uniform thickness B32B 3/263)}	3/22	• • • of spaced pieces {(not used)}
3/04	• • characterised by {at least one} layer folded at the edge, e.g. over another layer {; characterised by at least one layer enveloping or enclosing a material}	3/26	• characterised by a particular shape of the outline of the cross-section of a continuous layer; characterised by a layer with cavities or internal voids {(foam layer B32B 5/18 ; layer of synthetic resin characterised by fillers that create voids or cavities B32B 27/205); characterised by an apertured layer}
3/06	• • for securing layers together; for attaching the product to another member, e.g. to a support {, or to another product, e.g. groove/tongue, interlocking}	3/263	• • {characterised by a layer having non-uniform thickness}
3/08	• • characterised by added members at particular parts {(layer formed of separate pieces of material which are juxtaposed side-by-side B32B 3/14 , B32B 3/18)}	3/266	• • {characterised by an apertured layer, the apertures going through the whole thickness of the layer, e.g. expanded metal, perforated layer, slit layer regular cells B32B 3/12 }
3/085	• • • {spaced apart pieces on the surface of a layer}	3/28	• • characterised by a layer comprising a deformed thin sheet {, i.e. the layer having its entire thickness deformed out of the plane}, e.g. corrugated, crumpled (B32B 29/08 takes precedence)
		3/30	• • characterised by a layer formed with recesses or projections, e.g. {hollows, grooves, protuberances, ribs (apertured layer B32B 3/266 ; layer with cavities or internal voids B32B 3/26)}

5/00	Layered products characterised by the non-homogeneity or physical structure {, i.e. comprising a fibrous, filamentary, particulate or foam layer; Layered products characterised by having a layer differing constitutionally or physically in different parts}	5/073	. . . {characterised by the fibrous or filamentary layer being mechanically connected to another layer by sewing, stitching, hook-and-loop fastening or stitchbonding}
5/02	. characterised by structural features of a {fibrous or filamentary} layer {(layer formed of metallic wires B32B 15/02 ; layer formed of natural mineral fibres B32B 19/02 ; layer formed of wood fibres B32B 21/02)}		WARNING Group B32B 5/073 is incomplete pending reclassification of documents from group B32B 5/06 . All groups listed in this Warning should be considered in order to perform a complete search.
	NOTES 1. This group <u>covers</u> , in addition to filamentary and fibrous layers as defined in Note (4) following the title of this subclass, layers of substances having an intrinsic fibrous nature (e.g. paper, wood), if the fibrous nature is important and the particular substance is not important. 2. {When classifying in group B32B 5/02 , the chemical composition of the fibres is further classified by using the Indexing symbols B32B 2262/00 - B32B 2262/16 .}	5/08	. . the fibres or filaments of a layer being of different substances {, e.g. conjugate fibres, mixture of different fibres}
5/022	. . {Non-woven fabric}	5/10	. . characterised by a fibrous {or filamentary} layer reinforced with filaments
5/024	. . {Woven fabric}	5/12	. . characterised by the relative arrangement of fibres or filaments of {different layers, e.g. the fibres or filaments being parallel or perpendicular to each other}
5/026	. . {Knitted fabric}	5/14	. characterised by a layer differing constitutionally or physically in different parts, e.g. denser near its faces
5/028	. . {Net structure, e.g. spaced apart filaments bonded at the crossing points}	5/142	. . {Variation across the area of the layer}
5/04	. . characterised by a layer being specifically extensible by reason of its structure or arrangement {, e.g. by reason of the chemical nature of the fibres or filaments}	5/145	. . {Variation across the thickness of the layer}
5/06	. . characterised by a fibrous {or filamentary} layer {mechanically connected, e.g. by needling} to another layer, e.g. of fibres, of paper	5/147	. . {by treatment of the layer}
	WARNING Group B32B 5/06 is impacted by reclassification into groups B32B 5/067 and B32B 5/073 . All groups listed in this Warning should be considered in order to perform a complete search.	5/16	. characterised by features of a layer formed of particles, e.g. chips, powder {or granules (layer formed of natural mineral particles B32B 19/00 ; layer being formed of wood fibres, chips or particles B32B 21/02)}
5/067	. . . {characterised by the fibrous or filamentary layer being mechanically connected by hydroentangling}	5/18	. characterised by features of a layer {of} foamed material
	WARNING Group B32B 5/067 is incomplete pending reclassification of documents from group B32B 5/06 . All groups listed in this Warning should be considered in order to perform a complete search.	5/20	. . foamed <u>in situ</u>
		5/22	. characterised by the presence of two or more layers which {are next to each other and are fibrous, filamentary, formed of particles or foamed (layer formed of natural mineral fibres or particles next to a foam layer B32B 19/047 , next to a layer made of particles B32B 19/048 , or next to a fibrous or filamentary layer B32B 19/06 ; paper layer or cardboard layer next to a paper layer or cardboard layer B32B 29/005 , next to a foam layer B32B 29/007 , next to a fibrous or filamentary layer B32B 29/02 , or next to a particulate layer B32B 29/04)}
		5/24	. . one layer being a fibrous or filamentary layer
		5/245	. . . {another layer next to it being a foam layer}
		5/26	. . . another layer {next to it} also being fibrous or filamentary {(relative arrangement of fibres or filaments of different layers B32B 5/12)}
			WARNING Group B32B 5/26 is impacted by reclassification into groups B32B 5/262 , B32B 5/263 , B32B 5/265 , B32B 5/266 , B32B 5/267 , B32B 5/268 , B32B 5/269 , B32B 5/271 , B32B 5/273 , B32B 5/275 , B32B 5/277 , B32B 5/279 and B32B 5/2795 . All groups listed in this Warning should be considered in order to perform a complete search.

- 5/262 {characterised by one fibrous or filamentary layer being a woven fabric layer}

WARNING

Groups [B32B 5/262](#) and [B32B 5/263](#) are incomplete pending reclassification of documents from group [B32B 5/26](#).

Groups [B32B 5/26](#), [B32B 5/262](#) and [B32B 5/263](#) should be considered in order to perform a complete search.

- 5/263 {next to one or more woven fabric layers}
 5/265 {characterised by one fibrous or filamentary layer being a non-woven fabric layer}

WARNING

Groups [B32B 5/265](#), [B32B 5/266](#), [B32B 5/267](#), [B32B 5/268](#), [B32B 5/269](#), [B32B 5/271](#) and [B32B 5/273](#) are incomplete pending reclassification of documents from group [B32B 5/26](#).

All groups listed in this Warning should be considered in order to perform a complete search.

- 5/266 {next to one or more non-woven fabric layers}
 5/267 {characterised by at least one non-woven fabric layer that is a spunbonded fabric}
 5/268 {characterised by at least one non-woven fabric layer that is a melt-blown fabric}
 5/269 {characterised by at least one non-woven fabric layer that is a melt-blown fabric next to a non-woven fabric layer that is a spunbonded fabric}
 5/271 {characterised by separate non-woven fabric layers that comprise chemically different strands or fibre material}
 5/273 {including a separate net structure layer}
 5/275 {characterised by one woven fabric layer next to a non-woven fabric layer}

WARNING

Groups [B32B 5/275](#) and [B32B 5/277](#) are incomplete pending reclassification of documents from group [B32B 5/26](#).

Groups [B32B 5/26](#), [B32B 5/275](#) and [B32B 5/277](#) should be considered in order to perform a complete search.

- 5/277 {including an additional non-woven fabric layer}
 5/279 {characterised by a knit fabric layer next to a non-woven fabric layer}

WARNING

Group [B32B 5/279](#) is incomplete pending reclassification of documents from group [B32B 5/26](#).

Groups [B32B 5/26](#) and [B32B 5/279](#) should be considered in order to perform a complete search.

- 5/2795 {characterised by a knit fabric layer next to a woven fabric layer}

WARNING

Group [B32B 5/2795](#) is incomplete pending reclassification of documents from group [B32B 5/26](#).

Groups [B32B 5/26](#) and [B32B 5/2795](#) should be considered in order to perform a complete search.

- 5/28 impregnated with or embedded in a plastic substance {(not used)}
 5/30 one layer {being formed of particles, e.g. chips,} granules, powder
 5/32 {at least two} layers being foamed {and next to each other}

7/00 Layered products characterised by the relation between layers; Layered products characterised by the relative orientation of features between layers, or by the relative values of a measurable parameter between layers, i.e. products comprising layers having different physical, chemical or physicochemical properties; Layered products characterised by the interconnection of layers

- 7/02 Physical, chemical or physicochemical properties

WARNING

Group [B32B 7/02](#) is impacted by reclassification into groups [B32B 7/022](#), [B32B 7/023](#), [B32B 7/025](#), [B32B 7/027](#), and [B32B 7/028](#).

All groups listed in this Warning should be considered in order to perform a complete search.

- 7/022 Mechanical properties

WARNING

Groups [B32B 7/022](#), [B32B 7/023](#), [B32B 7/025](#), [B32B 7/027](#), and [B32B 7/028](#) are incomplete pending reclassification of documents from group [B32B 7/02](#).

All groups listed in this Warning should be considered in order to perform a complete search.

- 7/023 Optical properties
 7/025 Electric or magnetic properties
 7/027 Thermal properties
 7/028 Heat-shrinkability
 7/03 with respect to the orientation of features (direction of fibres or filaments [B32B 5/12](#))

WARNING

Group [B32B 7/03](#) is impacted by reclassification into group [B32B 7/035](#).

Groups [B32B 7/03](#) and [B32B 7/035](#) should be considered in order to perform a complete search.

- 7/035 . . using arrangements of stretched films, e.g. of mono-axially stretched films arranged alternately

WARNING

Group [B32B 7/035](#) is incomplete pending reclassification of documents from group [B32B 7/03](#).

Groups [B32B 7/03](#) and [B32B 7/035](#) should be considered in order to perform a complete search.

- 7/04 . Interconnection of layers
- 7/05 . . the layers not being connected over the whole surface, e.g. discontinuous connection or patterned connection (using interposed adhesives or bonding materials applied in spaced arrangements [B32B 7/14](#))
- 7/06 . . permitting easy separation
- 7/08 . . by mechanical means

WARNING

Group [B32B 7/08](#) is impacted by reclassification into group [B32B 7/09](#).

Groups [B32B 7/08](#) and [B32B 7/09](#) should be considered in order to perform a complete search.

- 7/09 . . . by stitching, needling or sewing (by {mechanically connecting} fibrous layers {to another layer} [B32B 5/06](#))

WARNING

Group [B32B 7/09](#) is incomplete pending reclassification of documents from group [B32B 7/08](#).

Groups [B32B 7/08](#) and [B32B 7/09](#) should be considered in order to perform a complete search.

- 7/10 . . at least one layer having inter-reactive properties
- 7/12 . . using interposed adhesives or interposed materials with bonding properties
- 7/14 . . . applied in spaced arrangements, e.g. in stripes

Layered products characterised by particular substances used**NOTE**

In groups [B32B 9/00](#) - [B32B 29/00](#), the following expressions are used with the meanings indicated:

- "specific substance" covers specified alternative substances if they are all covered by a single main group;
- "particulate layer" means a layer of particles, e.g. chips, chopped fibres, powder;
- {"essentially" means that if an alteration or removal of such a layer occurred it would alter the scope of the invention}

9/00 Layered products comprising a {layer of a} particular substance not covered by groups [B32B 11/00](#) - [B32B 29/00](#)

- 9/002 . {comprising natural stone or artificial stone}
- 9/005 . {comprising one layer of ceramic material, e.g. porcelain, ceramic tile (layered products with at least two ceramic layers composed mainly of ceramic [B32B 18/00](#))}
- 9/007 . . {comprising carbon, e.g. graphite, composite carbon}

- 9/02 . comprising animal or vegetable substances {, e.g. cork, bamboo, starch}
- 9/025 . . {comprising leather}
- 9/04 . comprising such {particular} substance as the main or only constituent of a layer, {which is} next to another layer of {the same or of} a {different material (next to a glass layer [B32B 17/06](#); layered products with at least two ceramic layers composed mainly of ceramic [B32B 18/00](#))}
- 9/041 . . {of metal}
- 9/042 . . {of wood}
- 9/043 . . {of natural rubber or synthetic rubber}
- 9/045 . . {of synthetic resin}
- 9/046 . . {of foam}
- 9/047 . . {made of fibres or filaments}
- 9/048 . . {made of particles}
- 9/06 . . of paper or cardboard

11/00 Layered products comprising {a layer of} bituminous or tarry substances

- 11/02 . with fibres or particles {being present as additives in the layer}
- 11/04 . comprising such {bituminous or tarry} substance as the main or only constituent of a layer, {which is} next to another layer of {the same or of} a {different material (next to a glass layer [B32B 17/06](#))}
- 11/042 . . {of wood}
- 11/044 . . {of natural rubber or synthetic rubber}
- 11/046 . . {of synthetic resin}
- 11/048 . . {of foam}
- 11/06 . . of paper or cardboard
- 11/08 . . of metal
- 11/10 . next to a fibrous or filamentary layer
- 11/12 . next to a particulate layer

13/00 Layered products comprising a {a layer of} water-setting substance, e.g. concrete, plaster, asbestos cement, or like builders' material

- 13/02 . with fibres or particles {being present as additives in the layer}
- 13/04 . comprising such {water setting} substance as the main or only constituent of a layer, {which is} next to another layer of {the same or of} a {different material (next to a glass layer [B32B 17/06](#))}
- 13/042 . . {of natural rubber or synthetic rubber}
- 13/045 . . {of foam}
- 13/047 . . {made of particles}
- 13/06 . . of metal
- 13/08 . . of paper or cardboard
- 13/10 . . of wood; of wood particle board
- 13/12 . . of synthetic resin
- 13/14 . next to a fibrous or filamentary layer

15/00 Layered products comprising {a layer of} metal

- 15/01 . all layers being exclusively metallic {(making layered metal workpieces by pressure cladding [B23K 20/22](#); making coatings with a metallic material characterised by its composition [C23C 30/00](#))}
- 15/011 . . {all layers being formed of iron alloys or steels}
- 15/012 . . {one layer being formed of an iron alloy or steel, another layer being formed of aluminium or an aluminium alloy}

- 15/013 . . {one layer being formed of an iron alloy or steel, another layer being formed of a metal other than iron or aluminium}
- 15/015 . . {the said other metal being copper or nickel or an alloy thereof}
- 15/016 . . {all layers being formed of aluminium or aluminium alloys}
- 15/017 . . {one layer being formed of aluminium or an aluminium alloy, another layer being formed of an alloy based on a non ferrous metal other than aluminium}
- 15/018 . . {one layer being formed of a noble metal or a noble metal alloy}
- 15/02 . {Layer formed of wires, e.g. mesh}
- 15/04 . comprising metal as the main or only constituent of a layer, {which is} next to another layer of {the same or of} a {different material (next to a bituminous or tarry layer [B32B 11/08](#); next to a water-setting substance layer [B32B 13/06](#); next to a glass layer [B32B 17/061](#); next to a cellulosic plastic layer [B32B 23/042](#))}
- 15/043 . . {of metal ([B32B 15/01](#) takes precedence)}
- 15/046 . . {of foam}
- 15/06 . . of {natural rubber or synthetic} rubber
- 15/08 . . of synthetic resin
- 15/082 . . . comprising vinyl resins; comprising acrylic resins
- 15/085 . . . comprising polyolefins
- 15/088 . . . comprising polyamides
- 15/09 . . . comprising polyesters
- 15/092 . . . comprising epoxy resins
- 15/095 . . . comprising polyurethanes
- 15/098 . . . comprising condensation resins of aldehydes, e.g. with phenols, ureas or melamines
- 15/10 . . of wood
- 15/12 . . of paper or cardboard
- 15/14 . next to a fibrous or filamentary layer
- 15/16 . next to a particulate layer
- 15/18 . comprising iron or steel {([B32B 15/011](#), [B32B 15/012](#) and [B32B 15/013](#) take precedence)}
- 15/20 . comprising aluminium or copper {([B32B 15/016](#) and [B32B 15/017](#) take precedence)}
- 17/00 Layered products essentially comprising sheet glass, or glass, slag, or like fibres**

NOTE

{In this group, a layer of organic glass is not considered as a glass layer but as a synthetic resin layer.}

- 17/02 . in the form of fibres or filaments
- 17/04 . . bonded with or embedded in a plastic substance
- 17/06 . comprising glass as the main or only constituent of a layer, next to another layer of a specific {material}
- 17/061 . . {of metal}
- 17/062 . . {of wood}
- 17/063 . . {of rubber}

- 17/064 . . {synthetic resin ([B32B 17/10](#) takes precedence)}
(Frozen)
- WARNING**
Group [B32B 17/064](#) is no longer used for the classification of documents as of January 1, 2021.
The content of this group is being reclassified into groups [B32B 17/10](#) - [B32B 17/1099](#).
Groups [B32B 17/064](#) and [B32B 17/10](#) - [B32B 17/1099](#) should be considered in order to perform a complete search.
- 17/065 . . {of paper or cardboard}
- 17/066 . . {of foam}
- 17/067 . . {of fibres or filaments}
- 17/068 . . {of particles}
- 17/069 . . {of intumescent material ([B32B 17/10311](#) takes precedence)}
- 17/08 . . of cellulosic plastic substance {or gelatin}
- 17/10 . . of synthetic resin
- WARNING**
Group [B32B 17/10](#) is impacted by reclassification into groups [B32B 17/10005](#) - [B32B 17/1099](#).
Groups [B32B 17/10](#) and [B32B 17/10005](#) - [B32B 17/1099](#) should be considered in order to perform a complete search.
- 17/10005 . . . {laminated safety glass or glazing}
- NOTE**
{In this group, C-Sets are used. The detailed information about the C-Sets construction and the associated syntax rules is present in the Definitions of [B32B](#).}
- WARNING**
Groups [B32B 17/10005](#) - [B32B 17/1099](#) are incomplete pending reclassification of documents from groups [B32B 17/064](#) and [B32B 17/10](#).
All groups listed in this warning should be considered in order to perform a complete search.
- 17/10009 {characterized by the number, the constitution or treatment of glass sheets}
- 17/10018 {comprising only one glass sheet}
- 17/10027 {the glass sheet not being an outer layer}
- 17/10036 {comprising two outer glass sheets}
- 17/10045 {with at least one intermediate layer consisting of a glass sheet}
- 17/10055 {with at least one intermediate air space}
- 17/10064 {comprising at least two glass sheets, only one of which being an outer layer}
- 17/10073 {comprising at least two glass sheets, neither of which being an outer layer}
- 17/10082 {Properties of the bulk of a glass sheet}
- 17/10091 {thermally hardened}

17/101	{having a predetermined coefficient of thermal expansion [CTE]}	17/1044	{Invariable transmission}
17/1011	{having predetermined tint or excitation purity}	17/10449	{Wavelength selective transmission}
17/10119	{having a composition deviating from the basic composition of soda-lime glass, e.g. borosilicate}	17/10458	{Polarization selective transmission}
17/10128	{Treatment of at least one glass sheet}	17/10467	{Variable transmission}
17/10137	{Chemical strengthening}	17/10477	{thermochromic}
17/10146	{Face treatment, e.g. etching, grinding or sand blasting}	17/10486	{photochromic}
17/10155	{Edge treatment or chamfering}	17/10495	{optoelectronic, i.e. optical valve}
17/10165	{Functional features of the laminated safety glass or glazing}	17/10504	{Liquid crystal layer}
17/10174	{Coatings of a metallic or dielectric material on a constituent layer of glass or polymer}	17/10513	{Electrochromic layer}
17/10183	{being not continuous, e.g. in edge regions}	17/10522	{Electrophoretic layer}
17/10192	{patterned in the form of columns or grids}	17/10532	{Suspended particle layer}
17/10201	{Dielectric coatings}	17/10541	{comprising a light source or a light guide}
17/10211	{Doped dielectric layer, electrically conductive, e.g. SnO ₂ :F}	17/1055	{characterized by the resin layer, i.e. interlayer}
17/1022	{Metallic coatings}	17/10559	{Shape of the cross-section}
17/10229	{Metallic layers sandwiched by dielectric layers}	17/10568	{varying in thickness}
17/10238	{in the form of particles}	17/10577	{Surface roughness}
17/10247	{Laminated safety glass or glazing containing decorations or patterns for aesthetic reasons (containing metal wires for aesthetic reasons B32B 17/10422)}	17/10587	{created by embossing}
17/10256	{created by printing techniques}	17/10596	{created by melt fracture}
17/10266	{on glass pane}	17/10605	{Type of plasticiser}
17/10275	{on interlayer}	17/10614	{comprising particles for purposes other than dyeing}
17/10284	{on intermediate layer}	17/10623	{Whitening agents reflecting visible light}
17/10293	{Edge features, e.g. inserts or holes}	17/10633	{Infrared radiation absorbing or reflecting agents}
17/10302	{Edge sealing}	17/10642	{Thermally conductive agents}
17/10311	{Intumescent layers for fire protection}	17/10651	{comprising colorants, e.g. dyes or pigments}
17/10321	{Laminated safety glass or glazing containing liquid layers}	17/1066	{imparting a tint in certain regions only, i.e. shade band}
17/1033	{Laminated safety glass or glazing containing temporary protective coatings or layers}	17/10669	{Luminescent agents}
17/10339	{Specific parts of the laminated safety glass or glazing being colored or tinted (tinted glass sheet B32B 17/1011 ; tinted interlayer B32B 17/10651)}	17/10678	{comprising UV absorbers or stabilizers, e.g. antioxidants}
17/10348	{comprising an obscuration band}	17/10688	{Adjustment of the adherence to the glass layers}
17/10357	{comprising a tinted intermediate film}	17/10697	{being cross-linked}
17/10366	{Reinforcements of the laminated safety glass or glazing against impact or intrusion (containing metal wires for reinforcement B32B 17/10412)}	17/10706	{being photo-polymerized}
17/10376	{Laminated safety glass or glazing containing metal wires}	17/10715	{containing polyether}
17/10385	{for ohmic resistance heating}	17/10724	{containing polyamide}
17/10394	{Alarm wires}	17/10733	{containing epoxy}
17/10403	{for radiation shielding}	17/10743	{containing acrylate (co)polymers or salts thereof}
17/10412	{for reinforcement}	17/10752	{containing polycarbonate}
17/10422	{for aesthetic reasons}	17/10761	{containing vinyl acetal}
17/10431	{Specific parts for the modulation of light incorporated into the laminated safety glass or glazing}	17/1077	{containing polyurethane}
			17/10779	{containing polyester}
			17/10788	{containing ethylene vinylacetate}
			17/10798	{containing silicone}
			17/10807	{Making laminated safety glass or glazing; Apparatus therefor}
			17/10816	{by pressing}
			17/10825	{Isostatic pressing, i.e. using non rigid pressure-exerting members against rigid parts}
			17/10834	{using a fluid}
			17/10844	{using a membrane between the layered product and the fluid}
			17/10853	{the membrane being bag-shaped}
			17/10862	{using pressing-rolls}

- 17/10871 {in combination with particular heat treatment}
- 17/1088 {by superposing a plurality of layered products}
- 17/10889 {shaping the sheets, e.g. by using a mould (B32B 17/10816 takes precedence)}
- 17/10899 {by introducing interlayers of synthetic resin}
- 17/10908 {in liquid form}
- 17/10917 {between two pre-positioned glass layers}
- 17/10926 {by spraying}
- 17/10935 {as a preformed layer, e.g. formed by extrusion}
- 17/10944 {in powder form}
- 17/10954 {by using an aligning laminating device}
- 17/10963 {specially adapted for repairing the layered products}
- 17/10972 {Degassing during the lamination (B32B 17/10816 takes precedence)}
- 17/10981 {Pre-treatment of the layers}
- 17/1099 {After-treatment of the layered product, e.g. cooling}
- 18/00 Layered products essentially comprising ceramics, e.g. refractory products**
- NOTE**
- {In group B32B 18/00, features relating to interlayers, additional compositional information or further processing are indexed with symbols chosen from C04B 2237/00 - C04B 2237/88}
- 19/00 Layered products comprising {a layer of} natural mineral fibres or particles, e.g. asbestos, mica**
- 19/02 . {the layer of fibres or particles being impregnated or} embedded in a plastic substance
- 19/04 . next to another layer of {the same or of} a {different material (next to a glass layer B32B 17/067)}
- 19/041 . . {of metal}
- 19/042 . . {of wood}
- 19/043 . . {of natural rubber or synthetic rubber}
- 19/045 . . {of synthetic resin}
- 19/046 . . {of paper or cardboard}
- 19/047 . . {of foam}
- 19/048 . . {made of particles}
- 19/06 . next to a fibrous or filamentary layer
- 19/08 . comprising asbestos
- 21/00 Layered products comprising {a layer of} wood, e.g. wood board, veneer, wood particle board**
- 21/02 . {the layer being formed} of fibres, chips, or particles {, e.g. MDF, HDF, OSB, chipboard, particle board, hardboard}
- 21/04 . comprising wood as the main or only constituent of a layer, {which is} next to another layer of {the same or of} a {different material (next to a layer of a particular substance B32B 9/042; next to a bituminous or tarry layer B32B 11/042; next to a water setting substance layer B32B 13/10; next to a metal layer B32B 15/10; next to a glass layer B32B 17/062; next to a layer formed of natural mineral fibres or particles B32B 19/042; next to a cellulosic plastic layer B32B 23/044)}
- 21/042 . . {of wood (B32B 21/13 takes precedence)}
- 21/045 . . {of natural rubber or synthetic rubber}
- 21/047 . . {of foam}
- 21/06 . . of paper or cardboard
- 21/08 . . of synthetic resin
- 21/10 . Next to a fibrous or filamentary layer
- 21/12 . next to a particulate layer
- 21/13 . all layers being exclusively wood
- 21/14 . comprising wood board or veneer
- 23/00 Layered products comprising {a layer of} cellulosic plastic substances {, i.e. substances obtained by chemical modification of cellulose, e.g. cellulose ethers, cellulose esters, viscose}**
- 23/02 . in the form of fibres or filaments {(not used)}
- 23/04 . comprising such {cellulosic plastic} substance as the main or only constituent of a layer, {which is} next to another layer of {the same or of} a {different material (next to a glass layer B32B 17/08)}
- 23/042 . . {of metal}
- 23/044 . . {of wood}
- 23/046 . . {of natural rubber or synthetic rubber}
- 23/048 . . {of foam}
- 23/06 . . of paper or cardboard
- 23/08 . . of synthetic resin
- 23/10 . next to a fibrous or filamentary layer
- 23/12 . next to a particulate layer
- 23/14 . characterised by containing special compounding ingredients
- 23/16 . . Modifying agents
- 23/18 . . Fillers
- 23/20 . comprising esters
- 23/22 . comprising ethers
- 25/00 Layered products comprising {a layer of} natural or synthetic rubber {(fibrous or filamentary layer made of a natural or synthetic rubber B32B 5/02; particulate layer made of a natural or synthetic rubber B32B 5/16; foamed layer made of a natural or synthetic rubber B32B 5/18)}**
- 25/02 . with fibres or particles {being present as additives in the layer}
- 25/04 . comprising rubber as the main or only constituent of a layer, {which is} next to another layer of {the same or of} a {different material (next to a layer of a particular substance B32B 9/043; next to a bituminous or tarry layer B32B 11/044; next to a water setting substance layer B32B 13/042; next to a metal layer B32B 15/06; next to a glass layer B32B 17/063; next to a layer formed of natural mineral fibres or particles B32B 19/043; next to a wood layer B32B 21/045; next to a cellulosic plastic layer B32B 23/046)}
- 25/042 . . {of natural rubber or synthetic rubber}
- 25/045 . . {of foam}
- 25/047 . . {of particles}
- 25/06 . . of paper or cardboard
- 25/08 . . of synthetic resin
- 25/10 . next to a fibrous or filamentary layer
- 25/12 . comprising natural rubber
- 25/14 . comprising {synthetic rubber copolymers (B32B 25/18 and B32B 25/20 take precedence)}

- 25/16 . . comprising polydienes {homopolymers} or poly-halodienes {homopolymers (B32B 25/12 takes precedence)}
- 25/18 . . comprising butyl or halobutyl rubber
- 25/20 . . comprising silicone rubber
- 27/00 Layered products comprising {a layer of} synthetic resin {(fibrous or filamentary layer made of a synthetic resin B32B 5/02; particulate layer made of a synthetic resin B32B 5/16; foamed layer made of a synthetic resin B32B 5/18)}**

NOTE

This group covers all synthetic resins except those covered by B32B 25/00 or B32B 23/00

- 27/02 . . in the form of fibres or filaments {(not used)}
- 27/04 . . as impregnant, bonding, or embedding substance {(not used)}
- 27/06 . . as the main or only constituent of a layer, {which is} next to another layer of {the same or of} a {different material (next to a layer of a particular substance B32B 9/045; next to a bituminous or tarry layer B32B 11/046; next to a water setting substance layer B32B 13/12; next to a metal layer B32B 15/08; next to a glass layer B32B 17/10; next to a layer formed of natural mineral fibres or particles B32B 19/045; next to a wood layer B32B 21/08; next to a cellulosic plastic layer B32B 23/08; next to a natural or synthetic rubber layer B32B 25/08)}
- 27/065 . . {of foam}
- 27/08 . . of synthetic resin
- 27/10 . . of paper or cardboard
- 27/12 . . next to a fibrous or filamentary layer
- 27/14 . . next to a particulate layer
- 27/16 . . specially treated, e.g. irradiated
- 27/18 . . characterised by the use of special additives
- 27/20 . . using fillers, pigments, thixotroping agents
- 27/205 . . . {the fillers creating voids or cavities, e.g. by stretching}
- 27/22 . . using plasticisers
- 27/24 . . using solvents or swelling agents
- 27/26 . . using curing agents
- 27/28 . . comprising synthetic resins not wholly covered by any one of the sub-groups {B32B 27/30 - B32B 27/42}
- 27/281 . . {comprising polyimides}
- 27/283 . . {comprising polysiloxanes}
- 27/285 . . {comprising polyethers}
- 27/286 . . {comprising polysulphones; polysulfides}
- 27/288 . . {comprising polyketones}
- 27/30 . . comprising vinyl {(co)polymers; comprising acrylic (co)polymers}
- 27/302 . . {comprising aromatic vinyl (co)polymers, e.g. styrenic (co)polymers}
- 27/304 . . {comprising vinyl halide (co)polymers, e.g. PVC, PVDC, PVF, PVDF}
- 27/306 . . {comprising vinyl acetate or vinyl alcohol (co)polymers}
- 27/308 . . {comprising acrylic (co)polymers}
- 27/32 . . comprising polyolefins {(comprising vinyl (co)polymers or acrylic (co)polymers B32B 27/30)}
- 27/322 . . {comprising halogenated polyolefins, e.g. PTFE}
- 27/325 . . {comprising polycycloolefins}

- 27/327 . . {comprising polyolefins obtained by a metallocene or single-site catalyst}
- 27/34 . . comprising polyamides
- 27/36 . . comprising polyesters
- 27/365 . . {comprising polycarbonates}
- 27/38 . . comprising epoxy resins
- 27/40 . . comprising polyurethanes
- 27/42 . . comprising condensation resins of aldehydes, e.g. with phenols, ureas or melamines
- 29/00 Layered products comprising {a layer of} paper or cardboard**
- 29/002 . . {as the main or only constituent of a layer, which is next to another layer of the same or of a different material (next to a layer of a particular substance B32B 9/06; next to a bituminous or tarry layer B32B 11/06; next to a water-setting substance layer B32B 13/08; next to a metal layer B32B 15/12; next to a glass layer B32B 17/065; next to a layer formed of natural mineral fibres or particles B32B 19/046; next to a wood layer B32B 21/06; next to a cellulosic plastic layer B32B 23/06; next to a natural or synthetic rubber layer B32B 25/06; next to a synthetic resin layer B32B 27/10)}
- 29/005 . . {next to another layer of paper or cardboard layer}
- 29/007 . . {next to a foam layer}
- 29/02 . . next to a fibrous or filamentary layer
- 29/04 . . next to a particulate layer
- 29/06 . . specially treated, e.g. surfaced, parchmentised
- 29/08 . . Corrugated paper or cardboard
- 33/00 Layered products characterised by particular properties or particular surface features, e.g. particular surface coatings; Layered products designed for particular purposes not covered by another single class**

Methods or apparatus for making layered products; Treatment of the layers or of the layered products**NOTE**

In groups B32B 37/00{ , B32B 38/00, B32B 41/00 } and B32B 39/00, the following expressions are used with the meaning indicated:

- "lay-up" is considered to be the action of combining separate layers, one on top of the other, in order to form a half-product for entering the laminating process
- "laminating" means the action of combining previously unconnected {but possibly laid up} layers to become one product whose layers will remain together;
- "partial laminating" occurs when one layer does not fully cover a surface of another layer, whereby the layer with the greater surface area is laminated on only part of its surface;
- "adhesive" means a layer, or part of a layer, applied in any state or in any manner which is incorporated for the purpose of bonding.

37/00 Methods or apparatus for laminating, e.g. by curing or by ultrasonic bonding

- 37/0007 . . {involving treatment or provisions in order to avoid deformation or air inclusion, e.g. to improve surface quality}
- 37/0015 . . {to avoid warp or curl}
- 37/0023 . . {around holes, apertures or channels present in at least one layer}

- 37/003 . . {to avoid air inclusion}
- 37/0038 . {involving application of liquid to the layers prior to lamination, e.g. wet laminating ([B32B 37/12 takes precedence](#))}
- 37/0046 . {characterised by constructional aspects of the apparatus}
- 37/0053 . . {Constructional details of laminating machines comprising rollers; Constructional features of the rollers}
- 2037/0061 . . {the apparatus being an office laminator}
- 2037/0069 . . {the apparatus being originally designed for another function, e.g. printer, photocopier}
- 37/0076 . {characterised in that the layers are not bonded on the totality of their surfaces}
- 37/0084 . . {Point bonding}
- 2037/0092 . {in which absence of adhesives is explicitly presented as an advantage}
- 37/02 . characterised by a sequence of laminating steps, e.g. by adding new layers at consecutive laminating stations
- 37/025 . . {Transfer laminating}
- 37/04 . characterised by the partial melting of at least one layer
- 37/06 . characterised by the heating method
- 37/065 . . {resulting in the laminate being partially bonded ([B32B 37/0076 takes precedence](#))}
- 37/08 . characterised by the cooling method
- 37/085 . . {Quenching}
- 37/10 . characterised by the pressing technique, e.g. using action of vacuum or fluid pressure
- 37/1009 . . {using vacuum and fluid pressure}
- 37/1018 . . {using only vacuum}
- 37/1027 . . {Pressing using at least one press band}
- 37/1036 . . . {Pressing between one press band and a cylinder}
- 37/1045 . . {Intermittent pressing, e.g. by oscillating or reciprocating motion of the pressing means ([B32B 37/0076 takes precedence](#))}
- 37/1054 . . {Regulating the dimensions of the laminate, e.g. by adjusting the nip or platen gap}
- 2037/1063 . . {using an electrostatic force}
- 2037/1072 . . {using a fluid jet}
- 2037/1081 . . {using a magnetic force}
- 2037/109 . . {using a squeegee}
- 37/12 . characterised by using adhesives
- 37/1207 . . {Heat-activated adhesive ([B32B 37/04 takes precedence](#))}
- 2037/1215 . . . {Hot-melt adhesive}
- 2037/1223 {film-shaped}
- 2037/123 {net-shaped}
- 2037/1238 . . . {in the form of powder}
- 2037/1253 . . {curable adhesive}
- 2037/1261 . . . {moisture curable}
- 2037/1269 . . {multi-component adhesive}
- 2037/1276 . . {water-based adhesive}
- 37/1284 . . {Application of adhesive}
- 37/1292 . . . {selectively, e.g. in stripes, in patterns ([B32B 37/0076 takes precedence](#))}
- 37/14 . characterised by the properties of the layers
- 37/142 . . {Laminating of sheets, panels or inserts, e.g. stiffeners, by wrapping in at least one outer layer, or inserting into a preformed pocket}
- 37/144 . . {using layers with different mechanical or chemical conditions or properties, e.g. layers with different thermal shrinkage, layers under tension during bonding ([constructional features for tensioning B32B 38/1825](#))}
- 37/146 . . {whereby one or more of the layers is a honeycomb structure}
- 2037/148 . . {whereby layers material is selected in order to facilitate recycling of the laminate}
- 37/15 . . with at least one layer being manufactured and immediately laminated before reaching its stable state, e.g. in which a layer is extruded and laminated while in semi-molten state
- 37/153 . . . {at least one layer is extruded and immediately laminated while in semi-molten state}
- 37/156 . . . {at least one layer is calendered and immediately laminated}
- 37/16 . . with all layers existing as coherent layers before laminating
- 37/18 . . . involving the assembly of discrete sheets or panels only
- 37/182 {one or more of the layers being plastic}
- 37/185 {Laminating sheets, panels or inserts between two discrete plastic layers}
- 37/187 {the layers being placed in a carrier before going through the lamination process}
- 37/20 . . . involving the assembly of continuous webs only
- 37/203 {One or more of the layers being plastic}
- 37/206 {Laminating a continuous layer between two continuous plastic layers}
- 37/22 . . . involving the assembly of both discrete and continuous layers
- 37/223 {One or more of the layers being plastic}
- 37/226 {Laminating sheets, panels or inserts between two continuous plastic layers}
- 37/24 . . with at least one layer not being coherent before laminating, e.g. made up from granular material sprinkled onto a substrate ([B32B 37/15 takes precedence](#))
- 2037/243 . . . {Coating}
- 2037/246 . . . {Vapour deposition}
- 37/26 . . with at least one layer which influences the bonding during the lamination process, e.g. release layers or pressure equalising layers
- 2037/262 . . . {Partition plates or sheets for separating several laminates pressed simultaneously}
- 2037/264 . . . {Pressure equalizing layers}
- 2037/266 . . . {Cushioning layers}
- 2037/268 . . . {Release layers}
- 37/28 . involving assembly of non-flat intermediate products which are flattened at a later step, e.g. tubes
- 37/30 . Partial laminating
- 38/00 Ancillary operations in connection with laminating processes**
- NOTE**
- {In this group, the following expression is used with the meaning indicated:
 - "in connection with laminating processes" means ancillary operations are carried out either
 - a. as steps of the lamination processes, or

B32B 38/00

(continued)

	b. in line with the lamination processes, just before or immediately after.}	38/185 {combined with the cutting of one or more layers}
38/0004	. {Cutting, tearing or severing, e.g. bursting; Cutter details (cutting in general B32B 38/04 ; removing all or part of the layers B32B 38/10 ; cutting in combination with laying up and registration B32B 38/185 takes precedence)}	38/1858	. . {using vacuum}
		38/1866	. . {conforming the layers or laminate to a convex or concave profile}
38/0008	. {Electrical discharge treatment, e.g. corona, plasma treatment; wave energy or particle radiation (heat treatment B32B 38/0036)}	38/1875	. . {Tensioning}
38/0012	. {Mechanical treatment, e.g. roughening, deforming, stretching}	38/1883	. . {Detensioning}
2038/0016	. . {Abrading}	2038/1891	. . {Using a robot for handling the layers}
2038/002	. . {Sandblasting}	39/00	Layout of apparatus or plants, e.g. modular laminating systems
2038/0024	. . {Crushing}	41/00	Arrangements for controlling or monitoring lamination processes; Safety arrangements
2038/0028	. . {Stretching, elongating}	41/02	. Safety arrangements
38/0032	. {increasing porosity (B32B 38/04 takes precedence)}	2041/04	. {Detecting wrong registration, misalignment, deviation, failure}
38/0036	. {Heat treatment (for heating or cooling of layers during lamination B32B 37/06 , B32B 37/08)}	2041/06	. {Starting the lamination machine or method}
38/004	. . {by physically contacting the layers, e.g. by the use of heated platens or rollers}	43/00	Operations specially adapted for layered products and not otherwise provided for, e.g. repairing; Apparatus therefor
2038/0044	. . {for creating local stresses}	43/003	. {Cutting}
2038/0048	. . {Annealing, relaxing}	43/006	. {Delaminating}
2038/0052	. {Other operations not otherwise provided for}		
2038/0056	. . {Moistening}		
2038/006	. . {Relieving internal or residual stresses}		
2038/0064	. . {Smoothing, polishing, making a glossy surface}		
2038/0068	. . {Changing crystal orientation}		
2038/0072	. . {Orienting fibers}		
2038/0076	. . {Curing, vulcanising, cross-linking}		
2038/008	. . {Sewing, stitching}		
2038/0084	. . {Foaming}		
2038/0088	. . {Expanding, swelling}		
2038/0092	. . {Metallizing}		
2038/0096	. . {Riveting}		
38/04	. Punching, slitting or perforating		
2038/042	. . {Punching}		
2038/045	. . {Slitting}		
2038/047	. . {Perforating}		
38/06	. Embossing		
38/08	. Impregnating		
38/10	. Removing layers, or parts of layers, mechanically or chemically		
38/105	. . {on edges}		
38/12	. Deep-drawing		
38/14	. Printing or colouring		
38/145	. . {Printing}		
38/16	. Drying; Softening; Cleaning		
38/162	. . {Cleaning}		
38/164	. . {Drying}		
2038/166	. . . {Removing moisture}		
2038/168	. . . {Removing solvent}		
38/18	. Handling of layers or the laminate		
38/1808	. . {characterised by the laying up of the layers}		
38/1816	. . . {Cross feeding of one or more of the layers}		
38/1825	. . {characterised by the control or constructional features of devices for tensioning, stretching or registration}		
38/1833	. . . {Positioning, e.g. registration or centering}		
38/1841 {during laying up}		

Layer arrangements; Coating, impregnation or embedding of layers; Composition of fibres, particles or foam present on a layer; Resin or rubber layer containing a blend of polymers or recycled material

2250/00 Layers arrangement

- 2250/02 . 2 layers
- 2250/03 . 3 layers
- 2250/04 . 4 layers
- 2250/05 . 5 or more layers
- 2250/20 . All layers being fibrous or filamentary
- 2250/22 . All layers being foamed
- 2250/24 . All layers being polymeric
- 2250/242 . . All polymers belonging to those covered by group [B32B 27/32](#)
- 2250/244 . . All polymers belonging to those covered by group [B32B 27/36](#)
- 2250/246 . . All polymers belonging to those covered by groups [B32B 27/32](#) and [B32B 27/30](#)
- 2250/248 . . All polymers belonging to those covered by group [B32B 25/00](#)
- 2250/26 . All layers being made of paper or paperboard
- 2250/40 . Symmetrical or sandwich layers, e.g. ABA, ABCBA, ABCCBA
- 2250/42 . Alternating layers, e.g. ABAB(C), AABBAABB(C)
- 2250/44 . Number of layers variable across the laminate

2255/00 Coating on the layer surface**NOTE**

This group is for classification of coatings on a layered product. Specific details of coatings or processes thereof can be found in [C08J 7/00](#), [B05D](#), [C09D](#), [C09J](#), [C23C](#) or [D06M](#).

- 2255/02 . on fibrous or filamentary layer
- 2255/04 . on a particulate layer
- 2255/06 . on metal layer
- 2255/062 . . metal layer being a foamed layer
- 2255/08 . on wood layer

2255/10	on synthetic resin layer or on natural or synthetic rubber layer	2262/108	Rockwool fibres
2255/102	synthetic resin or rubber layer being a foamed layer	2262/12	Conjugate fibres, e.g. core/sheath or side-by-side
2255/12	on paper layer	2262/124	Non-woven fabric
2255/20	Inorganic coating	2262/128	Woven fabric
2255/205	Metallic coating	2262/132	Knitted fabric
2255/24	Organic non-macromolecular coating	2262/136	Net structure
2255/26	Polymeric coating	2262/14	Mixture of at least two fibres made of different materials
2255/28	Multiple coating on one surface	2262/144	Non-woven fabric
2260/00	Layered product comprising an impregnated, embedded, or bonded layer wherein the layer comprises an impregnation, embedding, or binder material	2262/148	Woven fabric
2260/02	Composition of the impregnated, bonded or embedded layer	2262/152	Knitted fabric
2260/021	Fibrous or filamentary layer (layers of natural mineral fibres or particles being impregnated in a plastic substance B32B 19/02)	2262/156	Net structure
2260/023	Two or more layers	2262/16	Structural features of fibres, filaments or yarns e.g. wrapped, coiled, crimped or covered
2260/025	Particulate layer (layers of natural mineral fibres or particles being impregnated in a plastic substance B32B 19/02)	2264/00	Composition or properties of particles which form a particulate layer or are present as additives
2260/026	Wood layer	2264/02	Synthetic macromolecular particles
2260/028	Paper layer	2264/0207	Particles made of materials belonging to B32B 25/00
2260/04	Impregnation, embedding, or binder material	2264/0214	Particles made of materials belonging to B32B 27/00
2260/042	Bituminous or tarry substance	2264/0221	Thermoplastic elastomer particles
2260/044	Water-setting substance, e.g. concrete, plaster	2264/0228	Vinyl resin particles, e.g. polyvinyl acetate, polyvinyl alcohol polymers or ethylene-vinyl acetate copolymers
2260/046	Synthetic resin	2264/0235	Aromatic vinyl resin, e.g. styrenic (co)polymers
2260/048	Natural or synthetic rubber	2264/0242	Vinyl halide, e.g. PVC, PVDC, PVF or PVDF (co)polymers
2262/00	Composition or structural features of fibres which form a fibrous or filamentary layer or are present as additives	2264/025	Acrylic resin particles, e.g. polymethyl methacrylate or ethylene-acrylate copolymers
2262/02	Synthetic macromolecular fibres	2264/0257	Polyolefin particles, e.g. polyethylene or polypropylene homopolymers or ethylene-propylene copolymers
2262/0207	Elastomeric fibres	2264/0264	Polyamide particles
2262/0215	Thermoplastic elastomer fibres	2264/0271	Aromatic polyamide particles
2262/0223	Vinyl resin fibres	2264/0278	Polyester particles
2262/023	Aromatic vinyl resin, e.g. styrenic (co)polymers	2264/0285	PET or PBT
2262/0238	Vinyl halide, e.g. PVC, PVDC, PVF, PVDF	2264/0292	Polyurethane particles
2262/0246	Acrylic resin fibres	2264/04	Cellulosic particles, e.g. rayon
2262/0253	Polyolefin fibres (vinyl or acrylic copolymers B32B 2262/0223 or B32B 2262/0246)	2264/06	Vegetal particles
2262/0261	Polyamide fibres	2264/062	Cellulose particles, e.g. cotton
2262/0269	Aromatic polyamide fibres	2264/065	Lignocellulosic particles, e.g. jute, sisal, hemp, flax, bamboo
2262/0276	Polyester fibres	2264/067	Wood particles
2262/0284	Polyethylene terephthalate [PET] or polybutylene terephthalate [PBT]	2264/08	Animal particles, e.g. leather
2262/0292	Polyurethane fibres	2264/10	Inorganic particles
2262/04	Cellulosic plastic fibres, e.g. rayon	2264/101	Glass
2262/06	Vegetal fibres	2264/102	Oxide or hydroxide
2262/062	Cellulose fibres, e.g. cotton	2264/1021	Silica
2262/065	Lignocellulosic fibres, e.g. jute, sisal, hemp, flax, bamboo	2264/1022	Titania
2262/067	Wood fibres	2264/1023	Alumina
2262/08	Animal fibres, e.g. hair, wool, silk	2264/1024	Zirconia
2262/10	Inorganic fibres (layered products comprising a layer of natural mineral fibres B32B 19/00)	2264/1025	Zinc oxide
2262/101	Glass fibres	2264/1026	Mica
2262/103	Metal fibres	2264/1027	Clay
2262/105	Ceramic fibres	2264/104	Oxysalt, e.g. carbonate, sulfate, phosphate or nitrate particles
2262/106	Carbon fibres, e.g. graphite fibres	2264/105	Metal
		2264/1051	Silver or gold
		2264/1052	Aluminum
		2264/1053	Alkali metal

2264/1054	. . . Alkaline earth metal
2264/1055	. . . Copper or nickel
2264/1056	. . . Iron or steel
2264/1057	. . . Chromium
2264/1058	. . . Titanium
2264/1059	. . . Zinc
2264/107	. . Ceramic
2264/108	. . . Carbon, e.g. graphite particles
2264/12	. Mixture of at least two particles made of different materials
2264/20	. Particles characterised by shape
2264/201	. . Flat or platelet-shaped particles, e.g. flakes
2264/202	. . Solid spheres
2264/203	. . Expanded, porous or hollow particles
2264/2031	. . . Porous particles
2264/2032	. . . Hollow spheres
2264/204	. . Rod- or needle-shaped particles
2264/30	. Particles characterised by physical dimension
2264/301	. . Average diameter smaller than 100 nm
2264/302	. . Average diameter in the range from 100 nm to 1000 nm
2264/303	. . Average diameter greater than 1µm
2264/304	. . Particle length
2264/305	. . Particle size distribution, e.g. unimodal size distribution
2264/306	. . . Multimodal particle size distribution
2264/3065	. . . bimodal size distribution
2264/307	. . Surface area of particles
2264/308	. . Aspect ratio of particles
2264/40	. Pretreated particles
2264/401	. . with inorganic substances
2264/402	. . with organic substances
2264/4021	. . . with silicon-containing compounds
2264/403	. . coated or encapsulated
2264/50	. Particles characterised by their position or distribution in a layer
2264/501	. . homogeneously distributed
2264/502	. . distributed in a gradient manner
2264/503	. . distributed in a predetermined pattern in a thickness direction
2264/504	. . distributed in a predetermined pattern in a direction perpendicular to the thickness
2266/00	Composition of foam
2266/02	. Organic
2266/0207	. . Materials belonging to B32B 25/00
2266/0214	. . Materials belonging to B32B 27/00
2266/0221	. . . Vinyl resin
2266/0228 Aromatic vinyl resin, e.g. styrenic (co)polymers
2266/0235 Vinyl halide, e.g. PVC, PVDC, PVF, PVDF
2266/0242	. . . Acrylic resin
2266/025	. . . Polyolefin (vinyl or acrylic copolymers B32B 2266/0221, B32B 2266/0242)
2266/0257	. . . Polyamide
2266/0264	. . . Polyester
2266/0271	. . . Epoxy resin
2266/0278	. . . Polyurethane
2266/0285	. . . Condensation resins of aldehydes, e.g. with phenols, ureas, melamines
2266/0292	. . . Thermoplastic elastomer
2266/031	. . Bituminous or tarry material

2266/04	. Inorganic
2266/045	. . Metal
2266/049	. . Water-setting material, e.g. concrete, plaster or asbestos cement
2266/053	. . Mineral element, e.g. asbestos or mica
2266/057	. . Silicon-containing material, e.g. glass
2266/06	. Open cell foam
2266/08	. Closed cell foam
2266/10	. characterised by the foam pores
2266/102	. . Nanopores, i.e. with average diameter smaller than 0.1 µm
2266/104	. . Micropores, i.e. with average diameter in the range from 0.1 µm to 0.1 mm
2266/106	. . Unimodal pore distribution
2266/108	. . Bimodal pore distribution
2266/12	. Gel
2266/122	. . Hydrogel, i.e. a gel containing an aqueous composition
2266/124	. . Organogel, i.e. a gel containing an organic composition
2266/126	. . Aerogel, i.e. a supercritically dried gel
2266/128	. . Xerogel, i.e. an air dried gel
2266/14	. Adhesive foam
2270/00	Resin or rubber layer containing a blend of at least two different polymers
2272/00	Resin or rubber layer comprising scrap, waste or recycling material
2274/00	Thermoplastic elastomer material (thermoplastic elastomer fibres B32B 2262/0215, thermoplastic elastomer particles B32B 2264/0221, thermoplastic elastomer foam B32B 2266/0292)

Condition, form, state or properties of the layers or laminate

2305/00	Condition, form or state of the layers or laminate
2305/02	. Cellular or porous
2305/022	. . Foam
2305/024	. . Honeycomb
2305/026	. . Porous
2305/028	. . Hollow fillers; Syntactic material
2305/07	. Parts immersed or impregnated in a matrix
2305/073	. . partially
2305/076	. . Prepregs
2305/08	. Reinforcements
2305/10	. Fibres of continuous length
2305/18	. . Fabrics, textiles
2305/182	. . . knitted
2305/184	. . . Braided fabrics
2305/186	. . . Knitted fabrics
2305/188	. . . Woven fabrics
2305/20	. . in the form of a non-woven mat
2305/22	. Fibres of short length
2305/24	. . Whiskers
2305/28	. . in the form of a mat
2305/30	. Fillers, e.g. particles, powders, beads, flakes, spheres, chips
2305/34	. Inserts
2305/342	. . Chips
2305/345	. . Heating elements
2305/347	. . Security elements
2305/38	. Meshes, lattices or nets

2305/54	. Filled microcapsules	2307/58 Cuttability
2305/55	. Liquid crystals	2307/581 Resistant to cut
2305/70	. Scrap or recycled material	2307/582 Tearability
2305/72	. Cured, e.g. vulcanised, cross-linked	2307/5825 Tear resistant
2305/74	. Partially cured	2307/584 Scratch resistance
2305/77	. Uncured, e.g. green	2307/70 Other properties
2305/80	. Sintered	2307/702 Amorphous
2307/00 Properties of the layers or laminate		2307/704 Crystalline
2307/10	. having particular acoustical properties	2307/706 Anisotropic
2307/102 Insulating	2307/708 Isotropic
2307/20	. having particular electrical or magnetic properties, e.g. piezoelectric	2307/71 Resistive to light or to UV
2307/202 Conductive	2307/712 Weather resistant
2307/204 Di-electric	2307/714 Inert, i.e. inert to chemical degradation, corrosion
2307/206 Insulating	2307/7145 Rot proof, resistant to bacteria, mildew, mould, fungi
2307/208 Magnetic, paramagnetic	2307/716 Degradable
2307/21 Anti-static	2307/7163 Biodegradable
2307/212 Electromagnetic interference shielding	2307/7166 Water-soluble, water-dispersible
2307/30	. having particular thermal properties	2307/718 Weight, e.g. weight per square meter
2307/302 Conductive	2307/72 Density
2307/304 Insulating	2307/722 Non-uniform density
2307/306 Resistant to heat	2307/724 Permeability to gases, adsorption
2307/3065 Flame resistant or retardant, fire resistant or retardant	2307/7242 Non-permeable
2307/308 Heat stability (dimensional stability B32B 2307/734)	2307/7244 Oxygen barrier
2307/31 Heat sealable	2307/7246 Water vapor barrier
2307/40	. having particular optical properties (light or UV resistant B32B 2307/71)	2307/7248 Odour barrier
2307/402 Coloured	2307/726 Permeability to liquids, absorption
2307/4023 on the layer surface, e.g. ink	2307/7265 Non-permeable
2307/4026 within the layer by addition of a colorant, e.g. pigments, dyes	2307/728 Hydrophilic
2307/404 Multi-coloured	2307/73 Hydrophobic
2307/406 Bright, glossy, shiny surface	2307/732 Dimensional properties
2307/408 Matt, dull surface	2307/734 Dimensional stability
2307/409 Iridescent, pearlescent surface	2307/736 Shrinkable
2307/41 Opaque	2307/738 Thermoformability
2307/412 Transparent	2307/74 Oxygen absorber
2307/414 Translucent	2307/744 Non-slip, anti-slip
2307/416 Reflective	2307/746 Slipping, anti-blocking, low friction
2307/418 Refractive	2307/748 Releasability
2307/42 Polarizing, birefringent, filtering	2307/75 Printability
2307/422 Luminescent, fluorescent, phosphorescent	2307/752 Corrosion inhibitor
2307/50	. having particular mechanical properties	2307/754 Self-cleaning
2307/51 Elastic	2307/756 Refurbishable, i.e. marks or scratches can be removed
2307/514 Oriented	2307/758 Odour absorbent
2307/516 mono-axially	2307/762 Self-repairing, self-healing
2307/518 bi-axially	2307/764 Insect repellent
2307/52 multi-axially	Operating procedures; Apparatus details	
2307/536 Hardness	2309/00 Parameters for the laminating or treatment process; Apparatus details	
2307/538 Roughness	2309/02 Temperature
2307/54 Yield strength; Tensile strength	2309/022 Temperature vs pressure profiles
2307/542 Shear strength	2309/025 Temperature vs time profiles
2307/544 Torsion strength; Torsion stiffness	2309/027 Ambient temperature
2307/546 Flexural strength; Flexion stiffness	2309/04 Time
2307/548 Creep	2309/06 Angles
2307/552 Fatigue strength	2309/08 Dimensions, e.g. volume
2307/554 Wear resistance	2309/10 linear, e.g. length, distance, width
2307/558 Impact strength, toughness	2309/105 Thickness
2307/56 Damping, energy absorption	2309/12 Pressure
		2309/125 Pressure vs time profiles

- 2309/14 . Velocity, e.g. feed speeds
- 2309/16 . Tension
- 2309/60 . In a particular environment
- 2309/62 . . Inert
- 2309/64 . . Sterile
- 2309/65 . . Dust free, e.g. clean room
- 2309/66 . . Fluid other than air
- 2309/68 . . Vacuum
- 2309/70 . Automated, e.g. using a computer or microcomputer
- 2309/72 . . For measuring or regulating, e.g. systems with feedback loops

2310/00 Treatment by energy or chemical effects

- 2310/021 . using electrical effects ([B32B 2310/08](#) and [B32B 2310/12](#) take precedence)
- 2310/022 . . Electrical resistance
- 2310/024 . . Peltier effect
- 2310/025 . . Electrostatic charges
- 2310/027 . using friction
- 2310/028 . using vibration, e.g. sonic or ultrasonic
- 2310/04 . using liquids, gas or steam
- 2310/0409 . . using liquids
- 2310/0418 . . . other than water
- 2310/0427 . . . Liquified gases
- 2310/0436 . . . Oil
- 2310/0445 . . using gas or flames ([B32B 2310/0427](#) takes precedence)
- 2310/0454 . . . Hot air
- 2310/0463 . . . other than air
- 2310/0472 inert gas
- 2310/0481 Ozone
- 2310/049 . . using steam or damp
- 2310/08 . by wave energy or particle radiation
- 2310/0806 . . using electromagnetic radiation
- 2310/0812 . . . using induction
- 2310/0818 using eddy currents
- 2310/0825 . . . using IR radiation
- 2310/0831 . . . using UV radiation
- 2310/0837 . . . using actinic light
- 2310/0843 . . . using laser
- 2310/085 . . . using X-ray
- 2310/0856 . . . using gamma-ray
- 2310/0862 . . . using microwave
- 2310/0868 . . . using radio frequency
- 2310/0875 . . using particle radiation
- 2310/0881 . . . using ion-radiation, e.g. alpha-rays
- 2310/0887 . . . using electron radiation, e.g. beta-rays
- 2310/0893 . . . using neutron radiation
- 2310/12 . using dielectric properties
- 2310/14 . Corona, ionisation, electrical discharge, plasma treatment

Inorganic materials used for the layers, laminate or apparatus components

2311/00 Metals, their alloys or their compounds

NOTE

Alloys and compounds of specific metals are indexed with the same indexing code as the specific metals

- 2311/005 . Shape memory alloys
- 2311/02 . Noble metals

- 2311/04 . . Gold
- 2311/06 . . Platinum
- 2311/08 . . Silver
- 2311/09 . . Palladium
- 2311/10 . Mercury
- 2311/12 . Copper
- 2311/14 . Lead
- 2311/16 . Tin
- 2311/18 . Titanium
- 2311/20 . Zinc
- 2311/22 . Nickel or cobalt
- 2311/24 . Aluminium
- 2311/30 . Iron, e.g. steel

2313/00 Elements other than metals

- 2313/02 . Boron
- 2313/04 . Carbon

2315/00 Other materials containing non-metallic inorganic compounds not provided for in groups [B32B 2311/00](#) - [B32B 2313/04](#)

- 2315/02 . Ceramics
- 2315/06 . Concrete
- 2315/08 . Glass
- 2315/085 . . Glass fiber cloth or fabric
- 2315/10 . Mica
- 2315/12 . Asbestos
- 2315/14 . Mineral wool
- 2315/16 . Clay
- 2315/18 . Plaster

Other natural products or their composites used for the layers, laminate or apparatus components not provided for in groups [B32B 2311/00](#) - [B32B 2315/18](#) and [B32B 2319/00](#) - [B32B 2398/20](#)

2317/00 Animal or vegetable based

- 2317/02 . Cork
- 2317/04 . Linoleum
- 2317/06 . Bone; Horn; Ivory
- 2317/08 . Natural leather
- 2317/10 . Natural fibres, e.g. wool, cotton
- 2317/12 . Paper, e.g. cardboard
- 2317/122 . . Kraft paper
- 2317/125 . . impregnated with thermosetting resin
- 2317/127 . . Corrugated cardboard
- 2317/16 . Wood, e.g. woodboard, fibreboard, woodchips
- 2317/18 . Cellulose, modified cellulose or cellulose derivatives, e.g. viscose ([B32B 2317/10](#), [B32B 2317/12](#), [B32B 2317/16](#) take precedence)
- 2317/20 . Starch
- 2317/22 . Natural rubber ([synthetic rubber \[B32B 2319/00\]\(#\)](#))
- 2317/24 . Oil ([B32B 2318/02](#) takes precedence)

2318/00 Mineral based

- 2318/02 . Oil
- 2318/04 . Stone

Organic materials used for the layers, laminate or apparatus components

2319/00 Synthetic rubber ([natural rubber \[B32B 2317/22\]\(#\)](#))

NOTE

In groups [B32B 2319/00](#) - [B32B 2386/00](#), C-Sets are used. Detailed information about C-Sets

B32B 2319/00

(continued) construction and the associated syntax rules is found in the Definitions.

- 2323/00 Polyalkenes**
 2323/04 . Polyethylene
 2323/043 . . HDPE, i.e. high density polyethylene
 2323/046 . . LDPE, i.e. low density polyethylene
 2323/10 . Polypropylene
 2323/16 . EPDM, i.e. ethylene propylene diene monomer
- 2325/00 Polymers of vinyl-aromatic compounds, e.g. polystyrene**
- 2327/00 Polyvinylhalogenides**
 2327/06 . PVC, i.e. polyvinylchloride
 2327/12 . containing fluorine
 2327/18 . . PTFE, i.e. polytetrafluoroethylene
- 2329/00 Polyvinylalcohols, polyvinylethers, polyvinylaldehydes, polyvinylketones or polyvinylketals**
 2329/04 . Polyvinylalcohol
 2329/06 . PVB, i.e. polyvinylbutyral
- 2331/00 Polyvinylesters**
 2331/04 . Polymers of vinyl acetate, e.g. PVA
- 2333/00 Polymers of unsaturated acids or derivatives thereof**
 2333/04 . Polymers of esters
 2333/08 . . Polymers of acrylic acid esters, e.g. PMA, i.e. polymethylacrylate
 2333/12 . . Polymers of methacrylic acid esters, e.g. PMMA, i.e. polymethylmethacrylate
- 2355/00 Specific polymers obtained by polymerisation reactions only involving carbon-to-carbon unsaturated bonds, not provided for in a single one of index codes [B32B 2323/00](#) - [B32B 2333/00](#)**
 2355/02 . ABS polymers, i.e. acrylonitrile-butadiene-styrene polymers
- 2361/00 Phenoplast, aminoplast**
- 2363/00 Epoxy resins**
- 2367/00 Polyesters, e.g. PET, i.e. polyethylene terephthalate**
- 2369/00 Polycarbonates**
- 2371/00 Polyethers, e.g. PEEK, i.e. polyether-etherketone; PEK, i.e. polyetherketone**
- 2375/00 Polyureas; Polyurethanes**
- 2377/00 Polyamides**
- 2379/00 Other polymers having nitrogen, with or without oxygen or carbon only, in the main chain**
 2379/08 . Polyimides
- 2383/00 Polysiloxanes**
- 2386/00 Specific polymers obtained by polycondensation or polyaddition not provided for in a single one of index codes [B32B 2363/00](#) - [B32B 2383/00](#)**
- 2391/00 Waxes**
- 2395/00 Bituminous material, e.g. tar, asphalt**
- 2398/00 Unspecified macromolecular compounds**

2398/10 . Thermosetting resins

2398/20 . Thermoplastics

Particular articles**NOTE**

Parts of specific articles are indexed with the same indexing codes as the articles

- 2405/00 Adhesive articles, e.g. adhesive tapes ([labels B32B 2519/00](#))**
- 2410/00 Agriculture-related articles**
- 2413/00 Belts ([conveyor belts B32B 2433/02](#); [drive belts B32B 2433/04](#))**
- 2419/00 Buildings or parts thereof ([walls, panels B32B 2607/00](#))**
 2419/02 . Bricks
 2419/04 . Tiles for floors or walls ([tiles for roofs B32B 2419/06](#))
 2419/06 . Roofs, roof membranes
- 2425/00 Cards, e.g. identity cards, credit cards**
- 2429/00 Carriers for sound or information**
 2429/02 . Records or discs
- 2432/00 Cleaning articles, e.g. mops, wipes ([personal care B32B 2555/00](#))**
- 2433/00 Closed loop articles**
 2433/02 . Conveyor belts
 2433/04 . Driving belts
- 2435/00 Closures, end caps, stoppers**
 2435/02 . for containers
- 2437/00 Clothing ([anti-ballistic clothing B32B 2571/02](#))**
 2437/02 . Gloves, shoes
 2437/04 . Caps, helmets
- 2439/00 Containers; Receptacles ([closures therefor B32B 2435/00](#))**
 2439/02 . Open containers
 2439/06 . . Bags, sacks, sachets
 2439/40 . Closed containers
 2439/46 . . Bags
 2439/60 . . Bottles
 2439/62 . . Boxes, cartons, cases
 2439/66 . . Cans, tins
 2439/70 . Food packaging
 2439/80 . Medical packaging
- 2451/00 Decorative or ornamental articles ([wall paper B32B 2607/02](#))**
- 2457/00 Electrical equipment**
 2457/04 . Insulators
 2457/08 . PCBs, i.e. printed circuit boards
 2457/10 . Batteries
 2457/12 . Photovoltaic modules
 2457/14 . Semiconductor wafers
 2457/16 . Capacitors
 2457/18 . Fuel cells
 2457/20 . Displays, e.g. liquid crystal displays, plasma displays
 2457/202 . . LCD, i.e. liquid crystal displays

2457/204	. . Plasma displays
2457/206	. . Organic displays, e.g. OLED
2457/208	. . Touch screens
2459/00	Nets, e.g. camouflage nets
2471/00	Floor coverings (B32B 2419/04 takes precedence)
2471/02	. Carpets
2471/04	. Mats
2475/00	Frictional elements
2479/00	Furniture (upholstery B32B 2601/00)
2509/00	Household appliances
2509/10	. Refrigerators or refrigerating equipment
2519/00	Labels, badges
2519/02	. RFID tags
2535/00	Medical equipment, e.g. bandage, prostheses, catheter (medical patches B32B 2556/00)
2551/00	Optical elements
2551/08	. Mirrors
2553/00	Packaging equipment or accessories not otherwise provided for
2553/02	. Shock absorbing
2553/023	. . for use in loose form, e.g. dunnage
2553/026	. . Bubble films
2554/00	Paper of special types, e.g. banknotes
2555/00	Personal care
2555/02	. Diapers or napkins
2556/00	Patches, e.g. medical patches, repair patches
2559/00	Photographic equipment or accessories
2571/00	Protective equipment
2571/02	. defensive, e.g. armour plates, anti-ballistic clothing (camouflage nets B32B 2459/00)
2581/00	Seals; Sealing equipment; Gaskets
2590/00	Signboards, advertising panels, road signs
2597/00	Tubular articles, e.g. hoses, pipes
2601/00	Upholstery
2603/00	Vanes, blades, propellers, rotors with blades
2605/00	Vehicles
2605/003	. Interior finishings
2605/006	. Transparent parts made from plastic material, e.g. windows
2605/08	. Cars
2605/10	. Trains
2605/12	. Ships
2605/16	. Submarines
2605/18	. Aircraft (blades, propellers B32B 2603/00)
2607/00	Walls, panels
2607/02	. Wall papers, wall coverings